

1. Changes in classification and list of families and subfamilies

John F. Lawrence, Rolf G. Beutel, Richard A. B. Leschen and Adam Ślipiński

The classification used in *Handbook of Zoology*, part 38.1 (Coleoptera, Beetles, Vol. 1) was based primarily on that of Lawrence & Newton (1995) and Lawrence *et al.* (1999), with a few additions or modifications based on subsequent work. Further changes and additions to that family list based on more recent publications are listed below:

Artematopodidae. The tribe Allopogonini Crowson was elevated to subfamily level by Lawrence (2005a).

Eucnemidae. The subfamily Anischiinae Fleutiaux, recognized at the family level in 38.1, was moved into the family Eucnemidae by Lawrence *et al.* (2007) and considered to be a subfamily well within the major eucnemid clade (excluding Perothopinae, Phyllocerinae, Palaeoxeninae, Pseudomeninae and Phlegoninae).

Elateridae. The subfamily Tetralobinae was reduced to a tribe within Agrypninae by Costa *et al.* (1992, 1994). Campylokeninae Costa (1975) and Morostominae Dolin (2000) were added as subfamilies.

Lycidae. The new subfamily and tribal classification proposed by Bocak & Bocakova (2008) and based in part on Bocakova *et al.* (2007) was used in Chapter 4.11.

Phengodidae. Mastinocerinae LeConte and Penicilliphorinae Paulus were recognized at the subfamily level.

Rhagophthalmidae. Although treated as a separate family here, as in 38.1, some molecular evidence (Bocakova *et al.* 2007) suggests that this group does belong within Phengodidae, as suggested by Crowson (1972).

Lampyridae. The constitution of this family used in Chapter 4.15 is based on cladograms produced by Branham & Wenzel (2001, 2003); thus several formerly included taxa within Pterotinae, Ototretinae and Ototretadrilinae have been discussed in a separate Chapter (4.18) dealing with Elateriformia *incertae sedis*. Subfamilies remaining in Lampyridae are the Psilocladinae (= Cyphonocerinae; Jeng *et al.* 1998), Amydetinae, Lampyrinae, Photurinae and Luciolinae.

Elateriformia *incertae sedis*. Chapter 4.18 includes elateriform taxa whose family-group relationships are in doubt. All of these taxa belong within Elateroidea with the exception of Podabrocephalidae, which appears to be related to Ptilodactylidae. All of the taxa excluded from Lampyridae by Branham & Wenzel (2001, 2003) are also included here, as well as the doubtful throscid genus *Neocrowsonium* Kistner & Abdel-Galil and the subfamily Cydistinae Paulus (1972), formerly included in Karumiidae.

Derodontiformia. The placing of Derodontidae, Nosodendridae and Jacobsoniidae in a separate superfamily increases the likelihood that Bostrichoidea is a monophyletic group. It is not at all certain, however, that the three families placed here form a single clade. This is discussed in Chapters 5 and 6.

Dermestidae. New data on the phylogeny of Dermestidae have been published by Lawrence & Ślipiński (2005) and Kiselyova & McHugh (2006). In the former work, Dermestinae and Trinodinae were redefined to include Marioutinae and Thydrodriinae, respectively.

Ptinidae. The priority of Ptinidae Latreille 1802 over Anobiidae Fleming 1821 was pointed out by Lawrence & Newton (1995); the family name has been changed in this volume.

Lymexylinae. Atractocerinae is recognized as a subfamily separate from Lymexylinae and containing several genera following Paulus (2004).

Trogossitidae. A new family-group classification involving only two subfamilies was proposed by Kolibáč (2005, 2006) and is followed in Chapter 9.2.

Thanerocleridae. The clerid subfamily Thaneroclerinae was elevated to family rank by Kolibáč (1992, 1998) and a new subfamily Zenodosinae was proposed.

Metaxinidae. The genus *Metaxina* Broun, tentatively included in Thaneroclerinae by Crowson (1964) was made the type of this new family by Kolibáč (2004).

Mauroniscidae. This family was proposed by Majer (1994 b, 1995) and recognized in Lawrence *et al.* (1999).

Melyridae. The subfamily Gietellinae, recognized by Lawrence & Newton (1995), was reduced to tribal level within Dasytinae.

Cucujoidea. A new arrangement of cucujoid families was proposed by Leschen *et al.* (2005). These authors also noted that Cucujoidea was probably paraphyletic if the cleroids are excluded, and similar statements have been made in other recent works (Beutel & Pollock 2000; Hunt *et al.* 2007).

Cryptophagidae. The subfamily Hypocoprinae was considered to be a tribe within Atomariinae by Leschen (1996).

Phloeostichidae. The subfamilies Agapthyinae Sen Gupta & Crowson, Myraboliiinae Lawrence & Britton, Priaesilphinae Crowson and Tasmosalpinginae Lawrence & Britton were all raised to family rank by Leschen *et al.* (2005), leaving only Phloeostichinae and Hymaeinae within this family. See Chapters 10.11, 10.12, 10.13, 10.16 and 10.23.

Nitidulidae. Three additional subfamilies were proposed by Kirejtshuk: Amphicrossinae (1986), Epuraeinae (1986) and Maynipeplinae (1998).

Endomychidae. A reanalysis of the subfamilies of Endomychidae (Tomaszewska 2005) confirmed the classification presented in 38.1.

Coccinellidae. A new classification involving only two subfamilies, with almost all currently recognized subfamilies considered to be tribes within Coccinellinae, was proposed by Ślipiński (2007) and is used in Chapter 10.33.

Corylophidae. A new subfamily and tribal classification was proposed by Ślipiński *et al.* (2009). Only two subfamilies, Periptyctinae and Corylophinae are recognized, with all other supergeneric groups included within the latter.

Tetratomidae. The melandryid subfamilies Hallomeninae and Eustrophinae were transferred to this family by Nikitsky (1998, 2004 a, b).

Melandryidae. A new classification based in part on Nikitsky (2002) is included in Chapter 11.6.

Ripiphoridae. A new classification with the subfamilies Pelecotominae and Ptilophorinae redefined was proposed by Falin (2004). See Chapter 11.8.

Zopheridae. In the classification proposed by Ślipiński & Lawrence (1999) only two subfamilies are recognized, with both Usechiniae and Monomatinae being downgraded to tribes within Zopherinae.

Promecheilidae. With the addition of the genus *Promecheilus* Solier to this family, the name *Perimylopidae* St. George (1939) has been replaced by the older name *Promecheilidae* Lacordaire (1959).

Tenebrionidae. The major changes at the subfamily level in Tenebrionidae are the recognition of the Nillioninae (including only *Nilio* Latreille) and the use of Stenoichiinae as a senior synonym of Coelometopinae (Bouchard *et al.* 2005). See Chapter 11.14.

Oedemeridae. A new subfamily Polyptriinae was proposed by Lawrence (2005 b) to include *Polyptria* Chevrolat (Tenebrionoidea incertae sedis in Lawrence & Newton 1995) and *Dasytomima* Lawrence.

Meloidae. The subfamily Tetraonyicinae Böving & Craighead (1931) was added by Bologna & Pinto (2001).

Mycteridae. As pointed out by Lawrence & Newton (1995), Eurypinae Thomson has priority over Laccanotinae and is used in Chapter 11.20.

Anthicidae. The subfamilies Afreminae, Lagrioidinae and Ischaliinae were removed from Anthicidae and included in the next Chapter. With their removal a much stronger case can be made for the monophyly of this family. Ischaliidae was recognized at the family level by Nikitsky & Egorov (1992) and Nikitsky (1996), and doubts have been expressed about the inclusion of *Afremus* Levey and *Lagrioida* Fairmaire & Germain in Anthicidae (Lawrence & Britton 1991; Costa *et al.* 1995; Werner & Chandler 1995; Chandler 2002).

Tenebrionoidea incertae sedis. Chapter 11.29 includes three family-group taxa listed in the previous paragraph plus the genera *Rhizonium* Sharp and *Aprostomis* Grouvelle.

Literature

- Beutel, R. G. & Pollock, D. A. (2000): Larval head morphology of *Phycosecis litoralis* (Pascoe) (Coleoptera: Phycosidae) with phylogenetic implications. – *Invertebrate Taxonomy* 14: 825–835.
- Bocak, L. & Bocakova, M. (2008): Phylogeny and classification of the family Lycidae (Insecta): Coleoptera. – *Annales Zoologici Warszawa* 58 (4): 695–720.
- Bocakova, M., Bocak, L., Hunt, T. & Vogler, A. P. (2007): Molecular phylogenetics of Elateriformia (Coleoptera): evolution of bioluminescence and neoteny. – *Cladistics* 23: 477–496.
- Böving, A. G. & Craighead, F. C. (1931): An illustrated synopsis of the principal larval forms of the order Coleoptera. – *Entomologica Americana* (N.S.) 11(1930): 1–351.
- Bologna, M. A. & Pinto, J. D. (2001): Phylogenetic studies of Meloidae (Coleoptera), with emphasis on the evolution of phoresy. – *Systematic Entomology* 26: 33–72.

- Bouchard, P., Lawrence, J. F., Davies, A. & Newton, A. F. (2005): Synoptic classification of the world Tenebrionidae (Insecta: Coleoptera) with a review of family-group names. – *Annales Zoologici, Warszawa* 55 (4): 499–530.
- Branham, M. & Wenzel, J. W. (2001): The evolution of bioluminescence in cantharoids (Coleoptera: Elateroidea). – *Florida Entomologist* 84: 565–586.
- (2003): The origin of photic behavior and the evolution of sexual communication in fireflies (Coleoptera: Lampyridae). – *Cladistics* 19: 1–22.
- Chandler, D. S. (2002): 117. Anthicidae Latreille 1819. Pp. 549–558 in Arnett, R. H., Jr., Thomas, M. C., Skelley, P. E. & Frank, J. H. (eds.) *American Beetles. Volume 2. Polyphaga: Scarabaeoidea through Curculioidea*. CRC Press, Gainesville, Florida.
- Costa, C. (1975): Systematics and evolution of the tribes Pyrophorini and Heligmomi with description of Campyloxeninae, new subfamily (Coleoptera, Elateridae). – *Arquivos de Zoologia* 26 (2): 49–191.
- Costa, C., Casari-Chen, S. A. & Vanin, S. A. (1992): On the larvae of Tetralobini (Coleoptera, Elateridae). – *Revista Brasileira de Entomologia* 36 (4): 879–888.
- (1994): Cladistic Analysis and Systematics of the Tetralobini sensu Stibick, 1979 (Coleoptera, Elateridae, Pyrophorinae). – *Arquivos de Zoologia* 32 (3): 111–157.
- Costa, C., Vanin, S. A. & Ide, S. (1995): Larvae of Neotropical Coleoptera XXII. Description of adults and immatures of *Lagrioida nortoni* sp. n., and bionomics (Coleoptera, Tenebrionoidea, Anthicidae). – *Iheringia, Porto Alegre, Série Zoologia* 78: 113–126.
- Crowson, R. A. (1964): A review of the classification of Cleroidea (Coleoptera), with descriptions of two genera of Peltidae and of several new larval types. – *Transactions of the Royal Entomological Society of London* 116: 275–327.
- (1972): A review of the classification of Cantharoidea (Coleoptera), with the definition of two new families, Cneoglossidae and Omethidae. – *Revista de la Universidad de Madrid* 21 (82): 35–77.
- Dolin, V. G. (2000): The role of larval and wing venation characters in the systematics of Elateroidea (Coleoptera). *Meetings in Memory of N. A. Cholodkovsky. Lecture at the 52nd Annual Meeting. 1 Paril 1999. St. Petersburg* (in Russian). 50 pp. Rossiiskaya Akademiya Nauk & Russoye Entomologicheskoye Obshchestvo, St. Petersburg.
- Falin, Z. (2004): *Phylogenetic analysis and revision of the genera and subfamilies of the Ripiphoridae (Coleoptera)*. PhD Thesis, University of Kansas. 560 pp. University Microfilms International, Ann Arbor, Michigan.
- Hunt, T., Bergsten, J., Levkanicova, Z., Papadopoulou, A., St. John, O., Wild, R., Hammond, P. M., Ahrens, D., Balke, M., Caterino, M. S., Gómez-Zurita, J., Ribera, I., Barraclough, T. G., Bocakova, M., Bocak, L. & Vogler, A. P. (2007): A comprehensive phylogeny of beetles reveals the evolutionary origins of a superradiation. – *Science* 318 (5858): 1913–1916.
- Jeng, M.-L., Yang, P.-S. & Satô, M. (1998): The genus *Cyphonocerus* (Coleoptera, Lampyridae) from Taiwan and Japan, with notes on the subfamily Cyphonocerinae. – *Elytra, Tokyo* 26 (2): 379–398.
- Kirejtshuk, A. G. (1986): Analysis of structure of genitalia for reconstruction of phylogeny and substantiation of the system of the family of sap beetles (Nitidulidae, Coleoptera). – *Trudy Vsesoyuznogo Entomologicheskogo Obshchestva (Proceedings of the All-Union Entomological Society)* 68: 22–28 (in Russian).
- (1998): The position of the subfamily Mayni-peplinae subfam. n. (Coleoptera, Nitidulidae) in the classification and notes on the evolution and structural modifications among sap beetles. *Entomologicheskoye Obozreniye* 77: 540–554 (in Russian, translation in *Entomological Review* 78: 793–807).
- Kiselyova, T. & McHugh, J. (2006): A phylogenetic study of Dermestidae (Coleoptera) based on larval morphology. – *Systematic Entomology* 31 (3): 469–507.
- Kolibáč, J. (1992): Revision of Thanerocleridae n. stat. (Coleoptera, Cleroidea). – *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 65: 303–340.
- (1997): Classification of the subfamilies of Cleridae (Coleoptera: Cleroidea). – *Acta Musei Moraviae, Scientiae Biologicae, Brno* 81 (1996): 307–361.
- (1998): New Australian Thanerocleridae, with notes on the biogeography of the subtribe Isoclerina Kolibáč (Coleoptera: Cleroidea). – *Invertebrate Taxonomy* 12: 951–975.
- (2004): Metaxinidae fam. nov., a new family of Cleroidea (Coleoptera). – *Entomologica Basiliensis* 26: 239–268.
- (2005): A review of the Trogositidae. Part 1: Morphology of the genera (Coleoptera, Cleroidea). – *Entomologica Basiliensis et Collectionis Frey* 27: 39–159.
- (2006): A review of the Trogositidae. Part 2: Larval morphology, phylogeny and taxonomy (Coleoptera, Cleroidea). – *Entomologica Basiliensis et Collectionis Frey* 28: 105–153.
- Lawrence, J. F. (2005 a): *Brevipogon*, a new genus of North American Armatopodidae (Coleoptera). – *The Coleopterists Bulletin* 59 (2): 223–236.
- (2005 b): *Dasytomima*, a new genus of Australian Oedemeridae and its relationship to Polypria Chevrolat (Coleoptera: Tenebrionoidea). – *Annales Zoologici, Warszawa* 55 (4): 663–676.
- Lawrence, J. F. & Britton, E. B. (1991): Coleoptera (Beetles). Pp. 543–683 in CSIRO Division of Entomology (ed.) *Insects of Australia: a Textbook for Students and Research Workers, Second Edition*. Vol. 2. Melbourne University Press, Carlton, Victoria.
- Lawrence, J. F. & Newton, A. F., Jr. (1995): Families and subfamilies of Coleoptera (with selected genera, notes and references, and data on family-group names). Pp. 779–1006 in Pakaluk, J. & Ślipiński, S. A. (eds.) *Biology, Phylogeny, and Classification of Coleoptera: Papers Celebrating the 80th Birthday of Roy A. Crowson*. Muzeum i Instytut Zoologii PAN, Warsaw.
- Lawrence, J. F. & Ślipiński, S. A. (2005): Three new genera of Indo-Australian Dermestidae (Coleoptera) and their phylogenetic significance. – *Invertebrate Systematics* 19: 231–261.
- Lawrence, J. F., Hastings, A. M., Dallwitz, M. J., Paine, T. A. & Zurcher, E. J. (1999): “*Beetles of the World: A Key and Information System for Families and Subfamilies*.” CD-ROM, Version 1.0 for MS-Windows. CSIRO Publishing, Melbourne.

- Lawrence, J. F., Muona, J., Teräväinen, M., Ståhls, G. & Vahtera, V. (2007): *Anischia, Perothops* and the phylogeny of Elateroidea. – *Insect Systematics and Evolution* 38: 205–239. {Apparently Jyrki Muona hates commas}
- Leschen, R. A. B. (1996): Phylogeny and revision of the genera of Cryptophagidae (Coleoptera: Cucujoidea). – *The University of Kansas Science Bulletin* 55 (15): 549–634.
- Leschen, R. A. B., Lawrence, J. F. & Ślipiński, S. A. (2005): Classification of basal Cucujoidea (Coleoptera: Polyphaga): cladistic analysis, keys and review of new families. – *Invertebrate Systematics* 19: 17–73.
- Levey, B. (1985): Afreminae: a new subfamily of Anthicidae (Coleoptera) from southern Africa. – *Entomologica Scandinavica* 15 (1984): 419–422.
- Majer, K. (1994): A review of the classification of the Melyridae and related families (Coleoptera, Cleroidea). – *Entomologica Basiliensis* 17: 319–390.
- (1995): Revision of the family Mauroniscidae (Insecta: Coleoptera: Cleroidea). – *Entomologische Abhandlungen aus dem Staatlichen Museum für Tierkunde in Dresden* 57: 57–89.
- Nikitsky, N. B. (1996): Fam. Ischaliidae – False Fire-red Beetles. Pp. 427–428 in Ler, P. A. (ed.) *Keys to the Insecta of the Far Eastern U.S.S.R. in Six Volumes*. Vol. 3. Coleoptera or Beetles, Part 3. Dal'nauka, Vladivostok (in Russian).
- (1998): *Generic Classification of the Beetle Family Tetratomidae (Coleoptera, Tenebrionoidea) of the World, with Description of New Taxa*. 80 pp. Pensoft (Series Faunistica No. 9), Sofia, Moscow.
 - (2002): The larvae of the false darkling beetles (Coleoptera, Melandryidae) of Russia, with taxonomic notes. – *Byulleten Moskovskogo Obshchestva Ispytatelei Prirody*, Moscow 107 (3): 8–30 (in Russian).
 - (2004 a): The beetles of the subfamily Tetratominae Billberg, 1820 (Coleoptera, Tetratomidae) of the world fauna. – *Byulleten Moskovskogo Obshchestva Ispytatelei Prirody, Otdel Biologicheskii* 109 (2): 25–36 (in Russian).
 - (2004 b): The beetles of the subfamily Piseninae Miyatake, 1960 (Coleoptera, Tetratomidae) of the world fauna. – *Byulleten Moskovskogo Obshchestva Ispytatelei Prirody, Otdel Biologicheskii* 109 (4): 3–7 (in Russian).
- Nikitsky, N. B. & Egorov, A. B. (1992): Fam. Ischaliidae, stat. n. – false fire-red beetles. Pp. 497–498 in Ler, P. A. (ed.) *Keys to the Insecta of the Far Eastern U.S.S.R. in Six Volumes*. Vol. 3. Coleoptera or Beetles, Part 2. Nauka, St. Petersburg (in Russian).
- Paulus, H. F. (1972): Die systematische und phylogenetische Stellung der Karumiidae, mit einer Beschreibung von *Escalerina serraticornis* n. sp. aus S.-Persien (Ins.: Coleoptera: Cantharoidea). – *Senckenbergiana Biologica* 53 (1/2): 37–54.
- (2004): *Urtea graeca* nov. gen. et nov. spec., der erste Vertreter der tropischen Atractocerinae in Europa, sowie eine Beschreibung von *Homaloxylon aspoeki* nov. spec. aus Yunnan (China) (Coleoptera: Cucujiformia: Lymexylidae, Atractocerinae nov. status). – *Denisia* 13: 277–290.
- Ślipiński, S. A. (2007): *Australian Ladybird Beetles (Coleoptera: Coccinellidae). their Biology and Classification*. xviii + 286 pp. Australian Biological Resources Study, Department of the Environment and Water Resources, Canberra.
- Ślipiński, S. A. & Lawrence, J. F. (1999): Phylogeny and classification of Zopheridae sensu novo (Coleoptera: Tenebrionoidea) with a review of the genera of Zopherinae (excluding Monommatini). – *Annales Zoologici (Warszawa)* 49 (1/2): 1–53.
- Ślipiński, A., Tomaszecka, W. & Lawrence, J. F. (2009): Phylogeny and classification of Corylophidae (Coleoptera: Cucujoidea) with descriptions of new genera and larvae. – *Systematic Entomology* (in press).
- Tomaszecka, K. W. (2005): Phylogeny and generic classification of the subfamily Lycoperdininae with a re-analysis of the family Endomychidae (Coleoptera: Cucujoidea). – *Annales Zoologici, Warszawa* 55, Supplement 1: 1–172.

List of Families and Subfamilies

Adephaga

Meruidae Spangler & Steiner, 2005
Aspidytidae Ribera *et al.* 2002

Polyphaga

Elateriformia

Elateroidea

Rhinorhipidae Lawrence, 1988
Artematopodidae Lacordaire, 1857

Electribiinae Crowson, 1975

Allopogoniinae Crowson, 1973

Artematopodinae Lacordaire, 1857

Brachypsectridae LeConte & Horn, 1883

Cerophytidae Latreille, 1834

Eucnemidae Eschscholtz, 1829

Perethopinae Lacordaire, 1857

Phyllocerinae Reitter, 1905

Pseudomeninae Muona, 1933

Palaeoxeninae Muona, 1993

Phlegoninae Muona, 1993

Anischiiinae Fleutiaux, 1936

Melasinae Fleming, 1821

Eucneminae Eschscholtz, 1829

Macraulacinae Fleutiaux, 1923

Throscidae Laporte, 1840

Elateridae Leach, 1815

Cebriioninae Latreille, 1802

Agrypninae Candèze, 1857 (incl. Tetralobinae)

Thylacosterninae Fleutiaux, 1920

Lissominæ Laporte, 1835

Semiotinae Jacobson, 1913

Campyloxeninae Costa, 1975

Pityobiinae Hyslop, 1917

Oxynopterinae Candèze, 1857

Denticollinae Stein & Weise, 1877 (1856)

Negastriinae Nakane & Kishii, 1956

Elaterinae Leach, 1815

Cardiophorinae Candèze, 1860

Hemiopinae Fleutiaux, 1941

Physodactylinae Lacordaire, 1857

Eudicronychinae Girard, 1971

Subprotelaterinae Fleutiaux, 1936

Morostominae Dolin, 2000

Plastoceridae Crowson, 1972**Drilidae** Blanchard, 1845**Omalisidae** Lacordaire, 1857**Lycidae** Laporte, 1836

Libnetinae Bocak & Bocakova, 1990

Dictyopterinae Kleine, 1928

Lypropaeinae Bocak & Bocakova, 1989

Ateliinae Kleine, 1928

Lycinae Laporte, 1836

Dexorinae Bocak & Bocakova, 1989

Telegeusidae Leng, 1920**Phengodidae** LeConte, 1861

Phengodinae LeConte, 1861

Mastinocerinae LeConte, 1881

Penicillophorinae Paulus, 1974

Rhagophthalmidae Olivier, 1907**Lampyridae** Latreille, 1817

Psilocladinae McDermott, 1964

Lampyrinae Latreille, 1817

Luciolinae Lacordaire, 1857

Photurinae Lacordaire, 1857

Omethidae LeConte, 1861

Omethinae LeConte, 1861

Matheteinae LeConte, 1881

Driloniinae Crowson, 1972

Cantharidae Imhoff, 1856 (1815)

Cantharinae Imhoff, 1856 (1815)

Silinae Mulsant, 1862

Dysmorphocerinae Brancucci, 1980

Malthininae Kiesenwetter, 1852

Chauliognathinae LeConte, 1861

Elateriformia Incertae Sedis**Podabrocephalidae** Pic, 1930

Neocrowsonia Kistner & Abdel-Galil, 1986

Cydistinae Paulus, 1972

Pterotinae LeConte, 1861

Harmatelia Walker, 1858

Stenocladius Fairmaire, 1878

Ototretinae McDermott, 1964

Derodontiformia**Derodontoidea****Derodontidae** LeConte, 1861

Peltasticinae LeConte, 1861

Derodontinae LeConte, 1861

Laricobiinae Mulsant & Rey, 1863–4

Nosodendridae Erichson, 1846**Jacobsoniidae** Heller, 1926**Bostrichiformia****Bostrichoidea****Dermestidae** Latreille, 1804

Dermestinae Latreille, 1804 (incl. Marioutinae)

Thorictinae Agassiz, 1846

Orphilinae LeConte, 1861

Trinodinae Casey, 1900 (incl. Thylodriinae)

Attageninae Laporte, 1840

Megatominae Leach, 1815

Endecatomidae LeConte, 1861**Bostrichidae** Latreille, 1802

Dysidinae Lesne, 1921

Polycaoninae Lesne, 1936

Bostrichinae Latreille, 1802

Psoinae Blanchard, 1851

Dinoderinae C. G. Thomson, 1863

Lyctinae Billberg, 1820

Eudeiriinae Lesne, 1934

Ptinidae Latreille, 1802

Eucradinae LeConte, 1861

Ptininae Latreille, 1802

Dryophilinae LeConte, 1861

Ernobiinae Pic, 1912

Anobiinae Fleming, 1821

Ptilininae Shuckard, 1840

Alvarenganiellinae Viana & Martinez, 1971

Xyletininae Gistel, 1956

Dorcatominae Thomson, 1859

Mesocoelopodinae Mulsant & Rey, 1864

Cucujiformia**Lymexyloidea****Lymexylidae** Fleming, 1821

Hylecoetinae Gistel, 1856

Lymexylinae Fleming, 1821

Atractocerinae Laporte, 1840

Melittommatinae Wheeler, 1986

Cleroidea**Phloiophilidae** Kiesenwetter, 1863**Trogossitidae** Latreille, 1802

Peltinae Kirby, 1837

Trogossitinae Latreille, 1802

Chaetosomatidae Crowson, 1952**Metaxinidae** Kolibáč, 2004 (from Cleridae)**Thanerocleridae** Chapin, 1924 (from Cleridae)

Zenodosinae Kolibáč, 1992

Thaneroclerinae Chapin, 1924

Cleridae Latreille, 1802

Tillinae Leach, 1815

Hydnocerinae Spinola, 1844

Clerinae Latreille, 1802

Korynetinae Laporte, 1836 (incl. Epiphloeinae, Enoplinae, Tarsosteninae)

Acanthocnemidae Crowson, 1964**Phycosecidae** Crowson, 1952**Prionoceridae** Lacordaire, 1857**Mauroniscidae** Majer, 1994**Melyridae** Leach, 1815

Rhadalinae LeConte, 1861 (incl. Aplocneminae)

Melyrinae Leach, 1815

Dasytinae Laporte, 1840 (incl. Gietellinae)

Malachiinae Fleming, 1821 (incl.

Attalomiminae)

Cucujoidae (arrangement is new)**Boganiidae** Sen Gupta & Crowson, 1966

Paracucujinae Endrödy-Younga & Crowson, 1986

Boganiinae Sen Gupta & Crowson, 1966

Byturidae Jacquelin Du Val, 1858

Platydascillinae Pic, 1914

Byturinae Jacquelin Du Val, 1858

- Helotidae Reitter, 1876/Chapuis, 1876
 Protocucujidae Crowson, 1954
 Sphindidae Jacquelin Du Val, 1860
 Protosphindinae Sen Gupta & Crowson, 1979
 Odontosphindinae Sen Gupta & Crowson, 1979
 Sphindiphorinae McHugh, 1993
 Sphindinae Jacquelin Du Val, 1860
 Biphyllidae LeConte, 1861
 Erotylidae Latreille, 1802
 Xenoscelinae Ganglbauer, 1899
 Pharaxonothinae Crowson, 1952 (incl.
 Setariolinae)
 Loberinae Bruce, 1951
 Languriinae Crotch, 1873
 Cryptophilinae Casey, 1900 (incl. Toraminae)
 Erotylinae Latreille, 1802 (incl. Tritominae,
 Dacninae, Megalodacninae, Encaustinae)
 Monotomidae Laporte, 1840
 Rhizophaginiae Redtenbacher, 1845
 Monotominae Laporte, 1840
 Hobartiidae Sen Gupta & Crowson, 1966
 Cryptophagidae Kirby, 1837
 Cryptophaginiæ Kirby, 1837
 Atomariinae LeConte, 1861 (incl.
 Hypocoprinae, Alfieriellinae)
 Agapythidae Sen Gupta & Crowson, 1969
 Priasilphidae Crowson, 1973
 Phloeostichidae Reitter, 1911
 Silvanidae Kirby, 1837
 Brontinae Erichson, 1845/Blanchard, 1845
 Silvaninae Kirby, 1837
 Cucujidae Latreille, 1802
 Myraboliidae Lawrence & Britton, 1991
 Cavognathidae Sen Gupta & Crowson, 1966
 Lamingtoniidae Sen Gupta & Crowson, 1966
 Passandridae Erichson 1845/Blanchard, 1845
 Phalacridae Leach, 1815
 Phaenocephalinae Matthews, 1899
 Phalacrinae Leach, 1815
 Propalticidae Crowson, 1952
 Laemophloeidae Ganglbauer, 1899
 Tasmosalpingidae Lawrence & Britton, 1991
 Cyclaxyridae Gimmel *et al.*, 2009
 Kateretidae Erichson, 1846
 Nitidulidae Latreille, 1802
 Calonecrinae Kirejtshuk, 1982
 Maynipeplinae Kirejtshuk, 1998
 Epuraeinae Erichson, 1843
 Carpophilinae Erichson, 1842
 Amphicrossinae Kirejtshuk, 1986
 Meligethinae C. G. Thomson, 1859
 Nitidulinae Latreille, 1802
 Cillaeinae Kirejtshuk & Audisio in
 Kirejtshuk, 1986
 Cryptarchinae C. G. Thomson, 1859
 Cybocephalinae Jacquelin Du Val, 1858
 Smicripidae Horn, 1879
 Bothrideridae Erichson, 1845
 Teredinae Seidlitz, 1888
 Xylariophilinae Pal & Lawrence, 1986
 Anommatainae Ganglbauer, 1899
 Bothriderinae Erichson, 1845
- Cerylonidae Bilberg, 1820
 Euxestinae Grouvelle, 1908
 Loeblionyponinae Ślipiński, 1990
 Ostromopsinae Sen Gupta & Crowson, 1973
 Murmidinae Jacquelin Du Val, 1858
 Ceryloninae Bilberg, 1820
 Alexiidae Imhoff, 1856
 Discolomatidae Horn, 1878
 Notiophyginae Jacobson, 1915
 Discolomatinae Horn, 1878
 Aphanocephalinae Grouvelle, 1912
 Cephalophaninae John, 1954
 Pondonatinae John, 1954
 Endomychidae Leach, 1815
 Merophysiinae Seidlitz, 1872
 Pleganophorinae Jacquelin Du Val, 1885
 Anamorphinae Strohecker, 1953
 Leiestinae C. G. Thomson, 1863
 Mycetaeinae Jacquelin Du Val, 1857
 Eupsilobiinae Casey, 1895
 Xenomycetinae Strohecker in Arnett,
 1962
 Danascelinae Tomaszewska, 2000
 Endomychinae Leach, 1815
 Epipocinae Gorham, 1873
 Stenotarsinae Chapuis, 1876
 Lycoperdininae Redtenbacher, 1844
 Coccinellidae Latreille, 1807
 Microweiseinae Leng, 1920
 (= Sticholotidinae part)
 Coccinellinae Latreille, 1807 (incl.
 Sticholotidinae part, Chilocorinae,
 Coccidulinae, Scymninae, Ortaliinae,
 Epilachninae)
 Corylophidae Leconte, 1852
 Perityctinae Ślipiński *et al.*, 2001
 Corylophinae LeConte, 1852
 Latridiidae Erichson, 1842
 Latridiinae Erichson, 1852
 Corticariinae Curtis, 1829
- Tenebrionoidea**
- Mycetophagidae Leach, 1815
 Esarcinae Reitter, 1882
 Mycetophaginiæ Leach, 1815
 Bergininae Leng, 1920
 Archeocrypticidae Kaszab, 1964
 Pterogeniidae Crowson, 1953
 Ciidae Leach in Samouelle, 1819
 Sphindociinae Lawrence, 1974
 Ciinae Leach in Samouelle, 1819
 Tetratomidae Billberg, 1820
 Tetratominae Billberg, 1820
 Piseninae Miyatake, 1960
 Penthinae Lacordaire, 1859
 Hallomeninae Mulsant 1856/Gistel, 1856
 (from Melandryidae)
 Eustrophinae Gistel, 1856 (from
 Melandryidae)
 Melandryidae Leach, 1815
 Melandryinae Leach, 1815
 Osphyinae Mulsant, 1856 (1840)

- Mordellidae Latreille, 1802
 Ctenidiinae Franciscolo, 1951
 Mordellinae Latreille, 1802
- Ripiphoridae Gemminger & Harold, 1870 (1853)
 Ptilophorinae Gerstaecker, 1855
 Pelecotominae Seidlitz, 1875 (incl. Micholaeminae)
 Hemirhipidiinae Heller, 1921
 Ripidiinae Gerstaecker, 1855
 Ripiphorinae Gemminger & Harold, 1870 (1853)
- Zopheridae Solier, 1834
 Colydiinae Erichson, 1842
 Zopherinae Solier, 1834 (incl. Monommatinae, Usechinae, Pycnomerinae)
- Ulodidae Pascoe, 1869
- Promecheilidae Lacordaire, 1859 (= Perimylopidae)
- Chalcodryidae Watt, 1974
- Trachelostenidae Lacordaire, 1859
- Tenebrionidae Latreille, 1802
 Lagriinae Latreille, 1825 (1820)
 Nilioninae Lacordaire, 1859
 Cossyphodinae Wasmann, 1899
 Phrenapatinae Solier, 1834
 Zolodininae Watt, 1974
 Pimeliinae Latreille, 1802
 Tenebrioninae Latreille, 1802
 Alleculinae Laporte, 1840
 Diaperinae Latreille, 1802
 Stenochiinae Kirby, 1837 (= Coelometopinae)
- Prostomidae C. G. Thomson, 1859
- Synchroidae Lacordaire, 1859
- Stenotrachelidae C. G. Thomson, 1859
 Stenotrachelinae C. G. Thomson, 1859
 Cephaloinae LeConte, 1862
 Nematoplinae LeConte, 1862
 Stoliinae Nikitsky, 1985
- Oedemeridae Latreille, 1810
 Polypriinae Lawrence, 2005
 Calopodinae Costa, 1852
 Oedemerinae Latreille, 1810 (incl. Nacerdinae)
- Meloidae Gyllenhal, 1810
 Eleticinae Wellman, 1910
 Meloinae Gyllenhal, 1810
- Tetraonycinae Böving & Craighead, 1931
 Nemognathinae Laporte, 1840
- Mycteridae Blanchard, 1845
 Mycterinae Blanchard, 1845
 Eurypinae J. Thomson, 1860
 (= Lacconotinae)
 Hemipeplinae Lacordaire, 1854
- Boridae C. G. Thomson, 1859
 Borinae C. G. Thomson, 1859
 Synercticinae Lawrence & Pollock, 1994
- Trictenotomidae Blanchard, 1845
- Pythidae Solier, 1834
- Pyrochroidae Latreille, 1807
 Tydessinae Nikitsky, 1986
 Pilipalpinae Abdullah, 1964
 Pedilinae Lacordaire, 1859
 Pyrochroinae Latreille, 1807
 Agnathinae Lacordaire, 1859
- Salpingidae Leach, 1815
 Othniinae LeConte, 1861
 Prostominiinae Grouvelle, 1914
 Agleninae Horn, 1878
 Inopeplinae Grouvelle, 1908
 Dacoderinae LeConte, 1862
 Aegialitinae LeConte, 1862
 Salpinginae Leach, 1815
- Anthicidae Latreille, 1819
 Eurygeniinae LeConte, 1862
 Macratriinae LeConte, 1862
 Steropinae Jacquelain Du Val, 1863
 Copobaeninae Abdullah, 1969
 Lemodinae Lawrence & Britton, 1991
 Tomoderinae Bonadona, 1961
 Anthicinae Latreille, 1819
- Aderidae Winkler, 1927
- Scriptiidae Mulsant 1856/Gistel, 1856
 Scriptiinae Mulsant, 1856/Gistel, 1856
 Anaspidinae Mulsant, 1856
- Tenebrionoidea Incertae Sedis**
- Lagrioidinae Abdullah & Abdullah, 1968
 (from Anthicidae)
 Afreminaе Levey, 1985 (from Anthicidae)
 Ischaliinae Blair, 1920 (from Anthicidae)
 Rhizonium Sharp, 1876
 Aprostomis Grouvelle, 1912