

... 1992. " " 20.10.1992, N 149. - : " ", 1992. - 59 . 1: .

• •

• • •

(1902),

( - )

N 23

( N 320)

13

1902 .).

1862-1896

819

77

Staphylinidae, Micropeplidae

Curculionidea

1902

47

=

[ ],

\*

(Crowson,1981),

(1979)

1. Carabidae Latreille,1806 -

1. Cicindela (s.str) campestris Linnaeus,1758 3

2. Cicindela (s.str) hybrida Linnaeus,1758 1

3. Cicindela (s.str.) sylvatica Linnaeus,1758 2

4. Cicindela (Cylindera) germanica Linnaeus,1758

,16.7.1893. 6

5. Omophron limbatum (Fabricius,1776) 4 .
6. Calosoma (s.str.) inquisitor (Linnaeus,1758). 7 . +1 .
7. Calosoma (Campalita) maderae auropunctatum (Herbst,1784)  
=sericeum F.=auropunctatum Dej. 1 .
8. Carabus (Procrustes) coriaceus Linnaeus,1758. 2 .
9. Carabus (Megodontus) violaceus Linnaeus,1758. 5 .
10. Carabus (Tomocarabus) convexus Fabricius,1775. 3 .
11. Carabus (Callistocarabus) marginalis Fabricius,1794. 1 .
12. Carabus (Euporocarabus) hortensis Linnaeus,1758. 3 .
13. Carabus (Hemicarabus) nitens Linnaeus,1758. 4 .
14. Carabus (Limnocarabus) clathratus Linnaeus,1761 [F.]. 3 .
15. Carabus (s.str.) granulatus Linnaeus,1758. 1 .
16. Carabus (Cancellocarabus) cancellatus Illiger,1798. 2 .
17. Carabus (Eutelocarabus) arvensis Herbst,1784 [F.]. 1 .
18. Carabus (Phricocarabus) glabratus Paykull,1790 [F.]. 2 .
19. Cychrus (s.str) caraboides (Linnaeus,1758) =rostratus F. 3 .
20. Nebria rufescens (Strom,1768) =Gyllenhalii Schoenh. 3 .
21. Leistus (s.str.) ferrugineus (Linnaeus,1758) 1 .
22. Leistus (s.str.) rufescens (Fabricius,1775) 1 .
23. Notiophilus aquaticus (Linnaeus,1758) 1 .
24. Notiophilus palustris (Duftschmid,1812) [Sturm.] 2 .
25. Notiophilus biguttatus (Fabricius,1779) =semipinctatus  
Sturm. 1 .
26. Blethisa multipunctata (Linnaeus,1758) 2 .
27. Elaphrus (Neolaphrus) cupreus Duftschmid,1812. 3 .
28. Elaphrus (s.str.) riparius (Linnaeus,1758) [F.] 2 .

29. *Loricera pilicornis* (Fabricius,1775). 2 .
30. *Clivina fossor* (Linnaeus,1758) 3 .
31. *Dyschirius nitidus* (Dejean,1825) 2 .
- \*32. *Dyschirius neresheimeri* Wagner,1915 [nitidus Dej.]. 1 .
33. *Brosicus cephalotes* (Linnaeus,1758) =vulgaris F. 2 .
34. *Epaphius secalis* (Paykull,1790). 2 .
35. *Trechus quadristriatus* (Schrank,1781) =minutus F. 1 .
- \*36. *Tachyta nana* (Gyllenhal,1810) [*Dromius glabratus* Duft.]. 3 .
37. *Asaphidion flavipes* (Linnaeus,1761) =*Tachypus flavipes* L. 3 .
38. *Asaphidion pallipes* (Duftschmid,1812) =*Tachypus pallipes* Duft. 2 .
39. *Bembidion* (Bracteon) *striatum* (Fabricius,1792). 2 .
40. *Bembidion* (Chrysobracteon) *argenteolum* Ahrens,1812 =*azureum* Gebl. 6 .
41. *Bembidion* (Chrysobracteon) *litorale* (Olivier,1790) =*paludosum* Pz. 4 .
42. *Bembidion* (Chrysobracteon) *velox velox* (Linnaeus,1761) =*impressum* F. 2 .
43. *Bembidion* (Paraprincipidium) *ruficolle* (Panzer,1797) =*ruficolle* [Schoenh.]. 2 .
44. *Bembidion* (s.str.) *quadrimaculatum* (Linnaeus,1761) =*4-maculatum* L. 2 .
45. *Bembidion* (Notaphus) *varium* (Olivier,1795). =[*ustulatum* Duft. *fumigatum* Dej.]. 4 .
46. *Bembidion* (Eupetedromus) *dentellum* (Thunberg,1787) = [*flammulatum* Clairv.=*undulatum* Sturm.]. 1 .
47. *Bembidion* (Perephus) *andreae polonicum* Muller,1930=*andrea* F. =*cruciatum* Dej. 3 .

- \*48. *Bembidion* (*Peryphus*) *bruxellense* Westmael, 1835 [ustulatum  
*L. rupestris* F.Dej.]. 1 .
49. *Bembidion* (*Peryphus*) *femoratum* Sturm, 1825 = *femoratum*  
Sturm, Dej. 2 .
50. *Patrobus* *atorrufus* (Strom, 1768) = *excavatus* Payk. 3 .
51. *Poecilus* (s.str.) *cupreus* (Linnaeus, 1758). 3 .
52. *Poecilus* (s.str.) *lepidus* (Leske, 1785) [F.]. 3 .
53. *Poecilus* (s.str.) *punctulatus* (Schaller, 1783) [F.]. 2 .
54. *Pterostichus* (*Lagarus*) *vernalis* (Panzer, 1796) = *Argutor*  
*crenatus* Duft. 1 .
55. *Pterostichus* (*Omaseus*) *aterrimus* (Herbst, 1784) = *Omaseus*  
*aterrimus* [F.]. 2 .
56. *Pterostichus* (*Bothriopterus*) *angustatus* (Duftschmid, 1812) =  
*Platysma angustata* Duft. 1 .
57. *Pterostichus* (*Bothriopterus*) *oblongopunctatus*  
(Fabricius, 1787) = *Platysma oblongopunctata* F. 4 .
58. *Pterostichus* (*Platysma*) *niger* (Schaller, 1783) [F.]. 1 .
59. *Pterostichus* (*Morphosoma*) *melanarius* (Illiger, 1798) = *Omaseus*  
*vulgaris* L. 2 .
60. *Pterostichus* (*Melanius*) *anthracinus* (Illiger, 1798) = *Omaseus*  
*anthracinus* Ill. 4 .
61. *Pterostichus* (*Melanius*) *minor* (Gyllenhal, 1827) = *Omaseus*  
*minor* Gyll. 1 .
62. *Pterostichus* (*Argutor*) *strenuus* (Panzer, 1797) = *Argutor*  
*erythropterus* Marsh. 2 .
63. *Agonum* (s.str.) *impressum* (Panzer, 1797) = *Anchomoenus*  
*impressus* Pz. 4 .
64. *Agonum* (s.str.) *marginatum* (Linnaeus, 1758). *Anchomoenus*  
*marginatus* L. 1 .

65. Agonum (s.str.) moestum (Duftschmid,1812). =Anchomoenus  
moestus Duft. 2 .
66. Agonum (s.str.) muelleri (Herbst,1784) = Anchomoenus  
parumpunctatus F. 5 .
67. Agonum (s.str.) sexpunctatum (Linnaeus,1758) =Anchomoenus  
sexpunctatus L. 3 .
68. Agonum (s.str.) viduum (Panzer,1797) =Anchomoenus viduus  
Pz. 2 .
69. Agonum (Agonodromius) quadripunctatum (DeGeer,1774)  
=Anchomoenus quadripunctatus De Geer. 1 .
70. Agonum (Europhilus) micans (Nicolai,1822) =Anchomoenus  
micans Nicolai=[pedinus Sturm]. 3 .
71. Agonum (Platynus) assimile (Paykull,1790) = Anchomoenus  
angusticollis F., 4 .
72. Agonum (Anchus) obscurum (Herbst,1784) =Anchomoenus  
oblongus F. 3 .
73. Agonum (Idiochroma) dorsale (Pontoppidan,1763)=Anchomoenus  
prasinus E. 4 .
74. Calathus (s.str.) ambiguus (Paykull,1790) =fuscus F. 1 .
75. Calathus (s.str) fuscipes (Goeze,1777) =cisteloides Illig.  
2 .
76. Calathus (s.str.) melanocephalus (Linnaeus,1758). 2 .
77. Calathus (s.str.) micropterus (Duftschmid,1812). 2 .
78. Pristonychus (s.str) terricola (Herbst,1784) =subcyanaeus  
Illig. 4 .
79. Sphodrus leucophthalmus (Linnaeus,1758). 2 .
80. Amara (Zezea) plebeja (Gyllenhal,1810). 1 .
81. Amara (s.str.) aenea (DeGeer,1774)=trivialis Gyll. 1 .

82. *Amara* (s.str.) *communis* (Panzer,1797). 1 .
83. *Amara* (s.str.) *eurynota* (Panzer,1797)=*acuminata* Payk. 1 .
84. *Amara* (s.str.) *familiaris* (Duftschmid,1812). 1 .
85. *Amara* (s.str.) *spretata* Dejean,1831. 1 .
86. *Amara* (*Celia*) *infima* (Duftschmid,1812) =*Celia infima* Duft.  
1 .
87. *Amara* (*Bradytus*) *fulva* (DeGeer,1774) =*Bradytus fulvus* De  
Geer=[*amara ferruginea* Payk, Erichs. Fairm. et Laboulb.]. 3 .
- Amara* (*Percosia*) *equestris* (Duftschmid,1812) =*Percosia*  
*patricia* Duft. .
88. *Curtonotus aulicus* (Panzer,1797) =*Leirus aulicus* Pz. 2 .
89. *Anisodactylus* (s.str.) *binotatus* (Fabricius,1792)  
=*binotatus v.spurcaticornis* Dej. 4 .
90. *Anisodactylus* (s.str.) *signatus* (Panzer,1797). 2 .
91. *Acupalpus* (s.str.) *meridianus* (Linnaeus,1767). 1 .
92. *Trichocellus placidus* (Gyllenhal,1827) =*Bradycellus placidus*  
Gyll. 1 .
- \*93. *Pseudoophonus* (s.str.) *rufipes* (DeGeer,1774) [*Harpalus*  
*griseus* Pz.]. 1 .
94. *Harpalus* (s.str.) *affinis* (Schrank,1781) =*aeneus* Fab. 3 .
95. *Harpalus* (s.str.) *anxius* (Duftschmid,1812). 4 .
96. *Harpalus* (s.str.) *autumnalis* (Duftschmid,1812) =*impiger*  
Duft. 1 .
97. *Harpalus* (s.str.) *rubripes* (Duftschmid,1812). 1 .
98. *Harpalus* (s.str.) *tardus* (Panzer,1797). 1 .
99. *Callistus lunatus* (Fabricius,1775). 2 .
100. *Chlaenius* (*Chlaeniellus*) *nigricornis* (Fabricius,1787) =  
*nigricornis v.melanocornis* Dej. 2 .
- \*101. *Chlaenius* (*Chlaeniellus*) *nitidulus* (Schrank,1781)  
[*tibialis* Dej.]. 5 .

102. Chlaenius (Chlaeniellus) tristis (Schaller,1783) =  
holosericeus F. 31.7.1870, ., ; 21.8.1884,  
. 2 .
103. Chlaenius (Chlaeniellus) vestitus (Paykull,1790). 3 .
104. Chlaenius (Agostenus) sulcicollis (Paykull,1798). 1 .
105. Chlaenius (Pelasmus) costulatus (Motschulsky,1859)  
=4-sulcatus Illig. 4 .
106. Oodes (s.str.) helopioides (Fabricius,1792) 4 .
107. Badister (s.str.) bipustulatus (Fabricius,1792) 2 .
108. Badister (s.str.) unipustulatus Bonelli,1813 1 .
109. Panagaeus cruxmajor (Linnaeus,1758). 4 .
110. Lebia (Lamprias) chlorocephala (Hoffmannsegg,1803)  
[Ent.Hefte], 3 .
111. Lebia (Lamprias) cyanocephala (Linnaeus,1758) 1 .
112. Lebia (s.str.) cruxminor (Linnaeus,1758) 3 .
113. Demetrias (s.str.) monostigma Samouell,1819 =Aetophorus  
unipunctatus Germ. 1 .
114. Dromius (s.str.) agilis (Fabricius,1787)
115. Dromius (s.str.) fenestratus (Fabricius,1794) 4 .
- \*116. Dromius (s.str.) quadraticollis Morawitz,1862 [fenestratus  
F. var. obscurus Arndt.] 2 .
117. Dromius (s.str.) schneideri Crotch,1871 =marginellus F. 3  
. .
118. Dromius (s.str.) longiceps Dejean,1826 1 .
119. Syntomus truncatellus (Linnaeus,1761) = Microlestes  
truncatellus L. 1 . 6.6.1865. .
- \*120. Cymindis (s.str.) macularis Fischer-Waldheim,1824 =  
[scapularis Schaum = axillaris Duft.Dej.].

2. Haliplidae Kirby, 1837 -

1. *Brychius elevatus* (Panzer, 1794) =Dytiscidae: *Haliphus elevatus* Pz. 2 .

2. *Haliphus* (*Haliplinus*) *ruficollis* (Degeer, 1774) =Dytiscidae: *Haliphus ruficollis* De Geer =*impressus* Gyll. 2 .

3. Noteridae (Regimbart, 1878) Bertrand, 1928 -

1. *Noterus crassicornis* (O.F. Muller, 1776) =Dytiscidae: *Noterus crassicornis* F. 1 .

4. Dytiscidae Leach, 1815 -

1. *Laccophilus hyalinus* (Degeer, 1774). 3 .

2. *Hyphydrus ovatus* (Linnaeus, 1761). 3 .

3. *Hygrotus inaequalis* (Fabricius, 1777) =*Hydroporus inaequalis* F. 1 .

4. *Hygrotus versicolor* (Schaller, 1783) =*Hydroporus reticulatus* F. 2 .

5. *Hydroporus palustris* (Linnaeus, 1761). 2 .

6. *Hydroporus dorsalis* (Fabricius, 1826). 2 .

7. *Graptodytes bilineatus* (Sturm, 1835) =*Hydroporus bilineatus* Sturm. 4 .

8. *Porhydrus lineatus* (Fabricius, 1775) =*Hydroporus lineatus* F. 2 .

9. *Potamonectes depressus* (Fabricius, 1775) =*Hydroporus elegans* Illig. 2 .

*Platambus maculatus* (Linnaeus, 1758) =*Agabus maculatus* L.

.

10. *Agabus* (*Eriglenus*) *labiatus* (Brahm, 1790) =*femorialis* Payk. 2 .

11. *Agabus* (*Eriglenus*) *undulatus* (Schrank, 1776) =*abbreviatus* F. 2 .

12. *Agabus* (*Gaurodytes*) *guttatus* (Paykull,1798). =*Agabus guttatus* Payk. 2 .
13. *Agabus* (*Gaurodytes*) *uliginosus* (Linnaeus,1761) =*Ilybius uliginosus* L. 1 .
14. *Agabus* (*Scytodytes*) *sturmi* (Gyllenhal,1808) =*Agabus sturmi* [Schoenh.]. 1 .
15. *Ilybius ater* (Degeer,1774). 2 .
16. *Rhantus* (s.str.) *bistriatus* (Bergstrasser,1778) =*Colymbetes bistriatus* Bergstr. 1 .
17. *Rhantus* (s.str.) *exoletus* (Forster,1771) =*Colymbetes collaris* Payk. 2 .
18. *Colymbetes striatus* (Linnaeus,1758). 2 .
19. *Colymbetes paykuli* Erichson,1837. 1 .
20. *Hydaticus seminiger* (Degeer,1774) =*Hubneri* F. 2 .
21. *Hydaticus modestus* Sharp,1882 =*stagnalis* F. 1 .
22. *Graphoderus austriacus* (Sturm,1834) =*Hydaticus austriacus* Sturm. 1 .
23. *Graphoderus cinereus* (Linnaeus,1758) =*Hydaticus cinereus* L. . 1 .  
*Asilius canaliculatus* (Nicolai,1822) =*fasciatus* De Geer.
24. *Asilius sulcatus* (Linnaeus,1758). 3 .  
*Dytiscus circumflexus* Fabricius,1810.
25. *Dytiscus marginalis* Linnaeus,1758 =v. *conformis* Kunze. 3 .
26. *Dytiscus latissimus* Linnaeus,1758. 1 .
- Gyrinidae Aube -
1. *Gyrinus* (s.str.) *natator* (Linnaeus,1758). 4 .

2. *Gyrinus* (s.str.) *marinus* Gyllenhal,1808. 1 .
3. *Gyrinus* (*Gyrinulus*) *minutus* Fabricius,1798. 1 .
4. *Orectochilus villosus* (Muller,1776) =*villosus* [F.]. 2 .
5. Sphaeriidae Erichson,1845 -  
*Sphaerius acaroides* Waltl,1838. .
6. Hydraenidae Mulsant,1844  
1. *Hydraena* sp. [*riparia* Kugel.]. 9.09.1862, . 1 .
7. Helophoridae Thomson,1859  
*Helophorus* (*Empleurus*) *nubilis* Fabricius,1776.  
.
1. *Helophorus* (s.str.) *griseus* Herbst,1793. 1 .
2. *Helophorus* (s.str.) *granularis* (Linnaeus,1761).  
.
- Helophorus* (*Megahelophorus*) *aquaticus* (Linnaeus,1758).  
.
3. *Helophorus* (*Megahelophorus*) *grandis* Illiger,1798. 2 .
8. Hydrophilidae Goeze,1781 -  
1. *Hydrochus elongatus* (Schaller,1783). 2 .  
\*2. *Hydrochus ignicollis* Motschulsky, 1860. 3 .,  
*H. elongatus* Schall.  
3. *Coelostoma orbiculare* (Fabricius,1775) =*Cyclonotum orbiculare* F. 1 .
4. *Sphaeridium scarabaeoides* (Linnaeus,1758) =*Scarabaeoides* F.  
2 .
5. *Sphaeridium bipustulatum* Fabricius,1781. 5 .
6. *Cercyon* (s.str.) *unipunctatus* (Linnaeus,1758). 1 .
- \*7. *Cercyon* (s.str.) *bifenestratus* Kuster,1851 [*aquaticum* Steph.]. 4 .
8. *Cercyon* (*Dicyrtocercyon*) *ustulatus* (Preysslner,1790) =*haemorrhoum* Gyll. 1 .

10. *Hydrobius fuscipes* (Linnaeus,1758). 2 .
11. *Laccobius minutus* (Linnaeus,1758). 2 .
- \*12. *Laccobius striatulus* (Fabricius,1801). 1 .
13. *Helochaeres* (s.str.) *lividus* (Forster,1771). 2 .
- \*14. *Helochaeres* (s.str.) *obscurus* Muller. 4 .
- \*15. *Enochrus* (Lumetus) *quadripunctatus* (Herbst,1797)  
=*Phylhydrus melanocephalus* F. 2 .
16. *Cymbiodyta marginella* (Fabricius,1792) =*Phylhydrus marginellus* F. 1 .
17. *Chaetarthria seminulum* (Herbst,1797) =*Cyllidium seminulum* [Payk.]. 2 .
18. *Hydrochara caraboides* (Linnaeus,1764) =*Hydrous caraboides* L. 1 .
19. *Hydrophilus aterrimus* (Eschscholtz,1822). 3 .  
*Hydrophilus picipes* (Linnaeus,1758) . .  
1860 ,  
.
- \*20. *Berosus* (s.str.) *signaticollis* (Charpentier,1825). 1 .,  
*B. luridus* L.
21. *Berosus* (s.str.) *luridus* (Linnaeus,1761). 2 .
9. *Leiodidae* Hatch,1929 =*Anisotomidae*
1. *Anisotoma axillaris* Gyllenhal,1810. 3 .
2. *Anisotoma humeralis* (Fabricius,1792). 3 .
3. *Anisotoma glabra* (Kugelann,1794). 6 .
4. *Agathidium nigripenne* (Fabricius,1792) =*nigripenne* Illig. 1 .
- \*5. *Agathidium discoideum* Erichson,1845 [varians Beck].  
26.09.1862, , . 1 .

6. *Agathidium varians* Beck, 1817. 1 .
7. *Agathidium laevigatum* Erichson, 1845. 1 .  
10. Silphidae Westwood, 1839 -
1. *Nicrophorus humator* (Gleditsch, 1767). 1 .
2. *Nicrophorus vespillo* (Linnaeus, 1758) = *Nicrophorus vespillo* [F.]. 2 .
3. *Nicrophorus investigator* Zetterstedt, 1824 = *Nicrophorus ruspator* Erichs. 1 .
4. *Nicrophorus vespilloides* Herbst, 1783 = *Nicrophorus mortuorum* F. 3 .
5. *Necrodes littoralis* (Linnaeus, 1758) = *Silpha littoralis* [F.]. 2 .
6. *Thanatophilus rugosus* (Linnaeus, 1758) = *Silpha rugosa* L. 2 .
7. *Thanatophilus dispar* (Herbst, 1793) = *Silpha dispar* Herbst. 1 .
8. *Thanatophilus sinuatus* (Fabricius, 1775) = *Silpha sinuata* F. 2 .
9. *Oiceoptoma thoracica* (Linnaeus, 1758) = *Silpha thoracica* L. 2 .
10. *Aclypea* (*Blitophaga*) *opaca* (Linnaeus, 1758) = *Silpha opaca* L. 1 .
11. *Aclypea* (s.str.) *undata* (Muller, 1776) = *Silpha reticulata* F. 2 .
12. *Dendroxena quadrimaculata* (Scopoli, 1772) = *Silpha 4-punctata* L. 4 .
13. *Silpha carinata* Herbst, 1783 = *carinata* [Illig.]. 2 .
14. *Silpha obscura* Linnaeus, 1758. 2 .

15. *Phosphuga atrata* (Linnaeus,1758) =*Silpha atrata* L. 2 .

11. Catopidae Thomson,1862

1. *Ptomaphagus varicornis* (Rosenhauer,1847) =Silphidae:Catops  
*varicornis* Rosenhauer. 1 .

2. *Sciodrepoides fumatus* (Spence,1813) =Silphidae: Catops  
*fumatus* Spence=Catops *scitulus* Erichs. 7+2 .

3. *Catops fuscus* (Panzer,1794) =Silphidae: Catops *fuscus* Pz..  
12.01.1864, . 5 .

4. *Catops morio* (Fabricius,1787) =Silphidae: Catops *morio* F. 1  
.

5. *Catops chrysomeloides* (Panzer,1798) =Silphidae: Catops  
*chrysomelides* Pz. 1 .

12. Scydmaenidae Leach,1815

1. *Scydmaenus tarsalis* Muller et Kunze,1822. 5 .

13. Scaphidiidae Latreille,1807 -

1. *Scaphidium quadrimaculatum* Olivier,1790 =4-maculatum [F.]. 7  
.

2. *Scaphisoma agaricinum* (Linnaeus,1758) =agaricinum [F.]. 7  
.

14. Pselaphidae Latreille,1807 -

1. *Trichonyx sulcicollis* (Reichenbach,1816). 2.06.1869,  
. 5 .

2. *Batrisodes venustus* (Reichenbach,1816) =*Batrisus venustus*  
Reichenb. 22.04.1862, , . 1 .

3. *Rybaxis longicornis* (Leach,1817) =*Bryaxis sanguinea* [F.].  
, . 2 .

4. *Brachygluta fossulata* (Reichenbach,1816) =*Bryaxis fossulata*  
Reichenb. 1 .

5. *Reichenbachia juncorum* (Leach,1817) =*Bryaxis juncorum* Leach.  
25.03.1862. . 1 .

6. *Trissemus impressus* (Panzer, 1803) = *Bryaxis impressa* Pz. 1

.

15. Clavigeridae Redtenbacher, 1849

\*1. Claviger testaceus Preyssler, 1790 =foveolatus P.W.J. Muller, 1818. 6 . Claviger foveolatus Mull., - : Claviger fossulatus Mull. .

16. Sphaerithidae Thomson, 1862 -

1. Sphaerites glabratus (Fabricius, 1792) =Nitidulidae: Sphaerites glabratus F. 3 .

17. Histeridae Gyllenhal, 1808 -

1. Teretrius (s.str.) picipes (Fabricius, 1792). 2 .
2. Gnathoncus nannetensis Marseul, 1862 [Saprinus rotundatus Illig.]. 1 .
3. Saprinus (s.str.) semistriatus (Scriba, 1790) =nitidulus F. 5 .
5. Saprinus (s.str.) aeneus (Fabricius, 1775) 22.5.1869, . 2 .
6. Hypocaccus (s.str.) rugiceps (Duftschmid, 1805) [Saprinus 4-striatus Ent.H.]. 2 .
7. Hypocaccus (s.str.) rugifrons (Paykull, 1798) =Saprinus rugifrons Payk. 2 .
8. Dendrophilus (s.str.) pygmaeus (Linnaeus, 1758). 1 .
9. Paromalus (s.str.) parallelepipedus (Herbst, 1792). 2 .
10. Hister quadrinotatus Scriba, 1790. 2 .
11. Margarinotus (Promister) cadaverinus (Hoffmann, 1803) =Hister cadaverinus [Ent.H.]. 1 .
- \*12. Margarinotus (Promister) striola succicola (Thomson, 1862). 2 ., H. cadaverinus Ent.H.
13. Margarinotus (Promister) merdarius (Hoffmann, 1803) =Hister merdarius [Ent.H.]. 1 .

14. Margarinotus (Promister) terricola (Germar,1824) =Hister  
terricola Germ. 1 .

15. Margarinotos (Paralister) carbonarius (Hoffmann,1803)  
=Hister carbonarius [Ent.H.]. 3 .

16. Margarinotus (Paralister) purpurascens (Herbst,1792)  
=Hister purpurascens Herbst. 1 .

17. Margarinotus (Eucalohister) bipustulatus (Schrank,1781)  
[Hister sinuatus F.]. 1 .

18. Margarinotus (Stenister) stercorarius (Hoffmann,1803)  
=Hister stercorarius [Ent.H.]. 1 .

19. Platysoma frontale (Paykull,1798). 3 . 1 ., -  
[P. depressum F.].

20. Platysoma deplanatum (Gyllenhal,1808) =depressum  
v.deplanatum Gyll. 4 .

21. Cylister oblongus (Fabricius,1792) =Platysoma oblongum F. 3  
.

22. Cylister angustatus (Hoffmann,1803) =Platysoma angustatum  
[Ent.H.]. 5 .

23. Hololepta plana (Sulzer,1776) [Fuesly.]. 3 .

24. Hetaerius ferrugineus (Olivier,1759) =quadratus  
Kugelann.Sturm=Sesquicornis Preyssler. 1 .

18. Cyphonidae Stephens,1830

1. Cyphon coarctatus Paykull,1799. 1 .

2. Cyphon variabilis (Thunberg,1787). 1 .

3. Scirtes hemisphaericus (Linnaeus,1758). 5 .

4. Elodes pallida (Fabricius,1775). 1 .

19. Dascillidae Guerin-Meneville,1843 -
1. Dascillus cervinus (Linnaeus,1758) =Atopidae: Dascillus cervinus L.
20. Trogidae Mac Leay,1819 -
1. Trox sabulosus (Linnaeus,1758). 2 .
2. Trox scaber (Linnaeus,1767). 3 .
21. Scarabaeidae Latreille,1802 -
1. Bolboceras armiger (Scopoli,1772) =Odontaeus mobilicornis F. 22.05.1876, . 3 .
2. Geotrupes (s.str.) mutator (Marsham,1802) [Erichs.]. 2 .
3. Geotrupes (s.str.) stercorarius (Linnaeus,1758) =putridarius Erichs. 2 .
4. Geotrupes (Anoplotrupes) stercorosus (Scriba,1791) =sylvaticus [F.] Pz. 2 .
5. Geotrupes (Trypocopris) vernalis (Linnaeus,1758) [v.autumlanis Zegl., v.alpinus Hagenb.]. 5 .
6. Oniticellus fulvus (Goeze,1777) =flavipes F. 2.08.1872, . 2 .
7. Copris lunaris (Linnaeus,1758). 4 .
8. Caccobius schreberi (Linnaeus,1767) =Onthophagus Schreberi L. 2 .
9. Onthophagus (s.str.) coenobita (Herbst,1787) [F.]. 1 .
10. Onthophagus (s.str.) fracticornis (Preyllser,1790) [Pz.] =fracticornis v.marginatus Muls. 3 .
11. Onthophagus (s.str.) nuchicornis (Linnaeus,1758). 3 .
12. Onthophagus (s.str.) taurus (Schreber,1759). 4 .
13. Onthophagus (s.str.) vacca (Linnaeus,1767) =v.medius Pz. 3 .
14. Aphodius (Colobopterus) erraticus (Linnaeus,1758). 3 .

15. *Aphodius* (*Colobopterus*) *subterraneus* (Linnaeus,1758). 2 .
16. *Aphodius* (*Teuchestes*) *fossor* (Linnaeus,1758). 4 .
17. *Aphodius* (*Acrossus*) *bimaculatus* (Laxmann,1770) =*bipunctatus*  
F. 5 .
18. *Aphodius* (*Acrossus*) *depressus* (Kugelann,1792) [F.].  
16.05.1864, . 2 .
19. *Aphodius* (*Acrossus*) *luridus* (Fabricius,1775) [F.Payk.].  
3 .
20. *Aphodius* (*Acrossus*) *rufipes* (Linnaeus,1758) [F.]. 3 .
21. *Aphodius* (*Orodalus*) *quadriguttatus* (Herbst,1783)  
=4-guttatus Herbst. 1 .
22. *Aphodius* (*Volinus*) *conspurcatus* (Linnaeus,1758). 1 .
23. *Aphodius* (*Volinus*) *distinctus* (Muller,1776) =*inquinatus*  
[F.] Herbst. 1 .
24. *Aphodius* (*Melinopterus*) *prodromus* (Brahm,1790). 5 .
25. *Aphodius* (*Melinopterus*) *sphacelatus* (Panzer,1798)  
[punctato-sulcatus Sturm]. 1 .
26. *Aphodius* (*Amidorus*) *tomentosus* (Muller,1775) =*lutarius*  
Payk. 1 .
27. *Aphodius* (*Esymus*) *merdarius* (Fabricius,1775). 1 .
28. *Aphodius* (s.str.) *fimetarius* (Linnaeus,1758). 1 .
29. *Aphodius* (s.str.) *foetens* (Fabricius,1787). 1 .
- \*30. *Aphodius* (*Agrilinus*) *borealis* Gyllenhal,1827 [foetidus  
Fab.=putridus Herbst,1789=tenellus Say,1823]. , . 1  
.
31. *Aphodius* (*Bodilus*) *sordidus* (Fabricius,1775). 5 .
32. *Aphodius* (*Nialus*) *niger* (Panzer,1797). 1 .
33. *Aphodius* (*Nialus*) *plagiatus* (Linnaeus,1767). 1 .
34. *Aphodius* (*Nialus*) *varians* Duftschmid,1805 =*bimaculatus* F.  
v. *terrestris* Illig. 2 .

35. *Aphodius* (*Calamosternus*) *granarius* (Linnaeus,1767). 3 .
36. *Heptaulacus* *sus* (Herbst,1783) =*Aphodius* *sus* [F.]. 2 .
37. *Oxyomus* *silvestris* (Scopoli,1763) =*Aphodius* *porcatus* F. 1 .
38. *Serica* *brunnea* (Linnaeus,1758). 4 .
39. *Maladera* *holosericea* (Scopoli,1772) =*Serica* *holosericea* [F.]. 4 .
40. *Amphimallon* *solstitiale* (Linnaeus,1758) =*Rhyzotrogus* *Solstitialis* L. 3 .
41. *Melolontha* *hippocastani* Fabricius,1801. 2 .
42. *Polyphylla* *fullo* (Linnaeus,1758). , . . 1 .
43. *Euchlora* *dubia* (Scopoli,1763) =*Anomala* *Frichii* =*v.genuina* Fab.Herbst=*v.Iulii* F.=*v.cyanea*. .
44. *Phyllopertha* *horticola* (Linnaeus,1758). 8
45. *Anisoplia* *segetum* (Herbst,1783) [*fruticola* F.]. 28.05.1872, . 4 .
46. *Hoplia* *parvula* Krynicki,1832 [*farinosa* L.]. 4 .
47. *Oryctes* *nasicornis* (Linnaeus,1758). 3 .
48. *Epicometes* *hirta* (Poda,1761) =*Epicometis* *hirtella* [L.]. 12.05.1871, , . 2 .
49. *Cetonia* *aurata* (Linnaeus,1758). 3 .
50. *Potosia* *aeruginosa* (Drury,1770) =*Cetonia* *speciosissima* Scop. , . 1 .
51. *Potosia* *affinis* (Andersch,1797) =*Cetonia* *affinis* Andersch. 1.06.1896, , . 1 .
52. *Potosia* *metallica* (Herbst,1782) =*Cetonia* *metallica* [Payk.]. =*floricola* Herbst=*aenea* Gyll.=*alboguttata* And. 18.06.1863. 4 .
53. *Liocola* *lugubris* (Herbst,1770) =*Cetonia* *marmorata* F. 2 .

54. *Valgus hemipterus* (Linnaeus,1758). 7 .
55. *Osmoderma eremita* (Scopoli,1763). 6.07.1894, , 2 . ;  
31.07.1887, , , 4 .
- \*56. *Gnorimus variabilis* (Linnaeus,1758). . 1 .
- \*57. *Gnorimus nobilis* (Linnaeus,1758). . 2 .
58. *Trichius fasciatus* (Linnaeus,1758) =*fasciatus* v.*succinctus* F. 6 .

22. Lucanidae Latreille,1806 -

1. *Sinodendron cylindricum* (Linnaeus,1758). 2 .
2. *Platycerus caraboides* (Linnaeus,1758). 5 .
- \*3. *Platycerus caprea* (Degeer,1774). 4 .
4. *Dorcus parallelipedus* (Linnaeus,1758). 3 .
5. *Ceruchus chrysomelinus* (Hochenwarth,1785) =*tenebrioides* F.  
17.05.1871. . 4 .

23. Elmidae Brulle,1835

1. *Elmis muelleri* (Erichson,1847) =Parnidae: *Elmis muelleri* Erisch. 2 .
2. *Potamophilus acuminatus* (Fabricius,1792) =Parnidae:  
*Potamophilus acuminatus* Germ. 2 .

24. Dryopidae Billberg,1820 -

1. *Dryops* (*Yrdops*) *nitidulus* (Heer,1841) =Parnidae: *Parnus nitidulus* Heer. 1 .
2. *Dryops* (s.str.) *auriculatus* (Fourcroy,1785) =Parnidae:  
*Parnus auriculatus* Illig. 1 .
3. *Dryops* (s.str.) *luridis* (Erichson,1847) =Parnidae: *Parnus prolifericornis* F. 4 .

25. Limnichidae Erichson,1846

1. *Limnichus sericeus* (Duftschmid,1825) =Byrrhidae: *Limnichus sericeus* Duft. 4 .

26. Heteroceridae Mac Leay, 1825-

1. *Heterocerus marginatus* (Fabricius, 1787). 3 .

27. Lycidae Blanchard, 1845

1. *Lygistopterus sanguineus* (Linnaeus, 1758) =Telephoridae:  
*Lygistopterus sanguineus* L. 7 .

2. *Aplatopterus rubens* (Gyllenhal in Schonherr, 1817b)  
=Telephoridae: *Dictyopterus rubens* Rdtb. 1 .

3. *Pyropterus nigroruber* (Degeer, 1774) =Telephoridae:  
*Dictyopterus affinis* Payk. 1 .

4. *Platycis minuta* (Fabricius, 1787) =Telephoridae: *Dictyopterus*  
*minutus* F. 4 .

5. *Platycis cosnardi* (Chevrolat in Guerin-Meueville, 1844)  
=Telephoridae: *Dictyopterus flavescens* Rdtb. 1 .

6. *Dictyoptera aurora* (Herbst, 1784) =Telephoridae: *Dictyopterus*  
*Aurora* F. 23.05.1870, . 5 .

28. Lampyridae Latreille, 1816 -

1. *Lampyris noctiluca* (Linnaeus, 1758) =Telephoridae: *Lampyris*  
*noctiluca* L. 7 .

29. Cantharidae Thomson, 1864 -

*Cantharis* (s.str.) *figurata* Mannerheim, 1843c =Telephoridae:  
*Cantharis bicolor* F. .

1. *Cantharis* (s.str.) *fulvicollis* Fabricius, 1792 =Telephoridae:  
*Cantharis fulvicollis* F. 12.07.1870, . 3 .

2. *Cantharis* (s.str.) *livida rufipes* Herbst, 1784 =Telephoridae:  
*Cantharis dispar* F. 1 .

3. *Cantharis* (s.str.) *obscura* Linnaeus, 1758 =Telephoridae:  
*Cantharis obscura* L. 1 .

4. *Cantharis* (s.str.) *nigricans* (O.F. Muller, 1776) =Telephoridae:  
*Cantharis nigricans* [F.]. 2 .

5. *Cantharis* (s.str.) *pellucida* Fabricius,1792 =Telephoridae:  
*Cantharis pellucida* F. 2 .
6. *Cantharis* (s.str.) *rustica* Fallen,1807b =Telephoridae:  
*Cantharis rustica* Fallen. 1 .
7. *Rhagonycha atra* (Linnaeus,1767). =Telephoridae: *Rhagonycha atra* L. 4 .
8. *Rhagonycha femoralis* (Gyllenhal,1827) =Telephoridae:  
*Rhagonycha femoralis* [Rdtb.]. 4.06.1872, . 1 .
9. *Rhagonycha fulva* (Scopoli,1763) =Telephoridae: *Rhagonycha melanura* F. 3 .
10. *Rhagonycha lignosa* (O.F. Muller,1764) =Telephoridae:  
*Rhagonycha pallida* F. 1 .
11. *Rhagonycha testacea* (Linnaeus,1758) =Telephoridae:  
*Rhagonycha testacea* L. 1 .
12. *Silis ruficollis* (Fabricius,1775). =Telephoridae: *Silis ruficollis* F. 1 .
13. *Silis nitidula* (Fabricius,1792). =Telephoridae: *Silis nitidula* F. 5 .
14. *Malthinus punctatus* (Fourcroy,1785) =Telephoridae:  
*Malthinus flaveolus* Herbst. 4 .
15. *Malthodes marginatus* (Latreille,1806) =Telephoridae:  
*Malthodes marginalis* Latr. 2 .
30. Elateridae Leach,1815 -
1. *Danosoma fasciatum* (Linnaeus,1758) =Adelocera *fasciata* L. 6 .
2. *Agrypnus murinus* (Linnaeus,1758) =Lacon *murinus* L. 3 .
3. *Ctenicera pectinicornis* (Linnaeus,1758) =Corymbites  
*pectinicornis* L. 2 .

4. *Actenicerus sjaelandicus* (Muller,1764) =*Corymbites tessellatus* L. 2 .
5. *Prosternon tessellatum* (Linnaeus,1758) =*Corymbites holosericeus* F. 3 .
6. *Anostirus castaneus* (Linnaeus,1758) =*Corymbites castaneus* L. 1 .
7. *Selatosomus* (s.str.) *aeneus* (Linnaeus,1758) =*Diacanthus aeneus* L. 3 .
8. *Selatosomus* (s.str.) *cruciatus* (Linnaeus,1758) =*Diacanthus cruciatus* L. 2 .
9. *Denticollis linearis* (Linnaeus,1758) =*Campylus linearis* L. [Schoenh.]. 2 .
10. *Cidnopus aeruginosus* (Olivier,1790) =*Limonius cylindricus* Pk. 5 .
11. *Harminius undulatus* (Degeer,1774) =*Athous undulatus* De Geer. 8.06.1869, , . 1 .
12. *Stenagostus rufus* (Degeer,1774) =*Athous rufus* [F.]. 1 .
- \*13. *Athous* (*Pseudathous*) *hirtus* (Herbst,1784). 3 .,  
A. *niger* L.
14. *Athous* (*Pseudathous*) *niger* (Linnaeus,1758). 1 .  
*Athous* (s.str.) *haemorhoidalis* (Fabricius,1801).  
.
15. *Athous* (s.str.) *vittatus* (Fabricius,1792). 1 .
16. *Athous* (*Anathrotus*) *subfuscus* (O.F. Muller,1764) =*analis* F. 1 .
17. *Ampedus* (s.str.) *baltheatus* (Linnaeus,1758) =*Elater baltheatus* L. 1 .
18. *Ampedus* (s.str.) *cinnabarinus* (Eschscholtz,1829) =*Elater lythropterus* Germ. 3 .

19. *Ampedus* (s.str.) *erythrogonus* (Muller,1821) =*Elater erythrogonus* Mull. 15.05-1.06.1878, , . 2 .
20. *Ampedus* (s.str.) *nigroflavus* (Goeze,1777) =*Elater crocatus* [Geoffr.] Lacordaire. 3 .
- \*21. *Ampedus* (s.str.) *pomoniae* (Stephens,1830) [*Elater elongatulus* F.] 5 .
22. *Ampedus* (s.str.) *pomorum* (Herbst,1784) =*Elater pomorum* [Geoffr.]. 3 .
23. *Ampedus* (s.str.) *praeustus* (Fabricius,1792) =*Elater praeustus* F. 4 .
24. *Ampedus* (s.str.) *sanguineus* (Linnaeus,1758) =*Elater sanguineus* L. 3 .
25. *Ampedus* (s.str.) *sanguinolentus* (Schrank,1776) =*Elater ephippius* [F.] Olivier. 3 .
26. *Ampedus* (s.str.) *tristis* (Linnaeus,1758) =*Elater tristis* L. 1 .
27. *Sericus* (s.str.) *brunneus* (Linnaeus,1758) =*Sericosomus brunneus* L. 31.05.1893, , *Ledum palustre*.
28. *Dalopius marginatus* (Linnaeus,1758) =*Dolopius marginatus* L. 3 .
- \*29. *Ectinus aterrimus* (Linnaeus,1761) [*Elater lugens* Wilh. Rdtb. Germ.]. 3 .
30. *Agriotes* (s.str.) *lineatus* (Linnaeus,1767). 3 .
31. *Agriotes* (s.str.) *obscurus* (Linnaeus,1758) [F.]. 2 .
32. *Synaptus filiformis* (Fabricius,1781). 2 .
33. *Adrastus pallens* (Fabricius,1792). 1 .
34. *Melanotus castanipes* (Paykull,1800) =*Cratonychus castanipes* Payk. 4 .
35. *Negastrius pulchellus* (Linnaeus,1761) =*Cryptohypnus pulchellus* L. 4 .

36. *Cardiophorus ruficollis* (Linnaeus,1758). 11.04.1871, .  
. 1 .
37. *Drapetes cinctus* (Panzer,1796) =Eucnemidae: *Lissomus equestris* F. 5 .
31. Eucnemidae Latreille,1824
1. *Microrhagus lepidus* Rosenhauer,1847 [Kolenhauer]. 1 .
2. *Rhacopus sahlbergi* (Mannerheim,1823) =*Microrhagus Sahlbergi* [Gyll.]. 2 .
3. *Melasis buprestoides* (Linnaeus,1761). 1 .
- \*4. *Otho spondyloides* (Germar,1818). .
- Melasis elateroides* Ill. 1 .
32. Throscidae Castelnau,1840
1. *Trixagus dermestoides* (Linnaeus,1767) =Eucnemidae: *Trixagus dermestoides* L. . 3 .
33. Buprestidae Leach,1815 -
1. *Dicerca furcata* (Thunberg,1787) =*acuminata* [F.]. 2 .
- \*2. *Dicerca alni* (Fischer-Waldheim,1823) [*berolinensis* F.]. 1 .
3. *Poecilonota varioilosa* (Paykull,1799) =*conspersa* Gyll. 13.07.1893, 3.08.1886, , . 3 .
4. *Buprestis novemmaculata* Linnaeus,1767 =*Ancylocheira flavomaculata* F. 4 .
5. *Buprestis haemorhoidalis* Herbst,1780 =*Ancylocheira punctata* F. 3 .
6. *Buprestis rustica* Linnaeus,1758 =*Ancylocheira rustica* L. 2 .
7. *Melanophila acuminata* (Degeer,1774) =*appendiculata* Herbst. 8.08.1883, , . 4 .

8. *Phaenops cyanea* (Fabricius,1775) =tarda F. 27.07.1870,  
 , . 3 .
9. *Anthaxia quadripunctata* (Linnaeus,1758). 2 .
10. *Chalcophora mariana* (Linnaeus,1758). 4 .
11. *Chrysobothris affinis* (Fabricius,1792). 3 .
12. *Chrysobothris chrysostigma* (Linnaeus,1758). 30.07.1870,  
 , . 4 .
13. *Chrysobothris solieri* Laporte et Gory,1837. 1 .
14. *Coraebus elatus* (Fabricius,1787). 13.07.1868, ,  
 . 4 .
15. *Agrilus angustulus* (Illiger,1803). 27.07.1872,  
 , . 5 .
16. *Agrilus ater ater* (Linnaeus,1767) =sexguttatus [Herbst].  
 16.07.1886, 13.07.1893, , . 6 .
17. *Agrilus betuleti* (Ratzeburg,1837). 3.07.1870,  
 , . 1 . 1 .,  
 A. viridis v.atra F.
18. *Agrilus biguttatus* (Fabricius,1777). 8 .
- \*19. *Agrilus pratensis pratensis* (Ratzeburg,1839) [viridis  
 v.nocivus Rrtzb.]. 3 .
20. *Agrilus sulcicollis* Lacordaire,1835 =tenuis  
 Ratzb.=v.viridi-aeneus=v.viridi-cupreus=v.cyaneus Rossi. 10 .
21. *Agrilus viridis* (Linnaeus,1758) =viridis v.linearis Pz. 1  
 .
22. *Trachys minuta* (Linnaeus,1758). 2 .
34. Byrrhidae Latreille,1806 -
1. *Curimopsis paleata* (Erichson,1846) =[Syncaeypta] paleata  
 Erichs. 6 .
2. *Chaetophora spinosa* (Rossi,1794) =[Syncaeypta] spinosa  
 Rossi. 1 .

3. *Porcinolus murinus* (Fabricius,1794) =*Byrrhus murinus* F. 1 .
  4. *Byrrhus pilula* (Linnaeus,1758). 3 .
  5. *Byrrhus pustulatus* Forster,1771 =*dorsalis* F. 1 .
  6. *Byrrhus fasciatus* Forster,1771 [F.]. 3 .
  7. *Cytulus sericeus* (Forster,1771) =*varius* F. 7.05.-22.08.1878, . 3 .
  8. *Lamprobyrrhulus nitidus* (Schaller,1783) =*Morychus nitens* Pz. 5 .
  9. *Morychus aeneus* (Fabricius,1775). 1 .
35. Dermestidae Latreille,1802 -
1. *Dermestes* (*Dermestinus*) *murinus* Linnaeus,1758. 6 .
  2. *Dermestes* (*Dermestinus*) *undulatus* Brahm,1790. 1 .
  3. *Dermestes* (s.str.) *lardarius* Linnaeus,1758. 4 .
  4. *Attagenus* (s.str.) *schaefferi* (Herbst,1792). 8 .
  5. *Attagenus* (s.str.) *pellio* (Linnaeus,1758) =*v.bimaculatus* Arnold. 4 .
  6. *Trogoderma elongatula* F. 1 .
  7. *Trogoderma glabrum* (Herbst,1783) =[*Orphilus glabratus* F.] 30.06.1872, , *Heracleum*. 5 .
  8. *Megatoma undata* (Linnaeus,1758). 4 .
  9. *Globicornis emarginata* (Gyllenhal,1808) =*Hadrotoma marginata* Payk. 1 .
  10. *Ctesias serra* (Fabricius,1792) =*Tiresias serra* F. 3 .
  11. *Anthrenus* (s.str.) *scrophulariae* (Linnaeus,1758). 3 .
  12. *Anthrenus* (*Florilinus*) *museorum* (Linnaeus,1761). 2 .
36. Lyctidae Billberg,1820 -
1. *Lyctus linearis* (Goeze,1777) =*Cryptophagidae: Lyctus canaliculatus* F. 3 .

37. Anobiidae L.Redtenbacher,1845 -
1. *Ernobius abietis* (Fabricius,1792) =*Anobium abietis* F.=molle  
L. 10.10.1876, , . 3 .
  2. *Ptilinus fuscus* (Fourcroy,1785) =*costatus* Gyll. 3 .
  3. *Xyletinus pectinatus* (Fabricius,1792). 3 .
  3. *Priobium caprini* (Herbst,1793) =*Trypopyty*s *Caprini* Herbst. 4 .
  4. *Hadrobregmus pertinax* (Linnaeus,1758) =*Anobium pertinax* L. 1 .
  5. *Stegobium paniceum* (Linnaeus,1758) =*Anobium paniceum* [F.]. 1 .
  6. *Hemicoelus rufipes* (Fabricius,1792) =*Anobium rufipes*  
F.=v.*cinnamomeum* Sturm. 1.06.1878, . 3 .
  7. *Anobium punctatum* (Degeer,1774) =*domesticum* [Fourcroy]  
=*striatum* Oliv. [Sturm]. 4 .
  - \*8. *Dorcatoma flavicornis* (Fabricius,1792) [*chrysomelina* Sturm].  
1 .
  9. *Dorcatoma dresdensis* Herbst,1792. 2 .
  - \*10. *Dorcatoma serra* Panzer,1796 [*affinis* Sturm]. 1 .

38. Bostrichidae Latreille,1802 -

1. *Stephanopachys linearis* (Kugelann,1792) =Anobiidae: *Apate*  
*elongata* Payk. , , . 1 .

39. Ptinidae Latreille,1802 -

1. *Epauloecus unicolor* (Piller et Mitterpacher,1783) =*crenatus*  
[F.]. 4 .
2. *Ptinus* (*Cyphoderes*) *raptor* Sturm,1837. 3 .
3. *Ptinus* (s.str.) *fur* (Linnaeus,1758). 3 .
4. *Ptinus* (s.str.) *bicinctus* Sturm,1837. 16.12.1863; 7.02.1864,  
. 2 .

40. Lymexylidae Stephens, 1839 -

1. *Hylecoetus dermestoides* (Linnaeus, 1761). 4 .

41. Peltidae Latreille, 1808 -

1. *Peltis grossa* (Linnaeus, 1858) =Nitidulidae: *Peltis grossa* F.  
1.08.1876, , . 3 .

2. *Ostoma ferruginea* (Linnaeus, 1758) =Nitidulidae: *Peltis*  
*ferruginea* L. 4 .

3. *Grynocharis oblonga* (Linnaeus, 1758) =Nitidulidae: *Peltis*  
*oblonga* L. 5 .

42. Cleridae Latreille, 1802 -

1. *Tillus elongatus* (Linnaeus, 1758) =*Tillus elongatus* [F.].  
1.06.1869. . 1 .

2. *Trichodes apiarius* (Linnaeus, 1758). 4 .

3. *Thanasimus formicarius* (Linnaeus, 1758) =*Clerus formicarius*  
L. 3 .

4. *Necrobia violacea* (Linnaeus, 1758) =*Corynetes violaceus*  
[Latr.]. 3 .

43. - Meliridae Leach, 1815

1. *Dolichosoma lineare* (Rossi, 1790) =Melyridae: *Dolichosoma*  
*linearis* F. 4 .

2. *Dasytes* (s.str.) *niger* (Linnaeus, 1761) =Melyridae: *Dasites*  
*niger* F. 3 .

3. *Dasytes* (*Hapalogluta*) *fuscus* (Illiger, 1801) =Melyridae:  
*Dasites fuscus* Illig. 3 .

4. *Haplocnemus nigricornis* (Fabricius, 1792) =Melyridae: *Dasites*  
*nigricornis*. 1 .

44. Malachiidae L.Redtenbacher, 1845 -

1. *Anthocomus coccineus* (Schaller, 1783) =Melyridae: *Anthocomus*  
*sanguinolentus* F. 5 .

2. *Ebaeus pedicularius* (Linnaeus, 1758) =Melyridae: *Ebaeus*

pedicularius Schrank. 2 .

3. Malachius aeneus (Linnaeus, 1758) =Melyridae: Malachius aeneus

F. 2 .

4. *Malachius bipustulatus* (Linnaeus,1758) =Melyridae: *Malachius bipustulatus* F. 1 .

45. Nitidulidae Latreille,1802 -

1. *Laria dulcamarae* Scopoli,1763 =*Pria Dulcamarae* Illig. 2 .

2. *Meligethes viridescens* (Fabricius,1787). 2 .

3. *Meligethes symphyti* (Heer,1841). 2 .

\*4. *Meligethes atratus* (Olivier,1790). 2 .,

*M. rufipes* Gyll.

\*5. *Meligethes* (*Clypeogethes*) *maurus* Sturm,1845. 1 .,

*M. rufipes* Gyll.

6. *Epurea* (s.str.) *guttata* (Olivier,1811) =*decemguttata* F. 3 .

7. *Epurea* (s.str.) *silacea* (Herbst,1784). 1 .

8. *Epurea* (s.str.) *terminalis* (Mannerheim,1843) =*obsoleta* F. 4 .

9. *Omosita colon* (Linnaeus,1758). 4 .

10. *Omosita depressa* (Linnaeus,1758). 2 .

11. *Nitidula bipunctata* (Linnaeus,1758) =*bipustulata* [F.]. 3 .

12. *Nitidula rufipes* (Linnaeus,1767) =*obscura* F. 2 .

13. *Pocadius ferrugineus* (Fabricius,1775). 3 .

14. *Cychramus luteus* (Fabricius,1784). 5 .

15. *Soronia grisea* (Linnaeus,1758). 5 .

16. *Soronia punctatissima* (Illiger,1794). 1.06.1878, ,

. 3 .

17. *Cylloides ater* (Herbst,1792). 5 .

18. *Glischrochilus* (*Librodor*) *quadriguttatus* (Fabricius,1777)  
=*Ips 4-guttata* F. 4 .

19. *Glischrochilus* (*Librodor*) *hortensis* (Fourcroy,1785) =*Ips 4-punctata* Herbst. 1 .

20. *Glischrochilus* (s.str.) *quadripunctatus* (Linnaeus,1758)  
=Ips 4-pustulata F. 3 .

21. *Pityophagus ferrugineus* (Linnaeus,1761) =Ips *ferruginea* L.  
2 .

22. *Cryptarcha strigata* (Fabricius,1787). 2 .

46. *Rhizophagidae* L.Redtenbacher,1845

\*1. *Cyanostolus aeneus* (Richter,1820)[ *Nitidulidae*: *Rhizophagus politus* F.] 3 .

2. *Rhizophagus nitidulus* (Fabricius,1798) =*Nitidulidae*:  
*Rhizophagus nitidulus* F. 23.09.1862, . 1 .

3. *Rhizophagus dispar* (Paykull,1800) =*Nitidulidae*: *Rhizophagus nitidulus* Payk. 3 .

4. *Rhizophagus bipustulatus* (Fabricius,1792) =*Nitidulidae*:  
*Rhizophagus bipustulatus* F. 2 .

5. *Rhizophagus ferrugineus* (Paykull,1800) =*Nitidulidae*:  
*Rhizophagus ferrugineus* Payk. 1 ., .

47. *Cucujidae* Latreille,1802 -

1. *Cucujus cinnaberinus* (Scopoli,1763) =*sanguinolentus* L.  
11.04.1878, . 3 .

2. *Cucujus haematodes* Erichson,1845. 22.05.1869, ,  
, 1 .; 18.07.1865, , 1 .,

*Laemophloeus monilis* (Fabricius,1787) =*denticulatus*  
Preyssler. , .

3. *Laemophloeus muticus* (Fabricius,1781) =*muticus* [L.]. 4 .

4. *Dendrophagus crenatus* (Paykull,1799). 2 .

5. *Uleiota planata* (Linnaeus,1761) =*Brontes planatus* L. 4 .

48. Silvanidae Lacordaire,1854

3. *Silvanus bidentatus* (Fabricius,1792) =Cucujidae: *Silvanus bidentatus* F. 3 .

49. Cryptophagidae Kirby,1837 -

1. *Cryptophagus* (s.str.) *badius* Sturm,1845. 5 .
2. *Cryptophagus* (s.str.) *cellaris* (Scopoli,1763). 1 .
3. *Cryptophagus* (s.str.) *lycooperdi* (Scopoli,1763) =*Cryptophagus Lycooperdi* [F.]. 2 .
4. *Cryptophagus* (s.str.) *pilosus* Gyllenhal,1827. 2 .
- \*5. *Antherophagus canescens* Grouvelle,1916 [*silaceus* Herbst]. 1 .
6. *Antherophagus pallens* (Linnaeus,1758) [Gyll.]. 1 .
7. *Antherophagus nigricornis* (Fabricius,1787). 1 .
8. *Atomaria atra* (Herbst,1793). 3 .

50. Erotylidae Latreille,1802 -

1. *Triplax* (*Platichna*) *scutellaris* Charpentier,1825 =*bicolor* [Marsh.]. 2 .
2. *Triplax* (*Platichna*) *rufipes* (Fabricius,1787). 5 .
3. *Triplax* (s.str.) *aenea* (Schaller,1783) [Payk.]. 6 .
4. *Triplax* (s.str.) *rossica* (Linnaeus,1758) =*russica* L. 2 .
5. *Tritoma bipustulata* Fabricius,1775. 4 .
6. *Dacne bipustulata* (Thunberg,1781) =*Engis humeralis* F. 2 .

51. Phalacridae Leach,1815 -

1. *Phalacrus caricis* Sturm,1807. 1 .
2. *Olibrus bicolor* (Fabricius,1792). 3 .

52. Cerylidae Billberg,1820

1. *Cerylon histeroides* (Fabricius,1792) =Colydiidae: *Cerylon histeroides* F. 3 .

2. *Cerylon deplanatum* Gyllenhal, 1827 =Colydiidae: *Cerylon deplanatum* Gyll. 1 .

53. Endomychidae Leach, 1815 -

1. *Endomychus coccineus* (Linnaeus, 1758). 1 .

2. *Mycetina cruciata* (Schaller, 1783). 2 .

54. Coccinellidae Latreille, 1807 -

1. *Subcoccinella vigintiquatuorpunktata* (Linnaeus, 1758) =*Epilachna globosa* Schneid. 5 .

2. *Scymnus* (s.str.) *frontalis* Fabricius, 1787 =*quadrilunulatus* Ill. 1 .

3. *Scymnus* (*Nephus*) *bipunctatus* Kugelann, 1794 =*biverrucatus* Pz. 1 .

4. *Scymnus* (*Pullus*) *ferrugatus* (Moll, 1785) = *analis* F.=*parvula* Illig. 1 .

5. *Scymnus* (*Pullus*) *haemorrhoidalis* Herbst, 1797. 2 .

6. *Chilocorus renipustulatus* (Scriba, 1790). 2 .

7. *Chilocorus bipustulatus* (Linnaeus, 1758). 3 .

8. *Exochomus quadripustulatus* (Linnaeus, 1758). 2 .

9. *Tytthaspis sedecimpunctata* (Linnaeus, 1761) =*Micraspis duodecim-punctata* [L.]. 1 .

10. *Psyllobora vigintiduopunctata* (Linnaeus, 1758) =*Halyzia viginti duo-punctata* L. 3 .

11. *Halyzia sedecimguttata* (Linnaeus, 1758). 3 .

12. *Hippodamia tredecimpunctata* (Linnaeus, 1758). 3 .

13. *Adonia variegata* (Goeze, 1777) =*Coccinella mutabilis* Scriba. 2 .

14. *Adalia bipunctata* (Linnaeus, 1758) =*dispar* Illig.=*v. bipunctata* L. 6 .

15. *Adalia decempunctata* (Linnaeus, 1758) =*variabilis* [Illig.] *v. humeralis* Schoenh. 1 .

16. *Coccinella septempunctata* Linnaeus, 1758. 3 .
17. *Coccinella quinquepunctata* Linnaeus, 1758. 4 .
18. *Coccinella hieroglyphica* Linnaeus, 1758. 2 .
19. *Coccinula quatuordecimpustulata* (Linnaeus, 1758) = *Coccinella quatuordecim-pustulata* L. 2 .
- \*20. *Oenopia conglobata* (Linnaeus, 1758) [*Coccinella impustulata* L.]. 2 .
21. *Harmonia quadripunctata* (Pontoppidan, 1837) = *Coccinella marginepunctata* Schall. 3 .
22. *Myrrha octodecimguttata* (Linnaeus, 1758) = *Halyzia octodecimguttata* L. 1 .
23. *Neomysia oblongoguttata* (Linnaeus, 1758) = *Halyzia oblongopunctata* L. 3 .
24. *Calvia quatuordecimguttata* (Linnaeus, 1758) = *Halyzia quatuordecimguttata* L. 2 .
25. *Propylaea quatuordecimpunctata* (Linnaeus, 1758) = *Halyzia conglobata* L. 1 .
26. *Anatis ocellata* (Linnaeus, 1758) = *Halyzia ocellata* L. 3 .
55. Lathridiidae L. Redtenbacher, 1845 -
1. *Lathridius minutus* (Linnaeus, 1767). 2 .
2. *Stephostethus lardarius* (Degeer, 1775). 2 .
3. *Corticaria pubescens* (Gyllenhal, 1827) = *pubescens* Illig. 1 .
56. Byturidae Thomson, 1859 -
1. *Byturus ochraceus* (Scriba, 1790) = Dermestidae: *Byturus fumatus* L. 3 .
2. *Byturus tomentosus* (Degeer, 1774) [F.]. 1 .
57. Ciidae Leach, in Samouelle, 1819
1. *Cis boleti* (Scopoli, 1763) = Cioidae: *Cis Boleti* [F.]. 4 .

58. Colydiidae Erichson, 1845 -

1. *Bitoma crenata* (Fabricius, 1775) = *Ditoma crenata* [Herbst]. 7
- .
- \*2. *Lasconotus jelskii* (Wankowicz, 1867). 1 .:
- , ( ).
3. *Orthocerus clavicornis* (Linnaeus, 1758) = *Sarrotrium clavicorne* L. 8 .

59. Bothrideridae Erichson, 1845

1. *Bothrideres contractus* (Olivier, 1790) = *Colydiidae*: [F.].
- 13.05.1869, , . 4 .

60. Mycetophagidae Leach, 1815 -

1. *Triphyllus bicolor* (Fabricius, 1777) = *punctatus* Hellw. 1 .
2. *Mycetophagus* (s.str.) *quadripustulatus* (Linnaeus, 1761). 4
- .
3. *Mycetophagus* (*Ulolendus*) *piceus* (Fabricius, 1777). 11 .
4. *Mycetophagus* (*Ulolendus*) *decempunctatus* Fabricius, 1801. 3
- .
5. *Mycetophagus* (*Ilendus*) *multipunctatus* Fabricius, 1792 = *multipunctatus* [Hellwig]. 2 .

61. Oedemeridae Latreille, 1810 -

1. *Calopus serraticornis* (Linnaeus, 1758). 4 .
2. *Xanthochroa carniolica* (Gistel, 1832). 25.06.1872, . 1 .
3. *Nacerdes* (*Anogcodes*) *ustulata* (Fabricius, 1787) = *Anogcodes ustulata* F. 28.05-19.06.1865, . 4 .
4. *Nacerdes* (*Anogcodes*) *coarctata* Germar. 21.07.1872, . 1 , .
5. *Ditylus laevis* (Fabricius, 1787). 13.05.1869, , . 4 .
6. *Chrysanthia geniculata* Heyden, 1877 = *viridis* W. Schmidt. 5
- .

7. *Chrysanthia viridissima* (Linnaeus,1758). 1 .

8. *Oedemera* (s.str.) *femorata* (Scopoli,1763) =*flavescens* L. 4

.

9. *Oedemera* (*Oedemerina*) *lurida* (Marsham,1802). 1 .

10. *Oedemera* (*Oedemerina*) *virescens* (Linnaeus,1767). 3 .

62. Pythidae Solier,1834b -

1. *Pytho depressus* (Linnaeus,1767) =Melandryidae: *Pytho depressus* L. =v. *coeruleus* F. =v. *castaneus* F.

. 3 .

63. Pyrochroidae Latreille,1807 -

*Pyrochroa coccinea* (Linnaeus,1761). .

*Schizotus pectinicornis* (Linnaeus,1758) =*Pyrochroa pectinicornis* L. .

64. Boridae Thomson,1859

1. *Boros schneideri* (Panzer,1795) =Tenebrionidae: *Boros schneideri* Pz. 2 .

65. Salpingidae Leach,1815

1. *Sphaeriestes stockmanni* (Bistrom,1977) =*Salpingus ater* Payk. 2 .

2. *Rhinosimus* (s.str.) *ruficollis* (Linnaeus,1761) =*robostris* F. 1 .

3. *Rhinosimus* (*Cariderus*) *planirostris* (Fabricius,1787) =*planirostris* [L.]. 3 .

66. Aderidae Winkler,1927

1. *Aderus* (*Euglenes*) *pygmaeus* (Degeer,1774) =Anthicidae: *Xylophilus pygmaeus* De Geer. 1 .

2. *Aderus* (s.str.) *populneus* (Creutzer,1796) =Anthicidae: *Xylophilus populneus* [F.]. 22.03.1864, . 1 .

3. *Aderus* (*Anidorus*) *nigrinus* (Germar,1831) =Anthicidae:  
*Xylophilus nigrinus* Germ. 3 .

4. *Phytobaenus* *amabilis* R.F.Sahlberg,1834 =Anthicidae:  
*Xylophilus amabilis* Sahlb. 1 .

67. Anthicidae Latreille,1825 -

1. *Notoxus monoceros* (Linnaeus,1761). 3 .
2. *Anthicus ater* (Panzer,1796). 22.08.1862. 1 .
3. *Anthicus floralis* (Linnaeus,1758) [F.]. 1 .
4. *Anthicus sellatus* (Panzer,1797). 4 .

68. Meloidae Gyllenhal,1810 -

1. *Mylabris polymorpha* (Pallas,1771) =Fueslini Pz. 1 .
2. *Lytta vesicatoria* (Linnaeus,1758). 4 .
3. *Cerocoma* (s.str.) *schaefferi* (Linnaeus,1758). 27.06.1872,  
Chrysant. Leucant.
4. *Meloe* (*Proscarabaeus*) *proscarabaeus* Linnaeus,1758. 4 .  
*Meloe* (*Proscarabaeus*) *violaceus* Marsham,1802.
5. *Meloe* (*Lampromeloe*) *variegatus* Donovan,1793. 14.04.1878,  
. 3 .
6. *Meloe* (*Meloegonius*) *cicatricosus* Leach,1815. 2 .
7. *Meloe* (*Eurymeloe*) *brevicollis* Panzer,1793. 4 .

69. Tenebrionidae Latreille,1802 -

1. *Blaps mortisaga* (Linnaeus,1758) =Pimeliidae: *Blaps mortisaga*  
L. 3 .
2. *Opatrum sabulosum* (Linnaeus,1761) =Pimeliidae: *Opatrum*  
*sabulosum* [F.] 4 .
3. *Melanimon tibiale* (Fabricius,1781) =Pimeliidae: *Microzoum*  
*tibiale* F. 21.04.1872, . 5 .
4. *Crypticus quisquilius* (Linnaeus,1761) =Pimeliidae: *Crypticus*  
*glaber* F. 4 .

5. *Bolitophagus reticulatus* (Linnaeus,1767) =Diaperidae:  
*Bolitophagus reticulatus* L. 1 .
5. *Eledona agricola* (Herbst,1783) =Diaperidae: *Bolitophagus*  
*agaricola* F. 1.06.1878, . 1 .
6. *Diaperis boleti* (Linnaeus,1758) =Diaperidae: *Diaperis Boleti*  
L. 2 .
7. *Neomida haemorrhoidalis* (Fabricius,1787b) =Diaperidae:  
*Hoplocephala haemorrhoidalis* F. 3 .
- \*8. *Scaphidema metallicum* (Fabricius,1792b) =bicolor F. 4 .  
.
9. *Platydema dejeanii* Castelnau et Brulle,1831 =Diaperidae:  
*Platydema Dejanii* [Laport.]. 2 .
10. *Corticeus* (*Paraphloeus*) *bicolor* (Olivier,1790).  
, 4 . *Hypophloeus pini* Pz.,  
2 . ,  
*Scaphidema metallicum* (F.)=bicolor F.,  
*bicolor* F. *Hypophloeus*.
- \*11. *Corticeus* (*Paraphloeus*) *fraxini* (Kugelann,1794). 1 .,  
*Hypophloeus pini* Pz.
12. *Corticeus* (*Paraphloeus*) *pini* (Panzer,1799) =Diaperidae:  
*Hypophloeus pini* Pz. 1 .
- \*13. *Uloma rufa* (Piller et Mitterpacher,1783) [Diaperidae:*Uloma*  
*culinaris* L.]. 2 .
14. *Bius thoracicus* (Fabricius,1792). 25.05.1892, ,  
. 1 .
15. *Upis ceramboides* (Linnaeus,1758). 2 .
16. *Tenebrio molitor* Linnaeus,1758. 3 .
17. *Tenebrio obscurus* Fabricius,1792. 4 .

18. *Neatus picipes* (Herbst,1787) =*Tenebrio transversalis* Duft.  
22.06.1872, . 2 .
- \*19. *Stenomax aeneus* (Scopoli,1763) [Helopidae: *Helops lanipes*  
F.]. 10.05.1871, . 3 .
20. *Allecula morio* (Fabricius,1787) =Cistelidae: *Allecula morio*  
F. 14.07.1872, , . 2 .
21. *Prionychus ater* (Fabricius,1775) =Cistelidae: *Prionychus*  
*ater* F. 21.05.1872, , 1 .; 23.07.1871,  
, 1 .
22. *Pseudocistela ceramboides* (Linnaeus,1761) =Cistelidae:  
*Cistela ceramboides* L. 7.06.1881, . 3 .
23. *Isomira murina* (Linnaeus,1758) =Cistelidae: *Cistela murina*  
L. 2 .
24. *Mycetochara* (s.str.) *axillaris* (Paykull,1799) =Cistelidae:  
*Mycetochares axillaris* Payk. 4 .
25. *Mycetochara* (s.str.) *flavipes* (Fabricius,1792b)  
=Cistelidae: *Mycetochares flavipes* F. 3 .
- \*26. *Mycetochara* (*Ernocharis*) *obscura* (Zetterstedt,1838)  
[Cistelidae: *Mycetochares brevis* Gyll.]. 1 .
27. *Omophlus* (*Paromophlus*) *betulae* (Herbst,1783) =Cistelidae:  
*Omophlus pinicola* Rdtb. 13.05.1869, , . 2 .
70. Lagriidae Latreille,1825 -
1. *Lagria hirta* (Linnaeus,1758). 4 .
71. Anaspidae Mulsant,1856
1. *Anaspis* (s.str.) *frontalis* (Linnaeus,1762) =Mordellidae:  
*Anaspis frontalis* L. v.*atra* F. 8 .
2. *Anaspis* (s.str.) *thoracica* (Linnaeus,1758) =Mordellidae:  
*Anaspis thoracica* L. 1 .
- Anaspis* (*Nassipa*) *flava* (Linnaeus,1758) =Mordellidae:  
*Anaspis flava* L. .

72. Mordellidae Latreille, 1802 -

1. *Tomoxia biguttata* (Gyllenhal, 1827) = *Mordella biguttata* [Castel.]. 2 .
2. *Mordella aculeata* Linnaeus, 1758. 2 .
3. *Curtimorda bisignata* (L. Redtenbacher, 1849) = *Mordella bisignata* Rdtb. 4 .
4. *Curtimorda maculosa* (Naezen, 1794) = *Mordella maculosa* Naezen. 3 .
5. *Mordellistena* (s.str.) *humeralis* (Linnaeus, 1758) = *Mordella humeralis* L. 2 .
6. *Mordellistena* (s.str.) *parvula* (Gyllenhal, 1827) = *Mordella pusilla* Rdtb. 2 .
7. *Mordellistena* (s.str.) *variegata* (Fabricius, 1798) = *Mordella variegata* F. 1 .
8. *Mordellochroa abdominalis* (Fabricius, 1775) = *Mordella abdominalis* F.

73. Rhipiphoridae Gerstaecker, 1855 -

1. *Pelecotoma fennica* (Paykull, 1799). 9 .

74. Melandryidae Leach, 1815 -

- \*1. *Hallomenus binotatus* (Quensel, 1790) = *humeralis* F. 15.07.1893, . 1 .
2. *Hallomenus axillaris* (Illiger, 1807c) = *fuscus* Gyll. 1 .
3. *Orchesia* (s.str.) *micans* (Panzer, 1794) = *micans* Payk. 2 .
4. *Dicraea quadriguttata* (Paykull, 1798) = *4-guttata* [F.]. 6 .
- \*5. *Phloiotrya rufipes* (Gyllenhal, 1810). 10.07.1879, ,  
, *Dicraea laevigata* Hell. 1 .
6. *Xylita laevigata* (Hellenius, 1786) = *Dicraea laevigata* Hell. 18.04.1862, , , 1 .; 10.07.1879, , , 3 .

- \*7. *Xylita livida* (C.R. Sahlberg,1833) 18.04.1862, ,  
 , 1 .; 10.07.1879, , , 1 .
8. *Serropalpus barbatus* (Schaller,1783) =*striatus* Hellen.  
24.06.-17.7.1882, . 4 .
9. *Hypulus quercinus* (Quensel,1790). 15.05.1878, ,  
 . 1 .
10. *Melandrya dubia* (Schaller,1783) =*canaliculata* F. 2 .  
75. Cerambycidae Latreille,1802 -
1. *Ergates faber* (Linnaeus,1761) [F.]. 3 .
2. *Tragosoma depsarium* (Linnaeus,1767) [F.]. 3 .
3. *Prionus coriarius* (Linnaeus,1767) [F.]. 4 .
4. *Oxymirus cursor* (Linnaeus,1758) =*Toxotus carsor* L.  
7.06.1894, . 4 .
5. *Rhagium sycophanta* (Schrank,1781) =*indagator* Fab. 1 .
6. *Rhagium mordax* (Degeer,1775). 24.05.1896, . 1 .
7. *Rhagium inquisitor* (Linnaeus,1758). 6 .
8. *Rhamnusium bicolor* (Schrank,1781) =*salicis* F. v.  
*glaucopterum* Schaller. 5 .
9. *Stenocorus meridianus* (Linnaeus,1758) =*Toxotus meridianus*  
L. 4 .
10. *Pachyta quadrimaculata* (Linnaeus,1758) =*Toxotus*  
*quadrimaculatus* L. 5 .
11. *Caryllia virginea* (Linnaeus,1758) =*Pachyta virginea* L. 1  
 .
12. *Acmaeops marginata* (Fabricius,1781) =*Pachyta marginata* F. 1  
 .
13. *Gnathacmaeops pratensis* (Laicharting,1784) =*Pachyta*  
*strigilata* F. 4 .

14. *Dinoptera collaris* (Linnaeus,1758) =*Pachyta collaris* L. 2  
.
15. *Pedostrangalia pubescens* (Fabricius,1787) =*Strangalia pubescens* F. 4  
.  
*Nivellia sanguinosa* (Gyllenhal,1827) =*Leptura sanguinosa* Gyll.  
.
16. *Grammoptera ustulata* (Schaller,1783). 3  
.
17. *Grammoptera ruficornis* (Fabricius,1781) =*rufipes* Schall. 1  
.
18. *Cortodera femorata* (Fabricius,1787) =*Pachyta femorata* F. 1  
.
19. *Pseudovadonia livida pecta* (Fabricius,1776) [*Grammoptera bicarinata* Arn.]. 22.06.1888, , Hicranicum, Plantago, Achillea. 4  
.
20. *Allosterna tabacicolor* (Degeer,1775) =*Grammoptera tabacicolor* De Geer. 4  
.
21. *Stenurella melanura* (Linnaeus,1758) =*Strangalia melanura* L. 2  
.
22. *Stenurella bifasciata* (Muller,1776) =*Strangalia bifasciata* Schrank. 3  
.
23. *Strangalina attenuata* (Linnaeus,1758) =*Strangalia attenuata* L. 4  
.
- \*24. *Leptura mimica* Bates,1884 [*Strangalia annularis* F.] 5  
.
25. *Leptura quadrifasciata* Linnaeus,1758 =*Strangalia quadrifasciata* L. 3  
.
26. *Leptura aethiops* Poda,1761 =*Strangalia atra* F. 2  
.
27. *Leptura thoracica* Creutzer,1799 =*Strangalia thoracica* F. 2  
.
28. *Lepturalia nigripes* (Degeer,1775) =*Strangalia nigripes* De Geer. 2  
.

- \*29. *Anastrangalia dubia* (Scopoli,1762) [*Leptura cincta* F.]. 5 .
30. *Anastrangalia sanguinolenta* (Linnaeus,1761) =*Leptura sanguinolenta* F. . 2 .
31. *Anoplodera sexguttata* (Fabricius,1775) =*Grammoptera sexguttata* F. 5 .
32. *Brachyleptura maculicornis* (Degeer,1775) =*Grammoptera maculicornis* De Geer. 3 .
33. *Corymbia variicornis* (Dalman,1817) =*Leptura varicornis* Schoenh. 24-30.07.1893-1894, . 5 .
34. *Corymbia rubra* (Linnaeus,1758) =*Leptura testacea* L. v. *occipitalis* Muls. 4 .
35. *Lepturobosca virens* (Linnaeus,1758) =*Strangalia virens* L. 2 .
36. *Necydalis major* Linnaeus,1758. =*Molochrus major* L. 4 .
37. *Asemum striatum* (Linnaeus,1758). 2 .
38. *Arhopalus rusticus* (Linnaeus,1758) =*Criocephalus rusticus* L. 2 .
39. *Tetropium castaneum* (Linnaeus,1758) =*Criomorphus luridum* L. =*fulcratum* F. =*castaneum* Payk. 5 .
40. *Spondylus buprestoides* (Linnaeus,1758) [F.]. 1 .
41. *Purpuricenus kaehleri* (Linnaeus,1758). 3 .
42. *Aromia moschata* (Linnaeus,1758). 3 .
43. *Molochrus minor* (Linnaeus,1758). 3 .
44. *Hylotrupes bajulus* (Linnaeus,1758). 12.07.1892, . 2 .
45. *Rhopalopus claviceps* (Fabricius,1775). 4 .
46. *Semanotus undatus* (Linnaeus,1758). 9.03.1862, . 6 .
47. *Callidium coriaceum* Paykull,1800. 25.05.1890, ; 10.06.1879, , . 4 .

48. *Callidium violaceum* (Linnaeus,1758). 2 .
49. *Callidium aeneum* (Degeer,1775) =*dilatatum* Payk. 4.05.1894,  
 , . 1 .
50. *Poecilium alni* (Linnaeus,1767) =*Callidium alni* L. 4 .
51. *Plagionotus detritus* (Linnaeus,1758) =*Clytus detritus* L. 3  
 .
52. *Plagionotus arcuatus* (Linnaeus,1758) =*Clytus arcuatus* L. 6  
 .
53. *Chlorophorus herbsti* (Brahm,1790) =*Clytus verbasci* F. 3 .
54. *Xylotrechus rusticus* (Linnaeus,1758) =*Clytus rusticus* L.  
13.07.1894, , . 4 .
55. *Cyrtoclytus capra* (Germar,1824) =*Clytus capra* Germ.  
15.07.1871, . 2 .
56. *Clytus arietis* (Linnaeus,1758). 3 .
57. *Mesosa curculionoides* (Linnaeus,1761) [*curculionides* L.]. 7  
 .
58. *Monochamus sutor* (Linnaeus,1758). 5 .
- \*59. *Monochamus urussovi* (Fischer-Waldheim,1806) [*sartor* F.]. 2  
 .
60. *Lamia textor* (Linnaeus,1758). 2 .
61. *Anaesthetis testacea* (Fabricius,1781). 3 .
62. *Oplosia fennica* (Paykull,1800). 2 .
63. *Pogonocherus fasciculatus* (Degeer,1775) =*fascicularis* Pz. 2  
 .
- \*64. *Pogonocherus decoratus* Fairmaire,1855 [*ovalis* Gyll.] 1 .
65. *Acanthoderes clavipes* (Schrank,1781) =*varius* F. 5 .
66. *Acanthocinus aedilis* (Linnaeus,1758) =*Astynomus aedilis* L.  
6 .

67. *Acanthocinus griseus* (Fabricius,1792) =*Astynomus griseus* F.  
4 .
68. *Leiopus nebulosus* (Linnaeus,1758). 10.05.1872, . 1 .
69. *Leiopus punctulatus* (Paykull,1800). 21.05.1894, ,  
. 1 .
70. *Exocentrus lusitanus* (Linnaeus,1767) =*balteatus* L. 1 .
71. *Agapanthia villosoviridescens* (Degeer,1775) =*angusticollis*  
Gyll. 4 .
72. *Agapanthia violacea* (Fabricius,1775). 4 .
73. *Tetrops praeusta* (Linnaeus,1758). 2 .
74. *Saperda carcharias* (Linnaeus,1758). 13.06.1893, .  
3 .
75. *Saperda populnea* (Linnaeus,1758). 3 .
76. *Saperda scalaris* (Linnaeus,1758). 16.07.1893. 5 .
77. *Saperda perforata* (Pallas,1773) =*Seydlii* Froehlich.Gyll.  
27.06.1879, . 3 .
- \*78. *Stenostola dubia* (Laicharting,1784) [*nigripes* F.]  
16.05.1871, . 1 .
79. *Oberea oculata* (Linnaeus,1758). 2 .
80. *Oberea pupillata* (Gyllenhal,1817) [*Schoenh.*]. 2 .
81. *Phytoecia nigricornis* (Fabricius,1781) =*Solidaginus* Bach. 3  
.
82. *Phytoecia cylindrica* (Linnaeus,1858). 22.06.1877, ,  
. 1 .
76. Chrysomelidae Latreille,1802 -
1. *Donacia crassipes* Fabricius,1775. 2 .
2. *Donacia dentata* Hoppe, 1795. 8 .
3. *Donacia versicolore*a (Brahm,1790). 4 .
4. *Donacia aquatica* (Linnaeus,1758). 17.05.1864, . 2  
.

5. *Donacia brevicornis* Ahrens, 1810 [impressa Payk.]. 1 .
6. *Plateumaris* (s.str.) *affinis* (Kunze, 1818) [*braccata* Scopoli = *nigra* F.]. 1 .
7. *Plateumaris* (*Euplateumaris*) *sericea* (Linnaeus, 1761).  
5.06.1871, . 1 .
8. *Crioceris duodecimpunctata* (Linnaeus, 1758) = *12-punctata* L. 3 .
9. *Crioceris quatuordecimpunctata* (Scopoli, 1763) = *14-punctata* F.  
2 .
10. *Lilioceris merdigera* (Linnaeus, 1758) = *Crioceris merdigera*  
L. 4 .
11. *Lema cyanella* (Linnaeus, 1758). 4 .  
*Oulema erichsoni* (Suffrian, 1841). .
12. *Oulema melanopus* (Linnaeus, 1758) = *melanopa* L. 2 .
13. *Orsodacne cerasi* (Linnaeus, 1758). 3 .
14. *Zeugophora subspinosa* (Fabricius, 1781). 2 .
15. *Labidostomis longimana* (Linnaeus, 1761). 4 .
16. *Labidostomis tridentata* (Linnaeus, 1758). 2 .
17. *Clytra quadripunctata* (Linnaeus, 1758) = *4-punctata* L.  
31.05.1869, . 3 ,
18. *Smaragdina cyanea* (Fabricius, 1775) = *Gynandrophtalma*  
[*Gynandromorpha*] *cyanea* F. 4 .  
*Smaragdina flavicollis* (Charpentier, 1825) = *Gynandrophtalma*  
[*Gynandromorpha*] *flavicollis* Charp. .
19. *Smaragdina affinis* (Illiger, 1794) = *Gynandrophtalma*  
[*Gynandromorpha*] *affinis* Ill. 1 .
20. *Coptocephala quadrimaculata* Linnaeus, 1767 = *4-maculata* L. 4 .
21. *Pachybrachis hieroglyphicus* (Laicharting, 1781) [F.]. 3 .
22. *Cryptocephalus coryli* (Linnaeus, 1758) = var. *temesiensis*

Suffrian,1847; [F.]. 3 .

23. *Cryptocephalus octopunctatus* (Scopoli,1763). 2 .
24. *Cryptocephalus bipunctatus* (Linnaeus,1758) =v. *lineola*  
Fabricius,1792. 1 .  
*Cryptocephalus bipunctatus* v. *thomsoni* J.Weise,1881.  
.
25. *Cryptocephalus biguttatus* (Scopoli,1763). 2 .
26. *Cryptocephalus sericeus* (Linnaeus,1758) =v. *coeruleus*  
J.Weise,1881; [Ziegl.]. 3 .
27. *Cryptocephalus hypochoeridis* (Linnaeus,1758). 1 .
28. *Cryptocephalus nitidus* (Linnaeus,1758). 2 .
29. *Cryptocephalus nitidulus* Fabricius,1787. 1 .
30. *Cryptocephalus moraei* (Linnaeus,1758) =*Moraei* L. 4 .
31. *Cryptocephalus bilineatus* (Linnaeus,1767). 1 .
32. *Cryptocephalus labiatus* (Linnaeus,1761). 1 .
33. *Cryptocephalus fulvus* (Goeze,1777). 5 .
34. *Cryptocephalus pusillus* Fabricius,1777 =*pusillus* var.  
Marshami J.Weise,1882. 1 .
35. *Cryptocephalus laetus* Fabricius,1792. 5 .
- \*36. *Cryptocephalus octacosmus* Bedel,1891 =*octoguttatus*  
Schneider,1792 [F.]. , 1 .  
*Cryptocephalus biguttatus* F. Nomen nudum. ,  
,  
,  
:
37. *Pachnephorus pilosus* (Rossi,1790). 4 .
38. *Bromius obscurus* (Linnaeus,1758) =*Eumolpus* (*Adoxus*)  
*obscurus* L. 3 .
39. *Chrysolina* (*Craspeda*) *limbata* (Fabricius,1775) =*Chrysomela*  
*limbata* F. 2 .
40. *Chrysolina* (*Euchrysolina*) *graminis* (Linnaeus,1758)

- =*Chrysomela graminis* L. 4 .
- \*41. *Chrysolina (Erythrochrysa) polita* (Linnaeus,1758). 3 .
42. *Chrysolina (s.str.) staphylaea* (Linnaeus,1758) =*Chrysomela staphylea* L. 2 .
43. *Chrysolina (Stichoptera) gypsophilae* (Kuster). [*Chrysomela sanguinolenta* L.] 3 .
44. *Chrysolina (Hypericia) geminata* (Paykull,1799) =*Chrysomela geminata* Payk. 4 .
45. *Chrysolina (Hypericia) hyperici* (Forster,1771) =*Chrysomela hyperici* Forster. 4 .
46. *Chrysolina (Chrysomorpha) cerealis* (Linnaeus,1758) =*Chrysomela cerealis* L. 3 .
47. *Chrysolina (Sphaeromela) varians* (Schaller,1783) =*Chrysomela varians* [F.] =*centaurii* Fabricius,1787 [v.*centaurei* F.] = [v.*hyperici* De Geer]. 3 .
48. *Chrysolina (Chalcoidea) analis* (Linnaeus,1767) =*Chrysomela analis* L. = v. *Schach* Fabricius,1792 [Oliv.,Pz.]. 1 .
49. *Chrysolina (Chalcoidea) marginata* (Linnaeus,1758) =*Chrysomela marginata* L. 4 .
- Chrysolina (Chalcoidea) carnifex* (Fabricius,1792) =*Chrysomela carnifex* Fab. .
50. *Dlochrysa fastuosa* (Scopoli,1763) =*Chrysomela fastuosa* [L.]. 2 .
51. *Gastrophysa polygoni* (Linnaeus,1758). 6 .
52. *Gastrophysa viridula* (Degeer,1775). 3 .
53. *Phaedon (s.str.) cochleariae* (Fabricius,1792). 1 .
54. *Hydrothassa marginella* (Linnaeus,1758) =*Prasocuris marginella* L. 2 .
55. *Prasocuris phellandrii* (Linnaeus,1758). 1 .
56. *Plagioderia versicolora* (Laicharting,1781). 3 .
57. *Linaeidea aenea* (Linnaeus,1758) =*Lina aenea* L. 1 .

58. *Chrysomela* (Stickerus) *cuprea* Fabricius,1775 =*Lina cuprea* F.  
1 .

59. *Chrysomela* (Stickerus) *lapponica* Linnaeus,1758 =*Lina*  
*lapponica* L. 28.04.1872, . 1 .

60. *Chrysomela* (Stickerus) *vigintipunctata* (Scopoli,1763) =*Lina*  
*vigintipunctata* F. 2 ,

61. *Chrysomela* (Pachylina) *collaris* Linnaeus,1758 =*Lina collaris*  
L. 2 .

62. *Chrysomela* (s.str.) *populi* Linnaeus,1758 =*Lina populi* L. 3  
.

63. *Chrysomela* (s.str.) *tremula* Fabricius,1787 =*Lina tremulae*  
F. 1 .
64. *Gonioctena* (s.str.) *viminalis* (Linnaeus,1758). 7 .
65. *Gonioctena* (s.str.) *decemnotata* (Marsham,1802) =*rufipes*  
Degeer,1775 [Payk.]. 2 .
66. *Gonioctena* (*Goniomena*) *quinquepunctata* (Fabricius,1787). 2  
.
67. *Phratora* (s.str.) *vitellinae* (Linnaeus,1758). 1 .
68. *Phratora* (*Chaeroceta*) *vulgatissima* (Linnaeus,1758). 3 .
69. *Timarcha* (s.str.) *goettingensis* (Linnaeus,1758) =*Chrysomela*  
*goettingensis* L. 1 .
70. *Galerucella* (s.str.) *nymphaeae* (Linnaeus,1758) =*Galeruca*  
*sagittariae* Gyll. 20.05.1850, . 1 .
71. *Galerucella* (*Neogalerucella*) *pusilla* (Duftschmid,1825).  
19.07.1868, . 1 .
72. *Galerucella* (*Neogalerucella*) *tenella* (Linnaeus,1758). 3 .
73. *Pyrrhalta viburni* (Paykull,1799) =*Galeruca Viburni* Payk. 3  
.
74. *Lochmaea caprea* (Linnaeus,1758) =*Adimonia capreae* L. 2 .
75. *Galeruca* (s.str.) *tanaceti* (Linnaeus,1758) =*Adimonia*  
*tanaceti* L. . 2 .
76. *Galeruca* (s.str.) *pomoniae* (Scopoli,1763) =*Adimonia pomoniae*  
Scop. =*rustica* Schaller. 4 .
- Galeruca* (s.str.) *laticollis* Sahlberg,1823 =*Adimonia*  
*laticollis* Sahlb. .
- 77 *Agelastica alni* (Linnaeus,1758). 2 .
78. *Phyllobrotica quadrimaculata* (Linnaeus,1758) =*4-punctata* L.  
3 .
79. *Phyllotreta nemorum* (Linnaeus,1758). 1 .

80. *Phyllotreta ochripes* (Curtis,1837). 1 .
81. *Aphthona euphorbiae* (Schrank,1781). 16.09.1862, .  
1 .
82. *Longitarsus pratensis* (Panzer,1794). 1 .  
*Altica lytri* Aube,1843 =*Haltica Lytri* Aube.  
. .  
*Altica quercetorum* Foudras,1859 =*Haltica quercetorum* Fdr.  
. .
83. *Altica oleracea* (Linnaeus,1758) =*Haltica oleracea* L.  
5 .
84. *Asiolestia transversa* (Marsham,1802) =*Crepidodera impressa*  
[F.]. 1 .
85. *Asiolestia ferruginea* (Scopoli,1763) =*Crepidodera*  
*ferruginea* Scop. 2 .
86. *Derocrepis rufipes* (Linnaeus,1758). 1 .  
*Crepidodera aurata* (Marsham,1802) =*Chalcoides aurata* [L.].  
. .
87. *Crepidodera fulvicornis* (Fabricius,1792) =*Chalcoides*  
*Helxines* F. 4 .
88. *Mantura rustica* (Linnaeus,1767). 1 .
89. *Sphaeroderma testaceum* (Fabricius,1775). 1 .  
*Argopus ahrensi* (Germar,1817).  
. . . . .
90. *Dibolia foersteri* Bach,1859 =*Forsteri* Bach. 1 .
91. *Psylliodes sophiae* (Illiger,1807) =*cyanoptera* Illig. 2 .
92. *Psylliodes napi* (Fabricius,1792). 1 .
93. *Psylliodes cuprea* (Koch,1803) [*cucullata* (Illiger,1807)]. 1  
. .
94. *Cassida* (s.str.) *nebulosa* Linnaeus,1758. 6 .

95. *Cassida* (s.str.) *flaveola* Thunberg,1794. 1 .
96. *Cassida* (s.str.) *vibex* Linnaeus,1767. 2 .
97. *Cassida* (s.str.) *panzeri* J.Weise,1907 =*thoracica* [F.]. 1 .
98. *Cassida* (s.str.) *denticollis* Suffrian,1844. 3 .
99. *Cassida* (*Odontionycha*) *viridis* Linnaeus,1758. 1 .
100. *Cassida* (*Pseudocassida*) *murraea* Linnaeus,1758. 7 .
101. *Cassida* (*Cassidulella*) *nobilis* Linnaeus,1758. 4 .  
*Cassida* (*Cassidulella*) *vittata* Villers,1789.

77. *Bruchidae* Latreille,1802 -

1. *Bruchus pisorum* (Linnaeus,1758) =*Pisi* L. 5 .
2. *Bruchus loti* Paykull,1800 =*Loti* Payk. 1 .
3. *Bruchus atomarius* (Linnaeus,1761) =*granarius* L. 5 .

:

1. . . -  
- // . . . .  
-1860. - . 56. - . 2. - . 141-164.
2. . . . - .  
- 1902. -150 .
3. Crowson R.A. The biology of the Coleoptera. -London-New  
York: Academic press. -1981. -802 p.
4. Enumeratio Coleopteorum Fennoscandiae et Daniae / H.  
Silfverberg et al. -Helsinki:Tamprint. -1979. -79 s.

19

. . . , -

( .- -

). , 819 -

, 77

(Staphylinidae,

Micropeplidae Curculioidea ).

48 ,

. .

(1860,1902).