

	AU	CZ	GE	HU	PL	SK	SZ
<b>Pachytodes</b> Pic, 1891							
<i>cerambyciformis</i> (Schrink, 1781) .... Figs 87-88 (♂ 11 mm, ♀ 10 mm)	•	•	•	•	•	•	•
<i>erraticus</i> (Dalman, 1817) .... Figs 89-90 (♂ 10 mm, ♀ 9 mm)	•	•	•	•	•	•	•
<b>Alosterna</b> Mulsant, 1863							
<i>erythropus ingrata</i> (Baeckmann, 1902) ... Fig. 91 (♂ 7 mm)	—	—	—	—	•	○	—
<i>tabacicolor</i> (DeGeer, 1775) .... Fig. 92 (♂ 8 mm)	•	•	•	•	•	•	•
<b>Pseudovadonia</b> Lobanov, Danilevsky & Murzin, 1981							
<i>livida</i> (Fabricius, 1776) .... Fig. 93 (♂ 9 mm)	•	•	•	•	•	•	•
<b>Nivellia</b> Mulsant, 1863							
<i>sanguinosa</i> (Gyllenhal, 1827) .... Fig. 94 (♂ 12 mm)	•	•	•	—	•	•	—
<b>Cornumutila</b> Letzner, 1843							
<i>quadrivittata</i> (Gebler, 1830) .... Fig. 95 (♀ 13 mm)	•	•	—	—	•	•	○
= <i>lineata</i> Letzner, 1843							
<b>Nustera</b> Villiers, 1974							
<i>distigma</i> (Charpentier, 1825) .... Fig. 96 (♀ 12 mm)	—	—	—	—	—	—	•
<b>Strangalia</b> Serville, 1835							
<i>attenuata</i> (Linnaeus, 1758) .... Fig. 97 (♂ 15 mm)	•	•	•	•	•	•	•
<b>Rutpela</b> Nakane & Ohbayashi, 1959							
<i>maculata</i> (Poda, 1761) .... Figs 98-99 (♂ 18 mm, ♀ 19 mm)	•	•	•	•	•	•	•
<b>Stenurella</b> Villiers, 1974							
<i>bifasciata</i> (Müller, 1776) .... Figs 100-101 (♂ 9 mm, ♀ 10 mm)	•	•	•	•	•	•	•
<i>melanura</i> (Linnaeus, 1758) .... Figs 102-103 (♂ 11 mm, ♀ 10 mm)	•	•	•	•	•	•	•
<i>nigra</i> (Linnaeus, 1758) .... Fig. 104 (♂ 8 mm)	•	•	•	•	•	•	•
<i>septempunctata</i> (Fabricius, 1792) .... Fig. 105 (♂ 10 mm)	•	•	•	?	○	•	•
<b>Necydalinae</b>							
<b>Necydalis</b> Linnaeus, 1758							
<i>major</i> Linnaeus, 1758 .... Fig. 106 (♀ 30 mm)	•	•	•	•	•	•	•
<i>ulmi</i> (Chevrolat, 1838) .... Figs 107-108 (♂ 26 mm, ♀ 30 mm)	•	•	•	?	○	•	○

