

Catalogue of Palaearctic Coleoptera - Volume 4, 2007
 I. Lobl & A. Smetana (Apollo Books)
 Index to species-group names

- the order is by species-group names and then by current genera rather than by authors
- species-group synonyms are in *Italics*

<i>abandensis</i> Wittmer, 1970, <i>Malthodes</i>	285
<i>abbreviata</i> J. Weise, 1879, <i>Hippodamia</i>	618
<i>abbreviata</i> Meier, 1897, <i>Hippodamia</i>	616
<i>abbreviata</i> Walter, 1882, <i>Myzia</i>	620
<i>abbreviatus</i> Boieldieu, 1854, <i>Dignomus</i>	330
<i>abbreviatus</i> Heer, 1856, <i>Attagenus</i>	307
<i>abbreviatus</i> Herbst, 1792, <i>Brachypterus</i>	457
<i>abbreviatus</i> Panzer, 1794, <i>Carpophilus</i>	467
<i>abbreviatus</i> Reitter, 1919, <i>Meligethes</i>	485
<i>abbreviatus</i> Reitter, 1889, <i>Clemmus</i>	559
<i>abbreviatus</i> Schrank, 1798, <i>Ptinus</i>	337
<i>abbreviatus</i> Tshernyshev, 1999, <i>Clanoptilus</i>	442
<i>abchasiaticus</i> Buysson, 1906, <i>Denticollis</i>	168
<i>abchastica</i> Pic, 1900, <i>Rhagonycha</i>	261
<i>abdelkader</i> Marseul, 1868, <i>Malthinus</i>	277
<i>abditata</i> Kirejtshuk, 1986, <i>Aethina</i>	471
<i>abdominale</i> Wollaston, 1857, <i>Melyrosoma</i>	387
<i>abdominalis</i> Aubé, 1850, <i>Cardiophorus</i>	194
<i>abdominalis</i> Csiki, 1910, <i>Hornerotylus</i>	539
<i>abdominalis</i> Dajoz, 1970, <i>Corticaria</i>	641
<i>abdominalis</i> Fabricius, 1798, <i>Ancistronycha</i>	238
<i>abdominalis</i> Fabricius, 1798, <i>Clanoptilus</i>	442
<i>abdominalis</i> Fairmaire, 1891, <i>Thanasimodes</i>	375
<i>abdominalis</i> Germar, 1824, <i>Orthrius</i>	373
<i>abdominalis</i> Laporte, 1840, <i>Cebrio</i>	89
<i>abdominalis</i> Motschulsky, 1849, <i>Pastilodes</i>	491
<i>abdominalis</i> Nakane, 1977, <i>Pyrocoelia</i>	229
<i>abdominalis</i> Pic, 1906, <i>Micropodabrus</i>	256
<i>abdominalis</i> Pic, 1915, <i>Malthodes</i>	290
<i>abdominalis</i> Pic, 1920, <i>Idgia</i>	385
<i>abdominalis</i> Pic, 1899, <i>Microjulistus</i>	415
<i>abdominalis</i> Pic, 1903, <i>Anthocomus</i>	438
<i>abdominalis</i> Platia & Schimmel, 2001, <i>Melanotus</i>	141
<i>abdominalis</i> Reiche, 1878, <i>Erotides</i>	215
<i>abdominalis</i> Schimmel, 1993, <i>Ampedus</i>	120
<i>abdominalis</i> Thunberg, 1795, <i>Chilocorus</i>	593
<i>abdominalis</i> Wittmer, 1995, <i>Frostia</i>	284
<i>abdurachmanovi</i> Dolin & Penev, 2004, <i>Athous</i>	158
<i>abei</i> Nakane, 1985, <i>Drapetes</i>	207
<i>abei</i> Nakane & Makino, 1981, <i>Hatchiana</i>	237
<i>abei</i> Sasaji, 1986, <i>Leptophloeus</i>	505
<i>abeillei</i> Bauduer, 1874, <i>Malachius</i>	450

abeillei Belon, 1885, <i>Abromus</i>	548
abeillei Bourgeois, 1894, <i>Malthodes</i>	285
abeillei Bourgeois, 1885, <i>Dasytiscus</i>	391
<i>abeillei</i> Chobaut, 1895, <i>Danacea</i>	395
abeillei Doderò, 1922, <i>Cyrtosus</i>	446
abeillei Grouvelle, 1889, <i>Airaphilus</i>	498
abeillei Guillebeau, 1890, <i>Oryzaeophilus</i>	499
<i>abeillei</i> Guillebeau, 1892, <i>Olibrus</i>	508
<i>abeillei</i> J. Weise, 1884, <i>Clitostethus</i>	579
abeillei Korge, 1960, <i>Opilo</i>	372
<i>abeillei</i> Pic, 1911, <i>Macrocerus</i>	296
abeillei Pic, 1900, <i>Attalus</i>	420
<i>abeillei</i> Reitter, 1894, <i>Trichodes</i>	378
abeillei Schilsky, 1897, <i>Dasytes</i>	401
<i>abeillei</i> Tournier, 1872, <i>Atomaria</i>	528
<i>abeillei</i> Uhagón, 1900, <i>Attalus</i>	420
aberrans Winkler, 1974, <i>Trichodes</i>	376
abiens Kirejtshuk, 1979, <i>Meligethes</i>	478
<i>abieticola</i> C. G. Thomson, 1863, <i>Ernobius</i>	349
<i>abieticola</i> J. Weise, 1885, <i>Harmonia</i>	616
<i>abietina</i> J. R. Sahlberg, 1889, <i>Epuraea</i>	461
<i>abietina</i> J. R. Sahlberg, 1888, <i>Atomaria</i>	528
<i>abietinus</i> Abeille de Perrin, 1869, <i>Ebaeus</i>	429
<i>abietinus</i> Gistel, 1857, <i>Melanotus</i>	151
<i>abietinus</i> Gyllenhal, 1808, <i>Ernobius</i>	349
<i>abietis</i> Fabricius, 1792, <i>Ernobius</i>	349
<i>abietis</i> Paykull, 1798, <i>Micrambe</i>	522
<i>abietis</i> Paykull, 1798, <i>Scymnus</i>	584
<i>abietis</i> Wankowicz, 1865, <i>Cryptolestes</i>	503
<i>abietorum</i> Motschulsky, 1867, <i>Corticaria</i>	644
<i>abietum</i> Kiesenwetter, 1859, <i>Aplocnemus</i>	412
<i>abkhasicus</i> Wittmer, 1979, <i>Malthodes</i>	285
<i>abnormis</i> Gestro, 1892, <i>Ichthyurus</i>	297
<i>abnormis</i> Kirejtshuk, 1979, <i>Cyclogethes</i>	478
<i>abnormis</i> Ślipiński, 1988, <i>Philothermopsis</i>	554
<i>abora</i> Wurst & Cate, 1994, <i>Cardiophorus</i>	202
<i>abori</i> Pic, 1913, <i>Idgia</i>	385
<i>abrinoides</i> Abeille de Perrin, 1885, <i>Protocollops</i>	419
<i>abrotanus</i> Ôhira, 1966, <i>Cryptalaus</i>	107
<i>abruptepunctatus</i> Schenkling, 1932, <i>Orthrius</i>	374
<i>abruptus</i> Dolin, 1997, <i>Quasimus</i>	190
<i>abscondidus</i> Gurjeva, 1987, <i>Calamboganus</i>	175
<i>absimilis</i> Candèze, 1863, <i>Silesis</i>	111
<i>abundans</i> J. Weise, 1879, <i>Coccinula</i>	600
<i>abyssinicus</i> Murray, 1867, <i>Bostrychoplites</i>	321
<i>abyssinicus</i> Pic, 1903, <i>Metholcus</i>	361
<i>abyssinicus</i> Pic, 1917, <i>Laius</i>	418
<i>abyssinus</i> Candèze, 1859, <i>Heteroderes</i>	106
<i>abyssinus</i> Candèze, 1889, <i>Dicronychus</i>	203
<i>acaciae</i> Peyerimhoff, 1929, <i>Attalus</i>	420

acariformis Reitter, 1901, <i>Orthoperus</i>	634
accampus X.-F. Pang & Pu, 1990, <i>Scymnus</i>	584
accensa Gorham, 1883, <i>Lucidina</i>	230
accentus Kirejtshuk, 1978, <i>Meligethes</i>	478
acceptus Gurjeva, 1989, <i>Selatosomus</i>	182
accola Lyubarsky, 1999, <i>Atomaria</i>	524
accomodus Kirejtshuk, 1984, <i>Tetrisus</i>	465
accurata Kirejtshuk, 1987, <i>Epuraea</i>	465
acea Kirejtshuk, 1998, <i>Epuraea</i>	459
acelsa Kirejtshuk, 1998, <i>Epuraea</i>	459
achaiaca Geisthardt, 1999, <i>Lampyroidea</i>	231
achillaeae Stephens, 1829, <i>Olibrus</i>	509
achillis Gozis, 1882, <i>Episernus</i>	349
acicularis C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	478
acidatus X.-F. Pang & Huang, 1985, <i>Scymnus</i>	585
acmaeopsiformis Reitter, 1896, <i>Hauseria</i>	408
acristatus Vats & Chauchan, 1992, <i>Glyphonyx</i>	109
acristatus Vats & Kashyap, 1992, <i>Agrypnus</i>	96
aculeata C. Johnson, 1977, <i>Corticaria</i>	641
acuminata Fairmaire, 1879, <i>Merophysia</i>	557
acuminata J. Weise, 1889, <i>Epilachna</i>	626
acuminata Mader, 1941, <i>Tritoma</i>	545
acuminatus Coombs & Woodroffe, 1955, <i>Cryptophagus</i>	517
acuminatus Paykull, 1798, <i>Stephostethus</i>	640
acuminatus Platia & Gudenzi, 2002, <i>Cardiophorus</i>	194
acuminatus Reitter, 1891, <i>Melanotus</i>	141
acuminatus Stephens, 1830, <i>Agriotes</i>	114
acuminipennis Fairmaire, 1878, <i>Agrypnus</i>	96
acupictus Buysson, 1922, <i>Cardiophorus</i>	201
acusae Evers, 1988, <i>Attalus</i>	420
acuta Biström, 1977, <i>Epuraea</i>	461
acuta C. Johnson, 1975, <i>Corticarina</i>	645
acuta J. Weise, 1900, <i>Epilachna</i>	626
acutangula Fairmaire, 1884, <i>Cordicantharis</i>	248
acutangula Schilsky, 1897, <i>Danacea</i>	395
acutangula Zia, 1934, <i>Caenolanguria</i>	533
acutangulus Fairmaire, 1866, <i>Athous</i>	160
acutangulus Fleutiaux, 1936, <i>Agrypnus</i>	96
acutangulus Gyllenhal, 1827, <i>Cryptophagus</i>	514
acutangulus J. R. Sahlberg, 1903, <i>Denticollis</i>	167
acutangulus Leinberg, 1904, <i>Episernus</i>	349
acutangulus Reitter, 1884, <i>Carpophilus</i>	467
acutangulus Schilsky, 1895, <i>Dasytes</i>	401
acutangulus Schilsky, 1897, <i>Aplocnemus</i>	409
acutatus Boieldieu, 1859, <i>Enicopus</i>	407
acutecostatus Fairmaire, 1891, <i>Lycostomus</i>	211
acuticollis Lesne, 1913, <i>Parabostrychus</i>	322
acuticollis Mandl, 1974, <i>Paulusiella</i>	93
acuticollis Motschulsky, 1860, <i>Denticollis</i>	167
acuticollis Reitter, 1882, <i>Dapsa</i>	563

<i>acuticornis</i> Germar, 1824, <i>Podeonius</i>	140
<i>acutidens</i> Fairmaire, 1878, <i>Pleonomus</i>	156
<i>acutifrons</i> Ganglbauer, 1899, <i>Atomaria</i>	528
<i>acutipennis</i> Baudi di Selve, 1873, <i>Dasytes</i>	401
<i>acutipennis</i> Grouvelle, 1915, <i>Phenolia</i>	475
<i>acutipennis</i> Majer, 1989, <i>Chaetomalachius</i>	388
<i>acutipennis</i> Ritsema, 1914, <i>Helota</i>	495
<i>acutisiphonicus</i> Peng, 1998, <i>Clitostethus</i>	579
<i>acutispina</i> Wittmer, 1995, <i>Hypomixis</i>	436
<i>acutopygus</i> Wittmer, 1966, <i>Malthodes</i>	285
<i>acutula</i> J. Weise, 1902, <i>Epilachna</i>	626
<i>acutus</i> Candèze, 1863, <i>Parallelostethus</i>	133
<i>acutus</i> Mulsant & Guillebeau, 1855, <i>Metanomus</i>	178
<i>acutus</i> Schilsky, 1895, <i>Dasytes</i>	401
<i>adachii</i> Satô, 1986, <i>Pristolycus</i>	230
<i>adaliensis</i> Pic, 1908, <i>Aplocnemus</i>	411
<i>adalioides</i> Capra, 1944, <i>Coccinella</i>	610
<i>adalioides</i> Porta, 1949, <i>Coccinella</i>	610
<i>adami</i> Tomaszewska, 1997, <i>Dapsa</i>	562
<i>adanensis</i> Dahlgren, 1968, <i>Rhagonycha</i>	261
<i>adanensis</i> Jagemann, 1944, <i>Adelocera</i>	96
<i>adanensis</i> Pic, 1910, <i>Agriotes</i>	114
<i>adanensis</i> Pic, 1908, <i>Dicronychus</i>	203
<i>adanensis</i> Pic, 1908, <i>Aplocnemus</i>	409
<i>addenda</i> Dahlgren, 1972, <i>Rhagonycha</i>	261
<i>addendus</i> J. R. Sahlberg, 1903, <i>Attagenus</i>	307
<i>addicta</i> Mulsant, 1850, <i>Oenopia</i>	622
<i>addillaensis</i> Wittmer, 1979, <i>Dasytidius</i>	389
<i>addita</i> Mulsant, 1850, <i>Henosepilachna</i>	630
<i>adejensis</i> Evers, 1961, <i>Fortunatius</i>	425
<i>adelaidae</i> Blackburn, 1891, <i>Corticaria</i>	643
<i>adelgivora</i> Poorani, 2002, <i>Oenopia</i>	621
<i>adenensis</i> Fürsch, 1987, <i>Brumoides</i>	592
<i>adenensis</i> Kapur, 1959, <i>Diomus</i>	577
<i>adenesis</i> Easton, 1954, <i>Meligethes</i>	478
<i>adiposus</i> Gurjeva, 1978, <i>Paraphotistus</i>	179
<i>adjaricus</i> Wittmer, 1992, <i>Malthodes</i>	285
<i>adjutor</i> Candèze, 1873, <i>Platynychus</i>	206
<i>adlbaueri</i> Platia & Schimmel, 1992, <i>Agriotes</i>	114
<i>adlbaueri</i> Platia & Schimmel, 2001, <i>Melanotus</i>	141
<i>adlbaueri</i> Schimmel, 1990, <i>Ampedus</i>	120
<i>admirabile</i> Gurjeva, 1984, <i>Prosternon</i>	180
<i>admirabilis</i> Crotch, 1874, <i>Epilachna</i>	626
<i>admirabilis</i> Dolin, 1994, <i>Melanotus</i>	141
<i>admotus</i> Grouvelle, 1914, <i>Placonotus</i>	505
<i>adolescens</i> Abeille de Perrin, 1883, <i>Ebaeus</i>	430
<i>adolescens</i> Kirejtshuk, 1998, <i>Epuraea</i>	464
<i>adpressus</i> Murray, 1864, <i>Tetrisus</i>	465
<i>adrastoides</i> Reitter, 1896, <i>Ampedus</i>	120
<i>adrastoides</i> Reitter, 1888, <i>Idolus</i>	140

<i>adscita</i> Mader, 1930, <i>Epilachna</i>	626
<i>adpersus</i> Candèze, 1857, <i>Adelocera</i>	95
<i>adpersus</i> Herbst, 1797, <i>Anthrenus</i>	314
<i>adstrictor</i> Herbst, 1792, <i>Trixagus</i>	88
<i>adumbrata</i> Mannerheim, 1852, <i>Epuraea</i>	462
<i>adumbratus</i> Buysson, 1896, <i>Ampedus</i>	126
<i>adumbratus</i> Champion, 1921, <i>Hypebaeus</i>	433
<i>adumbratus</i> Murray, 1864, <i>Urophorus</i>	467
<i>aduncfolia</i> Zeng, 2000, <i>Henosepilachna</i>	629
<i>adusta</i> Bourgeois, 1900, <i>Cantharis</i>	245
<i>adusticollis</i> Kiesenwetter, 1874, <i>Lycocerus</i>	249
<i>adustipennis</i> Motschulsky, 1867, <i>Corticaria</i>	645
<i>adustus</i> Chevrolat, 1854, <i>Malacogaster</i>	210
<i>adustus</i> Eschscholtz, 1829, <i>Ampedus</i>	122
<i>adustus</i> Fåhraeus, 1871, <i>Xylion</i>	324
<i>adustus</i> Gurjeva, 1982, <i>Pseudanostirus</i>	180
<i>adustus</i> Reitter, 1888, <i>Pocadius</i>	476
<i>advena</i> Fabricius, 1787, <i>Drapetes</i>	208
<i>advena</i> Germar, 1824, <i>Murmidius</i>	553
<i>advena</i> Gistel, 1857, <i>Zorochros</i>	194
<i>advena</i> Scopoli, 1763, <i>Drapetes</i>	208
<i>advena</i> T. L. Casey, 1900, <i>Trogoderma</i>	319
<i>advena</i> Waltl, 1834, <i>Ahasverus</i>	498
<i>advena</i> Wollaston, 1854, <i>Ptinus</i>	336
<i>adventicus</i> Schimmel, 2003, <i>Ampedus</i>	120
<i>aegaeicus</i> Liberti, 1986, <i>Dasytidius</i>	390
<i>aegrotus</i> Kiesenwetter, 1874, <i>Lycocerus</i>	249
<i>aegyptiaca</i> Motschulsky, 1868, <i>Monotoma</i>	493
<i>aegyptiaca</i> Motschulsky, 1866, <i>Cartodere</i>	636
<i>aegyptiaca</i> Otto, 1978, <i>Melanophthalma</i>	647
<i>aegyptiaca</i> Reiche, 1861, <i>Coccinella</i>	612
<i>aegyptiaca</i> Sicard, 1907, <i>Rodolia</i>	597
<i>aegyptiacoides</i> Buysson, 1912, <i>Drasterius</i>	105
<i>aegyptiacum</i> Pic, 1901, <i>Phradonoma</i>	317
<i>aegyptiacum</i> Pic, 1894, <i>Gibbium</i>	329
<i>aegyptiacus</i> Abeille de Perrin, 1900, <i>Cephaloncus</i>	452
<i>aegyptiacus</i> Buysson, 1905, <i>Drasterius</i>	105
<i>aegyptiacus</i> Candèze, 1860, <i>Cardiophorus</i>	202
<i>aegyptiacus</i> Endrödy-Younga, 1968, <i>Cybocephalus</i>	488
<i>aegyptiacus</i> Evers, 1985, <i>Clanoptilus</i>	442
<i>aegyptiacus</i> Ferrante, 1908, <i>Malthinus</i>	276
<i>aegyptiacus</i> Motschulsky, 1860, <i>Heteroderes</i>	106
<i>aegyptiacus</i> Pic, 1899, <i>Malthinus</i>	276
<i>aegyptiacus</i> Pic, 1893, <i>Attagenus</i>	308
<i>aegyptiacus</i> Pic, 1899, <i>Anthrenus</i>	311
<i>aegyptiacus</i> Pic, 1911, <i>Attalus</i>	420
<i>aegyptiacus</i> Wittmer, 1937, <i>Malthodes</i>	285
<i>aemulus</i> Barovskij, 1930, <i>Macrolycus</i>	213
<i>aemulus</i> Erichson, 1841, <i>Melanotus</i>	141
<i>aemulus</i> Erichson, 1840, <i>Attalus</i>	420

aemulus Kiesenwetter, 1861, <i>Malthodes</i>	285
aemulus Platia & Gudenzi, 2002, <i>Cardiophorus</i>	194
aenea Morawitz, 1862, <i>Danacea</i>	395
aenea Schaller, 1783, <i>Triplax</i>	543
<i>aeneiceps</i> Jacquelin du Val, 1854, <i>Cybocephalus</i>	490
<i>aeneicolle</i> Bach, 1852, <i>Hyperisus</i>	352
<i>aeneicollis</i> Olivier, 1792, <i>Ctenicera</i>	177
<i>aeneipennis</i> Csiki, 1900, <i>Necrobia</i>	382
<i>aeneipennis</i> Fairmaire, 1889, <i>Caenolanguria</i>	533
<i>aeneipennis</i> Gorham, 1889, <i>Themus</i>	272
<i>aeneipennis</i> Reitter, 1873, <i>Aethina</i>	470
<i>aeneithorax</i> Desbrochers des Loges, 1870, <i>Hemicrepidius</i>	170
<i>aeneithorax</i> Pic, 1925, <i>Dasytes</i>	405
<i>aeneiventris</i> Küster, 1850, <i>Dasytes</i>	404
<i>aeneocollis</i> Dolin, 1987, <i>Oedostethus</i>	189
<i>aeneocupreus</i> Peyron, 1877, <i>Clanoptilus</i>	443
<i>aeneoides</i> Abeille de Perrin, 1891, <i>Malachius</i>	448
<i>aeneola</i> Reitter, 1889, <i>Parathrix</i>	393
<i>aeneolus</i> Majer, 1989, <i>Chaetomalachius</i>	388
<i>aeneomicans</i> Fairmaire, 1889, <i>Selatosomus</i>	181
<i>aeneomicans</i> Gurjeva, 1966, <i>Cardiophorus</i>	194
<i>aeneomicans</i> Wollaston, 1865, <i>Brachypterus</i>	456
<i>aeneoniger</i> DeGeer, 1774, <i>Pheletes</i>	166
<i>aeneoniger</i> Gurjeva, 1966, <i>Cardiophorus</i>	195
<i>aeneoniger</i> Miwa, 1928, <i>Ligmargus</i>	155
<i>aeneonitens</i> Champion, 1922, <i>Achaetomalachius</i>	388
<i>aeneonitens</i> Champion, 1923, <i>Cybocephalus</i>	489
<i>aeneopectinicornis</i> DeGeer, 1774, <i>Ctenicera</i>	177
<i>aeneopiceus</i> Stephens, 1829, <i>Olibrus</i>	509
<i>aeneovirens</i> Mader, 1937, <i>Pachylanguria</i>	535
<i>aeneoviridinitens</i> Audisio, 1993, <i>Meligethes</i>	478
<i>aenescens</i> Desbrochers des Loges, 1875, <i>Paracardiophorus</i>	206
<i>aenescens</i> Fairmaire, 1889, <i>Lycocerus</i>	249
<i>aenescens</i> Fairmaire, 1875, <i>Meligethes</i>	481
<i>aenescens</i> Ganglbauer, 1899, <i>Meligethes</i>	482
<i>aenescens</i> J. R. Sahlberg, 1903, <i>Dasytiscus</i>	391
<i>aenescens</i> J. R. Sahlberg, 1903, <i>Dasytes</i>	402
<i>aenescens</i> J. R. Sahlberg, 1908, <i>Cybocephalus</i>	490
<i>aenescens</i> Küster, 1852, <i>Olibrus</i>	508
<i>aenescens</i> Miwa, 1928, <i>Sericus</i>	134
<i>aenescens</i> Platia & Gudenzi, 2003, <i>Dicronychus</i>	203
<i>aenescens</i> Wollaston, 1862, <i>Attalus</i>	420
<i>aeneus</i> A. G. Olivier, 1790, <i>Dasytes</i>	401
<i>aeneus</i> Fabricius, 1787, <i>Lobonyx</i>	384
<i>aeneus</i> Fabricius, 1775, <i>Meligethes</i>	478
<i>aeneus</i> Fabricius, 1792, <i>Olibrus</i>	508
<i>aeneus</i> Linnaeus, 1758, <i>Selatosomus</i>	181
<i>aeneus</i> Linnaeus, 1758, <i>Malachius</i>	448
<i>aeneus</i> Reiche, 1864, <i>Cybocephalus</i>	489
<i>aeneus</i> Richter, 1820, <i>Rhizophagus</i>	491

<i>aeneus</i> Schilsky, 1900, <i>Chaetomalachius</i>	388
<i>aeneusrufipes</i> DeGeer, 1774, <i>Selatosomus</i>	181
<i>aenigmaticus</i> Slosson, 1903, <i>Thylotrias</i>	306
<i>aenigmatosus</i> Dolin, 1995, <i>Zorochros</i>	192
<i>aenigmatosus</i> Dolin & Šauša, 1997, <i>Cardiophorus</i>	195
<i>aequabilis</i> John, 1965, <i>Thorictus</i>	303
<i>aequale</i> Wollaston, 1867, <i>Trogoxylon</i>	328
<i>aequale</i> Wollaston, 1857, <i>Arthrolips</i>	632
<i>aequalis</i> C. O. Waterhouse, 1879, <i>Lycostomus</i>	211
<i>aequalis</i> Candèze, 1900, <i>Agrypnus</i>	96
<i>aequalis</i> Candèze, 1857, <i>Lanelater</i>	102
<i>aequalis</i> Reitter, 1894, <i>Opilo</i>	373
<i>aequalis</i> Reitter, 1885, <i>Haplothrix</i>	392
<i>aequalis</i> Reitter, 1889, <i>Biphyllus</i>	547
<i>aequalis</i> Reitter, 1877, <i>Dienerella</i>	636
<i>aequalis</i> Reitter, 1898, <i>Corticaria</i>	641
<i>aequalis</i> Schilsky, 1897, <i>Dasytes</i>	401
<i>aequalis</i> Schwarz, 1891, <i>Agriotes</i>	114
<i>aequalis</i> Sharp, 1885, <i>Orthoperus</i>	634
<i>aequalis</i> Vats & Chauhan, 1992, <i>Tolphorea</i>	113
<i>aequalis</i> Waterhouse, 1884, <i>Heterobostrychus</i>	322
<i>aequicollis</i> Reitter, 1895, <i>Zorochros</i>	192
<i>aequicollis</i> Schimmel, 1993, <i>Ampedus</i>	120
<i>aequidentata</i> Allen, 1937, <i>Corticaria</i>	642
<i>aequilata</i> Procházka, 1894, <i>Danacea</i>	399
<i>aequinoctiale</i> Boieldieu, 1854, <i>Gibbium</i>	329
<i>aerarius</i> Reitter, 1895, <i>Oedostethus</i>	189
<i>aeratus</i> Mulsant & Guillebeau, 1856, <i>Poemnites</i>	179
<i>aeratus</i> Stephens, 1830, <i>Dasytes</i>	404
<i>aereus</i> Brullé, 1832, <i>Limonius</i>	165
<i>aerosus</i> Kiesenwetter, 1867, <i>Dasytes</i>	404
<i>aerosus</i> Lewis, 1879, <i>Actenicerus</i>	173
<i>aerosus</i> Schilsky, 1897, <i>Aplocnemus</i>	412
<i>aeruginosus</i> A. G. Olivier, 1790, <i>Cidnopus</i>	163
<i>aeruginosus</i> Fabricius, 1798, <i>Ctenicera</i>	176
<i>aestimabilis</i> Reitter, 1872, <i>Meligethes</i>	485
<i>aestiva</i> J. Weise, 1879, <i>Hippodamia</i>	616
<i>aestiva</i> Linnaeus, 1758, <i>Epuraea</i>	459
<i>aestivalis</i> Gistel, 1857, <i>Elateroides</i>	362
<i>aestivus</i> Kiesenwetter, 1863, <i>Aplocnemus</i>	410
<i>aestivus</i> Peyron, 1877, <i>Cyrtosus</i>	447
<i>aestuosus</i> Tournier, 1889, <i>Olibrus</i>	510
<i>aethalina</i> Barovskij, 1926, <i>Cantharis</i>	243
<i>aethiopicus</i> Candèze, 1882, <i>Adelocera</i>	95
<i>aethiops</i> Curtis, 1840, <i>Cantharis</i>	244
<i>aethiops</i> Iablokoff-Khnzorian, 1976, <i>Lasioderma</i>	357
<i>aethiops</i> J. Weise, 1885, <i>Aiolocaria</i>	606
<i>aethiops</i> Krauss, 1902, <i>Coccidula</i>	572
<i>aethiops</i> Lacordaire, 1835, <i>Ampedus</i>	121
<i>aetnensis</i> Abeille de Perrin, 1891, <i>Attalus</i>	420

<i>aetolica</i> Kiesenwetter, 1859, <i>Rhagonycha</i>	261
<i>aetolicus</i> Kiesenwetter, 1866, <i>Malachius</i>	448
<i>aetolicus</i> Reitter, 1876, <i>Philothermus</i>	554
<i>aetolicus</i> Wittmer, 1974, <i>Malthinus</i>	276
afer Abeille de Perrin, 1885, <i>Cyrtosus</i>	446
afer Schilsky, 1897, <i>Aplocnemus</i>	412
affine Boieldieu, 1856, <i>Mezium</i>	329
affine Sturm, 1837, <i>Caenocara</i>	344
<i>affinis</i> A. G. Olivier, 1791, <i>Hippodamia</i>	618
<i>affinis</i> Arrow, 1922, <i>Episcaphula</i>	540
<i>affinis</i> Chevrolat, 1843, <i>Trichodes</i>	376
<i>affinis</i> Cooper, 1865, <i>Athous</i>	161
<i>affinis</i> Desbrochers des Loges, 1871, <i>Ptinus</i>	335
<i>affinis</i> Dolin & Cate, 2002, <i>Hypnoidus</i>	154
<i>affinis</i> Gorham, 1880, <i>Luciola</i>	233
<i>affinis</i> Grouvelle, 1908, <i>Epuraea</i>	464
<i>affinis</i> Gyllenhal, 1808, <i>Dermestes</i>	301
<i>affinis</i> Heer, 1841, <i>Brachypterus</i>	457
<i>affinis</i> Jelínek, 1982, <i>Meligethes</i>	479
<i>affinis</i> Kirejtshuk, 1984, <i>Glischrochilus</i>	469
<i>affinis</i> L. Redtenbacher, 1843, <i>Scymnus</i>	589
<i>affinis</i> Laporte, 1840, <i>Anostirus</i>	175
<i>affinis</i> Lesne, 1899, <i>Bostrychopsis</i>	322
<i>affinis</i> Ménériés, 1832, <i>Clanoptilus</i>	442
<i>affinis</i> Morawitz, 1862, <i>Dasytiscus</i>	391
<i>affinis</i> Motschulsky, 1859, <i>Sericus</i>	134
<i>affinis</i> Mulsant, 1862, <i>Malthodes</i>	294
<i>affinis</i> Nikitsky, 1986, <i>Monotoma</i>	493
<i>affinis</i> P. H. Lucas, 1846, <i>Ebaeus</i>	429
<i>affinis</i> Paykull, 1800, <i>Liotrichus</i>	178
<i>affinis</i> Paykull, 1799, <i>Pyropterus</i>	216
<i>affinis</i> Paykull, 1798, <i>Nephus</i>	579
<i>affinis</i> Péringuey, 1888, <i>Ptinus</i>	334
<i>affinis</i> R. F. Sahlberg, 1834, <i>Atomaria</i>	528
<i>affinis</i> Reitter, 1876, <i>Silvanus</i>	500
<i>affinis</i> Reitter, 1874, <i>Byturus</i>	547
<i>affinis</i> Sakai, 1984, <i>Gastrallus</i>	340
<i>affinis</i> Schilsky, 1897, <i>Divales</i>	406
<i>affinis</i> Spinola, 1844, <i>Trichodes</i>	376
<i>affinis</i> Stephens, 1830, <i>Cantharis</i>	241
<i>affinis</i> Stephens, 1830, <i>Epuraea</i>	465
<i>affinis</i> Sturm, 1807, <i>Olibrus</i>	508
<i>affinis</i> Sturm, 1845, <i>Cryptophagus</i>	518
<i>affinis</i> Walter, 1882, <i>Adalia</i>	603
afghan Kleine, 1936, <i>Lycostomus</i>	211
afghana Bielawski, 1968, <i>Oenopia</i>	621
afghana C. Johnson, 1977, <i>Cholovocera</i>	557
afghana C. Johnson, 1977, <i>Corticicara</i>	647
afghana Nakane, 1966, <i>Lampyris</i>	227
afghana Platia & Gudenzi, 2002, <i>Adelocera</i>	95

<i>afghana</i> Švihla, 1992, <i>Cantharis</i>	247
<i>afghana</i> Wittmer, 1978, <i>Podosilis</i>	275
<i>afghanicus</i> Chassain, 1991, <i>Calais</i>	107
<i>afghanicus</i> Endrödy-Younga, 1968, <i>Cybocephalus</i>	489
<i>afghanicus</i> Gurjeva, 1990, <i>Melanotus</i>	141
<i>afghanistanica</i> Wittmer, 1956, <i>Hypomixis</i>	436
<i>afghanistanicus</i> Wittmer, 1956, <i>Laius</i>	417
<i>afghanistanicus</i> Wittmer, 1956, <i>Nepachys</i>	426
<i>afghanistanicus</i> Wittmer, 1981, <i>Colotes</i>	427
<i>afghanistanus</i> Wittmer, 1956, <i>Cephaloncus</i>	452
<i>afghanus</i> Háva, 2000, <i>Attagenus</i>	307
<i>afghanus</i> Platia & Gudenzi, 2002, <i>Meristhus</i>	103
<i>afghanus</i> Platia & Gudenzi, 2002, <i>Chastanus</i>	139
<i>afghanus</i> Wittmer, 1956, <i>Prothemellus</i>	260
<i>afghanus</i> Wittmer, 1973, <i>Themus</i>	272
<i>afourerus</i> Evers, 1995, <i>Attalus</i>	420
<i>afoveatus</i> Vats & Kashyap, 1993, <i>Lanelater</i>	102
<i>africana</i> Grouvelle, 1919, <i>Ancistria</i>	501
<i>africana</i> Kalík, 1955, <i>Thaumaglossa</i>	318
<i>africana</i> Pic, 1897, <i>Ochina</i>	352
<i>africana</i> Vrydagh, 1961, <i>Phonapate</i>	321
<i>africanum</i> Español, 1964, <i>Xestobium</i>	352
<i>africanus</i> Dajoz, 1980, <i>Thes</i>	641
<i>africanus</i> Escalera, 1926, <i>Axinotarsus</i>	440
<i>africanus</i> J. Weise, 1895, <i>Scymnus</i>	590
<i>africanus</i> Kocher, 1955, <i>Clerus</i>	372
<i>africanus</i> Lefkovitch, 1962, <i>Placonotus</i>	505
<i>africanus</i> Lesne, 1907, <i>Lyctus</i>	327
<i>africanus</i> Pic, 1896, <i>Sphaericus</i>	338
<i>africanus</i> Pic, 1929, <i>Stagetodes</i>	346
<i>afrum</i> Priesner, 1951, <i>Trogoderma</i>	319
<i>agajewi</i> Dolin, 1970, <i>Ampedus</i>	121
<i>agarici</i> Schrank, 1798, <i>Ptinus</i>	337
<i>agathidioides</i> Peyerimhoff, 1927, <i>Pastilodes</i>	491
<i>agenjoi</i> Español, 1978, <i>Dorcatoma</i>	345
<i>agenjoi</i> Pardo Alcaide, 1975, <i>Malachius</i>	448
<i>agilis</i> Arrow, 1943, <i>Chondria</i>	567
<i>agilis</i> Lewis, 1894, <i>Microhypnus</i>	188
<i>agilis</i> P. H. Lucas, 1843, <i>Denops</i>	367
<i>agilis</i> Platia, 2001, <i>Ampedus</i>	121
<i>agilis</i> Platia & Gudenzi, 2002, <i>Cardiophorus</i>	195
<i>agilis</i> Platia & Schimmel, 2001, <i>Melanotus</i>	141
<i>agnani</i> Pic, 1913, <i>Cantharis</i>	246
<i>agnatha</i> Rosenhauer, 1847, <i>Oenopia</i>	622
<i>agnatus</i> Candèze, 1873, <i>Drasterius</i>	105
<i>agnatus</i> Candèze, 1860, <i>Dicronychus</i>	204
<i>agnatus</i> Reiche, 1869, <i>Athous</i>	159
<i>agnatus</i> Rey, 1889, <i>Cryptophagus</i>	520
<i>agnatus</i> Schimmel, 1993, <i>Ampedus</i>	121
<i>agnita</i> Kangas, 1961, <i>Atomaria</i>	525

agnoscenda Pic, 1907, <i>Mimothrix</i>	392
agnusi Méquignon, 1927, <i>Porthmidius</i>	140
agranulosus Vats & Chauhan, 1992, <i>Xanthopenthes</i>	139
agrestis Vats & Kashyap, 1992, <i>Agrypnus</i>	96
agricola Zetterstedt, 1824, <i>Oedostethus</i>	190
agricultor Rosenhauer, 1856, <i>Dignomus</i>	330
argentinus Fiori, 1915, <i>Malthodes</i>	290
agriotides Wurst, 2001, <i>Aeoloides</i>	103
agrumi Fürsch, 1970, <i>Scymnus</i>	584
aguilari Gourreau, 1975, <i>Nephus</i>	579
ahenus Kiesenwetter, 1863, <i>Aplocnemus</i>	412
ahrensi Mulsant, 1846, <i>Scymnus</i>	591
ahriman Jelínek, 1981, <i>Meligethes</i>	483
aibgaena Kazantsev, 1992, <i>Rhagonycha</i>	261
aindrahamensis Bodemeyer, 1929, <i>Trichodes</i>	380
aino Kishii, 1957, <i>Negastrius</i>	188
aino Lewis, 1892, <i>Thaneroclerus</i>	367
ainonia Lewis, 1887, <i>Triplax</i>	543
ainu Fleutiaux, 1923, <i>Farsus</i>	82
ainu Fleutiaux, 1923, <i>Xylophilus</i>	85
ainu Kishii, 1962, <i>Dalopius</i>	119
ainu Kishii, 1987, <i>Denticollis</i>	168
ainu Lewis, 1894, <i>Ampedus</i>	121
ainu Lewis, 1896, <i>Coccinella</i>	610
ainu Miwa, 1928, <i>Diacanthous</i>	169
ainu Nakane & Makino, 1990, <i>Asiopodabrus</i>	234
ainu Ôhira, 1968, <i>Limoniscus</i>	165
ainu Ôhira, 1995, <i>Oedostethus</i>	189
ainu Ôhira & Yasuda, 1994, <i>Hypnoidus</i>	155
aizu Kishii, 1996, <i>Ampedus</i>	121
aizu Kishii, 1994, <i>Homotechnes</i>	153
akashii Ôhira, 1969, <i>Ludioschema</i>	132
akbesiana Escalera, 1925, <i>Triplax</i>	543
akbesiana Pic, 1906, <i>Cantharis</i>	240
akbesianus Fairmaire, 1893, <i>Tetrigus</i>	108
akbesianus Fairmaire, 1895, <i>Malacogaster</i>	210
akbesianus Pic, 1903, <i>Hypoganus</i>	177
akbesianus Pic, 1899, <i>Cardiophorus</i>	198
akbesianus Pic, 1901, <i>Malthodes</i>	285
akbesianus Pic, 1894, <i>Dasytes</i>	404
akbesianus Pic, 1896, <i>Aplocnemus</i>	412
akbesianus Pic, 1898, <i>Haplomalachius</i>	447
akbesianus Reitter, 1899, <i>Anthrenus</i>	314
akbesianus Reitter, 1915, <i>Trichodes</i>	378
akemiae Satô & Okushima, 1992, <i>Lycocerus</i>	249
akiensis Nakane & Kinoda, 1992, <i>Lycocerus</i>	252
akihikoi Kishii, 1985, <i>Ampedus</i>	121
akitai Narukawa, 1992, <i>Dacne</i>	537
akitai Takahashi, 2003, <i>Yukikoa</i>	273
akitensis Kishii, 1979, <i>Homotechnes</i>	153

<i>akitu</i> Kishii, 1955, <i>Actenicerus</i>	173
<i>akonis</i> Ohta, 1929, <i>Scymnus</i>	584
<i>akschehirensis</i> Wittmer, 1969, <i>Boveycantharis</i>	239
<i>akshehirensis</i> Wittmer, 1970, <i>Malthodes</i>	285
<i>aksuensis</i> Tian, 2000, <i>Cybocephalus</i>	489
<i>aktaschensis</i> Švihla, 1987, <i>Clanoptilus</i>	443
<i>akusekianus</i> Nakane, 1983, <i>Drilaster</i>	233
<i>akusekianus</i> Ôhira, 1997, <i>Melanotus</i>	146
<i>alacris</i> J. Weise, 1879, <i>Hippodamia</i>	618
<i>alagoesa</i> Reitter, 1893, <i>Rhagonycha</i>	261
<i>alaica</i> Kazantsev, 1998, <i>Crudosilis</i>	274
<i>alaicus</i> Kazantsev, 2001, <i>Themus</i>	271
<i>alaiensis</i> Pic, 1906, <i>Hypebaeina</i>	433
<i>alandicus</i> Leinberg, 1900, <i>Kateretes</i>	458
<i>alanyaensis</i> Wittmer, 1970, <i>Malthodes</i>	285
<i>alaomorphus</i> Candèze, 1863, <i>Aphanobius</i>	131
<i>alata</i> Pic, 1918, <i>Malthodes</i>	285
<i>alatauensis</i> Lyubarsky, 2000, <i>Micrambe</i>	522
<i>alatauensis</i> Mroczkowski, 1962, <i>Anthrenus</i>	314
<i>alatauensis</i> Wittmer, 1992, <i>Collops</i>	416
<i>alatauicus</i> Kazantsev, 1995, <i>Malthodes</i>	285
<i>alatum</i> Reitter, 1884, <i>Leucohimatium</i>	536
<i>albanica</i> Apfelbeck, 1911, <i>Danacea</i>	395
<i>albanica</i> Pic, 1947, <i>Cantharis</i>	246
<i>albanica</i> Pic, 1927, <i>Rhagonycha</i>	263
<i>albanicum</i> Apfelbeck, 1906, <i>Sphaerosoma</i>	556
<i>albanicus</i> Csiki, 1940, <i>Athous</i>	160
<i>albanicus</i> Winkler & Žirovnický, 1980, <i>Trichodes</i>	376
<i>albanicus</i> Wittmer, 1970, <i>Malthodes</i>	285
<i>albella</i> Reitter, 1900, <i>Danacea</i>	395
<i>albellus</i> Majer, 1989, <i>Danacaeomimus</i>	394
<i>albellus</i> Reitter, 1889, <i>Macrophagus</i>	536
<i>alberi</i> Escherich, 1894, <i>Trichodes</i>	376
<i>albertisi</i> Grouvelle, 1913, <i>Ancistria</i>	501
<i>albertisi</i> Reitter, 1880, <i>Epuraea</i>	464
<i>albertisii</i> Gorham, 1885, <i>Stenotarsus</i>	568
<i>albicans</i> Candèze, 1878, <i>Heteroderes</i>	106
<i>albicans</i> Linnaeus, 1767, <i>Troglops</i>	453
<i>albicollis</i> Chobaut, 1898, <i>Hippodamia</i>	618
<i>albida</i> Bielawski, 1972, <i>Calvia</i>	607
<i>albida</i> Gmelin, 1790, <i>Harmonia</i>	616
<i>albidiceps</i> Pic, 1914, <i>Kedirinus</i>	331
<i>albidiceps</i> Walker, 1871, <i>Hyperaspis</i>	578
<i>albidipennis</i> Chobaut, 1898, <i>Anthrenus</i>	311
<i>albidipennis</i> Pic, 1907, <i>Malthinus</i>	276
<i>albidoflavus</i> Reitter, 1881, <i>Anthrenus</i>	311
<i>albidus</i> Brullé, 1832, <i>Anthrenus</i>	312
<i>albidus</i> Laporte, 1840, <i>Anthrenus</i>	314
<i>albidus</i> Toskina, 1976, <i>Cacotemnus</i>	339
<i>albifrons</i> Fabricius, 1775, <i>Hypebaeus</i>	433

albilabrus Pic, 1914, <i>Anhomodactylus</i>	438
albilanea Peyerimhoff, 1925, <i>Psilothrix</i>	408
<i>albingica</i> Meier, 1897, <i>Hippodamia</i>	617
albipilis Candèze, 1873, <i>Zorochros</i>	192
albipilis Kiesenwetter, 1863, <i>Aplocnemus</i>	409
albipilis Pic, 1894, <i>Dasytes</i>	404
albipilis Reitter, 1884, <i>Dignomus</i>	330
<i>albipilis</i> Reitter, 1875, <i>Melanophthalma</i>	648
<i>albipilus</i> Rey, 1889, <i>Cryptophagus</i>	519
albipubens Reitter, 1910, <i>Selatosomus</i>	182
<i>albipustulata</i> Haworth, 1812, <i>Adalia</i>	603
<i>albiventris</i> Fürsch, 1971, <i>Bulaea</i>	600
<i>alboapicalis</i> Pic, 1950, <i>Clerus</i>	372
albobinotatus Wittmer, 1956, <i>Hypebaeus</i>	433
albocaudatus Champion, 1921, <i>Hypebaeus</i>	433
albofacialis J. R. Sahlberg, 1908, <i>Hypebaeus</i>	433
albofasciata Nakane, 1982, <i>Rhodotritoma</i>	542
albofasciatus Charpentier, 1825, <i>Denops</i>	367
albofasciatus J. Thomson, 1860, <i>Callimerus</i>	370
<i>albofasciatus</i> Matsumura & Yokoyama, 1928, <i>Dermestes</i>	300
<i>albofasciatus</i> Melsheimer, 1846, <i>Tarsostenus</i>	383
<i>albofasciatus</i> Reitter, 1891, <i>Euchionellus</i>	638
albofasciatus Schwarz, 1893, <i>Cardiophorus</i>	195
albohirta Majer, 1990, <i>Trichocele</i>	413
<i>alboimpletus</i> J. R. Sahlberg, 1903, <i>Anthrenus</i>	312
albolimbata Pic, 1926, <i>Rhagonycha</i>	261
albolineata Gyllenhal, 1808, <i>Bothrocalvia</i>	607
albomaculatus Lewis, 1892, <i>Thanasimus</i>	375
<i>albomaculatus</i> Miwa, 1934, <i>Agrypnus</i>	97
albomaculatus Pic, 1924, <i>Hypebaeus</i>	433
<i>albomarginata</i> Goeze, 1777, <i>Calvia</i>	608
<i>albomarginata</i> Märkel, 1852, <i>Cantharis</i>	247
albomarginata Sakai, 1996, <i>Dimorphotheca</i>	347
albonotatum Reiche, 1868, <i>Trogoderma</i>	319
albonotatus Pic, 1924, <i>Micropodabrus</i>	256
<i>albonotatus</i> Pic, 1922, <i>Anthrenus</i>	311
<i>albonotatus</i> Pic, 1901, <i>Winklerius</i>	380
<i>albonotatus</i> Pic, 1926, <i>Intybia</i>	417
albopictus Wittmer, 1970, <i>Ebaeus</i>	429
albopictus Wollaston, 1854, <i>Sphaericus</i>	338
albopilosus Chobaut, 1896, <i>Cybocephalus</i>	489
albopunctatus Pic, 1895, <i>Anthrenus</i>	312
<i>albopunctatus</i> Pic, 1895, <i>Anthrenus</i>	312
albosetosus Schilsky, 1896, <i>Dasytes</i>	400
albosquamosus Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
<i>albosuturatus</i> Kuwert, 1893, <i>Callimerus</i>	371
alboterminatus Champion, 1921, <i>Ebaeus</i>	429
albovarius Westwood, 1849, <i>Callimerus</i>	370
albovarius Wittmer, 1983, <i>Micropodabrus</i>	256
albozonatus Abeille de Perrin, 1883, <i>Cephaloncus</i>	452

<i>alcalanus</i> Pic, 1923, <i>Cardiophorus</i>	195
<i>alcobei</i> Español, 1974, <i>Deroptilinus</i>	361
<i>alcyoneus</i> Pascoe, 1860, <i>Cylidrus</i>	367
<i>aldeae</i> Evers, 1961, <i>Attalus</i>	420
<i>aldridgei</i> Kirejtshuk, 1997, <i>Epuraea</i>	464
<i>aldridgei</i> Kirejtshuk, 1980, <i>Cyclogethes</i>	478
<i>alekseevi</i> Dolin & Penev, 1988, <i>Selatosomus</i>	182
<i>alemannica</i> Schiller, 1984, <i>Corticarina</i>	645
<i>alemdagensis</i> Wittmer, 1974, <i>Malthinus</i>	276
<i>alemdagensis</i> Wittmer, 1970, <i>Malthodes</i>	285
<i>alepensis</i> Pic, 1914, <i>Cardiophorus</i>	195
<i>alepensis</i> Pic, 1914, <i>Malachius</i>	448
<i>aleppensis</i> Wittmer, 1970, <i>Ebaeus</i>	429
<i>alexandrae</i> J. Weise, 1890, <i>Hyperaspis</i>	578
<i>alexandrae</i> Švihla, 2004, <i>Stenothemus</i>	269
<i>alexandri</i> Logvinovskiy, 1981, <i>Hemicoelus</i>	340
<i>alexandri</i> Tshernyshev, 2003, <i>Ebaeus</i>	432
<i>alexandri</i> Wurst, 1995, <i>Anostirus</i>	174
<i>alexandris</i> Pic, 1914, <i>Cantharis</i>	245
<i>alexeevi</i> Kazantsev, 1992, <i>Rhagonycha</i>	264
<i>alfierianus</i> Wittmer, 1934, <i>Troglops</i>	453
<i>alfierii</i> Pic, 1931, <i>Cardiophorus</i>	196
<i>alfierii</i> Pic, 1926, <i>Malthodes</i>	285
<i>alfierii</i> Pic, 1910, <i>Attagenus</i>	308
<i>alfierii</i> Pic, 1920, <i>Hypebaeus</i>	435
<i>alfierii</i> Pic, 1919, <i>Malachius</i>	450
<i>alfierii</i> Pic, 1909, <i>Attalusinus</i>	451
<i>alfierii</i> Pic, 1922, <i>Stenotarsus</i>	568
<i>alfierii</i> Wittmer, 1935, <i>Dasytidius</i>	389
<i>alfierii</i> Wittmer, 1937, <i>Aplocnemus</i>	413
<i>algarvensis</i> Dajoz, 1977, <i>Abromus</i>	548
<i>algerica</i> Ancy, 1870, <i>Lampyris</i>	226
<i>algerica</i> Dalla Torre, 1911, <i>Cebrio</i>	89
<i>algerica</i> Kovář, 1977, <i>Coccinella</i>	610
<i>algericus</i> Mařan, 1929, <i>Uleiota</i>	497
<i>algericus</i> Pic, 1894, <i>Anelastidius</i>	86
<i>algericus</i> Pic, 1900, <i>Malthinus</i>	279
<i>algericus</i> Pic, 1894, <i>Dignomus</i>	330
<i>algericus</i> Pic, 1895, <i>Eurostoptinus</i>	331
<i>algericus</i> Pic, 1894, <i>Cychramus</i>	471
<i>algericus</i> Tournier, 1889, <i>Olibrus</i>	508
<i>algerinus</i> Reiche, 1868, <i>Aulacochilus</i>	538
<i>algidus</i> J. R. Sahlberg, 1883, <i>Fleutiauxellus</i>	187
<i>algorica</i> Bourgeois, 1900, <i>Malthodes</i>	285
<i>algorica</i> Capra, 1924, <i>Aclommusa</i>	559
<i>algorica</i> Crotch, 1874, <i>Hyperaspis</i>	577
<i>algoricum</i> Reitter, 1889, <i>Sphaerosoma</i>	555
<i>algoricus</i> Abeille de Perrin, 1896, <i>Axinotarsus</i>	440
<i>algoricus</i> Bonvouloir, 1862, <i>Triaxagus</i>	88
<i>algoricus</i> Crotch, 1874, <i>Novius</i>	597

<i>algericus</i> Endrödy-Younga, 1968, <i>Cybocephalus</i>	489
<i>algericus</i> Grouvelle, 1912, <i>Brachyleptus</i>	455
<i>algericus</i> Guillebeau, 1892, <i>Tolyphus</i>	513
<i>algericus</i> P. H. Lucas, 1846, <i>Dasytes</i>	401
<i>algericus</i> Perris, 1873, <i>Troglops</i>	453
<i>algericus</i> Pic, 1907, <i>Malthodes</i>	292
<i>algericus</i> Pic, 1915, <i>Ernobius</i>	351
<i>algericus</i> Pic, 1920, <i>Psammoecus</i>	497
<i>algericus</i> Schilsky, 1894, <i>Aplocnemus</i>	409
<i>algerina</i> Motschulsky, 1866, <i>Melanophthalma</i>	647
<i>algerinus</i> Candèze, 1860, <i>Megathous</i>	171
<i>algerinus</i> Lucas, 1846, <i>Heteroderes</i>	106
<i>aliceae</i> Švihla, 1990, <i>Malthinus</i>	276
<i>alicianus</i> Jacquelin du Val, 1859, <i>Hypebaeus</i>	433
<i>aliena</i> Dahlgren, 1972, <i>Rhagonycha</i>	261
<i>alienus</i> Brown, 1940, <i>Pseudeurostus</i>	333
<i>alienus</i> Dolin, 1969, <i>Cardiophorus</i>	198
<i>alienus</i> Lohse, 1957, <i>Xyletinus</i>	359
<i>alishanensis</i> G.-Y. Yu & X.-F. Pang, 1992, <i>Shirozuella</i>	570
<i>alishanensis</i> X.-F. Pang & G. Yu, 1993, <i>Scymnus</i>	584
<i>alishanus</i> Nakane, 1967, <i>Macrolycus</i>	213
<i>alishanus</i> Nakane, 1969, <i>Plateros</i>	219
<i>alishanus</i> Nakane, 1996, <i>Omadius</i>	372
<i>alishanus</i> Sasaji, 1968, <i>Chilocorus</i>	593
<i>alius</i> E. Weise, 1972, <i>Latridius</i>	639
<i>allardi</i> Mulsant, 1866, <i>Micraspis</i>	620
<i>alleni</i> C. Johnson, 1974, <i>Corticaria</i>	641
<i>allenspachi</i> Wittmer, 1980, <i>Malthodes</i>	285
<i>alleonis</i> Fairmaire, 1880, <i>Cebrio</i>	91
<i>alligata</i> Heyden, 1897, <i>Hippodamia</i>	616
<i>allochromus</i> Abeille de Perrin, 1885, <i>Malachius</i>	449
<i>allosensis</i> Pic, 1924, <i>Cantharis</i>	239
<i>alluaudi</i> Grouvelle, 1906, <i>Cryptolestes</i>	503
<i>alluaudi</i> Peyerimhoff, 1925, <i>Adoceta</i>	224
<i>alluaudi</i> Pic, 1922, <i>Cantharis</i>	239
<i>alluaudi</i> Pic, 1900, <i>Aplocnemus</i>	413
<i>alluaudi</i> Pic, 1903, <i>Attalus</i>	420
<i>alluaudi</i> Pic, 1933, <i>Attalus</i>	421
<i>alluaudi</i> Pic, 1953, <i>Troglops</i>	454
<i>almaca</i> Wurst, 2001, <i>Melanoxanthus</i>	137
<i>almeriensis</i> Cobos, 1950, <i>Cardiophorus</i>	195
<i>almoraensis</i> Wittmer, 1977, <i>Colotes</i>	427
<i>almorensis</i> Champion, 1925, <i>Carphuroides</i>	415
<i>almorensis</i> Vats & Chauhan, 1993, <i>Silesis</i>	111
<i>alni</i> Fabricius, 1801, <i>Xylophilus</i>	85
<i>alnicola</i> Gistel, 1857, <i>Athous</i>	163
<i>alocasia</i> G.-Y. Yu, 2001, <i>Scymnus</i>	584
<i>alonsoi</i> López-Colón, 1997, <i>Troglops</i>	453
<i>alpense</i> Kishii, 1987, <i>Menoko</i>	188
<i>alpensis</i> Miwa, 1928, <i>Liotrichus</i>	178

<i>alpestris</i> Fiori, 1914, <i>Cantharis</i>	243
<i>alpestris</i> Heer, 1841, <i>Meligethes</i>	478
<i>alpestris</i> Kiesenwetter, 1861, <i>Aplocnemus</i>	409
<i>alpestris</i> Ménériés, 1832, <i>Selatosomus</i>	181
<i>alpestris</i> Mulsant & Rey, 1852, <i>Scymnus</i>	591
<i>alpestris</i> Orlov, 1994, <i>Athous</i>	158
<i>alpestris</i> Rey, 1889, <i>Cryptophagus</i>	518
<i>alpestris</i> Zetterstedt, 1828, <i>Hypnoidus</i>	155
<i>alpicola</i> Barovskij, 1928, <i>Rhagonycha</i>	261
<i>alpicola</i> Baudi di Selve, 1889, <i>Rhizophagus</i>	492
<i>alpicola</i> Kiesenwetter, 1852, <i>Malthodes</i>	285
<i>alpicola</i> Kishii, 1966, <i>Nipponodrasterius</i>	107
<i>alpicola</i> Kishii, 1993, <i>Houwau</i>	136
<i>alpicola</i> Kishii, 1968, <i>Homotechnes</i>	153
<i>alpicola</i> Nakane, 1966, <i>Epuraea</i>	459
<i>alpicola</i> Rey, 1891, <i>Adrastus</i>	108
<i>alpicola</i> Szombathy, 1910, <i>Paraphotistus</i>	179
<i>alpicolus</i> Nakane, 1992, <i>Lycocerus</i>	249
<i>alpigra</i> Iablokoff-Khnzorian, 1957, <i>Coccinella</i>	612
<i>alpigradus</i> Kiesenwetter, 1863, <i>Dasytes</i>	403
<i>alpigradus</i> Reitter, 1871, <i>Meligethes</i>	486
<i>alpina</i> A. Villa & G. B. Villa, 1835, <i>Ceratomegilla</i>	608
<i>alpina</i> Heer, 1841, <i>Atomaria</i>	528
<i>alpina</i> L. Redtenbacher, 1843, <i>Ceratomegilla</i>	609
<i>alpina</i> Motschulsky, 1839, <i>Podistra</i>	259
<i>alpina</i> Pic, 1912, <i>Globicornis</i>	315
<i>alpina</i> Pic, 1894, <i>Danacea</i>	398
<i>alpinus</i> Boieldieu, 1854, <i>Dignomus</i>	330
<i>alpinus</i> Dolin, 1999, <i>Hypnoidus</i>	154
<i>alpinus</i> Giraud, 1851, <i>Attalus</i>	420
<i>alpinus</i> Gurjeva, 1978, <i>Pseudanostirus</i>	180
<i>alpinus</i> Kishii, 1992, <i>Ampedus</i>	121
<i>alpinus</i> L. Redtenbacher, 1858, <i>Hemicrepidius</i>	170
<i>alpinus</i> Motschulsky, 1853, <i>Malthodes</i>	285
<i>alpinus</i> Mulsant, 1862, <i>Malthodes</i>	288
<i>alpinus</i> Paykull, 1798, <i>Podabrus</i>	237
<i>alpinus</i> Pic, 1898, <i>Ptinomorphus</i>	354
<i>alpinus</i> Vats & Chauhan, 1992, <i>Selatosomus</i>	182
<i>alsaticus</i> Pic, 1916, <i>Denticollis</i>	167
<i>altaica</i> Kazantsev, 1994, <i>Crudosilis</i>	274
<i>altaicus</i> Bruce, 1938, <i>Cryptophagus</i>	516
<i>altaicus</i> Candèze, 1882, <i>Lacon</i>	100
<i>altaicus</i> Cherepanov, 1957, <i>Neohypdonus</i>	189
<i>altaicus</i> Eschscholtz, 1829, <i>Pseudanostirus</i>	180
<i>altaicus</i> Gurjeva, 1978, <i>Anostirus</i>	174
<i>altaicus</i> Iablokoff-Khnzorian, 1978, <i>Ebaeus</i>	430
<i>altaicus</i> Pic, 1902, <i>Podabrus</i>	237
<i>altaicus</i> Reitter, 1902, <i>Stephostethus</i>	640
<i>altaicus</i> Schilsky, 1900, <i>Dasytes</i>	401
<i>altaicus</i> Schwarz, 1900, <i>Megathous</i>	171

<i>altaicus</i> Schwarz, 1900, <i>Aplotarsus</i>	175
<i>altaiensis</i> Evers, 1968, <i>Ebaeus</i>	429
<i>alternans</i> Erichson, 1846, <i>Leptophloeus</i>	505
<i>alternans</i> Mannerheim, 1844, <i>Stephostethus</i>	640
<i>alternans</i> Wollaston, 1854, <i>Atomaria</i>	524
<i>alternata</i> Fairmaire, 1878, <i>Hemiops</i>	186
<i>alternata</i> Fairmaire, 1886, <i>Clada</i>	353
<i>alternata</i> Zia, 1959, <i>Paederolanguria</i>	535
<i>alternatus</i> Fairmaire, 1856, <i>Benibotarus</i>	214
<i>alternatus</i> Heyden, 1886, <i>Actenicerus</i>	173
<i>alternatus</i> Peyerimhoff, 1931, <i>Aplocnemus</i>	409
<i>alticola</i> Abeille de Perrin, 1882, <i>Axinotarsus</i>	440
<i>alticola</i> Gurjeva, 1963, <i>Hypnoidus</i>	154
<i>alticola</i> Lindberg, 1953, <i>Corticaria</i>	641
<i>alticola</i> Pal, 1985, <i>Parahyliota</i>	496
<i>alticola</i> Palm, 1974, <i>Dasytes</i>	404
<i>alticola</i> Silfverberg, 1977, <i>Ampedus</i>	121
<i>alticola</i> Wollaston, 1862, <i>Casapus</i>	329
<i>alticollis</i> Lacordaire, 1857, <i>Farsus</i>	82
<i>alticus</i> Schrank, 1781, <i>Scymnus</i>	589
<i>altiusculus</i> Schimmel, 1998, <i>Ampedus</i>	121
<i>altivolans</i> Champion, 1925, <i>Procerallus</i>	386
<i>altus</i> Candèze, 1889, <i>Vuilletus</i>	134
<i>alutaceum</i> Reitter, 1883, <i>Sphaerosoma</i>	555
<i>alutaceus</i> Champion, 1924, <i>Europs</i>	493
<i>alutaceus</i> Kirejtshuk, 1987, <i>Pallodes</i>	475
<i>alutaceus</i> Obenberger, 1917, <i>Cybocephalus</i>	489
<i>alutaceus</i> Reitter, 1875, <i>Cychramus</i>	472
<i>alutaceus</i> Reitter, 1885, <i>Teplinus</i>	634
<i>alutaceus</i> Reitter, 1885, <i>Enicmus</i>	637
<i>alutaceus</i> Rey, 1889, <i>Meligethes</i>	481
<i>alutaceus</i> Wittmer, 1986, <i>Ebaeus</i>	429
<i>alutaceus</i> Wollaston, 1862, <i>Colotes</i>	428
<i>alvearius</i> Fabricius, 1792, <i>Trichodes</i>	376
<i>alveolarius</i> Latreille, 1804, <i>Trichodes</i>	376
<i>alveolus</i> Bourgeois, 1885, <i>Xylobanus</i>	223
<i>alysidotus</i> Kiesenwetter, 1858, <i>Zoroachros</i>	192
<i>alyssi</i> Peyerimhoff, 1925, <i>Attalus</i>	420
<i>amabile</i> Sakai, 1975, <i>Lasioderma</i>	357
<i>amabilis</i> Arrow, 1925, <i>Anadastus</i>	532
<i>amabilis</i> Evers, 1966, <i>Staphylotroglops</i>	453
<i>amabilis</i> Gorham, 1876, <i>Callimerus</i>	371
<i>amabilis</i> Gorham, 1873, <i>Mycetina</i>	565
<i>amabilis</i> J. R. Sahlberg, 1903, <i>Danacea</i>	395
<i>amabilis</i> Kamiya, 1965, <i>Sticholotis</i>	571
<i>amabilis</i> Sagaji, 1991, <i>Holoparamecus</i>	558
<i>amabilis</i> Schaufuss, 1867, <i>Drilus</i>	209
<i>amaculatus</i> Vats & Chauhan, 1993, <i>Heteroderes</i>	106
<i>amaenus</i> Peyron, 1877, <i>Nepachys</i>	426
<i>amaguensis</i> Švihla, 1995, <i>Rhagonycha</i>	261

amakazaricola Kishii & Ôhira, 1956, <i>Ampedus</i>	121
amalec Peyerimhoff, 1907, <i>Zorochros</i>	192
<i>amaliae</i> Heyden, 1886, <i>Falsomelyris</i>	387
amamensis Kamiya, 1959, <i>Chilocorus</i>	593
amamensis Miyatake, 1963, <i>Horniolus</i>	579
amami Kishii, 1976, <i>Silesis</i>	112
amami Kishii, 1984, <i>Insuliectinus</i>	120
amami Kishii, 1987, <i>Orthostethus</i>	133
amami Kishii, 1959, <i>Sawadapenthes</i>	138
amami Kishii, 1985, <i>Medakathous</i>	171
amami Kishii, 1977, <i>Paracardiophorus</i>	205
amami Nakane, 1961, <i>Pristolycus</i>	230
amami Satô, 1986, <i>Attalus</i>	420
amamiana M. Chûjô, 1969, <i>Episcapha</i>	539
amamiana Miyatake, 1994, <i>Sasajiella</i>	570
amamiana Miyatake, 1959, <i>Illeis</i>	598
amamianum Kurosawa, 1985, <i>Lymexylon</i>	363
amamianus Jeng, 1998, <i>Cyphonocerus</i>	226
amamianus Kishii, 1974, <i>Agrypnus</i>	96
amamianus Kishii, 1979, <i>Platynychus</i>	207
amamicola Kishii, 1969, <i>Hemicrepidius</i>	170
amamiensis Arimoto, 1987, <i>Zorochros</i>	192
amamiensis Hisamatsu, 1956, <i>Pallodes</i>	475
amamiensis M. Chûjô, 1969, <i>Camptotritoma</i>	541
amamiensis Miwa, 1934, <i>Agrypnus</i>	96
<i>amamiensis</i> Miwa, 1936, <i>Anadastus</i>	533
amamiensis Nakane, 1987, <i>Otho</i>	82
amamiensis Nakane, 1961, <i>Cautires</i>	222
amamiensis Ohbayashi, 1977, <i>Trinodes</i>	306
amamiensis Ôhira, 1967, <i>Lacon</i>	101
amamiensis Ôhira, 1968, <i>Ampedus</i>	121
amamiensis Ôhira, 1968, <i>Reitterelater</i>	130
amamiensis Ôhira, 1996, <i>Podeonius</i>	140
amamiensis Ôhira, 1967, <i>Melanotus</i>	150
amamiensis Ôhira, 1966, <i>Limoniscus</i>	165
amamiensis Ôhira, 1967, <i>Fleutiauxellus</i>	188
amamiensis Ôhira, 1967, <i>Yukoana</i>	191
amamiensis Sakai, 1979, <i>Stagetomorphus</i>	355
amamiinsulana Nakane, 1957, <i>Pectocera</i>	94
amamioshimanus Miyatake, 1965, <i>Allochotes</i>	381
<i>amanicola</i> Abeille de Perrin, 1900, <i>Anthocomus</i>	439
<i>amanicola</i> Pic, 1903, <i>Cordicantharis</i>	248
<i>amasiae</i> Abeille de Perrin, 1891, <i>Malachius</i>	449
<i>amasiae</i> Wittmer, 1971, <i>Malthodes</i>	285
amasyanus Majer, 1996, <i>Dasytiscus</i>	391
amator Kapur, 1958, <i>Sticholotis</i>	571
ambagiosus Lyubarsky, 2004, <i>Stilbus</i>	512
ambigena Jacquelin du Val, 1860, <i>Lampyris</i>	226
ambigenus Lesne, 1920, <i>Heterobostrychus</i>	322
<i>ambigua</i> Fiori, 1914, <i>Cantharis</i>	242

<i>ambigua</i> Gredler, 1857, <i>Coccinula</i>	601
<i>ambigua</i> Mulsant & Rey, 1868, <i>Danacea</i>	395
<i>ambiguous</i> Guillebeau, 1892, <i>Phalacrus</i>	511
<i>ambiguus</i> Buysson, 1914, <i>Oedostethus</i>	189
<i>ambiguus</i> C. O. Waterhouse, 1879, <i>Lycostomus</i>	211
<i>ambiguus</i> Peyron, 1877, <i>Clanoptilus</i>	443
<i>ambiguus</i> Wollaston, 1865, <i>Sphaericus</i>	338
<i>ambitiosa</i> Mulsant, 1866, <i>Propylea</i>	623
<i>ambjoerni</i> Baranowski, 1985, <i>Dorcatoma</i>	344
<i>ambonoidea</i> X.-F. Pang, 1988, <i>Scymnus</i>	584
<i>ambulans</i> Fabricius, 1787, <i>Tillus</i>	369
<i>amei</i> Audisio & Kirejtshuk, 1988, <i>Meligethes</i>	479
<i>americana</i> Aubé, 1837, <i>Monotoma</i>	493
<i>americana</i> Mannerheim, 1844, <i>Corticarina</i>	646
<i>americanum</i> Laporte, 1840, <i>Mezium</i>	329
<i>amethystina</i> Stephens, 1835, <i>Necrobia</i>	382
<i>amfidoxus</i> Bruce, 1963, <i>Cryptophagus</i>	517
<i>ami</i> Kishii, 1996, <i>Adelocera</i>	95
<i>ami</i> Kishii, 1995, <i>Agrypnus</i>	96
<i>ami</i> Kishii, 1991, <i>Glyphonyx</i>	109
<i>ami</i> Kishii, 1994, <i>Quasimus</i>	190
<i>amianus</i> Kishii, 1992, <i>Melanotus</i>	141
<i>amianus</i> Miwa, 1934, <i>Lanecarus</i>	110
<i>amica</i> Pic, 1895, <i>Danacea</i>	397
<i>amici</i> Lohse, 1981, <i>Enicmus</i>	637
<i>amictus</i> Erichson, 1840, <i>Attalus</i>	419
<i>amicus</i> Gurjeva & Dolin, 1970, <i>Ampedus</i>	121
<i>amicus</i> Mader, 1950, <i>Scymnus</i>	590
<i>amicus</i> Perris, 1875, <i>Elathous</i>	164
<i>amilcar</i> Escalera, 1926, <i>Axinotarsus</i>	440
<i>amimicola</i> Kishii, 1970, <i>Yukoana</i>	192
<i>amismizana</i> Pic, 1932, <i>Cantharis</i>	239
<i>ammios</i> Fabricius, 1787, <i>Trichodes</i>	376
<i>ammios</i> Spinola, 1844, <i>Trichodes</i>	380
<i>amoena</i> Faldermann, 1835, <i>Hippodamia</i>	616
<i>amoena</i> Solsky, 1871, <i>Triplax</i>	543
<i>amoenum</i> Reitter, 1889, <i>Phradonoma</i>	317
<i>amoenus</i> Reitter, 1896, <i>Anthrenus</i>	311
<i>amoenus</i> J. Weise, 1885, <i>Scymnus</i>	588
<i>amori</i> Graells, 1851, <i>Cebrio</i>	89
<i>amphicoma</i> Graells, 1858, <i>Enicopus</i>	408
<i>amphimalloides</i> Escalera, 1914, <i>Cebrio</i>	89
<i>amphitelus</i> Arnoldi, 1965, <i>Xyletinus</i>	360
<i>amphora</i> Cantor, 1846, <i>Trochoideus</i>	567
<i>amplexum</i> Champion, 1925, <i>Hladilium</i>	392
<i>ampliata</i> X.-F. Pang & Mao, 1979, <i>Epilachna</i>	626
<i>ampliatus</i> Fairmaire, 1891, <i>Selatosomus</i>	182
<i>amplicolle</i> Broun, 1880, <i>Anobium</i>	339
<i>amplicollis</i> C. N. F. Brisout de Barneville, 1866, <i>Spaniophaenus</i>	523
<i>amplicollis</i> Fairmaire, 1866, <i>Cebrio</i>	89

<i>amplicolis</i> Fleutiaux, 1923, <i>Dyscharachthis</i>	85
<i>amplicolis</i> Germar, 1843, <i>Selatosomus</i>	182
<i>amplicolis</i> J. R. Sahlberg, 1926, <i>Cryptophagus</i>	520
<i>amplicolis</i> Reitter, 1875, <i>Corticaria</i>	643
<i>amplificator</i> Hisamatsu, 1956, <i>Phenolia</i>	475
<i>ampliformis</i> Reitter, 1910, <i>Selatosomus</i>	182
<i>amplilobata</i> Wittmer, 1997, <i>Podosilis</i>	275
<i>amplipennis</i> Baudi di Selve, 1873, <i>Divales</i>	406
<i>amplipennis</i> Pic, 1908, <i>Idgia</i>	385
<i>amplipennis</i> Reitter, 1875, <i>Atomaria</i>	527
<i>amplissima</i> E. Olivier, 1886, <i>Pyrocoelia</i>	228
<i>ampliterminatus</i> Wittmer, 1968, <i>Ebaeus</i>	429
<i>amplithorax</i> Mulsant & Guillebeau, 1855, <i>Melanotus</i>	143
<i>amplithorax</i> Wittmer, 1992, <i>Malthodes</i>	285
<i>amplus</i> C. Johnson, 1977, <i>Latridius</i>	638
<i>amplus</i> C.-T. Yang & R.-H. Wu, 1972, <i>Pseudoscymnus</i>	582
<i>amplus</i> Grouvelle, 1914, <i>Brachypeplus</i>	478
<i>amplus</i> Grouvelle, 1912, <i>Cryptophagus</i>	520
<i>amplus</i> J. R. Sahlberg, 1908, <i>Cybocephalus</i>	489
<i>amplus</i> Kirejtshuk, 1992, <i>Carpophilus</i>	466
<i>amplus</i> Wittmer, 1995, <i>Lycocerus</i>	249
<i>ampulla</i> Easton, 1955, <i>Meligethes</i>	483
<i>amriki</i> Garg, 1995, <i>Zorochros</i>	194
<i>amurensis</i> Heyden, 1880, <i>Dichelotarsus</i>	236
<i>amurensis</i> Iablokoff-Khnzorian, 1972, <i>Stethorus</i>	591
<i>amurensis</i> J. Weise, 1887, <i>Hyperaspis</i>	577
<i>amurensis</i> Jagemann, 1942, <i>Pseudanostirus</i>	180
<i>amurensis</i> Kirejtshuk, 1992, <i>Epuraea</i>	463
<i>amurensis</i> Kleine, 1933, <i>Xylobanellus</i>	222
<i>amurensis</i> Pic, 1909, <i>Ampedus</i>	127
<i>amurensis</i> Pic, 1916, <i>Denticollis</i>	167
<i>amurensis</i> Pic, 1932, <i>Xylobanellus</i>	222
<i>amurensis</i> Pic, 1902, <i>Rhagonycha</i>	264
<i>amurensis</i> Pic, 1942, <i>Attagenus</i>	310
<i>amurensis</i> Pic, 1904, <i>Ebaeus</i>	429
<i>amurensis</i> Platia & Gudenzi, 1999, <i>Diacanthous</i>	169
<i>amurensis</i> Reitter, 1879, <i>Peltastica</i>	299
<i>amurensis</i> Reitter, 1879, <i>Triplax</i>	544
<i>amurensis</i> Reitter, 1879, <i>Corticaria</i>	641
<i>amussitatus</i> Candèze, 1873, <i>Melanotus</i>	151
<i>anabaptista</i> Gozis, 1882, <i>Ernobius</i>	350
<i>anabelae</i> Luna de Carvalho, 1985, <i>Anommatus</i>	549
<i>anachoretus</i> Ménériés, 1832, <i>Agriotes</i>	114
<i>anachoretus</i> Ménériés, 1832, <i>Melanotus</i>	141
<i>anagaensis</i> Evers, 1961, <i>Attalus</i>	420
<i>anale</i> Lesne, 1897, <i>Sinoxylon</i>	323
<i>analis</i> Erichson, 1846, <i>Atomaria</i>	524
<i>analis</i> Fabricius, 1792, <i>Athous</i>	159
<i>analis</i> Fabricius, 1801, <i>Pyrocoelia</i>	228
<i>analis</i> Fabricius, 1787, <i>Scymnus</i>	585

<i>analis</i> Fairmaire, 1889, <i>Anadastus</i>	532
<i>analis</i> Fischer von Waldheim, 1844, <i>Dasytes</i>	402
<i>analis</i> Gebler, 1842, <i>Malthodes</i>	285
<i>analis</i> Gebler, 1830, <i>Cerallus</i>	386
<i>analis</i> Kiesenwetter, 1879, <i>Episernus</i>	349
<i>analis</i> Mulsant & Guillebeau, 1856, <i>Athous</i>	157
<i>analis</i> P. Rossi, 1794, <i>Scymnus</i>	584
<i>analis</i> Panzer, 1798, <i>Attalus</i>	419
<i>analis</i> Reitter, 1890, <i>Dasytiscus</i>	391
<i>analis</i> Reitter, 1892, <i>Triplax</i>	543
<i>analis</i> Schwarz, 1892, <i>Cardiophorus</i>	195
<i>analis</i> Stephens, 1829, <i>Cantharis</i>	245
<i>analogicus</i> Kolbe, 1886, <i>Ampedus</i>	129
<i>anapensis</i> Dahlgren, 1985, <i>Rhagonycha</i>	261
<i>anastasei</i> Pic, 1931, <i>Brachyattalus</i>	451
<i>anathesinus</i> Candèze, 1897, <i>Agrypnus</i>	97
<i>anaticus</i> Candèze, 1860, <i>Cardiophorus</i>	197
<i>anatolica</i> Bourgeois, 1900, <i>Cantharis</i>	245
<i>anatolica</i> C. Johnson, 1989, <i>Corticaria</i>	641
<i>anatolica</i> Dahlgren, 1968, <i>Rhagonycha</i>	261
<i>anatolica</i> Geisthardt, 1982, <i>Nyctophila</i>	227
<i>anatolica</i> Mannerheim, 1844, <i>Dienerella</i>	636
<i>anatolica</i> Pic, 1920, <i>Podabrus</i>	237
<i>anatolica</i> Reitter, 1902, <i>Parathrix</i>	393
<i>anatolica</i> Schilsky, 1897, <i>Danacea</i>	395
<i>anatolica</i> Zahradník, 1998, <i>Caenocara</i>	344
<i>anaticum</i> Zahradník, 1996, <i>Lasioderma</i>	357
<i>anaticus</i> Bruce, 1963, <i>Cryptophagus</i>	515
<i>anaticus</i> C. Johnson, 1975, <i>Ernobius</i>	349
<i>anaticus</i> Candèze, 1882, <i>Idotarmonides</i>	141
<i>anaticus</i> Dolin & Mertlik, 2002, <i>Zorochros</i>	192
<i>anaticus</i> Evers, 1961, <i>Axinotarsus</i>	440
<i>anaticus</i> J. Weise, 1905, <i>Scymnus</i>	585
<i>anaticus</i> Pic, 1900, <i>Ptinus</i>	334
<i>anaticus</i> Pic, 1901, <i>Tetrabrachys</i>	573
<i>anaticus</i> Platia, 2003, <i>Agriotes</i>	114
<i>anaticus</i> Platia, 1989, <i>Athous</i>	160
<i>anaticus</i> Platia & Gudenzi, 2002, <i>Ampedus</i>	121
<i>anaticus</i> Platia & Gudenzi, 2000, <i>Hypnoidus</i>	154
<i>anaticus</i> Platia & Schimmel, 1991, <i>Adrastus</i>	108
<i>anaticus</i> Reitter, 1901, <i>Prosternon</i>	180
<i>anaticus</i> Reitter, 1894, <i>Trichodes</i>	378
<i>anaticus</i> Reitter, 1903, <i>Enicmus</i>	638
<i>anaticus</i> Schilsky, 1903, <i>Aplocnemus</i>	412
<i>anaticus</i> Schilsky, 1903, <i>Meligethes</i>	481
<i>anaticus</i> Wittmer, 1974, <i>Malthinus</i>	283
<i>anaticus</i> Wittmer, 1966, <i>Malthodes</i>	285
<i>anaticus</i> Wittmer, 1986, <i>Ebaeus</i>	429
<i>anaticus</i> Wittmer, 1986, <i>Clanoptilus</i>	443
<i>anaticus</i> Wittmer, 1974, <i>Malachius</i>	448

anax Iablokoff-Khnzorian, 1978, <i>Colotes</i>	428
anceps Mulsant, 1850, <i>Isora</i>	601
ancestor Kirejtshuk, 1980, <i>Meligethes</i>	479
anceyi Abeille de Perrin, 1869, <i>Cyrtosus</i>	447
anceyi E. Olivier, 1883, <i>Luciola</i>	231
anchastinus Candèze, 1882, <i>Mulsanteus</i>	133
<i>anchorago</i> Fairmaire, 1884, <i>Pharoscymnus</i>	571
<i>anchorifer</i> Bedel, 1885, <i>Exochomus</i>	594
ancistroides X.-F. Pang & Huang, 1986, <i>Pseudoscymnus</i>	582
ancontophyllus Ren & X.-F. Pang, 1993, <i>Scymnus</i>	584
<i>ancora</i> Weise, 1880, <i>Propylea</i>	623
<i>ancorale</i> Schwarz, 1901, <i>Aeoloderma</i>	103
<i>ancoralis</i> Champion, 1926, <i>Themus</i>	270
ancoriger Gorham, 1873, <i>Mycetina</i>	565
<i>ancyroides</i> X.-F. Pang & Pu, 1988, <i>Nephus</i>	580
<i>andalusiaca</i> Pic, 1900, <i>Cantharis</i>	245
<i>andalusiaca</i> Walth, 1835, <i>Falsomelyris</i>	387
andalusiacus Aubé, 1861, <i>Stagetus</i>	346
andalusiacus Franz, 1967, <i>Agriotes</i>	114
<i>andalusiacus</i> Pic, 1895, <i>Trichodes</i>	379
andalusiacus Wittmer, 1970, <i>Malthodes</i>	285
andalusica Dahlgren, 1975, <i>Rhagonycha</i>	261
andalusicus Jacquelin du Val, 1860, <i>Cebrio</i>	89
andalusicus Rosenhauer, 1856, <i>Aplocnemus</i>	409
<i>andamanensi</i> Schenkling, 1906, <i>Orthrius</i>	374
<i>andamanensis</i> Gorham, 1888, <i>Episcaphula</i>	540
<i>andamanensis</i> Kapur, 1967, <i>Scymnus</i>	589
<i>andersoni</i> Wollaston, 1862, <i>Myrrha</i>	620
<i>andischanensis</i> Pic, 1914, <i>Cantharis</i>	241
andoi Narukawa, 2003, <i>Tritoma</i>	545
andradei Pardo Alcaide, 1966, <i>Enicopus</i>	407
<i>andreae</i> Ganglbauer, 1906, <i>Malthodes</i>	286
andreevae Wittmer, 1999, <i>Hypebaeina</i>	433
<i>andrei</i> Pic, 1935, <i>Cantharis</i>	247
<i>andreini</i> Buysson, 1922, <i>Cardiophorus</i>	195
andreinii Escalera, 1942, <i>Thorictus</i>	303
andreinii Gridelli, 1930, <i>Merophysia</i>	557
andreinii Pic, 1930, <i>Triplax</i>	543
andresi Schenkling, 1912, <i>Phloiocopus</i>	374
<i>andrewesi</i> Fleutiaux, 1933, <i>Abelater</i>	135
<i>andrewesi</i> Grouvelle, 1908, <i>Epuraea</i>	460
<i>andrewesi</i> Grouvelle, 1908, <i>Monotomopsis</i>	495
<i>andrewesi</i> Grouvelle, 1908, <i>Psammoeocus</i>	497
<i>andrewesi</i> Grouvelle, 1894, <i>Triboderus</i>	552
<i>andrewesi</i> Sicard, 1914, <i>Ceratomegilla</i>	609
androgyna Büche, 2001, <i>Dorcatoma</i>	344
anemicus Fürsch, 1960, <i>Diomus</i>	576
anemophilus Chobaut, 1901, <i>Pseudeurostus</i>	332
<i>angelica</i> J. Weise, 1903, <i>Oenopia</i>	622
angelinii C. Johnson & Bowstead, 2003, <i>Caenoscelis</i>	513

angelinii Liberti, 1995, <i>Aplocnemus</i>	409
angelinii Lohse, 1991, <i>Ernobius</i>	349
angelinii Rücker, 1998, <i>Dienerella</i>	636
angellata Lyubarsky, 1995, <i>Atomaria</i>	526
anglicana J. Weise, 1879, <i>Adalia</i>	602
angohranensis Duverger, 1983, <i>Pharoscymnus</i>	570
angorensis Pic, 1903, <i>Metacantharis</i>	256
angorensis Pic, 1908, <i>Malthodes</i>	285
angularis Candèze, 1869, <i>Zoroachros</i>	192
angularis Gené, 1836, <i>Cardiophorus</i>	201
angularis J. R. Sahlberg, 1871, <i>Podistra</i>	259
angularis LeConte, 1855, <i>Corticarina</i>	646
angularis Sajó, 1881, <i>Propylea</i>	624
angularis Stephens, 1830, <i>Athous</i>	157
angularoides Buysson, 1913, <i>Cardiophorus</i>	195
angulata Küster, 1850, <i>Danacea</i>	395
angulata Wollaston, 1871, <i>Melanophthalma</i>	647
angulatocollis A. Costa, 1858, <i>Rhagonycha</i>	261
angulatus Candèze, 1860, <i>Priopus</i>	151
angulatus Escalera, 1914, <i>Thorictus</i>	303
angulatus Fabricius, 1792, <i>Troglops</i>	453
angulatus Mannerheim, 1844, <i>Stephostethus</i>	640
angulatus Reitter, 1921, <i>Trixagus</i>	88
angulatus Rey, 1891, <i>Idolus</i>	140
angulatus Wittmer, 1997, <i>Rhagophthalmus</i>	225
angulatus Wittmer, 1995, <i>Lycocerus</i>	249
angulatus Wittmer, 1974, <i>Stenothemus</i>	269
angulatus Wittmer, 1997, <i>Malthinus</i>	276
angulatus Wittmer, 1970, <i>Malthodes</i>	285
angulicinctus Fürsch, 1958, <i>Scymnus</i>	589
angulicollis C. G. Thomson, 1863, <i>Episernus</i>	349
angulicollis Kangas, 1973, <i>Atomaria</i>	524
angulicollis Motschulsky, 1866, <i>Melanophthalma</i>	647
angulicornis Pic, 1949, <i>Clanoptilus</i>	443
angulifrons Reitter, 1905, <i>Athous</i>	158
angulimaculatus Mader, 1938, <i>Platynaspidius</i>	596
angulipygus Wittmer, 1980, <i>Malthodes</i>	285
angulistilus Wittmer, 1978, <i>Malthodes</i>	285
angulosa J. Weise, 1879, <i>Hippodamia</i>	618
angulosa Kazantsev, 1994, <i>Rhagonycha</i>	261
angulosa Motschulsky, 1849, <i>Melanophthalma</i>	648
anguloseminiatus Buysson, 1922, <i>Cardiophorus</i>	201
angulosepictus Buysson, 1900, <i>Drasterius</i>	105
angulosus Endrödy-Younga, 1968, <i>Hierronius</i>	491
angulosus Germar, 1844, <i>Plastocerus</i>	209
angulosus Rebmann, 1940, <i>Meligethes</i>	478
angusta Aubé, 1866, <i>Corticaria</i>	642
angusta Li, 1961, <i>Epilachna</i>	626
angusta Marseul, 1864, <i>Rhagonycha</i>	261
angustata Arrow, 1925, <i>Tetratritoma</i>	543

<i>angustata</i> Erichson, 1843, <i>Megauchenia</i>	473
<i>angustata</i> Faldermann, 1835, <i>Necrobia</i>	382
<i>angustata</i> J. R. Sahlberg, 1903, <i>Danosoma</i>	100
<i>angustata</i> Kirby, 1830, <i>Dacne</i>	538
<i>angustata</i> Motschulsky, 1854, <i>Lampyris</i>	226
<i>angustata</i> Stephens, 1830, <i>Monotoma</i>	494
<i>angustata</i> Stephens, 1829, <i>Dienerella</i>	637
<i>angustatum</i> Erichson, 1845, <i>Cerylon</i>	553
<i>angustatus</i> C. F. A. Schaeffer, 1931, <i>Dermestes</i>	300
<i>angustatus</i> C. N. F. Brisout de Barneville, 1862, <i>Ptinomorphus</i>	354
<i>angustatus</i> Casey, 1924, <i>Cryptophagus</i>	515
<i>angustatus</i> Kocher, 1961, <i>Cebrio</i>	89
<i>angustatus</i> Küster, 1848, <i>Meligethes</i>	479
<i>angustatus</i> Ménériés, 1832, <i>Clanoptilus</i>	445
<i>angustatus</i> Miwa, 1928, <i>Ectinus</i>	120
<i>angustatus</i> Miwa, 1927, <i>Yukoana</i>	191
<i>angustatus</i> Montrouzier, 1855, <i>Ancistria</i>	501
<i>angustatus</i> Motschulsky, 1854, <i>Malachius</i>	449
<i>angustatus</i> Murray, 1864, <i>Tetrisus</i>	465
<i>angustatus</i> P. H. Lucas, 1846, <i>Ahasverus</i>	498
<i>angustatus</i> Pic, 1897, <i>Drapetes</i>	207
<i>angustatus</i> Pic, 1907, <i>Neoxyletinus</i>	359
<i>angustatus</i> Pic, 1922, <i>Tillodenops</i>	369
<i>angustatus</i> Reitter, 1872, <i>Troglops</i>	453
<i>angustatus</i> Solsky, 1876, <i>Attagenus</i>	307
<i>angustefasciatus</i> Ganglbauer, 1904, <i>Anthrenus</i>	311
<i>angustefasciatus</i> Pic, 1940, <i>Sinocymbachus</i>	566
<i>angusticarinatus</i> Sasaji, 1968, <i>Cryptogonus</i>	575
<i>angusticeps</i> Reitter, 1911, <i>Monotoma</i>	493
<i>angusticollis</i> C. N. F. Brisout de Barneville, 1862, <i>Ogmoderes</i>	552
<i>angusticollis</i> Gyllenhal, 1827, <i>Monotoma</i>	493
<i>angusticollis</i> Gyllenhal, 1827, <i>Stephostethus</i>	640
<i>angusticollis</i> Heyden, 1886, <i>Ampedus</i>	122
<i>angusticollis</i> Kiesenwetter, 1874, <i>Lucidina</i>	230
<i>angusticollis</i> Motschulsky, 1860, <i>Xylobanus</i>	223
<i>angusticollis</i> Motschulsky, 1860, <i>Dichelotarsus</i>	236
<i>angusticollis</i> Motschulsky, 1853, <i>Malthodes</i>	285
<i>angusticollis</i> Motschulsky, 1860, <i>Glischrochilus</i>	469
<i>angusticollis</i> P. H. Lucas, 1846, <i>Cyrtosus</i>	446
<i>angusticollis</i> Pic, 1955, <i>Lycocerus</i>	254
<i>angusticollis</i> Pic, 1898, <i>Malthinus</i>	277
<i>angusticollis</i> Ratzeburg, 1837, <i>Ernobius</i>	349
<i>angusticollis</i> Reiche, 1862, <i>Henosepilachna</i>	629
<i>angusticollis</i> Reitter, 1894, <i>Pleonomus</i>	156
<i>angusticollis</i> Reitter, 1878, <i>Heterhelus</i>	457
<i>angusticollis</i> Reitter, 1876, <i>Silvanoprus</i>	500
<i>angusticolor</i> Reitter, 1894, <i>Trichodes</i>	376
<i>angusticornis</i> Fairmaire, 1873, <i>Cebrio</i>	89
<i>angustiformis</i> Buysson, 1914, <i>Cardiophorus</i>	195
<i>angustiformis</i> Vats & Chauhan, 1991, <i>Metriaulacus</i>	151

<i>angustifrons</i> Abeille de Perrin, 1881, <i>Trichodes</i>	378
<i>angustifrons</i> Wollaston, 1862, <i>Attalus</i>	420
<i>angustijunctus</i> Pic, 1937, <i>Divales</i>	406
<i>angustimarginalis</i> Donisthorpe, 1933, <i>Clanoptilus</i>	444
<i>angustimargo</i> Uhagón, 1901, <i>Cyrtosus</i>	446
<i>angustior</i> Fairmaire, 1886, <i>Lamprigera</i>	229
<i>angustior</i> Fowler, 1913, <i>Anadastus</i>	532
<i>angustior</i> Pic, 1896, <i>Ptinomorphus</i>	354
<i>angustior</i> Pic, 1896, <i>Ptinomorphus</i>	354
<i>angustioripennis</i> Pic, 1927, <i>Prothemus</i>	260
<i>angustipennis</i> E. Olivier, 1883, <i>Pelania</i>	228
<i>angustipennis</i> Pic, 1908, <i>Malthinus</i>	278
<i>angustipes</i> Grouvelle, 1908, <i>Cyllodes</i>	472
<i>angustipectus</i> Barovskij, 1926, <i>Cantharis</i>	241
<i>angustissimum</i> Pic, 1903, <i>Synanobium</i>	345
<i>angustitarsis</i> Kirejtshuk, 1977, <i>Meligethes</i>	479
<i>angustithorax</i> Wittmer, 1975, <i>Lycocerus</i>	254
<i>angustula</i> Fairmaire, 1895, <i>Lampyris</i>	226
<i>angustula</i> Motschulsky, 1863, <i>Epuraea</i>	463
<i>angustula</i> Sturm, 1844, <i>Epuraea</i>	459
<i>angustulus</i> Candèze, 1860, <i>Athous</i>	160
<i>angustulus</i> Kiesenwetter, 1858, <i>Aplotarsus</i>	175
<i>angustum</i> Rosenhauer, 1856, <i>Leucohimatium</i>	536
<i>angustum</i> Solier, 1849, <i>Trogoderma</i>	319
<i>angustus</i> Chevrolat, 1843, <i>Trichodes</i>	378
<i>angustus</i> Fairmaire, 1900, <i>Micropodabrus</i>	256
<i>angustus</i> Fleutiaux, 1942, <i>Agrypnus</i>	97
<i>angustus</i> Ganglbauer, 1899, <i>Cryptophagus</i>	516
<i>angustus</i> Herbst, 1806, <i>Limonius</i>	165
<i>angustus</i> John, 1964, <i>Thorictus</i>	303
<i>angustus</i> Platia & Schimmel, 2002, <i>Melanotus</i>	141
<i>angustus</i> T. L. Casey, 1900, <i>Dermestes</i>	300
<i>anhuiensis</i> Li, 1993, <i>Quasimus</i>	190
<i>anhweiana</i> Dieke, 1947, <i>Epilachna</i>	626
<i>anitidus</i> Lyubarsky, 2000, <i>Cryptophagus</i>	515
<i>ankangensis</i> Platia & Schimmel, 2004, <i>Melanotus</i>	141
<i>anmashanus</i> C.-T. Yang, 1971, <i>Pseudoscymnus</i>	582
<i>annae</i> Coreia de Barros, 1929, <i>Trichodes</i>	378
<i>annamensis</i> Fleutiaux, 1918, <i>Oxynopterus</i>	94
<i>annamensis</i> John, 1956, <i>Aphanocephalus</i>	556
<i>annamensis</i> Schwarz, 1902, <i>Drasterius</i>	106
<i>annapurnensis</i> Bocák & Bocáková, 1999, <i>Plateros</i>	219
<i>annapurnica</i> Schimmel, 2002, <i>Penia</i>	185
<i>annectens</i> Crotch, 1873, <i>Adalia</i>	602
<i>annectens</i> Sharp, 1899, <i>Cathartus</i>	499
<i>annectens</i> Timberlake, 1943, <i>Bothrocalvia</i>	607
<i>annosus</i> Candèze, 1865, <i>Melanotus</i>	141
<i>annularis</i> Ménériés, 1836, <i>Cantharis</i>	239
<i>annulata</i> Linnaeus, 1767, <i>Adalia</i>	602
<i>annulata</i> Voet, 1766, <i>Adalia</i>	602

annulatus Champion, 1924, <i>Ichthyurus</i>	297
annulatus Gebler, 1830, <i>Clanoptilus</i>	445
annulatus Mannerheim, 1825, <i>Podabrus</i>	237
<i>annulatus</i> Mulsant & Rey, 1867, <i>Clanoptilus</i>	443
<i>annulicornis</i> Champion, 1926, <i>Micropodabrus</i>	257
<i>annulicornis</i> Chevrolat, 1874, <i>Cebrio</i>	89
<i>annulicornis</i> Desbrochers des Loges, 1875, <i>Cardiophorus</i>	195
<i>annulifer</i> Laporte, 1840, <i>Attagenus</i>	308
<i>annulifer</i> Pic, 1907, <i>Hypebaeus</i>	434
<i>annulipes</i> Pic, 1936, <i>Cyrtosus</i>	446
<i>anobioides</i> Chevrolat, 1832, <i>Dryophilus</i>	348
<i>anobioides</i> Waterhouse, 1888, <i>Amphicerus</i>	321
<i>anomalus</i> Nakane, 1977, <i>Drilaster</i>	233
<i>anonus</i> Mulsant & Rey, 1852, <i>Scymniscus</i>	582
<i>anophthalmus</i> Franz, 1969, <i>Derolathrus</i>	362
<i>anorachilus</i> Ragusa, 1883, <i>Lygistopterus</i>	224
<i>anpingensis</i> Miwa, 1930, <i>Platynychus</i>	207
<i>ansariensis</i> Švihla, 1994, <i>Malthodes</i>	285
<i>anselmoi</i> Wittmer, 1971, <i>Malthinus</i>	277
<i>antalfyi</i> K. Papp, 1943, <i>Cynegetis</i>	625
<i>antennalis</i> Cate, 2002, <i>Craspedostethus</i>	203
<i>antennalis</i> Desbrochers des Loges, 1875, <i>Cardiophorus</i>	198
<i>antennalis</i> Geisthardt, 1988, <i>Lampyroidea</i>	231
<i>antennalis</i> Marseul, 1864, <i>Cantharis</i>	239
<i>antennarium</i> Apfelbeck, 1909, <i>Sphaerosoma</i>	555
<i>antennata</i> Grouvelle, 1908, <i>Aethinopsis</i>	471
<i>antennata</i> Lewis, 1894, <i>Lacon</i>	101
<i>antennata</i> Schilsky, 1897, <i>Danacea</i>	398
<i>antennata</i> Švihla, 2004, <i>Rhagonycha</i>	261
<i>antennatus</i> Casey, 1900, <i>Cryptophagus</i>	520
<i>antennatus</i> Chevrolat, 1874, <i>Cebrio</i>	89
<i>antennatus</i> Escalera, 1914, <i>Attagenus</i>	308
<i>antennatus</i> Grouvelle, 1913, <i>Monanus</i>	499
<i>antennatus</i> Kishii, 1957, <i>Diacanthous</i>	169
<i>antennatus</i> Laporte, 1840, <i>Attagenus</i>	307
<i>antennatus</i> Miwa, 1934, <i>Gamepenches</i>	136
<i>antennatus</i> Motschulsky, 1854, <i>Clanoptilus</i>	444
<i>antennatus</i> Pic, 1896, <i>Ptinus</i>	333
<i>antennatus</i> Reitter, 1887, <i>Attagenus</i>	309
<i>anthemidis</i> Perris, 1869, <i>Olibrus</i>	508
<i>anthicinus</i> Baudi di Selve, 1871, <i>Colotes</i>	428
<i>anthicoides</i> Westwood, 1849, <i>Anthicoclerus</i>	371
<i>anthicoides</i> Wollaston, 1862, <i>Attalus</i>	420
<i>anthodea</i> T. Zeng & L.-F. Yang, 1996, <i>Epilachna</i>	626
<i>anthracinus</i> Bedel, 1899, <i>Necrobinus</i>	382
<i>anthracinus</i> C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	479
<i>anthracinus</i> Chevrolat, 1874, <i>Cebrio</i>	89
<i>anthracinus</i> LeConte, 1869, <i>Ampedus</i>	125
<i>anthracinus</i> Mannerheim, 1844, <i>Latridius</i>	639
<i>anthracinus</i> Mulsant & Guillebeau, 1853, <i>Crepidophorus</i>	169

<i>anthrax</i> J. Weise, 1879, <i>Coccinella</i>	612
<i>anthrenoides</i> Wollaston, 1864, <i>Attagenus</i>	307
<i>antica</i> Fairmaire, 1889, <i>Luciola</i>	232
<i>antica</i> Laporte, 1840, <i>Cantharis</i>	241
<i>anticecinctus</i> Fürsch, 1958, <i>Scymnus</i>	589
<i>anticecoloratus</i> Buysson, 1922, <i>Cardiophorus</i>	195
<i>anticenotatus</i> Buysson, 1912, <i>Drasterius</i>	105
<i>anticenotatus</i> Pic, 1904, <i>Malachius</i>	448
<i>anticenotatus</i> Ragusa, 1911, <i>Cardiophorus</i>	201
<i>anticus</i> Candèze, 1892, <i>Melanoxanthus</i>	137
<i>anticus</i> Erichson, 1840, <i>Cardiophorus</i>	195
<i>anticus</i> Kiesenwetter, 1866, <i>Attalus</i>	420
<i>anticus</i> Laporte, 1838, <i>Hypebaeus</i>	433
<i>anticus</i> Reitter, 1890, <i>Drasterius</i>	105
<i>anticus</i> Rey, 1889, <i>Cryptophagus</i>	521
<i>antigai</i> Buysson, 1896, <i>Odontoderus</i>	168
<i>antiochiacus</i> Wittmer, 1970, <i>Malthodes</i>	285
<i>antipodum</i> White, 1846, <i>Cartodere</i>	635
<i>antiqua</i> Brullé, 1832, <i>Lamprohiza</i>	230
<i>antiquus</i> Klug, 1842, <i>Trichodes</i>	376
<i>antirrhini</i> Murray, 1864, <i>Brachypterolus</i>	456
<i>antoinei</i> Buysson, 1924, <i>Cardiophorus</i>	195
<i>antoinei</i> Peyerimhoff, 1949, <i>Lasioderma</i>	357
<i>antoniae</i> Reitter, 1889, <i>Ampedus</i>	121
<i>antoniae</i> Reitter, 1884, <i>Globicornis</i>	316
<i>anulatus</i> Evers, 1988, <i>Microlipus</i>	450
<i>anxiosus</i> Grouvelle, 1916, <i>Cryptophagus</i>	515
<i>anxius</i> Gebler, 1843, <i>Selatosomus</i>	181
<i>anxius</i> Mulsant & Rey, 1861, <i>Orthoperus</i>	634
<i>aokii</i> Chûjô, 1942, <i>Stenotarsus</i>	568
<i>aomoriensis</i> Takahashi & Okushima, 1999, <i>Asiopodabrus</i>	234
<i>apalochroides</i> Abeille de Perrin, 1890, <i>Anthocomus</i>	438
<i>apayao</i> Kishii, 1991, <i>Glyphonyx</i>	109
<i>apayao</i> Kishii, 1993, <i>Ludioschema</i>	132
<i>apennina</i> Fiori, 1909, <i>Cantharis</i>	243
<i>apenninus</i> Baudi di Selve, 1874, <i>Pseudeurostus</i>	332
<i>apenninus</i> Schilsky, 1896, <i>Dasytes</i>	404
<i>apertus</i> Casey, 1916, <i>Placonotus</i>	506
<i>apetzi</i> Mulsant, 1846, <i>Scymnus</i>	589
<i>apetzoides</i> Capra & Fürsch, 1967, <i>Scymnus</i>	591
<i>apex</i> Schilsky, 1897, <i>Divales</i>	406
<i>apfelbecki</i> Ganglbauer, 1899, <i>Anommatus</i>	550
<i>apfelbecki</i> Pic, 1902, <i>Armidia</i>	238
<i>apfelbecki</i> Reitter, 1905, <i>Athous</i>	160
<i>apfelbecki</i> Reitter, 1901, <i>Cartodere</i>	635
<i>aphictoides</i> Reitter, 1898, <i>Corticaria</i>	642
<i>aphyctoides</i> Procházka, 1894, <i>Danacea</i>	397
<i>apiarius</i> Linnaeus, 1758, <i>Trichodes</i>	376
<i>apiarius</i> O.F. Müller, 1776, <i>Trichodes</i>	376
<i>apiaroides</i> Reitter, 1894, <i>Trichodes</i>	376

<i>apicalis</i> A. Villa & G. B. Villa, 1833, <i>Cordylepherus</i>	446
<i>apicalis</i> Ballion, 1878, <i>Protocollops</i>	419
<i>apicalis</i> Blackburn, 1888, <i>Cartodere</i>	636
<i>apicalis</i> Brancsik, 1899, <i>Trichodes</i>	377
<i>apicalis</i> Champenois, 1900, <i>Trichodes</i>	376
<i>apicalis</i> Chevrolat, 1882, <i>Cebrio</i>	89
<i>apicalis</i> Chevrolat, 1854, <i>Rhagonycha</i>	262
<i>apicalis</i> Curtis, 1840, <i>Rhagonycha</i>	265
<i>apicalis</i> Dufour, 1843, <i>Hyperaspis</i>	578
<i>apicalis</i> Erichson, 1846, <i>Atomaria</i>	524
<i>apicalis</i> Fleutiaux, 1889, <i>Melanotus</i>	150
<i>apicalis</i> Grouvelle, 1903, <i>Epuraea</i>	462
<i>apicalis</i> Grouvelle, 1894, <i>Meligethinus</i>	488
<i>apicalis</i> Hope, 1831, <i>Calochromus</i>	224
<i>apicalis</i> J. R. Sahlberg, 1926, <i>Enicmus</i>	637
<i>apicalis</i> J. Weise, 1901, <i>Cryptogonus</i>	576
<i>apicalis</i> J. Weise, 1879, <i>Ceratomegilla</i>	609
<i>apicalis</i> Kiesenwetter, 1859, <i>Charopus</i>	441
<i>apicalis</i> Küster, 1847, <i>Anthrenus</i>	314
<i>apicalis</i> LeConte, 1863, <i>Ephistemus</i>	530
<i>apicalis</i> Motschulsky, 1835, <i>Mycetina</i>	565
<i>apicalis</i> Perris, 1864, <i>Sphinginus</i>	426
<i>apicalis</i> Pic, 1929, <i>Phyllocerus</i>	81
<i>apicalis</i> Pic, 1906, <i>Podabrus</i>	237
<i>apicalis</i> Pic, 1942, <i>Attagenus</i>	307
<i>apicalis</i> Pic, 1932, <i>Neodryophilus</i>	348
<i>apicalis</i> Pic, 1954, <i>Callimerus</i>	371
<i>apicalis</i> Pic, 1894, <i>Danacea</i>	395
<i>apicalis</i> Ragusa, 1896, <i>Dasytes</i>	402
<i>apicalis</i> Reiche & Saulcy, 1857, <i>Metacantharis</i>	256
<i>apicalis</i> Reichenbach, 1826, <i>Ebaeus</i>	430
<i>apicalis</i> Reitter, 1890, <i>Drasterius</i>	105
<i>apicalis</i> Reitter, 1889, <i>Ampedus</i>	121
<i>apicalis</i> Reitter, 1889, <i>Ancistria</i>	501
<i>apicalis</i> Rey, 1891, <i>Cardiophorus</i>	201
<i>apicalis</i> Schilsky, 1892, <i>Ampedus</i>	126
<i>apicalis</i> Schilsky, 1897, <i>Anthodromius</i>	386
<i>apicalis</i> Zia, 1934, <i>Anadastus</i>	532
<i>apicata</i> Crotch, 1876, <i>Dactylotritoma</i>	541
<i>apicata</i> Zia, 1959, <i>Tetraphala</i>	535
<i>apicatum</i> Mulsant & Rey, 1864, <i>Lasioderma</i>	357
<i>apicatus</i> Fairmaire, 1884, <i>Parexochomus</i>	595
<i>apicatus</i> Guillebeau, 1892, <i>Olibrus</i>	510
<i>apicatus</i> Schilsky, 1897, <i>Divales</i>	406
<i>apicecarinata</i> Wittmer, 1997, <i>Podosilis</i>	275
<i>apiceimpessus</i> Wittmer, 1981, <i>Hypebaeus</i>	434
<i>apicenigra</i> Roubal, 1936, <i>Podabrus</i>	237
<i>apicetestaceus</i> Wittmer, 1955, <i>Hypebaeus</i>	434
<i>apicicornis</i> Pic, 1925, <i>Plateros</i>	219
<i>apicida</i> Klug, 1842, <i>Trichodes</i>	376

apiciflavus Motschulsky, 1858, <i>Scymnus</i>	589
apicularis G.-Y. Yu, 1999, <i>Epilachna</i>	626
apicipennis Pic, 1913, <i>Microichthyurus</i>	297
<i>apicipennis</i> Pic, 1932, <i>Wittmeridecus</i>	370
<i>apicipennis</i> Reitter, 1909, <i>Epuraea</i>	461
apicipennis Reitter, 1901, <i>Triplax</i>	543
apis Majer, 1988, <i>Bilyella</i>	400
<i>apivore</i> Walckenaer, 1802, <i>Trichodes</i>	376
aplocnemiformis Pic, 1915, <i>Procerallus</i>	387
appendicifer Bourgeois, 1903, <i>Malthodes</i>	285
appendicifer Wittmer, 1981, <i>Hypebaeus</i>	434
appendiculata G.-Y. Yu & X.-F. Pang, 1992, <i>Shirozuella</i>	570
<i>appendiculata</i> P. H. Lucas, 1847, <i>Xylopertha</i>	325
appendiculatus Erichson, 1840, <i>Ebaeus</i>	429
appendiculatus Pic, 1912, <i>Isidus</i>	141
appenhageni Uyttenboogaart, 1930, <i>Corticaria</i>	642
appli Ganglbauer, 1900, <i>Anamartus</i>	455
apposita Reitter, 1884, <i>Epuraea</i>	460
approximana Fairmaire, 1884, <i>Rhagonycha</i>	261
approximans Bourgeois, 1885, <i>Xylobanus</i>	223
<i>approximans</i> Crotch, 1874, <i>Phrynocaria</i>	622
approximans Lewis, 1894, <i>Limonius</i>	165
<i>approximata</i> Wollaston, 1877, <i>Cartodere</i>	636
approximatus Desbrochers des Loges, 1875, <i>Heteroderes</i>	106
<i>aprilinus</i> Gistel, 1857, <i>Elateroides</i>	362
<i>aptera</i> Paykull, 1798, <i>Cynegetis</i>	625
apteriformis Platia & Gudenzi, 2004, <i>Dicronychus</i>	203
apterum Ślipiński, 1988, <i>Spinocerylon</i>	554
apterus Dolin & Bessolitzina, 1990, <i>Oedostethus</i>	189
apterus Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
<i>apterus</i> Geoffroy, 1785, <i>Gibbium</i>	329
apterus Medvedev, 1964, <i>Paratinoides</i>	418
<i>apterus</i> Mulsant, 1862, <i>Malthodes</i>	290
apterus Platia & Gudenzi, 2002, <i>Cardiophorus</i>	195
apterus Wittmer, 1935, <i>Troglops</i>	453
aptus Kapur, 1948, <i>Stethorus</i>	592
apuanum Reitter, 1909, <i>Sphaerosoma</i>	555
apuliae Geisthardt, 1987, <i>Lampyris</i>	227
aquilus Candèze, 1873, <i>Podeonius</i>	140
aquilus Platia, 2003, <i>Agriotes</i>	114
aquilus Toskina, 2001, <i>Ptinomorphus</i>	354
arab Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
arabica Champion, 1919, <i>Idgia</i>	385
arabica Geisthardt, 2003, <i>Selasia</i>	210
<i>arabica</i> Mader, 1931, <i>Coccinella</i>	612
arabica Paulus, 1981, <i>Analestesa</i>	89
arabicus Candèze, 1874, <i>Lanelater</i>	102
arabicus Chassain, 1979, <i>Conoderus</i>	104
arabicus Corporaal, 1941, <i>Phloiocopus</i>	374
arabicus Español, 1981, <i>Stagetus</i>	346

arabicus Español, 1979, <i>Metholcus</i>	361
arabicus Fürsch, 1979, <i>Pharoscymnus</i>	570
arabicus Fürsch, 1989, <i>Scymnus</i>	584
arabicus Jelínek, 1988, <i>Meligethes</i>	479
arabicus Kapur, 1948, <i>Tetrabrachys</i>	573
arabicus Lesne, 1935, <i>Bostrychoplites</i>	321
arabicus Toskina, 1998, <i>Microcoelopus</i>	355
arabicus Wittmer, 1954, <i>Laius</i>	417
arabicus Wittmer, 1979, <i>Condylops</i>	437
arabicus Wittmer, 1980, <i>Brachyattalus</i>	451
arabicus Wittmer, 1979, <i>Troglops</i>	453
arabiensis Otto, 1979, <i>Melanophthalma</i>	647
<i>arabs</i> Fabricius, 1792, <i>Uleiota</i>	497
<i>arabs</i> Lesne, 1909, <i>Phonapate</i>	321
<i>arabs</i> Wurst, 2001, <i>Cardiophorus</i>	195
<i>arachnoides</i> Desbrochers des Loges, 1875, <i>Mezium</i>	329
<i>arachnoides</i> Menier, 1997, <i>Bousquetoclerus</i>	371
arakawadakensis Satô, 1976, <i>Rhagonycha</i>	261
arakii Nakane, 1954, <i>Pseudotritoma</i>	542
<i>arambourgi</i> Pic, 1935, <i>Centrocolotes</i>	427
<i>araneola</i> Arrow, 1925, <i>Chondria</i>	567
<i>araratensis</i> Faldermann, 1835, <i>Drapetes</i>	209
<i>araratica</i> Iablokoff-Khnzorian, 1978, <i>Trichoceble</i>	413
<i>araraticus</i> Iablokoff-Khnzorian, 1969, <i>Scymnus</i>	583
<i>araraticus</i> Zhantiev, 1976, <i>Anthrenus</i>	311
<i>araticollis</i> Fairmaire, 1897, <i>Cantharis</i>	239
<i>aratus</i> Gozis, 1889, <i>Olibrus</i>	508
<i>araxensis</i> Zhantiev, 1976, <i>Anthrenus</i>	313
<i>araxicola</i> A. Fleischer, 1900, <i>Scymnus</i>	589
<i>araxicola</i> Iablokoff-Khnzorian, 1970, <i>Cardiophorus</i>	195
<i>araxicola</i> Reitter, 1895, <i>Zoroachros</i>	192
<i>araxicola</i> Reitter, 1891, <i>Metacantharis</i>	255
<i>araxicola</i> Reitter, 1894, <i>Trichodes</i>	378
<i>araxicola</i> Reitter, 1889, <i>Cryptophagus</i>	515
<i>araxidis</i> Reitter, 1889, <i>Ampedus</i>	122
<i>araxis</i> Reitter, 1914, <i>Anostirus</i>	174
<i>araxis</i> Reitter, 1897, <i>Tetrabrachys</i>	573
<i>arbaensis</i> Pic, 1904, <i>Malthodes</i>	285
<i>arboreus</i> Reitter, 1889, <i>Uleiota</i>	497
<i>arbustorum</i> Kiesenwetter, 1866, <i>Malthodes</i>	285
<i>arbustorum</i> Kiesenwetter, 1859, <i>Trichoceble</i>	413
<i>arcadius</i> Reitter, 1884, <i>Airaphilus</i>	498
<i>arcanum</i> Zhantiev, 2002, <i>Trogoderma</i>	319
<i>arcanus</i> Dolin, 1979, <i>Melanotus</i>	141
<i>arcanus</i> Dolin, 1985, <i>Cardiophorus</i>	195
<i>archangelicus</i> J. R. Sahlberg, 1926, <i>Cryptophagus</i>	517
<i>arctelimbatus</i> Pic, 1904, <i>Malachius</i>	450
<i>arctica</i> D. H. Schneider, 1792, <i>Hippodamia</i>	616
<i>arctica</i> Thunberg, 1795, <i>Adalia</i>	602
<i>arcticus</i> Candèze, 1860, <i>Neohypdonus</i>	189

arcticus Medvedev, 1958, <i>Paratinooides</i>	418
arctoides Kishii, 2002, <i>Melanotus</i>	141
<i>arctomyos</i> Sainte-Claire Deville, 1927, <i>Cryptophagus</i>	518
arctus Candèze, 1882, <i>Melanotus</i>	141
<i>arcuata</i> Fabricius, 1787, <i>Harmonia</i>	615
<i>arcuata</i> Grouvelle, 1908, <i>Epuraea</i>	460
<i>arcuata</i> J. Weise, 1879, <i>Coccinella</i>	611
<i>arcuatum</i> Roubal, 1925, <i>Cerylon</i>	553
arcuatus Kapur, 1959, <i>Nephus</i>	580
arcuatus Kiesenwetter, 1859, <i>Xenostrogylus</i>	477
arcuatus P. Rossi, 1794, <i>Clitostethus</i>	579
<i>arcuatus</i> Spinola, 1844, <i>Trichodes</i>	376
ardaensis Wittmer, 1985, <i>Troglops</i>	453
ardesiaca Pic, 1908, <i>Idgia</i>	385
<i>areata</i> Panzer, 1794, <i>Coccinella</i>	610
<i>arenaria</i> Sajó, 1881, <i>Hippodamia</i>	618
<i>arenarius</i> J. Weise, 1929, <i>Scymnus</i>	588
arenarum Platia & Schimmel, 1997, <i>Lanelater</i>	102
arenicola Boheman, 1854, <i>Negastrius</i>	188
arenicola Nakane & Kishii, 1955, <i>Agrypnus</i>	96
areolatus Normand, 1940, <i>Pastilodes</i>	491
<i>ares</i> Hinton, 1942, <i>Anister</i>	471
<i>areschanus</i> Pic, 1908, <i>Aplocnemus</i>	410
<i>arethusia</i> Mulsant, 1853, <i>Rodolia</i>	597
<i>arganicus</i> Escalera, 1923, <i>Thorictus</i>	305
argentata J. R. Sahlberg, 1903, <i>Danacea</i>	395
<i>argentatus</i> Abeille de Perrin, 1894, <i>Cardiophorus</i>	203
argentea Rücker, 1984, <i>Melanophthalma</i>	647
argenteolus Reitter, 1896, <i>Brachyleptus</i>	455
argenteonotatus Pic, 1948, <i>Ebaeus</i>	429
<i>argentina</i> Barovskij, 1929, <i>Cantharis</i>	247
argentosquamus Vats & Kashyap, 1992, <i>Agrypnus</i>	97
argillaceus Solsky, 1871, <i>Agrypnus</i>	97
argiolus Génè, 1836, <i>Cardiophorus</i>	195
argivus Kiesenwetter, 1859, <i>Malthodes</i>	285
<i>argodi</i> Croissandeau, 1891, <i>Holopamecus</i>	558
<i>argodi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	141
<i>argoides</i> Sjöberg, 1939, <i>Epuraea</i>	460
argolisanus Reitter, 1884, <i>Ptinus</i>	335
argus Geoffroy, 1785, <i>Henosepilachna</i>	629
argus Grouvelle, 1890, <i>Aethina</i>	470
argus Reitter, 1894, <i>Epuraea</i>	460
argus Reitter, 1884, <i>Dienerella</i>	637
argutus Mulsant, 1850, <i>Scymnus</i>	584
argyrostictus Peyerimhoff, 1948, <i>Divales</i>	406
aria Audisio, 1990, <i>Urophorus</i>	468
ariadne Otero & González, 1980, <i>Cryptophagus</i>	515
ariasi Escalera, 1914, <i>Cebrio</i>	89
ariasi Escalera, 1933, <i>Attalus</i>	420
ariasi Mulsant, 1862, <i>Cantharis</i>	239

arisi Mulsant, 1853, <i>Cryptogonus</i>	575
<i>aridosa</i> Gistel, 1857, <i>Thalycra</i>	477
ariharai Kishii, 1985, <i>Ampedus</i>	121
arimotoi Ôhira, 2002, <i>Quasimus</i>	190
arimana Miwa, 1929, <i>Neotriplax</i>	541
arisanensis Wittmer, 1954, <i>Lycocerus</i>	249
arisanus Miwa, 1931, <i>Glyphonyx</i>	109
arisanus Miwa, 1930, <i>Taiwanathous</i>	167
<i>arisi</i> Pic, 1906, <i>Cantharis</i>	241
<i>arisi</i> Schilsky, 1906, <i>Lobonyx</i>	384
aristidis Pic, 1894, <i>Attagenus</i>	307
<i>aristidis</i> Pic, 1894, <i>Falsomelyris</i>	387
aritai Miyatake, 1985, <i>Neohydnius</i>	370
aritai Ôhira & Satô, 1964, <i>Ampedus</i>	129
aritai Satô, 1986, <i>Macrohabronychus</i>	254
aritai Satô & Ohbayashi, 1968, <i>Eropterus</i>	215
armata Mannerheim, 1844, <i>Corticaria</i>	642
armatus P. H. Lucas, 1846, <i>Enicopus</i>	407
armatus Reitter, 1881, <i>Symbiotes</i>	560
armeniaca Kiesenwetter, 1878, <i>Haplothrix</i>	392
armeniacus Audisio, 1999, <i>Meligethes</i>	479
<i>armeniacus</i> Baudi di Selve, 1873, <i>Trichodes</i>	378
armeniacus Canepari, 1979, <i>Scymniscus</i>	583
armeniacus Dolin, 1982, <i>Selatosomus</i>	182
armeniacus Dolin & Agajev, 1993, <i>Ampedus</i>	121
armeniacus Iablokoff-Khnzorian, 1974, <i>Tetrabrachys</i>	573
armeniacus J. Weise, 1894, <i>Coelopterus</i>	570
<i>armeniacus</i> Ménétré, 1832, <i>Clanoptilus</i>	443
armeniacus Motschulsky, 1835, <i>Endomychus</i>	560
armeniacus Schwarz, 1892, <i>Melanotus</i>	141
<i>armeniacus</i> Zaitzev, 1919, <i>Anthrenus</i>	313
armenus Iablokoff-Khnzorian, 1978, <i>Dromanthomorphus</i>	416
armenus Iablokoff-Khnzorian, 1970, <i>Pharoscymsus</i>	570
<i>armifrons</i> Kraatz, 1862, <i>Cyrtosus</i>	447
<i>armipes</i> Jacquelin du Val, 1860, <i>Enicopus</i>	407
armipes Kiesenwetter, 1871, <i>Malthinus</i>	277
armitagei Pic, 1914, <i>Malthodes</i>	285
armitagei Pic, 1923, <i>Malachius</i>	450
armstrongi Mroczkowski, 1952, <i>Anthrenus</i>	312
arnaizi Pardo Alcaide, 1966, <i>Clanoptilus</i>	443
arnoldi Barovskij, 1932, <i>Benibotarus</i>	214
arnoldi Toskina, 1999, <i>Lasioderma</i>	357
arnoldii Dolin, 1990, <i>Melanotus</i>	141
<i>arnoldii</i> Dolin, 1960, <i>Cardiophorus</i>	199
arnoldii Iablokoff-Khnzorian, 1969, <i>Tetrabrachys</i>	573
arnoldii Kazantsev, 1998, <i>Podistra</i>	260
arorai Vats & Kashyap, 1992, <i>Agrypnus</i>	97
arozarenai Cobos, 1970, <i>Cardiophorus</i>	202
<i>arquata</i> J. Weise, 1879, <i>Coccidula</i>	572
arragonicus Brenske & Reitter, 1884, <i>Ptinus</i>	334

<i>arribasi</i> Cobos, 1961, <i>Cardiophorus</i>	196
<i>arrounoana</i> Pic, 1932, <i>Rhagonycha</i>	261
<i>arrowi</i> Kalík, 1954, <i>Attagenus</i>	310
<i>artemisiae</i> J. Weise, 1879, <i>Hippodamia</i>	618
<i>artemisiae</i> Wollaston, 1854, <i>Melyrosoma</i>	388
<i>artemysiae</i> Wollaston, 1867, <i>Psyllobora</i>	599
<i>artensis</i> Montrouzier, 1861, <i>Coelophora</i>	614
<i>arthriticus</i> Spinola, 1844, <i>Trichodes</i>	376
<i>arthurica</i> Jakobson, 1903, <i>Coccinella</i>	611
<i>artvinensis</i> Wittmer, 1978, <i>Malthinus</i>	277
<i>artvinensis</i> Wittmer, 1974, <i>Malachius</i>	448
<i>arundinaceum</i> Forskål, 1775, <i>Leucohimatium</i>	536
<i>arundinis</i> Laporte, 1840, <i>Kateretes</i>	458
<i>arundinis</i> Motschulsky, 1845, <i>Emmepus</i>	370
<i>arunensis</i> Wittmer, 1983, <i>Micropodabrus</i>	256
<i>arunus</i> Sengupta, 1983, <i>Stephostethus</i>	640
<i>arvensis</i> J. Weise, 1879, <i>Adalia</i>	603
<i>arvernica</i> Buysson, 1908, <i>Cantharis</i>	243
<i>arvernica</i> Pic, 1910, <i>Malthodes</i>	287
<i>asahinai</i> M. Chûjô, 1936, <i>Episcapha</i>	539
<i>asahinai</i> Nakane, 1955, <i>Laius</i>	417
<i>asahinai</i> Nakane, 1950, <i>Tritoma</i>	545
<i>asaokai</i> Ôhira, 1994, <i>Drasterius</i>	105
<i>asaokai</i> Ôhira, 1994, <i>Agriotes</i>	114
<i>asellus</i> Erichson, 1840, <i>Cardiophorus</i>	195
<i>ashiaka</i> Kishii, 1998, <i>Ampedus</i>	121
<i>ashiaka</i> Kishii, 1985, <i>Actenicerus</i>	173
<i>ashiunus</i> Kishii, 1976, <i>Ampedus</i>	121
<i>asiatica</i> Iablokoff-Khnzorian, 1970, <i>Melanophthalma</i>	648
<i>asiatica</i> J. Weise, 1885, <i>Oenopia</i>	622
<i>asiatica</i> Lewis, 1896, <i>Hyperaspis</i>	577
<i>asiatica</i> Wittmer, 1971, <i>Rhagonycha</i>	261
<i>asiaticum</i> Lewis, 1889, <i>Nosodendron</i>	299
<i>asiaticus</i> Bonvouloir, 1859, <i>Trixagus</i>	88
<i>asiaticus</i> Buysson, 1905, <i>Athous</i>	156
<i>asiaticus</i> Champion, 1924, <i>Aspidiphorus</i>	455
<i>asiaticus</i> Háva, 2002, <i>Dermestes</i>	302
<i>asiaticus</i> Iablokoff-Khnzorian, 1976, <i>Lyctus</i>	327
<i>asiaticus</i> Iablokoff-Khnzorian, 1970, <i>Nephus</i>	579
<i>asiaticus</i> M. Chûjô, 1967, <i>Anadastus</i>	532
<i>asiaticus</i> Pic, 1951, <i>Rhadalus</i>	415
<i>asiaticus</i> Reitter, 1901, <i>Xyletinus</i>	359
<i>asiaticus</i> Sasaji, 1978, <i>Mychothenus</i>	559
<i>asiaticus</i> Strohecker, 1972, <i>Ancylopus</i>	562
<i>asiaticus</i> Toskina, 1995, <i>Ptilinus</i>	356
<i>asiaticus</i> Wittmer, 1982, <i>Microlipus</i>	450
<i>asignata</i> Trella, 1925, <i>Cantharis</i>	246
<i>asirensis</i> Wittmer, 1980, <i>Idgia</i>	385
<i>asirensis</i> Wittmer, 1979, <i>Colotrema</i>	428
<i>asmodaius</i> Wurst, 1994, <i>Elater</i>	131

asoanus John, 1965, <i>Aphanocephalus</i>	556
asper Gurjeva, 1966, <i>Cardiophorus</i>	195
asper Platia & Schimmel, 2001, <i>Melanotus</i>	141
aspera Schimmel & Platia, 1991, <i>Dima</i>	183
aspera Walker, 1858, <i>Necrobia</i>	382
asperatus Wollaston, 1854, <i>Metopthalmus</i>	639
aspericollis Champion, 1925, <i>Neothrix</i>	393
aspericollis Germar, 1824, <i>Amphicerus</i>	321
aspericollis Ménétrés, 1832, <i>Ptilinus</i>	356
aspericollis Mulsant & Guillebeau, 1855, <i>Melanotus</i>	150
aspericollis Mulsant & Rey, 1853, <i>Ptilinus</i>	356
asperipennis Fairmaire, 1891, <i>Lycocerus</i>	249
asperipunctatus Kang & Okushima, 2003, <i>Asiopodabrus</i>	234
asperrimus Guillebeau, 1897, <i>Meligethes</i>	482
asperulus Candèze, 1860, <i>Dicronychus</i>	204
asperulus Gemminger, 1870, <i>Ptilinus</i>	356
asperulus Graells, 1858, <i>Dasytes</i>	400
aspoecki Paulus, 2004, <i>Hymaloxylon</i>	363
aspoecki Wittmer, 1974, <i>Malthinus</i>	277
aspromontanum Reitter, 1909, <i>Sphaerosoma</i>	556
assaensis Evers, 1962, <i>Troglops</i>	453
assamensis Dieke, 1947, <i>Henosepilachna</i>	629
assamensis Español, 1983, <i>Neoxyletinus</i>	359
assamensis Fowler, 1886, <i>Caenolanguria</i>	533
assamensis Gerstaecker, 1857, <i>Eumorphus</i>	563
assamensis Kapur, 1963, <i>Pharoscymnus</i>	570
assamensis Kirejtshuk, 1980, <i>Meligethes</i>	479
assamensis Pic, 1922, <i>Hladilium</i>	392
assamensis Schwarz, 1905, <i>Hemiops</i>	186
assimilis Erichson, 1871, <i>Clanoptilus</i>	445
assimilis Gyllenhal, 1808, <i>Actenicerus</i>	173
assimilis Hope, 1831, <i>Idgia</i>	385
assimilis Mannerheim, 1844, <i>Latridius</i>	638
assimilis Matthews, 1899, <i>Clypastraea</i>	633
assimilis Méquignon, 1948, <i>Thanasimus</i>	375
assimilis Mulsant, 1850, <i>Chnootriba</i>	626
assimilis P. Rossi, 1794, <i>Phalacrus</i>	510
assimilis Paykull, 1798, <i>Cantharis</i>	239
assimilis Sturm, 1845, <i>Meligethes</i>	479
assimilis Zaslavskij, 1966, <i>Hyperaspis</i>	577
assimilis Zhantiev, 1976, <i>Anthrenus</i>	314
assingi Schimmel, 1996, <i>Ampedus</i>	121
assoi Perez Arcas, 1872, <i>Dima</i>	183
assuanensis Pic, 1913, <i>Drasterius</i>	105
assuanensis Pic, 1899, <i>Attagenus</i>	307
assyria Lesne, 1895, <i>Stenomera</i>	328
assyricus Obenberger, 1914, <i>Meligethes</i>	483
assyrius Švihla, 2002, <i>Malthodes</i>	290
astacurus Peyerimhoff, 1931, <i>Attagenus</i>	307
astacus Easton, 1957, <i>Meligethes</i>	479

<i>aster</i> B. G. Rye, 1905, <i>Ampedus</i>	126
<i>astorganus</i> Pic, 1912, <i>Cardiophorus</i>	200
<i>astrabadensis</i> Faust, 1877, <i>Athous</i>	160
<i>astrabadensis</i> Pic, 1922, <i>Danacea</i>	397
<i>astrate</i> Strohecker, 1951, <i>Amphistethus</i>	562
<i>astruci</i> Pic, 1920, <i>Trixagus</i>	88
<i>astruci</i> Pic, 1918, <i>Carphuroides</i>	415
<i>astur</i> Heyden, 1880, <i>Ancistronycha</i>	238
<i>atacinus</i> Buysson, 1906, <i>Agriotes</i>	115
<i>aturki</i> Platia & Gudenzi, 2000, <i>Anostirus</i>	174
<i>atayal</i> Kishii, 1991, <i>Lacon</i>	100
<i>atayal</i> Kishii, 1991, <i>Glyphonyx</i>	109
<i>atayal</i> Kishii, 1994, <i>Quasimus</i>	190
<i>atayal</i> Kishii & Platia, 1991, <i>Melanotus</i>	150
<i>ater</i> A. G. Olivier, 1790, <i>Dermestes</i>	302
<i>ater</i> A. G. Olivier, 1795, <i>Cryptolestes</i>	504
<i>ater</i> Audouin, 1824, <i>Drilus</i>	209
<i>ater</i> Baudi di Selve, 1870, <i>Cryptophagus</i>	520
<i>ater</i> C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	479
<i>ater</i> Creutzer, 1796, <i>Xyletinus</i>	360
<i>ater</i> Dalla Torre, 1879, <i>Trinodes</i>	306
<i>ater</i> DeGeer, 1774, <i>Dermestes</i>	299
<i>ater</i> Duftschmid, 1825, <i>Dermestes</i>	302
<i>ater</i> Eschscholtz, 1829, <i>Melanotus</i>	148
<i>ater</i> Fabricius, 1792, <i>Tillus</i>	369
<i>ater</i> Fabricius, 1787, <i>Enicopus</i>	407
<i>ater</i> Fürsch, 1958, <i>Nephus</i>	579
<i>ater</i> Geoffroy, 1785, <i>Eucnemis</i>	85
<i>ater</i> Geoffroy, 1785, <i>Hemicrepidius</i>	170
<i>ater</i> Herbst, 1792, <i>Cyllodes</i>	472
<i>ater</i> Herbst, 1792, <i>Phalacrus</i>	510
<i>ater</i> Kiesenwetter, 1863, <i>Ebaeus</i>	429
<i>ater</i> Kugelann, 1794, <i>Scymnus</i>	583
<i>ater</i> Leiler, 1984, <i>Sphaericus</i>	338
<i>ater</i> Pic, 1926, <i>Cladiscus</i>	367
<i>ater</i> Schilsky, 1888, <i>Divales</i>	406
<i>ater</i> Thunberg, 1795, <i>Scymnus</i>	590
<i>aterrima</i> Faldermann, 1837, <i>Xylopertha</i>	325
<i>aterrimum</i> Roubal, 1916, <i>Lasioderma</i>	357
<i>aterrimus</i> Allard, 1869, <i>Troglops</i>	454
<i>aterrimus</i> Chevrolat, 1874, <i>Cebrio</i>	89
<i>aterrimus</i> Eschscholtz, 1818, <i>Tillus</i>	369
<i>aterrimus</i> Linnaeus, 1761, <i>Ectinus</i>	119
<i>aterrimus</i> Paykull, 1800, <i>Drapetes</i>	208
<i>aterrimus</i> Reitter, 1879, <i>Cyllodes</i>	472
<i>aterrimus</i> W. J. MacLeay, 1871, <i>Carpophilus</i>	466
<i>athesis</i> J. Weise, 1881, <i>Anisosticta</i>	600
<i>athoides</i> Kishii, 1955, <i>Actenicerus</i>	173
<i>atkinsoni</i> Candèze, 1895, <i>Ludioschema</i>	132
<i>atkinsoni</i> Platia & Schimmel, 2001, <i>Melanotus</i>	141

<i>atlanticus</i> Candèze, 1865, <i>Heteroderes</i>	106
<i>atlanticus</i> Escalera, 1914, <i>Tetrabrachys</i>	574
<i>atlanticus</i> Evers, 1981, <i>Ifnidius</i>	425
<i>atlasica</i> Pic, 1925, <i>Rhagonycha</i>	262
<i>atlasicus</i> Escalera, 1933, <i>Attalus</i>	421
<i>atlasicus</i> Escalera, 1914, <i>Malachius</i>	449
<i>atlasicus</i> Evers, 1966, <i>Hypebaeus</i>	433
<i>atlasicus</i> Evers, 1995, <i>Troglops</i>	453
<i>atlasicus</i> Kocher, 1952, <i>Cebrio</i>	89
<i>atlasicus</i> Pic, 1932, <i>Malthodes</i>	285
<i>atlasicus</i> Wittmer, 1940, <i>Malthinus</i>	277
<i>atlasiensis</i> Pic, 1932, <i>Cantharis</i>	239
<i>atomaria</i> J. Weise, 1879, <i>Coccinella</i>	612
<i>atomarius</i> Candèze, 1882, <i>Quasimus</i>	190
<i>atomarius</i> Erichson, 1846, <i>Dermestes</i>	301
<i>atomarius</i> Fabricius, 1798, <i>Lacon</i>	101
<i>atomarius</i> Heer, 1841, <i>Orthoperus</i>	634
<i>atomarius</i> Lewis, 1894, <i>Zoroachros</i>	193
<i>atomarius</i> Linnaeus, 1767, <i>Stilbus</i>	512
<i>atomos</i> Stephens, 1829, <i>Orthoperus</i>	634
<i>atomus</i> C. G. Thomson, 1864, <i>Malthodes</i>	293
<i>atomus</i> C. N. F. Brisout de Barneville, 1866, <i>Cybocephalus</i>	489
<i>atomus</i> Gyllenhal, 1808, <i>Orthoperus</i>	634
<i>atomus</i> Ragusa, 1888, <i>Holoparamecus</i>	558
<i>atra</i> Della Beffa, 1914, <i>Cynegetis</i>	625
<i>atra</i> Grouvelle, 1913, <i>Ancistria</i>	501
<i>atra</i> Herbst, 1792, <i>Attagenus</i>	309
<i>atra</i> Herbst, 1793, <i>Atomaria</i>	524
<i>atra</i> Jelínek, 1978, <i>Epuraea</i>	464
<i>atra</i> Jelínek, 1978, <i>Aethina</i>	471
<i>atra</i> Linnaeus, 1767, <i>Rhagonycha</i>	261
<i>atra</i> Majer, 1989, <i>Cyrdothrix</i>	394
<i>atra</i> Paykull, 1798, <i>Rhagonycha</i>	263
<i>atra</i> Ślipiński, 1983, <i>Passandra</i>	502
<i>atra</i> Stephens, 1830, <i>Cantharis</i>	241
<i>atra</i> Thunberg, 1792, <i>Cantharis</i>	244
<i>atramentaria</i> Schimmel & Platia, 1991, <i>Brancuccia</i>	183
<i>atramentarius</i> Erichson, 1840, <i>Cardiophorus</i>	201
<i>atramentarius</i> Förster, 1849, <i>Meligethes</i>	479
<i>atramentarius</i> Kiesenwetter, 1852, <i>Malthodes</i>	295
<i>atramentarius</i> Platia & Schimmel, 1991, <i>Silesis</i>	111
<i>atrata</i> Della Beffa, 1913, <i>Myzia</i>	620
<i>atrata</i> Lewis, 1887, <i>Neotriplax</i>	542
<i>atrata</i> Marseul, 1864, <i>Cantharis</i>	239
<i>atrata</i> Reitter, 1875, <i>Atomaria</i>	528
<i>atrata</i> Schilsky, 1899, <i>Caenocara</i>	344
<i>atratula</i> Iablokoff-Khnzorian, 1975, <i>Neotriplax</i>	542
<i>atratula</i> Jelínek & Kirejtshuk, 1986, <i>Aethina</i>	471
<i>atratulum</i> Reitter, 1875, <i>Cerylon</i>	553
<i>atratulus</i> Brancucci, 1985, <i>Tryptherus</i>	297

<i>atratus</i> Schilsky, 1897, <i>Divales</i>	406
<i>atratus</i> A. G. Olivier, 1790, <i>Meligethes</i>	479
<i>atratus</i> Ballion, 1878, <i>Selatosomus</i>	183
<i>atratus</i> Baudi di Selve, 1859, <i>Malthodes</i>	285
<i>atratus</i> Champion, 1922, <i>Cryptophagus</i>	515
<i>atratus</i> Fleutiaux, 1923, <i>Sarpedon</i>	83
<i>atratus</i> Fleutiaux, 1933, <i>Melanotus</i>	141
<i>atratus</i> Guillebeau, 1892, <i>Olibrus</i>	510
<i>atratus</i> Illiger, 1805, <i>Ectinus</i>	119
<i>atratus</i> Majer, 1991, <i>Dasytidius</i>	389
<i>atratus</i> Reitter, 1877, <i>Macrohyliota</i>	496
<i>atricapilla</i> Kiesenwetter, 1850, <i>Rhagonycha</i>	266
<i>atricapilla</i> Lewis, 1887, <i>Dactylotritoma</i>	541
<i>atricapilla</i> Stephens, 1830, <i>Atomaria</i>	524
<i>atricapillus</i> C. N. F. Brisout de Barneville, 1863, <i>Scymnus</i>	584
<i>atricapillus</i> Chevrolat, 1874, <i>Cebrio</i>	89
<i>atricapillus</i> Germar, 1824, <i>Drasterius</i>	105
<i>atricapillus</i> Kiesenwetter, 1877, <i>Ptinus</i>	335
<i>atricapillus</i> Reitter, 1891, <i>Melanotus</i>	142
<i>atriceps</i> Abeille de Perrin, 1891, <i>Clanoptilus</i>	444
<i>atriceps</i> Chevrolat, 1874, <i>Cebrio</i>	89
<i>atriceps</i> Crotch, 1873, <i>Anadastus</i>	532
<i>atriceps</i> J. R. Sahlberg, 1903, <i>Selatosomus</i>	181
<i>atriceps</i> Lewis, 1895, <i>Trypherus</i>	298
<i>atriceps</i> Pic, 1923, <i>Lycocerus</i>	249
<i>atriceps</i> Pic, 1922, <i>Pseudopodabrus</i>	261
<i>atriceps</i> Pic, 1922, <i>Rhagonycha</i>	262
<i>atriceps</i> Pic, 1900, <i>Malthinus</i>	281
<i>atriceps</i> Pic, 1910, <i>Pelochrus</i>	429
<i>atriceps</i> Pic, 1917, <i>Troglops</i>	453
<i>atriceps</i> Pic, 1910, <i>Haematoides</i>	546
<i>atriceps</i> Stephens, 1832, <i>Scymnus</i>	588
<i>atriceps</i> V. Hansen, 1962, <i>Enicmus</i>	637
<i>atricollis</i> Abeille de Perrin, 1890, <i>Colotes</i>	428
<i>atricollis</i> Kraatz, 1879, <i>Lycostomus</i>	211
<i>atricollis</i> Motschulsky, 1860, <i>Pyropterus</i>	216
<i>atricollis</i> Nakane, 1977, <i>Drilaster</i>	233
<i>atricollis</i> Pic, 1926, <i>Dilophotes</i>	212
<i>atricollis</i> Pic, 1937, <i>Lycocerus</i>	252
<i>atricollis</i> Pic, 1955, <i>Urtea</i>	363
<i>atricollis</i> Pic, 1921, <i>Intybia</i>	417
<i>atricollis</i> Reitter, 1874, <i>Byturus</i>	547
<i>atricollis</i> Reitter, 1898, <i>Corticaria</i>	643
<i>atricolor</i> Lewis, 1879, <i>Limoniscus</i>	165
<i>atricolor</i> Miyatake, 1965, <i>Paracladiscus</i>	368
<i>atricolor</i> Pic, 1921, <i>Dihammatus</i>	217
<i>atricolor</i> Pic, 1922, <i>Lycocerus</i>	249
<i>atricolor</i> Pic, 1915, <i>Thaumaglossa</i>	318
<i>atricolor</i> Pic, 1926, <i>Hedobia</i>	353
<i>atricolor</i> Reitter, 1896, <i>Plastocerus</i>	209

<i>atricornis</i> Heyden, 1884, <i>Corymbitodes</i>	176
<i>atricornis</i> Pic, 1912, <i>Niptodes</i>	332
<i>atricornis</i> Pic, 1926, <i>Teneropsis</i>	383
<i>atricornis</i> Pic, 1922, <i>Danacea</i>	396
<i>atricornis</i> Pic, 1931, <i>Dasytes</i>	404
<i>atricornis</i> Pic, 1921, <i>Aplocnemus</i>	412
<i>atricornis</i> Pic, 1921, <i>Indalmus</i>	564
<i>atrifrons</i> Fairmaire, 1889, <i>Cantharis</i>	240
<i>atrilabris</i> Pic, 1925, <i>Attalus</i>	420
<i>atrimembris</i> Pic, 1926, <i>Lycostomus</i>	211
<i>atrimembris</i> Pic, 1931, <i>Allotarsodasytes</i>	400
<i>atrimembris</i> Pic, 1924, <i>Dasytes</i>	401
<i>atripalpis</i> Kocher, 1954, <i>Cantharis</i>	240
<i>atripennis</i> Arrow, 1925, <i>Doubledaya</i>	533
<i>atripennis</i> Eschscholtz, 1818, <i>Melanotus</i>	150
<i>atripennis</i> Iablokoff-Khnzorian, 1975, <i>Triplax</i>	543
<i>atripennis</i> Lewis, 1896, <i>Pyrocoelia</i>	228
<i>atripennis</i> Motschulsky, 1866, <i>Dienerella</i>	636
<i>atripennis</i> Pic, 1922, <i>Lycocerus</i>	249
<i>atripennis</i> Pic, 1938, <i>Attagenus</i>	307
<i>atripennis</i> Pic, 1926, <i>Tenerus</i>	384
<i>atripennis</i> Reitter, 1888, <i>Atomaria</i>	527
<i>atripes</i> Araki, 1943, <i>Pseudotritoma</i>	542
<i>atripes</i> Buysson, 1902, <i>Cardiophorus</i>	201
<i>atripes</i> Graells, 1858, <i>Danacea</i>	395
<i>atripes</i> Pic, 1941, <i>Synaptus</i>	113
<i>atripes</i> Pic, 1937, <i>Pyrocoelia</i>	228
<i>atripes</i> Pic, 1906, <i>Lycocerus</i>	254
<i>atripes</i> Pic, 1937, <i>Themus</i>	271
<i>atripes</i> Pic, 1921, <i>Laemoglyptus</i>	275
<i>atripes</i> Pic, 1921, <i>Endomychus</i>	560
<i>atripes</i> Reitter, 1896, <i>Ampedus</i>	121
<i>atripes</i> Reitter, 1905, <i>Athous</i>	163
<i>atripes</i> Sainte-Claire Deville, 1908, <i>Dasytes</i>	405
<i>atripes</i> Schilsky, 1896, <i>Dasytidius</i>	390
<i>atrithorax</i> Pic, 1926, <i>Malthodes</i>	292
<i>atrithorax</i> Pic, 1921, <i>Callotroglops</i>	451
<i>atroapterus</i> Fairmaire, 1884, <i>Malthodes</i>	285
<i>atrobasis</i> Pic, 1951, <i>Dermestes</i>	300
<i>atrocapitata</i> Pic, 1903, <i>Cantharis</i>	245
<i>atrocephala</i> Mt. Chûjô, 1993, <i>Pselaphandra</i>	542
<i>atrocincta</i> Sicard, 1930, <i>Chnootriba</i>	626
<i>atrocyanea</i> Lewis, 1887, <i>Renania</i>	542
<i>atrocyaneus</i> Uhagón, 1898, <i>Attalus</i>	421
<i>atrofemoratus</i> Champion, 1922, <i>Colotes</i>	427
<i>atrofoveolata</i> Pic, 1918, <i>Cantharis</i>	243
<i>atroguttata</i> Araki, 1943, <i>Triplax</i>	543
<i>atronotatus</i> Champion, 1925, <i>Hypebaeus</i>	434
<i>atronotatus</i> Pic, 1939, <i>Macrolycus</i>	213
<i>atronotatus</i> Pic, 1932, <i>Lycocerus</i>	249

<i>atroopacus</i> Pic, 1937, <i>Lycocerus</i>	249
<i>atropilosus</i> B. G. Rye, 1903, <i>Ampedus</i>	122
<i>atropilosus</i> Buysson, 1898, <i>Anostirus</i>	174
<i>atropygidialis</i> Pic, 1937, <i>Lycocerus</i>	251
<i>atrorubrum</i> Toskina, 1999, <i>Lasioderma</i>	357
<i>atrorufus</i> Kiesenwetter, 1879, <i>Dilophotes</i>	212
<i>atroscutellaris</i> Pic, 1900, <i>Cantharis</i>	243
<i>atrostylus</i> Pic, 1914, <i>Malthodes</i>	291
<i>atrotibialis</i> Pic, 1917, <i>Mimothrix</i>	392
<i>atrotibialis</i> Tshernyshev, 2003, <i>Ebaeus</i>	431
<i>atrovaria</i> Wittmer, 1971, <i>Rhagonycha</i>	262
<i>atrovirens</i> Jelínek, 1982, <i>Meligethes</i>	479
<i>atrum</i> Toskina, 1999, <i>Lasioderma</i>	357
<i>atsushii</i> Nakane, 1995, <i>Plateros</i>	219
<i>attae</i> Kraatz, 1858, <i>Cholovocera</i>	557
<i>attalia</i> Pic, 1902, <i>Metacantharis</i>	255
<i>attenuata</i> Fairmaire, 1875, <i>Lampyris</i>	226
<i>attenuata</i> Motschulsky, 1867, <i>Corticaria</i>	643
<i>attenuata</i> Ritsema, 1894, <i>Helota</i>	495
<i>attenuatus</i> Desbrochers des Loges, 1869, <i>Agriotes</i>	115
<i>attenuatus</i> Fairmaire, 1866, <i>Philothermus</i>	554
<i>attenuatus</i> Gorham, 1893, <i>Cladiscus</i>	367
<i>attenuatus</i> Majer, 1991, <i>Dasytidius</i>	390
<i>attenuatus</i> Mäklin, 1845, <i>Dirrhagofarsus</i>	83
<i>attenuatus</i> Mannerheim, 1844, <i>Stephostethus</i>	640
<i>attenuatus</i> P. H. Lucas, 1846, <i>Cebrio</i>	89
<i>attenuatus</i> Pic, 1914, <i>Drilus</i>	209
<i>attenuatus</i> Pic, 1894, <i>Attagenus</i>	307
<i>atticus</i> Abeille de Perrin, 1891, <i>Cephaloncus</i>	452
<i>atticus</i> Chevrolat, 1874, <i>Trichodes</i>	380
<i>atticus</i> Guillebeau, 1894, <i>Phalacrus</i>	510
<i>atticus</i> Nikolopoulos, 1969, <i>Rhizophagus</i>	491
<i>atticus</i> Pic, 1902, <i>Dignomus</i>	330
<i>atticus</i> Pic, 1902, <i>Malachius</i>	450
<i>atticus</i> Reitter, 1921, <i>Trixagus</i>	88
<i>atticus</i> Rey, 1889, <i>Thorictus</i>	304
<i>atticus</i> Tozer, 1968, <i>Rhizophagus</i>	491
<i>attila</i> Reitter, 1878, <i>Atomaria</i>	524
<i>attonita</i> Majer, 1990, <i>Parathrix</i>	393
<i>attristatus</i> Kiesenwetter, 1874, <i>Lycocerus</i>	249
<i>atypica</i> Dieke, 1947, <i>Epilachna</i>	626
<i>auarita</i> Liberto & Wurst, 1999, <i>Cardiophorus</i>	202
<i>aubei</i> Boieldieu, 1854, <i>Ptinus</i>	334
<i>aubei</i> Kiesenwetter, 1867, <i>Aplocnemus</i>	409
<i>aubei</i> Lèveillé, 1877, <i>Thymalus</i>	366
<i>auberti</i> Abeille de Perrin, 1869, <i>Ptinus</i>	334
<i>auberti</i> Chobaut, 1897, <i>Enneadesmus</i>	323
<i>auberti</i> Lèveillé, 1905, <i>Alindria</i>	364
<i>auberti</i> Platia & Schimmel, 2001, <i>Melanotus</i>	142
<i>aubrooki</i> Donisthorpe, 1939, <i>Micrambe</i>	522

<i>aucta</i> Illiger, 1801, <i>Megalocaria</i>	619
audisioi Guglielmi & Platia, 1985, <i>Athous</i>	160
audisioi Jelínek, 1999, <i>Glischrochilus</i>	469
audisioi Jelínek, 1997, <i>Meligethes</i>	479
audisioi Platia & Schimmel, 1992, <i>Agriotes</i>	114
audryae Stibick, 1980, <i>Hypnoidus</i>	154
<i>augustalisi</i> Pic, 1913, <i>Cardiophorus</i>	200
augustatus Ballion, 1871, <i>Attagenus</i>	307
augustianus Lee, 1998, <i>Melanotus</i>	142
augustus Platia & Schimmel, 2002, <i>Melanotus</i>	142
<i>aulata</i> Heyden, 1911, <i>Menochilus</i>	619
<i>aulica</i> Faldermann, 1835, <i>Harmonia</i>	615
<i>aulicus</i> Panzer, 1800, <i>Ctenicera</i>	177
<i>auliensis</i> Pic, 1914, <i>Cantharis</i>	240
<i>aurantiaca</i> Crotch, 1874, <i>Ballida</i>	569
<i>aurantiaca</i> Pic, 1927, <i>Ponyalis</i>	218
aurantiacus Kazantsev, 2001, <i>Macrolycus</i>	213
aurantiacus Panzer, 1813, <i>Scymnus</i>	587
aurantiacus Reitter, 1900, <i>Attagenus</i>	307
auranticulus Reitter, 1887, <i>Ampedus</i>	121
<i>aurarius</i> Illiger, 1807, <i>Lobonyx</i>	384
aurasiacus Peyerimhoff, 1920, <i>Dasytes</i>	401
auratus Drury, 1773, <i>Campsosternus</i>	94
auratus Zhantiev, 1979, <i>Anthrenus</i>	314
aureola Kiesenwetter, 1859, <i>Psilothrix</i>	408
aureopilis Desbrochers des Loges, 1875, <i>Dignomus</i>	330
aureopilosus Kishii, 1988, <i>Ampedus</i>	121
aureopilosus Miwa, 1934, <i>Mulsanteus</i>	133
<i>aureopilosus</i> Pic, 1901, <i>Ptinomorphus</i>	354
aureovestitus Kishii, 1966, <i>Ampedus</i>	121
aurescens Champion, 1922, <i>Dasytes</i>	401
aurescens Champion, 1922, <i>Kubanius</i>	413
aurescens Majer, 1991, <i>Dasytidius</i>	389
auriceps Reitter, 1905, <i>Dermestes</i>	301
aurichalcea Küster, 1850, <i>Danacea</i>	395
aurichalceum Stepanov, 1930, <i>Prosternon</i>	180
<i>aurichalceus</i> Gebler, 1832, <i>Cordylepherus</i>	445
aurichalceus Küster, 1846, <i>Dermestes</i>	300
auricomus Rebmann, 1956, <i>Meligethes</i>	479
auricomus Reitter, 1910, <i>Hypnoidus</i>	154
auricomus Reitter, 1898, <i>Enneadesmus</i>	323
auricomus Savoyskaya, 1971, <i>Pharoscymnus</i>	570
auriculata Mulsant, 1866, <i>Palaeoneda</i>	622
auriculatum Lesne, 1932, <i>Trogoxylon</i>	328
auriculatus Fairmaire, 1891, <i>Lycostomus</i>	211
auriculatus Peyerimhoff, 1929, <i>Troglops</i>	453
auriculus Platia & Schimmel, 2001, <i>Melanotus</i>	142
<i>aurileguloides</i> Buysson, 1886, <i>Ampedus</i>	126
aurilegulus Schaufuss, 1863, <i>Ampedus</i>	121
auripes Reitter, 1895, <i>Ampedus</i>	121

auripilis Reitter, 1889, <i>Meligethes</i>	479
auripubens Reitter, 1896, <i>Brachyleptus</i>	456
auripubens Reitter, 1901, <i>Epuraea</i>	464
aurita Motschulsky, 1845, <i>Pyrocoelia</i>	228
<i>aurita</i> Rey, 1891, <i>Cantharis</i>	241
<i>auritus</i> Champion, 1921, <i>Tropiebaeus</i>	437
<i>auritus</i> Frivaldszky von Frivald, 1835, <i>Amphicerus</i>	321
<i>auritus</i> L. G. Scriba, 1791, <i>Parexochomus</i>	595
<i>auritus</i> Motschulsky, 1853, <i>Malthodes</i>	287
<i>auritus</i> Thunberg, 1795, <i>Scymnus</i>	584
<i>aurociliatus</i> Reitter, 1885, <i>Trixagus</i>	88
<i>aurocupreus</i> Reitter, 1900, <i>Cybocephalus</i>	490
<i>auroguttatum</i> Reitter, 1908, <i>Nicobium</i>	341
<i>auronebulosus</i> Reitter, 1896, <i>Paraphotistus</i>	179
<i>auropilosus</i> Wollaston, 1854, <i>Carpophilus</i>	467
<i>auropubens</i> Grouvelle, 1916, <i>Cryptophagus</i>	515
<i>aurora</i> Creutzer, 1796, <i>Rhyzobius</i>	573
<i>aurora</i> Fabricius, 1801, <i>Pyropterus</i>	216
<i>aurora</i> Herbst, 1784, <i>Dictyopectera</i>	214
<i>auroraensis</i> Kazantsev, 1989, <i>Islamocantharis</i>	248
<i>aurosericeus</i> Gurjeva, 1957, <i>Ampedus</i>	121
<i>aurosericeus</i> Reitter, 1873, <i>Anamartus</i>	455
<i>aurosquamosus</i> Jagemann, 1944, <i>Lacon</i>	100
<i>aurosus</i> Reitter, 1885, <i>Brachyleptus</i>	456
<i>aurovestitus</i> Bruce, 1944, <i>Cryptophagus</i>	515
<i>ausobskyi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	142
<i>ausonicus</i> Obenberger, 1917, <i>Stagetus</i>	346
<i>aussanicus</i> Wurst, 2001, <i>Cardiophorus</i>	195
<i>australiae</i> Lea, 1919, <i>Galbites</i>	85
<i>australis</i> Hope, 1843, <i>Anthrenocerus</i>	315
<i>australis</i> J. Weise, 1908, <i>Menochilus</i>	619
<i>australis</i> J. Weise, 1879, <i>Oenopia</i>	621
<i>australis</i> Küster, 1848, <i>Meligethes</i>	478
<i>australis</i> Majer, 1988, <i>Chaetomalachius</i>	388
<i>australis</i> Mulsant & Rey, 1867, <i>Malachius</i>	448
<i>austriaca</i> Franz, 1967, <i>Melanophthalma</i>	648
<i>austriaca</i> Schrank, 1777, <i>Adalia</i>	603
<i>austriacum</i> Reitter, 1890, <i>Xestobium</i>	352
<i>austriacus</i> Desbrochers des Loges, 1873, <i>Athous</i>	158
<i>austriacus</i> Hicker, 1960, <i>Malthodes</i>	285
<i>austriacus</i> Laporte, 1840, <i>Ampedus</i>	123
<i>austriacus</i> Lohse, 1977, <i>Dasytes</i>	404
<i>austriacus</i> Reitter, 1890, <i>Ptinus</i>	334
<i>austriacus</i> Reitter, 1894, <i>Thanasimus</i>	375
<i>austriacus</i> Reitter, 1871, <i>Meligethes</i>	485
<i>austriacus</i> Schrank, 1781, <i>Porthmidius</i>	140
<i>austrogansuensis</i> Kazantsev, 2002, <i>Xylobanus</i>	223
<i>autralicum</i> C. O. Waterhouse, 1876, <i>Passandra</i>	502
<i>autumnalis</i> Evers, 1986, <i>Cephalogonia</i>	451
<i>autumnalis</i> Gistel, 1857, <i>Brachypterolus</i>	456

<i>autumnalis</i> J. Weise, 1879, <i>Adalia</i>	603
<i>avitus</i> Candèze, 1886, <i>Melanotus</i>	142
<i>avius</i> Majer, 1989, <i>Dasytidius</i>	390
<i>avunculus</i> Flach, 1889, <i>Stilbus</i>	512
<i>awa</i> Kishii, 1994, <i>Ampedus</i>	125
<i>awaensis</i> Ôhira, 1994, <i>Fleutiauxellus</i>	187
<i>awashimanus</i> John, 1968, <i>Aphanocephalus</i>	556
<i>axillaris</i> Erichson, 1841, <i>Adrastus</i>	108
<i>axillaris</i> Fischer von Waldheim, 1842, <i>Trichodes</i>	377
<i>axillaris</i> J. Weise, 1879, <i>Hippodamia</i>	616
<i>axillaris</i> Kiesenwetter, 1879, <i>Drilaster</i>	233
<i>axillaris</i> Kiesenwetter, 1852, <i>Malthinus</i>	277
<i>axillaris</i> Mannerheim, 1844, <i>Corticaria</i>	645
<i>axillaris</i> Melsheimer, 1844, <i>Lyctus</i>	327
<i>axillaris</i> Reitter, 1875, <i>Cryptophagus</i>	515
<i>axillaris</i> Spinola, 1844, <i>Trichodes</i>	377
<i>axillaris</i> Wollaston, 1854, <i>Leptophloeus</i>	505
<i>axillaroides</i> Wittmer, 1936, <i>Malthinus</i>	277
<i>axinoides</i> Ren & X.-F. Pang, 1995, <i>Scymnus</i>	589
<i>axyridis</i> Pallas, 1773, <i>Harmonia</i>	615
<i>ayatollai</i> Wittmer, 1994, <i>Clanoptilus</i>	443
<i>azerbaidzhanicus</i> Agajev, 1985, <i>Cardiophorus</i>	195
<i>azoricus</i> Méquignon, 1942, <i>Holoparamecus</i>	558
<i>azoricus</i> Platia & Gudenzi, 2002, <i>Athous</i>	160
<i>azoricus</i> Ratti, 1972, <i>Leptophloeus</i>	505
<i>azoricus</i> Tarnier, 1860, <i>Heteroderes</i>	106
<i>azouana</i> Pic, 1923, <i>Cantharis</i>	243
<i>azumai</i> Arimoto, 1990, <i>Megapenthes</i>	136
<i>azumai</i> Kinoda & Nakane, 1988, <i>Themus</i>	272
<i>azumai</i> Nakane, 1981, <i>Stenocladus</i>	233
<i>azumai</i> Sasaji, 1967, <i>Sticholotis</i>	571
<i>azureipennis</i> Wittmer, 1995, <i>Hypomixis</i>	436
<i>azurescens</i> Candèze, 1865, <i>Ampedus</i>	121
<i>azureus</i> Abeille de Perrin, 1885, <i>Attalus</i>	424
<i>azureus</i> Heer, 1841, <i>Meligethes</i>	487
<i>azusa</i> Nakane & Makino, 1990, <i>Asiopodabrus</i>	234
<i>babadjanidesi</i> Reitter, 1913, <i>Lasioderma</i>	357
<i>babai</i> Brancucci, 1985, <i>Tryptherus</i>	297
<i>babai</i> Ishida, 1986, <i>Lycocerus</i>	249
<i>babai</i> Kamiya, 1963, <i>Hyperaspis</i>	577
<i>babai</i> Kishii, 1990, <i>Pectocera</i>	94
<i>babai</i> Kishii, 1991, <i>Meristhus</i>	103
<i>babai</i> Kishii, 1990, <i>Tetrigus</i>	108
<i>babai</i> Kishii, 1991, <i>Lanecarus</i>	110
<i>babai</i> Kishii, 1985, <i>Silesis</i>	113
<i>babai</i> Kishii, 1961, <i>Ectinus</i>	120
<i>babai</i> Kishii, 1966, <i>Ampedus</i>	121
<i>babai</i> Kishii, 1987, <i>Orthostethus</i>	133
<i>babai</i> Kishii, 1991, <i>Vuilletus</i>	134
<i>babai</i> Kishii, 1989, <i>Agaripenthes</i>	135

babai Kishii, 1989, <i>Melanotus</i>	150
babai Kishii, 1957, <i>Homotechnes</i>	153
babai Kishii, 1991, <i>Poemnites</i>	179
babai Kishii, 1994, <i>Penia</i>	185
babai Kishii, 1970, <i>Quasimus</i>	190
babai Kishii, 1994, <i>Cardiotarsus</i>	203
babai Kishii, 1991, <i>Ryukyucardiophorus</i>	207
babai Kishii & Ôhira, 1956, <i>Glyphonyx</i>	109
babai Kishii & Ôhira, 1956, <i>Suzukielater</i>	140
babai Ôhira, 1956, <i>Sadoganus</i>	120
babai Ôhira, 1956, <i>Medakathous</i>	171
babai Ôhira, 1991, <i>Oedostethus</i>	189
babai Sakai, 1987, <i>Clada</i>	353
babai Sasaji, 1994, <i>Sumnius</i>	575
babai Sasaji, 1971, <i>Scymnus</i>	583
babai Sasaji, 1988, <i>Platynaspidium</i>	596
babakinsanus Kishii, 1991, <i>Hayekpenthes</i>	136
babanus Kishii, 1990, <i>Agrypnus</i>	97
babanus Kishii, 1989, <i>Agriotes</i>	114
babanus Kishii, 1989, <i>Abelater</i>	135
babanus Kishii, 1994, <i>Fleutiauxellus</i>	188
babaulti Fleutiaux, 1944, <i>Octocryptus</i>	103
babaulti Pic, 1945, <i>Themus</i>	272
babaulti Platia & Schimmel, 2001, <i>Melanotus</i>	142
babaulti Schimmel, 1993, <i>Ampedus</i>	121
baborensis Pic, 1903, <i>Dasytes</i>	405
baborensis Pic, 1908, <i>Aplocnemus</i>	409
baborensis Pic, 1922, <i>Aplocnemus</i>	413
baborensis Pic, 1905, <i>Cyrtosus</i>	446
babylonicum Candèze, 1859, <i>Aeoloderma</i>	103
bachofeni Reitter, 1905, <i>Trixagus</i>	88
baconi Candèze, 1860, <i>Limonius</i>	165
bacoti Platia & Schimmel, 2001, <i>Melanotus</i>	142
bactrianum Zhantiev, 1976, <i>Trogoderma</i>	319
bactrianus Gurjeva, 1966, <i>Dicronychus</i>	204
bactrianus Iablokoff-Khnzorian, 1966, <i>Chaetomalachius</i>	388
bactrianus Jelínek, 1982, <i>Meligethes</i>	479
bactrianus Solsky, 1876, <i>Cryptophagus</i>	515
bactrianus Švihla, 1980, <i>Hypebaeus</i>	434
bactrianus Zhantiev, 2004, <i>Anthrenus</i>	313
bacunus John, 1971, <i>Thorictus</i>	303
badachschanicus Dolin, 1998, <i>Hypnoidus</i>	154
badachshanensis Iablokoff-Khnzorian, 1986, <i>Malachius</i>	448
badachshanicus Dolin, 1988, <i>Melanotus</i>	145
badadjanidis John, 1971, <i>Thorictus</i>	303
badakshana Wittmer, 1999, <i>Hypebaeina</i>	433
badchysicus Dolin, 1977, <i>Cardiophorus</i>	195
badchysicus Dolin & Atamuradov, 1980, <i>Melanotus</i>	142
badensis Heyden, 1883, <i>Anatis</i>	606
badgleyi Platia & Schimmel, 2001, <i>Melanotus</i>	142

<i>badia</i> Erichson, 1846, <i>Atomaria</i>	528
<i>badia</i> Mannerheim, 1844, <i>Corticaria</i>	643
<i>badiipennis</i> Candèze, 1860, <i>Metriaulacus</i>	151
<i>badius</i> Kiesenwetter, 1874, <i>Stenothemus</i>	269
<i>badius</i> O. F. Müller, 1764, <i>Agriotes</i>	116
<i>badius</i> Sturm, 1845, <i>Cryptophagus</i>	515
<i>badrinathensis</i> Vats & Chauhan, 1992, <i>Metanomus</i>	178
<i>baerii</i> Kuschakewitsch, 1861, <i>Paraphotistus</i>	179
<i>bagdadensis</i> Buysson, 1904, <i>Idotarmonides</i>	141
<i>bagdadensis</i> Roubal, 1932, <i>Coccinella</i>	612
<i>bagdadensis</i> Wittmer, 1966, <i>Ebaeus</i>	429
<i>bagherii</i> Platia, 2002, <i>Agriotes</i>	114
<i>bagmatiensis</i> Wittmer, 1995, <i>Themus</i>	269
<i>baguenai</i> Escalera, 1942, <i>Attalus</i>	421
<i>baibaranus</i> Hayek, 1973, <i>Agrypnus</i>	97
<i>baibaranus</i> Miwa, 1930, <i>Cardiophorus</i>	195
<i>baibaranus</i> Ohta, 1931, <i>Eumorphus</i>	564
<i>baicalica</i> Mannerheim, 1844, <i>Corticaria</i>	645
<i>baicalicus</i> Wittmer, 1970, <i>Malthodes</i>	285
<i>baicalicus</i> Zahradník, 1997, <i>Xyletinus</i>	360
<i>baikalica</i> Pic, 1906, <i>Cantharis</i>	244
<i>baishuiensis</i> Majer, 1995, <i>Mimothrix</i>	392
<i>baiyunshanensis</i> Ren & X.-F. Pang, 1996, <i>Stethorus</i>	592
<i>bajtenovi</i> Gurjeva & Tugusheva, 1967, <i>Denticolloides</i>	168
<i>bajtenovi</i> Sokolov, 1974, <i>Anthrenus</i>	313
<i>bajulus</i> Erichson, 1841, <i>Melanotus</i>	142
<i>bakeri</i> Fleutiaux, 1926, <i>Galbites</i>	86
<i>bakonyensis</i> Kaszab, 1955, <i>Cantharis</i>	245
<i>baksanicus</i> Dolin & Penev, 2004, <i>Athous</i>	158
<i>balachowskyi</i> Dajoz, 1969, <i>Anommatus</i>	549
<i>balajuensis</i> Jadwiszczak & Pütz, 1994, <i>Henosepilachna</i>	629
<i>balangensis</i> Wittmer, 1997, <i>Lycocerus</i>	249
<i>balanica</i> Csiki, 1900, <i>Mycetina</i>	565
<i>balassogloi</i> Candèze, 1889, <i>Hypnoidus</i>	154
<i>balcanica</i> Karaman, 1936, <i>Reitteria</i>	557
<i>balcanica</i> Pic, 1901, <i>Rhagonycha</i>	262
<i>balcanicus</i> Dolin, 1983, <i>Ampedus</i>	121
<i>balcanicus</i> Gottwald, 1977, <i>Xyletinus</i>	360
<i>balcanicus</i> Karaman, 1960, <i>Telmatophilus</i>	524
<i>balcanicus</i> Reitter, 1905, <i>Athous</i>	160
<i>balcanograeca</i> Wittmer, 1969, <i>Metacantharis</i>	255
<i>balchanensis</i> Dolin & Atamuradov, 1989, <i>Cardiophorus</i>	195
<i>balcis</i> Wurst, 2001, <i>Saudilacon</i>	103
<i>baldensis</i> Erichson, 1846, <i>Cryptophagus</i>	515
<i>balearicus</i> Español, 1943, <i>Airaphilus</i>	498
<i>balearicus</i> Fürsch, 1987, <i>Stethorus</i>	592
<i>balearicus</i> Pic, 1920, <i>Trichodes</i>	380
<i>balearicus</i> Platia & Gudenzi, 1999, <i>Cardiophorus</i>	195
<i>balearicus</i> Schaufuss, 1869, <i>Cryptophilus</i>	531
<i>balfourbrownei</i> Wittmer, 1966, <i>Malthodes</i>	285

balkenohli Platia & Schimmel, 1997, <i>Cardiophorus</i>	195
balkhashensis Savoyskaya, 1964, <i>Pharoscymnus</i>	570
<i>ballioni</i> Heyden, 1885, <i>Drasterius</i>	105
<i>balmei</i> Pic, 1910, <i>Athous</i>	160
<i>balteatulus</i> Reitter, 1889, <i>Ampedus</i>	123
<i>balteatum</i> Fairmaire, 1889, <i>Enoplium</i>	381
<i>balteatus</i> Geoffroy, 1785, <i>Athous</i>	157
<i>balteatus</i> Linnaeus, 1758, <i>Ampedus</i>	121
<i>balteatus</i> Suffrian, 1851, <i>Malthinus</i>	277
<i>balthasari</i> Roubal, 1935, <i>Hemicrepidius</i>	170
<i>baltica</i> J. Weise, 1879, <i>Hippodamia</i>	616
<i>balticus</i> Iablokoff-Khnzorian & Karapetyan, 1991, <i>Ptinus</i>	337
<i>bambusae</i> Pal, 1985, <i>Psammoecus</i>	497
<i>banatensis</i> Pic, 1912, <i>Pseuoptilinus</i>	362
<i>banatica</i> Ganglbauer, 1899, <i>Lycoperdina</i>	564
<i>banatica</i> Reitter, 1888, <i>Atomaria</i>	524
<i>banatica</i> Rosenhauer, 1847, <i>Rhagonycha</i>	265
<i>banaticus</i> Dajoz, 1968, <i>Anommatus</i>	549
<i>bandamae</i> Evers, 1961, <i>Attalus</i>	421
<i>bandamensis</i> Palm, 1975, <i>Malthinus</i>	277
<i>baneti</i> Otero, 2004, <i>Micrambe</i>	522
<i>banghaasi</i> Abeille de Perrin, 1900, <i>Clanoptilus</i>	443
<i>banghaasi</i> Pic, 1907, <i>Malachiomimus</i>	425
<i>banghaasi</i> Reitter, 1899, <i>Isorhipis</i>	84
<i>bangi</i> Reitter, 1894, <i>Trichodes</i>	378
<i>banihalensis</i> Wittmer, 1981, <i>Colotes</i>	427
<i>bannaensis</i> Ôhira, 1978, <i>Melanotus</i>	142
<i>bannanus</i> Nakane, 1969, <i>Cautires</i>	222
<i>baoshanensis</i> Jing, 1992, <i>Oenopia</i>	621
<i>baoxingensis</i> G.-Y. Yu, 2000, <i>Scymnus</i>	585
<i>barani</i> C. N. F. Brisout de Barneville, 1863, <i>Atomaria</i>	529
<i>barbara</i> Bach, 1854, <i>Rhagonycha</i>	266
<i>barbara</i> E. Olivier, 1884, <i>Lampyris</i>	227
<i>barbara</i> Fabricius, 1801, <i>Rhagonycha</i>	262
<i>barbara</i> P. H. Lucas, 1849, <i>Dapsa</i>	562
<i>barbara</i> Pic, 1903, <i>Clada</i>	353
<i>barbara</i> Reitter, 1875, <i>Atomaria</i>	528
<i>barbarinus</i> Pic, 1916, <i>Crepidophorus</i>	169
<i>barbarus</i> Abeille de Perrin, 1893, <i>Opilo</i>	372
<i>barbarus</i> Gandolphe, 1865, <i>Cebrio</i>	92
<i>barbarus</i> Gmelin, 1790, <i>Lobonyx</i>	384
<i>barbarus</i> Motschulsky, 1854, <i>Attalus</i>	422
<i>barbarus</i> P. H. Lucas, 1846, <i>Anelastes</i>	81
<i>barbarus</i> P. H. Lucas, 1846, <i>Cebrio</i>	89
<i>barbarus</i> P. H. Lucas, 1846, <i>Meligethes</i>	482
<i>barbarus</i> Pic, 1903, <i>Malthodes</i>	285
<i>barbata</i> Wollaston, 1860, <i>Scobicia</i>	324
<i>barbatus</i> Gurjeva, 1990, <i>Melanotus</i>	142
<i>barbatus</i> J. R. Sahlberg, 1887, <i>Ascoliocerus</i>	152
<i>barbatus</i> Schaller, 1783, <i>Elateroides</i>	362

barbicollis Israelson, 1993, <i>Casapus</i>	329
barbieri Pic, 1946, <i>Attagenus</i>	307
barbieri Wittmer, 1984, <i>Troglops</i>	453
barbifrons Wollaston, 1864, <i>Scobicia</i>	324
<i>barbula</i> Gillogly, 1962, <i>Epuraea</i>	464
<i>bardus</i> Mulsant & Godart, 1872, <i>Pharoscymnus</i>	571
<i>bargaglii</i> Della Beffa, 1913, <i>Ceratomegilla</i>	609
barkalovi Kazantsev, 1998, <i>Dichelotarsus</i>	236
barkulensis Jagemann, 1942, <i>Agriotes</i>	114
barlaensis Mertlik, 2000, <i>Selatosomus</i>	183
barnabita A. Villa & G. B. Villa, 1838, <i>Dromaeolus</i>	86
<i>barnevillei</i> Kiesenwetter, 1867, <i>Aplocnemus</i>	410
<i>barnevillei</i> Puton, 1865, <i>Clanoptilus</i>	445
<i>barnevillei</i> Tournier, 1872, <i>Cryptophilus</i>	531
baroniurbanii Español, 1977, <i>Byrrhodes</i>	343
baroniurbanii Wittmer, 1974, <i>Malthinus</i>	277
barovskii Iablokoff-Khnzorian, 1970, <i>Coccinella</i>	610
barovskii Kazantsev, 1994, <i>Crudosilis</i>	274
barovskii Medvedev, 1966, <i>Punicealis</i>	216
<i>barovskii</i> Semenov & Dobrzhanskiy, 1923, <i>Ceratomegilla</i>	609
barriesi Cate & Platia, 1997, <i>Agriotes</i>	114
barriesi Platia & Gudenzi, 1996, <i>Athous</i>	160
barrosi Escalera, 1927, <i>Graellsinus</i>	408
barrosi Guérin, 1893, <i>Cardiophorus</i>	195
barrosi Méquignon, 1932, <i>Megathous</i>	171
barrosi Pic, 1905, <i>Ptinus</i>	334
barrosi Pic, 1907, <i>Danacea</i>	395
<i>barrosi</i> Pic, 1917, <i>Troglops</i>	454
barthei Leseigneur, 1958, <i>Athous</i>	158
bartoni Fleutiaux, 1902, <i>Lanelater</i>	102
<i>bartoni</i> Gorham, 1889, <i>Lycocerus</i>	253
barunus Sengupta, 1983, <i>Stephostethus</i>	640
basalis Abeille de Perrin, 1890, <i>Malachius</i>	448
<i>basalis</i> Candèze, 1860, <i>Athous</i>	161
<i>basalis</i> Erichson, 1846, <i>Atomaria</i>	525
<i>basalis</i> Fleutiaux, 1918, <i>Priopus</i>	152
<i>basalis</i> Gorham, 1887, <i>Ectomychus</i>	567
<i>basalis</i> Grouvelle, 1897, <i>Aethina</i>	470
<i>basalis</i> Grouvelle, 1916, <i>Aulonosoma</i>	501
<i>basalis</i> Hisamatsu, 1978, <i>Aethina</i>	471
<i>basalis</i> John, 1968, <i>Thorictus</i>	303
<i>basalis</i> Kirsch, 1871, <i>Scymnus</i>	590
<i>basalis</i> Klug, 1842, <i>Phloiocopus</i>	374
<i>basalis</i> Küster, 1849, <i>Aplocnemus</i>	409
<i>basalis</i> L. Redtenbacher, 1843, <i>Scymnus</i>	590
<i>basalis</i> L. Redtenbacher, 1844, <i>Harmonia</i>	615
<i>basalis</i> L. Redtenbacher, 1844, <i>Harmonia</i>	615
<i>basalis</i> Lewis, 1887, <i>Tritoma</i>	546
<i>basalis</i> Mannerheim, 1852, <i>Ampedus</i>	121
<i>basalis</i> Motschulsky, 1859, <i>Ascoliocerus</i>	152

<i>basalis</i> Motschulsky, 1866, <i>Latridius</i>	639
<i>basalis</i> Pic, 1912, <i>Peripontius</i>	111
<i>basalis</i> Pic, 1908, <i>Anthodromius</i>	386
<i>basalis</i> Reitter, 1890, <i>Drasterius</i>	105
<i>basalis</i> Reitter, 1874, <i>Pityophagus</i>	470
<i>basalis</i> Reitter, 1919, <i>Meligethes</i>	481
<i>basalis</i> Reitter, 1883, <i>Anommatus</i>	549
<i>basalis</i> Reitter, 1891, <i>Aposericoderus</i>	633
<i>basalis</i> Wollaston, 1862, <i>Piarus</i>	332
<i>basantapurensis</i> Wittmer, 1984, <i>Malthinus</i>	277
<i>basarukini</i> Kazantsev, 1994, <i>Rhagonycha</i>	262
<i>basella</i> Stephens, 1830, <i>Atomaria</i>	527
<i>basibulbosus</i> Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
<i>basicollis</i> Fairmaire, 1877, <i>Troglops</i>	453
<i>basicornis</i> Chevrolat, 1874, <i>Cebrio</i>	90
<i>basicornis</i> Nakane, 1963, <i>Dasytes</i>	404
<i>basicornis</i> Pic, 1918, <i>Malthodes</i>	295
<i>basicornis</i> Reitter, 1881, <i>Ptinus</i>	334
<i>basicornis</i> Reitter, 1888, <i>Atomaria</i>	525
<i>basicrassa</i> Wittmer, 1997, <i>Protomaltypus</i>	296
<i>basicrus</i> Fairmaire, 1897, <i>Pyrocoelia</i>	229
<i>basicrus</i> Fairmaire, 1886, <i>Lycocerus</i>	249
<i>basiexcavatus</i> Wittmer, 1996, <i>Condylops</i>	437
<i>basifasciatus</i> Pic, 1935, <i>Anthrenus</i>	312
<i>basilaris</i> J. Weise, 1879, <i>Hippodamia</i>	618
<i>basilaris</i> Kishii, 1991, <i>Procrærus</i>	138
<i>basilaris</i> Say, 1824, <i>Xylobiops</i>	324
<i>basilaris</i> Schenkling, 1927, <i>Priopus</i>	151
<i>basimaculatus</i> Wittmer, 1958, <i>Hypebaeus</i>	434
<i>basimarginatus</i> Wittmer, 1966, <i>Malthinus</i>	277
<i>basimargo</i> Reitter, 1919, <i>Meligethes</i>	483
<i>basipes</i> Abeille de Perrin, 1891, <i>Ebaeus</i>	429
<i>basipictus</i> Peyerimhoff, 1929, <i>Callotroglops</i>	451
<i>basithorax</i> Pic, 1902, <i>Cantharis</i>	240
<i>basithorax</i> Pic, 1902, <i>Cantharis</i>	241
<i>basithorax</i> Pic, 1927, <i>Tilloidea</i>	369
<i>basiunguis</i> Majer, 1988, <i>Bilyella</i>	400
<i>basivittatus</i> Nakane, 1969, <i>Xylobanus</i>	223
<i>bassii</i> P. H. Lucas, 1870, <i>Malacogaster</i>	210
<i>bassus</i> Normand, 1938, <i>Rhyzobius</i>	573
<i>batillifer</i> Bourgeois, 1901, <i>Malthodes</i>	285
<i>batnensis</i> Pic, 1900, <i>Malthinus</i>	279
<i>batnensis</i> Pic, 1902, <i>Stagetus</i>	346
<i>batnensis</i> Pic, 1920, <i>Trichodes</i>	380
<i>batnensis</i> Schilsky, 1897, <i>Danacea</i>	397
<i>battonii</i> Pardo Alcaide, 1962, <i>Ebaeus</i>	429
<i>baudi</i> Reitter, 1877, <i>Anommatus</i>	549
<i>baudii</i> Abeille de Perrin, 1891, <i>Microlipus</i>	450
<i>baudii</i> Bourgeois, 1888, <i>Allotarsus</i>	400
<i>baudii</i> Fiori, 1914, <i>Cantharis</i>	244

<i>baudii</i> Fiori, 1905, <i>Malthodes</i>	293
<i>baudii</i> Flach, 1888, <i>Olibrus</i>	510
<i>baudii</i> Jakobson, 1911, <i>Dasytes</i>	404
<i>baudii</i> Pic, 1909, <i>Cantharis</i>	244
<i>baudii</i> Pic, 1937, <i>Divales</i>	406
<i>baudii</i> Reitter, 1881, <i>Thorictus</i>	303
<i>baudii</i> Reitter, 1875, <i>Sternodea</i>	514
<i>baudii</i> Schilsky, 1899, <i>Lasioderma</i>	357
<i>baudii</i> Schilsky, 1897, <i>Danacea</i>	395
<i>baudii</i> Tournier, 1889, <i>Phalacrus</i>	511
<i>baudoni</i> John, 1967, <i>Thorictus</i>	303
<i>baudueri</i> Flach, 1888, <i>Olibrus</i>	508
<i>baudueri</i> Peyron, 1877, <i>Ebaeus</i>	429
<i>baudueri</i> Pic, 1915, <i>Ernobius</i>	350
<i>baudueri</i> Pic, 1930, <i>Malachius</i>	448
<i>baudueri</i> Reitter, 1877, <i>Merophysia</i>	557
<i>baudueri</i> Tournier, 1889, <i>Olibrus</i>	508
<i>bawanglingensis</i> Peng, 1998, <i>Clitostethus</i>	579
<i>bayadere</i> Mulsant, 1866, <i>Harmonia</i>	615
<i>bayonnei</i> Chobaut, 1897, <i>Cebrio</i>	90
<i>bayonnei</i> Chobaut, 1897, <i>Flabellotilloidea</i>	368
<i>bayonnei</i> Chobaut, 1898, <i>Attalus</i>	420
<i>beali</i> Zhantiev, 2001, <i>Orphilus</i>	306
<i>beali</i> Zhantiev, 2004, <i>Anthrenus</i>	314
<i>beasoni</i> Sengupta & De, 1988, <i>Rhizophagus</i>	491
<i>beauchenei</i> Fleutiaux, 1918, <i>Dicronychus</i>	204
<i>beauchenei</i> Fleutiaux, 1918, <i>Toxognathus</i>	207
<i>beaucheni</i> Croissandeau, 1891, <i>Holoparamecus</i>	558
<i>beauprei</i> Pic, 1906, <i>Podistra</i>	260
<i>beauprei</i> Pic, 1909, <i>Malthodes</i>	285
<i>beauprei</i> Pic, 1907, <i>Dignomus</i>	330
<i>beauprei</i> Pic, 1908, <i>Ernobius</i>	351
<i>beauprei</i> Pic, 1909, <i>Aplocnemus</i>	409
<i>beccabungae</i> Meier, 1897, <i>Hippodamia</i>	616
<i>becharensis</i> Chobaut, 1924, <i>Thorictus</i>	303
<i>beckeri</i> Kiesenwetter, 1871, <i>Dasytidius</i>	390
<i>beckeri</i> Pic, 1902, <i>Cantharis</i>	240
<i>beckeri</i> Platia & Schimmel, 1993, <i>Silesis</i>	111
<i>beckeri</i> Platia & Schimmel, 2001, <i>Melanotus</i>	142
<i>beckeri</i> Schimmel & Platia, 1991, <i>Dima</i>	183
<i>beckeri</i> Stibick, 1980, <i>Hypnoidus</i>	154
<i>becquarti</i> Wittmer, 1940, <i>Malachius</i>	450
<i>becvari</i> Háva, 2004, <i>Anthrenus</i>	314
<i>becvari</i> Jelínek, 1999, <i>Glischrochilus</i>	469
<i>becvari</i> Platia & Schimmel, 2002, <i>Melanotus</i>	142
<i>becvari</i> Schimmel, 2003, <i>Ampedus</i>	121
<i>bedeli</i> Abeille de Perrin, 1881, <i>Clanoptilus</i>	443
<i>bedeli</i> Bruce, 1936, <i>Cryptophagus</i>	517
<i>bedeli</i> Fleutiaux, 1931, <i>Blaiseus</i>	194
<i>bedeli</i> Guillebeau, 1892, <i>Olibrus</i>	508

bedeli Harold, 1880, <i>Aulacochilus</i>	539
<i>bedeli</i> Méquignon, 1948, <i>Anthocomus</i>	439
bedeli Pic, 1895, <i>Dignomus</i>	330
<i>bedeli</i> Reitter, 1901, <i>Ernobius</i>	350
bedeli Reitter, 1888, <i>Triplax</i>	543
<i>bedeli</i> Sicard, 1892, <i>Henosepilachna</i>	629
<i>bedforti</i> Pic, 1928, <i>Laius</i>	418
beduinus Buysson, 1902, <i>Cardiophorus</i>	195
beelsoni Corporaal, 1926, <i>Cylidrus</i>	367
beelsoni Fleutiaux, 1928, <i>Cardiohypnus</i>	187
beelsoni Pic, 1937, <i>Stagetus</i>	346
beelsoni Platia & Schimmel, 2001, <i>Melanotus</i>	142
beesonianum Lesne, 1936, <i>Lyctoxylon</i>	326
<i>bejarensis</i> Pic, 1911, <i>Hypebaeus</i>	433
<i>belamyi</i> Fairmaire, 1891, <i>Teloclerus</i>	368
<i>belius</i> Reitter, 1898, <i>Ptinomorphus</i>	354
<i>bella</i> J. Weise, 1879, <i>Adalia</i>	603
<i>bella</i> L. Redtenbacher, 1849, <i>Corticaria</i>	642
<i>bella</i> Majer, 1995, <i>Mimothrix</i>	392
<i>bella</i> Meier, 1897, <i>Hippodamia</i>	616
<i>bella</i> Reitter, 1875, <i>Atomaria</i>	528
<i>bellieri</i> Chevrolat, 1866, <i>Coccinula</i>	601
<i>bellieri</i> Peyron, 1877, <i>Clanoptilus</i>	445
<i>bellieri</i> Reiche, 1858, <i>Lampyrus</i>	227
<i>bellieri</i> Walter, 1882, <i>Hippodamia</i>	618
<i>belloi</i> Guglielmi & Platia, 1985, <i>Athous</i>	158
<i>bellula</i> Lewis, 1883, <i>Megalodacne</i>	540
<i>bellulus</i> Chobaut, 1897, <i>Anthrenus</i>	311
<i>bellulus</i> Wittmer, 1995, <i>Platyebaeus</i>	437
<i>bellus</i> Platia & Gudenzi, 2000, <i>Cardiophorus</i>	195
<i>bellus</i> Wollaston, 1864, <i>Parexochomus</i>	595
<i>beloni</i> Reitter, 1884, <i>Holoparamecus</i>	558
<i>beloni</i> Reitter, 1882, <i>Dienerella</i>	637
<i>beloni</i> Reitter, 1889, <i>Corticaria</i>	642
<i>belonianus</i> Reitter, 1889, <i>Stephostethus</i>	640
<i>belonis</i> Desbrochers des Loges, 1870, <i>Cardiophorus</i>	195
<i>belophallus</i> Capra, 1925, <i>Scymnus</i>	586
<i>belovi</i> Lyubarsky, 1987, <i>Henotimorphus</i>	522
<i>benardi</i> Pic, 1924, <i>Lycocerus</i>	253
<i>benardi</i> Wittmer, 1970, <i>Colotes</i>	427
<i>benedicti</i> Fairmaire, 1849, <i>Cebrio</i>	90
<i>benedictus</i> Gorham, 1893, <i>Callimerus</i>	371
<i>benedikti</i> Platia, 2003, <i>Athous</i>	160
<i>benedikti</i> Švihla, 2002, <i>Rhagonycha</i>	262
<i>benedikti</i> Švihla, 2002, <i>Malthodes</i>	285
<i>beneficus</i> Kamiya, 1963, <i>Axinoscymnus</i>	578
<i>beneschi</i> Dolin, 1999, <i>Hypnoidus</i>	154
<i>benesi</i> Platia & Schimmel, 2002, <i>Melanotus</i>	142
<i>benesi</i> Švihla, 2004, <i>Lycocerus</i>	249
<i>benesi</i> Švihla, 2004, <i>Prothemus</i>	260

benesi Švihla, 2004, <i>Stenothemus</i>	269
benesi Švihla, 2004, <i>Themus</i>	271
bengalensis Brancucci, 1978, <i>Malthinus</i>	276
bengalensis Garg, 1997, <i>Agrypnus</i>	97
bengalensis Lesne, 1895, <i>Bostrychopsis</i>	322
<i>bengalensis</i> Mulsant, 1850, <i>Henosepilachna</i>	630
bengalensis Pic, 1907, <i>Achaetomalachius</i>	388
bengalensis Schimmel, 1998, <i>Megapenthes</i>	136
bengalensis Schimmel, 2004, <i>Gamepenthes</i>	136
<i>bengalensis</i> Sengupta, 1980, <i>Cryptophagus</i>	517
bengalensis Wittmer, 1986, <i>Laius</i>	417
bengalica Dieke, 1947, <i>Epilachna</i>	626
bengalicus Canepari, 1986, <i>Scymnus</i>	585
bengalicus Dolin, 2001, <i>Quasimus</i>	190
bengalicus Wittmer, 1978, <i>Maltypus</i>	296
bengaliensis Rücker, 1978, <i>Corticaria</i>	642
<i>bengasinus</i> Binaghi, 1941, <i>Drasterius</i>	105
beppin Kishii, 1992, <i>Ampedus</i>	121
bequesti Platia & Schimmel, 2001, <i>Melanotus</i>	142
<i>berardi</i> Lavagne, 1914, <i>Ernobius</i>	350
berber Wittmer, 1985, <i>Troglops</i>	453
berbera Švihla, 1995, <i>Rhagonycha</i>	262
berberidis Kiesenwetter, 1866, <i>Malthodes</i>	285
berezovskii Kazantsev, 2001, <i>Plateros</i>	219
berezovskyi Kirejtshuk, 1986, <i>Aethina</i>	470
berezowskii Kazantsev, 2000, <i>Mesolycus</i>	213
bergamensis Švihla, 2002, <i>Malthodes</i>	287
bergeri Sjöberg, 1939, <i>Eपुरaea</i>	464
bergrothi Reitter, 1881, <i>Thes</i>	641
<i>beringensis</i> J. R. Sahlberg, 1885, <i>Cryptophagus</i>	518
beringiana Kazantsev, 1994, <i>Crudosilis</i>	274
berlandi Peyerimhoff, 1942, <i>Tetrabrachys</i>	573
bernardi Peyerimhoff, 1948, <i>Cybocephalus</i>	489
<i>bernhardinus</i> Stierlin, 1879, <i>Melanotus</i>	142
<i>bernhaueri</i> Reitter, 1916, <i>Pseudoptilinus</i>	362
<i>bernhaueri</i> Wittmer, 1972, <i>Rhagonycha</i>	262
<i>berolinensis</i> Gmelin, 1790, <i>Rhagonycha</i>	265
<i>berolinensis</i> J. Weise, 1879, <i>Hippodamia</i>	616
<i>berolinensis</i> Kraatz, 1853, <i>Atomaria</i>	527
berrai Platia & Gudenzi, 2003, <i>Dicronychus</i>	204
bertiae C. Johnson & Bowstead, 2003, <i>Caenoscelis</i>	513
bertiana Audisio & De Biase, 1996, <i>Dapsa</i>	562
bertolinii Fiori, 1905, <i>Malthodes</i>	285
bertouti Aubé, 1861, <i>Holopamecus</i>	559
bertrandi Platia & Schimmel, 2001, <i>Melanotus</i>	151
<i>berulae</i> J. Weise, 1879, <i>Hippodamia</i>	616
berus Candèze, 1865, <i>Cryptalaus</i>	107
berytensis Fairmaire, 1866, <i>Lampyris</i>	226
berytensis J. R. Sahlberg, 1913, <i>Aplocnemus</i>	409
berytensis J. Weise, 1884, <i>Paracoelopterus</i>	568

<i>berytensis</i> Pic, 1899, <i>Ptinus</i>	335
<i>berytensis</i> Pic, 1902, <i>Danacea</i>	396
<i>berytensis</i> Reiche & Saulcy, 1857, <i>Malthodes</i>	286
<i>bescidica</i> Reitter, 1888, <i>Atomaria</i>	528
<i>bescidicum</i> Reitter, 1911, <i>Cerylon</i>	553
<i>bescidicus</i> Reitter, 1906, <i>Ptinus</i>	335
<i>beshkenticus</i> Dolin & Latifi, 1989, <i>Melanotus</i>	142
<i>besseri</i> Faldermann, 1835, <i>Harmonia</i>	615
<i>bessolitzinae</i> Gurjeva, 1986, <i>Liotrichus</i>	178
<i>besucheti</i> C. Johnson & Bowstead, 2003, <i>Caenoscelis</i>	513
<i>besucheti</i> Canepari, 1986, <i>Sticholotis</i>	571
<i>besucheti</i> Canepari, 1986, <i>Scymnus</i>	585
<i>besucheti</i> Canepari, 1986, <i>Epilachna</i>	626
<i>besucheti</i> Dajoz, 1968, <i>Abromus</i>	548
<i>besucheti</i> Dajoz, 1973, <i>Anommatus</i>	549
<i>besucheti</i> Dajoz, 1970, <i>Corticaria</i>	645
<i>besucheti</i> Dolin, 2001, <i>Quasimus</i>	190
<i>besucheti</i> Fürsch, 1977, <i>Nephus</i>	581
<i>besucheti</i> Otero, 1997, <i>Cryptophagus</i>	515
<i>besucheti</i> Platia & Schimmel, 1993, <i>Silesis</i>	111
<i>besucheti</i> Platia & Schimmel, 2001, <i>Melanotus</i>	142
<i>besucheti</i> Schawaller, 1989, <i>Aphanocephalus</i>	556
<i>besucheti</i> Schimmel, 1993, <i>Ampedus</i>	121
<i>besucheti</i> Vincent, 1994, <i>Dienerella</i>	636
<i>besucheti</i> Wittmer, 1969, <i>Sinometa</i>	269
<i>besucheti</i> Wittmer, 1970, <i>Malthodes</i>	286
<i>besucheti</i> Zahradnik, 2000, <i>Ernobius</i>	349
<i>beszedesi</i> Reitter, 1915, <i>Anommatus</i>	549
<i>betae</i> Walter, 1882, <i>Hippodamia</i>	618
<i>betancuriensis</i> Evers, 1959, <i>Attalus</i>	421
<i>betpakdalensis</i> Medvedev, 1964, <i>Troglocollops</i>	419
<i>bettae</i> Macquart, 1831, <i>Atomaria</i>	528
<i>bettingeri</i> Pic, 1927, <i>Rhagonycha</i>	262
<i>bettingeri</i> Pic, 1912, <i>Mauroania</i>	393
<i>beybienkoi</i> Dolin, 1976, <i>Ampedus</i>	122
<i>beyshiricus</i> Mertlik, 2000, <i>Selatosomus</i>	182
<i>bezdeki</i> Švihla, 2002, <i>Malthinus</i>	277
<i>bhaktai</i> Brancucci, 1978, <i>Malthinus</i>	276
<i>bhaktai</i> Kazantsev, 1991, <i>Plateros</i>	219
<i>bhaktai</i> Platia & Schimmel, 1991, <i>Silesis</i>	111
<i>bhaktai</i> Platia & Schimmel, 2001, <i>Melanotus</i>	142
<i>bhaktai</i> Wittmer, 1981, <i>Carphuroides</i>	415
<i>bhasini</i> Fleutiaux, 1932, <i>Agraeus</i>	96
<i>bhaumiki</i> Chakraborty & Biswas, 2003, <i>Scymnus</i>	585
<i>bhaumiki</i> Wittmer, 1978, <i>Malthinus</i>	277
<i>bhuswargabasi</i> Sengupta & Pal, 1982, <i>Aspidiphorus</i>	455
<i>bhutanensis</i> Bic, 2002, <i>Mesolycus</i>	213
<i>bhutanensis</i> Bielawski, 1979, <i>Cryptogonus</i>	576
<i>bhutanensis</i> Bielawski, 1979, <i>Epilachna</i>	626
<i>bhutanensis</i> C. Johnson, 1977, <i>Corticarina</i>	645

bhutanensis Chûjô, 1975, <i>Microsternus</i>	538
bhutanensis Dajoz, 1975, <i>Paracerylon</i>	554
bhutanensis M. Chûjô, 1975, <i>Helota</i>	495
bhutanensis M. Chûjô, 1975, <i>Anadastus</i>	532
bhutanensis Pal & Sengupta, 1979, <i>Cryptamorpha</i>	497
bhutanensis Platia & Schimmel, 1996, <i>Silesis</i>	111
bhutanensis Platia & Schimmel, 2001, <i>Melanotus</i>	142
bhutanensis Schimmel, 1999, <i>Procraerus</i>	138
bhutanensis Schimmel, 1996, <i>Dima</i>	183
bhutanensis Wittmer, 1997, <i>Rhagophthalmus</i>	225
bhutanensis Wittmer, 1978, <i>Lycocerus</i>	249
bhutanensis Wittmer, 1975, <i>Frostia</i>	284
bhutanica C. Johnson, 1977, <i>Corticicara</i>	647
bhutanicus Dolin, 1992, <i>Cardiohypnus</i>	187
bhutanicus Dolin, 1993, <i>Yukoana</i>	192
bhutanicus Pal, 1985, <i>Psammoecus</i>	497
bhutanicus Sengupta, 1978, <i>Pediacus</i>	502
<i>bhutanicus</i> Sengupta, 1978, <i>Byturus</i>	547
bhutanicus Sengupta & Pal, 1996, <i>Silvanus</i>	500
bhutanicus Sengupta & Pal, 1980, <i>Henoticus</i>	521
bhutia Sengupta & Pal, 1982, <i>Aspidiphorus</i>	455
bianchii Barovskij, 1926, <i>Silis</i>	276
bibari Kishii, 2002, <i>Priopus</i>	152
bicalcarata Champion, 1919, <i>Melyris</i>	387
bicallosithorax Pic, 1938, <i>Rhagonycha</i>	262
<i>bicarinata</i> Mulsant & Revelière, 1860, <i>Nyctophila</i>	228
<i>bicarinata</i> Reitter, 1897, <i>Merophysia</i>	557
<i>bicarinatus</i> Candèze, 1873, <i>Haterumelater</i>	129
<i>bicarinatus</i> Lewis, 1894, <i>Xanthopenthes</i>	139
<i>bicarinatus</i> Reitter, 1891, <i>Aeoloides</i>	104
<i>bicarinatus</i> Vats & Chauhan, 1992, <i>Conoderus</i>	104
<i>bicaudatus</i> Say, 1824, <i>Amphicerus</i>	321
<i>bicinctus</i> Chevrolat, 1854, <i>Acromalachus</i>	438
<i>bicinctus</i> Kirejtshuk, 1988, <i>Cybocephalus</i>	489
<i>bicinctus</i> Mulsant & Godart, 1872, <i>Nephus</i>	579
<i>bicinctus</i> Mulsant & Godart, 1870, <i>Nephus</i>	580
<i>bicinctus</i> Sturm, 1837, <i>Ptinus</i>	335
<i>bickhardti</i> Pic, 1910, <i>Cardiophorus</i>	196
<i>bickhardti</i> Sainte-Claire Deville, 1906, <i>Eपुरaea</i>	461
bicolor A. Villa & G. B. Villa, 1835, <i>Monotoma</i>	493
bicolor Bellés, 1982, <i>Sphaericus</i>	338
<i>bicolor</i> C.-T. Yang, 1978, <i>Scymnus</i>	588
bicolor Candèze, 1895, <i>Glyphonyx</i>	109
bicolor Cate, 2002, <i>Tolphorea</i>	113
<i>bicolor</i> Comolli, 1837, <i>Lyctus</i>	327
<i>bicolor</i> Creutzer, 1797, <i>Cantharis</i>	244
<i>bicolor</i> Csiki, 1903, <i>Lasioderma</i>	358
<i>bicolor</i> Curtis, 1833, <i>Paramecosoma</i>	523
<i>bicolor</i> Dalla Torre, 1879, <i>Nitidula</i>	474
<i>bicolor</i> Depoli, 1913, <i>Selatosomus</i>	181

bicolor Dolin & Gurjeva, 1988, <i>Pseudanostirus</i>	180
bicolor Erichson, 1846, <i>Atomaria</i>	528
bicolor Eschscholtz, 1829, <i>Hypnoidus</i>	154
bicolor Español, 1990, <i>Hadrobregmus</i>	341
<i>bicolor</i> Fabricius, 1801, <i>Melanotus</i>	150
<i>bicolor</i> Fabricius, 1798, <i>Cantharis</i>	241
bicolor Fabricius, 1781, <i>Dermestes</i>	299
bicolor Fabricius, 1801, <i>Melyris</i>	387
bicolor Fabricius, 1792, <i>Olibrus</i>	508
<i>bicolor</i> Fiori, 1899, <i>Cantharis</i>	244
bicolor Fleutiaux, 1940, <i>Lacon</i>	100
bicolor Gerstaecker, 1858, <i>Stenotarsus</i>	568
bicolor Goeze, 1777, <i>Athous</i>	160
bicolor Gorham, 1875, <i>Endomychus</i>	560
<i>bicolor</i> Halbherr, 1894, <i>Caenocara</i>	344
<i>bicolor</i> Harold, 1868, <i>Attagenus</i>	310
<i>bicolor</i> Herbst, 1784, <i>Cantharis</i>	243
bicolor Hisamatsu & Satô, 1959, <i>Torigaia</i>	87
<i>bicolor</i> Hope, 1831, <i>Harmonia</i>	615
<i>bicolor</i> J. Weise, 1879, <i>Anatis</i>	606
bicolor Kamiya, 1965, <i>Scymnomorphus</i>	572
bicolor Kiesenwetter, 1874, <i>Malthinellus</i>	276
bicolor Kiesenwetter, 1872, <i>Anthodromius</i>	386
<i>bicolor</i> Kraatz, 1858, <i>Thorictus</i>	304
bicolor L. Redtenbacher, 1868, <i>Prionocerus</i>	385
bicolor Laporte, 1838, <i>Opetiopalpus</i>	382
<i>bicolor</i> Lewis, 1895, <i>Allochotes</i>	381
<i>bicolor</i> Marsham, 1802, <i>Triplax</i>	543
<i>bicolor</i> P. H. Lucas, 1846, <i>Peripontius</i>	111
<i>bicolor</i> P. H. Lucas, 1846, <i>Meligethes</i>	482
<i>bicolor</i> Perris, 1864, <i>Cyrtosus</i>	447
bicolor Peyron, 1877, <i>Charopus</i>	441
bicolor Pic, 1954, <i>Orphinus</i>	317
<i>bicolor</i> Pic, 1931, <i>Falsogastrallus</i>	340
<i>bicolor</i> Piller & Mitterpacher, 1783, <i>Denticollis</i>	167
bicolor Platia & Gudenzi, 2002, <i>Procraerus</i>	138
bicolor Platia & Gudenzi, 1999, <i>Idotarmonides</i>	141
bicolor Platia & Gudenzi, 2004, <i>Dicronychus</i>	204
bicolor Reitter, 1887, <i>Danacaeina</i>	409
<i>bicolor</i> Reitter, 1896, <i>Meligethes</i>	480
<i>bicolor</i> Reitter, 1913, <i>Telmatophilus</i>	524
<i>bicolor</i> Reitter, 1911, <i>Byturus</i>	547
bicolor Satô, 1968, <i>Drilaster</i>	233
bicolor Schaufuss, 1867, <i>Drilus</i>	209
<i>bicolor</i> Schaufuss, 1882, <i>Lasioderma</i>	357
bicolor Smith, 1851, <i>Cucujus</i>	502
<i>bicolor</i> Sturm, 1845, <i>Cryptophagus</i>	520
<i>bicolor</i> T. L. Casey, 1900, <i>Attagenus</i>	307
bicolor Takahashi & Imasaka, 1997, <i>Rhagonycha</i>	262
<i>bicolor</i> Zahradník, 1997, <i>Xyletinus</i>	360

bicolorata M. Chûjô, 1941, <i>Triplax</i>	543
bicolorata Pic, 1939, <i>Evorinea</i>	306
<i>bicolorata</i> Ragusa, 1894, <i>Cantharis</i>	242
bicolorata Schimmel & Platia, 1991, <i>Penia</i>	185
<i>bicoloratus</i> Buysson, 1912, <i>Ampedus</i>	124
bicoloratus Kleine, 1939, <i>Libnetis</i>	217
bicoloratus Pic, 1939, <i>Trinodes</i>	306
bicoloratus Pic, 1935, <i>Aplocnemus</i>	410
bicoloratus Reitter, 1896, <i>Brachyleptus</i>	456
bicoloriceps Kopetz, 2004, <i>Themus</i>	269
<i>bicoloriceps</i> Pic, 1926, <i>Dasytiscus</i>	391
<i>bicoloriceps</i> Pic, 1923, <i>Amauronia</i>	393
bicoloriceps Pic, 1932, <i>Axinotarsus</i>	440
<i>bicoloriceps</i> Pic, 1917, <i>Cephaloncus</i>	452
bicoloriceps Wittmer, 1995, <i>Micropodabrus</i>	256
bicoloriceps Wittmer, 1997, <i>Podosilis</i>	275
bicoloriceps Wittmer, 1997, <i>Malthinus</i>	277
bicoloricornis Pic, 1933, <i>Dictyoptera</i>	214
<i>bicoloricornis</i> Pic, 1926, <i>Micropodabrus</i>	258
<i>bicoloricornis</i> Pic, 1924, <i>Xyletinus</i>	359
bicoloricornis Wittmer, 1983, <i>Themus</i>	270
bicoloripedoides Mader, 1955, <i>Eumorphus</i>	564
<i>bicoloripenne</i> Pic, 1933, <i>Hyperisus</i>	352
bicoloripennis M. Chûjô, 1967, <i>Paederolanguria</i>	535
bicoloripennis Pic, 1924, <i>Lycocerus</i>	249
bicoloripennis Pic, 1942, <i>Flabellomelyris</i>	387
bicoloripennis Pic, 1920, <i>Collops</i>	416
bicoloripes Pic, 1918, <i>Stenocladus</i>	233
bicoloripes Pic, 1925, <i>Callimerus</i>	371
bicoloripes Pic, 1924, <i>Lobonyx</i>	384
<i>bicoloripes</i> Pic, 1946, <i>Danacea</i>	397
<i>bicoloripes</i> Pic, 1914, <i>Charopus</i>	442
<i>bicoloripes</i> Pic, 1926, <i>Triplax</i>	544
<i>bicoloripes</i> Satô, 1985, <i>Stenocladus</i>	233
bicoloris Vats & Chauhan, 1993, <i>Drapetes</i>	208
bicoloritarsis Pic, 1925, <i>Callimerus</i>	371
bicome Peyerimhoff, 1917, <i>Sphaerosoma</i>	555
<i>biconstellata</i> Sajó, 1881, <i>Hippodamia</i>	618
<i>bicordifera</i> Casey, 1924, <i>Calvia</i>	608
<i>bicornis</i> A. Costa, 1847, <i>Troglops</i>	453
<i>bicornis</i> Erichson, 1846, <i>Oryzaephilus</i>	499
bicornutus Fairmaire, 1889, <i>Malachius</i>	448
<i>bicornutus</i> Latreille, 1813, <i>Amphicerus</i>	321
bicornutus Wittmer, 1982, <i>Attalus</i>	423
bicornutus Wittmer, 1981, <i>Hypebaeus</i>	434
<i>bicostata</i> Reitter, 1878, <i>Adistemia</i>	635
bicrescens Dieke, 1947, <i>Epilachna</i>	626
<i>bicrucciata</i> J. R. Sahlberg, 1913, <i>Globicornis</i>	316
<i>bicrucciata</i> W. G. Schneider, 1881, <i>Adalia</i>	605
<i>bicuspidatum</i> Ancy, 1879, <i>Sinoxylon</i>	323

bicuspis Lesne, 1901, <i>Xylopsocus</i>	325
bidens A. G. Olivier, 1790, <i>Ptinus</i>	333
bidens C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	479
bidens Champion, 1925, <i>Ichthyurus</i>	297
<i>bidens</i> Fabricius, 1798, <i>Sinoxylon</i>	323
<i>bidens</i> Rey, 1891, <i>Nyctophila</i>	228
bidens Wittmer, 1970, <i>Malthodes</i>	286
<i>bidentata</i> Motschulsky, 1859, <i>Crudosilis</i>	274
<i>bidentata</i> O.F. Müller, 1776, <i>Crudosilis</i>	274
bidentatopygus Pic, 1935, <i>Malthodes</i>	286
<i>bidentatus</i> A. G. Olivier, 1795, <i>Enneadesmus</i>	323
bidentatus C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	479
bidentatus Fabricius, 1792, <i>Silvanus</i>	500
bidentatus Hisamatsu, 1956, <i>Bioxylus</i>	84
bidentatus Mäklin, 1853, <i>Cryptophagus</i>	515
bidentatus Wittmer, 1997, <i>Themus</i>	269
bidiformis Wittmer, 1988, <i>Micropodabrus</i>	256
<i>bidisjunctus</i> Pic, 1917, <i>Glischrochilus</i>	470
<i>biehli</i> Reitter, 1888, <i>Endomychus</i>	560
bielawskii Fürsch, 1965, <i>Nephus</i>	580
bielawskii Wittmer, 1969, <i>Clanoptilus</i>	445
biellipticus Buysson, 1890, <i>Heteroderes</i>	106
bieti Gorham, 1889, <i>Themus</i>	271
bieti Platia & Schimmel, 2001, <i>Melanotus</i>	142
bifasciata Baudi di Selve, 1870, <i>Cryptarcha</i>	468
<i>bifasciata</i> Herbst, 1793, <i>Menochilus</i>	619
<i>bifasciata</i> J. Weise, 1879, <i>Adalia</i>	602
<i>bifasciata</i> Kraatz, 1895, <i>Epuraea</i>	464
bifasciata Perris, 1866, <i>Globicornis</i>	315
bifasciata Reitter, 1877, <i>Cartodere</i>	635
<i>bifasciata</i> Walter, 1882, <i>Propylea</i>	624
<i>bifasciatum</i> L. Redtenbacher, 1868, <i>Trogoderma</i>	319
bifasciatus A. G. Olivier, 1790, <i>Attagenus</i>	307
bifasciatus Barovskij, 1927, <i>Exochomus</i>	594
<i>bifasciatus</i> Fabricius, 1781, <i>Trichodes</i>	378
<i>bifasciatus</i> Gyllenhal, 1808, <i>Diacanthous</i>	169
<i>bifasciatus</i> Küster, 1847, <i>Prosternon</i>	180
<i>bifasciatus</i> Laporte, 1840, <i>Laius</i>	418
bifasciatus Motschulsky, 1860, <i>Anadastus</i>	532
<i>bifasciatus</i> P. Rossi, 1794, <i>Attagenus</i>	309
<i>bifasciatus</i> Pic, 1926, <i>Pharoscymnus</i>	571
bifascies Walker, 1859, <i>Cyllodes</i>	472
<i>bifenestratus</i> Guillebeau, 1892, <i>Olibrus</i>	510
bifenestratus Murray, 1864, <i>Carpophilus</i>	466
<i>bifenestratus</i> Pic, 1912, <i>Selatosomus</i>	181
bifer Lesne, 1932, <i>Paraxylion</i>	324
bifibra Li, 1961, <i>Epilachna</i>	626
biflammulatus Motschulsky, 1837, <i>Scymniscus</i>	583
<i>biflexuosa</i> J. Weise, 1879, <i>Propylea</i>	624
biformis Dolin, 1970, <i>Ampedus</i>	122

<i>biformis</i> L. Redtenbacher, 1858, <i>Athous</i>	160
<i>biformis</i> Reitter, 1880, <i>Ptinus</i>	333
<i>bifossicollis</i> Wittmer, 1963, <i>Silis</i>	276
<i>bifossulatus</i> Grouvelle, 1914, <i>Ascetoderes</i>	551
<i>bifoveatus</i> Vats & Chauhan, 1991, <i>Melanotus</i>	142
<i>bifoveolatus</i> Lewis, 1894, <i>Sericus</i>	134
<i>bifoveolatus</i> Miwa, 1927, <i>Haterumelater</i>	130
<i>bifoveolatus</i> Reitter, 1887, <i>Thorictus</i>	303
<i>bifoveolatus</i> Wollaston, 1858, <i>Dinoderus</i>	325
<i>bifrons</i> Abeille de Perrin, 1891, <i>Cyrtosus</i>	446
<i>bifurcata</i> Gorham, 1895, <i>Micraspis</i>	620
<i>bifurcata</i> Mulsant, 1866, <i>Hippodamia</i>	618
<i>bifurcatus</i> Champion, 1927, <i>Ebaeus</i>	429
<i>bifurcatus</i> G.-Y. Yu, 1995, <i>Scymnus</i>	589
<i>bifurcatus</i> Kiesenwetter, 1852, <i>Malthodes</i>	286
<i>bifurcus</i> Švec, 1992, <i>Tinodemus</i>	512
<i>bigibbulus</i> Fairmaire, 1900, <i>Lycocerus</i>	252
<i>bigliani</i> Fiori, 1915, <i>Malthinus</i>	277
<i>biguttata</i> Fabricius, 1787, <i>Adalia</i>	603
<i>biguttata</i> Thunberg, 1784, <i>Epuraea</i>	460
<i>biguttatus</i> A. G. Olivier, 1790, <i>Cardiophorus</i>	195
<i>biguttatus</i> A. G. Olivier, 1790, <i>Malthodes</i>	291
<i>biguttatus</i> Abeille de Perrin, 1881, <i>Embrocerus</i>	452
<i>biguttatus</i> Klug, 1862, <i>Carpophilus</i>	466
<i>biguttatus</i> Linnaeus, 1758, <i>Malthinus</i>	277
<i>biguttatus</i> Montrouzier, 1860, <i>Tarsostenus</i>	383
<i>biguttatus</i> Motschulsky, 1858, <i>Carpophilus</i>	467
<i>biguttatus</i> Mulsant, 1850, <i>Scymniscus</i>	583
<i>biguttatus</i> Pic, 1929, <i>Eanus</i>	177
<i>biguttatus</i> Piller & Mitterpacher, 1783, <i>Drapetes</i>	207
<i>biguttatus</i> Say, 1827, <i>Laemophloeus</i>	504
<i>biguttulus</i> Motschulsky, 1860, <i>Glischrochilus</i>	469
<i>biguttulus</i> Paykull, 1800, <i>Malthinus</i>	277
<i>biharensis</i> C. Johnson, 1979, <i>Corticarina</i>	645
<i>biharicus</i> Breit, 1911, <i>Anommatus</i>	549
<i>biimpressiceps</i> Pic, 1930, <i>Cantharis</i>	240
<i>biimpressifrons</i> Pic, 1932, <i>Anhomodactylus</i>	438
<i>biimpressum</i> Pic, 1894, <i>Cerylon</i>	553
<i>biimpressus</i> Pic, 1937, <i>Ernobius</i>	350
<i>biimpressus</i> Wittmer, 1982, <i>Micropodabrus</i>	256
<i>biinterrupta</i> Mader, 1926, <i>Coccinella</i>	612
<i>biinterruptus</i> Pic, 1903, <i>Malthinus</i>	281
<i>bijugus</i> Mulsant, 1853, <i>Chilocorus</i>	593
<i>bijugus</i> Mulsant, 1853, <i>Chilocorus</i>	593
<i>bijunctus</i> Pic, 1899, <i>Nudopectinus</i>	418
<i>bilamellatus</i> Wittmer, 1995, <i>Lycocerus</i>	249
<i>bilimbata</i> Wittmer, 1954, <i>Rhagonycha</i>	262
<i>bilinearis</i> G.-Y. Yu, 1997, <i>Nephus</i>	580
<i>bilineata</i> J. Weise, 1910, <i>Sticholotis</i>	571
<i>bilineatus</i> Champion, 1927, <i>Ebaeus</i>	429

<i>bilineatus</i> Kiesenwetter, 1852, <i>Malthinus</i>	277
<i>bilineatus</i> Pic, 1927, <i>Curtos</i>	231
<i>bilineatus</i> Pic, 1904, <i>Asiopodabrus</i>	234
<i>bilineatus</i> Pic, 1915, <i>Ichthyurus</i>	297
<i>bilineatus</i> Pic, 1907, <i>Anthocomus</i>	438
<i>bilineatus</i> Wittmer, 1995, <i>Lycocerus</i>	249
<i>biliottii</i> Gourreau, 1974, <i>Scymniscus</i>	583
<i>biliturata</i> Marsham, 1802, <i>Coccinella</i>	613
<i>bilituratus</i> Barovskij, 1909, <i>Themus</i>	271
<i>bilituratus</i> Marsham, 1802, <i>Scymnus</i>	584
<i>billieti</i> Mulsant, 1853, <i>Oenopia</i>	621
<i>biloba</i> Herbst, 1793, <i>Amphotis</i>	471
<i>bilunata</i> Marseul, 1864, <i>Cantharis</i>	240
<i>bilunata</i> Walter, 1882, <i>Propylea</i>	624
<i>bilunulatus</i> Guillebeau, 1892, <i>Olibrus</i>	510
<i>bilunulatus</i> J. Weise, 1879, <i>Exochomus</i>	594
<i>bilyi</i> Cate, 2002, <i>Agrypnus</i>	97
<i>bilyi</i> Háva, 2000, <i>Anthrenus</i>	312
<i>bilyi</i> Majer, 1989, <i>Chaetomalachius</i>	388
<i>bilyi</i> Platia & Gudenzi, 2000, <i>Cardiophorus</i>	195
<i>bilyi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	142
<i>bilyi</i> Schimmel, 1993, <i>Ampedus</i>	122
<i>bilyi</i> Švihla, 2004, <i>Lycocerus</i>	249
<i>bilyi</i> Švihla, 1994, <i>Sidabia</i>	269
<i>bilyi</i> Švihla, 1980, <i>Hypebaeus</i>	434
<i>bilyi</i> Švihla, 1987, <i>Malachius</i>	448
<i>bilyi</i> Wittmer, 1993, <i>Themus</i>	269
<i>bimacula</i> Dobrzanskiy, 1926, <i>Hyperaspis</i>	577
<i>bimacularis</i> Grouvelle, 1916, <i>Cryptophagus</i>	515
<i>bimaculata</i> A. G. Olivier, 1790, <i>Amphicerus</i>	321
<i>bimaculata</i> Arrow, 1915, <i>Thaumaglossa</i>	318
<i>bimaculata</i> De Geer, 1774, <i>Rhagonycha</i>	263
<i>bimaculata</i> Fiori, 1914, <i>Cantharis</i>	243
<i>bimaculata</i> G.-Y. Yu, 1999, <i>Shirozuella</i>	570
<i>bimaculata</i> Herbst, 1783, <i>Tritoma</i>	545
<i>bimaculata</i> Kurisaki, 1923, <i>Coelophora</i>	613
<i>bimaculata</i> Panzer, 1798, <i>Micrambe</i>	522
<i>bimaculata</i> Pic, 1919, <i>Trypherus</i>	298
<i>bimaculata</i> Pic, 1910, <i>Idgia</i>	385
<i>bimaculata</i> Pontoppidan, 1763, <i>Adalia</i>	603
<i>bimaculaticollis</i> Pic, 1937, <i>Prothemus</i>	260
<i>bimaculatus</i> A. G. Olivier, 1795, <i>Laemophloeus</i>	504
<i>bimaculatus</i> Donovan, 1807, <i>Tillus</i>	369
<i>bimaculatus</i> Fleutiaux, 1918, <i>Melanoxanthus</i>	137
<i>bimaculatus</i> Geoffroy, 1785, <i>Calambus</i>	176
<i>bimaculatus</i> Herbst, 1792, <i>Scymnus</i>	590
<i>bimaculatus</i> Hoang, 1983, <i>Platynaspidium</i>	596
<i>bimaculatus</i> Jiang, 1991, <i>Campsosternus</i>	94
<i>bimaculatus</i> Kapur, 1948, <i>Cryptogonus</i>	575
<i>bimaculatus</i> Kraatz, 1894, <i>Trichodes</i>	380

bimaculatus Küster, 1848, <i>Olibrus</i>	508
bimaculatus L. N. Medvedev, 1963, <i>Tolyphus</i>	512
<i>bimaculatus</i> Linnaeus, 1767, <i>Carpophilus</i>	466
<i>bimaculatus</i> Marsham, 1802, <i>Scymnus</i>	589
bimaculatus Matsumura, 1915, <i>Merobrachys</i>	507
<i>bimaculatus</i> Matsumura & Yokoyama, 1928, <i>Thaumaglossa</i>	318
<i>bimaculatus</i> Miwa, 1929, <i>Ampedus</i>	129
bimaculatus P. Rossi, 1790, <i>Drasterius</i>	105
<i>bimaculatus</i> P. Rossi, 1790, <i>Divales</i>	406
<i>bimaculatus</i> Paykull, 1801, <i>Notolaemus</i>	505
bimaculatus Pic, 1911, <i>Chionotopus</i>	442
<i>bimaculatus</i> Pic, 1951, <i>Clanoptilus</i>	442
bimaculatus Schenkling, 1899, <i>Tillodenops</i>	369
<i>bimaculatus</i> Schenkling, 1901, <i>Orthrius</i>	374
bimaculatus Schimmel, 1998, <i>Haterumelater</i>	130
bimaculatus Schwarz, 1905, <i>Penia</i>	185
<i>bimaculatus</i> Stephens, 1830, <i>Phloiophilus</i>	363
<i>bimaculatus</i> Thunberg, 1795, <i>Scymnus</i>	589
bimaculatus Wittmer, 1956, <i>Laemoglyptus</i>	275
<i>bimaculatus</i> X.-F. Pang & Mao, 1979, <i>Platynaspidium</i>	596
bimaculiceps Wittmer, 1958, <i>Themus</i>	271
<i>bimaculifera</i> Heyden, 1888, <i>Cantharis</i>	240
<i>bimaculosa</i> Herbst, 1786, <i>Adalia</i>	603
bimargo Reitter, 1896, <i>Tropihypnus</i>	167
bimetallica Abeille de Perrin, 1894, <i>Parathrix</i>	393
<i>bina</i> Haworth, 1912, <i>Adalia</i>	603
<i>binaeva</i> Reitter, 1897, <i>Dacne</i>	537
<i>binaevulus</i> Stenius, 1952, <i>Nephus</i>	580
binaevus Reitter, 1879, <i>Glischrochilus</i>	469
binaghanus Wurst, 1995, <i>Anostirus</i>	175
<i>binaghii</i> Leseigneur, 1969, <i>Adrastus</i>	109
<i>binaghii</i> Platia, 1984, <i>Athous</i>	160
<i>binaghii</i> Platia & Schimmel, 2001, <i>Melanotus</i>	142
binchuangensis X.-F. Pang & Mao, 1975, <i>Stethorus</i>	591
<i>binderi</i> Roubal, 1913, <i>Olibrus</i>	510
bingoelensis Wittmer, 1999, <i>Malachius</i>	448
<i>biniterruptus</i> Pic, 1945, <i>Trichodes</i>	379
binodulus Motschulsky, 1861, <i>Agrypnus</i>	97
binodulus Motschulsky, 1858, <i>Indanobium</i>	356
<i>binodulus</i> Rey, 1889, <i>Meligethes</i>	480
<i>binominata</i> Pic, 1906, <i>Cantharis</i>	241
<i>binotata</i> A. Costa, 1850, <i>Mycetina</i>	565
binotata Reitter, 1873, <i>Epuraea</i>	460
binotata Reitter, 1875, <i>Ipidia</i>	473
<i>binotata</i> Reitter, 1888, <i>Tritoma</i>	545
<i>binotata</i> Trella, 1923, <i>Dapsa</i>	563
binotata Wittmer, 1935, <i>Lampyroidea</i>	231
<i>binotaticollis</i> Pic, 1913, <i>Malthinus</i>	283
<i>binotaticollis</i> Pic, 1935, <i>Malthodes</i>	286
<i>binotaticollis</i> Pic, 1911, <i>Malthodes</i>	288

binotatus C. N. F. Brisout de Barneville, 1863, <i>Nephus</i>	580
<i>binotatus</i> Chevrolat, 1874, <i>Tenerus</i>	384
binotatus Fischer von Waldheim, 1829, <i>Orthrius</i>	374
binotatus Grouvelle, 1894, <i>Meligethes</i>	479
binotatus Grouvelle, 1908, <i>Cybocephalus</i>	489
<i>binotatus</i> Grouvelle, 1916, <i>Cryptophagus</i>	515
<i>binotatus</i> P. Rossi, 1792, <i>Drasterius</i>	105
<i>binotatus</i> Pic, 1912, <i>Trichodes</i>	376
<i>binotatus</i> Reitter, 1879, <i>Cyllodes</i>	472
binotatus Wittmer, 1956, <i>Hypebaeus</i>	434
binus Candèze, 1889, <i>Agrypnus</i>	97
biocellata Fairmaire, 1891, <i>Cantharis</i>	247
<i>biocellata</i> Gebler, 1830, <i>Adalia</i>	603
<i>biocellata</i> J. Weise, 1879, <i>Anatis</i>	606
<i>bioculata</i> Say, 1824, <i>Adalia</i>	602
bioculatus Abeille de Perrin, 1894, <i>Lobonyx</i>	384
biondii Audisio, 1988, <i>Meligethes</i>	479
<i>bipallida</i> Kaszab, 1955, <i>Cantharis</i>	243
bipapulatus Candèze, 1865, <i>Agrypnus</i>	97
<i>bipartita</i> Blanchard, 1853, <i>Tilloidea</i>	369
bipartita Majer, 1988, <i>Bilyella</i>	400
<i>bipartita</i> Mulsant, 1850, <i>Micraspis</i>	620
<i>bipartita</i> Trost, 1801, <i>Omosita</i>	474
bipartitus Chevrolat, 1874, <i>Cebrio</i>	90
bipartitus Fuente, 1918, <i>Rhyzobius</i>	573
<i>bipartitus</i> Pic, 1935, <i>Ernobius</i>	351
bipartitus Wittmer, 1972, <i>Lycocerus</i>	249
bipartitus Wittmer, 1970, <i>Ebaeus</i>	429
bipartitus Wittmer, 1982, <i>Anthocomus</i>	439
<i>bipedes</i> Bruce, 1963, <i>Cryptophagus</i>	516
biplagiata Ballion, 1871, <i>Cantharis</i>	240
biplagiata Kirejtshuk, 1998, <i>Epuraea</i>	464
biplagiata Lewis, 1887, <i>Tritoma</i>	545
biplagiata Motschulsky, 1866, <i>Lucidina</i>	230
biplagiata Swartz, 1808, <i>Coelophora</i>	613
<i>biplagiaticollis</i> Pic, 1914, <i>Cantharis</i>	240
<i>biplagiatus</i> Guillebeau, 1892, <i>Olibrus</i>	508
<i>biplagiatus</i> Walker, 1871, <i>Chilocorus</i>	593
<i>biplicata</i> Fairmaire, 1880, <i>Phenolia</i>	475
biplicata Reitter, 1884, <i>Merophysia</i>	557
<i>bipunctata</i> Gmelin, 1790, <i>Coccidula</i>	572
<i>bipunctata</i> Heer, 1841, <i>Epuraea</i>	460
bipunctata Linnaeus, 1758, <i>Nitidula</i>	473
bipunctata Linnaeus, 1758, <i>Adalia</i>	602
<i>bipunctata</i> Sajó, 1881, <i>Ceratomegilla</i>	609
bipunctatus Candèze, 1857, <i>Lanelater</i>	102
<i>bipunctatus</i> DeGeer, 1774, <i>Attagenus</i>	309
bipunctatus Fabricius, 1798, <i>Cardiophorus</i>	195
bipunctatus Fabricius, 1792, <i>Psammoecus</i>	497
<i>bipunctatus</i> Fluiter, 1939, <i>Nephus</i>	581

<i>bipunctatus</i> Gmelin, 1790, <i>Bothrideres</i>	551
<i>bipunctatus</i> Harrer, 1784, <i>Anthocomus</i>	439
<i>bipunctatus</i> Herbst, 1793, <i>Rhizophagus</i>	491
<i>bipunctatus</i> Kugelann, 1794, <i>Nephus</i>	579
<i>bipunctatus</i> Melsheimer, 1844, <i>Glischrochilus</i>	470
<i>bipunctatus</i> Reitter, 1894, <i>Trichodes</i>	377
<i>bipunctatus</i> Schilsky, 1888, <i>Negastrius</i>	188
<i>bipunctatus</i> Schrank, 1776, <i>Hadrobregmus</i>	341
<i>bipuncticollis</i> Gorham, 1895, <i>Cantharis</i>	247
<i>bipuncticollis</i> Kaszab, 1955, <i>Cantharis</i>	245
<i>bipunctutus</i> Matsumura & Yokoyama, 1928, <i>Orphinus</i>	317
<i>bipustulata</i> E. Olivier, 1908, <i>Drilaster</i>	233
<i>bipustulata</i> Fabricius, 1787, <i>Dacne</i>	538
<i>bipustulata</i> Fabricius, 1775, <i>Tritoma</i>	545
<i>bipustulata</i> Herbst, 1783, <i>Adalia</i>	603
<i>bipustulata</i> Linnaeus, 1761, <i>Nitidula</i>	473
<i>bipustulata</i> Thunberg, 1781, <i>Dacne</i>	537
<i>bipustulata</i> Thunberg, 1784, <i>Hyperaspis</i>	578
<i>bipustulatus</i> Barovskij, 1909, <i>Tetrabrachys</i>	573
<i>bipustulatus</i> Champion, 1925, <i>Stilbus</i>	512
<i>bipustulatus</i> Fabricius, 1781, <i>Divales</i>	406
<i>bipustulatus</i> Fabricius, 1792, <i>Rhizophagus</i>	491
<i>bipustulatus</i> Gerstaecker, 1860, <i>Drapetes</i>	207
<i>bipustulatus</i> Heer, 1841, <i>Carpophilus</i>	466
<i>bipustulatus</i> Linnaeus, 1767, <i>Calambus</i>	176
<i>bipustulatus</i> Linnaeus, 1758, <i>Malachius</i>	448
<i>bipustulatus</i> Linnaeus, 1758, <i>Chilocorus</i>	593
<i>bipustulatus</i> Melsheimer, 1844, <i>Glischrochilus</i>	470
<i>bipustulatus</i> Motschulsky, 1837, <i>Scymniscus</i>	583
<i>bipustulatus</i> Panzer, 1792, <i>Laemophloeus</i>	504
<i>bipustulatus</i> Paykull, 1798, <i>Kateretes</i>	458
<i>bipustulatus</i> Schilsky, 1888, <i>Zoroachros</i>	193
<i>bipustulatus</i> Thunberg, 1795, <i>Nephus</i>	579
<i>biquadripunctata</i> Jing, 1988, <i>Coelophora</i>	613
<i>birganjensis</i> Kazantsev, 2001, <i>Plateros</i>	219
<i>birganjensis</i> Ôhira & Becker, 1974, <i>Anchastus</i>	139
<i>birganjianus</i> Ôhira & Becker, 1973, <i>Zoroachros</i>	192
<i>birmanensis</i> Kleine, 1928, <i>Libnetis</i>	217
<i>birmanica</i> Champion, 1921, <i>Intybia</i>	417
<i>birmanica</i> Gorham, 1892, <i>Tilloidea</i>	369
<i>birmanica</i> Gorham, 1896, <i>Encaustes</i>	539
<i>birmanica</i> Gorham, 1895, <i>Propylea</i>	623
<i>birmanica</i> Grouvelle, 1892, <i>Eपुरaea</i>	460
<i>birmanica</i> Harold, 1879, <i>Caenolanguria</i>	533
<i>birmanica</i> Pic, 1911, <i>Asiosilis</i>	274
<i>birmanicum</i> Gorham, 1892, <i>Stigmatium</i>	374
<i>birmanicus</i> Arrow, 1915, <i>Attagenus</i>	307
<i>birmanicus</i> Candèze, 1888, <i>Xanthopenthes</i>	139
<i>birmanicus</i> Grouvelle, 1892, <i>Silvanoprus</i>	500
<i>birmanum</i> Lesne, 1906, <i>Sinoxylon</i>	323

birmanus Dodero, 1900, <i>Aphanocephalus</i>	556
birnbacheri Krauss, 1894, <i>Podistra</i>	259
biroi Kaszab, 1955, <i>Malthodes</i>	286
bisbicoatus Pic, 1924, <i>Lycocerus</i>	249
bisbidivisus Pic, 1945, <i>Trichodes</i>	380
bisbigemina Pic, 1917, <i>Cantharis</i>	239
bisbiinterruptus Pic, 1917, <i>Trichodes</i>	376
bisbimaculata Mader, 1941, <i>Spondotriplax</i>	543
bisbimaculatus Fabricius, 1803, <i>Betarmon</i>	140
bisbipustulata Fabricius, 1792, <i>Platynaspis</i>	596
bisbipustulatus Marsham, 1802, <i>Scymnus</i>	589
bisbipustulatus Panzer, 1793, <i>Nephus</i>	581
bisbisignatus Buysson, 1913, <i>Drasterius</i>	105
bisbisignatus L. Redtenbacher, 1843, <i>Scymnus</i>	589
bisbiverrucata Paykull, 1798, <i>Platynaspis</i>	596
biscrensis Pic, 1905, <i>Ptinus</i>	334
bisculpturatus Wollaston, 1862, <i>Attalus</i>	421
biscutellata Mulsant, 1866, <i>Adalia</i>	603
bisdecempunctata Duméril, 1817, <i>Psyllobora</i>	599
bisignata Boheman, 1851, <i>Epuraea</i>	464
bisignata Fiori, 1914, <i>Cantharis</i>	245
bisignata Fischer von Waldheim, 1842, <i>Myzia</i>	620
bisignata Sturm, 1844, <i>Epuraea</i>	459
bisignatus Abeille de Perrin, 1885, <i>Callotroglops</i>	451
bisignatus Boheman, 1850, <i>Nephus</i>	579
bisignatus Guérin-Méneville, 1844, <i>Laemophloeus</i>	504
bisignatus Ménétris, 1849, <i>Olibrus</i>	508
bisinuata Reitter, 1908, <i>Merophysia</i>	557
biskraensis Schilsky, 1897, <i>Aplocnemus</i>	410
biskrensis Desbrochers des Loges, 1870, <i>Drasterius</i>	105
biskrensis Fairmaire, 1876, <i>Cebrio</i>	90
biskrensis Grouvelle, 1899, <i>Planolestes</i>	506
biskrensis Pic, 1900, <i>Malthinus</i>	280
biskrensis Pic, 1904, <i>Attagenus</i>	307
biskrensis Pic, 1894, <i>Danacea</i>	395
biskrensis Pic, 1895, <i>Dasytes</i>	402
biskrensis Reitter, 1887, <i>Anthrenus</i>	314
bisoctonotata Mulsant, 1850, <i>Psyllobora</i>	599
bispinicollis Miwa, 1929, <i>Ectamenogonus</i>	135
bispinosum A. G. Olivier, 1790, <i>Sinoxylon</i>	323
bispinosus Curtis, 1827, <i>Clanoptilus</i>	444
bispinosus Hampe, 1855, <i>Pleganophorus</i>	567
bispinus Wittmer, 1935, <i>Cephaloncus</i>	452
bisquadripunctata Gyllenhal, 1808, <i>Afidentula</i>	625
bisquadripustulata Haworth, 1812, <i>Adalia</i>	602
bissellata Mulsant, 1850, <i>Coelophora</i>	613
bisseptemguttata Schaller, 1783, <i>Calvia</i>	608
bisseptempunctata Sturm, 1826, <i>Calvia</i>	608
bissexguttata Fabricius, 1792, <i>Vibidia</i>	599
bissexnotata Mulsant, 1850, <i>Oenopia</i>	621

<i>bissexpustulata</i> Fabricius, 1798, <i>Propylea</i>	624
<i>bissexpustulata</i> Herbst, 1793, <i>Harmonia</i>	615
<i>bistigmosa</i> Mulsant, 1850, <i>Illeis</i>	598
<i>bistortus</i> G.-Y. Yu, 1995, <i>Scymnus</i>	585
<i>bistriata</i> Paykull, 1798, <i>Dorcatoma</i>	344
<i>bistriata</i> Reitter, 1889, <i>Merophysia</i>	557
<i>bistriatum</i> Laporte, 1840, <i>Passandra</i>	502
<i>bistriatus</i> Kleine, 1943, <i>Lycoprogentes</i>	217
<i>bistripunctata</i> Mader, 1938, <i>Mycetina</i>	565
<i>bistriverrucata</i> Haworth, 1812, <i>Adalia</i>	602
<i>bistriverrucata</i> Haworth, 1912, <i>Coccinella</i>	610
<i>bisulcata</i> Pic, 1927, <i>Dorcatoma</i>	345
<i>bitaeniatus</i> Kraatz, 1894, <i>Trichodes</i>	377
<i>bithynicus</i> Audisio, 1988, <i>Meligethes</i>	479
<i>bitincticollis</i> Wittmer, 1997, <i>Malthinus</i>	277
<i>bitriangularis</i> Say, 1824, <i>Anisosticta</i>	599
<i>bituberculata</i> Wittmer, 1995, <i>Hypomixis</i>	436
<i>bituberculatus</i> Förster, 1849, <i>Meligethes</i>	485
<i>bituberculatus</i> Stephens, 1830, <i>Anthocomus</i>	439
<i>bituberculatus</i> Stephens, 1830, <i>Cryptophagus</i>	518
<i>bituberculatus</i> Wittmer, 1979, <i>Troglocollops</i>	419
<i>biundulata</i> Pic, 1912, <i>Subcoccinella</i>	630
<i>biungulatus</i> Champion, 1925, <i>Macrohabronychus</i>	254
<i>biungulatus</i> Champion, 1925, <i>Macrohabronychus</i>	255
<i>bivalvis</i> G.-Y. Yu, 1997, <i>Pseudoscymnus</i>	582
<i>biverrucatus</i> Panzer, 1795, <i>Nephus</i>	579
<i>bivitreata</i> Fairmaire, 1897, <i>Pyrocoelia</i>	228
<i>bivittata</i> J. Weise, 1879, <i>Anatis</i>	606
<i>bivittata</i> Marseul, 1864, <i>Cantharis</i>	245
<i>bivittata</i> Wittmer, 1995, <i>Hypomixis</i>	436
<i>bivittatus</i> Mulsant & Rey, 1868, <i>Attagenus</i>	309
<i>bivittatus</i> Wittmer, 1955, <i>Laius</i>	417
<i>bivulnerus</i> Baudi di Selve, 1894, <i>Scymnus</i>	589
<i>bivulnerus</i> Capra & Fürsch, 1967, <i>Scymnus</i>	589
<i>bizen</i> Kishii, 1984, <i>Dalopius</i>	119
<i>blackburni</i> Hayek, 1973, <i>Agrypnus</i>	97
<i>blackmorei</i> Wollaston, 1875, <i>Melyrosoma</i>	388
<i>blairei</i> Fleutiaux, 1927, <i>Agrypnus</i>	97
<i>blaisei</i> Pic, 1926, <i>Intybia</i>	417
<i>blaiyii</i> Guérin-Méneville, 1839, <i>Monotoma</i>	494
<i>blanchardii</i> P. H. Lucas, 1850, <i>Stenomera</i>	328
<i>blandulus</i> Reitter, 1872, <i>Meligethes</i>	483
<i>blandus</i> Germar, 1824, <i>Agriotes</i>	118
<i>blandus</i> Mader, 1933, <i>Aspidimerus</i>	575
<i>blandus</i> Solsky, 1881, <i>Dicronychus</i>	204
<i>blascoi</i> Constantin, 1992, <i>Dasytes</i>	401
<i>blasi</i> Otero & González, 1982, <i>Cryptophagus</i>	515
<i>blattina</i> Gistel, 1857, <i>Sericoderus</i>	633
<i>bleusei</i> Abeille de Perrin, 1900, <i>Ebaeus</i>	429
<i>bleusei</i> E. Olivier, 1913, <i>Selasia</i>	210

bleusei Pic, 1899, <i>Sefrania</i>	310
bleusei Pic, 1899, <i>Anthrenus</i>	311
bleusei Pic, 1895, <i>Danacea</i>	395
bleusei Pic, 1927, <i>Axinotarsus</i>	440
bloudana Pic, 1915, <i>Cantharis</i>	243
bluethgeni Mader, 1933, <i>Propylea</i>	623
blumenthali Platia & Gudenzi, 2002, <i>Melanotus</i>	142
bobadillae Evers, 1960, <i>Attalus</i>	421
bocae Villiers, 1945, <i>Anadastus</i>	532
bocaki Platia & Schimmel, 2001, <i>Melanotus</i>	142
bocaki Wittmer, 1994, <i>Condylops</i>	437
bocakorum Kazantsev, 2001, <i>Macrolycus</i>	213
bocakorum Schimmel, 2003, <i>Ampedus</i>	122
bocandei Candèze, 1857, <i>Lanelater</i>	102
bocandei Mulsant, 1850, <i>Bulaea</i>	600
bocharensis Abeille de Perrin, 1900, <i>Haplomalachius</i>	447
bodemeyeri Bourgeois, 1900, <i>Cordicantharis</i>	248
bodemeyeri Dahlgren, 1968, <i>Rhagonycha</i>	265
bodemeyeri Ganglbauer, 1900, <i>Globicornis</i>	316
bodemeyeri J. Weise, 1900, <i>Coccinella</i>	611
bodemeyeri Majer, 1989, <i>Chaetomalachius</i>	389
bodemeyeri Olexa, 1962, <i>Rhacopus</i>	83
bodemeyeri Pic, 1911, <i>Macrocerus</i>	296
bodemeyeri Reitter, 1906, <i>Ampedus</i>	123
bodenheimeri Pic, 1932, <i>Hypebaeus</i>	434
bodoanus Reitter, 1913, <i>Oedostethus</i>	189
bodoi Pic, 1911, <i>Rhagonycha</i>	264
boeberi Cederjhelm, 1798, <i>Anatis</i>	606
boeberi Germar, 1824, <i>Anostirus</i>	174
boehmi Reitter, 1908, <i>Orphinus</i>	317
boeticus Buysson, 1902, <i>Cardiophorus</i>	195
bogatchevi Kazantsev, 1989, <i>Bactrocantharis</i>	238
bogatschevi Dolin, 1969, <i>Agriotes</i>	114
bogatschevi Dolin, 1978, <i>Melanotus</i>	142
bogatschevi Dolin, 1985, <i>Cardiophorus</i>	196
bogdoensis Bielawski, 1965, <i>Scymnus</i>	589
bohaci Švihla, 1990, <i>Rhagonycha</i>	262
bohaci Švihla, 2002, <i>Malthodes</i>	286
bohemani Plavilshchikov, 1924, <i>Epuraea</i>	464
bohemicus Obenberger, 1914, <i>Meligethes</i>	487
bohemicus Roubal, 1924, <i>Cryptophagus</i>	520
boicus Kiesenwetter, 1863, <i>Malthodes</i>	286
boieldieui Jacquelin du Val, 1859, <i>Lamprohiza</i>	229
boieldieui Levrat, 1857, <i>Gibbium</i>	329
boisduvali Mulsant, 1850, <i>Henosepilachna</i>	629
boiteli Normand, 1950, <i>Anommatus</i>	549
bolivari Escalera, 1933, <i>Attalus</i>	421
bolivari Escalera, 1937, <i>Troglops</i>	453
bolivari Reitter, 1904, <i>Athous</i>	160
boliviensis Pic, 1915, <i>Trogoderma</i>	319

bolognai Audisio, 1977, <i>Meligethes</i>	479
bolognai Guglielmi & Platia, 1985, <i>Athous</i>	160
bombycinus Candèze, 1895, <i>Phorocardius</i>	206
bomfordii Fairmaire, 1897, <i>Laemoglyptus</i>	275
bomiensis Háva, 2004, <i>Anthrenus</i>	314
bonadonai Pardo Alcaide, 1962, <i>Charopus</i>	441
<i>bonariensis</i> Steinheil, 1873, <i>Stegobium</i>	343
bonianus Schimmel, 2003, <i>Ampedus</i>	122
<i>bonifacyi</i> Grouvelle, 1912, <i>Cryptarcha</i>	468
boninensis Ford, 1958, <i>Cryptoramorphus</i>	343
boninensis Nakane, 1991, <i>Nipponophloeus</i>	505
boninensis Ôhira, 1970, <i>Lacon</i>	100
boninensis Ôhira, 1974, <i>Melanotus</i>	142
boninensis Sasaji, 1978, <i>Idiophyes</i>	559
boninensis Sasaji, 1982, <i>Nephus</i>	580
boninsis Zwaluwenburg, 1957, <i>Priopus</i>	152
bonnairei Abeille de Perrin, 1885, <i>Attalus</i>	421
bonnairei Buysson, 1890, <i>Agriotes</i>	114
bonnairei Buysson, 1893, <i>Cardiophorus</i>	202
<i>bonnairei</i> Guillebeau, 1892, <i>Phalacrus</i>	510
<i>bonnairei</i> Pic, 1894, <i>Aplocnemus</i>	413
bonnairei Wasmann, 1894, <i>Thorictus</i>	303
bonnairii Fairmaire, 1883, <i>Emmepus</i>	370
<i>bonnarei</i> Guillebeau, 1892, <i>Olibrus</i>	509
bonomii Binaghi, 1940, <i>Ctenicera</i>	176
<i>bonvouloiri</i> Boieldieu, 1859, <i>Enicopus</i>	407
<i>bonvouloiri</i> C. N. F. Brisout de Barneville, 1872, <i>Meligethes</i>	478
<i>bonvouloiri</i> Reiche, 1869, <i>Athous</i>	161
<i>bonvouloirii</i> Desbrochers des Loges, 1875, <i>Trixagus</i>	89
<i>bonvouloirii</i> Jacquelin du Val, 1860, <i>Nyctophila</i>	227
<i>bonvouloirii</i> Wollaston, 1862, <i>Casapus</i>	329
boomensis Vats & Kashyap, 1992, <i>Agrypnus</i>	97
<i>boops</i> Easton, 1957, <i>Meligethes</i>	478
<i>boops</i> Evers, 1968, <i>Dromanthomorphus</i>	416
<i>boops</i> Kiesenwetter, 1852, <i>Rhagonycha</i>	266
boquilobensis Platia & Serrano, 2002, <i>Ampedus</i>	122
<i>bordei</i> Pic, 1911, <i>Malthinus</i>	280
<i>bordei</i> Sainte-Claire Deville, 1921, <i>Pseudeurostus</i>	332
<i>boreades</i> Parsons, 1967, <i>Epuraea</i>	462
borealior Strohecker, 1972, <i>Ancylopus</i>	562
<i>borealis</i> C. G. Thomson, 1864, <i>Dasytes</i>	404
<i>borealis</i> Hisamatsu, 1980, <i>Galbites</i>	86
<i>borealis</i> Hisamatsu, 1968, <i>Phenolia</i>	475
<i>borealis</i> Israelson, 1971, <i>Stagetus</i>	346
<i>borealis</i> J. Weise, 1879, <i>Adalia</i>	602
<i>borealis</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>borealis</i> Lafer, 1992, <i>Phalacrus</i>	510
<i>borealis</i> Motschulsky, 1845, <i>Meligethes</i>	482
<i>borealis</i> Palm, 1947, <i>Ampedus</i>	128
<i>borealis</i> Paykull, 1800, <i>Denticollis</i>	167

<i>borealis</i> Sjöberg, 1947, <i>Atomaria</i>	526
<i>borealis</i> Wollaston, 1855, <i>Corticaria</i>	645
<i>boreaphilus</i> C. G. Thomson, 1864, <i>Neohypdonus</i>	189
<i>boreela</i> J. Weise, 1879, <i>Adalia</i>	602
<i>boreella</i> Zetterstedt, 1838, <i>Cantharis</i>	244
<i>boreella</i> Zetterstedt, 1828, <i>Epuraea</i>	460
<i>boreolitoralis</i> Donisthorpe, 1918, <i>Coccinella</i>	612
<i>boreophila</i> Motschulsky, 1867, <i>Corticaria</i>	642
<i>borgorum</i> Wittmer, 1987, <i>Hypebaeus</i>	434
<i>borneensis</i> Kraatz, 1900, <i>Microlanguria</i>	535
<i>boron</i> Beal, 1954, <i>Trogoderma</i>	319
<i>boroveci</i> Švihla, 1999, <i>Cantharis</i>	240
<i>borrei</i> Matthews, 1885, <i>Orthoperus</i>	634
<i>borsaensis</i> Švihla, 1980, <i>Malthodes</i>	286
<i>bosnica</i> Apfelbeck, 1894, <i>Ctenicera</i>	176
<i>bosnica</i> Pic, 1903, <i>Dichelotarsus</i>	237
<i>bosnica</i> Pic, 1906, <i>Cantharis</i>	245
<i>bosnica</i> Pic, 1913, <i>Danacea</i>	395
<i>bosnicum</i> Reitter, 1885, <i>Sphaerosoma</i>	555
<i>bosnicus</i> Kaszab, 1947, <i>Anommatus</i>	549
<i>bosnicus</i> Obenberger, 1922, <i>Arthrolips</i>	632
<i>bosnicus</i> Wittmer, 1980, <i>Malthodes</i>	286
<i>bosniensis</i> Obenberger, 1914, <i>Cryptophagus</i>	518
<i>bosphoranus</i> Champenois, 1900, <i>Trichodes</i>	379
<i>bostrychoides</i> Grouvelle, 1908, <i>Ancistria</i>	501
<i>bothnica</i> Mulsant, 1846, <i>Adalia</i>	605
<i>bothriderus</i> Fairmaire, 1887, <i>Micropodabrus</i>	256
<i>botnica</i> Paykull, 1799, <i>Adalia</i>	605
<i>boubersi</i> Leseigneur, 1970, <i>Zorochores</i>	192
<i>boucadensis</i> Chevrolat, 1874, <i>Cebrio</i>	90
<i>boudieri</i> P. H. Lucas, 1843, <i>Psammoecus</i>	497
<i>boulderanus</i> Casey, 1924, <i>Cryptophagus</i>	521
<i>boulei</i> Ritsema, 1915, <i>Helota</i>	495
<i>bourdilloni</i> Easton, 1968, <i>Meligethes</i>	480
<i>bourdilloni</i> Kapur, 1958, <i>Scymnus</i>	585
<i>bourgeoisii</i> Abeille de Perrin, 1885, <i>Troglops</i>	453
<i>bourgeoisii</i> E. Olivier, 1895, <i>Luciola</i>	231
<i>bourgeoisii</i> Gestro, 1892, <i>Ichthyurus</i>	297
<i>bourgeoisii</i> Harold, 1879, <i>Cautires</i>	222
<i>bourgeoisii</i> Pic, 1894, <i>Mauroania</i>	393
<i>bourgeoisii</i> Reitter, 1910, <i>Lycostomus</i>	211
<i>bourgeoisii</i> Reitter, 1888, <i>Malthodes</i>	286
<i>bourgeoisii</i> Schilsky, 1896, <i>Dasytidius</i>	389
<i>bourgeoisii</i> Schilsky, 1903, <i>Dasytes</i>	404
<i>bourgeoisii</i> Zurcher, 1911, <i>Danacea</i>	395
<i>bousaadensis</i> Buysson, 1899, <i>Cardiophorus</i>	202
<i>bousaianus</i> Kishii, 1991, <i>Abelater</i>	135
<i>bouvieri</i> Grouvelle, 1902, <i>Neopallodes</i>	473
<i>bouvieri</i> Pic, 1924, <i>Cantharis</i>	240
<i>bouweri</i> Schimmel, 1984, <i>Ampedus</i>	122

bouyoni Chassain, 1992, <i>Brachygonus</i>	129
bovistae Fabricius, 1792, <i>Lycoperdina</i>	564
bovistae J. J. Hoffmann, 1803, <i>Caenocara</i>	344
bowringi C. O. Waterhouse, 1878, <i>Macrolycus</i>	213
bowringi Pic, 1948, <i>Anthocomus</i>	439
<i>boyadjiani</i> Pic, 1908, <i>Cardiophorus</i>	197
<i>boymi</i> Jadwiszczak & Węgrzynowicz, 2003, <i>Epilachna</i>	627
boysii Ritsema, 1889, <i>Helota</i>	495
bozdagensis Platia & Gudenzi, 2004, <i>Dicronychus</i>	204
<i>bracchiata</i> Gradl, 1882, <i>Coccinella</i>	610
brachialis Erichson, 1845, <i>Meligethes</i>	480
brachialis Gorham, 1893, <i>Orthrius</i>	374
brachialis Jacquelin du Val, 1860, <i>Graellsinus</i>	408
brachmana Candèze, 1859, <i>Aeoloderma</i>	103
brachychaetus Kollar, 1844, <i>Agrypnus</i>	97
brachyelytrata Švihla, 1992, <i>Metacantharis</i>	255
brachyelytrata Švihla, 1992, <i>Metacantharis</i>	256
brachyloba T. Zeng & L.-F. Yang, 1996, <i>Epilachna</i>	626
brachylobius H. Pang, 1998, <i>Cryptogonus</i>	575
brachylobus Peng, 1998, <i>Clitostethus</i>	579
brachypilosus Israelson, 1971, <i>Stagetus</i>	347
<i>brachyptera</i> Holdhaus, 1920, <i>Cantharis</i>	240
brachyptera Motschulsky, 1853, <i>Rhagonycha</i>	262
<i>brachypterus</i> Kiesenwetter, 1863, <i>Malthodes</i>	290
<i>brachypterus</i> Motschulsky, 1854, <i>Phosphaenus</i>	230
<i>brachysiphonicus</i> X.-F. Pang & Huang, 1986, <i>Diomus</i>	576
brachythorax Motschulsky, 1853, <i>Malthodes</i>	286
<i>braeti</i> Grouvelle, 1894, <i>Epuraea</i>	465
<i>braeti</i> Grouvelle, 1894, <i>Soronia</i>	476
<i>braeti</i> Grouvelle, 1894, <i>Meligethes</i>	480
<i>braeti</i> J. Weise, 1895, <i>Chilocorus</i>	593
brahamae Mulsant, 1850, <i>Ballida</i>	569
<i>brahmae</i> Mulsant, 1853, <i>Harmonia</i>	615
brahmaputrensis Švihla, 2004, <i>Themus</i>	269
brahminicus Gorham, 1889, <i>Lycocerus</i>	249
brahminicus Gorham, 1883, <i>Paracoptengis</i>	541
brahminus Candèze, 1859, <i>Drasterius</i>	105
<i>brancsiki</i> Reitter, 1903, <i>Malthodes</i>	290
<i>brancsiki</i> Reitter, 1899, <i>Trichodes</i>	380
<i>brancsiki</i> Reitter, 1905, <i>Rhizophagus</i>	491
brancucci Schimmel, 2003, <i>Gamepenthes</i>	136
brancucci Ślipiński, 1981, <i>Philothermus</i>	554
brancuccia Schimmel & Platia, 1991, <i>Dima</i>	183
brancuccii Burckhardt & Ślipiński, 1995, <i>Ancistria</i>	501
brancuccii Dolin, 1992, <i>Cardiohypnus</i>	187
brancuccii Dolin, 1993, <i>Quasimus</i>	190
brancuccii Dolin, 1999, <i>Zoroachros</i>	192
brancuccii Kazantsev, 1992, <i>Dihammatus</i>	217
brancuccii Kazantsev, 1991, <i>Plateros</i>	219
brancuccii Platia & Schimmel, 1991, <i>Silesis</i>	111

brancuccii Platia & Schimmel, 2001, <i>Melanotus</i>	142
brancuccii Platia & Schimmel, 1997, <i>Dicronychus</i>	204
brancuccii Schimmel, 1993, <i>Ampedus</i>	122
brancuccii Schimmel, 1996, <i>Elater</i>	131
brancuccii Schimmel, 2004, <i>Abelater</i>	135
brancuccii Schimmel, 2004, <i>Cateanus</i>	135
brancuccii Schimmel, 1999, <i>Procraerus</i>	138
brancuccii Schimmel, 1999, <i>Xanthopenthes</i>	139
brancuccii Schimmel, 1996, <i>Penia</i>	185
brancuccii Schimmel & Platia, 1991, <i>Neoathousius</i>	166
brancuccii Schimmel & Platia, 1992, <i>Senodonia</i>	186
brancuccii Švihla, 1992, <i>Cantharis</i>	240
brancuccii Švihla, 2004, <i>Lycocerus</i>	249
brancuccii Švihla, 1993, <i>Rhagonycha</i>	262
brancuccii Wittmer, 1978, <i>Malthinus</i>	277
brancuccii Wittmer, 1984, <i>Malthodes</i>	286
brancuccii Wittmer, 1989, <i>Laius</i>	417
brancuccii Wittmer, 1999, <i>Hypomixis</i>	436
brandti Platia & Gudenzi, 1999, <i>Calais</i>	107
<i>brasiliensis</i> Pic, 1928, <i>Sphaericus</i>	338
<i>brasiliensis</i> Reitter, 1881, <i>Orphinus</i>	317
<i>brassicae</i> Reitter, 1875, <i>Meligethes</i>	478
<i>bravardi</i> Pic, 1917, <i>Rhagonycha</i>	265
breiti Mader, 1932, <i>Calvia</i>	607
<i>breiti</i> Mader, 1931, <i>Harmonia</i>	615
brelihi G. Müller, 1960, <i>Campylomimus</i>	167
bremondi Peyerimhoff, 1935, <i>Attalus</i>	424
brendelli Schimmel, 1998, <i>Xanthopenthes</i>	139
brendelli Wittmer, 1995, <i>Carphuroides</i>	415
brenskei Reitter, 1884, <i>Amauronia</i>	393
<i>brenskei</i> Reitter, 1884, <i>Metopthalmus</i>	640
brenskei Schilsky, 1894, <i>Dasytes</i>	404
bretaudeaui Ritsema, 1894, <i>Helota</i>	495
breuili Platia & Schimmel, 2001, <i>Melanotus</i>	142
breve Wollaston, 1874, <i>Leucohimatium</i>	536
<i>brevecarinatus</i> Pic, 1921, <i>Tropiebaeus</i>	437
<i>brevehumeralis</i> Pic, 1928, <i>Plateros</i>	219
<i>brevelineatus</i> Pic, 1926, <i>Ctenicera</i>	176
<i>brevelineatus</i> Pic, 1922, <i>Plateros</i>	219
<i>brevelineatus</i> Pic, 1916, <i>Lycocerus</i>	249
<i>brevemaculatus</i> Pic, 1925, <i>Pharoscymnus</i>	571
<i>brevemaculiceps</i> Pic, 1927, <i>Themus</i>	271
<i>brevemarginatus</i> Wittmer, 1983, <i>Lycocerus</i>	253
<i>brevenotata</i> Pic, 1924, <i>Lycocerus</i>	252
<i>brevenotaticeps</i> Pic, 1923, <i>Malthinus</i>	277
<i>brevenotatus</i> Pic, 1921, <i>Plateros</i>	219
<i>brevenotatus</i> Pic, 1926, <i>Glischrochilus</i>	469
<i>brevepigus</i> Pic, 1935, <i>Malthodes</i>	286
<i>brevereductus</i> Pic, 1953, <i>Malthinus</i>	277
<i>brevescapulatus</i> Pic, 1912, <i>Cardiophorus</i>	197

<i>brevesetosus</i> Pic, 1956, <i>Niptus</i>	332
<i>brevesulcatus</i> Pic, 1931, <i>Dasytes</i>	401
<i>breviatus</i> Desbrochers des Loges, 1875, <i>Cardiophorus</i>	196
<i>brevicarinatus</i> Garg, 1998, <i>Silesis</i>	111
<i>breviclavis</i> Reitter, 1878, <i>Globicornis</i>	315
<i>brevicolle</i> Reitter, 1878, <i>Leucohimatium</i>	536
<i>brevicollis</i> Abeille de Perrin, 1885, <i>Pelochrus</i>	429
<i>brevicollis</i> Arrow, 1925, <i>Encaustes</i>	539
<i>brevicollis</i> Aubé, 1837, <i>Monotoma</i>	494
<i>brevicollis</i> Aubé, 1862, <i>Telmatophilus</i>	524
<i>brevicollis</i> Bonvouloir, 1859, <i>Aulonothroscus</i>	87
<i>brevicollis</i> C. G. Thomson, 1868, <i>Latridius</i>	639
<i>brevicollis</i> C. O. Waterhouse, 1878, <i>Taphes</i>	217
<i>brevicollis</i> Candèze, 1878, <i>Ceroleptus</i>	94
<i>brevicollis</i> Dolin & Cate, 2002, <i>Hypnoidus</i>	154
<i>brevicollis</i> Fairmaire, 1889, <i>Lyponia</i>	218
<i>brevicollis</i> Kiesenwetter, 1852, <i>Malthodes</i>	293
<i>brevicollis</i> Kiesenwetter, 1872, <i>Cerallus</i>	386
<i>brevicollis</i> Mannerheim, 1844, <i>Corticarina</i>	646
<i>brevicollis</i> Motschulsky, 1854, <i>Lampyris</i>	226
<i>brevicollis</i> Paykull, 1798, <i>Malthodes</i>	286
<i>brevicollis</i> Pic, 1926, <i>Pseudamauronia</i>	394
<i>brevicollis</i> Schilsky, 1897, <i>Dasytes</i>	401
<i>brevicollis</i> Schrank, 1789, <i>Drapetes</i>	208
<i>brevicollis</i> Schwarz, 1891, <i>Agriotes</i>	117
<i>brevicorne</i> Bach, 1852, <i>Ernobius</i>	349
<i>brevicorne</i> Sharp, 1885, <i>Orphinus</i>	317
<i>brevicornis</i> A. G. Olivier, 1790, <i>Cebrio</i>	90
<i>brevicornis</i> Barovskij, 1930, <i>Lopheros</i>	216
<i>brevicornis</i> C. G. Thomson, 1863, <i>Leptophloeus</i>	505
<i>brevicornis</i> C. Johnson, 1977, <i>Cholovocera</i>	557
<i>brevicornis</i> Desbrochers des Loges, 1871, <i>Athous</i>	158
<i>brevicornis</i> Fiori, 1906, <i>Malthodes</i>	286
<i>brevicornis</i> Gorham, 1887, <i>Panamomus</i>	562
<i>brevicornis</i> Herbst, 1792, <i>Attagenus</i>	310
<i>brevicornis</i> Kiesenwetter, 1852, <i>Cantharis</i>	240
<i>brevicornis</i> Kiesenwetter, 1863, <i>Dasytes</i>	403
<i>brevicornis</i> Kraatz, 1862, <i>Axinotarsus</i>	441
<i>brevicornis</i> Majer, 1996, <i>Dasytidius</i>	389
<i>brevicornis</i> Mannerheim, 1844, <i>Enicmus</i>	637
<i>brevicornis</i> Matthews, 1899, <i>Clypastraea</i>	633
<i>brevicornis</i> Motschulsky, 1845, <i>Monotoma</i>	494
<i>brevicornis</i> Schaufuss, 1887, <i>Prionocerus</i>	386
<i>brevicornis</i> Schilsky, 1897, <i>Amauronia</i>	393
<i>brevicrinitus</i> Desbrochers des Loges, 1871, <i>Dignomus</i>	330
<i>brevidens</i> Champion, 1925, <i>Phalacrus</i>	510
<i>brevifasciata</i> J. Weise, 1879, <i>Coccinella</i>	612
<i>brevifossum</i> Newman, 1839, <i>Passandra</i>	502
<i>brevifurcatus</i> Pic, 1912, <i>Malthodes</i>	286
<i>brevilata</i> Rücker, 1978, <i>Corticaria</i>	642

<i>brevilinea</i> Arrow, 1925, <i>Anadastus</i>	532
<i>brevilineatus</i> Fürsch, 1977, <i>Nephus</i>	581
<i>brevilobus</i> Bocáková, 1994, <i>Helcophorus</i>	215
<i>brevinasus</i> Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
<i>brevinotata</i> Pic, 1908, <i>Rhagonycha</i>	267
<i>brevinotaticollis</i> Pic, 1913, <i>Cardiophorus</i>	196
<i>brevior</i> Pic, 1917, <i>Macrosilis</i>	275
<i>brevior</i> Pic, 1900, <i>Malthinus</i>	281
<i>brevior</i> Pic, 1907, <i>Ptinus</i>	333
<i>brevioripennis</i> Pic, 1939, <i>Dasytes</i>	401
<i>brevipectinata</i> Binaghi, 1940, <i>Ctenicera</i>	176
<i>brevipennis</i> Faldermann, 1835, <i>Cantharis</i>	240
<i>brevipennis</i> Germain, 1856, <i>Carpophilus</i>	466
<i>brevipennis</i> John, 1963, <i>Thorictus</i>	303
<i>brevipennis</i> Kunze, 1839, <i>Monotoma</i>	494
<i>brevipennis</i> Laporte, 1838, <i>Brachemys</i>	451
<i>brevipennis</i> Pic, 1896, <i>Ptinus</i>	336
<i>brevipennis</i> Pic, 1932, <i>Danacea</i>	395
<i>brevipennis</i> Sakai, 1982, <i>Eurypogon</i>	81
<i>brevipennis</i> Schwarz, 1897, <i>Athous</i>	160
<i>brevipennis</i> Švihla, 2004, <i>Pakabsidia</i>	259
<i>brevipennis</i> Zhang & Liu, 1986, <i>Thorictodes</i>	302
<i>brevipes</i> Fleutiaux, 1923, <i>Dromaeolus</i>	86
<i>brevipilis</i> Casey, 1900, <i>Cryptophagus</i>	521
<i>brevipilis</i> Desbrochers des Loges, 1875, <i>Dignomus</i>	330
<i>brevipilus</i> Kirejtshuk, 1980, <i>Meligethes</i>	480
<i>breviruber</i> Pic, 1914, <i>Clanoptilus</i>	443
<i>brevis</i> Candèze, 1863, <i>Agriotes</i>	114
<i>brevis</i> Candèze, 1897, <i>Priopus</i>	152
<i>brevis</i> Candèze, 1863, <i>Penia</i>	185
<i>brevis</i> Champion, 1925, <i>Danaceothrix</i>	389
<i>brevis</i> Dolin & Cate, 2001, <i>Hypnoidus</i>	154
<i>brevis</i> Erichson, 1840, <i>Troglops</i>	453
<i>brevis</i> Fairmaire, 1850, <i>Cryptolestes</i>	503
<i>brevis</i> Grouvelle, 1913, <i>Ancistria</i>	501
<i>brevis</i> Hampe, 1863, <i>Microrhagus</i>	83
<i>brevis</i> Har. Lindberg, 1951, <i>Atomaria</i>	526
<i>brevis</i> Horn, 1878, <i>Dinoderus</i>	325
<i>brevis</i> Jelínek, 1978, <i>Prometopia</i>	476
<i>brevis</i> Kishii, 1980, <i>Quasimus</i>	190
<i>brevis</i> Miwa, 1927, <i>Zorochros</i>	192
<i>brevis</i> Perris, 1864, <i>Perrisina</i>	568
<i>brevis</i> Platia & Schimmel, 1991, <i>Silesis</i>	111
<i>brevis</i> Reitter, 1891, <i>Pseudolasioderma</i>	358
<i>brevis</i> Reitter, 1879, <i>Sphindus</i>	455
<i>brevis</i> Rosenhauer, 1856, <i>Aplocnemus</i>	410
<i>brevis</i> Sturm, 1845, <i>Meligethes</i>	480
<i>brevis</i> Wollaston, 1861, <i>Lasioderma</i>	358
<i>breviscutata</i> Fairmaire, 1868, <i>Triplax</i>	543
<i>brevispina</i> Kiesenwetter, 1871, <i>Clanoptilus</i>	444

<i>brevispina</i> Majer, 1988, <i>Bilyella</i>	400
<i>brevissimus</i> Pic, 1908, <i>Aplocnemus</i>	410
<i>brevistriatus</i> Leiler, 1979, <i>Mesocoelopus</i>	354
<i>brevistylus</i> Fiori, 1906, <i>Malthodes</i>	286
<i>brevitarsis</i> Normand, 1935, <i>Dasytes</i>	404
<i>brevitarsis</i> Schilsky, 1898, <i>Xyletinus</i>	360
<i>brevithorax</i> Kishii & Platia, 1993, <i>Melanotus</i>	142
<i>brevitinctus</i> Buysson, 1924, <i>Athous</i>	157
<i>breviunguis</i> Majer, 1988, <i>Bilyella</i>	400
<i>breviuscula</i> J. Weise, 1892, <i>Rodolia</i>	597
<i>breviuscula</i> Kolenati, 1846, <i>Pria</i>	488
<i>breviusculus</i> Candèze, 1863, <i>Agonischius</i>	131
<i>breviusculus</i> Champion, 1922, <i>Danaceothrix</i>	389
<i>breviusculus</i> Desbrochers des Loges, 1869, <i>Drasterius</i>	105
<i>breviusculus</i> Fairmaire, 1886, <i>Stagetodes</i>	346
<i>breviusculus</i> Reitter, 1884, <i>Cyllodes</i>	472
<i>breviusculus</i> Schilsky, 1897, <i>Dasytes</i>	401
<i>breviusculus</i> Schilsky, 1897, <i>Aplocnemus</i>	412
<i>breviventris</i> Pacher, 1853, <i>Armidia</i>	238
<i>brevivittis</i> Reitter, 1881, <i>Ptinus</i>	333
<i>brezinai</i> Dolin & Cate, 1998, <i>Hypnoidus</i>	154
<i>brigittae</i> Bouwer, 1980, <i>Ampedus</i>	126
<i>brignolii</i> Guglielmi & Platia, 1985, <i>Melanotus</i>	142
<i>brignolii</i> Platia & Schimmel, 1991, <i>Silesis</i>	111
<i>brignolii</i> Wittmer, 1974, <i>Malthodes</i>	286
<i>brioni</i> Pic, 1946, <i>Thanasimus</i>	375
<i>brisouti</i> Crotch, 1874, <i>Scymnus</i>	585
<i>brisouti</i> E. C. Rye, 1872, <i>Phalacrus</i>	511
<i>brisouti</i> Guillebeau, 1892, <i>Olibrosoma</i>	508
<i>brisouti</i> Mulsant & Rey, 1867, <i>Hypebaeus</i>	434
<i>brisouti</i> Reitter, 1871, <i>Meligethes</i>	480
<i>brisouti</i> Reitter, 1875, <i>Cryptophagus</i>	515
<i>brisouti</i> Sánchez-Ruiz, 1996, <i>Athous</i>	161
<i>brisoutii</i> Seidlitz, 1888, <i>Caenoscelis</i>	513
<i>brittoni</i> Easton, 1954, <i>Meligethes</i>	480
<i>brittoni</i> Kalík, 1954, <i>Attagenus</i>	307
<i>brittoni</i> Paulian, 1948, <i>Arthrolips</i>	632
<i>brittoni</i> Wittmer, 1954, <i>Mixis</i>	437
<i>brivioi</i> Bielawski & Fürsch, 1960, <i>Epilachna</i>	627
<i>brodskyi</i> Švihla, 1987, <i>Clanoptilus</i>	443
<i>bronsteinae</i> Dolin, 1990, <i>Melanotus</i>	142
<i>brouni</i> Hetschko, 1926, <i>Corticaria</i>	644
<i>brucki</i> Candèze, 1878, <i>Elathous</i>	164
<i>brucki</i> Mulsant, 1866, <i>Coccinella</i>	612
<i>brucki</i> Reitter, 1876, <i>Abromus</i>	548
<i>bruckii</i> Candèze, 1865, <i>Arctapila</i>	156
<i>bruckii</i> Reitter, 1871, <i>Meligethes</i>	486
<i>bruckii</i> Reitter, 1873, <i>Rhizophagus</i>	492
<i>bruckii</i> Reitter, 1875, <i>Cryptophagus</i>	515
<i>bructeri</i> Panzer, 1795, <i>Pheletes</i>	166

<i>bruijnii</i> Gestro, 1874, <i>Arractocetus</i>	363
<i>bruleriei</i> Desbrochers des Loges, 1875, <i>Lacon</i>	101
<i>bruleriei</i> Heyden, 1870, <i>Cebrio</i>	90
<i>brullei</i> Marseul, 1864, <i>Cantharis</i>	240
<i>brullei</i> Platia & Gudenzi, 2003, <i>Dicronychus</i>	204
<i>brullei</i> Reiche, 1863, <i>Nyctophila</i>	228
<i>brumanensis</i> Pic, 1901, <i>Rhagonycha</i>	261
<i>bruneiana</i> Bielawski, 1965, <i>Ortalia</i>	598
<i>brunescens</i> Wittmer, 1965, <i>Themus</i>	269
<i>brunnea</i> C. N. F. Brisout de Barneville, 1863, <i>Clypastraea</i>	633
<i>brunnea</i> Heer, 1841, <i>Epuraea</i>	465
<i>brunnea</i> J. Weise, 1879, <i>Coccinella</i>	610
<i>brunnea</i> Kirejtshuk, 1984, <i>Physoronia</i>	475
<i>brunnea</i> Schimmel & Platia, 1991, <i>Dima</i>	183
<i>brunnea</i> Schimmel & Platia, 1991, <i>Paracsikia</i>	184
<i>brunneicollis</i> Boubers & Leseigneur, 1956, <i>Athous</i>	158
<i>brunneicornis</i> Candèze, 1889, <i>Campsosternus</i>	94
<i>brunneipennis</i> Heyden, 1889, <i>Cantharis</i>	240
<i>brunneipennis</i> Lewis, 1894, <i>Hemicrepidius</i>	170
<i>brunneipennis</i> Miwa, 1931, <i>Glyphonyx</i>	109
<i>brunneipennis</i> Miwa, 1931, <i>Ectinus</i>	120
<i>brunneipennis</i> Reitter, 1902, <i>Trichocele</i>	414
<i>brunneipennis</i> Wollaston, 1863, <i>Cardiophorus</i>	202
<i>brunneipes</i> Fleutiaux, 1918, <i>Ludioschema</i>	132
<i>brunneipes</i> Pic, 1927, <i>Danacea</i>	398
<i>brunneisuturalis</i> Kishii, 1966, <i>Ampedus</i>	126
<i>brunneithorax</i> Pic, 1900, <i>Globicornis</i>	316
<i>brunnensis</i> Walter, 1882, <i>Propylea</i>	624
<i>brunneofuscus</i> Nakane, 1954, <i>Homotechnes</i>	153
<i>brunneolus</i> Dolin & Latifi, 1989, <i>Melanotus</i>	142
<i>brunneomarginatus</i> Wittmer, 1978, <i>Malthinus</i>	277
<i>brunneonotaticeps</i> Pic, 1922, <i>Lycocerus</i>	249
<i>brunneonotatus</i> Pic, 1893, <i>Attagenus</i>	307
<i>brunneonotatus</i> Pic, 1926, <i>Pharoscymnus</i>	571
<i>brunneopunctatus</i> Pic, 1893, <i>Attagenus</i>	307
<i>brunneoreductus</i> Pic, 1926, <i>Lycocerus</i>	249
<i>brunneorubens</i> Medvedev, 1966, <i>Lopheros</i>	216
<i>brunneosignatus</i> Mader, 1949, <i>Pharoscymnus</i>	570
<i>brunneosulcata</i> Pic, 1940, <i>Malthinus</i>	283
<i>brunnescens</i> Motschulsky, 1860, <i>Epuraea</i>	460
<i>brunnescens</i> Motschulsky, 1866, <i>Scymnus</i>	584
<i>brunnescens</i> Obenberger, 1917, <i>Xyletinus</i>	359
<i>brunnescens</i> Pic, 1904, <i>Attagenus</i>	307
<i>brunnescens</i> Pic, 1896, <i>Ptinus</i>	333
<i>brunnescens</i> Pic, 1922, <i>Aplocnemus</i>	411
<i>brunnescens</i> T. L. Casey, 1916, <i>Trogoderma</i>	319
<i>brunneum</i> Miwa, 1928, <i>Ludioschema</i>	132
<i>brunneus</i> A. G. Olivier, 1790, <i>Oligomerus</i>	342
<i>brunneus</i> Champion, 1924, <i>Litochrus</i>	507
<i>brunneus</i> Corporaal, 1926, <i>Orthrius</i>	374

<i>brunneus</i> Duftschmid, 1825, <i>Ptinus</i>	336
<i>brunneus</i> Duftschmid, 1825, <i>Oligomerus</i>	342
<i>brunneus</i> Erichson, 1840, <i>Paracardiophorus</i>	205
<i>brunneus</i> Faldermann, 1835, <i>Attagenus</i>	307
<i>brunneus</i> Grimmer, 1841, <i>Latridius</i>	639
<i>brunneus</i> Gyllenhal, 1808, <i>Zavaljus</i>	537
<i>brunneus</i> Jing, 1983, <i>Sumnius</i>	575
<i>brunneus</i> Lewis, 1894, <i>Adelocera</i>	95
<i>brunneus</i> Lewis, 1894, <i>Elathous</i>	164
<i>brunneus</i> Linnaeus, 1758, <i>Sericus</i>	134
<i>brunneus</i> Majer, 1990, <i>Jelinekius</i>	415
<i>brunneus</i> Murray, 1867, <i>Heterobostrychus</i>	322
<i>brunneus</i> Pic, 1898, <i>Niptodes</i>	332
<i>brunneus</i> Sengupta, 1978, <i>Himascelis</i>	514
<i>brunneus</i> Stephens, 1830, <i>Lyctus</i>	327
<i>brunneus</i> Thunberg, 1794, <i>Thymalus</i>	366
<i>brunneus</i> Wittmer, 1955, <i>Lycocerus</i>	249
<i>brunneus</i> Wollaston, 1862, <i>Stephanopachys</i>	326
<i>brunnicornis</i> Gebler, 1830, <i>Agriotes</i>	117
<i>brunnicornis</i> Germar, 1844, <i>Ampedus</i>	122
<i>brunnicornis</i> Schwarz, 1892, <i>Melanotus</i>	142
<i>brunnicornis</i> Sturm, 1845, <i>Meligethes</i>	480
<i>brunniopacus</i> Kishii, 1989, <i>Melanotus</i>	142
<i>brunnipennis</i> Candèze, 1857, <i>Agrypnus</i>	97
<i>brunnipennis</i> Stephens, 1839, <i>Sericus</i>	134
<i>brunnipes</i> C. N. F. Brisout de Barneville, 1863, <i>Phalacrus</i>	510
<i>brunnipes</i> Fabricius, 1801, <i>Micrapate</i>	322
<i>brunnipes</i> Germar, 1824, <i>Melanotus</i>	142
<i>brunnipes</i> Gyllenhal, 1808, <i>Orthoperus</i>	634
<i>brunnipes</i> Lacordaire, 1835, <i>Melanotus</i>	143
<i>brunniplagiata</i> Jing, 1988, <i>Coelophora</i>	613
<i>brunniventris</i> Candèze, 1892, <i>Procraerus</i>	138
<i>brunsuturalis</i> X.-F. Pang & R. D. Gordon, 1986, <i>Diomus</i>	576
<i>brusteli</i> Leseigneur, 2004, <i>Cidnopus</i>	164
<i>bruta</i> C. Johnson, 1977, <i>Corticarina</i>	646
<i>brutia</i> A. Costa, 1882, <i>Lampyris</i>	226
<i>brutus</i> Pic, 1937, <i>Dasytes</i>	401
<i>bubalus</i> Fairmaire, 1860, <i>Lasioderma</i>	357
<i>bubsequa</i> Gozis, 1882, <i>Cantharis</i>	240
<i>bucakensis</i> Wittmer, 1970, <i>Malthodes</i>	286
<i>bucciarellii</i> Audisio, 1976, <i>Meligethes</i>	480
<i>bucciarellii</i> Canepari & Tedeschi, 1977, <i>Nephus</i>	581
<i>bucciarellii</i> Liberti, 1979, <i>Danacea</i>	395
<i>bucculatus</i> Candèze, 1860, <i>Cardiophorus</i>	196
<i>bucculenta</i> Lewis, 1884, <i>Doubledaya</i>	534
<i>bucephaloides</i> Reitter, 1901, <i>Xyletinus</i>	359
<i>bucephalus</i> Ganglbauer, 1899, <i>Laemophloeus</i>	504
<i>bucephalus</i> Herbst, 1784, <i>Tenebroides</i>	365
<i>bucephalus</i> Illiger, 1807, <i>Xyletinus</i>	359
<i>bucharensis</i> Schwarz, 1900, <i>Cardiophorus</i>	196

<i>bucharica</i> Pic, 1914, <i>Metacantharis</i>	255
<i>bucharicus</i> Fursov, 1936, <i>Trichodes</i>	377
<i>bucharicus</i> Pic, 1907, <i>Malachiomimus</i>	425
<i>bucharicus</i> Pic, 1907, <i>Hypebaeus</i>	433
<i>bucharicus</i> Zhantiev, 1976, <i>Anthrenus</i>	315
<i>bucovinensis</i> Hormuzachi, 1901, <i>Agriotes</i>	118
<i>buddebergi</i> Heyden, 1904, <i>Adalia</i>	603
<i>buddha</i> C. Johnson, 1977, <i>Corticaria</i>	642
<i>buddha</i> Crotch, 1874, <i>Calvia</i>	608
<i>buduensis</i> Ganglbauer, 1899, <i>Meligethes</i>	480
<i>buettikeri</i> Chassain, 1983, <i>Lanelater</i>	102
<i>buettikeri</i> Chassain, 1979, <i>Paracardiophorus</i>	206
<i>buettikeri</i> Español, 1981, <i>Mesocoelopus</i>	354
<i>buettikeri</i> Fürsch, 2000, <i>Serangium</i>	569
<i>buettikeri</i> Mroczkowski, 1980, <i>Anthrenus</i>	311
<i>buettikeri</i> Platia & Schimmel, 1997, <i>Craspedostethus</i>	203
<i>buettikeri</i> Platia & Schimmel, 1997, <i>Dicronychus</i>	204
<i>buettikeri</i> Toskina, 1998, <i>Lasioderma</i>	357
<i>buettikeri</i> Toskina, 1998, <i>Metholcus</i>	361
<i>buettikeri</i> Wittmer, 1980, <i>Malachiomimus</i>	425
<i>buettikeri</i> Wittmer, 1979, <i>Troglops</i>	453
<i>bugnioni</i> Bourgeois, 1903, <i>Rhagonycha</i>	267
<i>bugnioni</i> Pic, 1902, <i>Malthodes</i>	286
<i>buigasi</i> Escalera, 1923, <i>Thorictus</i>	303
<i>bulaeoiedes</i> Bedel, 1892, <i>Coccinula</i>	600
<i>bulbifer</i> Champion, 1921, <i>Laius</i>	417
<i>bulbifer</i> Kolenati, 1846, <i>Ebaeus</i>	429
<i>bulbosa</i> Wollaston, 1865, <i>Atomaria</i>	525
<i>bulenoides</i> Kazantsev, 2000, <i>Cautires</i>	222
<i>bulganensis</i> Evers, 1968, <i>Protocollops</i>	419
<i>bulgarica</i> Pic, 1902, <i>Danacea</i>	395
<i>bulgarica</i> Švihla, 1983, <i>Cantharis</i>	240
<i>bulgaricus</i> Pic, 1903, <i>Dasytes</i>	405
<i>bulgaricus</i> Platia, 2001, <i>Athous</i>	161
<i>bulgaricus</i> Reitter, 1899, <i>Olibrus</i>	509
<i>bulgaricus</i> Švihla, 1990, <i>Malthinus</i>	277
<i>bulirschi</i> Háva, 2000, <i>Anthrenus</i>	314
<i>bullosa</i> Wittmer, 1995, <i>Kuatunia</i>	436
<i>buphtalmus</i> Baudi di Selve, 1873, <i>Dasytes</i>	401
<i>buphtalmus</i> Mulsant, 1850, <i>Oenopia</i>	621
<i>bupleuri</i> Peyerimhoff, 1948, <i>Leptophloeus</i>	505
<i>buprestoides</i> Fabricius, 1792, <i>Nematodes</i>	87
<i>buprestoides</i> Linnaeus, 1761, <i>Melasis</i>	84
<i>buquet</i> Lefebvre, 1835, <i>Thaneroclerus</i>	367
<i>burakowskii</i> Buchholz & Dolin, 1990, <i>Melanotus</i>	142
<i>burakowskii</i> Wittmer, 1969, <i>Colotes</i>	427
<i>burdigalensis</i> Buysson, 1886, <i>Ampedus</i>	127
<i>buresschi</i> Roubal, 1936, <i>Dicronychus</i>	204
<i>businskae</i> Wittmer, 1997, <i>Islamocantharis</i>	248
<i>businskyi</i> Bocáková, 1997, <i>Plateros</i>	219

businskyi Dolin & Cate, 1998, <i>Hypnoidus</i>	154
businskyi Platia & Schimmel, 2001, <i>Melanotus</i>	142
businskyi Schimmel, 2003, <i>Elater</i>	131
butti Stibick, 1980, <i>Hypnoidus</i>	154
buyssoni C. N. F. Brisout de Barneville, 1882, <i>Meligethes</i>	480
buyssoni Jagemann, 1944, <i>Agrypnus</i>	97
<i>buyssoni</i> Méquignon, 1927, <i>Agriotes</i>	116
<i>buyssoni</i> Pic, 1895, <i>Agriotes</i>	117
<i>buyssoni</i> Ragusa, 1911, <i>Agriotes</i>	117
buyssoni Reitter, 1890, <i>Elathous</i>	164
<i>buyssoni</i> Szombathy, 1910, <i>Selatosomus</i>	182
<i>byrrhoides</i> Aubé, 1861, <i>Stagetus</i>	346
<i>byrrhoides</i> Mulsant & Rey, 1861, <i>Stagetus</i>	346
<i>bystricensis</i> Roubal, 1929, <i>Adalia</i>	602
bythinica Marseul, 1864, <i>Rhagonycha</i>	262
bythinocerus Reitter, 1902, <i>Troglocollops</i>	419
<i>bytonii</i> Mannerheim, 1849, <i>Dichelotarsus</i>	236
<i>byturoides</i> Solsky, 1876, <i>Attagenus</i>	309
byzantinus Wittmer, 1974, <i>Malthinus</i>	277
c Sicard, 1907, <i>Pharoscyrnus</i>	570
c Sicard, 1931, <i>Nephus</i>	580
cabrerai Cobos, 1970, <i>Cardiophorus</i>	202
cabrerensis Tenenbaum, 1915, <i>Colotes</i>	427
cachecticus Candèze, 1860, <i>Athous</i>	158
cachemirensis Candèze, 1897, <i>Hypnoidus</i>	154
<i>cadaverinus</i> Fabricius, 1775, <i>Dermestes</i>	299
<i>cadaverinus</i> Fabricius, 1801, <i>Carpophilus</i>	466
<i>caelatum</i> Mulsant & Rey, 1864, <i>Anobium</i>	339
caelatus Brullé, 1832, <i>Aplocnemus</i>	410
<i>caelatus</i> Peyron, 1877, <i>Cyrtosus</i>	447
caerulea A. G. Olivier, 1790, <i>Temnoscheila</i>	365
caerulea Lewis, 1892, <i>Spinoza</i>	368
caeruleipennis Perty, 1831, <i>Prionocerus</i>	385
caeruleipennis Pic, 1914, <i>Laius</i>	417
<i>caerulescens</i> Schilsky, 1897, <i>Aplocnemus</i>	413
caeruleus DeGeer, 1775, <i>Korynetes</i>	381
caeruleus DeGeer, 1774, <i>Dasytes</i>	405
caeruleus Schimmel, 1998, <i>Lacon</i>	100
<i>caeruleus</i> Walzl, 1839, <i>Rhizophagus</i>	491
<i>caesicornis</i> Mulsant & Rey, 1868, <i>Dasytes</i>	402
<i>caesus</i> Erichson, 1845, <i>Oxylaemus</i>	552
caetrata Schimmel & Platia, 1991, <i>Dima</i>	183
<i>caffra</i> Boheman, 1851, <i>Phenolia</i>	475
<i>caifensis</i> Pic, 1900, <i>Malthinus</i>	280
<i>cailloli</i> Chobaut, 1914, <i>Rhagonycha</i>	263
<i>calaber</i> Pic, 1909, <i>Malthinus</i>	279
<i>calabra</i> O. G. Costa, 1839, <i>Mycetina</i>	565
<i>calabriae</i> Geisthardt, 1983, <i>Nyctophila</i>	227
<i>calabricus</i> Obenberger, 1914, <i>Airaphilus</i>	498
<i>calabricus</i> Pic, 1908, <i>Ptinus</i>	336

calabricus Reitter, 1881, <i>Attagenus</i>	308
calabrus A. Costa, 1847, <i>Dasytes</i>	405
calabrus Baudi di Selve, 1873, <i>Clanoptilus</i>	443
calcaratus Kiesenwetter, 1877, <i>Ptinus</i>	335
calcaratus Kiesenwetter, 1859, <i>Enicopus</i>	407
calcarifer Champion, 1922, <i>Attalus</i>	421
calcarifer Reitter, 1888, <i>Ptinus</i>	335
calcarifera Kirejtshuk, 1998, <i>Epuraea</i>	464
caledonica Crotch, 1874, <i>Coelophora</i>	614
calidus Mulsant & Rey, 1868, <i>Aplocnemus</i>	410
californicus Casey, 1891, <i>Trogoxylon</i>	328
californicus Mannerheim, 1843, <i>Henoticus</i>	521
californicus Reitter, 1871, <i>Meligethes</i>	478
callegarii Platia & Gudenzi, 2000, <i>Ampedus</i>	122
calliesi Peyerimhoff, 1928, <i>Phradonoma</i>	317
calliginosa Mulsant, 1850, <i>Phrynocaria</i>	623
callimarginatus Kazantsev, 2002, <i>Cautires</i>	222
callinotata Jing, 1988, <i>Alloneda</i>	606
callosipennis Grouvelle, 1919, <i>Cryptophagus</i>	516
callosus J. R. Sahlberg, 1887, <i>Dichelotarsus</i>	236
callosus Solsky, 1868, <i>Semijulistus</i>	415
calognathus Grouvelle, 1908, <i>Xylolestes</i>	506
calosirus Reitter, 1895, <i>Athous</i>	161
calthae Meier, 1897, <i>Hippodamia</i>	616
calvosus Lyubarsky, 2004, <i>Olibrus</i>	508
calvus Reitter, 1871, <i>Meligethes</i>	484
calypso Mulsant, 1856, <i>Coelophora</i>	614
cambiense Gorham, 1895, <i>Hladilium</i>	392
cambodiae Crotch, 1876, <i>Anadastus</i>	532
cambodiensis Fleutiaux, 1918, <i>Poemnites</i>	180
cameroni Kirejtshuk, 1998, <i>Epuraea</i>	460
cameroni Pic, 1903, <i>Malthodes</i>	286
cameroni Pic, 1903, <i>Pachybaeus</i>	429
camillae Bedel, 1885, <i>Hyperaspis</i>	578
campadelli Platia & Gudenzi, 2003, <i>Dicronychus</i>	204
campadellii Platia & Gudenzi, 2000, <i>Brachygonus</i>	129
campestris Herbst, 1783, <i>Hyperaspis</i>	577
campestris J. Weise, 1879, <i>Hippodamia</i>	618
campestris Vats & Kashyap, 1992, <i>Agrypnus</i>	97
campicola Gerhardt, 1911, <i>Stephostethus</i>	641
campicola Mannerheim, 1844, <i>Corticaria</i>	643
camptodromus G.-Y. Yu & Liu, 1997, <i>Scymnus</i>	583
camptoides Guillebeau, 1892, <i>Olibrus</i>	508
camptopygus Pic, 1912, <i>Malthodes</i>	286
campyloides Newman, 1833, <i>Athous</i>	161
camschatsensis Gmelin, 1790, <i>Myzia</i>	620
canadensis Brown, 1932, <i>Glischrochilus</i>	470
canadensis T. L. Casey, 1916, <i>Attagenus</i>	310
canalicollis Lewis, 1894, <i>Ampedus</i>	129
canalicollis Lewis, 1887, <i>Triplax</i>	543

canalicollis Schimmel & Platia, 1991, <i>Dima</i>	183
canaliculata Candèze, 1863, <i>Penia</i>	185
canaliculatus Abeille de Perrin, 1890, <i>Troglops</i>	453
canaliculatus C. G. Thomson, 1863, <i>Hemicoelus</i>	339
<i>canaliculatus</i> C. G. Thomson, 1871, <i>Ernobius</i>	350
<i>canaliculatus</i> Fabricius, 1792, <i>Lycus</i>	327
canaliculatus Faldermann, 1835, <i>Pleonomus</i>	156
canaliculatus Gebler, 1841, <i>Hypnoidus</i>	154
canaliculatus Platia & Schimmel, 1991, <i>Silesis</i>	111
canaliculatus Reitter, 1918, <i>Ampedus</i>	122
canaliculatus Reitter, 1884, <i>Dignomus</i>	330
canaliculatus Wittmer, 1986, <i>Laius</i>	417
canariensis C. Johnson, 1974, <i>Corticaria</i>	642
canariensis Crotch, 1874, <i>Chilocorus</i>	593
canariensis Endrödy-Younga, 1968, <i>Cybocephalus</i>	489
canariensis Escalera, 1921, <i>Malthodes</i>	286
canariensis Español & Oromí, 1984, <i>Mesothos</i>	355
<i>canariensis</i> Franz, 1996, <i>Neodryophilus</i>	348
canariensis Gillerfors, 1991, <i>Lycoperdina</i>	565
<i>canariensis</i> Har. Lindberg, 1951, <i>Neodryophilus</i>	348
canariensis Har. Lindberg, 1951, <i>Dasytes</i>	404
canariensis Kirejtshuk, 1997, <i>Meligethes</i>	480
canariensis Korschefsky, 1935, <i>Novius</i>	597
canariensis Lindberg, 1953, <i>Fortunatius</i>	425
canariensis Palm, 1978, <i>Denops</i>	367
canariensis Palm, 1972, <i>Latridius</i>	639
canariensis Wollaston, 1858, <i>Cardiophorus</i>	202
canariensis Wollaston, 1862, <i>Thorictus</i>	303
canariensis Wollaston, 1854, <i>Xenostrogylus</i>	477
<i>canariensis</i> Wollaston, 1864, <i>Atomaria</i>	527
canariensis Wollaston, 1864, <i>Scymnus</i>	585
<i>canarii</i> Nördlinger, 1880, <i>Bostrychopsis</i>	322
<i>candezei</i> Buysson, 1888, <i>Pheletes</i>	166
<i>candezei</i> Desbrochers des Loges, 1875, <i>Lacon</i>	100
<i>candezei</i> Fleutiaux, 1918, <i>Drasterius</i>	105
<i>candezei</i> Fleutiaux, 1903, <i>Ludioschema</i>	133
<i>candezei</i> Fleutiaux, 1905, <i>Hypnoidus</i>	154
<i>candezei</i> Koenig, 1889, <i>Cardiophorus</i>	196
<i>candezei</i> Kraatz, 1879, <i>Ampedus</i>	123
<i>candezei</i> Lewis, 1879, <i>Silesis</i>	112
<i>candezei</i> Lewis, 1894, <i>Parallelostethus</i>	133
<i>candezei</i> Platia & Schimmel, 1991, <i>Silesis</i>	111
<i>candezei</i> Reitter, 1891, <i>Aeoloides</i>	104
<i>candezei</i> Reitter, 1890, <i>Elathous</i>	164
<i>candezei</i> Stierlin, 1864, <i>Melanotus</i>	150
<i>candezellus</i> Miwa, 1928, <i>Ludioschema</i>	132
<i>candezellus</i> Miwa, 1934, <i>Melanotus</i>	148
candidus Majer, 1991, <i>Dasytidius</i>	389
candius Lefkovitch, 1965, <i>Cryptolestes</i>	503
caneparii Fürsch & Uygun, 1980, <i>Nephus</i>	580

<i>caneparii</i> Liberti, 1985, <i>Danacea</i>	395
<i>canescens</i> Grouvelle, 1916, <i>Antherophagus</i>	514
<i>canescens</i> Motschulsky, 1845, <i>Brachyleptus</i>	456
<i>canescens</i> Pardo Alcaide, 1954, <i>Allotarsus</i>	400
<i>canescens</i> Schaller, 1783, <i>Cantharis</i>	242
<i>canicapillus</i> Kim, 2000, <i>Oedostethus</i>	189
<i>caninus</i> Gravenhorst, 1807, <i>Dermestes</i>	302
<i>cansiglioensis</i> Dajoz, 1973, <i>Anommatus</i>	549
<i>cantabrica</i> Heyden, 1880, <i>Rhagonycha</i>	266
<i>cantabrica</i> Otto, 1978, <i>Melanophthalma</i>	647
<i>cantabricus</i> Bercedo-Páramo & López-Colón, 2003, <i>Cebrio</i>	90
<i>cantabricus</i> Dajoz, 1969, <i>Anommatus</i>	549
<i>cantabricus</i> Schaufuss, 1862, <i>Athous</i>	161
<i>cantabricus</i> Wittmer, 1958, <i>Malthodes</i>	286
<i>canthariformis</i> Ishida, 1986, <i>Lycocerus</i>	250
<i>cantharoides</i> A. G. Olivier, 1790, <i>Denticollis</i>	167
<i>cantheriatus</i> Buysson, 1900, <i>Drasterius</i>	105
<i>cantiata</i> Stephens, 1830, <i>Cantharis</i>	244
<i>cantonensis</i> X.-F. Pang, 1966, <i>Stethorus</i>	592
<i>cantori</i> Hope, 1842, <i>Campsosternus</i>	94
<i>cantori</i> Hope, 1842, <i>Pectocera</i>	95
<i>canus</i> Dufour, 1843, <i>Athous</i>	157
<i>canus</i> Murray, 1864, <i>Carpophilus</i>	466
<i>capellae</i> Reitter, 1880, <i>Ptinus</i>	334
<i>capensis</i> Lesne, 1901, <i>Enneadesmus</i>	323
<i>capensis</i> Motschulsky, 1867, <i>Corticaria</i>	644
<i>capensis</i> Walzl, 1834, <i>Cryptolestes</i>	503
<i>capillatum</i> Lesne, 1895, <i>Sinoxylon</i>	323
<i>capillatus</i> Dolin, 1999, <i>Zoroachros</i>	192
<i>capillatus</i> Gurjeva, 1979, <i>Paraphotistus</i>	179
<i>capillicornis</i> Abeille de Perrin, 1907, <i>Aplocnemus</i>	411
<i>capistrata</i> Lacordaire, 1842, <i>Triplax</i>	544
<i>capitalis</i> Schaufuss, 1882, <i>Trogoxylon</i>	328
<i>capitatus</i> Erichson, 1840, <i>Troglops</i>	453
<i>capitatus</i> Fabricius, 1798, <i>Scymnus</i>	585
<i>capitatus</i> Fairmaire, 1866, <i>Cebrio</i>	90
<i>capitatus</i> Wollaston, 1874, <i>Holoparamecus</i>	558
<i>capito</i> Westwood, 1863, <i>Cephaloncus</i>	452
<i>capitulo</i> Evers, 1986, <i>Cephaloncus</i>	452
<i>cappadocicus</i> Ganglbauer, 1905, <i>Trichodes</i>	376
<i>caprai</i> Canepari, 1983, <i>Scymnus</i>	589
<i>caprai</i> Puppini, 1974, <i>Dictyoptera</i>	214
<i>capraianus</i> Pic, 1931, <i>Aplocnemus</i>	411
<i>caprariae</i> Liberti, 1985, <i>Danacea</i>	395
<i>capricornis</i> Peyron, 1877, <i>Clanoptilus</i>	443
<i>capricornis</i> Peyron, 1877, <i>Malachius</i>	448
<i>captiosa</i> Majer, 1989, <i>Haplothrix</i>	392
<i>captiosus</i> Gurjeva, 1985, <i>Corymbitodes</i>	176
<i>captiosus</i> Normand, 1941, <i>Cardiophorus</i>	201
<i>captiosus</i> Toskina, 1976, <i>Cacotemnus</i>	339

capucina Ahrens, 1812, <i>Eucnemis</i>	85
capucina Reitter, 1877, <i>Anhedobia</i>	353
capucinus Buysson, 1906, <i>Athous</i>	157
capucinus Fabricius, 1781, <i>Xylopsocus</i>	325
capucinus Linnaeus, 1758, <i>Bostrichus</i>	321
capucinus Robert, 1909, <i>Meligethes</i>	480
caraboides Linnaeus, 1758, <i>Tenebroides</i>	365
caracal Zhantiev, 1963, <i>Attagenus</i>	308
caramanicus J. R. Sahlberg, 1913, <i>Aplocnemus</i>	410
caramanicus Pic, 1912, <i>Malachius</i>	448
carbonaria Stephens, 1830, <i>Atomaria</i>	525
carbonarius Candèze, 1882, <i>Melanotus</i>	142
carbonarius Chevrolat, 1874, <i>Cebrio</i>	90
carbonarius Förster, 1849, <i>Meligethes</i>	480
carbonarius Gorham, 1893, <i>Thanasimus</i>	375
carbonarius Mannerheim, 1844, <i>Enicmus</i>	637
carbonarius Pic, 1917, <i>Troglops</i>	453
carbonarius Rosenhauer, 1856, <i>Niptodes</i>	332
carbonarius Schilsky, 1896, <i>Dasytes</i>	401
carbonarius Schilsky, 1894, <i>Divales</i>	406
carbonarius Schrank, 1781, <i>Lacon</i>	101
carbonarius Spinola, 1844, <i>Necrobinus</i>	382
carbonarius Stepanov, 1935, <i>Hemicrepidius</i>	169
carbonarius Walzl, 1838, <i>Malthodes</i>	291
carbonarius Walzl, 1834, <i>Lyctus</i>	327
carbonarius Wollaston, 1867, <i>Scymnus</i>	591
carbonnieri Lesne, 1897, <i>Xylomedes</i>	321
carbunculus Lewis, 1879, <i>Ampedus</i>	129
carceli Chevrolat, 1843, <i>Trichodes</i>	378
cardiacae Linnaeus, 1761, <i>Nepachys</i>	426
cardilobus Ren & X.-F. Pang, 1992, <i>Axinoscymnus</i>	578
cardinalis Abeille de Perrin, 1881, <i>Anthocomus</i>	439
cardinalis Kleine, 1926, <i>Lycostomus</i>	212
cardinalis Mulsant, 1850, <i>Rodolia</i>	597
cardinalis Pic, 1906, <i>Malachius</i>	448
cardinalis Reitter, 1891, <i>Melyresthes</i>	387
cardinalis Schiödte, 1865, <i>Ampedus</i>	122
cardiodera Fairmaire, 1875, <i>Corticaria</i>	643
cardiophora Wurst, 1997, <i>Hylaia</i>	564
cardiscae Randall, 1838, <i>Calvia</i>	608
cardoni Candèze, 1892, <i>Octocryptus</i>	103
cardoni Gorham, 1897, <i>Beccariola</i>	562
cardoni J. Weise, 1892, <i>Sumnius</i>	575
cardoni J. Weise, 1892, <i>Anegleis</i>	606
carduelis Candèze, 1865, <i>Paracardiophorus</i>	206
cardui Brahm, 1802, <i>Ceratomegilla</i>	609
carenifrons Grouvelle, 1914, <i>Mimemodes</i>	493
caricis A. G. Olivier, 1790, <i>Telmatophilus</i>	524
caricis Stephens, 1830, <i>Kateretes</i>	458
caricis Sturm, 1807, <i>Phalacrus</i>	510

carinasus Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
<i>carinata</i> Gyllenhal, 1827, <i>Cartodere</i>	636
<i>carinatifer</i> Pic, 1919, <i>Tropiebaeus</i>	437
<i>carinatipennis</i> Pic, 1905, <i>Tropiebaeus</i>	437
<i>carinatissimus</i> Cherepanov, 1957, <i>Hypnoidus</i>	154
<i>carinatopygus</i> Wittmer, 1971, <i>Malthodes</i>	286
<i>carinatus</i> Billberg, 1820, <i>Eucnemis</i>	85
<i>carinatus</i> Bruce, 1936, <i>Cryptophagus</i>	515
<i>carinatus</i> Lewis, 1896, <i>Lichenophanes</i>	322
<i>carinatus</i> Lewis, 1892, <i>Opilo</i>	373
<i>carinatus</i> Matsumura, 1911, <i>Melanotus</i>	146
<i>carinatus</i> P. H. Lucas, 1846, <i>Dignomus</i>	330
<i>carinatus</i> Pic, 1901, <i>Macrocerus</i>	296
<i>carinatus</i> Sengupta, 1976, <i>Stephostethus</i>	640
<i>carinatus</i> Vats & Kashyap, 1992, <i>Lacon</i>	100
<i>carinatus</i> Wittmer, 1989, <i>Micropodabrus</i>	256
<i>carinicephalus</i> Miwa, 1931, <i>Parabetarmon</i>	141
<i>cariniceps</i> Fleutiaux, 1923, <i>Dromaeolus</i>	86
<i>cariniceps</i> Lewis, 1894, <i>Procraerus</i>	138
<i>cariniceps</i> Reitter, 1902, <i>Hylis</i>	83
<i>cariniceps</i> Sakai, 1983, <i>Striatheca</i>	347
<i>carinicollis</i> Chevrolat, 1874, <i>Cebrio</i>	90
<i>carinicollis</i> Fairmaire, 1889, <i>Lucidotopsis</i>	230
<i>carinicollis</i> Fleutiaux, 1923, <i>Cafolus</i>	82
<i>carinicollis</i> Heller, 1920, <i>Oretylus</i>	541
<i>carinicollis</i> J. Weise, 1895, <i>Macrocerus</i>	296
<i>carinicollis</i> Lewis, 1894, <i>Yukoana</i>	192
<i>carinicollis</i> Schwarz, 1894, <i>Melanotus</i>	142
<i>carinifrons</i> Baudi di Selve, 1873, <i>Malachius</i>	449
<i>carinifrons</i> Bonvouloir, 1859, <i>Trixagus</i>	88
<i>carinifrons</i> C. Johnson, 1990, <i>Corticarina</i>	646
<i>carinifrons</i> Desbrochers des Loges, 1875, <i>Procraerus</i>	138
<i>carinifrons</i> Schenkling, 1900, <i>Orthrius</i>	374
<i>carinipennis</i> Lewis, 1896, <i>Lichenophanes</i>	322
<i>carinipennis</i> Matsumura, 1915, <i>Heterobostrychus</i>	322
<i>cariniscapus</i> Buysson, 1916, <i>Athous</i>	156
<i>carinoscutellis</i> Garg & Vasu, 1997, <i>Silesis</i>	111
<i>carinthiaca</i> Hölzel, 1960, <i>Epuraea</i>	463
<i>carinthiaca</i> Wittmer, 1973, <i>Pakabsidia</i>	259
<i>carinthiacus</i> Bouwer, 1984, <i>Ampedus</i>	122
<i>carinula</i> Rey, 1889, <i>Atomaria</i>	527
<i>carinulata</i> Kocher, 1954, <i>Cantharis</i>	240
<i>carinulata</i> Mannerheim, 1844, <i>Cartodere</i>	636
<i>carinulata</i> Motschulsky, 1867, <i>Corticarina</i>	646
<i>carinulata</i> Rosenhauer, 1856, <i>Merophysia</i>	557
<i>carinulatus</i> Förster, 1849, <i>Meligethes</i>	480
<i>carinulatus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	142
<i>carinulatus</i> Reitter, 1902, <i>Anthodromius</i>	386
<i>carinulatus</i> Wollaston, 1877, <i>Cryptolestes</i>	503
<i>cariosus</i> Dolin, 1997, <i>Quasimus</i>	190

<i>carmelicus</i> Wittmer, 1966, <i>Malthodes</i>	286
<i>carmelita</i> Fabricius, 1801, <i>Apate</i>	320
<i>carmelitana</i> Saulcy, 1864, <i>Merophysia</i>	557
<i>carmosina</i> Voet, 1806, <i>Oenopia</i>	621
<i>carnaria</i> Schaller, 1783, <i>Nitidula</i>	474
<i>carnifex</i> Erichson, 1840, <i>Malachius</i>	448
<i>carniolicum</i> Apfelbeck, 1915, <i>Sphaerosoma</i>	555
<i>carnivorus</i> Fabricius, 1775, <i>Dermestes</i>	300
<i>carnosus</i> Platia & Gudenzi, 2002, <i>Cardiophorus</i>	196
<i>carnosus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	142
<i>caroli</i> Bourgeois, 1882, <i>Adoceta</i>	224
<i>caroli</i> Pic, 1893, <i>Cardiophorus</i>	202
<i>caroli</i> Pic, 1905, <i>Rhagonycha</i>	265
<i>caroli</i> Pic, 1941, <i>Aplocnemus</i>	410
<i>caroli</i> Pic, 1934, <i>Attalus</i>	421
<i>carolinae</i> Casey, 1891, <i>Lyctus</i>	327
<i>carolusi</i> Švihla, 1993, <i>Rhagonycha</i>	262
<i>carolusi</i> Wittmer, 1995, <i>Lycocerus</i>	250
<i>carpathica</i> Ganglbauer, 1896, <i>Rhagonycha</i>	262
<i>carpathica</i> Reitter, 1878, <i>Epuraea</i>	460
<i>carpathica</i> Reitter, 1875, <i>Atomaria</i>	528
<i>carpathica</i> Reitter, 1890, <i>Triplax</i>	543
<i>carpathicum</i> Reitter, 1883, <i>Sphaerosoma</i>	555
<i>carpathicus</i> Audisio, 1999, <i>Meligethes</i>	480
<i>carpathicus</i> Reitter, 1905, <i>Athous</i>	158
<i>carpathicus</i> Reitter, 1875, <i>Latridius</i>	639
<i>carpathophilus</i> Reitter, 1905, <i>Athous</i>	161
<i>carpetanus</i> Heyden, 1870, <i>Hadrobregmus</i>	341
<i>carpetanus</i> Heyden, 1870, <i>Airaphilus</i>	498
<i>carpini</i> Geoffroy, 1785, <i>Hippodamia</i>	618
<i>carpini</i> Herbst, 1793, <i>Priobium</i>	341
<i>carpophiloides</i> Reitter, 1915, <i>Anister</i>	471
<i>carrenii</i> Graells, 1846, <i>Cebrio</i>	90
<i>carreti</i> Bourgeois, 1900, <i>Metacantharis</i>	255
<i>carreti</i> Buysson, 1894, <i>Selatosomus</i>	182
<i>carreti</i> E. Olivier, 1895, <i>Lampyris</i>	227
<i>cartenaeensis</i> Constantin, 1979, <i>Malthinus</i>	277
<i>cartenaeensis</i> Constantin, 1988, <i>Danacea</i>	395
<i>carthartoides</i> Reitter, 1876, <i>Aulonosoma</i>	501
<i>carus</i> Newman, 1840, <i>Tarsostenus</i>	383
<i>caseyi</i> Hinton, 1945, <i>Anthrenus</i>	314
<i>cashmirensis</i> Kollar, 1844, <i>Ludioschema</i>	132
<i>cashmirensis</i> Korschefsky, 1935, <i>Oenopia</i>	621
<i>cashmiriensis</i> Della Beffa, 1931, <i>Agrypnus</i>	97
<i>casgica</i> Motschulsky, 1854, <i>Lampyris</i>	226
<i>casgica</i> Reitter, 1898, <i>Cordicantharis</i>	248
<i>casgica</i> Wittmer, 1972, <i>Rhagonycha</i>	262
<i>caspicum</i> Jelínek, 1981, <i>Cerylon</i>	553
<i>caspicus</i> Heyden, 1883, <i>Agriotes</i>	114
<i>caspicus</i> Reitter, 1918, <i>Ampedus</i>	124

<i>caspicus</i> Reitter, 1883, <i>Mychothenus</i>	559
<i>caspicus</i> Schilsky, 1896, <i>Pseudamauronia</i>	394
<i>caspicus</i> Wittmer, 1972, <i>Malthodes</i>	286
<i>caspius</i> Peyron, 1877, <i>Ebaeus</i>	429
<i>cassiae</i> Reiche, 1854, <i>Cathartus</i>	499
<i>cassidoides</i> Donovan, 1798, <i>Exochomus</i>	594
<i>cassidoides</i> Marsham, 1802, <i>Corylophus</i>	631
<i>cassidoides</i> Montrouzier, 1855, <i>Synona</i>	625
<i>castanea</i> Broun, 1886, <i>Cartodere</i>	636
<i>castanea</i> C. G. Thomson, 1863, <i>Atomaria</i>	526
<i>castanea</i> C. R. Sahlberg, 1820, <i>Nitidula</i>	474
<i>castanea</i> Dalla Torre, 1879, <i>Trinodes</i>	306
<i>castanea</i> Duftschmid, 1825, <i>Epuraea</i>	460
<i>castanea</i> Marsham, 1802, <i>Triplax</i>	544
<i>castanea</i> Peyerimhoff, 1925, <i>Triplax</i>	543
<i>castanea</i> Sasaji, 1978, <i>Danae</i>	567
<i>castanea</i> Stephens, 1830, <i>Atomaria</i>	525
<i>castanea</i> Zia, 1933, <i>Doubledaya</i>	534
<i>castaneae</i> Gredler, 1863, <i>Caenocara</i>	344
<i>castanecens</i> Grouvelle, 1916, <i>Cryptophagus</i>	515
<i>castaneicollis</i> Reitter, 1888, <i>Malthodes</i>	286
<i>castaneipennis</i> Gorham, 1874, <i>Lycoperdina</i>	565
<i>castaneipennis</i> Reitter, 1879, <i>Sphindus</i>	455
<i>castanescens</i> Grouvelle, 1903, <i>Meligethes</i>	480
<i>castanescens</i> Mulsant & Guillebeau, 1855, <i>Athous</i>	157
<i>castaneum</i> A. G. Olivier, 1790, <i>Nicobium</i>	342
<i>castaneum</i> Melsheimer, 1846, <i>Lasioderma</i>	358
<i>castaneus</i> Baudi di Selve, 1870, <i>Olibrus</i>	508
<i>castaneus</i> C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	483
<i>castaneus</i> Erichson, 1845, <i>Notolaemus</i>	505
<i>castaneus</i> Fairmaire, 1851, <i>Harminius</i>	169
<i>castaneus</i> Germar, 1834, <i>Thorictus</i>	303
<i>castaneus</i> Jiang, 1999, <i>Sternocampus</i>	94
<i>castaneus</i> Kôno, 1930, <i>Platytenerus</i>	383
<i>castaneus</i> Linnaeus, 1758, <i>Anostirus</i>	174
<i>castaneus</i> Miwa, 1931, <i>Glyphonyx</i>	109
<i>castaneus</i> Miwa, 1934, <i>Chastanus</i>	140
<i>castaneus</i> Miwa, 1930, <i>Priopus</i>	152
<i>castaneus</i> Reitter, 1877, <i>Sericoderus</i>	633
<i>castaneus</i> Waltl, 1835, <i>Thorictus</i>	304
<i>castaneus</i> Wollaston, 1873, <i>Phaenocephalus</i>	506
<i>castanidens</i> Gyllenhal, 1817, <i>Lacon</i>	101
<i>castanipes</i> Paykull, 1800, <i>Melanotus</i>	142
<i>castanoptera</i> Reitter, 1884, <i>Atomaria</i>	525
<i>castanopterus</i> Erichson, 1843, <i>Urophorus</i>	468
<i>castanopterus</i> Guillebeau, 1892, <i>Olibrus</i>	509
<i>castanopterus</i> Mulsant, 1850, <i>Scymniscus</i>	583
<i>castelnaui</i> Candèze, 1878, <i>Podeonius</i>	140
<i>castiliana</i> J. Weise, 1903, <i>Oenopia</i>	622
<i>castiliensis</i> Schilsky, 1897, <i>Aplocnemus</i>	410

castillanus Buysson, 1902, <i>Cardiophorus</i>	196
<i>castor</i> Arnoldi, 1965, <i>Xyletinus</i>	360
catalinae Horn, 1895, <i>Delphastus</i>	569
catalonicus Bellés, 2002, <i>Ptinus</i>	333
catalunicus Dajoz, 1969, <i>Anommatus</i>	549
catei Platia & Schimmel, 1991, <i>Silesis</i>	111
catei Platia & Schimmel, 2001, <i>Melanotus</i>	143
catei Schimmel, 1998, <i>Ampedus</i>	122
catei Švihla, 1993, <i>Rhagonycha</i>	262
cathaicus Reichardt, 1966, <i>Xylothrips</i>	325
<i>catopoides</i> Jacquet, 1886, <i>Dermestes</i>	302
catoxanthus Chevrolat, 1874, <i>Cebrio</i>	90
<i>catta</i> Duftschmid, 1825, <i>Dermestes</i>	301
<i>catta</i> Panzer, 1789, <i>Dermestes</i>	301
caucasica A. Fleischer, 1900, <i>Anisosticta</i>	599
caucasica Crotch, 1874, <i>Hyperaspis</i>	577
caucasica Ganglbauer, 1922, <i>Podistra</i>	260
caucasica Motschulsky, 1854, <i>Nyctophila</i>	227
caucasica Motschulsky, 1854, <i>Luciola</i>	232
caucasica Motschulsky, 1863, <i>Grynocharis</i>	366
caucasica Motschulsky, 1837, <i>Oenopia</i>	622
caucasica Reitter, 1902, <i>Trichocele</i>	414
caucasica Reitter, 1892, <i>Triplax</i>	543
caucasica Schilsky, 1897, <i>Danacea</i>	395
caucasica Wittmer, 1972, <i>Rhagonycha</i>	262
causicola Roubal, 1914, <i>Denticollis</i>	167
causicum Logvinovskiy, 1977, <i>Hyperisus</i>	351
causicum Ménériés, 1832, <i>Nemozoma</i>	364
causicum Pic, 1904, <i>Lasioderma</i>	358
causicum Reitter, 1876, <i>Cerylon</i>	553
causicus Buysson, 1900, <i>Stenagostus</i>	172
causicus Chevrolat, 1874, <i>Trichodes</i>	378
causicus Desbrochers des Loges, 1875, <i>Cardiophorus</i>	196
causicus J. Weise, 1878, <i>Tetrabrachys</i>	573
causicus J. Weise, 1929, <i>Nephus</i>	581
causicus Jagemann, 1939, <i>Zoroachros</i>	192
causicus Kolenati, 1846, <i>Hypocoprus</i>	531
causicus Kraatz, 1882, <i>Trichodes</i>	378
causicus Mannerheim, 1844, <i>Stephostethus</i>	640
causicus Ménériés, 1832, <i>Selatosomus</i>	182
causicus Ménériés, 1832, <i>Drapetes</i>	207
causicus Motschulsky, 1845, <i>Cucujus</i>	502
causicus Motschulsky, 1845, <i>Cryptophagus</i>	515
causicus Pic, 1897, <i>Ptinus</i>	333
causicus Pic, 1901, <i>Ptinomorphus</i>	354
causicus Pic, 1917, <i>Troglops</i>	453
causicus Reitter, 1921, <i>Trixagus</i>	88
causicus Reitter, 1881, <i>Anthrenus</i>	313
causicus Reitter, 1878, <i>Antherophagus</i>	514
causicus Reitter, 1888, <i>Spaniophoenus</i>	523

caucasicus Rost, 1893, <i>Laricobius</i>	298
caucasicus Schilsky, 1897, <i>Aplocnemus</i>	410
<i>caucasicus</i> Tournier, 1874, <i>Lyctus</i>	327
caucasicus Tournier, 1889, <i>Olibrus</i>	508
caucasicus Wittmer, 1974, <i>Malthinus</i>	277
caucasicus Wittmer, 1958, <i>Malthodes</i>	286
caudata Jelínek, 1999, <i>Physoronia</i>	475
caudata Ritsema, 1889, <i>Helota</i>	495
caudatomimicus Wittmer, 1970, <i>Malthodes</i>	286
caudatus Guillebeau, 1897, <i>Meligethes</i>	480
caudatus J. Weise, 1892, <i>Malthodes</i>	286
caudex Lewis, 1879, <i>Melanotus</i>	143
caularum Aubé, 1843, <i>Holoparamecus</i>	558
caulicola Wollaston, 1862, <i>Leipaspis</i>	364
cava Schimmel & Platia, 1991, <i>Brancuccia</i>	183
cavaleriei Pic, 1926, <i>Themus</i>	271
cavaleriei Pic, 1923, <i>Hadrocnemus</i>	416
cavaleriei Platia & Schimmel, 2001, <i>Melanotus</i>	143
<i>cavatus</i> Candèze, 1860, <i>Pseudocrepidophorus</i>	172
cavazzutii Platia, 2003, <i>Athous</i>	161
cavernosus Champion, 1922, <i>Tropiebaeus</i>	437
cavicollis LeConte, 1866, <i>Lyctus</i>	327
cavicollis Mannerheim, 1844, <i>Corticarina</i>	646
cavicornis Wittmer, 1982, <i>Malthodes</i>	286
<i>cavicula</i> Reitter, 1901, <i>Monotoma</i>	494
caviformis Reitter, 1905, <i>Athous</i>	161
cavifrons Kiesenwetter, 1878, <i>Malachius</i>	448
cavifrons L. Redtenbacher, 1858, <i>Athous</i>	158
cavifrons Pic, 1895, <i>Danacea</i>	395
<i>cavillator</i> Buysson, 1926, <i>Ectinus</i>	120
cavipennis Fairmaire, 1897, <i>Themus</i>	270
cavulus Reitter, 1905, <i>Athous</i>	161
cavus Germar, 1817, <i>Athous</i>	161
cebana Gorham, 1896, <i>Ortitma</i>	542
cechovskyi Platia & Schimmel, 2001, <i>Melanotus</i>	143
cechovskyi Schimmel, 1998, <i>Neodima</i>	184
cedretorum Peyerimhoff, 1920, <i>Hadrobregmus</i>	341
cedri J. R. Sahlberg, 1913, <i>Exochomus</i>	594
<i>cedri</i> Reitter, 1901, <i>Ernobius</i>	351
cedricola Peyron, 1877, <i>Malachius</i>	448
cedricola Wittmer, 1971, <i>Cantharis</i>	240
cedricolus Fürsch, 1977, <i>Scymnus</i>	589
cedrorum Abeille de Perrin, 1885, <i>Hypebaeus</i>	433
cedrorum Wittmer, 1981, <i>Ebaeus</i>	429
celata Arrow, 1925, <i>Dapsa</i>	562
<i>celebensis</i> Gestro, 1874, <i>Raractocetus</i>	363
<i>celebensis</i> Schaufuss, 1887, <i>Aulacochilus</i>	539
<i>celer</i> J. Weise, 1891, <i>Scymnus</i>	583
cellaris Scopoli, 1763, <i>Cryptophagus</i>	515
cellaroides Reitter, 1921, <i>Cryptophagus</i>	515

cembricola Eschscholtz, 1822, <i>Rhagonycha</i>	262
cenchris Candèze, 1857, <i>Cryptalaus</i>	107
cenchris Lewis, 1887, <i>Tritoma</i>	545
cenisius Pic, 1909, <i>Selatosomus</i>	181
centralis Candèze, 1882, <i>Selatosomus</i>	182
centralis Kamiya, 1965, <i>Scymnus</i>	585
centralis Lewis, 1887, <i>Tritoma</i>	545
centralis X.-F. Pang & Mao, 1979, <i>Telsimia</i>	597
centrimaculata G. Rossi, 1882, <i>Subcoccinella</i>	630
centrocarinatus Wittmer, 1969, <i>Malthinus</i>	277
centrochinensis Švihla, 2004, <i>Lycocerus</i>	250
centroguttatus Boheman, 1859, <i>Cryptogonus</i>	576
centrolineatus Wittmer, 1995, <i>Malthinus</i>	277
centromaculata J. Weise, 1879, <i>Adalia</i>	603
centromaculatus Klug, 1842, <i>Opilo</i>	373
centromaculatus Reitter, 1877, <i>Henotiderus</i>	522
cephalenicus Pic, 1915, <i>Malthodes</i>	291
cephalonica Pic, 1901, <i>Danacea</i>	398
cephalonicus Buysson, 1913, <i>Dicronychus</i>	204
cephalotes A. G. Olivier, 1790, <i>Troglops</i>	453
cephalotes Baudi di Selve, 1859, <i>Malthodes</i>	294
cephalotes Grouvelle, 1919, <i>Psammoecus</i>	497
cephalotes Reitter, 1876, <i>Silvanoprus</i>	500
cephalotes Wittmer, 1956, <i>Clanoptilus</i>	443
cephennoides Reitter, 1888, <i>Atomaria</i>	525
ceramboides Motschulsky, 1861, <i>Stigmatium</i>	374
cerambyciformis Normand, 1950, <i>Malthodes</i>	286
cerambycinus Semenov, 1900, <i>Clon</i>	155
cerapheloides Wittmer, 1971, <i>Haplomalachius</i>	447
cerasina Wollaston, 1862, <i>Cephalogonia</i>	451
cerastes Abeille de Perrin, 1893, <i>Attalus</i>	421
cerastes Champion, 1921, <i>Hypebaeus</i>	434
cerata E. Olivier, 1911, <i>Luciola</i>	232
ceratoniae Linnaeus, 1758, <i>Sinoxylon</i>	323
cerberus Gurjeva, 1989, <i>Melanotus</i>	143
cercidiphylli Kôno & Kim, 1937, <i>Ptilinus</i>	356
cercyonides Wollaston, 1864, <i>Scymnus</i>	585
cercyonoides Reitter, 1887, <i>Phradonoma</i>	317
cerealis Peyron, 1877, <i>Cyrtosus</i>	447
cereopunctata Lewis, 1881, <i>Helota</i>	495
cerevisiae Marsham, 1802, <i>Epauloecus</i>	331
cerina Grouvelle, 1894, <i>Epuraea</i>	464
cerrutii Binaghi, 1940, <i>Anostirus</i>	174
certus Kleine, 1926, <i>Cautires</i>	222
cervenkae Platia & Schimmel, 2002, <i>Melanotus</i>	143
cervicolor Heyden, 1880, <i>Athous</i>	161
cervicornis Abeille de Perrin, 1890, <i>Malachius</i>	448
cervicornu Gradl, 1882, <i>Coccinella</i>	610
cervina Giorna, 1792, <i>Coccinella</i>	613
cervina Küster, 1850, <i>Danacea</i>	396

<i>cervinus</i> Laporte, 1840, <i>Athous</i>	157
<i>cervulus</i> Reitter, 1894, <i>Ceratistes</i>	441
<i>cete</i> Candèze, 1860, <i>Melanotus</i>	151
<i>ceylanica</i> Dajoz, 1975, <i>Besuchetia</i>	635
<i>ceylanica</i> Dajoz, 1975, <i>Melanophthalma</i>	647
<i>ceylanicus</i> Motschulsky, 1861, <i>Cartodere</i>	636
<i>ceylonica</i> J. Weise, 1901, <i>Henosepilachna</i>	629
<i>ceylonicus</i> Motschulsky, 1866, <i>Cryptophilus</i>	531
<i>chabuana</i> Dieke, 1947, <i>Henosepilachna</i>	629
<i>chakouri</i> Pic, 1907, <i>Attagenus</i>	307
<i>chalcographum</i> Panzer, 1793, <i>Sinoxylon</i>	323
<i>chalconatus</i> Germar, 1817, <i>Aplocnemus</i>	410
<i>chalcostoma</i> Obenberger, 1917, <i>Cybocephalus</i>	489
<i>chalif</i> Majer, 1989, <i>Haplothrix</i>	392
<i>chalui</i> Guérin-Méneville, 1847, <i>Ampedus</i>	126
<i>chalybaeum</i> Westwood, 1849, <i>Cylidroctenus</i>	367
<i>chalybaeus</i> Guillebeau, 1892, <i>Tolyphus</i>	513
<i>chalybaeus</i> Reitter, 1871, <i>Meligethes</i>	483
<i>chalybea</i> Sturm, 1837, <i>Necrobia</i>	382
<i>chalybeatus</i> Gorham, 1892, <i>Chilocorus</i>	593
<i>chalybeipennis</i> Gorham, 1889, <i>Themus</i>	270
<i>chalybeus</i> Germar, 1824, <i>Aplocnemus</i>	411
<i>chalybeus</i> Ménétrés, 1832, <i>Dasytes</i>	401
<i>chalybeus</i> Murray, 1864, <i>Carpophilus</i>	466
<i>chalybeus</i> Sowerby, 1806, <i>Ctenicera</i>	176
<i>chamaeleon</i> Escalera, 1921, <i>Fortunatius</i>	425
<i>chamaeleon</i> Evers, 1971, <i>Protapalochrus</i>	418
<i>chamboveti</i> Mulsant & Godart, 1868, <i>Athous</i>	161
<i>chamoliensis</i> Vats & Chauchan, 1994, <i>Agonischius</i>	131
<i>championi</i> C. Johnson, 1972, <i>Corticarina</i>	646
<i>championi</i> Escalera, 1926, <i>Axinotarsus</i>	440
<i>championi</i> Guillebeau, 1892, <i>Phalacrus</i>	510
<i>championi</i> Hetschko, 1929, <i>Litochrus</i>	507
<i>championi</i> Holdhaus, 1923, <i>Malthodes</i>	286
<i>championi</i> Kirejtshuk, 1998, <i>Epuraea</i>	460
<i>championi</i> Marseul, 1878, <i>Danacea</i>	396
<i>championi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	143
<i>championi</i> Schilsky, 1899, <i>Stagetus</i>	346
<i>championi</i> Sengupta & De, 1988, <i>Rhizophagus</i>	491
<i>championorum</i> Booth, 1997, <i>Calvia</i>	607
<i>chan</i> Semenov, 1891, <i>Phonapate</i>	320
<i>chanakhae</i> Wittmer, 1975, <i>Maltypus</i>	296
<i>changajensis</i> Bielawski, 1965, <i>Scymniscus</i>	583
<i>changi</i> C.-T. Yang, 1971, <i>Pseudoscymnus</i>	582
<i>changi</i> Ôhira, 1967, <i>Heteroderes</i>	106
<i>chaoi</i> Wittmer, 1997, <i>Macrohabronychus</i>	255
<i>chaoi</i> Wittmer, 1988, <i>Micropodabrus</i>	256
<i>chaoi</i> Wittmer, 1987, <i>Prothemus</i>	260
<i>chaoi</i> Wittmer, 1983, <i>Themus</i>	271
<i>chapini</i> Kapur, 1956, <i>Serangium</i>	569

<i>chapuisi</i> Dohrn, 1878, <i>Episcapha</i>	540
<i>charbinensis</i> Brancucci, 1985, <i>Tryptherus</i>	298
<i>charopoides</i> Reitter, 1891, <i>Perisphinctus</i>	393
<i>chassaini</i> Platia & Schimmel, 1997, <i>Dicronychus</i>	204
<i>chatengensis</i> Wittmer, 1973, <i>Themus</i>	271
<i>chatlonicus</i> Dolin & Cate, 1990, <i>Melanotus</i>	143
<i>chatterjeei</i> Fleutiaux, 1928, <i>Tropihypnus</i>	167
<i>chauhani</i> Vats & Chauchan, 1994, <i>Agonischius</i>	131
<i>chaurengiensis</i> Schimmel, 1994, <i>Pectocera</i>	95
<i>chayuensis</i> X.-F. Pang & Mao, 1977, <i>Epilachna</i>	627
<i>cheesmanae</i> Halstead, 1973, <i>Silvanoides</i>	500
<i>chegdeus</i> Schimmel, 2003, <i>Ampedus</i>	122
<i>chehirensis</i> Pic, 1918, <i>Cordicantharis</i>	248
<i>chehirensis</i> Pic, 1923, <i>Malachius</i>	449
<i>chejuanus</i> Kishii, 2002, <i>Hemicrepidius</i>	170
<i>chejuensis</i> Lee, 1999, <i>Melanotus</i>	143
<i>chekanovskii</i> Kazantsev, 1994, <i>Podistra</i>	260
<i>chelifer</i> Kiesenwetter, 1852, <i>Malthodes</i>	286
<i>chelonina</i> Mader, 1933, <i>Epiverta</i>	631
<i>chengi</i> Kishii, 1994, <i>Melanotus</i>	143
<i>chengi</i> Sasaji, 1968, <i>Stethorus</i>	591
<i>cheni</i> Jeng, 2001, <i>Diaphanes</i>	226
<i>cheni</i> Nakane, 1995, <i>Episcapha</i>	539
<i>cheni</i> Pic, 1932, <i>Dichelotarsus</i>	236
<i>chensicieni</i> Kryzhanovskij, 1960, <i>Gerstaeckerus</i>	564
<i>cherkessica</i> Kazantsev, 1998, <i>Podistra</i>	260
<i>chevrieri</i> A. Villa & G. B. Villa, 1835, <i>Scobicia</i>	324
<i>chevrolati</i> Canepari, 1985, <i>Hyperaspis</i>	578
<i>chevrolati</i> Dahlgren, 1968, <i>Rhagonycha</i>	261
<i>chevrolati</i> Fleutiaux, 1923, <i>Galbites</i>	86
<i>chevrolati</i> Laporte, 1833, <i>Vesta</i>	225
<i>chevrolati</i> Marseul, 1864, <i>Rhagonycha</i>	262
<i>chevrolati</i> P. H. Lucas, 1846, <i>Aulacochilus</i>	538
<i>chevrolati</i> Stierlin, 1864, <i>Microrhagus</i>	83
<i>chevrolatii</i> Boieldieu, 1854, <i>Gibbium</i>	329
<i>chianschanensis</i> Pic, 1913, <i>Cantharis</i>	240
<i>chiarae</i> Guglielmi & Platia, 1985, <i>Elathous</i>	164
<i>chibaensis</i> Nakane, 1989, <i>Ebaeus</i>	429
<i>chibana</i> Nakane, 1991, <i>Pseudotritoma</i>	542
<i>chibi</i> Kishii, 1976, <i>Quasimus</i>	190
<i>chifenglee</i> Kazantsev, 2002, <i>Ponyalis</i>	218
<i>chigo</i> Kishii, 1992, <i>Ampedus</i>	122
<i>chilensis</i> Dajoz, 1967, <i>Corticaria</i>	645
<i>chimtargensis</i> Kazantsev, 1993, <i>Sogdocantharis</i>	269
<i>chindaaricus</i> Bolívar y Pieltain, 1913, <i>Cydistus</i>	224
<i>chinensis</i> Iablokoff-Khnzorian, 1978, <i>Illeis</i>	598
<i>chinensis</i> A. Fleischer, 1919, <i>Attalus</i>	421
<i>chinensis</i> Araki, 1942, <i>Dactylotritoma</i>	541
<i>chinensis</i> Bocáková, 2003, <i>Dihammatus</i>	217
<i>chinensis</i> Bocáková, 2000, <i>Libnetis</i>	217

chinensis C. Johnson, 1972, <i>Corticarina</i>	646
chinensis C. O. Waterhouse, 1879, <i>Plateros</i>	219
chinensis Cobos, 1966, <i>Trixagus</i>	88
chinensis Crotch, 1876, <i>Megalodacne</i>	540
chinensis Csiki, 1937, <i>Endomychus</i>	560
chinensis Fairmaire, 1900, <i>Thymalus</i>	366
chinensis Frivaldszky, 1892, <i>Xyletinus</i>	360
chinensis G. Yu, 1995, <i>Cybocephalus</i>	489
chinensis Geisthardt, 2004, <i>Stenocladius</i>	233
chinensis Germar, 1843, <i>Hemiops</i>	186
chinensis Háva, 2004, <i>Orphinus</i>	317
chinensis J. Li, 1992, <i>Podabrus</i>	238
chinensis J. Weise, 1912, <i>Oenopia</i>	621
chinensis J. Weise, 1912, <i>Epilachna</i>	627
chinensis Kirejtshuk, 1979, <i>Meligethes</i>	480
chinensis Kishii & Jiang, 1996, <i>Hemicrepidius</i>	169
chinensis Kleine, 1927, <i>Xylobanus</i>	223
chinensis Linnaeus, 1767, <i>Luciola</i>	232
chinensis M. Chûjô, 1967, <i>Anadastus</i>	532
chinensis Mader, 1955, <i>Helota</i>	495
chinensis Mader, 1939, <i>Megalanguria</i>	534
chinensis Mader, 1955, <i>Cyrtomorphus</i>	541
chinensis Mader, 1955, <i>Bolbomorphus</i>	560
chinensis Mader, 1955, <i>Micraspis</i>	620
chinensis Miyatake, 1970, <i>Chilocorus</i>	593
chinensis Motschulsky, 1866, <i>Dermestes</i>	299
chinensis Mulsant, 1850, <i>Calvia</i>	607
chinensis Nikitsky, 1996, <i>Himascelis</i>	514
chinensis Ôhira, 1970, <i>Cryptalaus</i>	107
chinensis Reitter, 1873, <i>Glischrochilus</i>	469
chinensis Reitter, 1877, <i>Stephostethus</i>	640
chinensis Schenkling, 1915, <i>Callimerus</i>	371
chinensis Strohecker, 1951, <i>Danae</i>	567
chinensis Švec, 1992, <i>Tinodemus</i>	512
chinensis Wittmer, 1995, <i>Drilonius</i>	234
chinensis Wittmer, 1982, <i>Lycocerus</i>	250
chinensis Wittmer, 1993, <i>Micropodabrus</i>	256
chinensis Wittmer, 1987, <i>Prothemus</i>	260
chinensis Wittmer, 1956, <i>Malthinellus</i>	276
chinensis Wittmer, 1995, <i>Maltypus</i>	296
chinensis Wittmer, 1999, <i>Carphuroides</i>	415
chingjing G.-Y. Yu & H.-Y. Wang, 1999, <i>Epilachna</i>	627
chipenensis Kishii, 1994, <i>Glyphonyx</i>	109
chirorodakensis Kazantsev & Takahashi, 2001, <i>Rhagonycha</i>	262
chishimanus Miwa, 1928, <i>Harminius</i>	169
chitrakutensis Vats & Chauhan, 1992, <i>Conoderus</i>	104
chittagongi Vazirani, 1983, <i>Synonychimorpha</i>	572
chivensis Stepanov, 1935, <i>Cardiophorus</i>	196
chlamydates Lewis, 1894, <i>Liotrichus</i>	177
chlamydatatus Lewis, 1894, <i>Ampedus</i>	122

<i>chlorizans</i> Erichson, 1840, <i>Clanoptilus</i>	445
<i>chlorizans</i> Kiesenwetter, 1874, <i>Hypebaeus</i>	434
<i>chlorocephalus</i> Erichson, 1844, <i>Cybocephalus</i>	489
<i>chlorocyaneus</i> Jelínek & Audisio, 1977, <i>Meligethes</i>	480
<i>chlorops</i> Gorham, 1903, <i>Ortalia</i>	598
<i>chlorosomus</i> P. H. Lucas, 1846, <i>Aplocnemus</i>	410
<i>chlorotica</i> Gené, 1839, <i>Rhagonycha</i>	262
<i>chloroticus</i> Candèze, 1865, <i>Athous</i>	160
<i>chloroticus</i> Fairmaire, 1864, <i>Attalus</i>	421
<i>chloroticus</i> Fairmaire, 1860, <i>Cychramus</i>	471
<i>chobauti</i> Bourgeois, 1897, <i>Malthinus</i>	277
<i>chobauti</i> Bourgeois, 1899, <i>Malthodes</i>	295
<i>chobauti</i> Buysson, 1899, <i>Cardiophorus</i>	196
<i>chobauti</i> Escalera, 1926, <i>Axinotarsus</i>	440
<i>chobauti</i> Pic, 1895, <i>Microjulistus</i>	414
<i>chobauti</i> Reitter, 1901, <i>Lasioderma</i>	358
<i>chobauti</i> Reitter, 1900, <i>Aposericoderus</i>	633
<i>choganhensis</i> Pic, 1923, <i>Lycocerus</i>	252
<i>chokai</i> Kishii, 1985, <i>Ampedus</i>	122
<i>chokai</i> Kishii, 1966, <i>Actenicerus</i>	173
<i>chopalensis</i> Schimmel, 1993, <i>Ampedus</i>	122
<i>chopalensis</i> Wittmer, 1981, <i>Ebaeus</i>	430
<i>chorezmicus</i> Švihla, 1980, <i>Malthodes</i>	286
<i>chosokeiensis</i> Pic, 1937, <i>Lycocerus</i>	250
<i>chotanicus</i> Semenov, 1893, <i>Airaphilus</i>	498
<i>chotarea</i> Ôhira & Becker, 1972, <i>Penia</i>	185
<i>christinae</i> Karner, 1995, <i>Megapsammoecus</i>	497
<i>christophi</i> Dolin & Gurjeva, 1994, <i>Melanotus</i>	143
<i>christophi</i> Jakobson, 1913, <i>Ampedus</i>	128
<i>christophi</i> Kiesenwetter, 1879, <i>Corymbitodes</i>	176
<i>christophi</i> Kiesenwetter, 1879, <i>Cyrtosus</i>	446
<i>christophi</i> Reitter, 1879, <i>Glischrochilus</i>	469
<i>christophori</i> Mulsant, 1853, <i>Harmonia</i>	615
<i>chromodera</i> Pic, 1912, <i>Malthodes</i>	288
<i>chrysanthemi</i> Wollaston, 1862, <i>Attalus</i>	421
<i>chrysocephalus</i> Champion, 1926, <i>Themus</i>	273
<i>chrysocoma</i> Hope, 1845, <i>Galbites</i>	86
<i>chrysocomum</i> Germar, 1843, <i>Prosternon</i>	180
<i>chrysomelina</i> Fabricius, 1775, <i>Henosepilachna</i>	630
<i>chrysomelina</i> Sturm, 1837, <i>Dorcatoma</i>	344
<i>chrysomelinus</i> Gorham, 1887, <i>Stenotarsus</i>	568
<i>chrysomelinus</i> O. F. Müller, 1776, <i>Denticollis</i>	167
<i>chrysomeloides</i> Herbst, 1792, <i>Rhyzobius</i>	573
<i>chrysomeloides</i> Kugelann, 1792, <i>Ptinus</i>	337
<i>chrysomeloides</i> Thunberg, 1784, <i>Malachius</i>	450
<i>chrysoprasus</i> Herbst, 1806, <i>Lacon</i>	101
<i>chtaurana</i> Švihla, 1977, <i>Rhagonycha</i>	268
<i>chugokuensis</i> Nakane, 1994, <i>Macrolycus</i>	213
<i>chui</i> Kazantsev & P.-S. Yang, 1999, <i>Cautires</i>	222
<i>chui</i> Nakane, 1966, <i>Tetratritoma</i>	543

chujoanus Wittmer, 1982, <i>Attalus</i>	421
chujoi Brancucci, 1983, <i>Trypherus</i>	298
chujoi Hisamatsu, 1982, <i>Ipidia</i>	473
chujoi Hisamatsu, 1959, <i>Pocadites</i>	476
chujoi John, 1955, <i>Aphanocephalus</i>	556
chujoi Miwa, 1939, <i>Anthracalaus</i>	108
chujoi Miyatake, 1959, <i>Telsimia</i>	596
<i>chujoi</i> Nakane, 1982, <i>Neocladoxena</i>	535
chujoi Ohbayashi, 1954, <i>Conderis</i>	221
chujoi Ohbayashi, 1982, <i>Thaumaglossa</i>	318
chujoi Sakai, 1982, <i>Oligomerus</i>	342
chujoi Sasaji, 1970, <i>Saula</i>	568
chujoi Sasaji, 1982, <i>Scymnus</i>	585
chujoi Strohecker, 1957, <i>Stenotarsus</i>	568
chujoi Wittmer, 1972, <i>Lycocerus</i>	250
chujoi Wittmer, 1972, <i>Micropodabrus</i>	257
chujoi Wittmer, 1972, <i>Laemoglyptus</i>	275
chujoi Wittmer, 1961, <i>Malthinellus</i>	276
chujoi Wittmer, 1970, <i>Sternodeattalus</i>	427
chujoi Wittmer, 1954, <i>Kuatunia</i>	436
chumbiensis Champion, 1926, <i>Themus</i>	270
chunkingensis Wittmer, 1996, <i>Holzschuhus</i>	433
churakagi Ôhira, 1971, <i>Lacon</i>	100
chvojkai Švihla, 1997, <i>Malthodes</i>	286
chvojkai Švihla, 2002, <i>Macrocerus</i>	296
cicatricosa Reitter, 1880, <i>Anacypta</i>	364
<i>cicatricosus</i> Casey, 1900, <i>Cryptophagus</i>	519
<i>cicatricosus</i> Wittmer, 1988, <i>Micropodabrus</i>	257
<i>cicatriculata</i> Wittmer, 1973, <i>Podistra</i>	260
<i>cicindeloides</i> Gray, 1832, <i>Stigmatium</i>	374
<i>ciliaris</i> Rey, 1891, <i>Trixagus</i>	89
<i>ciliaris</i> Rey, 1889, <i>Meligethes</i>	486
<i>ciliata</i> Erichson, 1843, <i>Nitidula</i>	474
<i>ciliata</i> Motschulsky, 1867, <i>Corticaria</i>	643
<i>ciliatocollis</i> Pic, 1906, <i>Bactrocantharis</i>	238
<i>ciliatus</i> Easton, 1956, <i>Meligethes</i>	480
<i>ciliatus</i> Graells, 1842, <i>Lobonyx</i>	384
<i>ciliatus</i> Perris, 1866, <i>Acanthocnemus</i>	384
<i>ciliatus</i> Reitter, 1881, <i>Thorictus</i>	303
<i>cilicensis</i> Pic, 1917, <i>Allonyx</i>	371
<i>cilicensis</i> Platia & Gudenzi, 1998, <i>Agriotes</i>	114
<i>cilicia</i> Pic, 1904, <i>Islamocantharis</i>	248
<i>cilicicus</i> Hintz, 1902, <i>Opilo</i>	372
<i>ciliciensis</i> Bourgeois, 1900, <i>Cantharis</i>	240
<i>ciliciensis</i> Zurcher, 1911, <i>Danacea</i>	396
<i>cilicius</i> Švihla, 2002, <i>Malthinus</i>	278
<i>cimicifugae</i> Pallas, 1773, <i>Coccinella</i>	612
<i>cimicoides</i> DeGeer, 1774, <i>Peltis</i>	366
<i>cimicoides</i> Kleine, 1928, <i>Plateros</i>	219
<i>cincinatus</i> Kazantsev, 2002, <i>Ponyalis</i>	218

<i>cincta</i> Fabricius, 1798, <i>Illeis</i>	598
<i>cincta</i> Heer, 1841, <i>Omosita</i>	474
<i>cincta</i> Hope, 1831, <i>Coelophora</i>	614
<i>cincta</i> J. Weise, 1898, <i>Serangium</i>	569
<i>cincta</i> Motschulsky, 1854, <i>Lampyris</i>	226
<i>cincta</i> O. F. Müller, 1776, <i>Adalia</i>	602
<i>cincta</i> Pic, 1929, <i>Trichoceble</i>	414
<i>cincta</i> Schimmel & Platia, 1991, <i>Penia</i>	185
<i>cinctellus</i> Motschulsky, 1853, <i>Malthodes</i>	286
<i>cincticollis</i> Chevrolat, 1874, <i>Cebrio</i>	90
<i>cincticollis</i> J. Weise, 1929, <i>Diomus</i>	577
<i>cincticollis</i> Kiesenwetter, 1866, <i>Malthinus</i>	277
<i>cincticollis</i> Pic, 1911, <i>Cantharis</i>	245
<i>cinctipennis</i> J. Weise, 1892, <i>Phrynocaria</i>	623
<i>cinctipennis</i> Lacordaire, 1842, <i>Amblyopus</i>	541
<i>cinctipes</i> Gorham, 1897, <i>Encymon</i>	563
<i>cinctithorax</i> Moscardini, 1963, <i>Cantharis</i>	244
<i>cinctiventris</i> Chevrolat, 1874, <i>Cebrio</i>	90
<i>cinctiventris</i> Pic, 1937, <i>Lycocerus</i>	250
<i>cinctus</i> Candèze, 1863, <i>Denticollis</i>	167
<i>cinctus</i> Gebler, 1847, <i>Troglocollops</i>	419
<i>cinctus</i> Gené, 1839, <i>Divales</i>	406
<i>cinctus</i> Motschulsky, 1854, <i>Colotes</i>	428
<i>cinctus</i> Panzer, 1796, <i>Drapetes</i>	207
<i>cinctus</i> Paykull, 1800, <i>Hypoganus</i>	177
<i>cinectus</i> Lewis, 1894, <i>Zoroachros</i>	192
<i>cinerariae</i> Wollaston, 1854, <i>Olibrus</i>	508
<i>cinerascens</i> Candèze, 1859, <i>Heteroderes</i>	106
<i>cinerascens</i> Küster, 1851, <i>Melanotus</i>	143
<i>cinereofasciatus</i> Eschscholtz, 1829, <i>Diacanthous</i>	169
<i>cinereofasciatus</i> Motschulsky, 1860, <i>Diacanthous</i>	169
<i>cinereum</i> Ménétrés, 1832, <i>Dolichosoma</i>	407
<i>cinereus</i> Candèze, 1857, <i>Lanelater</i>	102
<i>cinereus</i> Heer, 1841, <i>Brachypterolus</i>	456
<i>cinereus</i> Herbst, 1784, <i>Dicronychus</i>	204
<i>cinereus</i> Illiger, 1807, <i>Synaptus</i>	113
<i>cinereus</i> Jelínek, 1978, <i>Meligethes</i>	480
<i>cinereus</i> Kazantsev, 1991, <i>Plateros</i>	219
<i>cinereus</i> L. Redtenbacher, 1868, <i>Dermestes</i>	301
<i>cinereus</i> Majer, 1996, <i>Achaetomalachius</i>	388
<i>cingulata</i> Corporaal, 1939, <i>Tilloidea</i>	369
<i>cingulata</i> Fabricius, 1787, <i>Harmonia</i>	615
<i>cingulata</i> J. Weise, 1879, <i>Coccinula</i>	600
<i>cingulatoides</i> Nakane, 1959, <i>Carpophilus</i>	467
<i>cingulatus</i> L. Miller, 1881, <i>Athous</i>	156
<i>cingulatus</i> Reitter, 1884, <i>Carpophilus</i>	467
<i>cinis</i> Majer, 1995, <i>Mimothrix</i>	392
<i>cinnabarina</i> Reitter, 1879, <i>Pselaphandra</i>	542
<i>cinnabarinus</i> Candèze, 1861, <i>Lycostomus</i>	212
<i>cinnabarinus</i> Eschscholtz, 1829, <i>Ampedus</i>	122

<i>cinnabaripennis</i> Chevrolat, 1874, <i>Cebrio</i>	93
<i>cinnaberinus</i> Scopoli, 1763, <i>Cucujus</i>	502
<i>cinnamomeum</i> Sturm, 1837, <i>Cacotemnus</i>	339
<i>cinnamomeus</i> Candèze, 1874, <i>Agrypnus</i>	97
<i>cinnamomeus</i> Gredler, 1878, <i>Anthrenus</i>	312
<i>cinnamomeus</i> Hampe, 1855, <i>Rhacopus</i>	83
<i>cinnamomeus</i> Roth, 1851, <i>Attagenus</i>	308
<i>cinnamopterus</i> Mannerheim, 1853, <i>Stephostethus</i>	640
<i>cinnanomeus</i> Buysson, 1893, <i>Agriotes</i>	116
<i>circassica</i> Reitter, 1887, <i>Cryptarcha</i>	468
<i>circassica</i> Reitter, 1888, <i>Atomaria</i>	525
<i>circassicola</i> Reitter, 1889, <i>Podistra</i>	259
<i>circassicola</i> Reitter, 1888, <i>Rhagonycha</i>	262
<i>circassicola</i> Reitter, 1896, <i>Dasytes</i>	401
<i>circassicum</i> Pic, 1922, <i>Hyperisus</i>	352
<i>circassicum</i> Reitter, 1890, <i>Xestobium</i>	352
<i>circassicum</i> Reitter, 1888, <i>Sphaerosoma</i>	555
<i>circassicus</i> Pic, 1900, <i>Ptinus</i>	335
<i>circassicus</i> Pic, 1896, <i>Ptinomorphus</i>	354
<i>circassicus</i> Reitter, 1896, <i>Adrastus</i>	108
<i>circassicus</i> Reitter, 1887, <i>Ampedus</i>	122
<i>circassicus</i> Reitter, 1888, <i>Athous</i>	163
<i>circassicus</i> Reitter, 1910, <i>Selatosomus</i>	182
<i>circassicus</i> Reitter, 1889, <i>Macrocerus</i>	296
<i>circassicus</i> Reitter, 1888, <i>Cryptophagus</i>	515
<i>circassicus</i> Švihla, 1980, <i>Malthodes</i>	286
<i>circassiensis</i> Reitter, 1905, <i>Athous</i>	158
<i>circe</i> Mulsant, 1856, <i>Harmonia</i>	615
<i>circinatella</i> Jing, 1992, <i>Bothrocalvia</i>	607
<i>circinatopictus</i> Buysson, 1922, <i>Cardiophorus</i>	201
<i>circularis</i> J. R. Sahlberg, 1903, <i>Meligethes</i>	480
<i>circularis</i> Mader, 1941, <i>Isora</i>	601
<i>circularis</i> Sharp, 1889, <i>Lindorus</i>	572
<i>circularis</i> Thunberg, 1820, <i>Coelophora</i>	614
<i>circularis</i> W. G. Schneider, 1881, <i>Psyllobora</i>	599
<i>circumangulatus</i> Kang & Kim, 2000, <i>Asiopodabrus</i>	234
<i>circumcincta</i> Lewis, 1887, <i>Tritoma</i>	545
<i>circumcincta</i> Wittmer, 1997, <i>Podosilis</i>	275
<i>circumcinctus</i> Fuente, 1903, <i>Agriotes</i>	117
<i>circumcinctus</i> J. R. Sahlberg, 1903, <i>Parexochomus</i>	595
<i>circumdata</i> Pic, 1909, <i>Idgia</i>	385
<i>circumdatus</i> Gyllenhal, 1808, <i>Chilocorus</i>	593
<i>circumdatus</i> Ragusa, 1892, <i>Carpophilus</i>	466
<i>circumductus</i> Ménériés, 1832, <i>Athous</i>	158
<i>circumflexus</i> Coye, 1870, <i>Thorictus</i>	305
<i>circumflexus</i> Reitter, 1879, <i>Neopallodes</i>	473
<i>circummaculata</i> X.-F. Pang & Mao, 1977, <i>Epilachna</i>	627
<i>circumpictus</i> Buysson, 1924, <i>Cardiophorus</i>	198
<i>circumscriptus</i> Candèze, 1860, <i>Athous</i>	158
<i>circumusta</i> Mulsant, 1850, <i>Coelophora</i>	613

circumvelata Mulsant, 1850, <i>Coelophora</i>	614
cirenaicus John, 1965, <i>Thorictus</i>	303
cisti Chevrolat, 1865, <i>Ptinus</i>	337
citrina Procházka, 1894, <i>Danacea</i>	396
citrinoguttatus Reiche & Sauley, 1857, <i>Microlipus</i>	450
citrinus E. Olivier, 1911, <i>Diaphanes</i>	226
ciusianus Kiesenwetter, 1874, <i>Prothemus</i>	260
civetta Mulsant & Rey, 1868, <i>Attagenus</i>	308
cladocerus Ren & X.-F. Pang, 1995, <i>Scymnus</i>	585
clairi H. Brisout de Barneville, 1881, <i>Corticaria</i>	645
clamboides Reitter, 1888, <i>Sphaerosoma</i>	555
clareae C. Johnson, 1972, <i>Corticarina</i>	646
clarior Buysson, 1924, <i>Agriotes</i>	117
clarior Buysson, 1912, <i>Cardiophorus</i>	200
clarus Gurjeva, 1972, <i>Sericus</i>	134
clarus Majer, 1996, <i>Achaetomalachius</i>	388
clathrata Mannerheim, 1844, <i>Dienerella</i>	636
clathrata Schaufuss, 1862, <i>Adalia</i>	603
clauda Arrow, 1925, <i>Danae</i>	567
claudei Wurst, 2001, <i>Propsephus</i>	130
claudiae Fürsch, 1984, <i>Nephus</i>	579
clausa Roubal, 1936, <i>Adalia</i>	605
clauseni E. A. Chapin, 1940, <i>Serangium</i>	569
clavata Lacordaire, 1842, <i>Triplax</i>	544
clavator Champion, 1924, <i>Cryptophagus</i>	515
clavatus Champion, 1922, <i>Hypebaeus</i>	434
clavatus Reitter, 1884, <i>Glischrochilus</i>	469
clavatus Reitter, 1884, <i>Neopallodes</i>	473
clavatus Zetterstedt, 1838, <i>Cryptophagus</i>	518
claveri Pic, 1923, <i>Tricorynus</i>	355
clavicollis Wollaston, 1854, <i>Cryptolestes</i>	503
clavicornis Baudi di Selve, 1870, <i>Atomaria</i>	524
clavicornis Geoffroy, 1785, <i>Trixagus</i>	88
clavicornis Kugelann, 1794, <i>Nausibius</i>	499
clavicornis Peyron, 1877, <i>Acromalachius</i>	438
claviger C. Johnson, 1977, <i>Enicmus</i>	637
claviger Erichson, 1846, <i>Anthrenus</i>	313
claviger Wollaston, 1861, <i>Anthrenus</i>	311
clavigera Ganglbauer, 1899, <i>Atomaria</i>	525
clavipes Fabricius, 1781, <i>Cucujus</i>	502
clavipes Iablokoff-Khnzorian, 1956, <i>Philothermus</i>	554
clavipes Panzer, 1805, <i>Ptinus</i>	336
clavipes Schilsky, 1897, <i>Danacea</i>	396
clematicola C. Cao & Xiao, 1984, <i>Epilachna</i>	627
clematidis Erichson, 1846, <i>Leptophloeus</i>	505
clematorum Fursov, 1958, <i>Gastrallus</i>	340
clermonti Pic, 1912, <i>Malthodes</i>	286
cloueti Buysson, 1899, <i>Cardiophorus</i>	199
clypeata Illiger, 1798, <i>Metacantharis</i>	255
clypeatus Hampe, 1850, <i>Clypeorhagus</i>	82

<i>clypeonitens</i> Fiori, 1905, <i>Cybocephalus</i>	489
<i>cnidatus</i> X.-F. Pang & Pu, 1990, <i>Scymnus</i>	585
<i>c-nigrum</i> Della Beffa, 1913, <i>Ceratomegilla</i>	609
<i>c-nigrum</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>coactus</i> Garg & Vasu, 1997, <i>Silesis</i>	111
<i>coadunatus</i> Marsham, 1802, <i>Rhyzobius</i>	573
<i>coalescens</i> Dieke, 1947, <i>Henosepilachna</i>	630
<i>coarctatus</i> Candèze, 1874, <i>Agrypnus</i>	97
<i>coarctatus</i> E. Olivier, 1884, <i>Phosphaenus</i>	230
<i>coarctatus</i> Erichson, 1840, <i>Sphinginus</i>	426
<i>coarctatus</i> Harold, 1877, <i>Dermestes</i>	300
<i>coarcticollis</i> Schilsky, 1898, <i>Gastrallus</i>	340
<i>coarcticollis</i> Sturm, 1837, <i>Ptinus</i>	334
<i>cobosi</i> John, 1969, <i>Thorictus</i>	303
<i>cobosi</i> John & Andreae, 1967, <i>Thorictus</i>	303
<i>cobosi</i> Pardo Alcaide, 1961, <i>Lygistorpterus</i>	224
<i>cobosi</i> Pardo Alcaide, 1956, <i>Allotarsus</i>	400
<i>cobosi</i> Pardo Alcaide, 1966, <i>Axinotarsus</i>	440
<i>cobosi</i> Pic, 1953, <i>Aplocnemus</i>	410
<i>cobosi</i> Platia, 2003, <i>Athous</i>	160
<i>cobossanchezi</i> Díaz de Castro & Sánchez-Ruiz, 2002, <i>Cardiophorus</i>	202
<i>coccinata</i> Say, 1835, <i>Dictyoptera</i>	214
<i>coccinatus</i> E. C. Rye, 1867, <i>Ampedus</i>	122
<i>coccinatus</i> Lewis, 1881, <i>Cucujus</i>	502
<i>coccinea</i> Crotch, 1876, <i>Rhodotritoma</i>	542
<i>coccinea</i> Linnaeus, 1767, <i>Dictyoptera</i>	214
<i>coccinella</i> Flach, 1888, <i>Olibrus</i>	508
<i>coccineovarius</i> Solsky, 1881, <i>Clanoptilus</i>	443
<i>coccineus</i> Candèze, 1859, <i>Pachyderes</i>	107
<i>coccineus</i> Candèze, 1865, <i>Ampedus</i>	129
<i>coccineus</i> Goeze, 1777, <i>Lygistorpterus</i>	224
<i>coccineus</i> Linnaeus, 1758, <i>Endomychus</i>	560
<i>coccineus</i> Motschulsky, 1861, <i>Lycostomus</i>	212
<i>coccineus</i> Schaller, 1783, <i>Anthocomus</i>	439
<i>coccineus</i> Schiödte, 1870, <i>Ampedus</i>	127
<i>coccineus</i> Walth, 1838, <i>Malachius</i>	448
<i>coccinipennis</i> Nakane, 1971, <i>Plateros</i>	219
<i>coccivora</i> Ramakrishna Ayyar, 1925, <i>Scymnus</i>	585
<i>cochlearius</i> Pic, 1909, <i>Malthodes</i>	286
<i>cockerelli</i> Pic, 1931, <i>Attalus</i>	422
<i>codinai</i> Pardo Alcaide, 1962, <i>Cyrtosus</i>	446
<i>codinai</i> Pic, 1937, <i>Danacea</i>	398
<i>coei</i> C. Johnson, 1972, <i>Corticarina</i>	646
<i>coelestinus</i> Gerstaecker, 1857, <i>Eucteanus</i>	561
<i>coelestis</i> Gorham, 1889, <i>Themus</i>	270
<i>coelicolor</i> Fürsch, 1958, <i>Scymnus</i>	590
<i>coenobita</i> A. Costa, 1881, <i>Ampedus</i>	122
<i>coenosum</i> Wollaston, 1873, <i>Nosodendron</i>	299
<i>coenosus</i> Hope, 1831, <i>Agrypnus</i>	97
<i>coeruleatus</i> Rosenhauer, 1856, <i>Aplocnemus</i>	410

<i>coeruleipennis</i> C. R. Sahlberg, 1837, <i>Rhizophagus</i>	491
<i>coeruleipennis</i> Har. Lindberg, 1951, <i>Attalus</i>	421
<i>coeruleipennis</i> Sicard, 1909, <i>Lindorus</i>	573
<i>coeruleoscutatus</i> Fairmaire, 1891, <i>Malachius</i>	448
<i>coeruleovirens</i> Förster, 1849, <i>Meligethes</i>	480
<i>coerulescens</i> Erichson, 1840, <i>Ebaeus</i>	430
<i>coerulescens</i> Geoffroy, 1785, <i>Hyperisus</i>	352
<i>coerulescens</i> Kraatz, 1858, <i>Meligethes</i>	480
<i>coerulescens</i> Küster, 1852, <i>Dasytes</i>	404
<i>coerulescens</i> Motschulsky, 1860, <i>Selatosomus</i>	181
<i>coerulescens</i> Schilsky, 1898, <i>Dasytes</i>	405
<i>coeruleus</i> Erichson, 1840, <i>Clanoptilus</i>	442
<i>coeruleus</i> Herbst, 1784, <i>Selatosomus</i>	181
<i>coeruleus</i> Marsham, 1802, <i>Meligethes</i>	478
<i>coeruleus</i> Spinola, 1844, <i>Cylidrus</i>	367
<i>coeruleus</i> Voet, 1796, <i>Tillus</i>	369
<i>coeruleocephala</i> Thunberg, 1784, <i>Cantharis</i>	243
<i>cognata</i> C. Johnson, 1972, <i>Corticarina</i>	646
<i>cognata</i> Erichson, 1846, <i>Atomaria</i>	524
<i>cognata</i> Mulsant & Rey, 1864, <i>Anitys</i>	343
<i>cognata</i> Rücker, 1978, <i>Corticaria</i>	642
<i>cognatus</i> A. Costa, 1858, <i>Malthodes</i>	286
<i>cognatus</i> Buysson, 1906, <i>Athous</i>	157
<i>cognatus</i> Gurjeva, 1977, <i>Ampedus</i>	122
<i>cognatus</i> J. Weise, 1887, <i>Scymnus</i>	584
<i>cognatus</i> Stephens, 1830, <i>Malthodes</i>	291
<i>cognatus</i> Stephens, 1829, <i>Olibrus</i>	508
<i>coiffaiti</i> Constantin, 1990, <i>Danacea</i>	396
<i>coiffaiti</i> Dajoz, 1968, <i>Abromus</i>	548
<i>coiffaiti</i> Dajoz, 1968, <i>Anommatus</i>	549
<i>colasi</i> Pic, 1954, <i>Aplocnemus</i>	409
<i>colasi</i> Wittmer, 1967, <i>Clanoptilus</i>	443
<i>colasi</i> Wittmer, 1968, <i>Troglops</i>	453
<i>colchica</i> Motschulsky, 1839, <i>Subcoccinella</i>	630
<i>colchicus</i> Gurjeva, 1975, <i>Agriotes</i>	114
<i>colchicus</i> Iablokoff-Khnzorian, 1962, <i>Hemicrepidius</i>	169
<i>collaris</i> A. Fleischer, 1900, <i>Hyperaspis</i>	577
<i>collaris</i> Candèze, 1859, <i>Drasterius</i>	105
<i>collaris</i> Crotch, 1876, <i>Tetraphala</i>	535
<i>collaris</i> Erichson, 1840, <i>Cardiophorus</i>	196
<i>collaris</i> Erichson, 1840, <i>Ebaeus</i>	430
<i>collaris</i> Fabricius, 1801, <i>Triplax</i>	544
<i>collaris</i> Fairmaire, 1873, <i>Cebrio</i>	90
<i>collaris</i> Herbst, 1797, <i>Scymnus</i>	591
<i>collaris</i> J. R. Sahlberg, 1903, <i>Malthinus</i>	283
<i>collaris</i> J. R. Sahlberg, 1903, <i>Dasytiscus</i>	391
<i>collaris</i> J. R. Sahlberg, 1903, <i>Dasytes</i>	402
<i>collaris</i> Küster, 1849, <i>Parexochomus</i>	595
<i>collaris</i> Laporte, 1840, <i>Attalus</i>	420
<i>collaris</i> Latreille, 1806, <i>Malthinus</i>	279

<i>collaris</i> Mannerheim, 1844, <i>Dienerella</i>	636
<i>collaris</i> Motschulsky, 1860, <i>Lygistorpterus</i>	224
<i>collaris</i> Motschulsky, 1854, <i>Luciola</i>	232
<i>collaris</i> Mulsant & Rey, 1864, <i>Mesocoelopus</i>	354
<i>collaris</i> Paykull, 1799, <i>Coccinella</i>	612
<i>collaris</i> Schaller, 1783, <i>Triplax</i>	543
<i>collaris</i> Schwarz, 1891, <i>Agriotes</i>	114
<i>colligata</i> J. Weise, 1879, <i>Coccinula</i>	600
<i>collinus</i> Gistel, 1857, <i>Brachypterus</i>	457
<i>collisus</i> Candèze, 1889, <i>Lacon</i>	100
<i>colmarensis</i> Pic, 1912, <i>Coccinella</i>	610
<i>colocassius</i> Vats & Chauhan, 1991, <i>Zorochros</i>	194
<i>colon</i> A. G. Olivier, 1811, <i>Soronia</i>	476
<i>colon</i> Abeille de Perrin, 1890, <i>Colotes</i>	427
<i>colon</i> Fabricius, 1792, <i>Cychramus</i>	472
<i>colon</i> Herbst, 1793, <i>Omosita</i>	474
<i>colon</i> Herbst, 1783, <i>Subcoccinella</i>	630
<i>colon</i> Linnaeus, 1758, <i>Omosita</i>	474
<i>colon</i> Stephens, 1832, <i>Nephus</i>	581
<i>colona</i> Erichson, 1841, <i>Cantharis</i>	240
<i>colonicus</i> Candèze, 1882, <i>Agrypnus</i>	97
<i>colonnellii</i> Audisio & Kirejtshuk, 1989, <i>Urophorus</i>	468
<i>colonnellii</i> Guglielmi & Platia, 1985, <i>Agriotes</i>	114
<i>colonus</i> Fleutiaux, 1895, <i>Agriotes</i>	118
<i>coloradensis</i> Casey, 1908, <i>Adalia</i>	602
<i>colorata</i> Geisthardt, 1983, <i>Nyctophila</i>	228
<i>coloratus</i> Abeille de Perrin, 1882, <i>Attalus</i>	421
<i>coloratus</i> Bonvouloir, 1872, <i>Scython</i>	87
<i>coloratus</i> Fürsch, 1960, <i>Tetrabrachys</i>	573
<i>coloratus</i> Majer, 1996, <i>Achaetomalachius</i>	388
<i>coloratus</i> Reitter, 1881, <i>Anthrenus</i>	311
<i>coloreus</i> Rey, 1889, <i>Meligethes</i>	487
<i>columbi</i> Evers, 1960, <i>Attalus</i>	421
<i>columella</i> Lewis, 1884, <i>Languriomorpha</i>	534
<i>comanensis</i> Pic, 1922, <i>Malthodes</i>	291
<i>comans</i> Champion, 1926, <i>Themus</i>	271
<i>comari</i> J. Weise, 1879, <i>Hippodamia</i>	616
<i>comatus</i> Pal & Lawrence, 1986, <i>Xylariophilus</i>	551
<i>combyi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	143
<i>comellinii</i> Coiffait, 1984, <i>Abromus</i>	548
<i>comes</i> Lewis, 1894, <i>Scutellathous</i>	172
<i>comma</i> Petri, 1912, <i>Tillus</i>	369
<i>commiphorae</i> Wurst, 2001, <i>Cardiophorus</i>	196
<i>commissus</i> Abeille de Perrin, 1891, <i>Clanoptilus</i>	444
<i>commixtus</i> Grouvelle, 1912, <i>Placonotus</i>	506
<i>commixtus</i> Wollaston, 1862, <i>Attalus</i>	421
<i>commodus</i> Arnoldi, 1965, <i>Xyletinus</i>	361
<i>communimacula</i> A. Costa, 1847, <i>Divales</i>	406
<i>communimacula</i> Fairmaire, 1888, <i>Opilo</i>	372
<i>communis</i> J. Weise, 1879, <i>Tytthaspis</i>	601

commutabilis Schimmel, 1993, <i>Ampedus</i>	122
commutata Grouvelle, 1913, <i>Epuraea</i>	464
comosa Schimmel, 1993, <i>Penia</i>	185
compacta Cooper, 1982, <i>Pria</i>	488
compacta Fairmaire, 1891, <i>Mycetina</i>	565
compacta Kirejtshuk, 1998, <i>Epuraea</i>	460
compacta Wittmer, 1972, <i>Rhagonycha</i>	262
compactilis Chevrolat, 1874, <i>Cebrio</i>	90
<i>compactus</i> Candèze, 1891, <i>Ampedus</i>	123
<i>compactus</i> Candèze, 1860, <i>Melanotus</i>	143
<i>compactus</i> Reitter, 1889, <i>Ampedus</i>	128
<i>comperei</i> Timberlake, 1943, <i>Coelophora</i>	614
<i>comperei</i> X.-F. Pang & R. D. Gordon, 1986, <i>Scymnus</i>	585
<i>complanatus</i> Piller & Mitterpacher, 1783, <i>Tenebroides</i>	365
completa Dieke, 1947, <i>Epilachna</i>	627
<i>complexa</i> Nunenmacher, 1912, <i>Calvia</i>	608
complexus Kapur, 1948, <i>Cryptogonus</i>	575
complexus Pal, 1985, <i>Psammoecus</i>	497
complexus Sasaji, 1983, <i>Biphyllus</i>	547
complexus Wittmer, 1993, <i>Malthinus</i>	277
complicans Dahlgren, 1979, <i>Rhagonycha</i>	262
complicata Dieke, 1947, <i>Epilachna</i>	627
compoceratus X.-F. Pang & Huang, 1986, <i>Scymnus</i>	585
<i>compressicornis</i> Escalera, 1914, <i>Axinotarsus</i>	441
<i>compressicornis</i> Klug, 1842, <i>Teloclerus</i>	368
<i>compressicornis</i> Mulsant & Rey, 1853, <i>Dryophilus</i>	348
compressum Reitter, 1901, <i>Sphaerosoma</i>	555
compressus Bocáková, 1997, <i>Plateros</i>	219
<i>compressus</i> Geoffroy, 1785, <i>Uleiota</i>	497
compressus Wittmer, 1984, <i>Maltypus</i>	296
<i>compta</i> LeConte, 1855, <i>Corticarina</i>	646
comptulus Lyubarsky, 2004, <i>Augasmus</i>	507
comptus Bourgeois, 1894, <i>Malthodes</i>	286
comptus Candèze, 1860, <i>Phorocardius</i>	206
comptus Chevrolat, 1874, <i>Cebrio</i>	90
comptus Chevrolat, 1873, <i>Ptinus</i>	335
comptus Platia & Schimmel, 2001, <i>Melanotus</i>	143
concavifrons Wurst, 1994, <i>Pseudocrepidophorus</i>	172
concavus G. Yu & Tian, 1995, <i>Cybocephalus</i>	489
concii Liberti, 1984, <i>Danacea</i>	396
concinna Jelínek & Kirejtshuk, 1986, <i>Aethina</i>	470
<i>concinna</i> Mannerheim, 1844, <i>Dienerella</i>	636
<i>concinnulla</i> Mannerheim, 1844, <i>Corticaria</i>	644
concinnullus Walker, 1858, <i>Monanus</i>	499
concolor Ahrens, 1812, <i>Drilus</i>	209
concolor Desbrochers des Loges, 1875, <i>Peripontius</i>	111
<i>concolor</i> Desbrochers des Loges, 1875, <i>Paracardiophorus</i>	206
concolor Fabricius, 1801, <i>Charopus</i>	441
<i>concolor</i> Grouvelle, 1913, <i>Aethina</i>	470
<i>concolor</i> H. Brisout de Barneville, 1880, <i>Corticaria</i>	643

<i>concolor</i> J. Weise, 1887, <i>Stethorus</i>	592
<i>concolor</i> Kiesenwetter, 1872, <i>Cerallus</i>	386
<i>concolor</i> Krauss, 1902, <i>Clanoptilus</i>	442
<i>concolor</i> Kuhnt, 1910, <i>Amblyopus</i>	541
<i>concolor</i> Lewis, 1894, <i>Corymbitodes</i>	176
<i>concolor</i> Lewis, 1879, <i>Rodolia</i>	597
<i>concolor</i> Märkel, 1852, <i>Rhagonycha</i>	268
<i>concolor</i> Märkel, 1844, <i>Atomaria</i>	525
<i>concolor</i> Murray, 1864, <i>Epuraea</i>	463
<i>concolor</i> Nakane, 1996, <i>Tillus</i>	369
<i>concolor</i> Penecke, 1901, <i>Calvia</i>	607
<i>concolor</i> Schilsky, 1896, <i>Dasytiscus</i>	391
<i>concolor</i> Schilsky, 1888, <i>Cordylepherus</i>	446
<i>concolor</i> Schimmel & Platia, 1991, <i>Penia</i>	185
<i>concolor</i> Smith, 1851, <i>Cryptolestes</i>	503
<i>concolor</i> Stephens, 1830, <i>Malthinus</i>	279
<i>concolor</i> Stierlin, 1862, <i>Ampedus</i>	123
<i>concolor</i> Strohecker, 1951, <i>Avencymon</i>	562
<i>concolor</i> Suffrian, 1843, <i>Hyperaspis</i>	577
<i>concolor</i> Wimmel, 1894, <i>Adalia</i>	602
<i>concoloricollis</i> Pic, 1932, <i>Attalus</i>	421
<i>concoloricollis</i> Pic, 1949, <i>Clanoptilus</i>	444
<i>concoloripennis</i> Pic, 1923, <i>Malthodes</i>	287
<i>concuongensis</i> Hoang, 1978, <i>Epilachna</i>	627
<i>concurrrens</i> Sjöberg, 1939, <i>Epuraea</i>	461
<i>conditiva</i> Pic, 1912, <i>Cantharis</i>	245
<i>condrillieri</i> Pic, 1952, <i>Clanoptilus</i>	445
<i>conductus</i> Erichson, 1840, <i>Dicronychus</i>	204
<i>conduplicatus</i> Tian, 2001, <i>Cybocephalus</i>	489
<i>confalonierii</i> Pic, 1928, <i>Paracardiophorus</i>	206
<i>conferta</i> Reitter, 1890, <i>Coccidula</i>	572
<i>confertus</i> Casey, 1900, <i>Cryptophagus</i>	517
<i>confertus</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	97
<i>confinis</i> Jelínek, 1978, <i>Epuraea</i>	465
<i>confinis</i> Schilsky, 1897, <i>Danacea</i>	396
<i>confinis</i> Schilsky, 1897, <i>Dasytes</i>	401
<i>confinis</i> Stephens, 1830, <i>Cantharis</i>	245
<i>confinis</i> Stephens, 1829, <i>Ephistemus</i>	530
<i>confluens</i> Donisthorpe, 1902, <i>Coccinella</i>	612
<i>confluens</i> Gebler, 1830, <i>Selatosomus</i>	182
<i>confluens</i> Haworth, 1812, <i>Adalia</i>	603
<i>confluens</i> Haworth, 1812, <i>Coccinella</i>	612
<i>confluens</i> J. R. Sahlberg, 1913, <i>Nephus</i>	579
<i>confluens</i> Kapur, 1948, <i>Cryptogonus</i>	576
<i>confluens</i> Mulsant, 1846, <i>Platynaspis</i>	596
<i>confluens</i> Sajó, 1881, <i>Hippodamia</i>	618
<i>conformis</i> Chevrolat, 1874, <i>Cebrio</i>	90
<i>conformis</i> Desbrochers des Loges, 1875, <i>Paracardiophorus</i>	206
<i>conformis</i> Dolin & Cate, 2003, <i>Hypnoidus</i>	154
<i>conformis</i> Erichson, 1840, <i>Haplomalachius</i>	447

<i>conformis</i> Faldermann, 1835, <i>Melanotus</i>	144
<i>confossicollis</i> Fairmaire, 1891, <i>Cantharis</i>	240
<i>confrater</i> Kleine, 1928, <i>Plateros</i>	219
<i>confucius</i> Kazantsev, 2000, <i>Libnetis</i>	217
<i>confusa</i> Dahlgren, 1975, <i>Rhagonycha</i>	262
<i>confusa</i> Geisthardt, 1982, <i>Nyctophila</i>	228
<i>confusa</i> Li, 1961, <i>Epilachna</i>	627
<i>confusa</i> Pic, 1920, <i>Idgia</i>	385
<i>confusa</i> Timberlake, 1943, <i>Illeis</i>	598
<i>confusa</i> Wiedemann, 1823, <i>Coccinella</i>	612
<i>confusus</i> Bach, 1852, <i>Agriotes</i>	118
<i>confusus</i> Bruce, 1934, <i>Cryptophagus</i>	516
<i>confusus</i> C. N. F. Brisout de Barneville, 1872, <i>Meligethes</i>	481
<i>confusus</i> Dajoz, 1971, <i>Anommatus</i>	549
<i>confusus</i> Fairmaire, 1866, <i>Cebrio</i>	90
<i>confusus</i> Fairmaire, 1900, <i>Themus</i>	272
<i>confusus</i> Guillebeau, 1892, <i>Phalacrus</i>	511
<i>confusus</i> Jacquelin du Val, 1860, <i>Enicopus</i>	407
<i>confusus</i> Kirejtshuk, 1984, <i>Tetrisus</i>	465
<i>confusus</i> Kraatz, 1881, <i>Hadrobregmus</i>	341
<i>confusus</i> Mader, 1931, <i>Trichodes</i>	377
<i>confusus</i> Majer, 1996, <i>Achaetomalachius</i>	388
<i>confusus</i> Méquignon, 1948, <i>Kateretes</i>	458
<i>confusus</i> Nakane, 1994, <i>Macrolycus</i>	213
<i>confusus</i> Pic, 1951, <i>Attagenus</i>	309
<i>confusus</i> Pic, 1925, <i>Hypebaeus</i>	434
<i>confusus</i> Reitter, 1886, <i>Anthrenus</i>	314
<i>confusus</i> Reitter, 1902, <i>Aspidiphorus</i>	455
<i>confusus</i> Švec, 1992, <i>Tinodemus</i>	512
<i>congener</i> Billberg, 1808, <i>Phrynocaria</i>	622
<i>congener</i> Gorham, 1895, <i>Epilachna</i>	627
<i>congener</i> Wollaston, 1857, <i>Monotoma</i>	494
<i>congener</i> Wollaston, 1864, <i>Olibrus</i>	508
<i>conglobata</i> Della Beffa, 1913, <i>Adalia</i>	604
<i>conglobata</i> Linnaeus, 1758, <i>Oenopia</i>	621
<i>conglomerata</i> Linnaeus, 1758, <i>Adalia</i>	605
<i>congressa</i> Mulsant, 1850, <i>Henosepilachna</i>	630
<i>congressarius</i> Fairmaire, 1857, <i>Ebaeus</i>	430
<i>congruens</i> Majer, 1989, <i>Dasytidius</i>	389
<i>conica</i> Tomaszewska, 2000, <i>Cyclotoma</i>	560
<i>conicicollis</i> Chevrolat, 1837, <i>Monotoma</i>	494
<i>conicicollis</i> Desbrochers des Loges, 1870, <i>Athous</i>	157
<i>conicicollis</i> Gorham, 1892, <i>Nodepus</i>	368
<i>conicicollis</i> Reitter, 1891, <i>Melanotus</i>	143
<i>conicicollis</i> Reitter, 1882, <i>Philothermus</i>	554
<i>conicicollis</i> Roubal, 1923, <i>Soronia</i>	476
<i>conicicollis</i> Schilsky, 1899, <i>Stagetus</i>	346
<i>conicicollis</i> Schilsky, 1897, <i>Danacea</i>	396
<i>conicithorax</i> Reitter, 1891, <i>Monotoma</i>	494
<i>conicollis</i> Korschefsky, 1935, <i>Novius</i>	597

conicollis Reitter, 1896, <i>Cryptophagus</i>	516
conicus Wittmer, 1970, <i>Malthodes</i>	287
conigerum Gerstaecker, 1855, <i>Sinoxylon</i>	323
conjunctus Buysson, 1922, <i>Cardiophorus</i>	201
conjuncta Gradl, 1880, <i>Adalia</i>	604
conjuncta J. Weise, 1879, <i>Anisosticta</i>	600
conjuncta Normand, 1936, <i>Tytthaspis</i>	601
conjuncta Roubal, 1936, <i>Oenopia</i>	621
conjuncta Schilsky, 1888, <i>Cantharis</i>	241
conjuncta W. G. Schneider, 1881, <i>Adalia</i>	602
conjuncta Walter, 1882, <i>Hippodamia</i>	618
conjunctellus Buysson, 1922, <i>Cardiophorus</i>	195
conjunctum Rey, 1889, <i>Cerylon</i>	553
conjunctus A. Fleischer, 1900, <i>Exochomus</i>	594
conjunctus Escherich, 1892, <i>Trichodes</i>	379
conjunctus Pic, 1912, <i>Cardiophorus</i>	196
conjunctus Reitter, 1887, <i>Dermestes</i>	300
conjunctus Schilsky, 1894, <i>Divales</i>	406
conjunctus Wollaston, 1870, <i>Nephus</i>	579
conjungens Grouvelle, 1910, <i>Meligethes</i>	480
connatus Creutzer, 1796, <i>Tetrabrachys</i>	573
connectens Lewis, 1887, <i>Triplax</i>	545
connexa Miyatake, 1985, <i>Calvia</i>	608
connexa W. G. Schneider, 1881, <i>Adalia</i>	605
connexivus Schwarz, 1891, <i>Agriotes</i>	114
conradti Gorham, 1898, <i>Pharaxonotha</i>	536
consanguinea C. Johnson, 1976, <i>Atomaria</i>	529
consanguinea Crotch, 1876, <i>Episcapha</i>	540
consanguinea Grouvelle, 1914, <i>Eपुरaea</i>	464
consanguinea Ritsema, 1915, <i>Helota</i>	495
consanguineus Flach, 1889, <i>Olibrus</i>	508
consanguineus Kraatz, 1894, <i>Trichodes</i>	378
consanguineus Lesne, 1899, <i>Amphicerus</i>	321
consentaneus Kollar, 1848, <i>Dicronychus</i>	204
consimilis Arrow, 1925, <i>Episcaphula</i>	540
consimilis Chevrolat, 1874, <i>Cebrio</i>	90
consimilis John, 1965, <i>Thorictus</i>	303
consimilis M. Araki, 1962, <i>Phrynocaria</i>	623
consimilis Mannerheim, 1844, <i>Latridius</i>	639
consimilis Marsham, 1802, <i>Stilbus</i>	512
consimilis Mulsant & Rey, 1863, <i>Ernobius</i>	350
consimilis Schilsky, 1897, <i>Danacea</i>	396
consita J. Weise, 1879, <i>Adalia</i>	604
consobrina Lewis, 1874, <i>Pseudotritoma</i>	542
consobrina Märkel, 1852, <i>Ancistronycha</i>	238
consobrinus Bourgeois, 1902, <i>Platycis</i>	216
consobrinus Candèze, 1857, <i>Agrypnus</i>	97
consobrinus Hisamatsu, 1963, <i>Fornax</i>	86
consobrinus Mulsant & Guillebeau, 1855, <i>Hypnoidus</i>	154
consobrinus Rosenhauer, 1856, <i>Aplocnemus</i>	410

<i>consociata</i> Heyden, 1883, <i>Rhagonycha</i>	262
<i>consolida</i> J. Weise, 1879, <i>Adalia</i>	604
<i>consors</i> Heyden, 1884, <i>Hemicrepidius</i>	169
<i>consortula</i> J. Weise, 1902, <i>Coelophora</i>	614
<i>conspersa</i> Gyllenhal, 1808, <i>Danosoma</i>	100
<i>conspersa</i> Solsky, 1876, <i>Megatoma</i>	317
<i>conspicua</i> Faldermann, 1835, <i>Harmonia</i>	615
<i>conspicua</i> J. Weise, 1879, <i>Coccinella</i>	612
<i>conspicuus</i> Kiesenwetter, 1852, <i>Malthinus</i>	277
<i>conspicuus</i> Murray, 1864, <i>Urophorus</i>	467
<i>conspicuus</i> Schwarz, 1891, <i>Agriotes</i>	114
<i>conspurcata</i> Florencourt, 1796, <i>Coccinella</i>	613
<i>constantinensis</i> Chevrolat, 1874, <i>Cebrio</i>	90
<i>constantini</i> Liberti, 1985, <i>Danacea</i>	395
<i>constantini</i> Majer, 1990, <i>Dasytidius</i>	389
<i>constantini</i> Wittmer, 1971, <i>Malthodes</i>	287
<i>constantini</i> Wittmer, 1985, <i>Troglops</i>	453
<i>constellata</i> Laicharting, 1781, <i>Hippodamia</i>	618
<i>constricta</i> Gyllenhal, 1827, <i>Cartodere</i>	636
<i>constrictus</i> Erichson, 1840, <i>Sphinginus</i>	426
<i>constrictus</i> Fiori, 1905, <i>Malthodes</i>	291
<i>constrictus</i> Kiesenwetter, 1867, <i>Niptodes</i>	332
<i>constrictus</i> Reitter, 1900, <i>Agriotes</i>	114
<i>contaminata</i> Erichson, 1846, <i>Atomaria</i>	526
<i>contaminata</i> Ménériés, 1849, <i>Oenopia</i>	621
<i>contempta</i> Boisduval, 1835, <i>Coccinella</i>	611
<i>contemptus</i> Pardo Alcaide, 1954, <i>Ebaeus</i>	430
<i>contemptus</i> J. Weise, 1923, <i>Scymnus</i>	585
<i>contengens</i> Walker, 1858, <i>Carpophilus</i>	467
<i>contentus</i> Friederichs, 1901, <i>Negastrius</i>	189
<i>contiguus</i> Faldermann, 1835, <i>Parabetarmon</i>	141
<i>continentalis</i> Dieke, 1947, <i>Epilachna</i>	626
<i>continua</i> J. Weise, 1879, <i>Hippodamia</i>	616
<i>continuus</i> Bourgeois, 1899, <i>Malthodes</i>	287
<i>contorta</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>contortula</i> J. Weise, 1903, <i>Coelophora</i>	614
<i>contracta</i> Marsham, 1802, <i>Monotoma</i>	494
<i>contractula</i> J. R. Sahlberg, 1889, <i>Epuraea</i>	460
<i>contractus</i> Dejean, 1835, <i>Bothrideres</i>	551
<i>contractus</i> Motschulsky, 1839, <i>Thylodrias</i>	306
<i>contractus</i> Wollaston, 1874, <i>Holopamecus</i>	558
<i>contraria</i> Kirejtshuk, 1998, <i>Epuraea</i>	460
<i>convergens</i> Reitter, 1894, <i>Epuraea</i>	463
<i>convexa</i> Dieke, 1947, <i>Epilachna</i>	627
<i>convexa</i> Grouvelle, 1908, <i>Epuraea</i>	464
<i>convexa</i> Grouvelle, 1913, <i>Aethina</i>	470
<i>convexa</i> Pic, 1909, <i>Trichoceble</i>	414
<i>convexa</i> Reitter, 1881, <i>Corticaria</i>	642
<i>convexa</i> Wittmer, 1992, <i>Podosilis</i>	275
<i>convexicollis</i> Fairmaire, 1875, <i>Cantharis</i>	240

<i>convexicollis</i> Fleutiaux, 1918, <i>Lanelater</i>	102
<i>convexicollis</i> Lewis, 1894, <i>Ampedus</i>	122
<i>convexicollis</i> Platia & Schimmel, 1991, <i>Silesis</i>	111
<i>convexicollis</i> Waterhouse, 1873, <i>Languriomorpha</i>	534
<i>convexicollis</i> Wittmer, 1935, <i>Callotroglops</i>	451
<i>convexiculata</i> Schimmel & Platia, 1991, <i>Dima</i>	183
<i>convexifrons</i> Abeille de Perrin, 1891, <i>Attalus</i>	423
<i>convexifrons</i> Melsheimer, 1846, <i>Ernobius</i>	350
<i>convexipennis</i> Kishii, 1982, <i>Quasimus</i>	190
<i>convexithorax</i> Desbrochers des Loges, 1869, <i>Cardiophorus</i>	196
<i>convexiuscula</i> Mannerheim, 1843, <i>Epuraea</i>	459
<i>convexiuscula</i> Motschulsky, 1849, <i>Arthrolips</i>	632
<i>convexiuscula</i> Reitter, 1888, <i>Atomaria</i>	525
<i>convexiusculus</i> Fairmaire, 1876, <i>Cebrio</i>	90
<i>convexiusculus</i> Grouvelle, 1877, <i>Leptophloeus</i>	505
<i>convexiusculus</i> J. R. Sahlberg, 1913, <i>Metophthalmus</i>	640
<i>convexiusculus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	143
<i>convextata</i> T. Sing & V. K. Sing, 1990, <i>Epilachna</i>	627
<i>convexus</i> Breit, 1913, <i>Anommatus</i>	549
<i>convexus</i> Cherepanov, 1957, <i>Oedostethus</i>	189
<i>convexus</i> Dajoz, 1968, <i>Abromus</i>	548
<i>convexus</i> G.-Y. Yu, 1996, <i>Stethorus</i>	591
<i>convexus</i> Grouvelle, 1919, <i>Cryptophagus</i>	517
<i>convexus</i> Kamiya, 1961, <i>Scymnus</i>	588
<i>convexus</i> M. Chûjô, 1967, <i>Anadastus</i>	532
<i>convexus</i> Miwa, 1928, <i>Hypolithus</i>	155
<i>convexus</i> Pal, 1996, <i>Aphanocephalus</i>	556
<i>convexus</i> Pic, 1921, <i>Stagetus</i>	346
<i>convexus</i> Pic, 1928, <i>Dasytidius</i>	389
<i>convexus</i> Platia & Schimmel, 1991, <i>Silesis</i>	111
<i>convexus</i> Rey, 1889, <i>Olibrus</i>	509
<i>convexus</i> Rey, 1889, <i>Cryptophagus</i>	516
<i>convexus</i> Rey, 1889, <i>Cryptophagus</i>	519
<i>convexus</i> Vats & Kashyap, 1992, <i>Plectrosternus</i>	186
<i>convictor</i> Lesne, 1936, <i>Lyctoxylon</i>	326
<i>convolvuli</i> Abeille de Perrin, 1882, <i>Attalus</i>	421
<i>coolsi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	143
<i>coomani</i> Fleutiaux, 1927, <i>Procladidus</i>	87
<i>coomani</i> Fleutiaux, 1927, <i>Agraeus</i>	96
<i>coomani</i> Fleutiaux, 1927, <i>Lacon</i>	101
<i>coomani</i> Fleutiaux, 1940, <i>Ctenoplus</i>	109
<i>coomani</i> Fleutiaux, 1940, <i>Ctenoplus</i>	109
<i>coomani</i> Fleutiaux, 1925, <i>Cardiohypnus</i>	187
<i>coomani</i> Fleutiaux, 1927, <i>Cryptalaus</i>	107
<i>coomani</i> Pic, 1923, <i>Themus</i>	271
<i>coomani</i> Pic, 1934, <i>Neohydnius</i>	370
<i>coomani</i> Pic, 1933, <i>Omadius</i>	372
<i>coomani</i> Platia & Schimmel, 2001, <i>Melanotus</i>	143
<i>cooperi</i> Stephens, 1830, <i>Phloiophilus</i>	364
<i>cooteri</i> Audisio, 1989, <i>Meligethes</i>	480

coquereli Mulsant & Rey, 1868, <i>Attagenus</i>	308
<i>coracinus</i> Candèze, 1860, <i>Priopus</i>	152
<i>coracinus</i> Kiesenwetter, 1874, <i>Plateros</i>	219
<i>coracinus</i> Sturm, 1845, <i>Meligethes</i>	481
<i>coralifer</i> Gerstaecker, 1857, <i>Amphisternus</i>	562
<i>corallifer</i> Eschscholtz, 1830, <i>Agriotes</i>	117
<i>corallifer</i> Fairmaire, 1877, <i>Troglops</i>	453
<i>corallinus</i> Ménériés, 1832, <i>Trichodes</i>	376
<i>corallipes</i> Reitter, 1902, <i>Dasytes</i>	401
<i>corayi</i> Wittmer, 1983, <i>Themus</i>	271
<i>corcyranus</i> Dajoz, 1968, <i>Anommatus</i>	549
<i>corcyrea</i> Pic, 1901, <i>Rhagonycha</i>	262
<i>corcyrensis</i> Flach, 1888, <i>Olibrus</i>	508
<i>corcyreum</i> Reitter, 1883, <i>Sphaerosoma</i>	555
<i>corcyreus</i> Bourgeois, 1903, <i>Malthodes</i>	287
<i>corcyreus</i> Pic, 1901, <i>Malthinus</i>	279
<i>corcyreus</i> Pic, 1901, <i>Sphinginus</i>	426
<i>corcyreus</i> Reitter, 1905, <i>Athous</i>	158
<i>corcyricus</i> L. Miller, 1866, <i>Aplocnemus</i>	410
<i>cordaticollis</i> Aubé, 1850, <i>Enicmus</i>	638
<i>cordatus</i> Miwa, 1934, <i>Quasimus</i>	190
<i>cordatus</i> Rosenhauer, 1856, <i>Tetrabrachys</i>	573
<i>cordia</i> Jänichen, 1913, <i>Coccinella</i>	611
<i>cordialis</i> Gurjeva, 1989, <i>Paraphotistus</i>	179
<i>cordicolle</i> Petri, 1926, <i>Cerylon</i>	553
<i>cordicollis</i> Candèze, 1865, <i>Agrypnus</i>	97
<i>cordicollis</i> Guérin-Méneville, 1844, <i>Tetrabrachys</i>	574
<i>cordicollis</i> Kiesenwetter, 1859, <i>Hypebaeus</i>	433
<i>cordicollis</i> Küster, 1854, <i>Cordicantharis</i>	248
<i>cordicollis</i> Mannerheim, 1843, <i>Dienerella</i>	637
<i>cordieri</i> Pic, 1915, <i>Lycocerus</i>	250
<i>cordiformis</i> Roubal, 1926, <i>Exochomus</i>	594
<i>cordiger</i> Dillwyn, 1829, <i>Dicronychus</i>	204
<i>cordiger</i> Evers, 1968, <i>Ebaeus</i>	430
<i>cordiger</i> Kiesenwetter, 1863, <i>Malthodes</i>	287
<i>cordigerioides</i> Pic, 1915, <i>Malthodes</i>	287
<i>cordimacula</i> Barovskij, 1926, <i>Lycocerus</i>	252
<i>cordobensis</i> Wittmer, 1971, <i>Malthinus</i>	277
<i>cordubensis</i> Heyden, 1882, <i>Peripontius</i>	111
<i>cordubensis</i> Perez Arcas, 1865, <i>Cebrio</i>	90
<i>coreae</i> Park & Yoon, 1991, <i>Subcoccinella</i>	630
<i>coreaensis</i> Han, 2000, <i>Fleutiauxellus</i>	187
<i>coreana</i> Kishida, 1934, <i>Pyrocoelia</i>	229
<i>coreana</i> Matsumura, 1928, <i>Pyrocoelia</i>	229
<i>coreana</i> Pic, 1921, <i>Rhagonycha</i>	262
<i>coreanus</i> Kishii, 1961, <i>Agrypnus</i>	97
<i>coreanus</i> Kishii, 2002, <i>Hemicrepidius</i>	170
<i>coreanus</i> Kishii, 1977, <i>Paracardiophorus</i>	206
<i>coreanus</i> Lee, 1999, <i>Melanotus</i>	143
<i>coreanus</i> Miwa, 1928, <i>Selatosomus</i>	182

coreanus Mroczkowski, 1966, <i>Anthrenus</i>	313
coreanus Pic, 1911, <i>Anthocomus</i>	439
coreanus Wittmer, 1989, <i>Nepachys</i>	426
coreanus Wittmer, 1975, <i>Hypebaeus</i>	434
coriacea Fairmaire, 1891, <i>Cantharis</i>	240
<i>coriacea</i> Petri, 1926, <i>Atomaria</i>	528
coriaceipennis Fairmaire, 1889, <i>Themus</i>	271
coriaceus Majer, 1990, <i>Cerallus</i>	386
<i>coriaceus</i> Mulsant & Rey, 1861, <i>Orthoperus</i>	634
<i>coriaceus</i> Rey, 1889, <i>Meligethes</i>	480
<i>cornelii</i> Spornraft, 1966, <i>Brachypterolus</i>	456
<i>cornicularium</i> Beck, 1817, <i>Gastrallus</i>	340
corniculatus Kraatz & Kiesenwetter, 1864, <i>Cyrtosus</i>	447
cornifrons Baudi di Selve, 1874, <i>Xylomedes</i>	321
<i>cornifrons</i> Kiesenwetter, 1878, <i>Cyrtosus</i>	447
cornifrons Lesne, 1898, <i>Acantholyctus</i>	326
<i>corniger</i> Kiesenwetter, 1863, <i>Troglops</i>	453
<i>cornigera</i> Harrer, 1784, <i>Dermestoides</i>	381
cornix Abeille de Perrin, 1869, <i>Cantharis</i>	240
cornuta Wittmer, 1997, <i>Frostia</i>	284
cornutopygus Wittmer, 1966, <i>Malthodes</i>	287
cornutum Sturm, 1826, <i>Nemozoma</i>	365
cornutus A. G. Olivier, 1790, <i>Bostrychoplites</i>	321
cornutus Eschscholtz, 1829, <i>Epiphanis</i>	84
cornutus Gebler, 1825, <i>Ceratistes</i>	441
cornutus LeConte, 1859, <i>Ozognathus</i>	351
cornutus Pallas, 1772, <i>Amphicerus</i>	321
cornutus Wittmer, 1974, <i>Malthinus</i>	277
coronata Gyllenhal, 1808, <i>Cantharis</i>	240
<i>coronata</i> J. Weise, 1879, <i>Bulaea</i>	600
coronata Marseul, 1883, <i>Xylomedes</i>	321
<i>coronatum</i> Zoufal, 1894, <i>Sinoxylon</i>	323
coronatus Flach, 1889, <i>Augasmus</i>	507
coronatus Steven, 1808, <i>Dermestes</i>	300
coronatus Wittmer, 1992, <i>Troglocollops</i>	419
coronatus Wittmer, 1956, <i>Hypebaeus</i>	434
coronillae Easton, 1962, <i>Meligethes</i>	481
corporaali Winkler, 1958, <i>Orthrius</i>	374
corporosus Motschulsky, 1866, <i>Scymnus</i>	585
<i>corpulenta</i> Motschulsky, 1868, <i>Monotoma</i>	493
<i>corpulentus</i> Candèze, 1879, <i>Selatosomus</i>	182
<i>corpulentus</i> Mulsant, 1850, <i>Scymnus</i>	589
<i>corpulentus</i> Reitter, 1900, <i>Sibirhelus</i>	458
<i>corpulentus</i> Reitter, 1884, <i>Pocadites</i>	476
<i>corpulentus</i> Reitter, 1888, <i>Cryptophagus</i>	517
<i>corraei</i> Pic, 1927, <i>Cantharis</i>	245
correctus Candèze, 1865, <i>Melanotus</i>	143
corruscus Panzer, 1797, <i>Phalacrus</i>	510
corsica H. Brisout de Barneville, 1878, <i>Corticaria</i>	642
corsica Kiesenwetter, 1871, <i>Danacea</i>	396

<i>corsica</i> Reiche, 1861, <i>Rhagonycha</i>	262
<i>corsica</i> Reiche, 1862, <i>Hippodamia</i>	618
<i>corsica</i> Vincent, 1990, <i>Dienerella</i>	636
<i>corsicanus</i> Constantin, 1975, <i>Malthinus</i>	278
<i>corsicum</i> Reitter, 1875, <i>Nemozoma</i>	365
<i>corsicum</i> Schilsky, 1899, <i>Lasioderma</i>	357
<i>corsicus</i> Candèze, 1863, <i>Agriotes</i>	114
<i>corsicus</i> Grouvelle, 1874, <i>Airaphilus</i>	498
<i>corsicus</i> J. Weise, 1879, <i>Nephus</i>	580
<i>corsicus</i> Jacquelin du Val, 1860, <i>Cebrio</i>	90
<i>corsicus</i> Kiesenwetter, 1871, <i>Malthodes</i>	287
<i>corsicus</i> Kiesenwetter, 1877, <i>Ptinus</i>	335
<i>corsicus</i> Perris, 1864, <i>Troglops</i>	453
<i>corsicus</i> Pic, 1903, <i>Ptinomorphus</i>	354
<i>corsicus</i> Pic, 1954, <i>Attalus</i>	420
<i>corsicus</i> Reiche, 1861, <i>Athous</i>	158
<i>corsicus</i> Reitter, 1889, <i>Trixagus</i>	88
<i>corsicus</i> Reitter, 1918, <i>Ampedus</i>	122
<i>corsicus</i> Rey, 1889, <i>Thorictus</i>	304
<i>corsicus</i> Sainte-Claire Deville, 1908, <i>Meligethes</i>	479
<i>corsicus</i> Schilsky, 1898, <i>Gastrallus</i>	340
<i>corsicus</i> Schilsky, 1894, <i>Dasytes</i>	404
<i>cortadesi</i> Pic, 1905, <i>Malthodes</i>	287
<i>corticalis</i> Eichhoff, 1863, <i>Globicornis</i>	316
<i>corticalis</i> L. Redtenbacher, 1845, <i>Orthoperus</i>	634
<i>corticalis</i> Panzer, 1797, <i>Olibrus</i>	509
<i>corticalis</i> Paykull, 1800, <i>Xylophilus</i>	85
<i>corticalis</i> Paykull, 1800, <i>Drapetes</i>	208
<i>corticeus</i> Fairmaire, 1871, <i>Melanotus</i>	143
<i>corticeus</i> Fairmaire, 1870, <i>Athous</i>	163
<i>corticinum</i> C. G. Thomson, 1863, <i>Arthrolips</i>	632
<i>corticinus</i> C. G. Thomson, 1863, <i>Cryptophagus</i>	516
<i>corticinus</i> Erichson, 1846, <i>Cryptolestes</i>	503
<i>corticinus</i> Rottenberg, 1871, <i>Ptinus</i>	336
<i>corticum</i> Rey, 1889, <i>Cryptophagus</i>	519
<i>coruscus</i> Gurjeva, 1977, <i>Ampedus</i>	122
<i>corvina</i> Moscardini, 1962, <i>Cantharis</i>	240
<i>corvinus</i> Erichson, 1845, <i>Meligethes</i>	481
<i>corvinus</i> Guillebeau, 1894, <i>Phalacrus</i>	511
<i>corvinus</i> Reitter, 1905, <i>Hemicrepidius</i>	170
<i>corvinus</i> Reitter, 1903, <i>Enicopus</i>	407
<i>corybas</i> Gurjeva, 1982, <i>Corymbitodes</i>	176
<i>corylicus</i> Wittmer, 1974, <i>Malthinus</i>	278
<i>corymbitoides</i> Candèze, 1882, <i>Homotechnes</i>	153
<i>cosnardi</i> Chevrolat, 1831, <i>Erotides</i>	215
<i>coassis</i> Lewis, 1896, <i>Elateroides</i>	362
<i>costae</i> J. Weise, 1879, <i>Henosepilachna</i>	629
<i>costae</i> Mulsant & Rey, 1868, <i>Trogoderma</i>	320
<i>costae</i> Stibick, 1980, <i>Hypnoidus</i>	154
<i>costalis</i> Motschulsky, 1854, <i>Lampyris</i>	226

costalis Paykull, 1800, <i>Eanus</i>	177
costata Burckhardt & Ślipiński, 1995, <i>Ancistria</i>	501
costatipennis Lesne, 1906, <i>Calopertha</i>	322
costatus Aragona, 1830, <i>Hemicoelus</i>	340
<i>costatus</i> Blackburn, 1888, <i>Lyctus</i>	327
<i>costatus</i> Gyllenhal, 1827, <i>Ptilinus</i>	356
costatus Logvinovskiy, 1979, <i>Paroligomerus</i>	342
costatus Pic, 1950, <i>Melyrodasytes</i>	387
costatus Sharp, 1885, <i>Machlotes</i>	551
costatus Wittmer, 1983, <i>Condylops</i>	437
costicollis Candèze, 1857, <i>Agrypnus</i>	97
<i>costicollis</i> Fairmaire, 1867, <i>Cebrio</i>	90
<i>costicollis</i> Reitter, 1876, <i>Parahyliota</i>	496
<i>costicollis</i> Vats & Chauhan, 1991, <i>Cardiophorus</i>	196
costipenne Wollaston, 1862, <i>Melyrosoma</i>	388
costipennis Fairmaire, 1852, <i>Xenoscelis</i>	537
costipennis Gorham, 1880, <i>Curtos</i>	231
<i>costipennis</i> Reitter, 1877, <i>Dienerella</i>	637
<i>costipennis</i> Wittmer, 1996, <i>Yunnanebaeus</i>	437
<i>costulata</i> Fairmaire, 1869, <i>Phenolia</i>	475
<i>costulata</i> Pic, 1941, <i>Idgia</i>	385
<i>costulata</i> Reitter, 1877, <i>Dienerella</i>	637
<i>costulatum</i> Schilsky, 1899, <i>Lasioderma</i>	357
<i>costulatus</i> Kleine, 1928, <i>Calochromus</i>	224
<i>costulatus</i> Wittmer, 1972, <i>Lycocerus</i>	250
cotesi Candèze, 1895, <i>Hemicrepidius</i>	170
<i>cothurnatus</i> Curtis, 1854, <i>Procraerus</i>	138
cotovillae Otero & Díaz Pazos, 1986, <i>Corticaria</i>	642
coxalis Chevrolat, 1874, <i>Cebrio</i>	90
<i>coxalis</i> Mulsant & Rey, 1868, <i>Dasytes</i>	405
<i>coxalis</i> Reitter, 1894, <i>Korynetes</i>	381
<i>coxalis</i> Švec, 1992, <i>Stilbus</i>	512
crabroniformis Fabricius, 1787, <i>Trichodes</i>	377
crassicollis Erichson, 1841, <i>Melanotus</i>	143
<i>crassicollis</i> Erichson, 1840, <i>Dicronychus</i>	205
<i>crassicollis</i> Lacordaire, 1835, <i>Athous</i>	160
<i>crassicorne</i> Mulsant & Rey, 1864, <i>Ernobius</i>	351
<i>crassicornis</i> Baudi di Selve, 1871, <i>Acromalachus</i>	438
<i>crassicornis</i> Candèze, 1860, <i>Athous</i>	158
<i>crassicornis</i> J. R. Sahlberg, 1900, <i>Cryptophagus</i>	520
<i>crassicornis</i> Kiesenwetter, 1877, <i>Ptinus</i>	334
<i>crassicornis</i> Lesne, 1916, <i>Lyctus</i>	327
<i>crassicornis</i> Majer, 1996, <i>Dasytidius</i>	389
<i>crassicornis</i> Mäklin, 1846, <i>Malthodes</i>	287
<i>crassicornis</i> Matsumura, 1911, <i>Lygistorus</i>	224
<i>crassicornis</i> Nakane, 1967, <i>Macrolycus</i>	213
<i>crassicornis</i> Pic, 1922, <i>Micropodabrus</i>	257
<i>crassicornis</i> Reitter, 1880, <i>Lycoperdina</i>	565
<i>crassicornis</i> Schilsky, 1896, <i>Dasytes</i>	401
<i>crassicornis</i> Toskina, 1998, <i>Microcoelopus</i>	355

<i>crassicornis</i> Walzl, 1839, <i>Cryptolestes</i>	503
<i>crassifemur</i> Majer, 1995, <i>Mimothrix</i>	392
<i>crassifemur</i> Wittmer, 1974, <i>Malthinus</i>	278
<i>crassimala</i> Li, 1961, <i>Epilachna</i>	627
<i>crassimargo</i> Champion, 1926, <i>Themus</i>	270
<i>crassipalpis</i> Nakane, 1969, <i>Lopheros</i>	216
<i>crassipedarius</i> Chevrolat, 1876, <i>Trichodes</i>	376
<i>crassipes</i> Pic, 1929, <i>Themus</i>	270
<i>crassipes</i> Pic, 1899, <i>Malthinus</i>	278
<i>crassipes</i> Schwarz, 1900, <i>Cidnopus</i>	164
<i>crassipes</i> Sharp, 1885, <i>Philothermopsis</i>	554
<i>crassitarsis</i> Peyerimhoff, 1925, <i>Dasytes</i>	400
<i>crassitibia</i> Wittmer, 1957, <i>Indiebaeus</i>	436
<i>crassitibialis</i> Wittmer, 1966, <i>Hypebaeina</i>	433
<i>crassiuscula</i> Aubé, 1850, <i>Migneauxia</i>	648
<i>crassiusculus</i> Mulsant & Rey, 1864, <i>Ernobius</i>	351
<i>crassiusculus</i> Platia & Gudenzi, 1998, <i>Agriotes</i>	114
<i>crassiusculus</i> Wollaston, 1864, <i>Cardiophorus</i>	202
<i>crassum</i> Lesne, 1897, <i>Sinoxylon</i>	323
<i>crassus</i> Buysson, 1906, <i>Peripontius</i>	111
<i>crassus</i> Fairmaire, 1871, <i>Cebrio</i>	90
<i>crassus</i> John, 1965, <i>Thorictus</i>	303
<i>crassus</i> Kleine, 1926, <i>Lycostomus</i>	211
<i>crassus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	143
<i>crebrepunctatus</i> Nakane, 1959, <i>Vuilletus</i>	134
<i>crecentomaculata</i> T. Sing & V.K. Sing, 1990, <i>Epilachna</i>	627
<i>crematogastri</i> Reitter, 1889, <i>Catopochrotus</i>	514
<i>crenaticeps</i> Wittmer, 1974, <i>Malthinus</i>	278
<i>crenatostratus</i> Reiche, 1869, <i>Athous</i>	157
<i>crenatum</i> Fabricius, 1798, <i>Pteryngium</i>	523
<i>crenatus</i> Fabricius, 1792, <i>Epauloecus</i>	331
<i>crenatus</i> Herbst, 1792, <i>Cryptophagus</i>	515
<i>crenatus</i> Paykull, 1799, <i>Dendrophagus</i>	496
<i>crenatus</i> Wollaston, 1861, <i>Stagetus</i>	347
<i>crenicollis</i> C. G. Thomson, 1868, <i>Enicmus</i>	638
<i>crenicollis</i> Grouvelle, 1914, <i>Parahyliota</i>	496
<i>crenicollis</i> Kiesenwetter, 1863, <i>Aplocnemus</i>	412
<i>crenicollis</i> Mannerheim, 1844, <i>Corticaria</i>	642
<i>crenicollis</i> Ménétris, 1832, <i>Agrypnus</i>	97
<i>crenicollis</i> Pic, 1904, <i>Falsomelyris</i>	387
<i>crenulata</i> Gyllenhal, 1827, <i>Corticaria</i>	642
<i>crenulata</i> Pic, 1924, <i>Danacea</i>	396
<i>crenulatomimus</i> Wittmer, 1984, <i>Malthinus</i>	278
<i>crenulatum</i> Erichson, 1846, <i>Pteryngium</i>	523
<i>crenulatus</i> Bonvouloir, 1872, <i>Anelastes</i>	81
<i>crenulatus</i> Faldermann, 1935, <i>Limonius</i>	165
<i>crenulatus</i> Laporte, 1840, <i>Grynobius</i>	348
<i>crenulatus</i> Mukhopadhyay & Chakraborty, 2003, <i>Meristhus</i>	103
<i>crenulatus</i> Pic, 1922, <i>Achaetomalachius</i>	388
<i>crenulatus</i> Pic, 1924, <i>Dasytidius</i>	389

<i>crenulatus</i> Rey, 1889, <i>Meligethes</i>	480
<i>crenulatus</i> Vats & Kashyap, 1996, <i>Meristhus</i>	102
<i>crenulatus</i> Wittmer, 1979, <i>Malthinus</i>	278
<i>cressius</i> Pic, 1904, <i>Malachius</i>	448
<i>cretensis</i> John, 1971, <i>Thorictus</i>	305
<i>cretensis</i> Platia, 2004, <i>Ampedus</i>	122
<i>cretensis</i> Platia, 2004, <i>Zorochochros</i>	192
<i>cretensis</i> Platia & Gudenzi, 1996, <i>Procrærus</i>	138
<i>cretica</i> C. Johnson, 1989, <i>Corticaria</i>	642
<i>cretica</i> Kiesenwetter, 1859, <i>Danacea</i>	396
<i>cretica</i> Kiesenwetter, 1872, <i>Merophysia</i>	557
<i>cretica</i> Pic, 1903, <i>Protapalochrus</i>	418
<i>cretica</i> Reitter, 1888, <i>Atomaria</i>	528
<i>cretica</i> Wittmer, 1971, <i>Cantharis</i>	240
<i>creticus</i> Brodský, 1982, <i>Trichodes</i>	377
<i>creticus</i> Constantin, 1983, <i>Dasytes</i>	401
<i>creticus</i> Evers, 1994, <i>Anthocomus</i>	439
<i>creticus</i> Fairmaire, 1880, <i>Mesocoelopus</i>	354
<i>creticus</i> Iablokoff-Khnzorian & Karapetyan, 1991, <i>Ptinus</i>	336
<i>creticus</i> Kiesenwetter, 1859, <i>Malthodes</i>	287
<i>creticus</i> Obenberger, 1917, <i>Thorictus</i>	304
<i>creticus</i> Pic, 1905, <i>Drilus</i>	209
<i>creticus</i> Reitter, 1889, <i>Tetrabrachys</i>	574
<i>creticus</i> Reitter, 1908, <i>Metophthalmus</i>	640
<i>creticus</i> Rücker, 1986, <i>Latridius</i>	638
<i>creticus</i> Wittmer, 1971, <i>Malthinus</i>	278
<i>creticus</i> Wittmer, 1968, <i>Ebaeus</i>	430
<i>cribellatus</i> Motschulsky, 1858, <i>Carpophilus</i>	466
<i>cribrarius</i> Brullé, 1832, <i>Aplocnemus</i>	410
<i>cribrata</i> Grouvelle, 1903, <i>Epuraea</i>	460
<i>cribrata</i> Rey, 1889, <i>Atomaria</i>	529
<i>cribratellus</i> Fairmaire, 1876, <i>Tetrabrachys</i>	574
<i>cribratus</i> Gyllenhal, 1827, <i>Rhizophagus</i>	491
<i>cribratus</i> Hampe, 1866, <i>Eurypogon</i>	81
<i>cribratus</i> Reitter, 1874, <i>Mimemodes</i>	493
<i>cribratus</i> Reitter, 1889, <i>Notolaemus</i>	505
<i>cribrella</i> Reitter, 1888, <i>Atomaria</i>	528
<i>cribricollis</i> Aubé, 1861, <i>Stagetus</i>	346
<i>cribricollis</i> Casey, 1900, <i>Cryptophagus</i>	518
<i>cribricollis</i> Fairmaire, 1889, <i>Elateroides</i>	362
<i>cribricollis</i> Fairmaire, 1863, <i>Corticaria</i>	642
<i>cribricollis</i> Faldermann, 1835, <i>Melanotus</i>	151
<i>cribricollis</i> Gorham, 1896, <i>Doubledaya</i>	534
<i>cribricollis</i> Grouvelle, 1897, <i>Silvanoides</i>	500
<i>cribricollis</i> Mulsant & Rey, 1868, <i>Aplocnemus</i>	410
<i>cribricollis</i> Reitter, 1875, <i>Temnoscheila</i>	365
<i>cribripennis</i> Pic, 1922, <i>Aplocnemus</i>	409
<i>cribripennis</i> Pic, 1921, <i>Aplocnemus</i>	410
<i>cribripennis</i> Wittmer, 1983, <i>Themus</i>	271
<i>cribrithorax</i> Pic, 1910, <i>Agriotes</i>	114

<i>cribrosus</i> Eschscholtz, 1830, <i>Agriotes</i>	117
<i>cribrosus</i> Schilsky, 1897, <i>Aplocnemus</i>	410
<i>crinipes</i> Iablokoff-Khnzorian, 1966, <i>Chaetomalachius</i>	389
<i>crinitarsis</i> Imhoff, 1843, <i>Xyloperthella</i>	325
<i>crinitus</i> Fürsch, 1966, <i>Scymnus</i>	589
<i>crinitus</i> John, 1968, <i>Aphanocephalus</i>	556
<i>crispus</i> Lindberg, 1953, <i>Attalus</i>	421
<i>cristata</i> Kiesenwetter, 1879, <i>Anhedobia</i>	353
<i>cristiceps</i> Lesne, 1906, <i>Bostrychopsis</i>	322
<i>cristatum</i> Boheman, 1858, <i>Mezium</i>	329
<i>cristatus</i> Champion, 1921, <i>Condylops</i>	437
<i>cristatus</i> Förster, 1849, <i>Meligethes</i>	482
<i>cristatus</i> LeConte, 1852, <i>Epiphanis</i>	84
<i>cristatus</i> Lyubarsky, 2000, <i>Cryptophagus</i>	516
<i>cristiformis</i> G. Yu, 1993, <i>Scymnus</i>	585
<i>croaticus</i> Germar, 1843, <i>Ctenicera</i>	177
<i>croaticus</i> Platia & Gudenzi, 2002, <i>Athous</i>	161
<i>croaticus</i> Reitter, 1880, <i>Cryptophagus</i>	516
<i>crocata</i> Mannerheim, 1844, <i>Melanophthalma</i>	648
<i>crocatulus</i> Candèze, 1895, <i>Silesis</i>	112
<i>crocatulus</i> Lacordaire, 1835, <i>Ampedus</i>	125
<i>crocatulus</i> Stephens, 1839, <i>Ampedus</i>	126
<i>crocea</i> Mulsant, 1866, <i>Micraspis</i>	620
<i>croceicollis</i> Motschulsky, 1853, <i>Malthodes</i>	287
<i>croceicollis</i> Wollaston, 1862, <i>Malthinus</i>	278
<i>croceicornis</i> Kiesenwetter, 1863, <i>Aplocnemus</i>	410
<i>croceipennis</i> Fairmaire, 1884, <i>Rhagonycha</i>	262
<i>croceipes</i> Kiesenwetter, 1866, <i>Dasytes</i>	404
<i>crocopus</i> Hope, 1843, <i>Conoderus</i>	104
<i>crocopus</i> Hope, 1831, <i>Drapetes</i>	208
<i>croissandeau</i> Pic, 1927, <i>Cantharis</i>	244
<i>croissendeau</i> Buysson, 1891, <i>Athous</i>	156
<i>crotchi</i> C. N. F. Brisout de Barneville, 1872, <i>Meligethes</i>	482
<i>crotchi</i> Lewis, 1887, <i>Microsternus</i>	538
<i>crotchi</i> Lewis, 1897, <i>Coccinula</i>	600
<i>crotchianus</i> Wollaston, 1864, <i>Sphaericus</i>	337
<i>crovatoi</i> Platia & Schimmel, 1993, <i>Elathous</i>	164
<i>cruachana</i> Chitty, 1893, <i>Cantharis</i>	241
<i>cruciata</i> Harold, 1877, <i>Luciola</i>	232
<i>cruciata</i> Motschulsky, 1854, <i>Luciola</i>	232
<i>cruciata</i> Schaller, 1783, <i>Mycetina</i>	565
<i>cruciatus</i> Baudi di Selve, 1859, <i>Malthodes</i>	287
<i>cruciatus</i> Candèze, 1859, <i>Drasterius</i>	105
<i>cruciatus</i> Candèze, 1873, <i>Fleutiauxellus</i>	187
<i>cruciatus</i> Faust, 1877, <i>Dicronychus</i>	205
<i>cruciatus</i> Fursov, 1939, <i>Trichodes</i>	377
<i>cruciatus</i> Geoffroy, 1785, <i>Ptinomorphus</i>	354
<i>cruciatus</i> J. R. Sahlberg, 1913, <i>Tetrabrachys</i>	574
<i>cruciatus</i> Linnaeus, 1758, <i>Selatosomus</i>	181
<i>cruciatus</i> Motschulsky, 1860, <i>Glischrochilus</i>	469

crucicollis Fairmaire, 1884, <i>Malthodes</i>	287
<i>crucicollis</i> Kraatz, 1900, <i>Tetraphala</i>	535
crucifer A. Fleischer, 1900, <i>Nephus</i>	580
crucifer P. Rossi, 1790, <i>Aeoloderma</i>	103
<i>crucifer</i> Reitter, 1888, <i>Malachius</i>	449
<i>crucifera</i> J. Weise, 1879, <i>Adalia</i>	605
cruciferarum Kiesenwetter, 1866, <i>Malthodes</i>	287
<i>cruciger</i> Abeille de Perrin, 1890, <i>Malachius</i>	448
<i>cruciger</i> C. O. Waterhouse, 1876, <i>Psammoecus</i>	497
<i>cruciger</i> Geoffroy, 1785, <i>Opilo</i>	373
cruciger Gorham, 1897, <i>Eucteanus</i>	561
cruentata Reiche, 1862, <i>Rhagonycha</i>	262
cruentatus Gyllenhal, 1808, <i>Hylochaeres</i>	84
<i>cruentatus</i> Motschulsky, 1854, <i>Clanoptilus</i>	444
cruentatus Mulsant, 1846, <i>Novius</i>	597
<i>cruentatus</i> Spinola, 1844, <i>Opilo</i>	373
cruenticollis Fairmaire, 1889, <i>Lucidotopsis</i>	230
cruentus A. G. Olivier, 1790, <i>Drapetes</i>	208
<i>cruentus</i> Kiesenwetter, 1863, <i>Troglops</i>	453
<i>cruentus</i> Pic, 1893, <i>Divales</i>	406
<i>cruralis</i> Abeille de Perrin, 1891, <i>Cyrtosus</i>	447
<i>cruralis</i> Mulsant & Rey, 1868, <i>Dasytes</i>	404
crustaceus Reitter, 1881, <i>Anthrenus</i>	312
crux Abeille de Perrin, 1883, <i>Clanoptilus</i>	443
crux Erichson, 1840, <i>Cardiophorus</i>	196
crux Küster, 1849, <i>Zorochros</i>	192
cryptaenicus Ren & X.-F. Pang, 1994, <i>Scymnus</i>	585
cryptica Ashe, 1947, <i>Cantharis</i>	240
<i>cryptica</i> Dahlgren, 1968, <i>Rhagonycha</i>	261
<i>cryptohypnoides</i> Candèze, 1882, <i>Zorochros</i>	193
cryptohypnoidus Miwa, 1930, <i>Oedostethus</i>	189
cryptophagoides Grouvelle, 1916, <i>Cryptophilus</i>	531
<i>cryptophagoides</i> Kapur, 1948, <i>Tetrabrachys</i>	574
cryptophagoides Wollaston, 1864, <i>Neodryophilus</i>	348
csikii Apfelbeck, 1915, <i>Sphaerosoma</i>	555
<i>csikii</i> Kaszab & Székessy, 1953, <i>Atomaria</i>	525
<i>csikii</i> M. Chûjô, 1964, <i>Amblyopus</i>	541
<i>csikii</i> Platia, 2001, <i>Athous</i>	158
<i>csikii</i> Stiller, 1926, <i>Cantharis</i>	242
<i>csikii</i> Szombathy, 1909, <i>Campsosternus</i>	94
csorbai Platia & Gudenzi, 1997, <i>Drasterius</i>	106
cucujiformis Reitter, 1881, <i>Corticaria</i>	642
cucullata Champion, 1919, <i>Melyris</i>	387
cucumella Lesne, 1906, <i>Sinoxylon</i>	323
culta Olliff, 1883, <i>Helota</i>	495
cultellatus Wittmer, 1973, <i>Themus</i>	270
<i>cultrata</i> J. Thomson, 1858, <i>Xyloperthella</i>	325
<i>cultricornis</i> Abeille de Perrin, 1909, <i>Troglops</i>	454
cumaniensis Pic, 1896, <i>Ptinus</i>	334
cuneiformis Baudi di Selve, 1871, <i>Melanotus</i>	151

<i>cuneiformis</i> Hampe, 1866, <i>Ampedus</i>	127
<i>cuonaensis</i> X.-F. Pang & Mao, 1977, <i>Epilachna</i>	627
<i>cuppigera</i> Mulsant, 1850, <i>Cheilomenes</i>	610
<i>cuprascens</i> LeConte, 1853, <i>Actenicerus</i>	173
<i>cuprea</i> Arrow, 1925, <i>Tetraphala</i>	535
<i>cuprea</i> Fabricius, 1775, <i>Ctenicera</i>	176
<i>cupreatus</i> Mader, 1936, <i>Encymon</i>	563
<i>cupreatus</i> Majer, 1996, <i>Achaetomalachius</i>	388
<i>cupreatus</i> Schilsky, 1897, <i>Aplocnemus</i>	410
<i>cupreomicans</i> Abeille de Perrin, 1882, <i>Attalus</i>	421
<i>cupreonitens</i> Lauffer, 1905, <i>Necrobia</i>	382
<i>cupressi</i> Chobaut, 1899, <i>Ernobius</i>	349
<i>cupreus</i> Escalera, 1914, <i>Attalus</i>	421
<i>cupreus</i> P. H. Lucas, 1846, <i>Aplocnemus</i>	410
<i>curatus</i> Candèze, 1873, <i>Fleutiauxellus</i>	187
<i>curimoides</i> Reitter, 1884, <i>Stagetus</i>	346
<i>cursor</i> Linnaeus, 1758, <i>Oryzaeophilus</i>	499
<i>curta</i> Baudi di Selve, 1873, <i>Trichoceble</i>	414
<i>curta</i> Franz, 1996, <i>Dapsa</i>	562
<i>curta</i> Marseul, 1864, <i>Cantharis</i>	240
<i>curta</i> Paulian, 1962, <i>Arthrolips</i>	632
<i>curta</i> Pic, 1894, <i>Evorinea</i>	306
<i>curta</i> Wollaston, 1854, <i>Corticarina</i>	646
<i>curtata</i> Kiesenwetter, 1874, <i>Cantharis</i>	247
<i>curtehumeralis</i> Pic, 1935, <i>Cantharis</i>	243
<i>curtelineatus</i> Pic, 1926, <i>Plateros</i>	219
<i>curtelineatus</i> Pic, 1927, <i>Axinotarsus</i>	441
<i>curtelineatus</i> Pic, 1936, <i>Cyrtosus</i>	446
<i>curtenotatus</i> Pic, 1931, <i>Malthinus</i>	280
<i>curticeps</i> Pic, 1920, <i>Idgia</i>	385
<i>curticolle</i> Sharp, 1885, <i>Paracerylon</i>	554
<i>curticollis</i> Mannerheim, 1844, <i>Melanophthalma</i>	648
<i>curticollis</i> Pic, 1906, <i>Cantharis</i>	245
<i>curticollis</i> Pic, 1921, <i>Lycocerus</i>	254
<i>curticollis</i> Pic, 1921, <i>Ernobius</i>	349
<i>curticollis</i> Pic, 1924, <i>Lobonyx</i>	384
<i>curticollis</i> Schenkling, 1906, <i>Tenerus</i>	383
<i>curticornis</i> Dolin & Bessolitzina, 1982, <i>Oedostethus</i>	189
<i>curticornis</i> Kiesenwetter, 1866, <i>Clanoptilus</i>	445
<i>curticornis</i> Pic, 1921, <i>Dryophilus</i>	348
<i>curticornis</i> Pic, 1910, <i>Aplocnemus</i>	413
<i>curticornis</i> Pic, 1936, <i>Attalus</i>	421
<i>curticornis</i> Rey, 1891, <i>Cantharis</i>	241
<i>curticornis</i> Wittmer, 1995, <i>Themus</i>	271
<i>curticornis</i> Wittmer, 1997, <i>Malthodes</i>	287
<i>curtii</i> Reitter, 1910, <i>Anommatus</i>	549
<i>curtipennis</i> Motschulsky, 1853, <i>Malthodes</i>	287
<i>curtipennis</i> Pic, 1908, <i>Aplocnemus</i>	412
<i>curtipennis</i> Pic, 1938, <i>Attalus</i>	421
<i>curtipennis</i> Rey, 1891, <i>Cantharis</i>	245

<i>curtipennis</i> Švihla, 2004, <i>Lycocerus</i>	250
<i>curtipes</i> Lövendal, 1893, <i>Corticaria</i>	645
<i>curtisii</i> Mulsant, 1850, <i>Scymnus</i>	590
<i>curtithorax</i> Pic, 1927, <i>Luciola</i>	232
<i>curtithorax</i> Pic, 1920, <i>Rhagonycha</i>	263
<i>curtula</i> Reitter, 1894, <i>Epuraea</i>	460
<i>curtulum</i> Casey, 1891, <i>Trogoxylon</i>	328
<i>curtulus</i> Desbrochers des Loges, 1873, <i>Athous</i>	161
<i>curtulus</i> Motschulsky, 1860, <i>Cardiophorus</i>	198
<i>curtulus</i> Mulsant & Guillebeau, 1855, <i>Cardiophorus</i>	201
<i>curtulus</i> Rey, 1889, <i>Cryptophagus</i>	521
<i>curtulus</i> Wollaston, 1864, <i>Brachypterus</i>	456
<i>curtus</i> Candèze, 1878, <i>Agriotes</i>	114
<i>curtus</i> Dolin & Penev, 2004, <i>Athous</i>	158
<i>curtus</i> Germar, 1844, <i>Zoroachros</i>	192
<i>curtus</i> Grouvelle, 1916, <i>Cryptophagus</i>	516
<i>curtus</i> Pic, 1894, <i>Trinodes</i>	306
<i>curtus</i> Pic, 1947, <i>Trigonogenius</i>	339
<i>curtus</i> Pic, 1921, <i>Aplocnemus</i>	410
<i>curtus</i> Pic, 1927, <i>Endomychus</i>	560
<i>curtus</i> Toskina, 2003, <i>Falsogastrallus</i>	340
<i>curtus</i> Toskina, 1998, <i>Microcoelopus</i>	355
<i>curus</i> Lefkovitch, 1965, <i>Cryptolestes</i>	503
<i>curva</i> J. Weise, 1879, <i>Coccinella</i>	610
<i>curvatipes</i> Pic, 1922, <i>Micropodabrus</i>	257
<i>curvatus</i> G.-Y. Yu, 1999, <i>Pseudoscymnus</i>	582
<i>curvatus</i> Wittmer, 1995, <i>Lycocerus</i>	250
<i>curvicornis</i> J. R. Sahlberg, 1913, <i>Attagenus</i>	308
<i>curvicornis</i> Wittmer, 1997, <i>Micropodabrus</i>	257
<i>curvifurca</i> Hicker, 1955, <i>Malthodes</i>	287
<i>curvipennis</i> Majer, 1990, <i>Trichoceble</i>	414
<i>curvipes</i> Audisio & De Biase, 1996, <i>Dapsa</i>	563
<i>curvipes</i> Grouvelle, 1908, <i>Tetrisus</i>	465
<i>curvipes</i> Hisamatsu, 1961, <i>Epuraea</i>	464
<i>curvipes</i> Oberthür, 1883, <i>Helota</i>	495
<i>curvipes</i> Pic, 1921, <i>Cebrio</i>	90
<i>curvipustulata</i> Haworth, 1812, <i>Adalia</i>	604
<i>curvispinus</i> Pal & Sengupta, 1977, <i>Silvanus</i>	501
<i>curvispinus</i> Wittmer, 1954, <i>Mixis</i>	437
<i>curvitibia</i> Kraatz, 1895, <i>Phenolia</i>	475
<i>curvitibialis</i> Sasaji, 1991, <i>Atomarops</i>	531
<i>curvus</i> C.-T. Yang, 1978, <i>Scymnus</i>	585
<i>cusanensis</i> A. Costa, 1847, <i>Danacea</i>	396
<i>cusanensis</i> Mulsant & Rey, 1868, <i>Danacea</i>	397
<i>cuspidata</i> Champion, 1922, <i>Hypomixis</i>	436
<i>cyanea</i> Curtis, 1828, <i>Ancistronycha</i>	238
<i>cyanea</i> Dietrich, 1857, <i>Ancistronycha</i>	238
<i>cyanea</i> Hope, 1835, <i>Languriophasma</i>	534
<i>cyanea</i> M. Chûjô, 1967, <i>Paederolanguria</i>	535
<i>cyanea</i> Majer, 1995, <i>Mimothrix</i>	392

<i>cyanea</i> Motschulsky, 1860, <i>Languriophasma</i>	534
<i>cyanea</i> Thunberg, 1787, <i>Cordylepherus</i>	446
<i>cyaneicollis</i> Abeille de Perrin, 1894, <i>Cyrtosus</i>	447
<i>cyaneicollis</i> Abeille de Perrin, 1891, <i>Cephaloncus</i>	452
<i>cyaneipennis</i> Grouvelle, 1903, <i>Aethina</i>	470
<i>cyaneipennis</i> Hardy, 1847, <i>Rhizophagus</i>	491
<i>cyaneipennis</i> Pic, 1920, <i>Idgia</i>	385
<i>cyaneipennis</i> Wittmer, 1940, <i>Anthocomus</i>	439
<i>cyanelus</i> Kiesenwetter, 1863, <i>Chaetomalachius</i>	389
<i>cyaneonotatus</i> Pic, 1903, <i>Indiebaeus</i>	436
<i>cyaneoviridis</i> Wittmer, 1970, <i>Ebaeus</i>	430
<i>cyanescens</i> Bedel, 1868, <i>Triplax</i>	544
<i>cyanescens</i> Buysson, 1902, <i>Cidnopus</i>	164
<i>cyanescens</i> Mulsant & Rey, 1852, <i>Micrinus</i>	450
<i>cyanescens</i> Strohecker, 1943, <i>Mycetina</i>	565
<i>cyaneum</i> Candèze, 1863, <i>Ludioschema</i>	132
<i>cyaneus</i> A. G. Olivier, 1790, <i>Psilothrix</i>	408
<i>cyaneus</i> Baudi di Selve, 1889, <i>Dasytes</i>	403
<i>cyaneus</i> Candèze, 1878, <i>Propsephus</i>	130
<i>cyaneus</i> Easton, 1957, <i>Meligethes</i>	481
<i>cyaneus</i> Fabricius, 1787, <i>Cylidrus</i>	367
<i>cyaneus</i> Fabricius, 1775, <i>Dasytes</i>	405
<i>cyaneus</i> Fabricius, 1787, <i>Attalus</i>	421
<i>cyaneus</i> Gorham, 1877, <i>Tenerus</i>	383
<i>cyaneus</i> J. Thomson, 1860, <i>Callimerus</i>	371
<i>cyaneus</i> Laporte, 1838, <i>Ebaeus</i>	430
<i>cyaneus</i> Lewis, 1892, <i>Tenerus</i>	383
<i>cyaneus</i> Marsham, 1802, <i>Selatosomus</i>	181
<i>cyaneus</i> Rosenhauer, 1856, <i>Attalus</i>	423
<i>cyanichrous</i> Buysson, 1926, <i>Limonius</i>	165
<i>cyanicollis</i> Dolin, 1970, <i>Ampedus</i>	122
<i>cyanipennis</i> Baudi di Selve, 1871, <i>Hypebaeus</i>	433
<i>cyanipennis</i> Candèze, 1863, <i>Agonischius</i>	131
<i>cyanipennis</i> Erichson, 1840, <i>Cyrtosus</i>	446
<i>cyanipennis</i> Faldermann, 1835, <i>Cordicantharis</i>	248
<i>cyanipennis</i> Kraatz, 1899, <i>Tetraphala</i>	535
<i>cyanipennis</i> M. Chûjô, 1938, <i>Encymon</i>	563
<i>cyanipennis</i> Motschulsky, 1858, <i>Themus</i>	271
<i>cyanipennis</i> Motschulsky, 1858, <i>Triplax</i>	544
<i>cyanipennis</i> Mulsant & Wachanru, 1852, <i>Cardiophorus</i>	196
<i>cyanipes</i> Abeille de Perrin, 1885, <i>Cyrtosus</i>	446
<i>cyannipennis</i> Bach, 1854, <i>Ancistronycha</i>	238
<i>cyanopectus</i> Champion, 1919, <i>Melyris</i>	387
<i>cyanoreflexus</i> Vats & Chauchan, 1994, <i>Agonischius</i>	131
<i>cyanurus</i> Hope, 1831, <i>Lycocerus</i>	250
<i>cyathiger</i> Wittmer, 1956, <i>Hypebaeus</i>	434
<i>cybaea</i> Majer, 1995, <i>Mimothrix</i>	392
<i>cybaeus</i> Kirejtshuk, 1992, <i>Hebasculinus</i>	473
<i>cyclops</i> Jelínek, 1978, <i>Epuraea</i>	460
<i>cyclops</i> Jelínek, 1975, <i>Glischrochilus</i>	469

<i>cyllindrellus</i> Johnson, 2007, <i>Cryptophagus</i>	516
<i>cylindrica</i> Mannerheim, 1844, <i>Corticaria</i>	645
<i>cylindrica</i> Westwood, 1848, <i>Ancistria</i>	501
<i>cylindricollis</i> Motschulsky, 1866, <i>Corticicaria</i>	647
<i>cylindricollis</i> Mulsant & Guillebeau, 1856, <i>Athous</i>	161
<i>cylindricollis</i> Schilsky, 1897, <i>Danacea</i>	396
<i>cylindricollis</i> Schwarz, 1902, <i>Agriotes</i>	114
<i>cylindricornis</i> Reitter, 1904, <i>Ptinus</i>	334
<i>cylindricornis</i> Say, 1825, <i>Attagenus</i>	310
<i>cylindricornis</i> Schrank, 1785, <i>Attagenus</i>	309
<i>cylindricornis</i> Schrank, 1798, <i>Attagenus</i>	310
<i>cylindricum</i> Marsham, 1802, <i>Anobium</i>	339
<i>cylindricum</i> Nakane, 1963, <i>Priobium</i>	341
<i>cylindricum</i> Smith, 1851, <i>Passandra</i>	502
<i>cylindricus</i> A. G. Olivier, 1790, <i>Teredus</i>	552
<i>cylindricus</i> Candèze, 1857, <i>Agrypnus</i>	99
<i>cylindricus</i> Creutzer, 1796, <i>Oxyaemus</i>	552
<i>cylindricus</i> Germar, 1817, <i>Metholcus</i>	361
<i>cylindricus</i> Harrer, 1784, <i>Melasis</i>	84
<i>cylindricus</i> Kiesenwetter, 1863, <i>Aplocnemus</i>	410
<i>cylindricus</i> Kishii & Jiang, 1996, <i>Hemicrepidius</i>	170
<i>cylindricus</i> Kofler, 1970, <i>Xyletinus</i>	360
<i>cylindricus</i> Murray, 1864, <i>Taenioncus</i>	465
<i>cylindricus</i> Normand, 1936, <i>Brachypterolus</i>	456
<i>cylindricus</i> O. F. Müller, 1776, <i>Ptilinus</i>	356
<i>cylindricus</i> P. Rossi, 1792, <i>Cidnopus</i>	163
<i>cylindricus</i> Schwarz, 1902, <i>Silesis</i>	112
<i>cylindricus</i> T. L. Casey, 1916, <i>Dermestes</i>	302
<i>cylindriformis</i> Ôhira & Becker, 1971, <i>Silesis</i>	111
<i>cylindripennis</i> Motschulsky, 1867, <i>Corticaria</i>	645
<i>cylindripennis</i> Wollaston, 1854, <i>Ptilinus</i>	356
<i>cylindromorphum</i> Kiesenwetter, 1867, <i>Dolichophron</i>	407
<i>cylindrus</i> Kiesenwetter, 1858, <i>Cryptophagus</i>	521
<i>cymoreki</i> Español, 1963, <i>Anobium</i>	339
<i>cymoreki</i> Español, 1990, <i>Gastrallus</i>	340
<i>cyphonoides</i> F. Moravitz, 1861, <i>Lasioderma</i>	358
<i>cyphonoides</i> Reitter, 1881, <i>Attagenus</i>	308
<i>cyphonurus</i> Kiesenwetter, 1861, <i>Malthodes</i>	287
<i>cypria</i> Baudi di Selve, 1870, <i>Corticaria</i>	643
<i>cypria</i> Marseul, 1864, <i>Cantharis</i>	240
<i>cypria</i> Schilsky, 1897, <i>Danacea</i>	396
<i>cyprianus</i> Dajoz, 1989, <i>Dastarcus</i>	551
<i>cypricus</i> Pic, 1911, <i>Malthodes</i>	287
<i>cypricus</i> Baudi di Selve, 1871, <i>Tetrigus</i>	108
<i>cypricus</i> Baudi di Selve, 1871, <i>Elathous</i>	164
<i>cypricus</i> Baudi di Selve, 1873, <i>Dasytes</i>	403
<i>cypricus</i> Baudi di Selve, 1871, <i>Malachius</i>	448
<i>cypricus</i> Champenois, 1900, <i>Trichodes</i>	377
<i>cypricus</i> Pic, 1910, <i>Cardiophorus</i>	199
<i>cypricus</i> Pic, 1951, <i>Dermestes</i>	301

cyprius Reitter, 1894, <i>Trichodes</i>	377
cyprogenia Švihla, 1983, <i>Cantharis</i>	240
cyrenaica Gridelli, 1930, <i>Merophysia</i>	557
cyrenaicus Pic, 1935, <i>Cebrio</i>	90
cyrenaicus Pic, 1955, <i>Aplocnemus</i>	410
cyrenaicus Pic, 1925, <i>Clanoptilus</i>	442
cyrenaicus Rebmann, 1940, <i>Meligethes</i>	481
cyrtosina Peyerimhoff, 1935, <i>Psilothrix</i>	408
cyrtosoides Abeille de Perrin, 1883, <i>Psiloderes</i>	452
cyrtusoides Reitter, 1884, <i>Pallodes</i>	475
cytherias Pic, 1903, <i>Ptinus</i>	336
czwalinai Reitter, 1871, <i>Meligethes</i>	481
daccordii Guglielmi & Platia, 1985, <i>Athous</i>	161
daccordii Platia & Schimmel, 2002, <i>Melanotus</i>	143
dactylia Gistel, 1857, <i>Atomaria</i>	529
dactylicus Peyerimhoff, 1949, <i>Cybocephalus</i>	489
dactylicus X.-F. Pang, 1988, <i>Scymnus</i>	585
daghestanicus Lyubarsky, 2000, <i>Cryptophagus</i>	516
daghestanicus Reitter, 1890, <i>Athous</i>	158
dahlgreni Wittmer, 1984, <i>Cantharis</i>	246
dahlgreni Wittmer, 1972, <i>Rhagonycha</i>	262
dahli John, 1971, <i>Aphanocephalus</i>	556
dahlia Spinola, 1844, <i>Trichodes</i>	376
dahuricus Candèze, 1863, <i>Ectinus</i>	120
dahuricus Candèze, 1889, <i>Dicronychus</i>	204
daimio Lewis, 1894, <i>Anostirus</i>	174
daisetsusanus Miwa, 1928, <i>Scutellathous</i>	172
daitoensis Kinoda & Nakane, 1993, <i>Lycocerus</i>	250
daitoensis Ôhira, 1969, <i>Ischiodontus</i>	130
dajuensis Schimmel, 2004, <i>Megapenthes</i>	137
dalailamai Wittmer, 1981, <i>Hypebaeus</i>	434
daldorfi Crotch, 1874, <i>Brumoides</i>	592
daliberti Buysson, 1926, <i>Hemicrepidius</i>	170
dalmatina Kaufmann, 1883, <i>Hylaia</i>	564
dalmatina Küster, 1844, <i>Dima</i>	183
dalmatina Obenberger, 1916, <i>Necrobia</i>	382
dalmatina Pic, 1915, <i>Rhagonycha</i>	266
dalmatinus Baudi di Selve, 1873, <i>Dasytes</i>	403
dalmatinus Erichson, 1840, <i>Attalus</i>	421
dalmatinus G. Müller, 1925, <i>Anostirus</i>	174
dalmatinus J. Müller, 1908, <i>Brachemys</i>	451
dalmatinus Küster, 1847, <i>Attagenus</i>	308
dalmatinus Majer, 1989, <i>Dasytidius</i>	390
dalmatinus Pic, 1902, <i>Malthinus</i>	278
dalmatinus Pic, 1895, <i>Ptinus</i>	334
dalmatinus Reitter, 1871, <i>Meligethes</i>	484
dalmatinus Reitter, 1922, <i>Anommatus</i>	549
dalmatinus Sturm, 1844, <i>Kateretes</i>	458
dalopioides Nakane, 1959, <i>Glyphonyx</i>	109
dama Abeille de Perrin, 1888, <i>Malachius</i>	448

damascaenus Abeille de Perrin, 1881, <i>Chionotopus</i>	442
damascenus Baudi di Selve, 1873, <i>Dignomus</i>	330
damascenus Pic, 1915, <i>Anthocomus</i>	439
<i>damascenus</i> Reitter, 1884, <i>Dignomus</i>	330
damascenus Wittmer, 1936, <i>Malthinus</i>	278
damryi J. Weise, 1879, <i>Scymnus</i>	589
<i>damryi</i> J. Weise, 1879, <i>Adalia</i>	602
<i>damryi</i> Reitter, 1884, <i>Clypastraea</i>	633
danacaeoides Champion, 1922, <i>Achaetomalachius</i>	388
danacaeoides Reitter, 1885, <i>Pseudamauronia</i>	394
<i>danica</i> Sjöberg, 1939, <i>Eपुरaea</i>	460
danieli Abeille de Perrin, 1893, <i>Clanoptilus</i>	443
danielssoni Wittmer, 1995, <i>Malthinus</i>	278
danilevskii Majer, 1989, <i>Danacaeomimus</i>	394
danilevskiy Dolin & Cate, 1994, <i>Melanotus</i>	143
danjoanus Nakane, 1989, <i>Nepachys</i>	426
dapae Hoang, 1978, <i>Pseudoscymnus</i>	582
darjeelensis Kazantsev, 1991, <i>Lycostomus</i>	211
darjeelinensis Bourgeois, 1883, <i>Calochromus</i>	224
darjeelingensis Kapur, 1969, <i>Telsimia</i>	596
darjeelingensis Mukhopadhyay & Sengupta, 1978, <i>Xylophloeus</i>	506
darjeelingensis Wittmer, 1981, <i>Hypebaeus</i>	434
daruma Kishii, 2004, <i>Melanotus</i>	143
<i>darvasicus</i> Dolin, 1988, <i>Melanotus</i>	147
darwiniana Sharp, 1867, <i>Cantharis</i>	240
dasycerus Buysson, 1890, <i>Athous</i>	161
dasytiformis Abeille de Perrin, 1885, <i>Attalus</i>	421
<i>dasytoides</i> Abeille de Perrin, 1882, <i>Attalus</i>	421
<i>dasytoides</i> Kraatz, 1882, <i>Chaetomalachius</i>	389
<i>dasytoides</i> Wollaston, 1862, <i>Attalus</i>	421
dauci Liberti, 1984, <i>Danacea</i>	396
<i>dauci</i> Spinola, 1844, <i>Trichodes</i>	377
daucinus Kazantsev, 2002, <i>Ponyalis</i>	218
daurica Gebler, 1832, <i>Cantharis</i>	240
<i>daurica</i> J. Weise, 1879, <i>Adalia</i>	602
dauricus Mannerheim, 1852, <i>Megathous</i>	171
<i>dauricus</i> Motschulsky, 1860, <i>Liotrichus</i>	178
<i>dauricus</i> Motschulsky, 1849, <i>Meligethes</i>	478
dauricus Reitter, 1906, <i>Ptinus</i>	335
dauidi Candèze, 1878, <i>Anchastus</i>	139
dauidi Fairmaire, 1878, <i>Lycostomus</i>	211
dauidi Fairmaire, 1889, <i>Triplatoma</i>	541
dauidi Gestro, 1892, <i>Ichthyurus</i>	297
<i>dauidi</i> Grouvelle, 1881, <i>Cucujus</i>	502
dauidi Luna de Carvalho, 1985, <i>Anommatus</i>	549
dauidi Pic, 1926, <i>Dichelotarsus</i>	236
dauidi Pic, 1922, <i>Cordylepherus</i>	445
dauidi Platia & Schimmel, 1991, <i>Silesis</i>	111
dauidi Platia & Schimmel, 2001, <i>Melanotus</i>	143
<i>dauidi</i> Schenkling, 1903, <i>Trichodes</i>	377

dauidianus Candèze, 1882, <i>Zorochros</i>	192
dauidianus Candèze, 1882, <i>Dicronychus</i>	204
dauidis Deyrolle, 1878, <i>Trichodes</i>	377
dauidis E. Olivier, 1895, <i>Luciola</i>	232
dauidis Fairmaire, 1887, <i>Campsosternus</i>	94
dauidis Fairmaire, 1878, <i>Agrypnus</i>	97
dauidis Fairmaire, 1889, <i>Denticollis</i>	167
<i>dauidis</i> Fairmaire, 1878, <i>Vesta</i>	225
dauidis Fairmaire, 1878, <i>Stenocladius</i>	233
dauidis Fairmaire, 1889, <i>Themus</i>	271
<i>dauidis</i> Fairmaire, 1878, <i>Glischrochilus</i>	469
dauidis Fairmaire, 1878, <i>Haematoides</i>	546
dawsoni Wollaston, 1854, <i>Sphaericus</i>	338
<i>dayensis</i> Pic, 1895, <i>Ptinus</i>	335
<i>dayremi</i> Pic, 1942, <i>Ptinomorphus</i>	354
dealbatus Kraatz, 1879, <i>Clerus</i>	372
debanus Mukhopadhyay, 1985, <i>Placonotus</i>	505
debduensis Kocher, 1967, <i>Cebrio</i>	90
<i>debilicornis</i> Boieldieu, 1856, <i>Ptinus</i>	334
<i>debilis</i> C. O. Waterhouse, 1879, <i>Lycostomus</i>	211
<i>debilis</i> C. O. Waterhouse, 1878, <i>Lyponia</i>	218
<i>debilis</i> Kiesenwetter, 1852, <i>Malthodes</i>	287
<i>debilis</i> Kiesenwetter, 1878, <i>Clanoptilus</i>	443
<i>debilis</i> LeConte, 1858, <i>Cryptophagus</i>	521
<i>debilis</i> Reiche, 1869, <i>Athous</i>	161
<i>debilis</i> Sharp, 1885, <i>Caccodes</i>	276
<i>debilis</i> Sharp, 1885, <i>Cryptophilus</i>	531
<i>debilis</i> Walker, 1858, <i>Raractocetus</i>	363
deboisae Schimmel, 1994, <i>Pectocera</i>	95
debrosi Wittmer, 1979, <i>Clanomalachius</i>	442
decamerus Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
<i>decas</i> Beck, 1817, <i>Adalia</i>	605
<i>decemguttata</i> A. Fleischer, 1900, <i>Hyperaspis</i>	578
<i>decemguttata</i> Fabricius, 1792, <i>Eपुरaea</i>	461
<i>decemguttata</i> Haworth, 1812, <i>Adalia</i>	604
<i>decemguttata</i> J. Weise, 1912, <i>Phrynocaria</i>	623
<i>decemguttata</i> J. Weise, 1923, <i>Epilachna</i>	627
<i>decemguttata</i> Linnaeus, 1767, <i>Calvia</i>	607
<i>decemguttatus</i> A. G. Olivier, 1790, <i>Glischrochilus</i>	470
<i>decemmaculata</i> G.-Y. Yu, 2000, <i>Amida</i>	597
<i>decemmaculata</i> L. Redtenbacher, 1844, <i>Epilachna</i>	627
<i>decemmaculatus</i> G. Yu, 1993, <i>Scymnus</i>	589
<i>decemmaculatus</i> X.-F. Pang & Mao, 1979, <i>Aspidimerus</i>	575
<i>decemplagiatus</i> Wollaston, 1857, <i>Pharoscymnus</i>	570
<i>decempunctata</i> Fabricius, 1775, <i>Coccinella</i>	612
<i>decempunctata</i> Linnaeus, 1758, <i>Adalia</i>	603
<i>decempunctata</i> Sicard, 1910, <i>Sticholotis</i>	571
<i>decempunctatus</i> Kraatz, 1862, <i>Novius</i>	597
<i>decempustulata</i> Fabricius, 1792, <i>Propylea</i>	624
<i>decempustulata</i> Linnaeus, 1758, <i>Adalia</i>	604

<i>decempustulata</i> Penecke, 1901, <i>Adalia</i>	602
<i>decemsignata</i> Iablokoff-Khnzorian, 1982, <i>Bothrocalvia</i>	607
<i>deceptor</i> Baudi di Selve, 1893, <i>Malthinus</i>	278
<i>deceptor</i> Grouvelle, 1919, <i>Cryptophagus</i>	516
<i>decimaculata</i> C. Cao & H. Wang, 1992, <i>Afidentula</i>	625
<i>decimguttata</i> Jing, 1986, <i>Ceratomegilla</i>	609
<i>decimmaculata</i> Jing, 1992, <i>Coelophora</i>	614
<i>decipiens</i> Arrow, 1925, <i>Micrencaustes</i>	539
<i>decipiens</i> Baudi di Selve, 1872, <i>Cantharis</i>	240
<i>decipiens</i> Fairmaire, 1866, <i>Cebrio</i>	90
<i>decipiens</i> Gorham, 1889, <i>Walteriella</i>	273
<i>decipiens</i> Horn, 1879, <i>Carpophilus</i>	467
<i>decipiens</i> J. Weise, 1885, <i>Scymnus</i>	590
<i>decipiens</i> J. Weise, 1879, <i>Adalia</i>	602
<i>decipiens</i> Marseul, 1875, <i>Benibotarus</i>	214
<i>decipiens</i> Rey, 1891, <i>Athous</i>	157
<i>declive</i> Dufour, 1843, <i>Hyperisus</i>	351
<i>declivis</i> Liberti, 1989, <i>Danacea</i>	399
<i>declivis</i> Rey, 1891, <i>Melanotus</i>	143
<i>decolor</i> Bourgeois, 1907, <i>Stenothemus</i>	269
<i>decolor</i> Chobaut, 1896, <i>Cebrio</i>	90
<i>decolor</i> Fiori, 1899, <i>Cantharis</i>	242
<i>decolor</i> Reitter, 1884, <i>Epuraea</i>	460
<i>decolorans</i> Brullé, 1832, <i>Cantharis</i>	240
<i>decolorata</i> Fiori, 1905, <i>Malthodes</i>	287
<i>decoloratus</i> Förster, 1849, <i>Meligethes</i>	481
<i>decoloratus</i> Mulsant & Rey, 1868, <i>Attagenus</i>	307
<i>decoloratus</i> Mulsant & Rey, 1868, <i>Attagenus</i>	308
<i>decoloratus</i> Schilsky, 1894, <i>Divales</i>	406
<i>decora</i> Bourgeois, 1903, <i>Malthodes</i>	287
<i>decorata</i> Pic, 1912, <i>Rhagonycha</i>	262
<i>decorata</i> Reitter, 1873, <i>Epuraea</i>	464
<i>decoratum</i> Candèze, 1889, <i>Ludioschema</i>	132
<i>decoratus</i> Bruce, 1943, <i>Henoticus</i>	521
<i>decoratus</i> Fleutiaux, 1936, <i>Cardiophorus</i>	196
<i>decoratus</i> Gerstaecker, 1857, <i>Spathomeles</i>	566
<i>decoratus</i> Gorham, 1893, <i>Callimerus</i>	371
<i>decoratus</i> Gorham, 1887, <i>Panaleies</i>	562
<i>decoratus</i> Reitter, 1874, <i>Cryptophagus</i>	516
<i>decoratus</i> Reitter, 1879, <i>Aulacochilus</i>	538
<i>decoratus</i> Schwarz, 1897, <i>Anostirus</i>	174
<i>decorus</i> Abeille de Perrin, 1885, <i>Ebaeus</i>	430
<i>decorus</i> Faldermann, 1835, <i>Dicronychus</i>	204
<i>decorus</i> Fleutiaux, 1918, <i>Hemicrepidius</i>	170
<i>decorus</i> Gurjeva, 1975, <i>Neoathousius</i>	166
<i>decorus</i> Kleine, 1935, <i>Lycostomus</i>	211
<i>decorus</i> Schwarz, 1906, <i>Anostirus</i>	174
<i>decorus</i> Strohecker & M. Chûjô, 1970, <i>Sinocymbachus</i>	566
<i>decumanus</i> Gurjeva, 1977, <i>Ampedus</i>	122
<i>deferreri</i> Wittmer, 1994, <i>Haplomalachius</i>	447

<i>deficiens</i> T. L. Casey, 1900, <i>Attagenus</i>	310
<i>deflexicollis</i> Mannerheim, 1823, <i>Eucnemis</i>	85
<i>deflexus</i> C. G. Thomson, 1868, <i>Hemicrepidius</i>	170
<i>deflexus</i> Schaufuss, 1862, <i>Cardiophorus</i>	198
<i>deflorata</i> Solsky, 1871, <i>Calvia</i>	607
<i>defloratus</i> Schwarz, 1902, <i>Actenicerus</i>	173
<i>deformis</i> Chevrolat, 1874, <i>Cebrio</i>	89
<i>deformis</i> Chevrolat, 1874, <i>Cebrio</i>	90
<i>defreinai</i> Platia & Gudenzi, 1998, <i>Agriotes</i>	114
<i>defunctorum</i> Reitter, 1894, <i>Necrobinus</i>	382
<i>defunctorum</i> Waltl, 1835, <i>Necrobinus</i>	382
<i>degener</i> Rey, 1889, <i>Placonotus</i>	506
<i>degener</i> Scopoli, 1763, <i>Drapetes</i>	208
<i>degenerata</i> Semenov, 1889, <i>Aiolocaria</i>	606
<i>dehaanii</i> Laporte, 1840, <i>Micrencaustes</i>	539
<i>dehiscans</i> Gistel, 1857, <i>Agriotes</i>	119
<i>dehraduna</i> Wittmer, 1957, <i>Asiosilis</i>	274
<i>dehradunicus</i> Pal & Sengupta, 1985, <i>Protosilvanus</i>	499
<i>deimos</i> Gottwald, 1971, <i>Ernobius</i>	349
<i>dejeani</i> Dufour, 1843, <i>Athous</i>	157
<i>dejeani</i> Mulsant & Guillebeau, 1856, <i>Athous</i>	157
<i>dejeani</i> Platia & Schimmel, 2001, <i>Melanotus</i>	143
<i>dejeanii</i> Laporte, 1840, <i>Athous</i>	157
<i>dejectum</i> C. O. Waterhouse, 1876, <i>Passandra</i>	502
<i>delabyi</i> Guillebeau, 1892, <i>Phalacrus</i>	510
<i>delagrangei</i> Buysson, 1891, <i>Lacon</i>	100
<i>delagrangei</i> Delkeskamp, 1939, <i>Cantharis</i>	240
<i>delagrangei</i> Pic, 1899, <i>Cardiophorus</i>	196
<i>delagrangei</i> Pic, 1898, <i>Rhagonycha</i>	263
<i>delagrangei</i> Pic, 1900, <i>Malthinus</i>	282
<i>delagrangei</i> Pic, 1901, <i>Malthodes</i>	287
<i>delagrangei</i> Pic, 1895, <i>Danacea</i>	396
<i>delagrangei</i> Pic, 1893, <i>Dasytes</i>	401
<i>delagrangei</i> Pic, 1902, <i>Aplocnemus</i>	412
<i>delagrangei</i> Pic, 1898, <i>Malachius</i>	448
<i>delagrangei</i> Schilsky, 1894, <i>Dasytes</i>	403
<i>delahoni</i> Schilsky, 1908, <i>Rhagonycha</i>	263
<i>delamarei</i> Dajoz, 1969, <i>Anommatus</i>	549
<i>delamarei</i> Dajoz, 1962, <i>Cartodere</i>	635
<i>delarouzei</i> Jacquelin du Val, 1859, <i>Lamprohiza</i>	229
<i>delatouchei</i> Fairmaire, 1887, <i>Astigmus</i>	371
<i>delauneyi</i> Fleutiaux, 1918, <i>Drasterius</i>	106
<i>delauneyi</i> Fleutiaux, 1887, <i>Ludioschema</i>	132
<i>delecta</i> Wollaston, 1858, <i>Dienerella</i>	637
<i>delectus</i> Kazantsev, 1991, <i>Lycostomus</i>	211
<i>delerei</i> Wittmer, 1956, <i>Asiapelochrus</i>	427
<i>delessertii</i> Guérin-Méneville, 1840, <i>Pectocera</i>	95
<i>deleta</i> Mannerheim, 1853, <i>Corticaria</i>	642
<i>deleta</i> Sturm, 1844, <i>Epuraea</i>	462
<i>deletomaculatus</i> Fürsch, 1997, <i>Nephus</i>	580

delgerchangaji Rücker, 1983, <i>Corticaria</i>	642
delicatula Kiesenwetter, 1874, <i>Lyponia</i>	218
<i>delicatula</i> Tournier, 1872, <i>Atomaria</i>	527
delicatula Wollaston, 1871, <i>Corticarina</i>	646
<i>delicatulus</i> Bourgeois, 1899, <i>Malthinus</i>	278
<i>delicatulus</i> Obenberger, 1917, <i>Leptophloeus</i>	505
<i>delicatulus</i> Roubal, 1913, <i>Cryptophagus</i>	516
<i>delicatulus</i> Schwarz, 1897, <i>Zorochochros</i>	193
<i>delicatulus</i> Tournier, 1889, <i>Olibrus</i>	509
<i>delicatulus</i> Wittmer, 1995, <i>Lycocerus</i>	250
<i>delicatulus</i> Wittmer, 1956, <i>Ebaeus</i>	430
<i>delicatus</i> Kazantsev, 1996, <i>Helcophorus</i>	215
<i>delicatus</i> Kiesenwetter, 1852, <i>Anthrenus</i>	312
<i>delicuuus</i> Kazantsev, 1991, <i>Lycostomus</i>	211
<i>deliquus</i> Reitter, 1894, <i>Trichodes</i>	377
delkeskampii Hisamatsu, 1963, <i>Carpophilus</i>	466
delkeskampii Nakane, 1961, <i>Neotriplax</i>	542
delkeskampii Wittmer, 1968, <i>Malthodes</i>	287
dellabeffai Canepari, 1979, <i>Hyperaspis</i>	577
delmastroi Platia & Gudenzi, 1998, <i>Athous</i>	158
<i>delphinus</i> Reiche, 1869, <i>Athous</i>	158
delphini Liberti, 1984, <i>Danacea</i>	396
demaisoni Abeille de Perrin, 1900, <i>Malachius</i>	448
demaisoni Buysson, 1899, <i>Ampedus</i>	122
demaisoni Buysson, 1898, <i>Cardiophorus</i>	196
<i>demaisoni</i> Flach, 1888, <i>Olibrus</i>	509
<i>demaisoni</i> Paulian, 1950, <i>Teplinus</i>	634
<i>demaisoni</i> Pic, 1909, <i>Malthodes</i>	287
<i>demaisoni</i> Reitter, 1889, <i>Phradonoma</i>	317
<i>demarzoii</i> Canepari, 2000, <i>Scymniscus</i>	583
<i>demarzoii</i> Otero & Angelini, 1981, <i>Cryptophagus</i>	515
<i>demarzoii</i> Švec & Angelini, 1996, <i>Olibrus</i>	509
demelti Evers, 1961, <i>Brachemys</i>	451
deminuatus Platia & Gudenzi, 2004, <i>Dicronychus</i>	204
<i>deminutum</i> Fleutiaux, 1940, <i>Ludioschema</i>	132
<i>demissus</i> Kazantsev, 1991, <i>Plateros</i>	221
<i>demissus</i> Kiesenwetter, 1863, <i>Macrocerus</i>	296
demoflysi Normand, 1951, <i>Attalus</i>	421
demokidovi Toskina, 2004, <i>Cacotemnus</i>	339
demoulini Dajoz, 1970, <i>Melanophthalma</i>	647
<i>dendrobiformis</i> Reitter, 1901, <i>Priobium</i>	341
<i>denigratus</i> Buysson, 1895, <i>Athous</i>	157
denisovae Gurjeva, 1978, <i>Selatosomus</i>	183
denizlianus Wittmer, 1970, <i>Malthodes</i>	287
denominandus Chevrolat, 1874, <i>Cebrio</i>	90
denominatus Wittmer, 1997, <i>Micropodabrus</i>	257
<i>densatum</i> Reitter, 1877, <i>Arthrolips</i>	632
<i>densatus</i> Reitter, 1905, <i>Athous</i>	156
<i>densatus</i> Reitter, 1910, <i>Pseudanostirus</i>	180
<i>densepubens</i> Pic, 1950, <i>Ptinus</i>	336

densepunctata Español, 1977, <i>Mizodorcatoma</i>	345
densepunctata Nakane & Hisamatsu, 1967, <i>Epuraea</i>	460
densepunctatum Pic, 1923, <i>Megorama</i>	358
<i>densepunctatus</i> Pic, 1936, <i>Sphaericus</i>	338
densepunctatus Pic, 1903, <i>Divales</i>	406
<i>densicornis</i> Mulsant & Rey, 1863, <i>Ernobius</i>	350
densipilis Abeille de Perrin, 1872, <i>Dryophilus</i>	348
densus Arrow, 1925, <i>Anadastus</i>	532
densus Vats & Kashyap, 1993, <i>Lanelater</i>	102
<i>dentanum</i> P. Rossi, 1790, <i>Enoplium</i>	381
dentata Dajoz, 1970, <i>Melanophthalma</i>	647
<i>dentata</i> Thunberg, 1781, <i>Propylea</i>	623
<i>dentata</i> Thunberg, 1795, <i>Propylea</i>	624
dentatithorax Pic, 1907, <i>Danacea</i>	396
dentatofemoralis Wittmer, 1987, <i>Malthinus</i>	278
dentatum Pascoe, 1866, <i>Lyctoxyton</i>	326
dentatus Dajoz, 1973, <i>Anommatus</i>	549
<i>dentatus</i> Geoffroy, 1785, <i>Melasis</i>	84
dentatus Herbst, 1793, <i>Cryptophagus</i>	516
dentatus Kopetz, 2004, <i>Themus</i>	272
<i>dentatus</i> Marsham, 1802, <i>Nausibius</i>	499
dentatus Platia & Schimmel, 1991, <i>Peripontius</i>	111
dentatus Schilsky, 1897, <i>Aplocnemus</i>	410
denticollis Baudi di Selve, 1861, <i>Danacea</i>	396
denticollis Creutzer, 1796, <i>Hadrobregmus</i>	341
<i>denticollis</i> Fabricius, 1794, <i>Denticollis</i>	168
denticollis Germar & Kaulfuss, 1816, <i>Dapsa</i>	563
denticollis Reitter, 1876, <i>Silvanolomus</i>	500
denticollis Schummel, 1844, <i>Cratosilis</i>	248
denticollis W. Redtenbacher, 1842, <i>Phloeostichus</i>	496
denticornis Champion, 1919, <i>Stagetodes</i>	346
<i>denticornis</i> Fabricius, 1792, <i>Xyletinus</i>	360
denticornis Gorham, 1873, <i>Danae</i>	567
denticornis Normand, 1936, <i>Trogoderma</i>	319
<i>denticornis</i> Wittmer, 1951, <i>Micropodabrus</i>	257
denticornis Wittmer, 1986, <i>Anthocomus</i>	439
denticulata Baudi di Selve, 1870, <i>Alfieriella</i>	530
<i>denticulata</i> Kirby, 1837, <i>Corticaria</i>	642
denticulata Pic, 1903, <i>Danacea</i>	396
<i>denticulatus</i> Gyllenhal, 1827, <i>Corticaria</i>	643
denticulatus Heer, 1841, <i>Meligethes</i>	481
<i>denticulatus</i> Heer, 1841, <i>Cryptophagus</i>	519
<i>denticulatus</i> LeConte, 1850, <i>Henoticus</i>	522
<i>denticulatus</i> Preysslner, 1791, <i>Laemophloeus</i>	504
<i>denticulatus</i> W. S. MacLeay, 1825, <i>Nausibius</i>	499
dentifer Kazantsev, 1991, <i>Plateros</i>	219
dentiformis G.-Y. Yu, 1998, <i>Alloneda</i>	606
dentifrons Erichson, 1840, <i>Ceratistes</i>	441
<i>dentipennis</i> Laporte, 1838, <i>Clanoptilus</i>	444
dentipennis Wittmer, 1984, <i>Nepachys</i>	426

dentipes Hisamatsu, 1961, <i>Epuraea</i>	464
dentipes Jelínek, 1978, <i>Physoronia</i>	475
dentipes Raffray, 1873, <i>Allotarsus</i>	400
dentipes Wittmer, 1979, <i>Malthinus</i>	278
dentistylus Wittmer, 1957, <i>Indiebaeus</i>	436
dentiventris Poppius, 1903, <i>Corticaria</i>	642
<i>dentulata</i> Dieke, 1947, <i>Henosepilachna</i>	629
<i>depactus</i> Buysson, 1926, <i>Agriotes</i>	117
depauperatus Wollaston, 1862, <i>Malthinus</i>	278
depexus Peyerimhoff, 1925, <i>Dasytes</i>	401
<i>depictus</i> Buysson, 1913, <i>Cardiophorus</i>	200
<i>depilis</i> Belon, 1895, <i>Dienerella</i>	637
<i>deplanantus</i> Reitter, 1918, <i>Ampedus</i>	121
deplanata Motschulsky, 1860, <i>Epuraea</i>	460
<i>deplanaticeps</i> Pic, 1929, <i>Colotes</i>	427
deplanatum Gyllenhal, 1827, <i>Cerylon</i>	553
deplanatus Pic, 1954, <i>Myrmecoptinus</i>	332
deplanatus Wollaston, 1862, <i>Xenoscelis</i>	537
deportata Fairmaire, 1876, <i>Cantharis</i>	241
deportatus Peyerimhoff, 1929, <i>Dasytidius</i>	389
depremerus Vats & Chauchan, 1992, <i>Glyphonyx</i>	109
<i>depressa</i> C. G. Thomson, 1871, <i>Corticaria</i>	644
<i>depressa</i> Illiger, 1798, <i>Epuraea</i>	459
<i>depressa</i> Linnaeus, 1758, <i>Omosita</i>	474
<i>depressa</i> Mulsant & Rey, 1868, <i>Globicornis</i>	316
<i>depressicollis</i> Fleutiaux, 1933, <i>Melanotus</i>	143
<i>depressicollis</i> Schilsky, 1897, <i>Aplocnemus</i>	410
<i>depressicornis</i> Motschulsky, 1860, <i>Selatosomus</i>	181
<i>depressifrons</i> Desbrochers des Loges, 1869, <i>Athous</i>	157
<i>depressiuscula</i> Motschulsky, 1854, <i>Lampyris</i>	227
<i>depressiusculus</i> Wollaston, 1867, <i>Nephus</i>	581
<i>depressulus</i> Casey, 1900, <i>Cryptophagus</i>	516
<i>depressum</i> Smith, 1851, <i>Passandra</i>	502
<i>depressus</i> C. G. Thomson, 1863, <i>Cryptophagus</i>	521
<i>depressus</i> Candèze, 1874, <i>Agrypnus</i>	97
<i>depressus</i> Candèze, 1879, <i>Pseudanostirus</i>	180
<i>depressus</i> Curtis, 1833, <i>Holoparamesus</i>	558
<i>depressus</i> Eschscholtz, 1818, <i>Dalopius</i>	119
<i>depressus</i> Fabricius, 1792, <i>Rhizophagus</i>	491
<i>depressus</i> Fabricius, 1775, <i>Cucujus</i>	502
<i>depressus</i> Fischer von Waldheim, 1824, <i>Drapetes</i>	208
<i>depressus</i> Gebler, 1847, <i>Ligmargus</i>	155
<i>depressus</i> Gebler, 1830, <i>Dermestes</i>	302
<i>depressus</i> Germar, 1823, <i>Neopristilophus</i>	178
<i>depressus</i> Grimmer, 1841, <i>Arthrolips</i>	632
<i>depressus</i> Grimmer, 1841, <i>Enicmus</i>	638
<i>depressus</i> Herbst, 1797, <i>Pediacus</i>	502
<i>depressus</i> Platia & Schimmel, 1991, <i>Elathous</i>	164
<i>depressus</i> Reitter, 1889, <i>Airaphilus</i>	498
<i>depressus</i> Reitter, 1872, <i>Xenoscelis</i>	537

<i>depressus</i> Savoyskaya, 1969, <i>Scymniscus</i>	583
<i>depressus</i> Schwarz, 1891, <i>Agriotes</i>	114
<i>depressus</i> Sharp, 1885, <i>Philothermus</i>	554
<i>dequenensis</i> Jing, 1992, <i>Oenopia</i>	622
<i>dequinensis</i> Wittmer, 1997, <i>Themus</i>	272
<i>derisorius</i> Buysson, 1925, <i>Athous</i>	159
<i>dermestoides</i> Fabricius, 1792, <i>Pediacus</i>	502
<i>dermestoides</i> Herbst, 1806, <i>Zoroachros</i>	192
<i>dermestoides</i> Klug, 1842, <i>Thaneroclerus</i>	367
<i>dermestoides</i> Linnaeus, 1767, <i>Trixagus</i>	88
<i>dermestoides</i> Linnaeus, 1761, <i>Elateroides</i>	362
<i>dermestoides</i> Panzer, 1793, <i>Pityophagus</i>	470
<i>dermestoides</i> Piller & Mitterpacher, 1783, <i>Necrobia</i>	382
<i>desbrochersi</i> Buysson, 1890, <i>Agriotes</i>	114
<i>desbrochersi</i> Candèze, 1882, <i>Melanotus</i>	143
<i>desbrochersi</i> Guillebeau, 1892, <i>Olibrus</i>	510
<i>desbrochersi</i> Pic, 1903, <i>Malthodes</i>	287
<i>desbrochersi</i> Platia & Gudenzi, 2004, <i>Dicronychus</i>	204
<i>desbrochersi</i> Reitter, 1884, <i>Ptinus</i>	335
<i>desbrochersi</i> Reitter, 1897, <i>Corynetinus</i>	381
<i>descarpentriesi</i> Jelínek, 1978, <i>Epuraea</i>	465
<i>descarpentriesi</i> Peyerimhoff, 1948, <i>Callotroglops</i>	451
<i>desectum</i> Wollaston, 1861, <i>Lasioderma</i>	357
<i>deserta</i> Dietrich, 1857, <i>Metacantharis</i>	256
<i>deserti</i> J. R. Sahlberg, 1903, <i>Egidyella</i>	311
<i>deserti</i> Semenov, 1891, <i>Phonapate</i>	320
<i>deserti</i> Smirnoff, 1956, <i>Pharoscymnus</i>	571
<i>deserticola</i> Sicard, 1912, <i>Nephus</i>	579
<i>deserticola</i> Wittmer, 1969, <i>Boveycantharis</i>	239
<i>deserticola</i> Wollaston, 1864, <i>Tetrabrachys</i>	574
<i>desertor</i> Candèze, 1873, <i>Hemicrepidius</i>	170
<i>desertor</i> Reitter, 1896, <i>Ptinus</i>	334
<i>desertorum</i> Chobaut, 1899, <i>Analestesa</i>	89
<i>desertorum</i> Dobrzanskiy, 1928, <i>Coelopterus</i>	570
<i>desertorum</i> Gebler, 1841, <i>Exochomus</i>	594
<i>desertorum</i> J. Weise, 1885, <i>Hyperaspis</i>	577
<i>desertorum</i> Lesne, 1905, <i>Thanasimodes</i>	375
<i>desertorum</i> Pic, 1896, <i>Aplocnemus</i>	413
<i>desertorum</i> Reitter, 1887, <i>Dignomus</i>	330
<i>desertorum</i> Rybakow, 1889, <i>Oenopia</i>	621
<i>desertus</i> Barovskij, 1929, <i>Xyletinus</i>	359
<i>desertus</i> Lyubarsky, 1989, <i>Cryptophagus</i>	516
<i>desertus</i> Motschulsky, 1840, <i>Exochomus</i>	594
<i>desgodinsi</i> Platia & Schimmel, 1995, <i>Priopus</i>	152
<i>desgodinsi</i> Ritsema, 1893, <i>Helota</i>	495
<i>desjardinsi</i> Guérin-Méneville, 1838, <i>Trochoideus</i>	567
<i>desjardinsii</i> Guérin-Méneville, 1844, <i>Cryptamorpha</i>	497
<i>desolata</i> Mulsant, 1850, <i>Coelophora</i>	614
<i>dessumi</i> Pic, 1949, <i>Metriorrhynchus</i>	223
<i>destituta</i> J. Weise, 1879, <i>Adalia</i>	605

<i>destructor</i> Burchell, 1822, <i>Bostrychoplites</i>	321
<i>destructor</i> Melsheimer, 1844, <i>Anthrenus</i>	314
<i>detectiventris</i> Pic, 1904, <i>Boveycantharis</i>	239
<i>detectiventris</i> Pic, 1904, <i>Cantharis</i>	245
<i>deubeli</i> Buysson, 1916, <i>Athous</i>	156
<i>deubeli</i> Ganglbauer, 1899, <i>Pityophagus</i>	470
<i>deubeli</i> Ganglbauer, 1897, <i>Cryptophagus</i>	518
<i>deubeli</i> Holdhaus, 1903, <i>Atomaria</i>	525
<i>deubeli</i> Petri, 1912, <i>Rhagonycha</i>	263
<i>deubeli</i> Reitter, 1898, <i>Epuraea</i>	460
<i>deubeli</i> Wittmer, 1970, <i>Malthodes</i>	287
<i>deusta</i> Fairmaire, 1878, <i>Idgia</i>	385
<i>deuvei</i> Dolin & Cate, 2001, <i>Hypnoidus</i>	154
<i>deuvei</i> Wittmer, 1993, <i>Themus</i>	271
<i>devastans</i> Matsumura, 1910, <i>Paracardiophorus</i>	206
<i>devia</i> Lewis, 1887, <i>Triplax</i>	544
<i>deviedmai</i> John, 1965, <i>Thorictus</i>	303
<i>devillei</i> Abeille de Perrin, 1898, <i>Epiphanis</i>	84
<i>devillei</i> Abeille de Perrin, 1898, <i>Malthinus</i>	278
<i>devillei</i> Doderò, 1900, <i>Anommatus</i>	549
<i>devillei</i> Grouvelle, 1912, <i>Meligethes</i>	481
<i>devius</i> Candèze, 1882, <i>Dicronychus</i>	204
<i>dewanus</i> Kishii, 1979, <i>Ampedus</i>	122
<i>dewittei</i> Dajoz, 1970, <i>Melanophthalma</i>	647
<i>dexter</i> Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
<i>deyrollei</i> Jacquelin du Val, 1860, <i>Xenostrogylus</i>	477
<i>deyrollei</i> Murray, 1864, <i>Brachypeplus</i>	478
<i>deyrollei</i> Pic, 1902, <i>Rhagonycha</i>	264
<i>deyrollei</i> Platia & Schimmel, 2002, <i>Melanotus</i>	151
<i>deyrollei</i> Tournier, 1874, <i>Lyctus</i>	327
<i>deyrollii</i> Crotch, 1874, <i>Epilachna</i>	627
<i>dharma</i> Sasaji, 1989, <i>Atomarops</i>	531
<i>dhaulagiriensis</i> Kopetz, 2004, <i>Themus</i>	270
<i>dhudkundensis</i> Kopetz, 2004, <i>Themus</i>	271
<i>dia</i> Reitter, 1898, <i>Cantharis</i>	240
<i>diabolica</i> Canepari, 1997, <i>Oenopia</i>	622
<i>diabolica</i> Reitter, 1895, <i>Cordicantharis</i>	248
<i>diabolicus</i> Abeille de Perrin, 1885, <i>Psiloderes</i>	452
<i>diabolicus</i> Chobaut, 1898, <i>Dasytes</i>	401
<i>diadema</i> Motschulsky, 1849, <i>Dermestes</i>	301
<i>diadematus</i> Chevrolat, 1861, <i>Cybocephalus</i>	489
<i>dianae</i> Mulsant, 1853, <i>Harmonia</i>	615
<i>diaphanus</i> Schilsky, 1897, <i>Aplocnemus</i>	410
<i>diapurus</i> Buysson, 1928, <i>Calambus</i>	176
<i>dibaphoides</i> Buysson, 1887, <i>Ampedus</i>	127
<i>dibaphus</i> Schiödte, 1865, <i>Ampedus</i>	127
<i>dichiapiculus</i> Xiao, 1993, <i>Stethorus</i>	592
<i>dichorionicus</i> X.-F. Pang & Huang, 1986, <i>Scymnus</i>	585
<i>dichosiphonicus</i> Ren & X.-F. Pang, 1994, <i>Nephus</i>	580
<i>dichroa</i> Boieldieu, 1859, <i>Mizodorcatoma</i>	345

<i>dichroa</i> Lewis, 1895, <i>Lycocerus</i>	251
<i>dichroa</i> Lewis, 1891, <i>Allochotes</i>	381
<i>dichroa</i> Marseul, 1864, <i>Cantharis</i>	241
<i>dichroa</i> Reitter, 1896, <i>Sternodea</i>	514
<i>dichroa</i> Reitter, 1888, <i>Atomaria</i>	525
<i>dichroicolor</i> Buysson, 1914, <i>Melanotus</i>	150
<i>dichroides</i> Platia & Gudenzi, 1999, <i>Melanotus</i>	143
<i>dichroma</i> Reiche, 1861, <i>Cantharis</i>	241
<i>dichromus</i> Candèze, 1863, <i>Denticollis</i>	168
<i>dichroum</i> Reitter, 1900, <i>Phradonoma</i>	318
<i>dichrous</i> Erichson, 1841, <i>Melanotus</i>	143
<i>dichrous</i> LeConte, 1854, <i>Attagenus</i>	310
<i>dichrous</i> Roth, 1851, <i>Attagenus</i>	308
<i>dicorycus</i> X.-F. Pang & Huang, 1986, <i>Scymnus</i>	585
<i>dictyoderus</i> Doderò, 1900, <i>Anommatus</i>	549
<i>didyma</i> O. F. Müller, 1776, <i>Adalia</i>	604
<i>didymae</i> Evers, 1962, <i>Attalus</i>	422
<i>didymus</i> Herbst, 1797, <i>Scymnus</i>	589
<i>diecki</i> Reitter, 1871, <i>Meligethes</i>	479
<i>diecki</i> Reitter, 1877, <i>Monotoma</i>	494
<i>diecki</i> Reitter, 1875, <i>Anommatus</i>	549
<i>diecki</i> Reitter, 1875, <i>Corticaria</i>	642
<i>dieckmanni</i> Audisio & Jelinek, 1984, <i>Meligethes</i>	481
<i>dieckmanni</i> Vogt, 1967, <i>Phalacrus</i>	511
<i>dieneri</i> Kaszab, 1955, <i>Malthodes</i>	287
<i>dieneri</i> Reitter, 1911, <i>Agaricophilus</i>	566
<i>dietzi</i> Roelofs, 1946, <i>Cantharis</i>	244
<i>differens</i> Cobos, 1983, <i>Cardiophorus</i>	202
<i>difficile</i> Lewis, 1894, <i>Menoko</i>	188
<i>difficilis</i> Dufour, 1843, <i>Athous</i>	161
<i>difficilis</i> Escherich, 1894, <i>Trichodes</i>	379
<i>difficilis</i> Fleutiaux, 1947, <i>Cardiotarsus</i>	203
<i>difficilis</i> Halstead, 1973, <i>Silvanus</i>	500
<i>difficilis</i> Heer, 1841, <i>Meligethes</i>	481
<i>difficilis</i> Holdhaus, 1923, <i>Aplocnemus</i>	410
<i>difficilis</i> Kopetz, 2004, <i>Themus</i>	272
<i>difficilis</i> Lewis, 1894, <i>Adelocera</i>	95
<i>difficilis</i> Pic, 1906, <i>Trixagus</i>	88
<i>difficilis</i> Schenkling, 1912, <i>Opilo</i>	373
<i>difficilis</i> Tournier, 1889, <i>Olibrus</i>	510
<i>difformis</i> Lacordaire, 1835, <i>Athous</i>	161
<i>diffusa</i> C. N. F. Brisout de Barneville, 1863, <i>Epuraea</i>	460
<i>diffusa</i> Wittmer & Magis, 1978, <i>Islamocantharis</i>	248
<i>diffusus</i> Buysson, 1929, <i>Ctenicera</i>	176
<i>diffusus</i> Kiesenwetter, 1866, <i>Malthinus</i>	278
<i>diffusus</i> Wittmer, 1983, <i>Micropodabrus</i>	257
<i>diffusus</i> Wittmer, 1974, <i>Stenothemus</i>	269
<i>dignoscus</i> Schimmel, 2003, <i>Xanthopenthes</i>	139
<i>dignus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>digoniensis</i> Pic, 1914, <i>Cantharis</i>	241

<i>dilatata</i> Fabricius, 1775, <i>Megalocaria</i>	619
<i>dilatata</i> L. Redtenbacher, 1849, <i>Cantharis</i>	245
<i>dilatata</i> Reitter, 1889, <i>Xylogenes</i>	324
<i>dilatata</i> Reitter, 1889, <i>Atomaria</i>	527
<i>dilataticornis</i> Pic, 1929, <i>Ptinus</i>	334
<i>dilataticoxis</i> Buysson, 1904, <i>Agriotes</i>	114
<i>dilatatus</i> Champion, 1924, <i>Sphaerostilbus</i>	506
<i>dilatatus</i> Miwa, 1928, <i>Pseudanostirus</i>	180
<i>dilatatus</i> Platia & Schimmel, 1993, <i>Silesis</i>	111
<i>dilatatus</i> Reitter, 1901, <i>Aulonothroscus</i>	87
<i>dilatatus</i> Wittmer, 1984, <i>Maltypus</i>	296
<i>dilaticollis</i> Motschulsky, 1860, <i>Podabrus</i>	237
<i>dilaticollis</i> Motschulsky, 1866, <i>Stephostethus</i>	641
<i>dilaticollis</i> Reitter, 1891, <i>Melanotus</i>	144
<i>dilaticollis</i> Tournier, 1872, <i>Cryptophagus</i>	520
<i>dilaticollis</i> Wollaston, 1862, <i>Casapus</i>	329
<i>dilaticornis</i> Germar, 1824, <i>Ceratistes</i>	441
<i>dilaticornis</i> Reitter, 1905, <i>Athous</i>	158
<i>dilatimanus</i> Reitter, 1877, <i>Pocadites</i>	476
<i>dilatipennis</i> Kishii, 1995, <i>Agrypnus</i>	97
<i>dilatipennis</i> Reitter, 1881, <i>Thorictus</i>	303
<i>dilatipennis</i> Reitter, 1894, <i>Trichodes</i>	377
<i>dilatipennis</i> Reitter, 1888, <i>Cryptophagus</i>	516
<i>dilatipennis</i> Reitter, 1878, <i>Corticaria</i>	643
<i>dilatipes</i> Gorham, 1896, <i>Doubledaya</i>	534
<i>dilatipes</i> Wittmer, 1974, <i>Clanoptilus</i>	443
<i>dilectus</i> Normand, 1948, <i>Dasytes</i>	401
<i>dilepismoides</i> X.-F. Pang & Pu, 1988, <i>Nephus</i>	580
<i>dilizhanus</i> Švihla, 1983, <i>Malthodes</i>	287
<i>dilophus</i> Illiger, 1807, <i>Dignomus</i>	330
<i>diluta</i> Erichson, 1846, <i>Atomaria</i>	528
<i>diluta</i> Mannerheim, 1844, <i>Corticaria</i>	644
<i>dilutella</i> Solsky, 1876, <i>Atomaria</i>	529
<i>dilutiangulus</i> Motschulsky, 1860, <i>Denticollis</i>	167
<i>diluticollis</i> Champion, 1924, <i>Stilbomimus</i>	511
<i>diluticollis</i> Grouvelle, 1913, <i>Epuraea</i>	465
<i>diluticollis</i> Reitter, 1890, <i>Drasterius</i>	105
<i>diluticornis</i> Reitter, 1902, <i>Danacaeomimus</i>	394
<i>dilutimembris</i> Buysson, 1911, <i>Ampedus</i>	121
<i>dilutipennis</i> Gerhardt, 1905, <i>Ernobius</i>	350
<i>dilutipes</i> Easton, 1957, <i>Meligethes</i>	481
<i>dilutipes</i> Motschulsky, 1860, <i>Ampedus</i>	122
<i>dilutipes</i> Pic, 1906, <i>Cantharis</i>	240
<i>dilutipes</i> Reitter, 1896, <i>Dasytes</i>	400
<i>dilutipes</i> Reitter, 1909, <i>Brachypterolus</i>	456
<i>dilutitarsis</i> Solsky, 1876, <i>Anamartus</i>	455
<i>dilutus</i> Abeille de Perrin, 1894, <i>Acanthocnemus</i>	384
<i>dilutus</i> Buysson, 1926, <i>Nothodes</i>	166
<i>dilutus</i> Erichson, 1840, <i>Craspedostethus</i>	203
<i>dilutus</i> Illiger, 1807, <i>Athous</i>	159

<i>dilutus</i> Motschulsky, 1853, <i>Malthodes</i>	287
<i>dilutus</i> Motschulsky, 1858, <i>Carpophilus</i>	467
<i>dilutus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>dilutus</i> Reitter, 1874, <i>Cryptophagus</i>	516
<i>dilutus</i> Reitter, 1883, <i>Curelius</i>	530
<i>diluviatus</i> Buysson, 1913, <i>Zoroachros</i>	193
<i>dima</i> Schaufuss, 1863, <i>Dima</i>	183
<i>dimatoides</i> Szombathy, 1910, <i>Csikia</i>	183
<i>dimidia</i> Hope, 1831, <i>Harmonia</i>	615
<i>dimidiata</i> Fabricius, 1781, <i>Harmonia</i>	615
<i>dimidiata</i> Marsham, 1802, <i>Atomaria</i>	526
<i>dimidiaticollis</i> Rosenhauer, 1847, <i>Malthodes</i>	287
<i>dimidiaticrus</i> Fairmaire, 1889, <i>Lycocerus</i>	252
<i>dimidiatipennis</i> Mannerheim, 1844, <i>Atomaria</i>	527
<i>dimidiatipennis</i> Reiche & Sauley, 1857, <i>Peripontius</i>	111
<i>dimidiatipes</i> Reiche & Saulcy, 1857, <i>Boveycanthis</i>	239
<i>dimidiatum</i> Chevrolat, 1874, <i>Stigmatium</i>	375
<i>dimidiatus</i> Drapiez, 1820, <i>Athous</i>	157
<i>dimidiatus</i> Fabricius, 1792, <i>Carpophilus</i>	467
<i>dimidiatus</i> Gistel, 1857, <i>Athous</i>	163
<i>dimidiatus</i> Hauser, 1894, <i>Anthrenus</i>	312
<i>dimidiatus</i> Heer, 1841, <i>Carpophilus</i>	466
<i>dimidiatus</i> P. H. Lucas, 1846, <i>Cebrio</i>	90
<i>dimidiatus</i> Peyron, 1857, <i>Thorictus</i>	303
<i>dimidiatus</i> Plavilshchikov, 1924, <i>Laius</i>	417
<i>dimidiatus</i> Sakai, 1984, <i>Gastrallus</i>	340
<i>dimidiatus</i> Steven, 1808, <i>Dermestes</i>	300
<i>dimidiatus</i> Sturm, 1807, <i>Ephistemus</i>	530
<i>diminutus</i> Abeille de Perrin, 1885, <i>Troglops</i>	453
<i>dimorphus</i> Abeille de Perrin, 1881, <i>Micrinus</i>	450
<i>dimorphus</i> Reitter, 1918, <i>Ampedus</i>	122
<i>dimorphus</i> Wittmer, 1935, <i>Malthinus</i>	278
<i>dinghushanensis</i> Tian, 1996, <i>Cybocephalus</i>	489
<i>dionea</i> Mulsant, 1856, <i>Propylea</i>	623
<i>diplogrammus</i> Orlov, 1994, <i>Athous</i>	158
<i>dipterygicus</i> Ren & X.-F. Pang, 1995, <i>Scymnus</i>	589
<i>dirangensis</i> Garg & Vasu, 1996, <i>Priopus</i>	152
<i>disca</i> Gerstaecker, 1858, <i>Lycoperdina</i>	565
<i>discalis</i> Lewis, 1887, <i>Tritoma</i>	545
<i>disca</i> Nakane, 1986, <i>Tritoma</i>	545
<i>disca</i> Buysson, 1896, <i>Ampedus</i>	123
<i>discedens</i> Blackburn, 1888, <i>Lyctus</i>	327
<i>discedens</i> Jacquelin du Val, 1859, <i>Arthrolips</i>	632
<i>discendens</i> Champenois, 1900, <i>Trichodes</i>	378
<i>discendens</i> Schilsky, 1897, <i>Divales</i>	406
<i>discicollis</i> Baudi di Selve, 1859, <i>Malthodes</i>	287
<i>discicollis</i> Brullé, 1832, <i>Cantharis</i>	245
<i>discicollis</i> Herbst, 1806, <i>Cardiophorus</i>	196
<i>discicollis</i> Kiesenwetter, 1874, <i>Pyrocoelia</i>	228
<i>discicollis</i> Lewis, 1887, <i>Triplax</i>	544

<i>discicollis</i> Morawitz, 1861, <i>Xyletinus</i>	361
<i>discicollis</i> Reitter, 1904, <i>Triplax</i>	544
<i>discifer</i> Abeille de Perrin, 1881, <i>Hypebaeina</i>	433
<i>discimacula</i> Della Beffa, 1913, <i>Myrrha</i>	620
<i>discimacula</i> Mulsant, 1846, <i>Rhyzobius</i>	573
<i>discimaculata</i> Mader, 1939, <i>Pharaxonotha</i>	536
<i>discobirufa</i> Pic, 1946, <i>Rhagonycha</i>	266
<i>discoidalis</i> Fairmaire, 1891, <i>Tillus</i>	369
<i>discoidalis</i> Fowler, 1908, <i>Languriophasma</i>	534
<i>discoidalis</i> Grouvelle, 1913, <i>Monanus</i>	499
<i>discoidalis</i> Pic, 1913, <i>Ctenicera</i>	177
<i>discoidalis</i> Pic, 1928, <i>Tenerus</i>	384
<i>discoidea</i> Ahrens, 1812, <i>Metacantharis</i>	255
<i>discoidea</i> Fabricius, 1775, <i>Omosita</i>	474
<i>discoidea</i> Stephens, 1839, <i>Cantharis</i>	243
<i>discoideus</i> Erichson, 1845, <i>Meligethes</i>	481
<i>discoideus</i> Illiger, 1798, <i>Scymnus</i>	588
<i>discoideus</i> Küster, 1852, <i>Olibrus</i>	508
<i>discolor</i> Baudi di Selve, 1873, <i>Cratosilis</i>	248
<i>discolor</i> Desmarest, 1860, <i>Phloiocopus</i>	374
<i>discolor</i> Erichson, 1843, <i>Amphicrossus</i>	459
<i>discolor</i> Fabricius, 1798, <i>Micraspis</i>	620
<i>discolor</i> Faldermann, 1839, <i>Ptilinus</i>	356
<i>discolor</i> Gmelin, 1790, <i>Melanotus</i>	150
<i>discolor</i> Reitter, 1896, <i>Brachyleptus</i>	456
<i>discolor</i> Reitter, 1872, <i>Meligethes</i>	487
<i>discolor</i> Rosenhauer, 1856, <i>Gloeosoma</i>	635
<i>discolor</i> Waltl, 1838, <i>Epuraea</i>	465
<i>discoluteus</i> Pic, 1925, <i>Attalus</i>	421
<i>disconiger</i> Pic, 1906, <i>Xyletinus</i>	361
<i>discopterus</i> Smirnoff, 1956, <i>Pharoscymnus</i>	570
<i>discordia</i> Kapur, 1951, <i>Chnootriba</i>	626
<i>discors</i> Barovskij, 1927, <i>Exochomus</i>	594
<i>discors</i> Reitter, 1904, <i>Athous</i>	160
<i>discotestacea</i> Pic, 1905, <i>Cantharis</i>	241
<i>discotestacea</i> Pic, 1905, <i>Cantharis</i>	243
<i>discrepans</i> Dolin & Latifi, 1989, <i>Melanotus</i>	144
<i>discrepans</i> Gorham, 1892, <i>Teneropsis</i>	383
<i>discrepans</i> Szombathy, 1910, <i>Athous</i>	162
<i>discreta</i> Bourgeois, 1887, <i>Podistra</i>	259
<i>discretus</i> Gorham, 1895, <i>Achaetomalachius</i>	388
<i>disgamus</i> Buysson, 1902, <i>Cardiophorus</i>	202
<i>disinlei</i> Kolibáč, 1992, <i>Isoclerus</i>	366
<i>disjectum</i> Champion, 1923, <i>Nosodendron</i>	299
<i>disjuncta</i> Barovskij, 1926, <i>Occathemus</i>	258
<i>disjuncta</i> Randall, 1838, <i>Adalia</i>	602
<i>disjunctus</i> Canepari, 1997, <i>Priscibrumus</i>	595
<i>disjunctus</i> Mader, 1936, <i>Bolbomorphus</i>	560
<i>disjunctus</i> Pic, 1926, <i>Orthrius</i>	374
<i>dispar</i> Baudi di Selve, 1870, <i>Thorictus</i>	303

<i>dispar</i> D. H. Schneider, 1792, <i>Adalia</i>	602
<i>dispar</i> Fabricius, 1792, <i>Cantharis</i>	242
<i>dispar</i> Fåhraeus, 1871, <i>Apate</i>	320
<i>dispar</i> Fairmaire, 1857, <i>Lampyroidea</i>	231
<i>dispar</i> Fairmaire, 1859, <i>Cyrtosus</i>	447
<i>dispar</i> Germar, 1824, <i>Malthodes</i>	287
<i>dispar</i> L. Redtenbacher, 1843, <i>Attagenus</i>	308
<i>dispar</i> Paykull, 1800, <i>Denticollis</i>	167
<i>dispar</i> Paykull, 1798, <i>Cantharis</i>	242
<i>dispar</i> Paykull, 1800, <i>Rhizophagus</i>	492
<i>dispar</i> Pic, 1895, <i>Ptinus</i>	334
<i>dispar</i> Schilsky, 1896, <i>Chaetomalachius</i>	389
<i>dispar</i> Sharp, 1902, <i>Trogoderma</i>	319
<i>dispar</i> Wollaston, 1862, <i>Dasytes</i>	404
<i>disparipennis</i> Bourgeois, 1900, <i>Metacantharis</i>	255
<i>dispersus</i> Pic, 1930, <i>Ptinomorphus</i>	354
<i>disputans</i> Walker, 1858, <i>Lyctus</i>	327
<i>disruptus</i> Baudi di Selve, 1874, <i>Oligomerus</i>	342
<i>dissecta</i> Mulsant, 1850, <i>Propylea</i>	623
<i>dissector</i> Kirby, 1837, <i>Dermestes</i>	302
<i>dissectus</i> G. Yu, 1994, <i>Cybocephalus</i>	489
<i>disselasmatus</i> X.-F. Pang & Huang, 1986, <i>Pseudoscymnus</i>	582
<i>dissimilis</i> Baudi di Selve, 1873, <i>Clanoptilus</i>	445
<i>dissimilis</i> Matthews, 1887, <i>Parafallia</i>	557
<i>dissimulatus</i> Thomas, 1988, <i>Cryptolestes</i>	503
<i>dissipata</i> Gemminger, 1870, <i>Cantharis</i>	241
<i>dissolobus</i> X.-F. Pang & Huang, 1985, <i>Scymnus</i>	589
<i>distans</i> C. G. Thomson, 1864, <i>Malthodes</i>	291
<i>distans</i> J. Weise, 1879, <i>Adalia</i>	602
<i>distenda</i> Wittmer, 1997, <i>Podosilis</i>	275
<i>distigma</i> Klug, 1835, <i>Chilocorus</i>	593
<i>distincta</i> Dajoz, 1970, <i>Corticaria</i>	642
<i>distincta</i> Faldermann, 1837, <i>Coccinella</i>	611
<i>distincta</i> Grimmer, 1841, <i>Epuraea</i>	460
<i>distincta</i> Kalík, 1954, <i>Phradonoma</i>	318
<i>distincta</i> L. Redtenbacher, 1843, <i>Ceratomegilla</i>	609
<i>distincta</i> P. H. Lucas, 1846, <i>Danacea</i>	396
<i>distincta</i> Ritsema, 1914, <i>Helota</i>	495
<i>distincta</i> White, 1849, <i>Tilloidea</i>	369
<i>distincticollis</i> Pic, 1907, <i>Drilus</i>	209
<i>distincticollis</i> Pic, 1905, <i>Podabrus</i>	237
<i>distincticollis</i> Pic, 1906, <i>Cantharis</i>	240
<i>distincticollis</i> Roubal, 1933, <i>Latridius</i>	639
<i>distincticornis</i> Roubal, 1913, <i>Atomaria</i>	528
<i>distinctipes</i> Pic, 1955, <i>Lycocerus</i>	252
<i>distinctipes</i> Pic, 1905, <i>Rhagonycha</i>	265
<i>distinctipes</i> Pic, 1901, <i>Malthinus</i>	283
<i>distinctipes</i> Pic, 1908, <i>Aplocnemus</i>	409
<i>distinctipes</i> Pic, 1908, <i>Clanoptilus</i>	445
<i>distinctithorax</i> Desbrochers des Loges, 1873, <i>Athous</i>	161

distinctithorax Pic, 1901, <i>Malthodes</i>	288
distinctus Arrow, 1925, <i>Anadastus</i>	532
distinctus Arrow, 1923, <i>Indalmus</i>	564
<i>distinctus</i> Brullé, 1832, <i>Exochomus</i>	594
distinctus Corporaal, 1939, <i>Callimerus</i>	371
distinctus Dodero, 1900, <i>Anommatus</i>	549
<i>distinctus</i> Fleutiaux, 1935, <i>Adelocera</i>	96
distinctus Lesne, 1898, <i>Dinoderus</i>	325
<i>distinctus</i> Mulsant & Rey, 1868, <i>Attagenus</i>	308
<i>distinctus</i> Mulsant & Rey, 1867, <i>Attalus</i>	420
distinctus Pic, 1901, <i>Malthodes</i>	288
distinctus Rai, 1967, <i>Xylopsocus</i>	325
<i>distinctus</i> Roubal, 1946, <i>Olibrus</i>	509
distinctus Sturm, 1845, <i>Meligethes</i>	481
distinguenda Baudi di Selve, 1859, <i>Cratosilis</i>	248
distinguenda Comolli, 1837, <i>Melanophthalma</i>	648
<i>distinguenda</i> Gautier des Cottés, 1872, <i>Cantharis</i>	242
distinguendus Fairmaire, 1866, <i>Cebrio</i>	90
distinguendus Jacquelin du Val, 1860, <i>Enicopus</i>	407
distinguendus Kofler, 1970, <i>Xyletinus</i>	360
distinguendus Pic, 1930, <i>Dasytes</i>	401
distinguendus Sturm, 1845, <i>Cryptophagus</i>	516
distorticornis Champion, 1925, <i>Ichthyurus</i>	297
<i>divaricata</i> A. G. Olivier, 1808, <i>Coccinella</i>	612
<i>divaricatus</i> Desbrochers des Loges, 1865, <i>Procraerus</i>	138
divaricatus Grouvelle, 1893, <i>Cryptolestes</i>	503
divergens Cobos, 1983, <i>Cardiophorus</i>	202
<i>divergens</i> Grouvelle, 1908, <i>Passandrophloeus</i>	505
<i>divergens</i> Reitter, 1905, <i>Athous</i>	161
diversa Pic, 1921, <i>Ancyrona</i>	365
diversecostatus Pic, 1915, <i>Pristolycus</i>	230
<i>diversenotata</i> Pic, 1913, <i>Metacantharis</i>	255
<i>diversenotatus</i> Pic, 1917, <i>Glischrochilus</i>	470
<i>diversepunctatus</i> Pic, 1914, <i>Ernobius</i>	351
<i>diversepunctatus</i> Pic, 1920, <i>Procerallus</i>	387
<i>diversesculpturata</i> Roubal, 1934, <i>Dorcatoma</i>	344
diversicollis Chobaut, 1898, <i>Attalus</i>	421
<i>diversicollis</i> Pic, 1942, <i>Laterialis</i>	215
diversicollis Pic, 1925, <i>Cautires</i>	222
<i>diversicollis</i> Pic, 1937, <i>Pyrocoelia</i>	229
<i>diversicollis</i> Pic, 1906, <i>Malthinus</i>	279
diversicollis Pic, 1940, <i>Dignomus</i>	330
<i>diversicollis</i> Pic, 1922, <i>Tetrabrachys</i>	575
<i>diversicolor</i> Pic, 1905, <i>Malthinus</i>	283
diversicornis Pic, 1905, <i>Phyllocerus</i>	81
<i>diversicornis</i> Pic, 1926, <i>Ponyalis</i>	218
diversicornis Pic, 1904, <i>Cyrtosus</i>	446
diversicornis Pic, 1932, <i>Haplomalachius</i>	447
<i>diversihamata</i> Pic, 1922, <i>Podosilis</i>	275
diversimembris Pic, 1937, <i>Dasytidius</i>	389

<i>diversimembris</i> Pic, 1925, <i>Dasytes</i>	404
<i>diversipedoides</i> Wittmer, 1996, <i>Condylops</i>	437
<i>diversipennis</i> Champion, 1922, <i>Hypebaeus</i>	434
<i>diversipennis</i> Pic, 1922, <i>Dilophotes</i>	212
<i>diversipennis</i> Pic, 1921, <i>Propyropterus</i>	216
<i>diversipennis</i> Pic, 1922, <i>Micropodabrus</i>	257
<i>diversipennis</i> Pic, 1921, <i>Rhagonycha</i>	263
<i>diversipennis</i> Pic, 1907, <i>Ptinus</i>	334
<i>diversipennis</i> Pic, 1915, <i>Indiattalus</i>	436
<i>diversipennis</i> Pic, 1906, <i>Charopus</i>	441
<i>diversipennis</i> Reitter, 1910, <i>Pseudanostirus</i>	180
<i>diversipes</i> Abeille de Perrin, 1893, <i>Malachius</i>	448
<i>diversipes</i> Pic, 1905, <i>Rhagonycha</i>	263
<i>diversipes</i> Pic, 1908, <i>Rhagonycha</i>	268
<i>diversipes</i> Pic, 1947, <i>Themus</i>	270
<i>diversipes</i> Pic, 1922, <i>Dasytidius</i>	389
<i>diversipes</i> Pic, 1917, <i>Mimothrix</i>	392
<i>diversipes</i> Pic, 1936, <i>Danacea</i>	396
<i>diversipes</i> Pic, 1912, <i>Cyrtosus</i>	446
<i>diversipes</i> Schenkling, 1916, <i>Stigmatium</i>	374
<i>diversistylus</i> Pic, 1909, <i>Malthodes</i>	285
<i>diversithorax</i> Pic, 1901, <i>Malthinus</i>	282
<i>diversiventris</i> Pic, 1903, <i>Malthodes</i>	288
<i>diversus</i> Fleutiaux, 1933, <i>Priopus</i>	152
<i>diversus</i> Pic, 1930, <i>Episernus</i>	349
<i>diversus</i> Pic, 1933, <i>Cephaloncus</i>	452
<i>diversus</i> Schilsky, 1897, <i>Aplocnemus</i>	409
<i>diversus</i> Schilsky, 1893, <i>Meligethes</i>	481
<i>dives</i> Reitter, 1872, <i>Meligethes</i>	480
<i>divisa</i> Dahlgren, 1972, <i>Rhagonycha</i>	263
<i>divisa</i> E. C. Rye, 1876, <i>Atomaria</i>	527
<i>divisus</i> Chevrolat, 1874, <i>Cebrio</i>	90
<i>dlabolai</i> Wittmer, 1968, <i>Troglocollops</i>	419
<i>dlabolai</i> Wittmer, 1979, <i>Clanoptilus</i>	445
<i>dobrzhanskii</i> Barovskij, 1926, <i>Cantharis</i>	241
<i>dobzhanskii</i> C.-F. Wu, 1938, <i>Coccinella</i>	611
<i>dobzhanskyi</i> Dieke, 1947, <i>Epilachna</i>	627
<i>docilis</i> Kiesenwetter, 1852, <i>Charopus</i>	441
<i>doctoris</i> Pic, 1909, <i>Rhagonycha</i>	265
<i>doctoris</i> Pic, 1935, <i>Malthodes</i>	288
<i>dodecaspilota</i> Hope, 1831, <i>Alloneda</i>	606
<i>dodecostigma</i> Mulsant, 1850, <i>Henosepilachna</i>	630
<i>doderoi</i> Binaghi, 1940, <i>Ctenicera</i>	177
<i>doderoi</i> Binaghi, 1941, <i>Anommatus</i>	549
<i>doderoi</i> Bourgeois, 1903, <i>Malthodes</i>	288
<i>doderoi</i> Capra, 1944, <i>Ceratomegilla</i>	609
<i>doderoi</i> Escalera, 1942, <i>Thorictus</i>	303
<i>doderoi</i> Escalera, 1926, <i>Axinotarsus</i>	440
<i>doderoi</i> Español, 1945, <i>Abromus</i>	549
<i>doderoi</i> Leoni, 1906, <i>Cebrio</i>	93

doderoi Luigioni, 1926, <i>Enoplium</i>	381
doderoi Méquignon, 1925, <i>Rhizophagus</i>	492
doderoi Peyerimhoff, 1917, <i>Microstagetus</i>	631
doderoi Pic, 1924, <i>Dasytes</i>	401
doderoi Reitter, 1898, <i>Arthrolips</i>	632
doemmlingi Meier, 1899, <i>Dermestes</i>	300
doemmlingi Meier, 1899, <i>Adalia</i>	602
doemmlingi Meier, 1897, <i>Hippodamia</i>	616
doggeri Vats & Chauhan, 1991, <i>Cardiophorus</i>	196
dogueti Constantin, 1979, <i>Malthinus</i>	278
dohertyi Arrow, 1925, <i>Anadastus</i>	532
dohertyi Gorham, 1897, <i>Eucteanus</i>	561
dohrni Bethe, 1868, <i>Trixagus</i>	88
dohrni Candèze, 1878, <i>Conoderus</i>	104
dohrni Flach, 1888, <i>Olibrus</i>	508
dohrniana Mulsant, 1856, <i>Anisosticta</i>	600
dohrnii Matthews, 1899, <i>Rypobius</i>	635
dohrnii Westwood, 1848, <i>Campsosternus</i>	94
doii Miwa, 1927, <i>Ampedus</i>	122
dolens Rosenhauer, 1856, <i>Dasytes</i>	401
dolichonychus G.-Y. Yu & X.-F. Pang, 1995, <i>Scymnus</i>	589
dolini Agajev, 1985, <i>Prosternon</i>	180
dolini Atamuradov, 1990, <i>Melanotus</i>	144
dolini Mardjanian, 1985, <i>Cardiophorus</i>	196
dolini Schimmel, 1996, <i>Dima</i>	183
dolini Schimmel, 1998, <i>Penia</i>	185
dolini Švihla, 1995, <i>Rhagonycha</i>	263
dolini Wellschmied, 1978, <i>Adrastus</i>	108
dolini Wittmer, 1995, <i>Ebaeus</i>	430
dolini Wittmer, 1992, <i>Clanomalachius</i>	442
dolini Zahradník, 1997, <i>Xyletinus</i>	360
dollfusi Pic, 1938, <i>Colotes</i>	427
dolorosus Abeille de Perrin, 1885, <i>Cyrtosus</i>	446
dolosa Kirejtshuk, 1995, <i>Epuraea</i>	461
dolosa Kleine, 1924, <i>Ponyalis</i>	218
dolosus Crotch, 1867, <i>Alestrus</i>	120
dolphukangensis Kopetz, 2004, <i>Themus</i>	271
domesticus Geoffroy, 1785, <i>Anobium</i>	339
domesticus Germar, 1824, <i>Dermestes</i>	299
domesticus Hubenthal, 1920, <i>Cryptophagus</i>	519
domesticus Sturm, 1837, <i>Opilo</i>	373
domiduca J. Weise, 1879, <i>Coccinella</i>	611
domina Reitter, 1873, <i>Epuraea</i>	460
dominator Kleine, 1925, <i>Macrolycus</i>	213
dominica Fabricius, 1792, <i>Rhyzopertha</i>	326
dominicana Fabricius, 1801, <i>Xylothrips</i>	325
dominula Heyden, 1883, <i>Anatis</i>	606
dommeri Rosenhauer, 1856, <i>Mizodorcatoma</i>	345
domuum Wollaston, 1854, <i>Symbiotes</i>	560
donacioides Wollaston, 1854, <i>Placonotus</i>	505

donceeli Pic, 1908, <i>Attalus</i>	421
donckieri Pic, 1906, <i>Paradiscodon</i>	275
donckieri Pic, 1906, <i>Podosilis</i>	275
donckieri Ritsema, 1907, <i>Helota</i>	495
dongchuanensis C. Cao & Xiao, 1984, <i>Stethorus</i>	592
dongchuanensis Schimmel, 2004, <i>Megapenthes</i>	137
dongchuanensis Wittmer, 1995, <i>Condylops</i>	437
dongchuanus Wittmer, 1995, <i>Lycocerus</i>	250
<i>dongpaoensis</i> Hoang, 1982, <i>Aspidimerus</i>	575
donjuan Majer, 1996, <i>Mimothrix</i>	392
doramus Wurst & Lange, 1996, <i>Airaphilus</i>	498
<i>dorcatoma</i> Fabricius, 1798, <i>Dorcatoma</i>	344
<i>dorcatoma</i> Illiger, 1798, <i>Dorcatoma</i>	344
dorcatomoides Brenske & Reitter, 1884, <i>Stagetus</i>	346
dorcatomoides J. Weise, 1879, <i>Scymnus</i>	585
<i>dorcatomoides</i> Reitter, 1885, <i>Stagetus</i>	347
dorcoides Reitter, 1874, <i>Nipponophloeus</i>	505
dorgaliensis Buysson, 1912, <i>Athous</i>	161
doriae Baudi di Selve, 1874, <i>Trichodes</i>	377
doriae Baudi di Selve, 1873, <i>Anthocomus</i>	439
doriae Candèze, 1878, <i>Melanoxanthus</i>	137
doriae Capra, 1924, <i>Scymnus</i>	589
doriae Escalera, 1942, <i>Thorictus</i>	303
doriae Fairmaire, 1875, <i>Malthodes</i>	295
dorotae Bielawski, 1982, <i>Scymnus</i>	589
dorotae Bielawski, 1979, <i>Epilachna</i>	627
dorsale Candèze, 1878, <i>Ludioschema</i>	132
<i>dorsale</i> Guillebeau, 1892, <i>Olibrosoma</i>	507
dorsaliformis Reitter, 1897, <i>Cryptophagus</i>	516
<i>dorsalis</i> A. Fleischer, 1900, <i>Scymnus</i>	588
<i>dorsalis</i> C. R. Sahlberg, 1819, <i>Cryptophagus</i>	516
<i>dorsalis</i> Grouvelle, 1915, <i>Phenolia</i>	475
<i>dorsalis</i> Grouvelle, 1897, <i>Brachypeplus</i>	478
<i>dorsalis</i> J. Thomson, 1860, <i>Callimerus</i>	371
<i>dorsalis</i> P. H. Lucas, 1843, <i>Thanasimodes</i>	375
<i>dorsalis</i> Paykull, 1800, <i>Drapetes</i>	208
<i>dorsalis</i> Reitter, 1890, <i>Drasterius</i>	105
<i>dorsalis</i> Reitter, 1884, <i>Cychramus</i>	472
<i>dorsalis</i> Reitter, 1884, <i>Cyllodes</i>	472
<i>dorsalis</i> Schenkling, 1902, <i>Orthrius</i>	374
<i>dorsalis</i> Stephens, 1830, <i>Atomaria</i>	527
<i>dorsalis</i> Walth, 1839, <i>Scymnus</i>	587
dorsatus Mulsant & Rey, 1868, <i>Anthrenus</i>	312
<i>dorsiger</i> Reitter, 1884, <i>Pocadites</i>	476
<i>dorsimacula</i> Fabricius, 1798, <i>Adalia</i>	605
<i>dorsonotata</i> J. Weise, 1879, <i>Adalia</i>	604
<i>dorsonotata</i> Mulsant, 1850, <i>Calvia</i>	608
<i>dorsualis</i> J. Weise, 1892, <i>Scymnus</i>	588
<i>dorytatus</i> X.-F. Pang, 1988, <i>Scymnus</i>	585
dosanko Kishii, 1987, <i>Ampedus</i>	122

<i>doubledayi</i> Mulsant, 1850, <i>Hippodamia</i>	618
doublieri Mulsant, 1846, <i>Oenopia</i>	622
dowgailoi Kazantsev, 1998, <i>Crudosilis</i>	274
dowgailoi Wittmer, 1995, <i>Embrocerus</i>	452
dracoguttata Jing, 1986, <i>Oenopia</i>	622
drahuska Švihla, 2004, <i>Cordicantharis</i>	248
drapeta Reitter, 1909, <i>Epuraea</i>	460
drassicus Wittmer, 1978, <i>Hypebaeus</i>	434
<i>drasteroides</i> Fleutiaux, 1895, <i>Drasterius</i>	106
dravida Sengupta & Pal, 1982, <i>Aspidiphorus</i>	455
drepanicum Xiao, 1993, <i>Serangium</i>	569
dresdensis Herbst, 1792, <i>Dorcatoma</i>	344
drienensis Dahlgren, 1978, <i>Rhagonycha</i>	263
dromedarius Champion, 1926, <i>Micropodabrus</i>	257
dromioides Bourgeois, 1885, <i>Malthinus</i>	278
drouardi Pic, 1923, <i>Nepachys</i>	426
<i>drouardi</i> Pic, 1923, <i>Malachius</i>	449
drurei Pic, 1908, <i>Dicronychus</i>	204
<i>drurei</i> Pic, 1905, <i>Rhagonycha</i>	263
drurei Pic, 1904, <i>Malthinus</i>	278
drusa Marseul, 1870, <i>Lacon</i>	101
drusus Abeille de Perrin, 1892, <i>Brachypterolus</i>	456
druzicus Wittmer, 1986, <i>Clanoptilus</i>	443
dryadella Wurst, 1997, <i>Hylaia</i>	564
dryocoetes Rottenberg, 1871, <i>Malthinus</i>	278
dshesynensis Cherepanov, 1957, <i>Diacanthous</i>	169
dsungaricus Mroczkowski, 1962, <i>Anthrenus</i>	315
<i>dualis</i> Broun, 1914, <i>Cartodere</i>	635
dubatolovi Kazantsev, 1995, <i>Cautires</i>	222
dubatolovi Tshernyshev, 1999, <i>Clanoptilus</i>	445
dubernardi Platia & Schimmel, 2001, <i>Melanotus</i>	144
dubia Dajoz, 1970, <i>Corticaria</i>	642
<i>dubia</i> F. Weber, 1801, <i>Hippodamia</i>	616
dubia Grouvelle, 1890, <i>Cryptarcha</i>	468
<i>dubia</i> Grouvelle, 1894, <i>Aethina</i>	471
<i>dubia</i> J. Weise, 1879, <i>Oenopia</i>	621
<i>dubia</i> Lea, 1921, <i>Mycetaea</i>	567
<i>dubia</i> P. Rossi, 1792, <i>Psoa</i>	328
<i>dubia</i> Schilsky, 1897, <i>Melyris</i>	387
<i>dubia</i> Schilsky, 1897, <i>Danacea</i>	397
<i>dubia</i> Schilsky, 1907, <i>Danacea</i>	399
dubiosa Dieke, 1947, <i>Henosepilachna</i>	629
<i>dubiosa</i> Jakobson, 1911, <i>Danacea</i>	399
dubiosus Platia & Schimmel, 2001, <i>Melanotus</i>	144
dubitabilis Fairmaire, 1871, <i>Cebrio</i>	90
dubitabilis Grouvelle, 1897, <i>Carpophilus</i>	467
dubius Bocáková, 1997, <i>Plateros</i>	219
<i>dubius</i> Fowler, 1889, <i>Ephistemus</i>	530
dubius Gridelli, 1930, <i>Tolyphus</i>	513
dubius Gyllenhal, 1808, <i>Sphindus</i>	455

dubius Mannerheim, 1844, <i>Enicmus</i>	637
dubius Mayer, 1779, <i>Drapetes</i>	208
dubius Motschulsky, 1853, <i>Malthinus</i>	278
dubius P. Rossi, 1790, <i>Cebrio</i>	90
dubius Piller & Mitterpacher, 1783, <i>Farsus</i>	82
dubius Platia & Cate, 1990, <i>Reitterelater</i>	130
dubius Reitter, 1877, <i>Cyllodes</i>	472
<i>dubius</i> Rücker, 1992, <i>Enicmus</i>	638
<i>dubius</i> Schilsky, 1894, <i>Dasytes</i>	405
<i>dubius</i> Schilsky, 1896, <i>Enicopus</i>	407
<i>dubius</i> Scriba, 1790, <i>Tenebroides</i>	365
dubius Sturm, 1837, <i>Ptinus</i>	334
duboisii Peyerimhoff, 1931, <i>Microjulistus</i>	414
dubreuili Reymond, 1956, <i>Trichodes</i>	377
duchainei Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>duchoni</i> Pic, 1914, <i>Dicronychus</i>	205
<i>duchoni</i> Pic, 1911, <i>Lycocerus</i>	250
<i>duclouxi</i> Grouvelle, 1910, <i>Micrambe</i>	522
<i>duclouxi</i> Grouvelle, 1916, <i>Micrambe</i>	522
dudkoi Tshernyshev, 1999, <i>Clanoptilus</i>	445
dufourii Buysson, 1900, <i>Zoroachros</i>	193
dufourii Graells, 1851, <i>Cebrio</i>	90
<i>dufourii</i> Perris, 1857, <i>Troglops</i>	453
<i>dufourii</i> Laboulbène, 1848, <i>Cryptolestes</i>	503
<i>dufourii</i> Latreille, 1807, <i>Lichenophanes</i>	322
<i>duftschmidi</i> Gozis, 1881, <i>Lyctus</i>	327
dulcamarae Scopoli, 1763, <i>Pria</i>	488
<i>dulcis</i> Ledoux, 1833, <i>Dermestoides</i>	381
dumerili Mulsant, 1850, <i>Epilachna</i>	627
dumonti Peyerimhoff, 1929, <i>Attalus</i>	421
<i>dumortieri</i> Mulsant, 1866, <i>Phrynocaria</i>	623
dundai Jelínek, 1995, <i>Aethina</i>	470
dundai Platia & Schimmel, 2001, <i>Melanotus</i>	144
dundai Schimmel, 1993, <i>Ampedus</i>	122
dundai Švihla, 2004, <i>Stenothemus</i>	269
dunensis Rai & Chatterjee, 1964, <i>Xylopertha</i>	324
dunhuangensis Tian, 2001, <i>Cybocephalus</i>	489
<i>duodecimarticulatus</i> Escalera, 1914, <i>Cebrio</i>	93
<i>duodecimgemmata</i> Herbst, 1793, <i>Calvia</i>	608
<i>duodecimguttata</i> Poda von Neuhaus, 1761, <i>Vibidia</i>	599
<i>duodecimguttata</i> Xiao, 1993, <i>Singhikalia</i>	599
<i>duodecimmaculata</i> Canepari, 1997, <i>Sticholotis</i>	571
<i>duodecimmaculata</i> Gebler, 1832, <i>Calvia</i>	608
<i>duodecimmaculatus</i> Araki, 1941, <i>Cyrtomorphus</i>	541
<i>duodecimnotata</i> Fabricius, 1801, <i>Harmonia</i>	615
<i>duodecimpunctata</i> J. Weise, 1910, <i>Sticholotis</i>	571
<i>duodecimpunctata</i> Linnaeus, 1767, <i>Tytthaspis</i>	601
<i>duodecimpunctata</i> Walter, 1882, <i>Propylea</i>	624
<i>duodecimpustulata</i> Dobrzanskiy, 1927, <i>Adalia</i>	602
<i>duodecimpustulata</i> Pontoppidan, 1763, <i>Propylea</i>	624

duodecimpustulatus Schenkling, 1912, <i>Callimerus</i>	371
<i>duodecimsignata</i> Frivaldszky, 1892, <i>Harmonia</i>	615
<i>duodecimpilota</i> Mulsant, 1850, <i>Alloneda</i>	606
duodecimstriatus P. W. J. Müller, 1821, <i>Anommatus</i>	549
<i>duplex</i> Candèze, 1897, <i>Agrypnus</i>	97
<i>duplex</i> Champion, 1921, <i>Intybia</i>	417
<i>duplex</i> Reitter, 1890, <i>Attagenus</i>	308
<i>duplicata</i> Dahlgren, 1968, <i>Rhagonycha</i>	263
<i>duplicatus</i> Kiesenwetter, 1871, <i>Aplocnemus</i>	413
<i>duplicatus</i> Reitter, 1898, <i>Orthoperus</i>	634
<i>duplicatus</i> Waltl, 1839, <i>Cryptolestes</i>	503
<i>duplicatus</i> Wollaston, 1862, <i>Europs</i>	493
<i>duplicipuncta</i> Semenov & Dobrzhanskiy, 1924, <i>Calvia</i>	607
<i>duplimargo</i> Reitter, 1909, <i>Thorictus</i>	305
<i>duplolineatus</i> Champion, 1926, <i>Malthinus</i>	276
<i>duporti</i> Fleutiaux, 1918, <i>Silesis</i>	112
<i>dupplicatus</i> Kolenati, 1846, <i>Clanoptilus</i>	443
<i>dura</i> Reitter, 1884, <i>Epuraea</i>	464
<i>durandi</i> Pardo Alcaide, 1970, <i>Clanoptilus</i>	443
<i>durante</i> Wollaston, 1854, <i>Scymnus</i>	587
<i>durazzo</i> Platia, 1985, <i>Athous</i>	161
<i>dureli</i> Pic, 1951, <i>Opilo</i>	373
<i>dureli</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>dureli</i> Platia & Schimmel, 1995, <i>Priopus</i>	152
<i>durelii</i> Ritsema, 1905, <i>Helota</i>	495
<i>durgae</i> Kapur, 1963, <i>Calvia</i>	608
<i>durula</i> Reitter, 1894, <i>Epuraea</i>	460
<i>durula</i> Reitter, 1919, <i>Epuraea</i>	460
<i>durus</i> Reitter, 1871, <i>Meligethes</i>	484
<i>durus</i> Reitter, 1878, <i>Cryptophagus</i>	517
<i>duryi</i> Walton, 1912, <i>Symbiotes</i>	560
<i>dusaneki</i> Platia, 2003, <i>Athous</i>	161
<i>dusaneki</i> Platia & Gudenzi, 1998, <i>Agriotes</i>	114
<i>dusaneki</i> Platia & Schimmel, 2002, <i>Melanotus</i>	144
<i>dushambicus</i> Wittmer, 1979, <i>Colotes</i>	427
<i>dussauti</i> Fleutiaux, 1918, <i>Ludioschema</i>	133
<i>dussauti</i> Fleutiaux, 1918, <i>Melanotus</i>	144
<i>dusuensis</i> Pic, 1922, <i>Achaetomalachius</i>	388
<i>duvali</i> Lareynie, 1852, <i>Ptinus</i>	334
<i>duvalii</i> Bonvouloir, 1859, <i>Trixagus</i>	88
<i>duvaucelii</i> Mulsant, 1850, <i>Coelophora</i>	614
<i>duvergeri</i> Fürsch, 1985, <i>Hyperaspis</i>	577
<i>dux</i> Abeille de Perrin, 1890, <i>Anthocomus</i>	439
<i>dux</i> Arrow, 1925, <i>Cyrtomorphus</i>	541
<i>dux</i> Gorham, 1873, <i>Lycoperdina</i>	565
<i>dux</i> Iablokoff-Khnzorian, 1974, <i>Mulsanteus</i>	133
<i>duxoides</i> Mader, 1955, <i>Cyrtomorphus</i>	541
<i>dvoraki</i> Švihla, 1995, <i>Rhagonycha</i>	263
<i>dzhungaricus</i> Dolin, 1998, <i>Hypnoidus</i>	154
<i>dzungarica</i> Kazantsev, 1994, <i>Silis</i>	276

dzungaricus Lyubarsky, 2000, <i>Cryptophagus</i>	517
eastoni Jelínek, 1965, <i>Meligethes</i>	484
ebaeiformis Abeille de Perrin, 1900, <i>Colotes</i>	427
ebaeiformis Abeille de Perrin, 1900, <i>Colotes</i>	428
ebeninus Förster, 1849, <i>Meligethes</i>	484
ebeninus Germar, 1824, <i>Cardiophorus</i>	196
eberti Bielawski, 1972, <i>Phrynocaria</i>	623
eberti Wittmer, 1965, <i>Themus</i>	271
ebneri J. Weise, 1926, <i>Scymnus</i>	585
eburifer Peyron, 1877, <i>Callotroglops</i>	451
eburnea Bellier de la Chavignerie, 1870, <i>Vibidia</i>	599
eburneus Bourgeois, 1902, <i>Micropodabrus</i>	257
ecarinatus Garg, 1998, <i>Silesis</i>	111
ecarinatus Stepanov, 1930, <i>Pseudanostirus</i>	180
ecaudatus Peyron, 1877, <i>Attalus</i>	424
echigo Kishii, 1991, <i>Ampedus</i>	122
echigoanus Kishii, 1976, <i>Fleutiauxellus</i>	187
echigoanus Kishii, 1976, <i>Quasimus</i>	190
echigoanus Kishii & Ôhira, 1956, <i>Homotechnes</i>	153
echii Wollaston, 1857, <i>Meligethes</i>	483
echizen Kishii, 2002, <i>Ampedus</i>	122
eckerleini Platia & Gudenzi, 2000, <i>Athous</i>	161
ecoffeti Reiche, 1863, <i>Athous</i>	162
ecorculatus Gurjeva, 1972, <i>Cardiophorus</i>	196
edax Gorham, 1885, <i>Apoleon</i>	326
edentata Wollaston, 1864, <i>Dapsa</i>	563
edentatus Bocáková, 2000, <i>Libnetis</i>	217
edentula Baudi di Selve, 1872, <i>Cantharis</i>	241
edirnensis Platia & Gudenzi, 2000, <i>Athous</i>	161
edithae Reitter, 1888, <i>Atomaria</i>	528
edithae Reitter, 1897, <i>Hypodacne</i>	552
edmei Pic, 1932, <i>Lycocerus</i>	251
edmondi Pic, 1906, <i>Agriotes</i>	115
edmundi Abeille de Perrin, 1894, <i>Ptinus</i>	335
edoughensis Pic, 1897, <i>Dasytes</i>	401
edoughensis Pic, 1897, <i>Aplocnemus</i>	412
eduardi Pic, 1914, <i>Cantharis</i>	246
eduardi Pic, 1910, <i>Ptinus</i>	333
edwardsii Stephens, 1830, <i>Phloiophilus</i>	363
efflatouni Pic, 1921, <i>Thylodrias</i>	306
effractus Achard, 1922, <i>Gerstaeckerus</i>	564
effusa J. Weise, 1885, <i>Hyperaspis</i>	577
effusa J. Weise, 1879, <i>Coccinula</i>	600
effusa Majer, 1989, <i>Haplothrix</i>	392
egena J. Weise, 1887, <i>Anisosticta</i>	600
egens Mulsant, 1850, <i>Henosepilachna</i>	630
egenus Erichson, 1845, <i>Meligethes</i>	481
eglini Wittmer, 1981, <i>Telocarphurus</i>	416
egregium Denisova, 1948, <i>Prosternon</i>	180
egregius Grouvelle, 1892, <i>Glischrochilus</i>	469

<i>egrensis</i> Gradl, 1880, <i>Anatis</i>	606
<i>ehlersii</i> Perez Arcas, 1872, <i>Thorictus</i>	303
<i>eichboffi</i> Seidlitz, 1889, <i>Grynobius</i>	348
<i>eichleri</i> Mader, 1936, <i>Pharoscygnus</i>	570
<i>einsteini</i> Bellés, 1980, <i>Gibbium</i>	329
<i>ejimai</i> Nakane, 1989, <i>Attalus</i>	422
<i>ekaterinae</i> Preiss, 2003, <i>Elathous</i>	164
<i>elaboratus</i> Pic, 1903, <i>Malthodes</i>	288
<i>elaphus</i> Abeille de Perrin, 1890, <i>Malachius</i>	449
<i>elata</i> Mulsant, 1846, <i>Cynegetis</i>	625
<i>elaterii</i> P. Rossi, 1794, <i>Henosepilachna</i>	629
<i>elaterinus</i> A. Villa & G. B. Villa, 1838, <i>Hylis</i>	84
<i>elateroides</i> Charpentier, 1825, <i>Dima</i>	183
<i>elateroides</i> Crotch, 1876, <i>Pentelanguria</i>	535
<i>elateroides</i> Fursov, 1936, <i>Microrhagus</i>	82
<i>elateroides</i> Heer, 1841, <i>Trixagus</i>	88
<i>elateroides</i> Illiger, 1806, <i>Melasis</i>	84
<i>elateroides</i> L. Redtenbacher, 1858, <i>Trixagus</i>	88
<i>elateroides</i> Latreille, 1809, <i>Cerophytum</i>	81
<i>elateroides</i> Ménériés, 1832, <i>Phyllocerus</i>	81
<i>elberti</i> Flach, 1888, <i>Coccinella</i>	611
<i>elbrusicola</i> A. Fleischer, 1915, <i>Ptinus</i>	333
<i>elbursensis</i> Wittmer, 1978, <i>Malthinus</i>	278
<i>elbursi</i> Fürsch, 1981, <i>Scymniscus</i>	583
<i>elbursiaca</i> Winkler, 1982, <i>Tilloidea</i>	369
<i>elbursiaca</i> Wittmer, 1972, <i>Rhagonycha</i>	263
<i>elburzensis</i> Wittmer, 1986, <i>Ebaeus</i>	430
<i>elegans</i> A. G. Olivier, 1790, <i>Clanoptilus</i>	443
<i>elegans</i> Arrow, 1937, <i>Eucteanus</i>	561
<i>elegans</i> Aubé, 1850, <i>Dienerella</i>	637
<i>elegans</i> Buysson, 1891, <i>Limoniscus</i>	165
<i>elegans</i> Candèze, 1878, <i>Conoderus</i>	104
<i>elegans</i> Fursov, 1936, <i>Emmepus</i>	370
<i>elegans</i> Gebler, 1830, <i>Dermestes</i>	300
<i>elegans</i> Grouvelle, 1914, <i>Meligethinus</i>	488
<i>elegans</i> Grouvelle, 1919, <i>Cryptophagus</i>	516
<i>elegans</i> Illiger, 1798, <i>Ptinus</i>	333
<i>elegans</i> Kiesenwetter, 1867, <i>Mauroania</i>	393
<i>elegans</i> Logvinovskiy, 1981, <i>Xestobium</i>	352
<i>elegans</i> M. Chûjô, 1967, <i>Paederolanguria</i>	535
<i>elegans</i> Majer, 1983, <i>Kubanius</i>	413
<i>elegans</i> Nakane & J. R. Winkler, 1952, <i>Dictyoptera</i>	214
<i>elegans</i> Schwarz, 1891, <i>Agriotes</i>	115
<i>elegans</i> Solsky, 1876, <i>Dermestes</i>	300
<i>elegans</i> Spinola, 1844, <i>Trichodes</i>	376
<i>elegans</i> Szombathy, 1910, <i>Priopus</i>	152
<i>elegantula</i> J. Weise, 1890, <i>Coccinula</i>	600
<i>elegantula</i> Reitter, 1890, <i>Dienerella</i>	637
<i>elegantulus</i> Lewis, 1894, <i>Agriotes</i>	114
<i>elegantulus</i> Platia, 2004, <i>Peripontius</i>	111

elegantulus Schönherr, 1817, <i>Ampedus</i>	122
elenacompteae Compte, 1988, <i>Cebrio</i>	90
elenae Fairmaire, 1882, <i>Cebrio</i>	90
elengatulus Spinola, 1844, <i>Trichodes</i>	377
eleonoraе Gené, 1836, <i>Cardiophorus</i>	196
elevata Allen, 1938, <i>Atomaria</i>	527
elevatus Matsumura, 1911, <i>Paraphotistus</i>	179
elevatus Vats & Chauhan, 1992, <i>Adiaphorus</i>	130
eliae Otero, 2002, <i>Cryptophagus</i>	517
eliasi Pic, 1904, <i>Cardiophorus</i>	196
ellenicus Cate & Platia, 1997, <i>Agriotes</i>	114
ellipsoidea Gradl, 1882, <i>Psyllobora</i>	599
elliptica Candèze, 1873, <i>Yukoana</i>	192
elliptica Casey, 1899, <i>Calvia</i>	608
ellipticum Wollaston, 1854, <i>Ploeosoma</i>	554
ellipticus Candèze, 1857, <i>Agrypnus</i>	97
ellipticus Reitter, 1894, <i>Ptinus</i>	336
ellipticus Wollaston, 1864, <i>Cryptophagus</i>	517
ellipticus Wollaston, 1874, <i>Holoparamecus</i>	558
elongantulus Fabricius, 1787, <i>Ampedus</i>	123
elongata Apfelbeck, 1912, <i>Hylaia</i>	564
elongata Baudi di Selve, 1873, <i>Dorcatoma</i>	344
elongata Cameron, 1903, <i>Soronia</i>	476
elongata Curtis, 1830, <i>Dienerella</i>	637
elongata Erichson, 1843, <i>Megauchenia</i>	473
elongata Fabricius, 1801, <i>Tetraphala</i>	535
elongata Fallén, 1807, <i>Rhagonycha</i>	263
elongata Fleutiaux, 1923, <i>Balistica</i>	82
elongata Guérin-Méneville, 1841, <i>Episcaphula</i>	540
elongata Gyllenhal, 1827, <i>Corticaria</i>	642
elongata J. Weise, 1879, <i>Ceratomegilla</i>	609
elongata Kishii, 1970, <i>Yukoana</i>	192
elongata Lacordaire, 1842, <i>Triplax</i>	544
elongata Pic, 1932, <i>Euanoma</i>	210
elongata Reitter, 1875, <i>Aethina</i>	470
elongata Rey, 1889, <i>Monotoma</i>	493
elongata Schilsky, 1897, <i>Trichoceble</i>	414
elongata Tomaszewska, 1999, <i>Danascelis</i>	560
elongaticeps Wittmer, 1972, <i>Lycocerus</i>	250
elongaticollis Pic, 1932, <i>Lycocerus</i>	250
elongaticollis Pic, 1907, <i>Malthinus</i>	278
elongaticornis Pic, 1918, <i>Malthodes</i>	288
elongaticornis Wittmer, 1997, <i>Podosilis</i>	275
elongaticornis Wittmer, 1960, <i>Hypebaeus</i>	434
elongatior Pic, 1955, <i>Themus</i>	271
elongatior Pic, 1919, <i>Dignomus</i>	330
elongatior Pic, 1902, <i>Aplocnemus</i>	411
elongatipennis Pic, 1917, <i>Danacea</i>	395
elongatipes Wittmer, 1972, <i>Rhagonycha</i>	263
elongatissimus Dolin, 1993, <i>Quasimus</i>	190

<i>elongatissimus</i> Escalera, 1914, <i>Cardiophorus</i>	196
<i>elongatissimus</i> Wittmer, 1997, <i>Lycocerus</i>	250
<i>elongatoides</i> Mader, 1941, <i>Triplax</i>	544
<i>elongatula</i> Erichson, 1846, <i>Atomaria</i>	528
<i>elongatulus</i> Duftschmid, 1825, <i>Trogoderma</i>	320
<i>elongatulus</i> Fabricius, 1801, <i>Trogoderma</i>	319
<i>elongatulus</i> Fabricius, 1787, <i>Ampedus</i>	123
<i>elongatulus</i> Lewis, 1895, <i>Attalus</i>	421
<i>elongatulus</i> P. H. Lucas, 1849, <i>Cryptolestes</i>	503
<i>elongatulus</i> T. L. Casey, 1900, <i>Attagenus</i>	308
<i>elongatulus</i> Wollaston, 1865, <i>Aulonothroscus</i>	87
<i>elongatum</i> Erichson, 1846, <i>Leucohimatium</i>	536
<i>elongatum</i> Linnaeus, 1761, <i>Nemozoma</i>	365
<i>elongatus</i> A. G. Olivier, 1790, <i>Rhizophagus</i>	492
<i>elongatus</i> Boieldieu, 1854, <i>Niptodes</i>	332
<i>elongatus</i> C. N. F. Brisout de Barneville, 1866, <i>Athous</i>	160
<i>elongatus</i> Coiffait, 1984, <i>Abromus</i>	548
<i>elongatus</i> Dajoz, 1968, <i>Abromus</i>	548
<i>elongatus</i> Español, 1981, <i>Neoligomerus</i>	342
<i>elongatus</i> Fleutiaux, 1926, <i>Campsosternus</i>	94
<i>elongatus</i> Gyllenhal, 1813, <i>Airaphilus</i>	498
<i>elongatus</i> Hope, 1831, <i>Melanotus</i>	144
<i>elongatus</i> Hope, 1834, <i>Dermestes</i>	301
<i>elongatus</i> Jeng & P.-S. Yang, 1998, <i>Curtos</i>	231
<i>elongatus</i> L. Redtenbacher, 1849, <i>Oedostethus</i>	190
<i>elongatus</i> LeConte, 1854, <i>Dermestes</i>	300
<i>elongatus</i> Linnaeus, 1758, <i>Tillus</i>	369
<i>elongatus</i> Logvinovskiy, 1977, <i>Xyletinus</i>	359
<i>elongatus</i> Marsham, 1802, <i>Agriotes</i>	116
<i>elongatus</i> Miwa, 1929, <i>Cryptalaus</i>	107
<i>elongatus</i> Miyatake, 1985, <i>Xenorthrius</i>	380
<i>elongatus</i> Mulsant & Rey, 1861, <i>Stagetus</i>	346
<i>elongatus</i> Nakane, 1981, <i>Semijulistus</i>	415
<i>elongatus</i> Nakane, 1984, <i>Philothermus</i>	554
<i>elongatus</i> Nakane & Kishii, 1958, <i>Vuilletus</i>	134
<i>elongatus</i> Paykull, 1800, <i>Stephanopachys</i>	326
<i>elongatus</i> Paykull, 1798, <i>Cacotemnus</i>	339
<i>elongatus</i> Pic, 1927, <i>Diaphanes</i>	226
<i>elongatus</i> Pic, 1921, <i>Lycocerus</i>	250
<i>elongatus</i> Pic, 1931, <i>Falsogastrallus</i>	340
<i>elongatus</i> Pic, 1921, <i>Dryophilus</i>	348
<i>elongatus</i> Pic, 1921, <i>Aplocnemus</i>	410
<i>elongatus</i> Rosenhauer, 1856, <i>Meligethes</i>	481
<i>elongatus</i> Savoyskaya, 1968, <i>Scymniscus</i>	583
<i>elongatus</i> Schenkling, 1906, <i>Isoclerus</i>	366
<i>elongatus</i> Sengupta, 1978, <i>Pediacus</i>	502
<i>elongatus</i> T. L. Casey, 1916, <i>Attagenus</i>	308
<i>elongatus</i> Wittmer, 1994, <i>Rhagophthalmus</i>	225
<i>elsasseri</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>eludens</i> Liberti & Schembri, 2002, <i>Danacea</i>	396

elvina Mulsant, 1853, <i>Epilachna</i>	627
elzeari Pic, 1911, <i>Ebaeus</i>	429
elzeari Uhagón, 1901, <i>Attalus</i>	420
emaciatus Candèze, 1860, <i>Athous</i>	158
emaciatus Platia & Gudenzi, 1997, <i>Agriotes</i>	115
emarginata E. A. Chapin, 1926, <i>Telsimia</i>	596
emarginata Grouvelle, 1914, <i>Ancistria</i>	501
emarginata Gyllenhal, 1808, <i>Globicornis</i>	316
emarginatum Duftschmid, 1825, <i>Microbregma</i>	340
emarginatum Ślipiński, 1982, <i>Paracerylon</i>	554
emarginatus Krauss, 1902, <i>Clanoptilus</i>	443
emarginatus Laporte, 1838, <i>Raractocetus</i>	363
emarginatus Miyatake, 1966, <i>Stethorus</i>	592
emarginatus Schilsky, 1895, <i>Dasytes</i>	401
emeiensis Wittmer, 1993, <i>Prothemus</i>	260
emeiensis Wittmer, 1993, <i>Malthinus</i>	278
emeiensis Wittmer, 1994, <i>Carphuroides</i>	415
emeiensis Wittmer, 1999, <i>Attalus</i>	422
emeiensis Wittmer, 1995, <i>Kuatunia</i>	436
emeljanovi Wittmer, 1976, <i>Colotes</i>	427
emerichi Reitter, 1891, <i>Ludioschema</i>	132
emetzi Gottwald, 1977, <i>Xyletinus</i>	360
emgei Reitter, 1884, <i>Dasytidius</i>	389
emgei Reitter, 1887, <i>Cryptolestes</i>	503
emgei Reitter, 1885, <i>Triplax</i>	544
emgei Schwarz, 1893, <i>Elathous</i>	164
emiliae Pic, 1953, <i>Attalus</i>	421
emiliae Pliginsky, 1923, <i>Malthodes</i>	288
emiliae Winkler, 1974, <i>Emmepus</i>	370
emiliae Švihla, 1992, <i>Cantharis</i>	241
emishi Kishii, 1982, <i>Ampedus</i>	123
emishi Kishii, 2004, <i>Ligmargus</i>	155
emmanueli Auroux, 1967, <i>Thalycra</i>	477
emmerichi Mader, 1937, <i>Mimemodes</i>	493
emmerichi Mader, 1938, <i>Mycetina</i>	565
emmerichi Mader, 1933, <i>Oenopia</i>	622
emodi Candèze, 1863, <i>Senodonia</i>	186
emyi Rouget, 1856, <i>Microrhagus</i>	82
encausta J. Weise, 1879, <i>Adalia</i>	605
encaustus Wollaston, 1865, <i>Metopthalmus</i>	639
endocorycus X.-F. Pang & Huang, 1986, <i>Scymnus</i>	589
endomycina Boisduval, 1835, <i>Hysia</i>	619
endomycina Gorham, 1903, <i>Epilachna</i>	627
endroudii Tian, 1995, <i>Cybocephalus</i>	489
enervis E. Olivier, 1909, <i>Pyrocoelia</i>	228
engelhardi B. G. Rye, 1893, <i>Hippodamia</i>	618
enneastigma Fuente, 1907, <i>Henosepilachna</i>	629
enokidoi Takahashi, 1992, <i>Prothemus</i>	260
enormis Hisamatsu, 1962, <i>Cryptophagus</i>	517
ensiculus Abeille de Perrin, 1891, <i>Malachius</i>	448

ensifer Kiesenwetter, 1871, <i>Malthodes</i>	288
<i>ephippiata</i> J. Weise, 1879, <i>Adalia</i>	604
<i>ephippiatus</i> Gorham, 1894, <i>Scymnus</i>	588
<i>ephippiatus</i> Schilsky, 1897, <i>Divales</i>	406
<i>ephippiger</i> Chevrolat, 1874, <i>Trichodes</i>	377
<i>ephippiger</i> L. Redtenbacher, 1843, <i>Malachius</i>	448
<i>ephippiger</i> Brullé, 1832, <i>Cantharis</i>	241
<i>ephippium</i> A. G. Olivier, 1790, <i>Ampedus</i>	127
<i>epipedus</i> Gurjeva, 1985, <i>Corymbitodes</i>	176
<i>epipedus</i> Lyubarsky, 1989, <i>Hypophagus</i>	531
<i>epipleuralis</i> Abeille de Perrin, 1885, <i>Ebaeus</i>	431
<i>epipleuralis</i> Buysson, 1905, <i>Calambus</i>	176
<i>epirus</i> Stierlin, 1875, <i>Athous</i>	161
<i>episcaphoides</i> Gorham, 1883, <i>Aulacochilus</i>	538
<i>episcopalis</i> Kiesenwetter, 1874, <i>Themus</i>	271
<i>epistemoides</i> Wollaston, 1867, <i>Scymnus</i>	583
<i>eppelsheimi</i> Reitter, 1875, <i>Corticaria</i>	643
<i>epuraeoides</i> Grouvelle, 1914, <i>Amystrops</i>	459
<i>epuraeoides</i> Grouvelle, 1908, <i>Epuraea</i>	464
<i>epuraeoides</i> Grouvelle, 1892, <i>Tetrisus</i>	465
<i>epuraeoides</i> Reitter, 1875, <i>Meligethes</i>	481
<i>equestris</i> Fabricius, 1798, <i>Drapetes</i>	207
<i>equestris</i> Fabricius, 1798, <i>Drapetes</i>	208
<i>equestris</i> Fabricius, 1781, <i>Anthocomus</i>	439
<i>equiseti</i> Herbst, 1806, <i>Dicronychus</i>	204
<i>equiseti</i> Herbst, 1784, <i>Dicronychus</i>	204
<i>equiseti</i> Illiger, 1807, <i>Drapetes</i>	208
<i>equiseti</i> Meier, 1900, <i>Hippodamia</i>	616
<i>equisetioides</i> Lohse, 1976, <i>Dicronychus</i>	204
<i>erabu</i> Kishii, 1996, <i>Agrypnus</i>	98
<i>erabu</i> Kishii, 1988, <i>Melanotus</i>	146
<i>erabu</i> Kishii, 1977, <i>Paracardiophorus</i>	206
<i>erabuanus</i> Kishii, 1988, <i>Glyphonyx</i>	110
<i>erabuanus</i> Kishii, 1979, <i>Silesis</i>	112
<i>erabuensis</i> Kishii, 1966, <i>Nanseia</i>	107
<i>erberi</i> Fürsch, 1984, <i>Afidentula</i>	625
<i>erdosi</i> Toskina, 2003, <i>Gastrallus</i>	340
<i>erebus</i> Gurjeva, 1987, <i>Denticollis</i>	167
<i>erectodentatus</i> Wittmer, 1982, <i>Laius</i>	417
<i>erectus</i> Wittmer, 1999, <i>Hypomixis</i>	436
<i>eremicus</i> Peyerimhoff, 1948, <i>Laemophloeus</i>	504
<i>eremita</i> Audisio, 1990, <i>Nitidula</i>	474
<i>eremita</i> Rosenhauer, 1856, <i>Cantharis</i>	242
<i>eremitus</i> A. G. Olivier, 1790, <i>Xylopsocus</i>	325
<i>eremivagus</i> Peyerimhoff, 1943, <i>Attagenus</i>	308
<i>erevanensis</i> Dahlgren, 1985, <i>Rhagonycha</i>	263
<i>erevanicus</i> Zhantiev, 1963, <i>Attagenus</i>	307
<i>ericae</i> Crotch, 1874, <i>Exochomus</i>	594
<i>ericae</i> Schulz, 1899, <i>Hippodamia</i>	616
<i>ericeti</i> Kiesenwetter, 1860, <i>Armidia</i>	238

<i>erichsoni</i> Buysson, 1901, <i>Cardiophorus</i>	201
<i>erichsoni</i> Ganglbauer, 1904, <i>Dermestes</i>	300
<i>erichsoni</i> Reitter, 1888, <i>Cryptophagus</i>	521
<i>erichsoni</i> Rosenhauer, 1846, <i>Laricobius</i>	298
<i>erichsonii</i> Bach, 1852, <i>Ancistronycha</i>	238
<i>erichsonii</i> C. G. Thomson, 1885, <i>Rhizophagus</i>	492
<i>erichsonii</i> C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	482
<i>erichsonii</i> Küster, 1844, <i>Brachemys</i>	451
<i>erichsonii</i> L. Redtenbacher, 1850, <i>Condylops</i>	437
<i>erichsonis</i> Reitter, 1894, <i>Epuraea</i>	461
<i>erimoensis</i> Kazantsev & Takahashi, 2001, <i>Rhagonycha</i>	263
<i>erinaceus</i> Abeille de Perrin, 1890, <i>Malachiomimus</i>	425
<i>erinaceus</i> Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
<i>erithacus</i> Chevrolat, 1864, <i>Euxestus</i>	552
<i>erivanicus</i> Pic, 1912, <i>Clanoptilus</i>	445
<i>erivanus</i> Faldermann, 1835, <i>Synaptus</i>	113
<i>ernesti</i> Chevrolat, 1874, <i>Cebrio</i>	90
<i>ernobiforme</i> Reitter, 1901, <i>Hyperisus</i>	352
<i>erosus</i> Mulsant & Rey, 1868, <i>Aplocnemus</i>	410
<i>erotyloides</i> Strohecker, 1951, <i>Meilichius</i>	561
<i>errans</i> Melsheimer, 1846, <i>Necrobia</i>	382
<i>erraticus</i> Champion, 1922, <i>Thorictodes</i>	302
<i>erratus</i> Champenois, 1898, <i>Trichodes</i>	379
<i>erratus</i> Schilsky, 1895, <i>Dasytes</i>	404
<i>erubescens</i> Eschscholtz, 1829, <i>Ampedus</i>	125
<i>erysimicola</i> Audisio & De Biase, 2001, <i>Meligethes</i>	482
<i>erythrocephala</i> Fabricius, 1787, <i>Hyperaspis</i>	577
<i>erythrocephalus</i> E. Olivier, 1885, <i>Luciola</i>	232
<i>erythrocephalus</i> Fabricius, 1801, <i>Rhizophagus</i>	492
<i>erythroderus</i> Erichson, 1840, <i>Attalus</i>	421
<i>erythrogonus</i> Chevrolat, 1874, <i>Cebrio</i>	90
<i>erythrogonus</i> P. W. J. Müller, 1821, <i>Ampedus</i>	123
<i>erythromela</i> Wiedemann, 1821, <i>Chnootriba</i>	626
<i>erythromelas</i> Gmelin, 1790, <i>Anthocomus</i>	439
<i>erythromelas</i> Küster, 1852, <i>Divales</i>	406
<i>erythromerus</i> Kryzhanovskij, 1960, <i>Eumorphus</i>	564
<i>erythropterus</i> Baudi di Selve, 1871, <i>Xylobanellus</i>	222
<i>erythropterus</i> Chevrolat, 1874, <i>Cebrio</i>	90
<i>erythropterus</i> Erichson, 1840, <i>Malachius</i>	448
<i>erythropterus</i> Gorham, 1883, <i>Dictyoptera</i>	214
<i>erythropterus</i> Nakane, 1967, <i>Macrolycus</i>	213
<i>erythropum</i> Stephens, 1830, <i>Hyperisus</i>	352
<i>erythropus</i> Fischer von Waldheim, 1824, <i>Liotrichus</i>	178
<i>erythropus</i> Gmelin, 1790, <i>Melanotus</i>	150
<i>erythropus</i> Gyllenhal, 1808, <i>Meligethes</i>	480
<i>erythropus</i> Hartung, 1857, <i>Meligethes</i>	487
<i>erythropus</i> Marsham, 1802, <i>Brachypterus</i>	457
<i>erythropus</i> Peyron, 1877, <i>Ebaeus</i>	430
<i>erythropygus</i> Candèze, 1873, <i>Melanotus</i>	144
<i>erythrotricha</i> Hoang, 1978, <i>Epilachna</i>	627

erythrurus Candèze, 1882, <i>Paracardiophorus</i>	206
eryx Candèze, 1874, <i>Cryptalaus</i>	107
esakii Kamiya, 1959, <i>Chilocorus</i>	593
esakii Miwa, 1934, <i>Glyphonyx</i>	109
esakii Sasaji, 1968, <i>Aspidimerus</i>	575
escalerai Bolívar y Pieltain, 1913, <i>Cydistus</i>	224
escalerai Cobos, 1958, <i>Megathous</i>	171
escalerai John, 1965, <i>Thorictus</i>	303
<i>escalerai</i> Kocher, 1956, <i>Attagenus</i>	308
escalerai Mader, 1954, <i>Attagenus</i>	308
<i>escalerai</i> Pardo Alcaide, 1948, <i>Attalus</i>	424
escalerai Pic, 1942, <i>Lygistopterus</i>	224
<i>escalerai</i> Pic, 1908, <i>Aplocnemus</i>	409
<i>escalerai</i> Pic, 1927, <i>Axinotarsus</i>	440
<i>escalerai</i> Pic, 1926, <i>Triplax</i>	543
escalerai Platia & Schimmel, 2001, <i>Melanotus</i>	144
escalerai Wittmer, 1948, <i>Attalus</i>	424
<i>escalerai</i> Wittmer, 1941, <i>Malachius</i>	449
escaleraianus Pardo Alcaide, 1954, <i>Attalus</i>	424
escharipora Lesne, 1906, <i>Dinoderopsis</i>	325
<i>escherichi</i> Kraatz, 1894, <i>Trichodes</i>	379
<i>escherichi</i> Reitter, 1893, <i>Trichodes</i>	377
<i>escherichi</i> Wasmann, 1896, <i>Reitteria</i>	557
eschscholtzi Hope, 1831, <i>Penia</i>	185
eschscholtzii Faldermann, 1835, <i>Anostirus</i>	174
<i>escolai</i> Otero & González, 1983, <i>Cryptophagus</i>	520
escorialanus John, 1965, <i>Thorictus</i>	303
<i>escorialensis</i> Mulsant & Guillebeau, 1856, <i>Athous</i>	160
<i>escorialensis</i> Pic, 1909, <i>Malthodes</i>	288
<i>escorialensis</i> Pic, 1904, <i>Malthodes</i>	295
escorialinus Pic, 1910, <i>Malthodes</i>	288
esfandiarrii Wittmer, 1972, <i>Rhagonycha</i>	263
<i>esgaudensis</i> Wittmer, 1993, <i>Malthodes</i>	289
espadanensis Wittmer, 1981, <i>Malthinus</i>	278
espanoli Israelson, 1974, <i>Clada</i>	353
espanoli Toskina, 2002, <i>Mesocoelopus</i>	354
espanoli C. Johnson, 1975, <i>Ernobius</i>	350
espanoli Pardo Alcaide, 1966, <i>Enicopus</i>	408
espanoli Pardo Alcaide, 1945, <i>Malachiomimus</i>	425
espanoli Wittmer, 1958, <i>Malthodes</i>	288
espinosai Winkler, 1985, <i>Tillus</i>	370
etchu Kishii, 1996, <i>Homotechnes</i>	153
<i>etesiacus</i> Fürsch, 1965, <i>Nephus</i>	579
ethologus Majer, 1989, <i>Dasytidius</i>	389
etorupensis Miwa, 1929, <i>Ampedus</i>	123
<i>etrusca</i> Della Beffa, 1913, <i>Ceratomegilla</i>	609
euboicus Wittmer, 1974, <i>Malthinus</i>	278
<i>euboica</i> Pic, 1914, <i>Lampyroidea</i>	231
euboicus Pic, 1903, <i>Malthodes</i>	288
eucerum Lesne, 1932, <i>Sinoxylon</i>	323

eucharis Mulsant, 1853, <i>Harmonia</i>	615
eumerus Mulsant & Rey, 1868, <i>Aplocnemus</i>	411
euphorbiae Escalera, 1921, <i>Attalus</i>	421
euphorbiae Israelson, 1971, <i>Stagetus</i>	346
euphorbiae Peyerimhoff, 1923, <i>Biphyllus</i>	547
euphorbiae Uyttenboogaart, 1929, <i>Cephalogonia</i>	451
euphraticus Švihla, 1994, <i>Malthodes</i>	293
euphrosyne Barovskij, 1928, <i>Crudosilis</i>	274
eurinus Cherepanov, 1957, <i>Ampedus</i>	124
europaeus Herbst, 1806, <i>Drapetes</i>	208
europaeus Wittmer, 1970, <i>Malthodes</i>	288
europa Pic, 1921, <i>Cantharis</i>	241
eurynota Bourgeois, 1900, <i>Cantharis</i>	245
eurypodatus H. Li, 1988, <i>Attagenus</i>	307
eurypodus G.-Y. Yu, 2001, <i>Nephus</i>	580
eustictus Buysson, 1906, <i>Dicronychus</i>	205
euxinus Buysson, 1912, <i>Athous</i>	158
evanescens Reitter, 1876, <i>Philothermus</i>	554
evansi C. Johnson, 1972, <i>Melanophthalma</i>	648
eversi Hicker, 1948, <i>Intybia</i>	417
eversi Iablokoff-Khnzorian, 1988, <i>Hadrocnemus</i>	416
eversi Pardo Alcaide, 1966, <i>Cyrtosus</i>	446
eversi Plata Negrache, 1987, <i>Attalus</i>	421
evidentissimus Wittmer, 1974, <i>Malthinus</i>	278
exaequatus Buysson, 1924, <i>Athous</i>	157
exaluminatus Lyubarsky, 2004, <i>Phalacrus</i>	511
exaratus Erichson, 1840, <i>Cardiophorus</i>	196
exaratus Faldermann, 1837, <i>Latridius</i>	639
exaratus Förster, 1849, <i>Meligethes</i>	486
exasperatus Champion, 1920, <i>Lobonyx</i>	384
excavata C. Johnson, 1977, <i>Corticarina</i>	646
excavata Grouvelle, 1913, <i>Ancistria</i>	501
excavatatum Fowler, 1886, <i>Cerylon</i>	553
excavatatum Wollaston, 1861, <i>Lasioderma</i>	357
excavatus Dolin & Latifi, 1997, <i>Melanotus</i>	144
excavatus Fleutiaux, 1918, <i>Agraeus</i>	96
excavatus Kopetz, 2004, <i>Themus</i>	270
excavatus Kugelann, 1792, <i>Grynobius</i>	348
excavatus Platia & Schimmel, 1991, <i>Silesis</i>	112
excavatus Wittmer, 1995, <i>Dromanthomorphus</i>	416
excellens Arrow, 1925, <i>Tritoma</i>	545
excellens Gurjeva, 1962, <i>Corymbitodes</i>	176
excellens Kofler, 1970, <i>Xyletinus</i>	360
excellens Nakane, 1969, <i>Macrolycus</i>	213
excellens Reitter, 1884, <i>Cyllodes</i>	472
excellentis Kirejtshuk, 1984, <i>Ussuriphia</i>	477
excelsus Gistel, 1857, <i>Dryophilus</i>	348
excelsus Platia & Schimmel, 2001, <i>Melanotus</i>	144
excelsus Wollaston, 1862, <i>Attalus</i>	423
excisa Germar, 1824, <i>Silis</i>	276

<i>excisicollis</i> Reitter, 1873, <i>Epuraea</i>	460
<i>excisipes</i> Pic, 1899, <i>Malthinus</i>	278
<i>excisipes</i> Strohecker, 1943, <i>Sinocymbachus</i>	566
<i>excisum</i> Mannerheim, 1843, <i>Priobium</i>	341
<i>excisus</i> Grouvelle, 1919, <i>Loberus</i>	537
<i>excisus</i> Reitter, 1876, <i>Ahasverus</i>	498
<i>exclamationis</i> Eschscholtz, 1818, <i>Coccinella</i>	613
<i>excofferi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>exculpta</i> Grouvelle, 1913, <i>Epuraea</i>	465
<i>exiguus</i> Boieldieu, 1854, <i>Sphaericus</i>	338
<i>exiguus</i> C. R. Sahlberg, 1833, <i>Cybocephalus</i>	490
<i>exiguus</i> Erichson, 1846, <i>Curelius</i>	530
<i>exiguus</i> Platia & Schimmel, 1991, <i>Silesis</i>	112
<i>exiguus</i> Randall, 1838, <i>Negastrius</i>	188
<i>exiguus</i> Roubal, 1917, <i>Stagetus</i>	346
<i>exiguus</i> Schimmel & Platia, 1991, <i>Neoathousius</i>	166
<i>exiguus</i> Wollaston, 1860, <i>Metophthalmus</i>	639
<i>exilicornis</i> Grouvelle, 1919, <i>Cryptophagus</i>	516
<i>exilis</i> Candèze, 1860, <i>Zoroehros</i>	192
<i>exilis</i> Canepari, 1997, <i>Scymnus</i>	585
<i>exilis</i> E. Olivier, 1894, <i>Lampyrus</i>	227
<i>exilis</i> Gyllenhal, 1827, <i>Gastrallus</i>	340
<i>exilis</i> Kiesenwetter, 1879, <i>Ptinomorphus</i>	354
<i>exilis</i> Kishii, 1991, <i>Glyphonyx</i>	109
<i>exilis</i> Kishii, 1956, <i>Dalopius</i>	119
<i>exilis</i> Lesne, 1932, <i>Dinoderus</i>	325
<i>exilis</i> Mannerheim, 1844, <i>Dienerella</i>	636
<i>exilis</i> Motschulsky, 1858, <i>Quasimus</i>	190
<i>exilis</i> Mulsant & Rey, 1868, <i>Anthrenus</i>	314
<i>exilis</i> Rey, 1889, <i>Cryptolestes</i>	503
<i>exilis</i> Sturm, 1845, <i>Meligethes</i>	482
<i>eximia</i> Lewis, 1894, <i>Limonius</i>	165
<i>eximius</i> Buysson, 1904, <i>Megathous</i>	171
<i>eximius</i> Candèze, 1860, <i>Cardiophorus</i>	197
<i>eximius</i> Lewis, 1895, <i>Anhomodactylus</i>	438
<i>eximius</i> Majer, 1986, <i>Dasytes</i>	401
<i>eximius</i> Peyron, 1877, <i>Malachiomimus</i>	425
<i>exiqueguttata</i> Gorham, 1901, <i>Harmonia</i>	616
<i>exocorycus</i> X.-F. Pang & Huang, 1986, <i>Scymnus</i>	585
<i>exoleta</i> J. Weise, 1897, <i>Calvia</i>	608
<i>exophthalmus</i> Fairmaire, 1888, <i>Podabrus</i>	237
<i>exophthalmus</i> Fairmaire, 1880, <i>Troglops</i>	453
<i>exoplatus</i> Buysson, 1912, <i>Cardiophorus</i>	200
<i>exornata</i> Bielawski, 1965, <i>Epilachna</i>	627
<i>exotans</i> Candèze, 1900, <i>Poemnites</i>	179
<i>expalliata</i> Sicard, 1914, <i>Harmonia</i>	615
<i>expallida</i> J. Weise, 1907, <i>Harmonia</i>	616
<i>expallida</i> Kapur, 1963, <i>Harmonia</i>	615
<i>expallidus</i> Semenov & Pjatakova, 1935, <i>Cardiophorus</i>	197
<i>expansa</i> Dieke, 1947, <i>Afissula</i>	626

<i>expansa</i> LeConte, 1855, <i>Corticarina</i>	646
<i>expansa</i> Rey, 1889, <i>Monotoma</i>	493
<i>expansicornis</i> Lewis, 1894, <i>Ascoliocerus</i>	152
<i>expansicornis</i> Wittmer, 1997, <i>Protomaltypus</i>	296
<i>expansus</i> Wittmer, 1974, <i>Stenothemus</i>	269
<i>explanata</i> Miyatake, 1963, <i>Coccinella</i>	610
<i>explanata</i> Reitter, 1884, <i>Physoronia</i>	475
<i>explanaticollis</i> Pic, 1917, <i>Themus</i>	270
<i>explanatus</i> Fauvel, 1891, <i>Ptinus</i>	335
<i>explanatus</i> Mannerheim, 1843, <i>Ernobius</i>	349
<i>explanatus</i> Reitter, 1900, <i>Meligethes</i>	482
<i>explanatus</i> Sakai, 1982, <i>Oligomerus</i>	342
<i>explansus</i> G. Yu, 1994, <i>Cybocephalus</i>	489
<i>expolitus</i> Gurjeva, 1987, <i>Crepidophorus</i>	168
<i>exsanguis</i> E. Olivier, 1909, <i>Diaphanes</i>	226
<i>exsanguis</i> Eschscholtz, 1830, <i>Ampedus</i>	126
<i>exsanquis</i> Mader, 1941, <i>Xanthadalia</i>	625
<i>extinctus</i> Erichson, 1840, <i>Dicronychus</i>	204
<i>extensa</i> Rey, 1889, <i>Melanophthalma</i>	648
<i>extensenigratus</i> Buysson, 1922, <i>Cardiophorus</i>	201
<i>extensicornis</i> Tshernyshev, 1999, <i>Malachius</i>	449
<i>externa</i> Mulsant & Rey, 1864, <i>Dorcatoma</i>	345
<i>externecostatus</i> Pic, 1925, <i>Tropiebaeus</i>	437
<i>externepunctata</i> J. Weise, 1879, <i>Coccinella</i>	612
<i>externus</i> Pic, 1900, <i>Malthinus</i>	278
<i>extinctoides</i> Buysson, 1912, <i>Paracardiophorus</i>	206
<i>extranea</i> Majer, 1995, <i>Mimothrix</i>	392
<i>extraneus</i> Gorham, 1877, <i>Teneropsis</i>	383
<i>extremus</i> Wittmer, 1997, <i>Lycocerus</i>	253
<i>extricatus</i> T. L. Casey, 1900, <i>Attagenus</i>	308
<i>exul</i> Bonvouloir, 1859, <i>Trixagus</i>	88
<i>exulans</i> Erichson, 1842, <i>Ptinus</i>	337
<i>exularis</i> Dolin, 1990, <i>Melanotus</i>	144
<i>exulatus</i> Candèze, 1873, <i>Ectinus</i>	120
<i>exutus</i> Buysson, 1926, <i>Adrastus</i>	108
<i>faber</i> Thunberg, 1784, <i>Xestobium</i>	352
<i>fabricii</i> Leach, 1824, <i>Cebrio</i>	90
<i>fabricii</i> Mulsant, 1846, <i>Hyperaspis</i>	577
<i>faceta</i> J. Weise, 1879, <i>Adalia</i>	602
<i>facetus</i> Canepari, 1986, <i>Scymnus</i>	585
<i>facetus</i> Kiesenwetter, 1863, <i>Malthodes</i>	288
<i>facialis</i> C. G. Thomson, 1864, <i>Malthinus</i>	278
<i>facialis</i> Gebler, 1832, <i>Cordylepherus</i>	445
<i>facunda</i> Majer, 1990, <i>Parathrix</i>	393
<i>faeculentus</i> Buysson, 1888, <i>Athous</i>	156
<i>fageli</i> Evers, 1955, <i>Attalus</i>	420
<i>fageticola</i> Audisio, 1991, <i>Epuraea</i>	460
<i>fagi</i> C. N. F. Brisout de Barneville, 1874, <i>Epuraea</i>	462
<i>fagi</i> C. N. F. Brisout de Barneville, 1867, <i>Cerylon</i>	553
<i>fagi</i> Chevrolat, 1837, <i>Diplocoelus</i>	548

<i>fagi</i> Guérin-Méneville, 1844, <i>Silvanoprus</i>	500
<i>fagi</i> H. Brisout de Barneville, 1881, <i>Corticaria</i>	643
<i>fagi</i> Herbst, 1783, <i>Hadrobregmus</i>	341
<i>fagi</i> Lewis, 1894, <i>Ampedus</i>	123
<i>fagi</i> Motschulsky, 1854, <i>Attalus</i>	419
<i>fagi</i> Mulsant & Rey, 1863, <i>Hemicoelus</i>	340
<i>fagi</i> Wollaston, 1854, <i>Corticaria</i>	642
<i>fagicola</i> Mulsant & Rey, 1864, <i>Hemicoelus</i>	340
<i>fagniezi</i> Méquignon, 1948, <i>Pseudeurostus</i>	332
<i>faialensis</i> Menier & Constantin, 1988, <i>Gietella</i>	409
<i>faillae</i> Ragusa, 1896, <i>Dasytes</i>	402
<i>fainanensis</i> Pic, 1925, <i>Cautires</i>	222
<i>fainanensis</i> Pic, 1916, <i>Prothemus</i>	260
<i>fainanus</i> Pic, 1910, <i>Lycocerus</i>	250
<i>fairmairei</i> Fleutiaux, 1918, <i>Campsosternus</i>	94
<i>fairmairei</i> Fleutiaux, 1918, <i>Melanotus</i>	144
<i>fairmairei</i> Fleutiaux, 1940, <i>Toxognathus</i>	207
<i>fairmairei</i> Frivaldszky, 1892, <i>Epilachna</i>	627
<i>fairmairei</i> Marseul, 1864, <i>Rhagonycha</i>	268
<i>fairmairei</i> Pic, 1895, <i>Dignomus</i>	330
<i>fairmairei</i> Pic, 1894, <i>Cychramus</i>	471
<i>fairmairei</i> Ritsema, 1889, <i>Helota</i>	495
<i>fairmairei</i> Schilsky, 1896, <i>Enicopus</i>	407
<i>fairmairii</i> Raffray, 1873, <i>Cebrio</i>	90
<i>fairmairii</i> Raffray, 1873, <i>Thorictus</i>	303
<i>falcata</i> Schimmel, 2003, <i>Penia</i>	185
<i>falcifer</i> Abeille de Perrin, 1882, <i>Clanoptilus</i>	443
<i>falcifera</i> Dahlgren, 1972, <i>Rhagonycha</i>	263
<i>falciformis</i> Takahashi & Okushima, 1999, <i>Asiopodabrus</i>	234
<i>falcozi</i> Roubal, 1927, <i>Cryptophagus</i>	517
<i>falculifer</i> Fairmaire, 1859, <i>Enicopus</i>	407
<i>faldermanni</i> Faldermann, 1835, <i>Malachius</i>	449
<i>faldermanni</i> Hummel, 1826, <i>Adalia</i>	605
<i>faldermanni</i> Kiesenwetter, 1878, <i>Malachius</i>	450
<i>fallaciosa</i> Barovskij, 1926, <i>Cantharis</i>	241
<i>fallaciosa</i> Mader, 1939, <i>Harmonia</i>	616
<i>fallaciosa</i> Mader, 1955, <i>Oenopia</i>	621
<i>fallaciosus</i> Baudi di Selve, 1871, <i>Malachius</i>	448
<i>fallaciosus</i> Buysson, 1924, <i>Athous</i>	161
<i>fallax</i> Balfour-Browne, 1953, <i>Cryptophagus</i>	517
<i>fallax</i> Chevrolat, 1876, <i>Opilo</i>	373
<i>fallax</i> Desbrochers des Loges, 1869, <i>Athous</i>	159
<i>fallax</i> Escherich, 1894, <i>Trichodes</i>	378
<i>fallax</i> Flach, 1888, <i>Olibrus</i>	509
<i>fallax</i> Géné, 1839, <i>Attagenus</i>	308
<i>fallax</i> Gouvelle, 1877, <i>Airaphilus</i>	498
<i>fallax</i> Grouvelle, 1897, <i>Epuraea</i>	464
<i>fallax</i> Iablokoff-Khnzorian, 1977, <i>Propylea</i>	623
<i>fallax</i> John, 1955, <i>Aphanocephalus</i>	556
<i>fallax</i> Majer, 1988, <i>Dasytiscus</i>	391

<i>fallax</i> Ohta, 1930, <i>Byturus</i>	547
<i>fallax</i> Rey, 1889, <i>Rhizophagus</i>	492
<i>fallax</i> Rey, 1889, <i>Melanophthalma</i>	648
<i>fallax</i> Schilsky, 1897, <i>Danacea</i>	396
<i>fallax</i> Schilsky, 1894, <i>Divales</i>	406
<i>fallax</i> Strübing, 1854, <i>Malachius</i>	449
<i>falsicolor</i> Fairmaire, 1871, <i>Cebrio</i>	90
<i>falsus</i> Candèze, 1897, <i>Anchastus</i>	139
<i>falsus</i> Fleutiaux, 1927, <i>Agraeus</i>	96
<i>falsus</i> Grouvelle, 1913, <i>Neopallodes</i>	473
<i>falzonii</i> Burlini, 1942, <i>Podabrus</i>	237
<i>falzonii</i> Fiori, 1914, <i>Cantharis</i>	241
<i>famelica</i> Casey, 1916, <i>Monotoma</i>	494
<i>famelicus</i> Candèze, 1889, <i>Poemnites</i>	179
<i>familiaris</i> Buysson, 1902, <i>Cardiophorus</i>	195
<i>familiaris</i> Grouvelle, 1897, <i>Carpocryaea</i>	459
<i>fanjingicus</i> Ren & X.-F. Pang, 1995, <i>Scymnus</i>	585
<i>farbiaki</i> Zahradník, 1998, <i>Dorcatoma</i>	344
<i>farctus</i> LeConte, 1866, <i>Trigonogenius</i>	339
<i>farinesi</i> A. Villa & G. B. Villa, 1838, <i>Lamprohiza</i>	230
<i>farinesi</i> Villa & Villa, 1838, <i>Cardiophorus</i>	195
<i>farinosus</i> Boieldieu, 1854, <i>Dignomus</i>	330
<i>farkaci</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>faroensis</i> Pic, 1912, <i>Cardiophorus</i>	196
<i>farus</i> Vats & Chauhan, 1993, <i>Heteroderes</i>	106
<i>fasciata</i> Erichson, 1842, <i>Arthrolips</i>	632
<i>fasciata</i> Fabricius, 1801, <i>Lycoperdina</i>	565
<i>fasciata</i> Fairmaire & Brisout de Barneville, 1859, <i>Globicornis</i>	315
<i>fasciata</i> Geoffroy, 1785, <i>Ochina</i>	353
<i>fasciata</i> Geoffroy, 1785, <i>Tilloidea</i>	369
<i>fasciata</i> J. Weise, 1879, <i>Adalia</i>	602
<i>fasciata</i> J. Weise, 1902, <i>Coelophora</i>	614
<i>fasciata</i> Kolenati, 1846, <i>Atomaria</i>	525
<i>fasciata</i> L. Redtenbacher, 1868, <i>Cryptamorpha</i>	497
<i>fasciata</i> Linnaeus, 1758, <i>Danosoma</i>	100
<i>fasciata</i> M. Chûjô, 1941, <i>Tritoma</i>	545
<i>fasciata</i> Reitter, 1877, <i>Corticaria</i>	642
<i>fasciata</i> Walter, 1882, <i>Propylea</i>	624
<i>fasciata</i> Zhantiev, 1975, <i>Ctesias</i>	315
<i>fasciatellus</i> Spinola, 1844, <i>Tarsostenus</i>	383
<i>fasciatopunctata</i> Faldermann, 1835, <i>Adalia</i>	602
<i>fasciatum</i> Dufour, 1843, <i>Nicobium</i>	342
<i>fasciatum</i> Panzer, 1796, <i>Nemozoma</i>	365
<i>fasciatus</i> A. G. Olivier, 1790, <i>Malthinus</i>	278
<i>fasciatus</i> A. G. Olivier, 1790, <i>Glischrochilus</i>	469
<i>fasciatus</i> C. G. Thomson, 1864, <i>Malthinus</i>	277
<i>fasciatus</i> Champenois, 1900, <i>Trichodes</i>	379
<i>fasciatus</i> Curtis, 1829, <i>Tarsostenus</i>	383
<i>fasciatus</i> Fabricius, 1798, <i>Rhyzobius</i>	573
<i>fasciatus</i> Geoffroy, 1785, <i>Clerus</i>	372

<i>fasciatus</i> Geoffroy, 1785, <i>Thanasimus</i>	375
<i>fasciatus</i> Geoffroy, 1785, <i>Scymnus</i>	587
<i>fasciatus</i> Herbst, 1797, <i>Anthrenus</i>	312
<i>fasciatus</i> Kolenati, 1846, <i>Loberogasmus</i>	536
<i>fasciatus</i> Kraatz, 1852, <i>Cryptophagus</i>	517
<i>fasciatus</i> Linnaeus, 1758, <i>Anthocomus</i>	439
<i>fasciatus</i> Matsumura & Yokoyama, 1928, <i>Orphinus</i>	317
<i>fasciatus</i> Melsheimer, 1844, <i>Laemophloeus</i>	504
<i>fasciatus</i> O. F. Müller, 1776, <i>Chilocorus</i>	593
<i>fasciatus</i> Reitter, 1874, <i>Psammoecus</i>	497
<i>fasciatus</i> Roubal, 1935, <i>Antherophagus</i>	514
<i>fasciatus</i> Schenkling, 1908, <i>Gracilotillus</i>	368
<i>fasciatus</i> Stephens, 1839, <i>Notolaemus</i>	505
<i>fasciatus</i> Thunberg, 1795, <i>Attagenus</i>	308
<i>fasciatus</i> Wollaston, 1863, <i>Attagenus</i>	310
<i>fasciatus</i> Wollaston, 1874, <i>Monanus</i>	499
<i>fascicollis</i> Gené, 1836, <i>Cardiophorus</i>	195
<i>fasciculare</i> A. G. Olivier, 1790, <i>Nosodendron</i>	299
<i>fasciculare</i> Reitter, 1877, <i>Trichodesma</i>	342
<i>fascicularis</i> Küster, 1851, <i>Melanotus</i>	142
<i>fasciculata</i> Reitter, 1884, <i>Atarphia</i>	471
<i>fasciferus</i> Roubal, 1935, <i>Antherophagus</i>	514
<i>fasciicole</i> Hampe, 1864, <i>Nemozoma</i>	364
<i>fasciolatus</i> Solsky, 1876, <i>Attagenus</i>	308
<i>fascipennis</i> Reitter, 1896, <i>Troglops</i>	454
<i>fascipennis</i> Reitter, 1876, <i>Monanus</i>	499
<i>fasciventris</i> Reitter, 1881, <i>Dermestes</i>	300
<i>fastidiosus</i> C. O. Waterhouse, 1879, <i>Xylobanus</i>	223
<i>fastigata</i> Rücker, 1978, <i>Corticaria</i>	642
<i>fatalis</i> Mulsant, 1850, <i>Henosepilachna</i>	630
<i>fatalis</i> Nikitsky, 1985, <i>Antibothrus</i>	551
<i>fatidicus</i> Shaw, 1792, <i>Xestobium</i>	352
<i>fatulaensis</i> Wittmer, 1978, <i>Hypebaeus</i>	434
<i>fauconetti</i> Pic, 1914, <i>Rhagonycha</i>	262
<i>fauconetti</i> Pic, 1910, <i>Zoroachros</i>	193
<i>fauconetti</i> Pic, 1914, <i>Aplocnemus</i>	410
<i>fausti</i> Abeille de Perrin, 1885, <i>Malachius</i>	449
<i>fausti</i> Gurjeva, 1966, <i>Neocardiophorus</i>	205
<i>fausti</i> Heyden, 1886, <i>Mezioniptus</i>	332
<i>fausti</i> J. Weise, 1885, <i>Hyperaspis</i>	577
<i>fausti</i> J. Weise, 1885, <i>Rodolia</i>	597
<i>fausti</i> J. Weise, 1885, <i>Calvia</i>	608
<i>fausti</i> Reitter, 1890, <i>Athous</i>	163
<i>fausti</i> Reitter, 1889, <i>Danacaeomimus</i>	394
<i>fausti</i> Reitter, 1880, <i>Zavaljus</i>	537
<i>fausti</i> Schilsky, 1896, <i>Dasytes</i>	401
<i>faustii</i> Seidlitz, 1888, <i>Macrophagus</i>	536
<i>faustus</i> Erichson, 1840, <i>Cordylepherus</i>	445
<i>fauveli</i> Bourgeois, 1884, <i>Acanthocnemus</i>	384
<i>fauveli</i> Guillebeau, 1892, <i>Olibrus</i>	508

<i>fauveli</i> Reitter, 1890, <i>Oryzaeophilus</i>	499
<i>favarcqi</i> Pic, 1903, <i>Malthodes</i>	288
<i>favarcqui</i> Godard, 1883, <i>Dermestes</i>	299
<i>favarius</i> Illiger, 1801, <i>Trichodes</i>	377
<i>favieri</i> Fairmaire, 1884, <i>Cebrio</i>	91
<i>favipunctatus</i> Lucht, 1986, <i>Calyplocerus</i>	82
<i>faeae</i> Grouvelle, 1892, <i>Eucalospaera</i>	468
<i>feai</i> Fleutiaux, 1935, <i>Agraeus</i>	96
<i>febriens</i> Candèze, 1860, <i>Paracardiophorus</i>	206
<i>fedjensis</i> Pic, 1901, <i>Rhagonycha</i>	267
<i>fedtschenkoi</i> Solsky, 1882, <i>Protapalochrus</i>	418
<i>fedtshenkoi</i> Savoyskaya, 1969, <i>Nephus</i>	580
<i>feisthameli</i> Graells, 1847, <i>Anelastidius</i>	86
<i>feliciae</i> Mulsant, 1866, <i>Propylea</i>	623
<i>felinus</i> Fabricius, 1787, <i>Dermestes</i>	299
<i>felis</i> Majer, 1988, <i>Bilyella</i>	400
<i>felix</i> Arrow, 1925, <i>Megalanguria</i>	534
<i>felix</i> Evers, 1971, <i>Attalus</i>	421
<i>feloi</i> Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
<i>felschei</i> Evers, 1960, <i>Attalus</i>	423
<i>femina</i> Majer, 1988, <i>Bilyella</i>	400
<i>femininus</i> Champenois, 1900, <i>Trichodes</i>	378
<i>femoralis</i> Baudi di Selve, 1872, <i>Cantharis</i>	242
<i>femoralis</i> Brullé, 1832, <i>Rhagonycha</i>	263
<i>femoralis</i> Corporaal, 1939, <i>Tenerus</i>	383
<i>femoralis</i> Erichson, 1840, <i>Apalochrus</i>	416
<i>femoralis</i> Gyllenhal, 1827, <i>Scymnus</i>	589
<i>femoralis</i> Illiger, 1807, <i>Aplocnemus</i>	411
<i>femoralis</i> Krynicki, 1832, <i>Dasytes</i>	405
<i>femoralis</i> Morawitz, 1862, <i>Psilothrix</i>	408
<i>femoralis</i> Pic, 1900, <i>Malthinus</i>	281
<i>femoralis</i> Reitter, 1884, <i>Ptinus</i>	333
<i>femoralis</i> Sasaji, 1983, <i>Leptophloeus</i>	505
<i>femoralis</i> Schilsky, 1896, <i>Haplothrix</i>	392
<i>femoralis</i> Schilsky, 1907, <i>Danacea</i>	396
<i>femoralis</i> Zetterstedt, 1828, <i>Thanasimus</i>	375
<i>femorata</i> Champion, 1919, <i>Idgia</i>	385
<i>femorata</i> Klug, 1833, <i>Xyloperthella</i>	325
<i>femorata</i> Miyatake, 1985, <i>Iwawakia</i>	381
<i>femorata</i> Motschulsky, 1837, <i>Hyperaspis</i>	577
<i>femorata</i> Rey, 1891, <i>Rhagonycha</i>	266
<i>femorata</i> Schilsky, 1897, <i>Danacea</i>	398
<i>femoratus</i> Schilsky, 1897, <i>Aplocnemus</i>	411
<i>femoratus</i> Wollaston, 1854, <i>Cardiophorus</i>	202
<i>fenchihuensis</i> Brancucci, 1983, <i>Tryptherus</i>	298
<i>fenchihuensis</i> Wittmer, 1982, <i>Micropodabrus</i>	257
<i>fenchihuensis</i> Wittmer, 1979, <i>Malthinus</i>	278
<i>fenchihuensis</i> Wittmer, 1984, <i>Malthodes</i>	288
<i>fenchihuensis</i> Wittmer, 1982, <i>Laius</i>	417
<i>fenchinica</i> H. Pang, 1993, <i>Epilachna</i>	627

<i>fenestralis</i> Linnaeus, 1758, <i>Rhizophagus</i>	492
<i>fenestrata</i> J. Weise, 1879, <i>Aphidecta</i>	607
<i>fenestratus</i> J. R. Sahlberg, 1913, <i>Nephus</i>	580
<i>fenestratus</i> J. Weise, 1887, <i>Chilocorus</i>	593
<i>fenestratus</i> Küster, 1851, <i>Drasterius</i>	105
<i>fenestratus</i> Linder, 1864, <i>Anthocomus</i>	439
<i>fenestratus</i> Pic, 1953, <i>Opilo</i>	373
<i>fenestratus</i> Reitter, 1889, <i>Placonotus</i>	506
<i>fenestratus</i> Reitter, 1887, <i>Merobrachys</i>	507
<i>fennica</i> C. Johnson, 1974, <i>Corticaria</i>	642
<i>fennica</i> J. R. Sahlberg, 1889, <i>Epuraea</i>	463
<i>fennica</i> J. Weise, 1879, <i>Coccinella</i>	612
<i>fennica</i> Thunberg, 1795, <i>Hippodamia</i>	618
<i>fennicus</i> J. R. Sahlberg, 1886, <i>Scymnus</i>	583
<i>ferdinandi</i> Pic, 1909, <i>Cantharis</i>	242
<i>ferganensis</i> Kazantsev, 2001, <i>Themus</i>	270
<i>ferganensis</i> Stepanov, 1935, <i>Ampedus</i>	123
<i>ferganica</i> Kazantsev, 1998, <i>Crudosilis</i>	274
<i>ferganica</i> Švihla, 1992, <i>Cantharis</i>	244
<i>ferganicus</i> Dolin, 2003, <i>Cardiophorus</i>	197
<i>ferganicus</i> Wittmer, 1970, <i>Malachiomimus</i>	425
<i>ferganicus</i> Wittmer, 1970, <i>Ebaeus</i>	430
<i>fergussoni</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>fermini</i> Sánchez-Ruiz & Rosa, 2003, <i>Melasis</i>	84
<i>fernandezi</i> Cobos, 1970, <i>Cardiophorus</i>	202
<i>fernandezi</i> Español, 1968, <i>Clada</i>	353
<i>fernandezi</i> Español & Oromí, 1984, <i>Paraxyletinus</i>	362
<i>fernandezi</i> Evers, 1961, <i>Attalus</i>	421
<i>fernandoi</i> Pic, 1925, <i>Hadrocnemus</i>	417
<i>ferrantei</i> Buysson, 1912, <i>Hemicleus</i>	100
<i>ferrantei</i> Pic, 1912, <i>Ptinus</i>	335
<i>ferrantei</i> Reitter, 1908, <i>Orphinus</i>	317
<i>ferrantei</i> Reitter, 1908, <i>Cybocephalus</i>	489
<i>ferreri</i> Escalera, 1940, <i>Attalus</i>	425
<i>ferreri</i> Español, 1994, <i>Stagetus</i>	346
<i>ferreri</i> Pardo Alcaide, 1966, <i>Cyrtosus</i>	446
<i>ferreroi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>ferrugatipes</i> Candèze, 1895, <i>Cardiophorus</i>	197
<i>ferrugatulus</i> Reitter, 1889, <i>Ampedus</i>	126
<i>ferrugatus</i> Lacordaire, 1835, <i>Ampedus</i>	126
<i>ferrugatus</i> Moll, 1785, <i>Scymnus</i>	585
<i>ferrugatus</i> Reitter, 1877, <i>Arthrolips</i>	632
<i>ferrugienus</i> Švec, 1992, <i>Stilbus</i>	512
<i>ferruginatus</i> Schönherr, 1817, <i>Betarmon</i>	140
<i>ferruginea</i> C. N. F. Brisout de Barneville, 1863, <i>Monotoma</i>	494
<i>ferruginea</i> C. R. Sahlberg, 1820, <i>Caenoscelis</i>	513
<i>ferruginea</i> Heer, 1841, <i>Epuraea</i>	465
<i>ferruginea</i> Herbst, 1786, <i>Omosita</i>	474
<i>ferruginea</i> Laicharting, 1781, <i>Pastilodes</i>	491
<i>ferruginea</i> Linnaeus, 1758, <i>Peltis</i>	366

ferruginea Marsham, 1802, <i>Corticaria</i>	642
ferruginea Schilsky, 1899, <i>Ochina</i>	352
ferruginea Schimmel & Platia, 1991, <i>Dima</i>	184
ferrugineipennis Candèze, 1879, <i>Liotrichus</i>	177
<i>ferrugineipennis</i> Lewis, 1894, <i>Corymbitodes</i>	176
ferrugineipennis Miwa, 1927, <i>Priopus</i>	152
<i>ferrugineipennis</i> Motschulsky, 1866, <i>Silesis</i>	112
<i>ferrugineum</i> Fleutiaux, 1918, <i>Ludioschema</i>	132
<i>ferrugineum</i> Herbst, 1783, <i>Stegobium</i>	343
<i>ferrugineum</i> Reitter, 1884, <i>Europs</i>	493
<i>ferrugineum</i> Stephens, 1830, <i>Cerylon</i>	553
<i>ferrugineus</i> Binaghi, 1972, <i>Harminius</i>	169
<i>ferrugineus</i> Buysson, 1902, <i>Cidnopus</i>	164
<i>ferrugineus</i> Buysson, 1906, <i>Calambus</i>	176
<i>ferrugineus</i> Escalera, 1914, <i>Troglops</i>	454
<i>ferrugineus</i> Español, 1969, <i>Stagetus</i>	347
<i>ferrugineus</i> Fabricius, 1775, <i>Pocadius</i>	476
<i>ferrugineus</i> Gerhardt, 1912, <i>Enicmus</i>	638
<i>ferrugineus</i> Gerstaecker, 1871, <i>Aulonosoma</i>	501
<i>ferrugineus</i> Gmelin, 1790, <i>Grynobius</i>	348
<i>ferrugineus</i> Kraatz, 1862, <i>Airaphilus</i>	498
<i>ferrugineus</i> Leach, 1822, <i>Murmidius</i>	553
<i>ferrugineus</i> Lewis, 1894, <i>Platynychus</i>	207
<i>ferrugineus</i> Linnaeus, 1758, <i>Elater</i>	131
<i>ferrugineus</i> Linnaeus, 1761, <i>Pityophagus</i>	470
<i>ferrugineus</i> Mulsant & Rey, 1861, <i>Mesothes</i>	355
<i>ferrugineus</i> Paykull, 1800, <i>Rhizophagus</i>	492
<i>ferrugineus</i> Reitter, 1889, <i>Rhacopus</i>	83
<i>ferrugineus</i> Reitter, 1873, <i>Meligethes</i>	482
<i>ferrugineus</i> Reitter, 1874, <i>Byturus</i>	547
<i>ferrugineus</i> Schimmel & Platia, 1991, <i>Neoathousius</i>	166
<i>ferrugineus</i> Schwarz, 1892, <i>Melanotus</i>	144
<i>ferrugineus</i> Scopoli, 1763, <i>Betarmon</i>	140
<i>ferrugineus</i> Stephens, 1831, <i>Cryptolestes</i>	503
<i>ferrugineus</i> Wollaston, 1865, <i>Metophthalmus</i>	639
<i>ferruginosus</i> Buysson, 1914, <i>Tropihypnus</i>	167
<i>ferruginosus</i> Platia & Schimmel, 1997, <i>Dicronychus</i>	204
<i>ferrugulus</i> Reitter, 1884, <i>Niptodes</i>	332
<i>fervida</i> A. G. Olivier, 1790, <i>Thalycra</i>	477
<i>festae</i> Dodero, 1925, <i>Tetrabrachys</i>	574
<i>festai</i> Pic, 1925, <i>Lasioderma</i>	357
<i>festai</i> Pic, 1925, <i>Aplocnemus</i>	410
<i>festai</i> Pic, 1925, <i>Attalus</i>	421
<i>festivus</i> C. O. Waterhouse, 1878, <i>Conderis</i>	221
<i>festivus</i> Erichson, 1846, <i>Anthrenus</i>	312
<i>festivus</i> Erichson, 1845, <i>Cybocephalus</i>	489
<i>festivus</i> W. Redtenbacher, 1842, <i>Cerapheles</i>	441
<i>festivus</i> Zubkov, 1833, <i>Protapalochrus</i>	418
<i>festucarum</i> Peyerimhoff, 1925, <i>Dasytes</i>	402
<i>fibularis</i> Erichson, 1845, <i>Meligethes</i>	479

<i>fibulata</i> Märkel, 1852, <i>Cantharis</i>	247
<i>fibulatus</i> Kiesenwetter, 1852, <i>Malthodes</i>	288
<i>fibulatus</i> Kraatz, 1862, <i>Airaphilus</i>	498
<i>fibyensis</i> Lundblad, 1949, <i>Xyletinus</i>	360
<i>ficcuzzensis</i> Buysson, 1912, <i>Megathous</i>	171
<i>ficcicola</i> Wollaston, 1865, <i>Scobicia</i>	324
<i>ficta</i> E. Olivier, 1909, <i>Luciola</i>	232
<i>ficus</i> Fabricius, 1801, <i>Carpophilus</i>	466
<i>fiduciaris</i> Buysson, 1906, <i>Peripontius</i>	111
<i>fiedleri</i> Reitter, 1907, <i>Benibotarus</i>	214
<i>figuerasi</i> Pardo Alcaide, 1950, <i>Axinotarsus</i>	440
<i>figurata</i> Mannerheim, 1843, <i>Cantharis</i>	241
<i>figurata</i> Walter, 1882, <i>Propylea</i>	624
<i>figuratus</i> Germar, 1844, <i>Aeoloides</i>	104
<i>fijiensis</i> Crotch, 1874, <i>Henosepilachna</i>	629
<i>fijiensis</i> Sicard, 1922, <i>Nephus</i>	580
<i>filicollis</i> Reitter, 1890, <i>Pseudocrepidophorus</i>	172
<i>filicorne</i> Israelson, 1974, <i>Hyperisus</i>	351
<i>filicornis</i> Dufour, 1851, <i>Athous</i>	158
<i>filicornis</i> Fairmaire, 1873, <i>Cebrio</i>	91
<i>filicornis</i> Kiesenwetter, 1852, <i>Malthinus</i>	282
<i>filicti</i> Buysson, 1891, <i>Athous</i>	157
<i>filiforme</i> Panzer, 1799, <i>Dolichosoma</i>	407
<i>filiformis</i> Candèze, 1863, <i>Agriotes</i>	116
<i>filiformis</i> E. Olivier, 1913, <i>Luciola</i>	232
<i>filiformis</i> Fabricius, 1781, <i>Synaptus</i>	113
<i>filiformis</i> Fabricius, 1801, <i>Anadastus</i>	532
<i>filiformis</i> Grouvelle, 1913, <i>Ancistria</i>	501
<i>filiformis</i> Gyllenhal, 1827, <i>Dienerella</i>	637
<i>filiformis</i> Rosenhauer, 1856, <i>Airaphilus</i>	498
<i>filiformis</i> Wittmer, 1997, <i>Malthinus</i>	278
<i>filipes</i> Sharp, 1902, <i>Trogoderma</i>	319
<i>filipponii</i> Platia & Schimmel, 1997, <i>Aeoloides</i>	104
<i>filitarsis</i> J. R. Sahlberg, 1913, <i>Nematolibrus</i>	507
<i>filum</i> Aubé, 1850, <i>Dienerella</i>	637
<i>filum</i> Fabricius, 1801, <i>Nematodes</i>	87
<i>filum</i> Fairmaire, 1860, <i>Dolichosoma</i>	407
<i>fimbriata</i> Lesne, 1909, <i>Phonapate</i>	321
<i>fimbriata</i> Sulzer, 1776, <i>Propylea</i>	624
<i>fimetarii</i> Herbst, 1793, <i>Atomaria</i>	528
<i>fimetarius</i> Fabricius, 1775, <i>Phalacrus</i>	511
<i>fimetarius</i> Fabricius, 1792, <i>Atomaria</i>	528
<i>fimetarius</i> Wollaston, 1862, <i>Corynetinus</i>	381
<i>fimicola</i> Desbrochers des Loges, 1875, <i>Ptinus</i>	336
<i>fimicola</i> Wollaston, 1861, <i>Xyletinus</i>	359
<i>fines</i> Sasaji, 1995, <i>Leiestes</i>	561
<i>fiorianus</i> Matthews, 1886, <i>Rypobius</i>	635
<i>fiorii</i> Ganglbauer, 1906, <i>Malthodes</i>	288
<i>fiorii</i> Ganglbauer, 1899, <i>Sphaerosoma</i>	555
<i>fiorii</i> Jakobson, 1911, <i>Dasytes</i>	404

<i>fiorii</i> Leoni, 1906, <i>Cebrio</i>	91
<i>fiorii</i> Pic, 1914, <i>Cantharomorphus</i>	247
<i>fiorii</i> Platia & Marini, 1990, <i>Megathous</i>	171
<i>firmus</i> Lyubarsky, 2004, <i>Olibrus</i>	509
<i>fischeri</i> A. Fleischer, 1909, <i>Ebaeus</i>	430
<i>fiscicollis</i> Kiesenwetter, 1852, <i>Cantharis</i>	241
<i>fissicollis</i> Fairmaire, 1891, <i>Luciola</i>	232
<i>fissicollis</i> Fairmaire, 1884, <i>Cantharis</i>	246
<i>fissicollis</i> Fairmaire, 1885, <i>Raractocetus</i>	363
<i>fissicollis</i> Reitter, 1877, <i>Pseudoptilinus</i>	362
<i>fissicornis</i> Marsham, 1802, <i>Rhyzopertha</i>	326
<i>fissipennis</i> Wittmer, 1956, <i>Clanoptilus</i>	443
<i>fissiventris</i> Fairmaire, 1886, <i>Laemoglyptus</i>	275
<i>fissomimus</i> Wittmer, 1981, <i>Hypebaeus</i>	434
<i>fissus</i> Champion, 1927, <i>Hypebaeus</i>	434
<i>fissus</i> Wittmer, 1997, <i>Micropodabrus</i>	257
<i>fiumii</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>flabellicornis</i> Le Peletier de Saint-Fargeau & Audinet-Serville, 1825, <i>Ptilinus</i>	356
<i>flabellatus</i> Champion, 1925, <i>Condylops</i>	437
<i>flabellatus</i> Frivaldszky von Frivald, 1835, <i>Haplomalachius</i>	447
<i>flabellatus</i> Germar, 1844, <i>Tetrigus</i>	108
<i>flabellatus</i> Kiesenwetter, 1859, <i>Drilus</i>	209
<i>flabellatus</i> Motschulsky, 1860, <i>Macrolycus</i>	213
<i>flabellatus</i> Normand, 1950, <i>Xyletinus</i>	361
<i>flabellatus</i> Reitter, 1906, <i>Denticollis</i>	167
<i>flabellicornis</i> D. H. Schneider, 1791, <i>Elateroides</i>	362
<i>flabellicornis</i> Erichson, 1840, <i>Nudopectinus</i>	418
<i>flabellicornis</i> Fabricius, 1775, <i>Melasis</i>	84
<i>flabellicornis</i> Fairmaire, 1866, <i>Tillus</i>	369
<i>flabellicornis</i> Herbst, 1793, <i>Xyletinus</i>	361
<i>flabellicornis</i> Solsky, 1881, <i>Clanoptilus</i>	443
<i>flabrarius</i> Lesne, 1906, <i>Sinoxylon</i>	323
<i>flaccida</i> Mulsant, 1853, <i>Calvia</i>	608
<i>flachati</i> Mulsant, 1866, <i>Coelophora</i>	614
<i>flachi</i> Reitter, 1891, <i>Olibrus</i>	509
<i>flachi</i> Schilsky, 1891, <i>Phalacrus</i>	510
<i>flagellaris</i> Garg & Saini, 1996, <i>Senodonia</i>	186
<i>flagellisiphonatus</i> Fürsch, 1970, <i>Scymnus</i>	583
<i>flammea</i> Voet, 1806, <i>Coccinella</i>	610
<i>flammeicollis</i> Wollaston, 1865, <i>Malthinus</i>	278
<i>flammeus</i> Abeille de Perrin, 1882, <i>Malachius</i>	449
<i>flava</i> C. Johnson, 1968, <i>Atomaria</i>	525
<i>flava</i> DeGeer, 1774, <i>Cantharis</i>	242
<i>flava</i> Fürsch, 1960, <i>Oenopia</i>	621
<i>flava</i> Goeze, 1777, <i>Adalia</i>	604
<i>flava</i> Haworth, 1812, <i>Adalia</i>	602
<i>flava</i> Laporte, 1838, <i>Hemiops</i>	186
<i>flava</i> Marsham, 1802, <i>Dacne</i>	538
<i>flava</i> Matthews, 1899, <i>Clypastraea</i>	633
<i>flava</i> Motschulsky, 1863, <i>Evorinea</i>	306

flava Pic, 1929, <i>Luciola</i>	232
flava Pic, 1926, <i>Rhagonycha</i>	263
flava Procházka, 1894, <i>Danacea</i>	396
flavangulus Spaeth, 1898, <i>Omalisus</i>	211
flavatus J. C. Schaeffer, 1766, <i>Drapetes</i>	208
<i>flavellus</i> Savoyskaya, 1969, <i>Scymnus</i>	589
flaveola Booth, 1997, <i>Calvia</i>	607
flaveoloides Švihla, 1997, <i>Malthinus</i>	278
flaveolus Abeille de Perrin, 1893, <i>Anthocomus</i>	439
<i>flaveolus</i> Buysson, 1925, <i>Athous</i>	158
flaveolus Herbst, 1786, <i>Malthinus</i>	279
flaveolus Reitter, 1889, <i>Dasytiscus</i>	391
flavescens A. G. Olivier, 1790, <i>Drilus</i>	209
<i>flavescens</i> C. G. Thomson, 1871, <i>Corticaria</i>	643
flavescens Chassain, 1979, <i>Craspedostethus</i>	203
flavescens Eschscholtz, 1818, <i>Pseudocrepidophorus</i>	172
flavescens Gené, 1839, <i>Dasytes</i>	402
<i>flavescens</i> Geoffroy, 1785, <i>Ampedus</i>	121
<i>flavescens</i> Geoffroy, 1785, <i>Ptilinus</i>	356
<i>flavescens</i> L. Redtenbacher, 1849, <i>Erotides</i>	215
<i>flavescens</i> Laporte, 1840, <i>Agriotes</i>	116
<i>flavescens</i> Laporte, 1840, <i>Ptilinus</i>	356
<i>flavescens</i> Marsham, 1802, <i>Byturus</i>	547
<i>flavescens</i> Mulsant & Guillebeau, 1855, <i>Athous</i>	158
<i>flavescens</i> Schilsky, 1888, <i>Calambus</i>	176
flavescens Wollaston, 1862, <i>Melyrosoma</i>	388
<i>flavicans</i> Bourgeois, 1903, <i>Malthinus</i>	280
flavicans Fairmaire, 1860, <i>Kateretes</i>	458
flavicapitus Tian & G. Yu, 1994, <i>Cybocephalus</i>	489
flaviceps Reitter, 1874, <i>Cybocephalus</i>	490
<i>flaviclavis</i> Rey, 1889, <i>Brachypterolus</i>	456
flavicollis Erichson, 1840, <i>Hypebaeus</i>	434
<i>flavicollis</i> Fleutiaux, 1902, <i>Silesis</i>	112
<i>flavicollis</i> Gerhardt, 1909, <i>Metacantharis</i>	256
flavicollis Gorham, 1877, <i>Tenerus</i>	383
<i>flavicollis</i> J. R. Sahlberg, 1903, <i>Anisosticta</i>	600
flavicollis Kishii, 1991, <i>Glyphonyx</i>	109
flavicollis L. Redtenbacher, 1868, <i>Idgia</i>	385
flavicollis L. Redtenbacher, 1843, <i>Scymnus</i>	589
flavicollis Nakane, 1977, <i>Drilaster</i>	233
<i>flavicollis</i> Pic, 1904, <i>Malthinus</i>	280
flavicollis Reitter, 1884, <i>Aethina</i>	470
flavicollis Reitter, 1873, <i>Meligethes</i>	482
flavicollis Schaufuss, 1871, <i>Apalochrus</i>	416
flavicollis Wollaston, 1865, <i>Lasioderma</i>	357
<i>flavicolor</i> Roubal, 1931, <i>Atomaria</i>	524
flavicornis Abeille de Perrin, 1890, <i>Apalochrus</i>	416
flavicornis Erichson, 1840, <i>Ebaeus</i>	430
flavicornis Fabricius, 1792, <i>Dorcatoma</i>	345
flavicornis Fabricius, 1801, <i>Laius</i>	417

<i>flavicornis</i> Germar, 1838, <i>Trichodes</i>	376
<i>flavicornis</i> Gorham, 1889, <i>Micropodabrus</i>	257
<i>flavicornis</i> Kazantsev, 1992, <i>Rhagonycha</i>	263
<i>flavicornis</i> Kiesenwetter, 1874, <i>Intybia</i>	417
<i>flavicornis</i> Küster, 1848, <i>Brachypterus</i>	457
<i>flavicornis</i> L. Miller, 1852, <i>Meligethes</i>	486
<i>flavicornis</i> Matthews, 1899, <i>Clypastraea</i>	633
<i>flavicornis</i> Motschulsky, 1866, <i>Latridius</i>	638
<i>flavicornis</i> Panzer, 1799, <i>Agriotes</i>	118
<i>flavicornis</i> Rey, 1891, <i>Cardiophorus</i>	198
<i>flavicornis</i> Rey, 1892, <i>Xyletinus</i>	360
<i>flavicornis</i> Schilsky, 1897, <i>Aplocnemus</i>	410
<i>flavicornis</i> Sturm, 1807, <i>Olibrus</i>	509
<i>flavicus</i> Abeille de Perrin, 1883, <i>Anthocomus</i>	439
<i>flavida</i> Bovie, 1897, <i>Tytthaspis</i>	601
<i>flavida</i> Hope, 1845, <i>Luciola</i>	232
<i>flavidbrunna</i> Jing, 1986, <i>Oenopia</i>	621
<i>flavidula</i> J. Weise, 1881, <i>Tytthaspis</i>	601
<i>flavidula</i> Mulsant, 1850, <i>Bulaea</i>	600
<i>flavidulus</i> Reitter, 1889, <i>Anthrenus</i>	312
<i>flavidus</i> Buysson, 1925, <i>Athous</i>	158
<i>flavidus</i> Solsky, 1876, <i>Anthrenus</i>	313
<i>flavifrons</i> Baudi di Selve, 1872, <i>Ebaeus</i>	430
<i>flavifrons</i> Motschulsky, 1867, <i>Corticaria</i>	645
<i>flavilabris</i> A. G. Olivier, 1808, <i>Scymnus</i>	591
<i>flavilabris</i> Fallén, 1807, <i>Cantharis</i>	241
<i>flavilabris</i> Motschulsky, 1849, <i>Parexochomus</i>	595
<i>flavilabris</i> Mulsant, 1850, <i>Parexochomus</i>	595
<i>flavilabris</i> Paykull, 1798, <i>Scymnus</i>	589
<i>flavilabris</i> Walzl, 1835, <i>Cyrtosus</i>	446
<i>flavilateralis</i> Jeng & P.-S. Yang, 2001, <i>Diaphanes</i>	226
<i>flavimanus</i> Arrow, 1925, <i>Anadastus</i>	532
<i>flavimanus</i> Motschulsky, 1860, <i>Dichelotarsus</i>	236
<i>flavimanus</i> Stephens, 1830, <i>Meligethes</i>	482
<i>flavimembris</i> Wittmer, 1951, <i>Micropodabrus</i>	257
<i>flavipalpis</i> Abeille de Perrin, 1891, <i>Clanoptilus</i>	445
<i>flavipectus</i> M. Chûjô, 1975, <i>Bolerus</i>	532
<i>flavipennis</i> Arrow, 1925, <i>Atrichonota</i>	567
<i>flavipennis</i> Baudi di Selve, 1873, <i>Divales</i>	406
<i>flavipennis</i> C. Johnson, 1975, <i>Henoticus</i>	521
<i>flavipennis</i> Candèze, 1860, <i>Athous</i>	158
<i>flavipennis</i> Cherepanov, 1957, <i>Hemicrepidius</i>	170
<i>flavipennis</i> Faldermann, 1839, <i>Cryptophagus</i>	521
<i>flavipennis</i> Heer, 1841, <i>Nitidula</i>	474
<i>flavipennis</i> Kawashima, 1999, <i>Stenocladus</i>	233
<i>flavipennis</i> Le Peletier de Saint-Fargeau & Audinet-Serville, 1825, <i>Phyllocerus</i>	81
<i>flavipennis</i> Lewis, 1894, <i>Silesis</i>	112
<i>flavipennis</i> Miwa, 1928, <i>Sericus</i>	134
<i>flavipennis</i> Miwa, 1934, <i>Hemicrepidius</i>	170
<i>flavipennis</i> Nakane, 1969, <i>Eropterus</i>	215

<i>flavipennis</i> Nakane, 1977, <i>Drilaster</i>	233
<i>flavipennis</i> Pic, 1903, <i>Malthinus</i>	280
<i>flavipennis</i> Reitter, 1889, <i>Cerallus</i>	386
<i>flavipennis</i> Reitter, 1875, <i>Glischrochilus</i>	469
<i>flavipes</i> A. Fleischer, 1928, <i>Tolyphus</i>	512
<i>flavipes</i> A. G. Olivier, 1790, <i>Dasytes</i>	405
<i>flavipes</i> Aubé, 1850, <i>Zoroachros</i>	193
<i>flavipes</i> Baudi di Selve, 1870, <i>Drapetes</i>	207
<i>flavipes</i> Fabricius, 1787, <i>Lymexylon</i>	363
<i>flavipes</i> Fabricius, 1787, <i>Dasytes</i>	405
<i>flavipes</i> Fabricius, 1787, <i>Hypebaeus</i>	434
<i>flavipes</i> Fabricius, 1792, <i>Uleiota</i>	497
<i>flavipes</i> Germar, 1846, <i>Denticollis</i>	167
<i>flavipes</i> Illiger, 1801, <i>Xylothrips</i>	325
<i>flavipes</i> Klug, 1842, <i>Necrobia</i>	382
<i>flavipes</i> Kunze, 1839, <i>Monotoma</i>	494
<i>flavipes</i> Laporte, 1840, <i>Xyletinus</i>	360
<i>flavipes</i> LeConte, 1854, <i>Anthrenus</i>	312
<i>flavipes</i> Motschulsky, 1860, <i>Dichelotarsus</i>	236
<i>flavipes</i> O. F. Müller, 1776, <i>Drapetes</i>	208
<i>flavipes</i> Panzer, 1793, <i>Danacea</i>	398
<i>flavipes</i> Panzer, 1792, <i>Scymnus</i>	591
<i>flavipes</i> Paykull, 1798, <i>Charopus</i>	441
<i>flavipes</i> Pic, 1937, <i>Lycostomus</i>	211
<i>flavipes</i> Schilsky, 1899, <i>Anthodromius</i>	386
<i>flavipes</i> Schilsky, 1897, <i>Aplocnemus</i>	411
<i>flavipes</i> Sturm, 1845, <i>Meligethes</i>	486
<i>flavipubens</i> Reitter, 1911, <i>Dicronychus</i>	205
<i>flavipustulata</i> Haworth, 1812, <i>Adalia</i>	604
<i>flavirostris</i> Pascoe, 1860, <i>Idgia</i>	385
<i>flavithorax</i> Schimmel, 2004, <i>Melanoxanthus</i>	137
<i>flaviventris</i> Arrow, 1925, <i>Amblyopus</i>	541
<i>flaviventris</i> Fairmaire, 1878, <i>Pyrocoelia</i>	229
<i>flaviventris</i> L.W. Schaufuss, 1862, <i>Psyllobora</i>	599
<i>flaviventris</i> Reitter, 1891, <i>Aposericoderus</i>	633
<i>flaviventris</i> Tôyama & Kinugasa, 1986, <i>Triplax</i>	544
<i>flavoapicalis</i> Pic, 1933, <i>Attalus</i>	421
<i>flavoapicalis</i> Sasaji, 1990, <i>Bystodes</i>	559
<i>flavobasalis</i> Heyden, 1889, <i>Agriotes</i>	115
<i>flavobasalis</i> Schwarz, 1902, <i>Paracardiophorus</i>	206
<i>flavobullatus</i> Marseul, 1868, <i>Ebaeus</i>	430
<i>flavocapillus</i> Vats & Chauhan, 1991, <i>Cardiophorus</i>	197
<i>flavocaudatus</i> Nakane, 1956, <i>Hypebaeus</i>	434
<i>flavocinctus</i> Chevrolat, 1876, <i>Trichodes</i>	378
<i>flavocinctus</i> E. Olivier, 1884, <i>Phosphaenus</i>	230
<i>flavocinctus</i> Marseul, 1868, <i>Colotes</i>	428
<i>flavocinctus</i> Pic, 1930, <i>Attalus</i>	421
<i>flavocinctus</i> Spinola, 1844, <i>Trichodes</i>	377
<i>flavofacialis</i> Pic, 1926, <i>Micropodabrus</i>	257
<i>flavofactum</i> Buysson, 1912, <i>Aeoloderma</i>	103

<i>flavofasciata</i> M. Chûjô, 1941, <i>Spondotriplax</i>	543
<i>flavofasciata</i> Mulsant, 1850, <i>Menochilus</i>	619
<i>flavofasciata</i> Reitter, 1879, <i>Episcapha</i>	540
<i>flavofasciatus</i> M. Chûjô, 1940, <i>Bolbomorphus</i>	560
<i>flavofasciatus</i> Pic, 1950, <i>Priocleromorphus</i>	368
<i>flavoguttatus</i> Kiesenwetter, 1852, <i>Malthodes</i>	288
<i>flavoguttatus</i> Reitter, 1875, <i>Glischrochilus</i>	469
<i>flavolimbatus</i> Mulsant & Rey, 1853, <i>Protapalochrus</i>	418
<i>flavolimbatus</i> Wittmer, 1968, <i>Ebaeus</i>	429
<i>flavolineatus</i> Miwa, 1927, <i>Limoniscus</i>	165
<i>flavomaculata</i> Becker, 1864, <i>Colotes</i>	428
<i>flavomaculata</i> M. Chûjô, 1941, <i>Spondotriplax</i>	543
<i>flavomaculata</i> P. Rossi, 1790, <i>Nitidula</i>	474
<i>flavomaculatus</i> Tournier, 1889, <i>Olibrus</i>	508
<i>flavomarginata</i> Sasaji, 1982, <i>Coelophora</i>	614
<i>flavomarginatus</i> Kleine, 1936, <i>Plateros</i>	219
<i>flavomarginatus</i> Pic, 1929, <i>Ebaeus</i>	430
<i>flavoniger</i> Evers, 1971, <i>Ebaeus</i>	431
<i>flavoniger</i> Majer, 1991, <i>Dasythrix</i>	389
<i>flavonotaticeps</i> Pic, 1937, <i>Lycocerus</i>	250
<i>flavonotaticeps</i> Pic, 1937, <i>Lycocerus</i>	250
<i>flavonotatus</i> Kleine, 1928, <i>Plateros</i>	219
<i>flavopectinicornis</i> DeGeer, 1774, <i>Anostirus</i>	174
<i>flavopictus</i> Wollaston, 1854, <i>Nephus</i>	580
<i>flavopilosus</i> Vats & Kashyap, 1992, <i>Lacon</i>	101
<i>flavoscutellaris</i> Pic, 1936, <i>Themus</i>	273
<i>flavoscutellatus</i> Wittmer, 1981, <i>Colotes</i>	427
<i>flavosellatus</i> Fairmaire, 1887, <i>Opisthapalochrus</i>	418
<i>flavosquamosus</i> Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
<i>flavosquamosus</i> Pic, 1903, <i>Anthrenus</i>	313
<i>flavotarsis</i> Gerstmeier, 1985, <i>Trichodes</i>	377
<i>flavotarsus</i> Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
<i>flavotibialis</i> Medvedev & Ryvkin, 1989, <i>Rhagonycha</i>	263
<i>flavovestitus</i> Kishii, 1982, <i>Ampedus</i>	123
<i>flavus</i> Erichson, 1840, <i>Cardiophorus</i>	197
<i>flavus</i> Fleutiaux, 1902, <i>Agaripenthes</i>	135
<i>flavus</i> Gredler, 1863, <i>Anostirus</i>	175
<i>flavus</i> Latreille, 1806, <i>Malthinus</i>	279
<i>flavus</i> Pic, 1926, <i>Podabrus</i>	237
<i>flavus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>flavus</i> Schimmel, 2004, <i>Hayekpenthes</i>	136
<i>flavus</i> Strohecker, 1943, <i>Endomychus</i>	560
<i>flecki</i> Reitter, 1906, <i>Athous</i>	158
<i>fleischeri</i> Duverger, 1998, <i>Diomus</i>	577
<i>fleischeri</i> J. Weise, 1883, <i>Pharoscygnus</i>	570
<i>fleischeri</i> Olexa, 1954, <i>Hylis</i>	83
<i>fleischeri</i> Plavilshchikov, 1924, <i>Byturus</i>	547
<i>fleischeri</i> Reitter, 1889, <i>Caenoscelis</i>	513
<i>fleischeri</i> Reitter, 1902, <i>Cholovocera</i>	557
<i>fleischeri</i> Roubal, 1936, <i>Tillus</i>	369

<i>fleischeri</i> Walter, 1882, <i>Myzia</i>	620
<i>fletcheri</i> Pic, 1935, <i>Luciola</i>	232
<i>fleutiauxi</i> J. Weise, 1902, <i>Anortalia</i>	598
<i>fleutiauxi</i> Ôhira, 1968, <i>Homotechnes</i>	153
<i>fleutiauxi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>fleutiauxi</i> Schimmel, 1997, <i>Pectocera</i>	95
<i>fleutiauxi</i> Schimmel, 1993, <i>Ampedus</i>	129
<i>flexibilis</i> Mulsant, 1853, <i>Pharoscymnus</i>	570
<i>flexicornis</i> Baudi di Selve, 1873, <i>Acromalachus</i>	438
<i>flexicornis</i> Wittmer, 1938, <i>Psiloderes</i>	452
<i>flexuosa</i> A. G. Olivier, 1790, <i>Nitidula</i>	474
<i>flexuosa</i> C. G. Thomson, 1862, <i>Trogoderma</i>	320
<i>flexuosa</i> Fabricius, 1777, <i>Coccinella</i>	610
<i>flexuosa</i> Thunberg, 1781, <i>Menochilus</i>	619
<i>flexuosus</i> A. G. Olivier, 1790, <i>Drapetes</i>	208
<i>flexuosus</i> Champion, 1922, <i>Hypebaeus</i>	434
<i>flexuosus</i> Herbst, 1790, <i>Carpophilus</i>	466
<i>flexuosus</i> J. Weise, 1879, <i>Scymnus</i>	590
<i>flexuosus</i> Reitter, 1889, <i>Biphyllus</i>	547
<i>flexuosus</i> Wittmer, 1981, <i>Colotes</i>	427
<i>flexus</i> Vats & Chauhan, 1991, <i>Cardiophorus</i>	197
<i>floralis</i> A. G. Olivier, 1790, <i>Trichoceble</i>	414
<i>floralis</i> Motschulsky, 1837, <i>Exochomus</i>	594
<i>florea</i> Erichson, 1845, <i>Epuraea</i>	461
<i>florentini</i> Fleutiaux, 1895, <i>Silesis</i>	112
<i>florentini</i> Fleutiaux, 1895, <i>Ludioschema</i>	132
<i>florentinus</i> Desbrochers des Loges, 1870, <i>Harminius</i>	169
<i>floreola</i> Sharp, 1890, <i>Epuraea</i>	464
<i>floribundus</i> Reitter, 1877, <i>Meligethes</i>	482
<i>floricola</i> J. Weise, 1879, <i>Coccinella</i>	612
<i>floricola</i> Kiesenwetter, 1861, <i>Trichoceble</i>	414
<i>floricola</i> Reitter, 1884, <i>Cychramus</i>	472
<i>floricola</i> Say, 1825, <i>Attagenus</i>	310
<i>floricola</i> Wollaston, 1854, <i>Attalus</i>	423
<i>floricolla</i> Wollaston, 1867, <i>Scymnus</i>	590
<i>florida</i> Schiödte, 1872, <i>Rhagonycha</i>	267
<i>floridanus</i> Fall, 1910, <i>Carpophilus</i>	467
<i>florieni</i> Pic, 1911, <i>Lasioderma</i>	357
<i>florieni</i> Pic, 1911, <i>Colotes</i>	428
<i>florilegus</i> Geoffroy, 1785, <i>Anthrenus</i>	314
<i>florilegus</i> Geoffroy, 1785, <i>Meligethes</i>	478
<i>florum</i> Wollaston, 1864, <i>Olibrus</i>	509
<i>fluens</i> Platia & Schimmel, 1991, <i>Silesis</i>	112
<i>fluviatilis</i> Lewis, 1894, <i>Ascoliocerus</i>	152
<i>fluvipennis</i> Matsumura, 1911, <i>Yukara</i>	172
<i>fodingshanensis</i> Bocáková, 2000, <i>Libnetis</i>	217
<i>fodori</i> Csiki, 1907, <i>Dapsa</i>	563
<i>fodori</i> Endrödy-Younga, 1965, <i>Cybocephalus</i>	489
<i>fodori</i> Kaszab, 1947, <i>Anommatus</i>	549
<i>foersteri</i> Reitter, 1871, <i>Meligethes</i>	482

foetida Ménétriés, 1832, <i>Cantharis</i>	241
folchini Canepari, 1979, <i>Scymnus</i>	589
foliacea Baudi di Selve, 1872, <i>Lamprohiza</i>	229
foliatus Vats & Chauhan, 1991, <i>Melanotus</i>	148
folifera X.-F. Pang & Mao, 1979, <i>Epilachna</i>	627
foliiformis Wittmer, 1975, <i>Malthinus</i>	279
fometaria Hayashi, 1951, <i>Mizodorcatoma</i>	345
fonticola Kazantsev, 1994, <i>Rhagonycha</i>	263
fontinalis J. Weise, 1879, <i>Hippodamia</i>	616
fontisbellaquei Geoffroy, 1785, <i>Omalisus</i>	210
fontisbellaquei Iablokoff, 1937, <i>Ampedus</i>	122
fontisbellaquei Iablokoff-Khnzorian & Karapetyan, 1991, <i>Ptinus</i>	337
fontisbellaquei Pic, 1914, <i>Metacantharis</i>	256
foochowensis Gorham, 1880, <i>Pyrocoelia</i>	228
forbesii Gahan, 1903, <i>Clada</i>	353
forcepiformis Wittmer, 1978, <i>Malthinus</i>	279
forcipata Arrow, 1925, <i>Doubledaya</i>	534
forcipatus Fairmaire, 1889, <i>Glischrochilus</i>	469
forcipifer Kiesenwetter, 1852, <i>Malthodes</i>	288
foreli Wasmann, 1894, <i>Thorictus</i>	303
forestieri Mulsant, 1853, <i>Lindorus</i>	572
forficula Fairmaire, 1883, <i>Enneadesmus</i>	323
forficula Normand, 1935, <i>Malthodes</i>	295
forficulae C. Cao & Xiao, 1984, <i>Cryptogonus</i>	575
formaneki Reitter, 1894, <i>Ebaeus</i>	431
formaneki Reitter, 1902, <i>Sphaerosoma</i>	555
formicaria Motschulsky, 1838, <i>Cholovocera</i>	557
formicaria P. H. Lucas, 1852, <i>Merophysia</i>	557
formicarius Linnaeus, 1758, <i>Thanasimus</i>	375
formicarius Mulsant, 1850, <i>Scymnus</i>	585
formicarius Reiche & Saulcy, 1857, <i>Psiloderes</i>	452
formicaroides Schrank, 1776, <i>Clerus</i>	372
formiceticola Rosenhauer, 1856, <i>Cholovocera</i>	557
formicetorum C. G. Thomson, 1863, <i>Monotoma</i>	493
formicetorum Mannerheim, 1843, <i>Corticaria</i>	644
formicetorum Motschulsky, 1839, <i>Hypocoprus</i>	531
formosa A. Costa, 1849, <i>Myrrha</i>	620
formosa Gravenhorst, 1807, <i>Aphidecta</i>	607
formosa Reitter, 1875, <i>Atomaria</i>	525
formosana Araki, 1942, <i>Dactylotritoma</i>	541
formosana E. Olivier, 1911, <i>Pyrocoelia</i>	229
formosana J. Weise, 1923, <i>Sticholotis</i>	571
formosana J. Weise, 1923, <i>Amida</i>	598
formosana J. Weise, 1923, <i>Epilachna</i>	627
formosana Kishii, 1990, <i>Pectocera</i>	95
formosana Kleine, 1924, <i>Ponyalis</i>	218
formosana Korschefsky, 1935, <i>Rodolia</i>	597
formosana Kurisaki, 1920, <i>Amida</i>	598
formosana M. Chûjô, 1967, <i>Paederolanguria</i>	535
formosana M. Chûjô, 1964, <i>Encaustes</i>	539

<i>formosana</i> M. Chûjô, 1938, <i>Cyclotoma</i>	560
<i>formosana</i> Matsumura, 1918, <i>Luciola</i>	232
<i>formosana</i> Miyatake, 1965, <i>Oenopia</i>	622
<i>formosana</i> Nakane, 1968, <i>Dictyopectera</i>	214
<i>formosana</i> Ôhira, 1972, <i>Pseudocsikia</i>	186
<i>formosana</i> Ôhira, 1966, <i>Yukoana</i>	192
<i>formosana</i> Pic, 1944, <i>Vesta</i>	225
<i>formosana</i> Pic, 1916, <i>Luciola</i>	232
<i>formosana</i> Sakai, 1987, <i>Clada</i>	353
<i>formosana</i> Sasaji, 1970, <i>Chondria</i>	567
<i>formosana</i> Szombathy, 1910, <i>Szombathya</i>	152
<i>formosanum</i> Miwa, 1927, <i>Ludioschema</i>	133
<i>formosanum</i> Miyatake, 1961, <i>Serangium</i>	569
<i>formosanum</i> Pic, 1943, <i>Lasioderma</i>	357
<i>formosanum</i> Pic, 1938, <i>Stigmatium</i>	375
<i>formosanus</i> Bates, 1866, <i>Agrypnus</i>	97
<i>formosanus</i> Csiki, 1937, <i>Asymbius</i>	559
<i>formosanus</i> Csiki, 1937, <i>Indalmus</i>	564
<i>formosanus</i> Fowler, 1913, <i>Anadastus</i>	532
<i>formosanus</i> Fürsch, 1960, <i>Scymnus</i>	586
<i>formosanus</i> Hatta, 1970, <i>Byturus</i>	547
<i>formosanus</i> J. Weise, 1923, <i>Scymnus</i>	585
<i>formosanus</i> John, 1955, <i>Aphanocephalus</i>	556
<i>formosanus</i> Kawashima & Sugaya, 2003, <i>Rhagophthalmus</i>	225
<i>formosanus</i> Kishii, 1966, <i>Lacon</i>	101
<i>formosanus</i> Kôno & Kim, 1937, <i>Indanobium</i>	356
<i>formosanus</i> Matsumura, 1910, <i>Silesis</i>	112
<i>formosanus</i> Matsumura, 1910, <i>Platynychus</i>	207
<i>formosanus</i> Miwa, 1929, <i>Agrypnus</i>	97
<i>formosanus</i> Miwa, 1928, <i>Agriotes</i>	118
<i>formosanus</i> Miwa, 1927, <i>Metriaulacus</i>	151
<i>formosanus</i> Miwa, 1935, <i>Elateroides</i>	362
<i>formosanus</i> Miyatake, 1965, <i>Neohydnius</i>	370
<i>formosanus</i> Nakane, 1969, <i>Calochromus</i>	224
<i>formosanus</i> Nakane, 1996, <i>Clerus</i>	372
<i>formosanus</i> Ôhira, 1972, <i>Glyphonyx</i>	109
<i>formosanus</i> Ôhira, 1966, <i>Sericus</i>	135
<i>formosanus</i> Ôhira, 1968, <i>Quasimus</i>	190
<i>formosanus</i> Pic, 1937, <i>Lycostomus</i>	211
<i>formosanus</i> Pic, 1921, <i>Plateros</i>	219
<i>formosanus</i> Pic, 1926, <i>Metanoeus</i>	223
<i>formosanus</i> Pic, 1910, <i>Micropodabrus</i>	257
<i>formosanus</i> Pic, 1937, <i>Caccodes</i>	276
<i>formosanus</i> Pic, 1930, <i>Eumorphus</i>	564
<i>formosanus</i> Satô, 1970, <i>Cyphonocerus</i>	226
<i>formosanus</i> Schenkling, 1912, <i>Opilo</i>	373
<i>formosanus</i> Schenkling, 1912, <i>Teneropsis</i>	383
<i>formosanus</i> Schenkling, 1912, <i>Tenerus</i>	383
<i>formosanus</i> Schwarz, 1902, <i>Sephilus</i>	131
<i>formosanus</i> Strohecker, 1945, <i>Indalmus</i>	564

<i>formosanus</i> Wittmer, 1954, <i>Micropodabrus</i>	257
<i>formosanus</i> Wittmer, 1954, <i>Themus</i>	271
<i>formosanus</i> Wittmer, 1982, <i>Carphuroides</i>	415
<i>formosanus</i> Wittmer, 1956, <i>Nepachys</i>	426
<i>formosensis</i> Kishii, 1991, <i>Amamipenthes</i>	135
<i>formosensis</i> Kishii, 1989, <i>Podeonius</i>	140
<i>formosensis</i> Kishii, 1993, <i>Subathous</i>	167
<i>formosensis</i> Miwa, 1929, <i>Ampedus</i>	123
<i>formosensis</i> Miwa, 1928, <i>Actenicerus</i>	173
<i>formosensis</i> Nakane, 1966, <i>Encaustes</i>	539
<i>formosianus</i> Grouvelle, 1914, <i>Amystrops</i>	459
<i>formosianus</i> Grouvelle, 1914, <i>Laemophloeus</i>	504
<i>formosianus</i> Grouvelle, 1914, <i>Toramus</i>	532
<i>formosianus</i> Grouvelle, 1914, <i>Biphyllus</i>	547
<i>formosus</i> Curtis, 1840, <i>Cardiophorus</i>	197
<i>formosus</i> E. Olivier, 1910, <i>Diaphanes</i>	226
<i>formosus</i> Gurjeva, 1987, <i>Denticollis</i>	167
<i>formosus</i> Jelínek, 1999, <i>Glischrochilus</i>	469
<i>formosus</i> Mannerheim, 1849, <i>Xyletinus</i>	360
<i>formosus</i> Rosenhauer, 1856, <i>Ptinus</i>	334
<i>fornicata</i> Otto, 1978, <i>Corticarina</i>	646
<i>forojulensis</i> Pace, 1979, <i>Anommatus</i>	549
<i>fortepunctatus</i> Pic, 1935, <i>Aplocnemus</i>	410
<i>fortestriatus</i> J. R. Sahlberg, 1889, <i>Phalacrus</i>	511
<i>fortesulcatus</i> Pic, 1938, <i>Malthodes</i>	288
<i>forticorne</i> Mulsant & Rey, 1870, <i>Cerylon</i>	553
<i>forticornis</i> Abeille de Perrin, 1875, <i>Dryophilus</i>	348
<i>forticornis</i> Bach, 1852, <i>Limonius</i>	165
<i>forticornis</i> Heyden, 1885, <i>Cantharis</i>	241
<i>forticornis</i> Matthews, 1899, <i>Sericoderus</i>	633
<i>forticornis</i> Pic, 1942, <i>Dictyoptera</i>	214
<i>forticornis</i> Pic, 1905, <i>Rhagonycha</i>	266
<i>forticornis</i> Reitter, 1878, <i>Ptinus</i>	334
<i>forticornis</i> Schilsky, 1896, <i>Chaetomalachius</i>	389
<i>forticornis</i> Schwarz, 1900, <i>Ampedus</i>	123
<i>forticornis</i> Wittmer, 1984, <i>Microlipus</i>	450
<i>forticostis</i> Reitter, 1911, <i>Dienerella</i>	637
<i>forticulus</i> Normand, 1948, <i>Dasytes</i>	402
<i>fortidens</i> Rey, 1889, <i>Cryptophagus</i>	516
<i>fortimargo</i> Buysson, 1905, <i>Athous</i>	159
<i>fortnumi</i> Candèze, 1878, <i>Melanotus</i>	144
<i>fortunata</i> Constantin & Menier, 1987, <i>Gietella</i>	409
<i>fortunata</i> Evers, 1986, <i>Cephalogonia</i>	451
<i>fortunati</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>fortunatus</i> Evers, 1971, <i>Attalus</i>	421
<i>fortunatus</i> Lewis, 1896, <i>Horniolus</i>	579
<i>fortunei</i> Candèze, 1873, <i>Pectocera</i>	95
<i>fortunei</i> Pic, 1911, <i>Macrosilis</i>	275
<i>fortunii</i> Crotch, 1873, <i>Episcapha</i>	540
<i>fossicollis</i> Grouvelle, 1908, <i>Epuraea</i>	463

<i>fossulata</i> P. H. Lucas, 1846, <i>Rhagonycha</i>	263
<i>fossulata</i> Rey, 1889, <i>Corticarina</i>	647
<i>fossulatipennis</i> Mandl, 1974, <i>Paulusiella</i>	93
<i>fossulatus</i> P. H. Lucas, 1846, <i>Dignomus</i>	330
<i>fossulatus</i> Perris, 1865, <i>Cebrio</i>	91
<i>fossulatus</i> Platia & Gudenzi, 2002, <i>Cardiophorus</i>	197
<i>fossulifer</i> Wittmer, 1996, <i>Condylops</i>	437
<i>fouana</i> Pic, 1930, <i>Prothemus</i>	261
<i>fougueorum</i> Platia & Schimmel, 2004, <i>Melanotus</i>	144
<i>fouqueti</i> Fleutiaux, 1918, <i>Drasterius</i>	105
<i>fouqueti</i> Fleutiaux, 1918, <i>Zorochros</i>	193
<i>fouqueti</i> Grouvelle, 1913, <i>Ancistria</i>	501
<i>fouqueti</i> Pic, 1944, <i>Intybia</i>	417
<i>fourtaui</i> Pic, 1921, <i>Clanoptilus</i>	444
<i>foveata</i> Hisamatsu, 1955, <i>Isorhipis</i>	84
<i>foveata</i> LeConte, 1855, <i>Monotoma</i>	494
<i>foveatum</i> Kirby, 1837, <i>Microbregma</i>	340
<i>foveatus</i> Champion, 1925, <i>Hypebaeus</i>	434
<i>foveatus</i> Medvedev, 1964, <i>Clanoptilus</i>	445
<i>foveicollis</i> Abeille de Perrin, 1893, <i>Opilo</i>	372
<i>foveicollis</i> Allard, 1869, <i>Scobicia</i>	324
<i>foveicollis</i> C. G. Thomson, 1874, <i>Hylis</i>	83
<i>foveicollis</i> Fairmaire, 1900, <i>Themus</i>	271
<i>foveicollis</i> Germar, 1844, <i>Ampedus</i>	121
<i>foveicollis</i> M. Chûjô & Kiuchi, 1974, <i>Asymbius</i>	559
<i>foveicollis</i> Murray, 1864, <i>Urophorus</i>	468
<i>foveicollis</i> Reitter, 1880, <i>Thorictus</i>	303
<i>foveicollis</i> Reitter, 1879, <i>Minthea</i>	328
<i>foveicollis</i> Reitter, 1873, <i>Epuraea</i>	460
<i>foveicollis</i> Sasaji, 1986, <i>Leptophloeus</i>	505
<i>foveicollis</i> Schenkling, 1900, <i>Necrobia</i>	382
<i>foveicornis</i> Pic, 1917, <i>Laius</i>	417
<i>foveifrons</i> Fairmaire, 1900, <i>Idgia</i>	385
<i>foveifrons</i> Kiesenwetter, 1874, <i>Malachius</i>	449
<i>foveifrons</i> Reitter, 1871, <i>Meligethes</i>	482
<i>foveiventris</i> Schwarz, 1900, <i>Cardiophorus</i>	197
<i>foveola</i> Beck, 1817, <i>Corticaria</i>	643
<i>foveolata</i> Baudi di Selve, 1870, <i>Merophysia</i>	558
<i>foveolata</i> Westerhauser, 1834, <i>Corticaria</i>	643
<i>foveolatus</i> Boieldieu, 1854, <i>Dignomus</i>	330
<i>foveolatus</i> Fleutiaux, 1923, <i>Microrhagus</i>	82
<i>foveolatus</i> Hampe, 1850, <i>Crepidophorus</i>	169
<i>foveolatus</i> Reitter, 1876, <i>Laemophloeus</i>	504
<i>foveolatus</i> Rey, 1891, <i>Agriotes</i>	118
<i>foveolatus</i> Schimmel, 1993, <i>Ampedus</i>	123
<i>foveolatus</i> Schwarz, 1900, <i>Cardiophorus</i>	197
<i>foveolatus</i> Tomaszewska, 2002, <i>Endomychus</i>	560
<i>foveolatus</i> Všetečka, 1948, <i>Anommatus</i>	549
<i>fowleri</i> Joy, 1910, <i>Cryptophagus</i>	520
<i>fowleri</i> Joy, 1905, <i>Dacne</i>	538

<i>fowleriana</i> Sharp, 1910, <i>Corticarina</i>	646
<i>fracassii</i> Leoni, 1905, <i>Cantharis</i>	241
<i>fracta</i> Reitter, 1884, <i>Soronia</i>	476
<i>fractemaculatus</i> H. Pang, 1998, <i>Cryptogonus</i>	575
<i>fractipennis</i> Motschulsky, 1845, <i>Cryptolestes</i>	503
<i>fractus</i> Wittmer, 1988, <i>Clanoptilus</i>	443
<i>fractus</i> Wollaston, 1867, <i>Nephus</i>	580
<i>fragarinus</i> Wurst, 1995, <i>Ampedus</i>	125
<i>fragiliformis</i> Kang & Kim, 2000, <i>Asiopodabrus</i>	234
<i>fragilis</i> Nakane & Makino, 1989, <i>Asiopodabrus</i>	234
<i>fragilis</i> Schwarz, 1892, <i>Melanotus</i>	144
<i>fragilis</i> Wollaston, 1854, <i>Sphaericus</i>	338
<i>fragilloides</i> Dolin, 1988, <i>Melanotus</i>	144
<i>franciana</i> Kiesenwetter, 1866, <i>Cantharis</i>	241
<i>francisca</i> Fabricius, 1801, <i>Apate</i>	320
<i>francki</i> Fleutiaux, 1934, <i>Agonischius</i>	131
<i>francki</i> Fleutiaux, 1934, <i>Poemnites</i>	179
<i>francofurthana</i> Herbst, 1784, <i>Elateroides</i>	362
<i>francoisi</i> Fleutiaux, 1928, <i>Athous</i>	163
<i>francolinus</i> Bouwer, 1984, <i>Ampedus</i>	123
<i>frantiseki</i> Švihla, 2002, <i>Malthinus</i>	279
<i>frantiseki</i> Švihla, 2002, <i>Malthodes</i>	288
<i>franzi</i> C. Johnson, 1975, <i>Corticarina</i>	646
<i>franzi</i> C. Johnson, 1972, <i>Melanophthalma</i>	648
<i>franzi</i> Dajoz, 1969, <i>Abromus</i>	548
<i>franzi</i> Dajoz, 1969, <i>Anommatus</i>	549
<i>franzi</i> Dajoz, 1969, <i>Corticaria</i>	643
<i>franzi</i> Español, 1969, <i>Stagetus</i>	347
<i>franzi</i> Fürsch, 1967, <i>Scymnus</i>	589
<i>franzi</i> Jelínek, 1984, <i>Stelidota</i>	477
<i>franzi</i> John, 1967, <i>Thorictus</i>	303
<i>franzi</i> Leiler, 1984, <i>Sphaericus</i>	337
<i>franzi</i> Sengupta & Basak, 1985, <i>Caenoscelis</i>	513
<i>fraseri</i> Platia & Schimmel, 1993, <i>Melanotus</i>	144
<i>frater</i> Aubé, 1850, <i>Biphyllus</i>	547
<i>frater</i> E. Weise, 1972, <i>Enicmus</i>	638
<i>frater</i> Flach, 1888, <i>Phalacrus</i>	511
<i>frater</i> Grouvelle, 1898, <i>Cryptophilus</i>	531
<i>frater</i> Jacquelin du Val, 1860, <i>Cebrio</i>	91
<i>frater</i> Kraatz, 1893, <i>Trichodes</i>	380
<i>frater</i> Kraatz, 1862, <i>Airaphilus</i>	498
<i>frater</i> Reitter, 1894, <i>Necrobinus</i>	382
<i>frater</i> Wittmer, 1970, <i>Malthodes</i>	288
<i>frater</i> Wurst, 1995, <i>Brachygonus</i>	129
<i>fraterculus</i> Gurjeva, 1976, <i>Adrastus</i>	108
<i>fraterculus</i> Gurjeva, 1978, <i>Selatosomus</i>	183
<i>fraterculus</i> Zaitzev, 1915, <i>Trichodes</i>	380
<i>fraterna</i> Grouvelle, 1908, <i>Cryptarcha</i>	468
<i>fraterna</i> Majer, 1995, <i>Mimothrix</i>	392
<i>fraterna</i> Randall, 1838, <i>Peltis</i>	366

<i>fraterna</i> Zia, 1959, <i>Tetraphala</i>	536
<i>fraternus</i> Fairmaire, 1900, <i>Themus</i>	272
<i>fratria</i> Heller, 1920, <i>Episcaphula</i>	540
<i>fraudator</i> Candèze, 1897, <i>Poemnites</i>	180
<i>fraudulenta</i> C. Johnson, 1972, <i>Corticarina</i>	646
<i>fraudulenta</i> Fiori, 1914, <i>Metacantharis</i>	256
<i>fraudulenta</i> Mulsant, 1850, <i>Coelophora</i>	613
<i>fraudulentus</i> Lyubarsky, 1997, <i>Spaniophaenus</i>	523
<i>fraxini</i> Iablokoff-Khznorian, 1960, <i>Oligomerus</i>	342
<i>fraxini</i> Mulsant, 1850, <i>Scymnus</i>	585
<i>freemani</i> Dobson, 1956, <i>Carpophilus</i>	467
<i>frequens</i> Miwa, 1930, <i>Melanotus</i>	151
<i>frequens</i> Platia & Gudenzi, 2002, <i>Cardiophorus</i>	197
<i>freudei</i> Fürsch, 1959, <i>Henosepilachna</i>	629
<i>freudei</i> Kalík & Ohbayashi, 1982, <i>Dermestes</i>	300
<i>freudei</i> Lohse, 1970, <i>Ernobius</i>	350
<i>freudei</i> Platia, 1989, <i>Athous</i>	161
<i>freudei</i> Platia & Gudenzi, 2000, <i>Cardiophorus</i>	197
<i>freyana</i> Bielawski, 1965, <i>Epilachna</i>	627
<i>freydenbergi</i> Escalera, 1926, <i>Axinotarsus</i>	440
<i>freyi</i> Bruce, 1941, <i>Cryptophagus</i>	520
<i>freyi</i> Dolin, 1996, <i>Zoroachros</i>	193
<i>freyi</i> Endrödy-Younga, 1968, <i>Cybocephalus</i>	489
<i>freyi</i> Fürsch, 1960, <i>Exochomus</i>	594
<i>freyi</i> Rebmann, 1940, <i>Meligethes</i>	482
<i>freyi</i> Tournier, 1889, <i>Olibrus</i>	509
<i>freyi</i> Wittmer, 1974, <i>Malthinus</i>	279
<i>freyi</i> Wittmer, 1939, <i>Malthodes</i>	288
<i>friebe</i> Pic, 1938, <i>Megatoma</i>	317
<i>friedrichi</i> Schimmel, 1999, <i>Xanthopenthes</i>	139
<i>friedrichi</i> Schimmel, 1998, <i>Dima</i>	184
<i>frigida</i> D. H. Schneider, 1792, <i>Adalia</i>	602
<i>frigida</i> Mulsant, 1853, <i>Harmonia</i>	615
<i>frigidus</i> Boieldieu, 1854, <i>Pseudeurostus</i>	332
<i>frigidus</i> C. G. Thomson, 1863, <i>Ernobius</i>	349
<i>frigidus</i> Cobos, 1961, <i>Cardiophorus</i>	197
<i>frigidus</i> Kiesenwetter, 1858, <i>Hypnoidus</i>	155
<i>frigidus</i> Mulsant & Guillebeau, 1855, <i>Athous</i>	157
<i>frigidus</i> Peyron, 1877, <i>Cyrtosus</i>	447
<i>fringillae</i> Pic, 1927, <i>Ptinus</i>	336
<i>frischii</i> Kugelann, 1792, <i>Dermestes</i>	300
<i>frivaldszkyi</i> I. Frivaldszky, 1865, <i>Macrophagus</i>	536
<i>frivaldszkyi</i> Reitter, 1884, <i>Dignomus</i>	330
<i>frivaldszkyi</i> Reitter, 1894, <i>Trichodes</i>	379
<i>frivaldszkyi</i> Reitter, 1875, <i>Meligethes</i>	483
<i>frivaldszkyi</i> Sajó, 1882, <i>Propylea</i>	624
<i>frivaldszkyi</i> Bonvouloir, 1871, <i>Thambus</i>	87
<i>frondicola</i> Reitter, 1889, <i>Atomaria</i>	525
<i>frontalis</i> Dolin & Penev, 2004, <i>Athous</i>	158
<i>frontalis</i> Fabricius, 1787, <i>Scymnus</i>	589

<i>frontalis</i> Klug, 1842, <i>Opilo</i>	373
<i>frontalis</i> Marsham, 1802, <i>Malthinus</i>	279
<i>frontalis</i> Méquignon, 1949, <i>Allonyx</i>	371
<i>frontalis</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>frontalis</i> Platia & Schimmel, 1991, <i>Athous</i>	161
<i>frontalis</i> Schaufuss, 1867, <i>Drilus</i>	209
<i>frontalis</i> Thunberg, 1792, <i>Chilocorus</i>	593
<i>frosti</i> T. L. Casey, 1916, <i>Trogoderma</i>	319
<i>fructuum</i> Peyerimhoff, 1920, <i>Ernobius</i>	350
<i>frugi</i> Lyubarsky, 1997, <i>Atomaria</i>	527
<i>fruhstorferi</i> Pic, 1906, <i>Podosilis</i>	275
<i>fruhstorferi</i> Pic, 1905, <i>Attalus</i>	425
<i>fruhstorferi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>fruhstorferi</i> Schwarz, 1902, <i>Campsosternus</i>	94
<i>fruhstorferi</i> Schwarz, 1902, <i>Ludioschema</i>	132
<i>fruhstorferi</i> Schwarz, 1902, <i>Actenicerus</i>	173
<i>frumentaria</i> Nördlinger, 1855, <i>Rhyzopertha</i>	326
<i>frumentarius</i> Fabricius, 1775, <i>Oryzaephilus</i>	499
<i>frustrata</i> Heyden, 1897, <i>Hippodamia</i>	616
<i>fruteti</i> Grimmer, 1841, <i>Attagenus</i>	309
<i>fruticis</i> Canepari, 1997, <i>Scymnus</i>	585
<i>fryi</i> Fowler, 1886, <i>Tetraphala</i>	536
<i>fucatus</i> Peyron, 1877, <i>Malachius</i>	449
<i>fuchsi</i> Stibick, 1979, <i>Hypnoidus</i>	154
<i>fucosa</i> Lewis, 1884, <i>Anadastus</i>	533
<i>fuentei</i> Pardo Alcaide, 1975, <i>Attalus</i>	421
<i>fuentei</i> Sánchez-Ruiz, 1996, <i>Ampedus</i>	123
<i>fuerschi</i> Plaza, 1981, <i>Scymniscus</i>	583
<i>fuerschi</i> Yazdani & Ahmadi, 1992, <i>Paracoelopterus</i>	568
<i>fuerteventurensis</i> Palm, 1975, <i>Malthinus</i>	279
<i>fugax</i> Fabricius, 1801, <i>Sericus</i>	134
<i>fugax</i> Mannerheim, 1843, <i>Rhagonycha</i>	263
<i>fugongensis</i> C. Cao & Xiao, 1984, <i>Epilachna</i>	627
<i>fuhesanus</i> John, 1964, <i>Thorictus</i>	303
<i>fujianensis</i> X.-F. Pang & R. D. Gordon, 1986, <i>Scymnus</i>	585
<i>fujianus</i> Schimmel, 2003, <i>Podeonius</i>	140
<i>fujisanus</i> Lewis, 1894, <i>Sericus</i>	134
<i>fujisanus</i> Nakane & Makino, 1989, <i>Asiopodabrus</i>	236
<i>fujisanus</i> Ôhira, 1963, <i>Scutellathous</i>	172
<i>fujitai</i> Ôhira, 1978, <i>Tetrigus</i>	108
<i>fukiena</i> Wittmer, 1997, <i>Podosilis</i>	275
<i>fukienensis</i> Bocáková, 1997, <i>Plateros</i>	219
<i>fukienensis</i> Evers, 1948, <i>Myrmecophasma</i>	418
<i>fukienensis</i> Evers, 1948, <i>Ebaeus</i>	430
<i>fukienensis</i> Pic, 1955, <i>Luciola</i>	232
<i>fukienensis</i> Wittmer, 1954, <i>Lycocerus</i>	251
<i>fukiensis</i> Bocák, 1999, <i>Ponyalis</i>	218
<i>fukiensis</i> C. Johnson, 1990, <i>Corticarina</i>	646
<i>fukiensis</i> Corporaal, 1948, <i>Thanasimus</i>	375
<i>fukiensis</i> Kleine, 1940, <i>Propyropterus</i>	216

<i>fukiensis</i> Wittmer, 1974, <i>Stenothemus</i>	269
<i>fukudai</i> M. Chûjô, 1941, <i>Triplax</i>	544
<i>fukudai</i> Nakane & Makino, 1990, <i>Asiopodabrus</i>	234
<i>fukuinosaitoui</i> Kishii, 1987, <i>Homotechnes</i>	153
<i>fulgens</i> A. G. Olivier, 1790, <i>Campsosternus</i>	94
<i>fulgens</i> Kleine, 1933, <i>Plateros</i>	220
<i>fulgens</i> Ôhira, 1966, <i>Agriotes</i>	115
<i>fulgidicollis</i> Desbrochers des Loges, 1897, <i>Corynetinus</i>	381
<i>fulgurata</i> M. Chûjô, 1938, <i>Beccariola</i>	562
<i>fuliginosa</i> J. Weise, 1879, <i>Coccinella</i>	610
<i>fuliginosus</i> Bourgeois, 1883, <i>Microtrichalus</i>	223
<i>fuliginosus</i> Bourgeois, 1891, <i>Themus</i>	270
<i>fuliginosus</i> Candèze, 1865, <i>Agrypnus</i>	97
<i>fuliginosus</i> Erichson, 1845, <i>Meligethes</i>	485
<i>fuliginosus</i> P. Rossi, 1792, <i>Dermestes</i>	302
<i>fulminans</i> Schilsky, 1894, <i>Psilothrix</i>	408
<i>fulva</i> Comolli, 1837, <i>Corticaria</i>	643
<i>fulva</i> Gmelin, 1790, <i>Cantharis</i>	243
<i>fulva</i> Haworth, 1812, <i>Adalia</i>	604
<i>fulva</i> J. Weise, 1879, <i>Calvia</i>	607
<i>fulva</i> M. Chûjô, 1938, <i>Mycetina</i>	565
<i>fulva</i> Reitter, 1879, <i>Rhodotritoma</i>	542
<i>fulva</i> Scopoli, 1763, <i>Rhagonycha</i>	263
<i>fulvago</i> Marseul, 1868, <i>Haterumelater</i>	130
<i>fulvaliena</i> Švihla, 1995, <i>Rhagonycha</i>	263
<i>fulvangulus</i> Csiki, 1951, <i>Ampedus</i>	125
<i>fulvastra</i> Fleutiaux, 1940, <i>Agrypnus</i>	97
<i>fulvescens</i> Brancsik, 1910, <i>Danacea</i>	397
<i>fulvescens</i> Candèze, 1863, <i>Agriotes</i>	116
<i>fulvescens</i> Mulsant & Rey, 1864, <i>Lasioderma</i>	358
<i>fulvescens</i> Reitter, 1887, <i>Procrærus</i>	138
<i>fulvescens</i> Reitter, 1891, <i>Craspedostethus</i>	203
<i>fulviceps</i> Arrow, 1925, <i>Spondotriplax</i>	543
<i>fulvicollis</i> Audouin, 1824, <i>Drilus</i>	209
<i>fulvicollis</i> Fabricius, 1792, <i>Cantharis</i>	241
<i>fulvicollis</i> Gebler, 1844, <i>Apalochrus</i>	416
<i>fulvicollis</i> J. R. Sahlberg, 1913, <i>Scymnus</i>	588
<i>fulvicollis</i> L. Redtenbacher, 1858, <i>Cantharis</i>	243
<i>fulvicollis</i> Motschulsky, 1858, <i>Adelocera</i>	95
<i>fulvicollis</i> Mulsant, 1846, <i>Scymnus</i>	583
<i>fulvicollis</i> Reitter, 1881, <i>Dermestes</i>	301
<i>fulvicollis</i> Reitter, 1890, <i>Xyletinus</i>	360
<i>fulvicollis</i> Stephens, 1830, <i>Ischnodes</i>	130
<i>fulvicollis</i> Stephens, 1830, <i>Malthodes</i>	291
<i>fulvicollis</i> Stephens, 1830, <i>Atomaria</i>	527
<i>fulvicornis</i> Kiesenwetter, 1859, <i>Drilus</i>	209
<i>fulvicornis</i> Rey, 1889, <i>Meligethes</i>	482
<i>fulvicornis</i> Sturm, 1837, <i>Hemicoelus</i>	340
<i>fulvifrons</i> Marsham, 1802, <i>Scymnus</i>	585
<i>fulvihumerus</i> C.-T. Yang & R.-H. Wu, 1972, <i>Pseudoscymnus</i>	582

<i>fulvilegulus</i> Reitter, 1889, <i>Ampedus</i>	126
<i>fulvimana</i> Motschulsky, 1837, <i>Ceratomegilla</i>	609
<i>fulvimanus</i> Escalera, 1927, <i>Allotarsus</i>	400
<i>fulvipennis</i> Germar, 1839, <i>Phyllocerus</i>	81
<i>fulvipennis</i> Germar, 1824, <i>Cantharis</i>	245
<i>fulvipennis</i> Lewis, 1894, <i>Liotrichus</i>	177
<i>fulvipennis</i> Mannerheim, 1846, <i>Atomaria</i>	525
<i>fulvipennis</i> Motschulsky, 1868, <i>Monotoma</i>	494
<i>fulvipennis</i> Ôhira, 1967, <i>Ampedus</i>	123
<i>fulvipennis</i> Reitter, 1911, <i>Elateroides</i>	362
<i>fulvipes</i> Arnoldi, 1965, <i>Xyletinus</i>	360
<i>fulvipes</i> C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	482
<i>fulvipes</i> Comolli, 1837, <i>Corticarina</i>	647
<i>fulvipes</i> Erichson, 1843, <i>Brachypterus</i>	457
<i>fulvipes</i> Fleutiaux, 1918, <i>Cardiotarsus</i>	203
<i>fulvipes</i> Geoffroy, 1785, <i>Nitidula</i>	474
<i>fulvipes</i> Guérin-Méneville, 1838, <i>Orphinus</i>	317
<i>fulvipes</i> Gyllenhal, 1808, <i>Melanotus</i>	142
<i>fulvipes</i> Herbst, 1806, <i>Melanotus</i>	150
<i>fulvipes</i> Melsheimer, 1844, <i>Monotoma</i>	494
<i>fulvipes</i> Motschulsky, 1860, <i>Ampedus</i>	123
<i>fulvipes</i> Motschulsky, 1860, <i>Anadastus</i>	532
<i>fulvipes</i> Mulsant & Rey, 1868, <i>Attagenus</i>	310
<i>fulvipes</i> Reitter, 1902, <i>Anthodromius</i>	386
<i>fulvipes</i> Reitter, 1885, <i>Dasytidius</i>	389
<i>fulvipes</i> Schilsky, 1894, <i>Aplocnemus</i>	411
<i>fulvipustulata</i> Haworth, 1812, <i>Adalia</i>	604
<i>fulvitaris</i> Baudi di Selve, 1872, <i>Drilus</i>	209
<i>fulvitaris</i> Ritsema, 1889, <i>Helota</i>	495
<i>fulvithorax</i> Kaszab, 1955, <i>Cantharis</i>	245
<i>fulvivellus</i> Candèze, 1860, <i>Dicronychus</i>	204
<i>fulviventris</i> Kolbe, 1886, <i>Helota</i>	495
<i>fulvocapillus</i> Pic, 1901, <i>Ptinus</i>	336
<i>fulvocapitalis</i> Jeng & Satô, 1998, <i>Curtos</i>	231
<i>fulvofasciatus</i> Ganglbauer, 1904, <i>Dermestes</i>	302
<i>fulvofasciatus</i> Reitter, 1894, <i>Cardiophorus</i>	197
<i>fulvohirta</i> C. N. F. Brisout de Barneville, 1862, <i>Trichocele</i>	414
<i>fulvohirtus</i> Reitter, 1891, <i>Dignomus</i>	331
<i>fulvoides</i> C. Johnson, 1989, <i>Corticaria</i>	643
<i>fulvoides</i> Pic, 1904, <i>Metacantharis</i>	256
<i>fulvomarginata</i> Wingelmüller, 1912, <i>Hippodamia</i>	617
<i>fulvonigra</i> Dahlgren, 1972, <i>Rhagonycha</i>	263
<i>fulvopilis</i> Reitter, 1889, <i>Trichocele</i>	414
<i>fulvus</i> C. Johnson, 1975, <i>Ernobius</i>	350
<i>fulvus</i> Dolin, 1969, <i>Denticolloides</i>	168
<i>fulvus</i> Erichson, 1843, <i>Kateretes</i>	458
<i>fulvus</i> Marsham, 1802, <i>Dalopius</i>	119
<i>fulvus</i> Marsham, 1802, <i>Pocadius</i>	476
<i>fulvus</i> Motschulsky, 1860, <i>Denticollis</i>	168
<i>fulvus</i> Reitter, 1891, <i>Reitterelater</i>	130

<i>fulvus</i> Reitter, 1891, <i>Melanotus</i>	144
<i>fulvus</i> Reitter, 1889, <i>Microjulistus</i>	414
<i>fulvus</i> W. Redtenbacher, 1842, <i>Porthmidius</i>	140
<i>fumata</i> Erichson, 1846, <i>Atomaria</i>	529
<i>fumata</i> Everts, 1921, <i>Cantharis</i>	241
<i>fumata</i> Fairmaire, 1868, <i>Pyrocoelia</i>	229
<i>fumata</i> J. Weise, 1879, <i>Aphidecta</i>	607
<i>fumata</i> Murray, 1867, <i>Xyloperthella</i>	325
<i>fumata</i> Stephens, 1829, <i>Mycetaea</i>	567
<i>fumatus</i> Boheman, 1851, <i>Carpophilus</i>	467
<i>fumatus</i> Champion, 1926, <i>Lycocerus</i>	254
<i>fumatus</i> Erichson, 1845, <i>Meligethes</i>	482
<i>fumatus</i> Marsham, 1802, <i>Cryptophagus</i>	516
<i>fumida</i> Mulsant, 1850, <i>Rodolia</i>	597
<i>fumidiformis</i> Wittmer, 1983, <i>Micropodabrus</i>	257
<i>fumidus</i> Champion, 1926, <i>Micropodabrus</i>	257
<i>fumosa</i> Gorham, 1883, <i>Pyrocoelia</i>	229
<i>funditor</i> J. Weise, 1887, <i>Malthodes</i>	289
<i>funebrealis</i> Gistel, 1857, <i>Tarsostenus</i>	383
<i>funebrioides</i> Schimmel, 2004, <i>Megapenthes</i>	137
<i>funebriis</i> Candèze, 1882, <i>Megapenthes</i>	137
<i>funebriis</i> Fairmaire, 1892, <i>Syriopelta</i>	383
<i>funebriis</i> Förster, 1849, <i>Meligethes</i>	484
<i>funebriis</i> Majer, 1989, <i>Dasytidius</i>	389
<i>funebriis</i> Marseul, 1864, <i>Cantharis</i>	243
<i>funebriis</i> Reitter, 1884, <i>Drilus</i>	209
<i>funebriis</i> Reitter, 1889, <i>Anthrenus</i>	314
<i>funebriis</i> Solsky, 1881, <i>Lacon</i>	101
<i>funera</i> Kiesenwetter, 1859, <i>Trichoceble</i>	414
<i>funeraria</i> Reitter, 1884, <i>Eपुरaea</i>	460
<i>funerarius</i> Canepari, 1997, <i>Pseudoscymnus</i>	582
<i>funereus</i> Jelinek, 1967, <i>Meligethes</i>	482
<i>funereus</i> Murray, 1864, <i>Carpophilus</i>	466
<i>funesta</i> Faldermann, 1835, <i>Boveycantharis</i>	239
<i>funesta</i> Reitter, 1873, <i>Omosita</i>	474
<i>funestula</i> Pic, 1906, <i>Cantharis</i>	240
<i>funestus</i> Mulsant & Rey, 1868, <i>Anthrenus</i>	312
<i>fungicola</i> C. G. Thomson, 1868, <i>Enicmus</i>	637
<i>fungicola</i> Heer, 1841, <i>Cychramus</i>	472
<i>fungicola</i> Hisamatsu, 1968, <i>Eपुरaea</i>	460
<i>fungicola</i> Wollaston, 1865, <i>Xestus</i>	538
<i>fungifex</i> Gistel, 1857, <i>Ephistemus</i>	530
<i>fungorum</i> Gyllenhal, 1808, <i>Paramecosoma</i>	523
<i>fungorum</i> Lewis, 1887, <i>Dacne</i>	537
<i>fungorum</i> Panzer, 1797, <i>Cryptophagus</i>	518
<i>fur</i> Linnaeus, 1758, <i>Ptinus</i>	336
<i>furcata</i> Majer, 1988, <i>Bilyella</i>	400
<i>furcata</i> Wittmer, 1997, <i>Rhagonycha</i>	263
<i>furcatiformis</i> Wittmer, 1997, <i>Rhagonycha</i>	263
<i>furcatipennis</i> A. Villa & G. B. Villa, 1837, <i>Charopus</i>	441

<i>furcatistylus</i> Pic, 1919, <i>Malthodes</i>	288
<i>furcatopygus</i> Wittmer, 1954, <i>Malthodes</i>	288
<i>furcatum</i> Logvinovskiy, 1980, <i>Dorcatoma</i>	345
<i>furcatus</i> Abeille de Perrin, 1885, <i>Troglops</i>	454
<i>furcatus</i> Wittmer, 1986, <i>Macrohabronychus</i>	255
<i>furcatus</i> Wittmer, 1974, <i>Malthinus</i>	279
<i>furcilla</i> Majer, 1996, <i>Brodskyana</i>	388
<i>furfurosus</i> Gurjeva, 1982, <i>Pseudanostirus</i>	180
<i>furlani</i> Platia, 2003, <i>Agriotes</i>	115
<i>furoides</i> Escalera, 1914, <i>Ptinus</i>	336
<i>fursovi</i> Iablokoff-Khnzorian, 1978, <i>Cryptolestes</i>	503
<i>fursovi</i> Lyubarsky, 1991, <i>Antherophagus</i>	514
<i>fursovi</i> Toskina, 2001, <i>Ptinomorphus</i>	354
<i>furthi</i> Švihla, 1994, <i>Malthodes</i>	288
<i>furunculus</i> O. F. Müller, 1776, <i>Ptinus</i>	336
<i>furva</i> J. Weise, 1879, <i>Henosepilachna</i>	629
<i>fusca</i> Linnaeus, 1758, <i>Cantharis</i>	241
<i>fusca</i> Matthews, 1899, <i>Arthrolips</i>	632
<i>fusca</i> Scopoli, 1763, <i>Cantharis</i>	242
<i>fuscata</i> Geisthardt, 1987, <i>Lampyris</i>	227
<i>fuscata</i> Schilsky, 1897, <i>Danacea</i>	399
<i>fuscata</i> Schönherr, 1808, <i>Atomaria</i>	525
<i>fuscatacollis</i> Brullé, 1832, <i>Melanotus</i>	144
<i>fuscatus</i> A. Costa, 1847, <i>Cebrio</i>	91
<i>fuscatus</i> Boheman, 1859, <i>Scymnus</i>	583
<i>fusciceps</i> Gyllenhal, 1817, <i>Melanotus</i>	144
<i>fusciceps</i> Reitter, 1884, <i>Epuraea</i>	465
<i>fusciclavis</i> Bruce, 1943, <i>Cryptophagus</i>	517
<i>fuscicollis</i> Kishii, 1991, <i>Glyphonyx</i>	109
<i>fuscicollis</i> Mannerheim, 1852, <i>Atomaria</i>	529
<i>fuscicollis</i> Miwa, 1928, <i>Agriotes</i>	118
<i>fuscicollis</i> Nakane, 1977, <i>Drilaster</i>	233
<i>fuscicollis</i> Stephens, 1835, <i>Epuraea</i>	460
<i>fuscicornis</i> A. G. Olivier, 1790, <i>Rhagonycha</i>	265
<i>fuscicornis</i> Mulsant & Guillebeau, 1856, <i>Athous</i>	157
<i>fuscicornis</i> Mulsant & Rey, 1868, <i>Trogoderma</i>	319
<i>fuscicornis</i> Reitter, 1874, <i>Pseudophloeus</i>	506
<i>fuscicornis</i> Spinola, 1844, <i>Trichodes</i>	378
<i>fuscicornis</i> Sturm, 1845, <i>Cryptophagus</i>	517
<i>fuscipennis</i> Fiori, 1899, <i>Agriotes</i>	115
<i>fuscipennis</i> Hope, 1845, <i>Acanthocnemus</i>	384
<i>fuscipennis</i> Lewis, 1879, <i>Prionocerus</i>	386
<i>fuscipennis</i> Mannerheim, 1844, <i>Melanophthalma</i>	647
<i>fuscipennis</i> Mulsant, 1862, <i>Cantharis</i>	242
<i>fuscipes</i> Bourgeois, 1897, <i>Malthinus</i>	283
<i>fuscipes</i> Brullé, 1832, <i>Dasytes</i>	402
<i>fuscipes</i> Fabricius, 1775, <i>Lanelater</i>	102
<i>fuscipes</i> Gyllenhal, 1808, <i>Atomaria</i>	525
<i>fuscipes</i> Miwa, 1931, <i>Corymbitodes</i>	176
<i>fuscipes</i> P. H. Lucas, 1853, <i>Rhagonycha</i>	266

<i>fuscitibia</i> Mulsant & Rey, 1868, <i>Aplocnemus</i>	411
<i>fuscitibia</i> Rey, 1891, <i>Rhagonycha</i>	263
<i>fusciventre</i> Fleutiaux, 1895, <i>Ludioschema</i>	132
<i>fusciventris</i> Chevrolat, 1874, <i>Cebrio</i>	91
<i>fuscoaenea</i> Fairmaire, 1880, <i>Danacea</i>	396
<i>fuscocephala</i> Mt. Chûjô, 1993, <i>Pseudotritoma</i>	542
<i>fuscodiscus</i> Kazantsev, 1993, <i>Plateros</i>	219
<i>fuscofasciatus</i> DeGeer, 1775, <i>Opilo</i>	373
<i>fuscoguttatus</i> Champion, 1924, <i>Merobrachys</i>	507
<i>fuscolineatus</i> Champion, 1926, <i>Micropodabrus</i>	257
<i>fuscoluridus</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	97
<i>fuscomaculata</i> Schrank, 1798, <i>Coccinella</i>	613
<i>fuscomarginatum</i> Lewis, 1896, <i>Ludioschema</i>	133
<i>fusconiger</i> Kolbe, 1886, <i>Ectamenogonus</i>	136
<i>fuscopubens</i> Reitter, 1919, <i>Brachypterolus</i>	456
<i>fuscopunctata</i> Florencourt, 1796, <i>Coccinella</i>	613
<i>fuscotestacea</i> Motschulsky, 1861, <i>Corticicara</i>	647
<i>fuscula</i> Gyllenhal, 1827, <i>Corticarina</i>	646
<i>fuscus</i> Illiger, 1805, <i>Agriotes</i>	117
<i>fuscus</i> Illiger, 1801, <i>Dasytes</i>	405
<i>fuscus</i> Laporte, 1840, <i>Agriotes</i>	118
<i>fuscus</i> Peyron, 1877, <i>Pelochrus</i>	429
<i>fuscus</i> Pic, 1910, <i>Pelochrus</i>	429
<i>fuscum</i> Rey, 1892, <i>Lasioderma</i>	357
<i>fuscus</i> A. G. Olivier, 1790, <i>Anthrenus</i>	313
<i>fuscus</i> A. G. Olivier, 1790, <i>Meligethes</i>	482
<i>fuscus</i> Baudi di Selve, 1872, <i>Thilmanus</i>	211
<i>fuscus</i> C.-T. Yang, 1971, <i>Pseudoscymnus</i>	582
<i>fuscus</i> Erichson, 1841, <i>Melanotus</i>	145
<i>fuscus</i> Erichson, 1845, <i>Pediacus</i>	502
<i>fuscus</i> Fleutiaux, 1928, <i>Xanthopenthes</i>	139
<i>fuscus</i> Gebler, 1841, <i>Megatoma</i>	316
<i>fuscus</i> Geoffroy, 1785, <i>Ptilinus</i>	356
<i>fuscus</i> Gmelin, 1790, <i>Xestobium</i>	352
<i>fuscus</i> Gradl, 1881, <i>Epauloecus</i>	331
<i>fuscus</i> Lefkovitch, 1967, <i>Cryptolestes</i>	503
<i>fuscus</i> Miwa, 1930, <i>Chatanayus</i>	119
<i>fuscus</i> Mulsant & Rey, 1863, <i>Ernobius</i>	350
<i>fuscus</i> Paykull, 1800, <i>Lyctus</i>	327
<i>fuscus</i> Preyssler, 1790, <i>Tenebroides</i>	365
<i>fuscus</i> Schrank, 1781, <i>Drapetes</i>	208
<i>fuscus</i> Sturm, 1837, <i>Ptinus</i>	335
<i>fuscus</i> Waltl, 1838, <i>Malthodes</i>	288
<i>fuscusmajor</i> DeGeer, 1774, <i>Melanotus</i>	143
<i>fuscusminor</i> DeGeer, 1774, <i>Agriotes</i>	116
<i>fusiformis</i> Candèze, 1857, <i>Lanelater</i>	102
<i>fusiformis</i> Candèze, 1876, <i>Agriotes</i>	115
<i>fusiformis</i> Wollaston, 1862, <i>Cryptophagus</i>	517
<i>fusivittatus</i> Platia & Gudenzi, 1999, <i>Dicronychus</i>	204
<i>fussi</i> Csiki, 1900, <i>Mycetina</i>	565

fussi Reitter, 1875, <i>Epuraea</i>	461
fusula Gebler, 1833, <i>Nitidula</i>	474
futahoshii Ohta, 1929, <i>Cryptogonus</i>	576
gabilloti Pic, 1910, <i>Agriotes</i>	116
gabilloti Pic, 1910, <i>Athous</i>	161
gabilloti Pic, 1907, <i>Anostirus</i>	174
gabilloti Pic, 1945, <i>Trichodes</i>	380
gabillotti Pic, 1920, <i>Trichodes</i>	380
gabrieli Gerhardt, 1898, <i>Dicronychus</i>	204
gaditana J. Weise, 1879, <i>Oenopia</i>	622
gaertneri Schwarz, 1901, <i>Cardiophorus</i>	196
gafsaensis Wittmer, 1969, <i>Malthinus</i>	279
gafsanus Pic, 1909, <i>Cardiophorus</i>	200
gafsensis Buysson, 1912, <i>Cardiophorus</i>	200
gagates Curtis, 1854, <i>Megapenthes</i>	137
gagates Fleutiaux, 1939, <i>Ludioschema</i>	133
gagathinus Erichson, 1845, <i>Meligethes</i>	482
gagatinus Candèze, 1895, <i>Ampedus</i>	123
gagliardii Della Beffa, 1913, <i>Anisosticta</i>	600
gagliardii Pic, 1933, <i>Xyletinus</i>	361
gagliardii Platia, 1988, <i>Athous</i>	161
gaheshensis Wittmer, 1999, <i>Hypotroglops</i>	436
galae Kazantsev, 2000, <i>Cautires</i>	222
galasjevae Toskina, 2002, <i>Ernobius</i>	350
galasjevi Toskina, 1995, <i>Ptilinus</i>	356
galbula Kiesenwetter, 1864, <i>Colotes</i>	428
galbula Reitter, 1894, <i>Trichodes</i>	377
galerucinoides Korschefsky, 1934, <i>Epilachna</i>	627
galfanus Bodemeyer, 1929, <i>Trichodes</i>	380
galiberti Buysson, 1918, <i>Athous</i>	161
galiberti Pic, 1918, <i>Ernobius</i>	351
galiciana Gougelet, 1859, <i>Rhagonycha</i>	268
galii Gurjeva, 1979, <i>Ampedus</i>	123
galilei Otero, 1997, <i>Cryptophagus</i>	518
galinae Kazantsev, 2001, <i>Macrolycus</i>	213
gallagheri Platia & Schimmel, 1997, <i>Heteroderes</i>	106
gallagheri Toskina, 1998, <i>Mesocoelopus</i>	354
gallagheri Toskina, 1998, <i>Lasioderma</i>	357
galliae Duverger, 1989, <i>Hyperaspis</i>	578
gallica Pic, 1923, <i>Rhagonycha</i>	263
gallica Pic, 1927, <i>Crudosilis</i>	274
gallica Schaufuss, 1876, <i>Cholovocera</i>	557
gallicus Bouwer, 1990, <i>Ampedus</i>	123
gallicus C. Johnson, 1975, <i>Ernobius</i>	350
gallicus Capra & Fürsch, 1967, <i>Scymnus</i>	591
gallicus Lacordaire, 1835, <i>Agriotes</i>	115
gallicus Panzer, 1806, <i>Lichenophanes</i>	322
gallicus Peyron, 1857, <i>Thorictus</i>	304
gallicus Pic, 1923, <i>Dicronychus</i>	205
gallicus Platia & Gudenzi, 2000, <i>Athous</i>	161

gallicus Reitter, 1922, <i>Anommatus</i>	549
gallicus Uhagón, 1900, <i>Pelochrus</i>	429
galloisi Fleutiaux, 1923, <i>Bioxylylus</i>	85
galloisi Fleutiaux, 1923, <i>Proxyllobius</i>	85
galloisi Kôno & Kim, 1937, <i>Ptilinus</i>	356
galloisi Lesne, 1937, <i>Xylopsocus</i>	325
galloisi Miwa, 1934, <i>Ampedus</i>	123
galloisi Miwa, 1928, <i>Harminius</i>	169
galloisi Pic, 1908, <i>Rhagonycha</i>	268
galloisi Pic, 1932, <i>Themus</i>	271
galloisi Sicard, 1907, <i>Nephus</i>	581
galloisis Paulian, 1962, <i>Arthrolips</i>	632
galuschkoi N. I. Nefedov, 1962, <i>Ceratomegilla</i>	609
gandhara Kapur, 1948, <i>Tetrabrachys</i>	574
gandolphei Guérin-Méneville, 1859, <i>Cebrio</i>	91
ganesh Brancucci, 1981, <i>Malthinus</i>	276
ganeshai Švihla, 2004, <i>Stenothemus</i>	269
ganeshana Schimmel, 2002, <i>Dima</i>	184
ganeshanus Schimmel, 2003, <i>Ampedus</i>	123
gangamoria Gillogly, 1982, <i>Epuraea</i>	464
ganganicus Schawaller, 1989, <i>Aphanocephalus</i>	556
ganglbaueri Abeille de Perrin, 1895, <i>Troglops</i>	454
ganglbaueri Buysson, 1897, <i>Cardiophorus</i>	196
ganglbaueri Escherich, 1894, <i>Trichodes</i>	377
ganglbaueri Fiori, 1906, <i>Malthodes</i>	288
ganglbaueri Kovář, 2007, <i>Nephus</i>	580
ganglbaueri Procházka, 1894, <i>Danacea</i>	396
ganglbaueri Reitter, 1889, <i>Ampedus</i>	123
ganglbaueri Reitter, 1884, <i>Dignomus</i>	330
ganglbaueri Rybinski, 1902, <i>Aplotarsus</i>	175
ganglbaueri Schilsky, 1899, <i>Caenocara</i>	344
ganglbaueri Schilsky, 1898, <i>Synanobium</i>	345
ganglbaueri Schilsky, 1898, <i>Episernus</i>	349
ganglbaueri Schwarz, 1894, <i>Lacon</i>	101
ganglbaueri Schwarz, 1891, <i>Agriotes</i>	115
ganglbaueri Schwarz, 1897, <i>Athous</i>	161
ganglbaueri Wasmann, 1897, <i>Thorictus</i>	303
ganglbaueri Wittmer, 1974, <i>Malthinus</i>	279
ganglbaueri Zoufal, 1894, <i>Phonapate</i>	321
gangelae C. Johnson, 1970, <i>Corticarina</i>	646
gansuensis Kazantsev, 2002, <i>Macrolycus</i>	213
gansuensis Kazantsev, 2004, <i>Dictyoptera</i>	214
gansuensis Kazantsev, 2000, <i>Xylobanellus</i>	222
gansuensis Švihla, 2002, <i>Rhagonycha</i>	263
gaoligongensis Wittmer, 1997, <i>Micropodabrus</i>	257
gaoligongshana Schimmel, 1996, <i>Pseudocsikia</i>	186
gaoligongshanus Schimmel, 1996, <i>Ampedus</i>	123
gardneri Fleutiaux, 1928, <i>Tropihypnus</i>	167
gardneri Pic, 1929, <i>Malthinus</i>	279
gardneri Pic, 1937, <i>Dorcatoma</i>	345

gardneri Pic, 1937, <i>Stagetus</i>	347
gardneri Platia & Schimmel, 2001, <i>Melanotus</i>	144
gardneri Schimmel, 2004, <i>Amamipenthes</i>	135
garganicus Fiori, 1915, <i>Malthinus</i>	279
garganicus Liberti, 1995, <i>Aplocnemus</i>	411
garhwalensis Vats & Chauhan, 1992, <i>Conoderus</i>	104
garhwalensis Wittmer, 1957, <i>Tropiebaeus</i>	437
<i>gaullei</i> Buysson, 1902, <i>Paracardiophorus</i>	206
gautardi Abeille de Perrin, 1881, <i>Cephalogonia</i>	451
gautardi Tournier, 1872, <i>Melambia</i>	364
gauthieri Cobos, 1969, <i>Trixagus</i>	88
gavoyi Bourgeois, 1905, <i>Malthodes</i>	288
<i>gavoyi</i> Pic, 1929, <i>Ptinus</i>	334
<i>gavoyi</i> Pic, 1927, <i>Attalus</i>	420
gebleri Candèze, 1860, <i>Cardiophorus</i>	197
gebleri Crotch, 1874, <i>Myzia</i>	620
gebleri Gebler, 1847, <i>Metanomus</i>	178
gebleri J. Weise, 1885, <i>Exochomus</i>	594
gebleri J. Weise, 1879, <i>Bulaea</i>	600
gebleri Mulsant, 1850, <i>Tytthaspis</i>	601
gedeensis Dieke, 1947, <i>Epilachna</i>	627
gedrosiacus Jelínek, 1981, <i>Meligethinus</i>	488
geigyi Wittmer, 1971, <i>Malthinus</i>	279
geiko Kishii, 1996, <i>Ampedus</i>	123
geisha C. Johnson, 1989, <i>Corticaria</i>	643
gelineki Reitter, 1904, <i>Porthmidius</i>	140
gelineki Reitter, 1913, <i>Dasytes</i>	401
<i>geltzermani</i> Kozminykh, 1997, <i>Dermestes</i>	300
<i>gemella</i> Bedel, 1900, <i>Temnoscheila</i>	365
<i>gemella</i> Herbst, 1783, <i>Oenopia</i>	621
<i>gemellatus</i> Jacquelin du Val, 1857, <i>Cathartus</i>	499
<i>gemellatus</i> Mannerheim, 1844, <i>Latridius</i>	639
<i>gemellatus</i> Schilsky, 1897, <i>Divales</i>	406
<i>gemina</i> Audisio & De Biase, 1996, <i>Dapsa</i>	563
<i>gemina</i> Dahlgren, 1974, <i>Cantharis</i>	247
<i>geminata</i> Say, 1825, <i>Stelidota</i>	477
<i>geminatum</i> Fall, 1905, <i>Tricorynus</i>	355
<i>geminatum</i> Schilsky, 1899, <i>Sinoxylon</i>	323
<i>geminatus</i> Erichson, 1840, <i>Dicronychus</i>	205
<i>geminatus</i> Melsheimer, 1844, <i>Glischrochilus</i>	469
<i>geminatus</i> Rücker, 1981, <i>Enicmus</i>	637
<i>geminopunctata</i> Liu, 1962, <i>Coccinella</i>	612
<i>geminus</i> Chevrolat, 1874, <i>Cebrio</i>	91
<i>geminus</i> G.-Y. Yu & Montgomery, 2000, <i>Scymnus</i>	585
<i>geminus</i> Kraatz, 1858, <i>Airaphilus</i>	498
<i>geminus</i> Walker, 1858, <i>Lycostomus</i>	212
<i>geminus</i> Zaslavskij, 1962, <i>Chilocorus</i>	593
<i>gemma</i> Candèze, 1857, <i>Campsosternus</i>	94
<i>gemma</i> Zhantiev, 1976, <i>Ctesias</i>	315
<i>gemma</i> Gorham, 1874, <i>Helota</i>	495

gemmatus Liberti, 1984, <i>Dasytes</i>	404
gemma Candèze, 1878, <i>Vuilletus</i>	134
genaemaculatus Wittmer, 1995, <i>Lycocerus</i>	250
genei Aubé, 1850, <i>Revelieria</i>	640
genei Gené, 1839, <i>Cantharis</i>	242
genei Küster, 1848, <i>Attalus</i>	421
genei Tournier, 1889, <i>Phalacrus</i>	511
generosus Pic, 1906, <i>Themus</i>	272
geniculata Gebler, 1832, <i>Rhagonycha</i>	263
geniculata Harold, 1879, <i>Languriomorpha</i>	534
geniculata Marseul, 1864, <i>Rhagonycha</i>	268
geniculata P. H. Lucas, 1846, <i>Rhagonycha</i>	268
geniculatus Chevrolat, 1874, <i>Cebrio</i>	91
geniculatus Germar, 1824, <i>Clanoptilus</i>	443
geniculatus Kiesenwetter, 1859, <i>Malthinus</i>	279
geniculatus Klug, 1842, <i>Korynetes</i>	382
geniculatus Pic, 1921, <i>Malthinus</i>	283
geniculatus Reitter, 1893, <i>Cucujus</i>	502
geniculatus Schilsky, 1903, <i>Aplocnemus</i>	413
genistae Kiesenwetter, 1866, <i>Rhagonycha</i>	264
genistae Kiesenwetter, 1866, <i>Malthodes</i>	288
genistae Marseul, 1868, <i>Danacea</i>	396
genistae Wollaston, 1854, <i>Coccinella</i>	610
gentiles Guillebeau, 1892, <i>Olibrus</i>	508
gentilis Rosenhauer, 1847, <i>Episernus</i>	349
genualifer Abeille de Perrin, 1900, <i>Attalus</i>	425
geoffroyanus Laicharting, 1783, <i>Korynetes</i>	381
geometricus Kiesenwetter, 1874, <i>Cautires</i>	222
georgelewisi W. Suzuki, 1985, <i>Parallelostethus</i>	133
georgi Dolin, 1996, <i>Zorochros</i>	193
georgi Fürsch, 1963, <i>Exochomus</i>	594
georgi Pic, 1909, <i>Rhagonycha</i>	264
georgiana Kazantsev, 1992, <i>Rhagonycha</i>	264
georgianus Chevrolat, 1874, <i>Trichodes</i>	376
georgica Reitter, 1877, <i>Epuraea</i>	463
georgicus Dolin & Chantladze, 1980, <i>Zorochros</i>	193
georgioui Preiss & Platia, 2003, <i>Cardiophorus</i>	197
gerardi Candèze, 1890, <i>Ampedus</i>	126
gerardi Lesne, 1913, <i>Ptilinastes</i>	347
gerezianus Reitter, 1905, <i>Athous</i>	161
gerhardti Flach, 1888, <i>Olibrus</i>	509
gerhardti Fürsch, 1958, <i>Scymnus</i>	588
gerhardti Pic, 1912, <i>Malthodes</i>	288
germaini Grouvelle, 1905, <i>Cryptophagus</i>	520
germanica J. Weise, 1879, <i>Hippodamia</i>	616
germanicus Reitter, 1871, <i>Meligethes</i>	487
germanicus Reitter, 1906, <i>Henoticus</i>	521
germanus Chevrolat, 1843, <i>Opilo</i>	373
germanus Fabricius, 1781, <i>Ptinus</i>	333
germanus Goeze, 1777, <i>Ptinus</i>	336

<i>germanus</i> Linnaeus, 1761, <i>Selatosomus</i>	181
<i>germari</i> Cate, 2007, <i>Hemiops</i>	186
<i>germari</i> Jacquelin du Val, 1860, <i>Cebrio</i>	91
<i>germari</i> Küster, 1844, <i>Lamprohiza</i>	229
<i>germari</i> P. H. Lucas, 1846, <i>Thorictus</i>	304
<i>germariensis</i> Jacquelin du Val, 1860, <i>Lampyris</i>	227
<i>gestroi</i> Abeille de Perrin, 1890, <i>Hypebaeus</i>	434
<i>gestroi</i> Buysson, 1893, <i>Idiotarmon</i>	140
<i>gestroi</i> Escalera, 1942, <i>Thorictus</i>	303
<i>gestroi</i> Fairmaire, 1875, <i>Parexochomus</i>	595
<i>gestroi</i> Grouvelle, 1913, <i>Ancistria</i>	501
<i>gestroi</i> Pic, 1912, <i>Ponyalis</i>	218
<i>gestroi</i> Schilsky, 1897, <i>Dasytidius</i>	390
<i>gestroi</i> Schilsky, 1897, <i>Aplocnemus</i>	410
<i>gethsemaniensis</i> Abeille de Perrin, 1881, <i>Malachius</i>	449
<i>getschmanni</i> Candèze, 1880, <i>Cardiophorus</i>	197
<i>getschmanni</i> Chevrolat, 1872, <i>Cebrio</i>	91
<i>getschmanni</i> Heyden, 1880, <i>Cantharis</i>	245
<i>ghardaiensis</i> Wittmer, 1994, <i>Attalus</i>	422
<i>ghilanensis</i> Dahlgren, 1985, <i>Rhagonycha</i>	264
<i>ghilarovi</i> Dolin, 1978, <i>Oedostethus</i>	189
<i>ghilarovi</i> Dolin & Atamuradov, 1989, <i>Melanotus</i>	144
<i>ghilarovi</i> Dolin & Bessolitzina, 1992, <i>Hypnoidus</i>	154
<i>ghilarovi</i> Gurjeva, 1988, <i>Anostirus</i>	174
<i>ghilarovi</i> Gurjeva & Valiakhmedov, 1982, <i>Phyllocerus</i>	81
<i>ghilianii</i> Bellier de la Chavignerie, 1870, <i>Coccinula</i>	601
<i>ghumensis</i> Wittmer, 1978, <i>Protomaltypus</i>	296
<i>ghumus</i> Sengupta & De, 1988, <i>Rhizophagus</i>	492
<i>gianassoi</i> Platia & Gudenzi, 1996, <i>Athous</i>	161
<i>gianellii</i> Gestro, 1888, <i>Ichthyurus</i>	297
<i>gibba</i> Fabricius, 1798, <i>Apate</i>	320
<i>gibbera</i> Crotch, 1874, <i>Epilachna</i>	627
<i>gibberosus</i> P. H. Lucas, 1846, <i>Symbiotes</i>	560
<i>gibbiceps</i> Reitter, 1889, <i>Malthodes</i>	288
<i>gibbicollis</i> Fairmaire, 1887, <i>Lycocerus</i>	250
<i>gibbicollis</i> P. H. Lucas, 1846, <i>Dignomus</i>	330
<i>gibbicollis</i> Wollaston, 1862, <i>Sphaericus</i>	338
<i>gibbipennis</i> Chobaut, 1898, <i>Microjulistus</i>	414
<i>gibboides</i> Boieldieu, 1854, <i>Sphaericus</i>	338
<i>gibbosa</i> Duméril, 1817, <i>Subcoccinella</i>	630
<i>gibbosa</i> Herbst, 1793, <i>Cortinicara</i>	647
<i>gibbosulus</i> Fairmaire, 1900, <i>Rhagophthalmus</i>	225
<i>gibbosus</i> G.-Y. Yu, 1997, <i>Pseudoscymnus</i>	582
<i>gibbosus</i> Gorham, 1887, <i>Bolbomorphus</i>	560
<i>gibbosus</i> J. R. Sahlberg, 1913, <i>Tetrabrachys</i>	574
<i>gibbosus</i> Wittmer, 1956, <i>Ebaeus</i>	430
<i>gibbula</i> Erichson, 1846, <i>Atomaria</i>	525
<i>gibbula</i> Motschulsky, 1866, <i>Cortinicara</i>	647
<i>gibbulus</i> Erichson, 1844, <i>Cybocephalus</i>	489
<i>gibbus</i> Drapiez, 1819, <i>Ebaeus</i>	430

<i>gibbus</i> Gebler, 1847, <i>Hypnoidus</i>	154
<i>gibbus</i> Pal & Sengupta, 1977, <i>Silvanus</i>	500
<i>gifuensis</i> Ôhira, 1973, <i>Microhypnus</i>	188
<i>gifuensis</i> Takahashi & Kiriyama, 2000, <i>Asiopodabrus</i>	234
<i>gigantea</i> Boheman, 1868, <i>Encaustes</i>	539
<i>gigantea</i> Reitter, 1882, <i>Peltis</i>	366
<i>giganteum</i> Escalera, 1914, <i>Mezium</i>	329
<i>giganteus</i> Fairmaire, 1888, <i>Menghouius</i>	225
<i>giganteus</i> Kamiya, 1961, <i>Scymnus</i>	586
<i>giganteus</i> Kishii, 1975, <i>Actenicerus</i>	173
<i>gigas</i> Abeille de Perrin, 1894, <i>Holopsis</i>	631
<i>gigas</i> Coiffait, 1984, <i>Abromus</i>	548
<i>gigas</i> Evers, 1948, <i>Malachius</i>	449
<i>gigas</i> Fabricius, 1787, <i>Cebrio</i>	91
<i>gigas</i> Fleutiaux, 1918, <i>Lanelater</i>	102
<i>gigas</i> Laporte, 1838, <i>Thanasimodes</i>	375
<i>gigas</i> Mulsant & Rey, 1863, <i>Ernobius</i>	350
<i>gigas</i> Reitter, 1890, <i>Harminius</i>	169
<i>gigas</i> Wollaston, 1862, <i>Thorictus</i>	303
<i>gilbus</i> Lyubarsky, 2004, <i>Augasmus</i>	507
<i>gilgitensis</i> Fürsch, 1979, <i>Bulaea</i>	600
<i>gilleforsi</i> Švihla, 1993, <i>Rhagonycha</i>	264
<i>gillerforsi</i> Fürsch, 1987, <i>Diomus</i>	576
<i>gillerforsi</i> Platia & Gudenzi, 2004, <i>Dicronychus</i>	204
<i>gillerforsi</i> Platia & Schimmel, 1994, <i>Lacon</i>	101
<i>gillerforsi</i> Wittmer, 1993, <i>Malthodes</i>	288
<i>gilvillus</i> Lacordaire, 1835, <i>Agriotes</i>	118
<i>gilvifrons</i> Mulsant, 1850, <i>Stethorus</i>	592
<i>gilvipennis</i> Rosenhauer, 1856, <i>Rhagonycha</i>	264
<i>gilvipipes</i> Schilsky, 1903, <i>Dasytes</i>	400
<i>gilvus</i> Candèze, 1865, <i>Lanelater</i>	102
<i>gilvus</i> Kleine, 1928, <i>Helcophorus</i>	215
<i>gineri</i> Escalera, 1942, <i>Attalus</i>	422
<i>girardi</i> Platia & Schimmel, 1991, <i>Silesis</i>	112
<i>girardi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>girardi</i> Schimmel, 1993, <i>Ampedus</i>	123
<i>girardi</i> Schimmel, 2004, <i>Hayekpenthes</i>	136
<i>girardi</i> Schimmel & Platia, 1991, <i>Penia</i>	185
<i>girodi</i> Chevrolat, 1880, <i>Thaneroclerus</i>	367
<i>glabellus</i> Kiesenwetter, 1852, <i>Malthinus</i>	279
<i>glaber</i> C. R. Sahlberg, 1819, <i>Megatoma</i>	317
<i>glaber</i> Creutzer, 1796, <i>Orphilus</i>	306
<i>glaber</i> Gyllenhal, 1808, <i>Spavius</i>	523
<i>glaber</i> Kiesenwetter, 1866, <i>Troglops</i>	453
<i>glaber</i> Kleine, 1950, <i>Lucidina</i>	230
<i>glaber</i> Kugelann, 1792, <i>Dorcatoma</i>	344
<i>glaber</i> Majer, 1989, <i>Danacaeomimus</i>	394
<i>glaber</i> Newman, 1834, <i>Brachypterus</i>	457
<i>glaber</i> Schaller, 1783, <i>Combocerus</i>	537
<i>glaberrima</i> Majer, 1996, <i>Danaceothrix</i>	389

<i>glaberrimus</i> Paykull, 1798, <i>Kateretes</i>	458
<i>glabra</i> Jurine, 1814, <i>Necrobia</i>	382
<i>glabratus</i> Fabricius, 1801, <i>Orphilus</i>	306
<i>glabratus</i> Kolenati, 1846, <i>Agaricophilus</i>	566
<i>glabratus</i> Panzer, 1795, <i>Cyllodes</i>	472
<i>glabricola</i> Candèze, 1861, <i>Phenolia</i>	475
<i>glabricollis</i> Mulsant & Rey, 1867, <i>Ebaeus</i>	430
<i>glabricollis</i> Wittmer, 1995, <i>Epiebaeus</i>	432
<i>glabricula</i> Rey, 1889, <i>Atomaria</i>	524
<i>glabriculus</i> Grouvelle, 1897, <i>Passandrophloeus</i>	505
<i>glabripennis</i> Roubal, 1943, <i>Meligethes</i>	487
<i>glabrosus</i> Vats & Kashyap, 1993, <i>Lanelater</i>	102
<i>glabrum</i> Herbst, 1783, <i>Trogoderma</i>	319
<i>glabrum</i> Reitter, 1885, <i>Sphaerosoma</i>	555
<i>glacialis</i> Bourgeois, 1909, <i>Rhagonycha</i>	262
<i>glacialis</i> J. Weise, 1879, <i>Adalia</i>	602
<i>glanei</i> Platia & Schimmel, 2001, <i>Melanotus</i>	144
<i>glasunovi</i> Barovskij, 1909, <i>Themus</i>	271
<i>glasunovi</i> Gurjeva, 1966, <i>Cardiophorus</i>	197
<i>glaucii</i> Kolenati, 1846, <i>Meligethes</i>	481
<i>glazunovi</i> Barovskij, 1909, <i>Tetrabrachys</i>	574
<i>gliscereus</i> Panzer, 1795, <i>Ampedus</i>	123
<i>glisonothoides</i> Reitter, 1874, <i>Toramus</i>	532
<i>globoicollis</i> Germar, 1843, <i>Pseudanostirus</i>	180
<i>globoicollis</i> Reitter, 1896, <i>Atomaria</i>	526
<i>globiera</i> Xiao, 1993, <i>Epilachna</i>	627
<i>globiformis</i> Pic, 1894, <i>Olibrus</i>	509
<i>globiger</i> Arrow, 1915, <i>Anthrenus</i>	311
<i>globipennis</i> Reitter, 1884, <i>Dignomus</i>	330
<i>globipennis</i> Reitter, 1884, <i>Niptodes</i>	332
<i>globosa</i> D. H. Schneider, 1792, <i>Subcoccinella</i>	630
<i>globosa</i> J. R. Sahlberg, 1913, <i>Revelieria</i>	640
<i>globosum</i> Ślipiński, 1981, <i>Paracerylon</i>	554
<i>globosum</i> Sturm, 1807, <i>Sphaerosoma</i>	555
<i>globosus</i> J. Weise, 1879, <i>Scymnus</i>	585
<i>globosus</i> Kirejtshuk, 1994, <i>Neopallodes</i>	473
<i>globosus</i> Platia & Schimmel, 2002, <i>Melanotus</i>	145
<i>globosus</i> Solier, 1849, <i>Trigonogenius</i>	339
<i>globosus</i> Walzl, 1838, <i>Ootypus</i>	530
<i>globulicollis</i> Wollaston, 1862, <i>Cardiophorus</i>	202
<i>globulicornis</i> Reitter, 1908, <i>Orphinus</i>	317
<i>globulus</i> Illiger, 1807, <i>Niptodes</i>	332
<i>globulus</i> Paykull, 1798, <i>Ephistemus</i>	530
<i>glochidiata</i> Kazantsev, 1996, <i>Hatchiana</i>	237
<i>glochiosa</i> X.-F. Pang & Mao, 1979, <i>Epilachna</i>	627
<i>glochisifoliata</i> X.-F. Pang & Mao, 1979, <i>Epilachna</i>	627
<i>gloiera</i> Xiao, 1993, <i>Epilachna</i>	627
<i>gloriosae</i> Fabricius, 1798, <i>Attagenus</i>	308
<i>gloriosus</i> Kishii, 1955, <i>Selatosomus</i>	182
<i>glotticus</i> Ren & X.-F. Pang, 1992, <i>Axinoscymnus</i>	578

<i>glycereus</i> Herbst, 1784, <i>Ampedus</i>	123
<i>glycyrrhizae</i> Chevrolat, 1844, <i>Lyctus</i>	327
<i>gnatongensis</i> Wittmer, 1981, <i>Themus</i>	270
<i>gobanzi</i> Reitter, 1905, <i>Athous</i>	161
<i>gobicola</i> J. Frivaldszky, 1892, <i>Attagenus</i>	308
<i>gobicus</i> Zhantiev, 2004, <i>Anthrenus</i>	311
<i>gobiensis</i> Evers, 1987, <i>Troglocollops</i>	419
<i>gobiensis</i> Evers, 1964, <i>Colotes</i>	427
<i>gobiensis</i> Pic, 1923, <i>Troglops</i>	454
<i>gobindanus</i> Kazantsev, 2004, <i>Helcophorus</i>	215
<i>gobius</i> Candèze, 1860, <i>Metriaulacus</i>	151
<i>godarti</i> Belon, 1881, <i>Adistemia</i>	635
<i>godarti</i> Guillebeau, 1885, <i>Atomaria</i>	525
<i>godarti</i> Mulsant & Guillebeau, 1856, <i>Athous</i>	163
<i>godavariensis</i> Miyatake, 1985, <i>Scymnus</i>	586
<i>godavariensis</i> Ôhira & Becker, 1974, <i>Zorochochros</i>	193
<i>godavariensis</i> Wittmer, 1978, <i>Protomaltypus</i>	296
<i>godivariensis</i> Ôhira & Becker, 1972, <i>Glyphonyx</i>	109
<i>gozei</i> Sánchez-Ruiz, 1996, <i>Cardiophorus</i>	200
<i>goksunensis</i> Platia, 2004, <i>Agriotes</i>	115
<i>goliath</i> Pic, 1903, <i>Malthodes</i>	288
<i>goliath</i> Saulcy, 1868, <i>Anthrenus</i>	312
<i>gomadanus</i> Nakane, 1969, <i>Plateros</i>	219
<i>gomeræ</i> Franz, 1979, <i>Lycoperdina</i>	565
<i>gomerensis</i> Cobos, 1970, <i>Cardiophorus</i>	202
<i>gomerensis</i> Evers, 1961, <i>Attalus</i>	422
<i>gomerensis</i> Plata & Prendes, 1981, <i>Leipaspis</i>	364
<i>gonatoides</i> Kusnetzov & Ren, 1992, <i>Scymnus</i>	590
<i>gongashanica</i> Bocák, 1999, <i>Lyponia</i>	218
<i>gonggarensis</i> Jing, 1992, <i>Oenopia</i>	621
<i>gonocerus</i> Mulsant & Rey, 1868, <i>Dasytes</i>	402
<i>gononi</i> Platia & Schimmel, 2002, <i>Melanotus</i>	145
<i>gonospermi</i> Jacquelin du Val, 1860, <i>Sphaericus</i>	338
<i>gonzalezi</i> Otero & Angelini, 1981, <i>Cryptophagus</i>	517
<i>gonzalo</i> Otero, 2004, <i>Micrambe</i>	522
<i>gorapaniensis</i> Wittmer, 1983, <i>Hypotroglops</i>	436
<i>gorhami</i> Champion, 1921, <i>Colotes</i>	427
<i>gorhami</i> Kôno, 1932, <i>Dictyoptera</i>	214
<i>gorhami</i> Lewis, 1879, <i>Episcapha</i>	540
<i>gorhami</i> Lewis, 1874, <i>Endomychus</i>	560
<i>gorhami</i> Olliff, 1883, <i>Helota</i>	495
<i>gorhami</i> Pic, 1945, <i>Tenerus</i>	384
<i>gorhami</i> Pic, 1924, <i>Lobonyx</i>	384
<i>gorhami</i> Ritsema, 1883, <i>Luciola</i>	233
<i>gorhamianus</i> Corporaal, 1949, <i>Tenerus</i>	384
<i>goriciensis</i> Reitter, 1905, <i>Athous</i>	161
<i>gorkhana</i> Miyatake, 1985, <i>Epilachna</i>	627
<i>gorkhus</i> Schawaller, 1987, <i>Aphanocephalus</i>	556
<i>goryi</i> Gory, 1832, <i>Calais</i>	107
<i>gossypii</i> Chittenden, 1897, <i>Oryzaephilus</i>	499

gotoi Nakane, 1956, <i>Anhomodactylus</i>	438
gottwaldi C. Johnson, 1971, <i>Atomaria</i>	528
gottwaldi Lohse, 1978, <i>Athous</i>	161
gotzi Holzschuh & Lohse, 1981, <i>Monotoma</i>	494
<i>gouani</i> Linnaeus, 1767, <i>Anthocomus</i>	439
<i>goudoti</i> Pic, 1927, <i>Tricorynus</i>	355
gougeleti Fairmaire, 1859, <i>Neopristilophus</i>	178
gozaishi Kishii, 1990, <i>Ampedus</i>	123
gracilentata Solsky, 1871, <i>Triplax</i>	544
gracilentus Mulsant & Rey, 1867, <i>Attalus</i>	422
gracilicollis Stierlin, 1896, <i>Anostirus</i>	174
gracilicornis Arrow, 1901, <i>Macrohyliota</i>	496
gracilicornis Español, 1972, <i>Metholcus</i>	361
<i>gracilicornis</i> J. Weise, 1902, <i>Coelophora</i>	613
<i>gracilicornis</i> Pic, 1896, <i>Ptinus</i>	334
gracilicornis Reitter, 1888, <i>Atomaria</i>	528
gracilicornis Roubal, 1912, <i>Dromaeolus</i>	86
gracilicornis Schilsky, 1897, <i>Aplocnemus</i>	413
gracilifasciatus Platia & Schimmel, 2001, <i>Melanotus</i>	145
graciliformis Dolin & Atamuradov, 1989, <i>Cardiophorus</i>	197
gracilimimus Wittmer, 1983, <i>Themus</i>	270
<i>gracilior</i> Corporaal & Vári, 1946, <i>Trichodes</i>	376
gracilipennis Kishii & Platia, 1993, <i>Melanotus</i>	145
gracilipes Cooper, 1982, <i>Pria</i>	488
gracilipes Israelson, 1974, <i>Metholcus</i>	361
gracilipes Lewis, 1894, <i>Ampedus</i>	123
<i>gracilipes</i> Reitter, 1891, <i>Dignomus</i>	331
gracilipes Wollaston, 1862, <i>Dignomus</i>	330
<i>gracilipes</i> Wollaston, 1862, <i>Attalus</i>	423
gracilipygus Pic, 1919, <i>Malthodes</i>	288
gracilis Bocák, 1999, <i>Ponyalis</i>	218
<i>gracilis</i> Buysson, 1905, <i>Athous</i>	160
gracilis C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	482
gracilis Candèze, 1873, <i>Dolerosomus</i>	131
gracilis Candèze, 1863, <i>Penia</i>	185
<i>gracilis</i> Casey, 1898, <i>Amphicerus</i>	321
<i>gracilis</i> Curtis, 1840, <i>Monotoma</i>	494
gracilis Escalera, 1914, <i>Dasytidius</i>	390
gracilis Grouvelle, 1908, <i>Prometopia</i>	476
<i>gracilis</i> Gurjeva, 1957, <i>Ampedus</i>	126
gracilis Gurjeva, 1976, <i>Lomopneus</i>	156
gracilis Gurjeva, 1966, <i>Cardiophorus</i>	202
gracilis Jelínek, 1978, <i>Physoronia</i>	475
gracilis Kiesenwetter, 1866, <i>Attalus</i>	422
<i>gracilis</i> L. Miller, 1857, <i>Clanoptilus</i>	442
<i>gracilis</i> Lyubarsky, 1999, <i>Himascelis</i>	514
gracilis M. Chûjô, 1940, <i>Epilanguria</i>	534
gracilis Majer, 1989, <i>Danacaeomimus</i>	394
gracilis Mannerheim, 1844, <i>Corticaria</i>	643
gracilis Miwa, 1931, <i>Agriotes</i>	115

<i>gracilis</i> Motschulsky, 1860, <i>Hypoganomorphus</i>	178
<i>gracilis</i> Motschulsky, 1866, <i>Scymnus</i>	590
<i>gracilis</i> Mulsant & Guillebeau, 1855, <i>Fleutiauxellus</i>	187
<i>gracilis</i> Pandellé, 1867, <i>Armidia</i>	238
<i>gracilis</i> Reitter, 1872, <i>Lobonyx</i>	384
<i>gracilis</i> Reitter, 1875, <i>Cryptophagus</i>	517
<i>gracilis</i> Savoyskaya, 1969, <i>Scymnus</i>	590
<i>gracilis</i> Schilsky, 1897, <i>Dasytes</i>	403
<i>gracilis</i> Schilsky, 1896, <i>Enicopus</i>	407
<i>gracilis</i> Sharp, 1885, <i>Cylindromicrus</i>	551
<i>gracilis</i> Wittmer, 1995, <i>Dodecatoma</i>	225
<i>gracilis</i> Wittmer, 1973, <i>Themus</i>	270
<i>gracilis</i> Wollaston, 1854, <i>Trixagus</i>	88
<i>gracilis</i> Wollaston, 1864, <i>Cardiophorus</i>	202
<i>gracilis</i> Zhantiev, 2004, <i>Anthrenus</i>	313
<i>gracilis</i> Zia, 1959, <i>Neanadastus</i>	535
<i>gracilispinus</i> Wittmer, 1956, <i>Cephaloncus</i>	452
<i>gracilissimus</i> Fairmaire, 1876, <i>Cebrio</i>	93
<i>gracilitarsis</i> Pic, 1921, <i>Lycocerus</i>	250
<i>gracilitarsis</i> Reitter, 1902, <i>Bilyella</i>	400
<i>gradaria</i> Mulsant, 1850, <i>Henosepilachna</i>	630
<i>gradata</i> Walter, 1882, <i>Hippodamia</i>	618
<i>graeca</i> Geisthardt, 1990, <i>Nyctophila</i>	228
<i>graeca</i> J. Weise, 1879, <i>Coccinella</i>	612
<i>graeca</i> J. Weise, 1903, <i>Oenopia</i>	622
<i>graeca</i> Paulus, 2004, <i>Urtea</i>	363
<i>graeca</i> Pic, 1901, <i>Rhagonycha</i>	262
<i>graeca</i> Pic, 1902, <i>Dapsa</i>	563
<i>graeca</i> Procházka, 1894, <i>Danacea</i>	397
<i>graecoturca</i> Wittmer, 1986, <i>Cantharis</i>	246
<i>graeculus</i> Kiesenwetter, 1863, <i>Dasytes</i>	402
<i>graecum</i> Mařan, 1941, <i>Hyperisus</i>	352
<i>graecum</i> Obenberger, 1917, <i>Cerylon</i>	553
<i>graecus</i> Candèze, 1857, <i>Lacon</i>	101
<i>graecus</i> Franz, 1967, <i>Agriotes</i>	115
<i>graecus</i> Kiesenwetter, 1872, <i>Malthodes</i>	288
<i>graecus</i> Kraatz, 1862, <i>Malachius</i>	449
<i>graecus</i> Pic, 1901, <i>Omalisus</i>	211
<i>graecus</i> Pic, 1896, <i>Dignomus</i>	330
<i>graecus</i> Platia, 1989, <i>Athous</i>	161
<i>graecus</i> Platia & Schimmel, 1993, <i>Melanotus</i>	145
<i>graecus</i> Reitter, 1880, <i>Tetrabrachys</i>	574
<i>graecus</i> Tarnawski, 1995, <i>Selatosomus</i>	182
<i>graecus</i> Winkler & Žirovnický, 1980, <i>Trichodes</i>	378
<i>graecus</i> Wittmer, 1986, <i>Malthinus</i>	279
<i>graellsii</i> Candèze, 1860, <i>Cardiophorus</i>	198
<i>graeseri</i> J. Weise, 1887, <i>Eoadalia</i>	614
<i>graeseri</i> Reitter, 1887, <i>Megatoma</i>	317
<i>graeseri</i> Reitter, 1888, <i>Atomaria</i>	525
<i>grafii</i> F. J. Schmidt, 1832, <i>Lacon</i>	101

<i>grahami</i> Barber, 1942, <i>Haematoides</i>	546
<i>grahami</i> Chapin, 1927, <i>Opilo</i>	373
<i>grahami</i> Wittmer, 1997, <i>Micropodabrus</i>	257
<i>grahami</i> Wittmer, 1974, <i>Stenothemus</i>	269
<i>grahmanni</i> Spinola, 1838, <i>Phyllocerus</i>	81
<i>graingeri</i> Platia & Schimmel, 1997, <i>Dicronychus</i>	204
<i>gramineus</i> Scopoli, 1763, <i>Cardiophorus</i>	197
<i>graminicola</i> Kiesenwetter, 1859, <i>Dasytiscus</i>	391
<i>graminicola</i> L. Redtenbacher, 1849, <i>Agriotes</i>	117
<i>graminis</i> J. Weise, 1879, <i>Ceratomegilla</i>	609
<i>graminis</i> Majer, 1996, <i>Dasytiscus</i>	391
<i>grammica</i> Klug, 1855, <i>Phenolia</i>	475
<i>grammicus</i> G.-Y. Yu, 1995, <i>Scymnus</i>	590
<i>granarium</i> Everts, 1898, <i>Trogoderma</i>	319
<i>granarius</i> Candèze, 1895, <i>Silesis</i>	112
<i>granarius</i> Candèze, 1889, <i>Paracardiophorus</i>	206
<i>granatensis</i> Pic, 1908, <i>Rhagonycha</i>	266
<i>grancanariae</i> Franz, 1982, <i>Aulonothroscus</i>	87
<i>grancanariensis</i> Lindberg, 1953, <i>Aplocnemus</i>	410
<i>grancanariensis</i> Palm, 1976, <i>Heteroderes</i>	106
<i>grancanariensis</i> Palm, 1974, <i>Dapsa</i>	563
<i>grancanariensis</i> Uyttenboogaart, 1934, <i>Pharoscyrnus</i>	570
<i>grandiceps</i> Pic, 1901, <i>Malthinus</i>	280
<i>grandiceps</i> Pic, 1931, <i>Thorictus</i>	303
<i>grandiceps</i> Pic, 1927, <i>Danacea</i>	396
<i>grandiceps</i> Pic, 1907, <i>Hypebaeus</i>	433
<i>grandiclava</i> Roubal, 1939, <i>Epuraea</i>	459
<i>grandicolle</i> Reitter, 1888, <i>Cerylon</i>	553
<i>grandicollis</i> C. N. F. Brisout de Barneville, 1882, <i>Atomaria</i>	525
<i>grandicollis</i> Fairmaire, 1891, <i>Pyrocoelia</i>	229
<i>grandicollis</i> Germar, 1842, <i>Thorictus</i>	304
<i>grandicollis</i> Kiesenwetter, 1852, <i>Charopus</i>	442
<i>grandicollis</i> Ménériés, 1832, <i>Plumilus</i>	356
<i>grandicornis</i> Pic, 1905, <i>Malthodes</i>	289
<i>grandicornis</i> Pic, 1942, <i>Protapalochrus</i>	419
<i>grandii</i> Fiori, 1905, <i>Prosternon</i>	180
<i>grandini</i> Desbrochers des Loges, 1870, <i>Athous</i>	162
<i>grandiniger</i> Han, 2000, <i>Fleutiauxellus</i>	187
<i>grandinii</i> Candèze, 1863, <i>Agriotes</i>	115
<i>grandipennis</i> Fairmaire, 1871, <i>Cebrio</i>	91
<i>grandis</i> C. G. Thomson, 1892, <i>Caenoscelis</i>	513
<i>grandis</i> Dajoz, 1969, <i>Anommatus</i>	549
<i>grandis</i> Faldermann, 1836, <i>Mulsanteus</i>	133
<i>grandis</i> Gyllenhal, 1827, <i>Rhizophagus</i>	491
<i>grandis</i> Hampe, 1861, <i>Odontosphindus</i>	455
<i>grandis</i> Kraatz, 1856, <i>Cryptophagus</i>	519
<i>grandis</i> Lewis, 1879, <i>Tetrigus</i>	108
<i>grandis</i> Majer, 1989, <i>Schoenia</i>	394
<i>grandis</i> Motschulsky, 1845, <i>Psoa</i>	328
<i>grandis</i> Motschulsky, 1861, <i>Carpophilus</i>	467

<i>grandis</i> Nakane & Kishii, 1954, <i>Sericus</i>	134
<i>grandis</i> Pic, 1921, <i>Laemoglyptus</i>	275
<i>grandis</i> Pic, 1933, <i>Idgia</i>	385
<i>grandis</i> Pic, 1901, <i>Tetrabrachys</i>	574
<i>grandis</i> Schilsky, 1896, <i>Trichoceble</i>	414
<i>grandis</i> Stierlin, 1868, <i>Winklerius</i>	380
<i>grandis</i> Thunberg, 1815, <i>Trogoderma</i>	320
<i>grandis</i> Thunberg, 1781, <i>Synonycha</i>	625
<i>grandis</i> Toskina, 1998, <i>Mesocoelopus</i>	354
<i>grandis</i> Tournier, 1872, <i>Glischrochilus</i>	469
<i>grandjeani</i> Pic, 1895, <i>Ptinus</i>	334
<i>grandjeani</i> Pic, 1896, <i>Sphaericus</i>	338
<i>grandjeani</i> Pic, 1932, <i>Trichodes</i>	376
<i>grandjeani</i> Schenkling, 1901, <i>Callimerus</i>	371
<i>granicolis</i> Fall, 1905, <i>Microbregma</i>	340
<i>granicolis</i> Kiesenwetter, 1879, <i>Libnetis</i>	217
<i>graniger</i> Cherepanov, 1956, <i>Oedostethus</i>	189
<i>granigera</i> Champion, 1926, <i>Lycocerus</i>	252
<i>granjasensis</i> Pic, 1899, <i>Cardiophorus</i>	200
<i>granosus</i> Grouvelle, 1897, <i>Protosilvanus</i>	500
<i>granulatus</i> Fabricius, 1792, <i>Falsomelyris</i>	387
<i>granulatus</i> Guérin-Méneville, 1834, <i>Tolyphus</i>	513
<i>granulatus</i> J. Weise, 1887, <i>Episernus</i>	349
<i>granulatus</i> Pic, 1907, <i>Mesotheres</i>	355
<i>granulatus</i> Pic, 1920, <i>Lobonyx</i>	384
<i>granulatus</i> Sakai, 1982, <i>Eurypogon</i>	81
<i>granulatus</i> Wollaston, 1854, <i>Placonotus</i>	506
<i>granulicollis</i> Dolin, 1998, <i>Cardiophorus</i>	197
<i>granulipennis</i> Fairmaire, 1891, <i>Idgia</i>	385
<i>granulipennis</i> Miwa, 1929, <i>Xanthopenthes</i>	139
<i>granulipennis</i> Pic, 1931, <i>Themus</i>	270
<i>granulosus</i> Buysson, 1900, <i>Hypnoidus</i>	155
<i>granulosus</i> Pic, 1939, <i>Ernobius</i>	350
<i>granulosus</i> Platia & Schimmel, 1992, <i>Agriotes</i>	115
<i>granulum</i> Kiesenwetter, 1879, <i>Caenocara</i>	344
<i>graphica</i> Schrank, 1796, <i>Cryptarcha</i>	468
<i>gratiosa</i> Hoang, 1982, <i>Oenopia</i>	622
<i>gratiosulus</i> Fürsch, 1958, <i>Scymnus</i>	588
<i>gratiosus</i> Ganglbauer, 1906, <i>Malthodes</i>	289
<i>gratiosus</i> Motschulsky, 1863, <i>Silvanus</i>	501
<i>gratiosus</i> Pic, 1901, <i>Malthinus</i>	279
<i>gratiosus</i> Platia & Schimmel, 1991, <i>Brachygonus</i>	129
<i>gratissimus</i> Abeille de Perrin, 1882, <i>Anthocomus</i>	439
<i>gratus</i> Gorham, 1896, <i>Anadastus</i>	532
<i>gratus</i> Gorham, 1891, <i>Gerstaeckerus</i>	564
<i>gratus</i> Lewis, 1894, <i>Corymbitodes</i>	176
<i>gratus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	145
<i>gravida</i> Majer, 1990, <i>Parathrix</i>	393
<i>gravidula</i> Erichson, 1846, <i>Atomaria</i>	525
<i>gravidum</i> Sharp, 1902, <i>Trogoderma</i>	319

<i>gravidus</i> Germar, 1843, <i>Selatosomus</i>	182
<i>gravidus</i> Illiger, 1798, <i>Brachypterolus</i>	456
<i>gravidus</i> Küster, 1848, <i>Anthrenus</i>	312
<i>gravis</i> Arrow, 1929, <i>Megalanguria</i>	534
<i>grayanus</i> Wollaston, 1867, <i>Heterobostrychus</i>	322
<i>grayi</i> Mulsant, 1850, <i>Epilachna</i>	627
<i>grayii</i> Wollaston, 1857, <i>Aeoloides</i>	104
<i>greaca</i> Laporte, 1833, <i>Lampyroidea</i>	231
<i>gredleri</i> Reitter, 1873, <i>Meligethes</i>	483
<i>gredosanus</i> Reitter, 1904, <i>Athous</i>	163
<i>gredosensis</i> Pic, 1918, <i>Cantharis</i>	239
<i>grenieri</i> C. N. F. Brisout de Barneville, 1872, <i>Meligethes</i>	482
<i>grenieri</i> Kiesenwetter, 1871, <i>Dasytes</i>	404
<i>gresseri</i> Bach, 1872, <i>Meligethes</i>	479
<i>gressitti</i> Kazantsev, 2003, <i>Sinodulia</i>	221
<i>gressitti</i> Li, 1961, <i>Epilachna</i>	627
<i>gressitti</i> M. Chûjô, 1968, <i>Tritoma</i>	545
<i>gressitti</i> Miyatake, 1985, <i>Coptoclerus</i>	372
<i>gressitti</i> Miyatake, 1970, <i>Chilocorus</i>	593
<i>gressitti</i> Miyatake, 1961, <i>Phymatosternus</i>	595
<i>gressitti</i> Nakane, 1971, <i>Plateros</i>	220
<i>gressitti</i> Ôhira, 1972, <i>Adelocera</i>	96
<i>gressitti</i> Wittmer, 1954, <i>Lycocerus</i>	250
<i>gressitti</i> Wittmer, 1954, <i>Micropodabrus</i>	257
<i>gressitti</i> Wittmer, 1956, <i>Rhagonycha</i>	264
<i>gressitti</i> Wittmer, 1956, <i>Intybia</i>	417
<i>gridelli</i> Pic, 1935, <i>Lampyris</i>	227
<i>gridellii</i> Pic, 1935, <i>Cebrio</i>	91
<i>gridellii</i> Pic, 1955, <i>Danacea</i>	396
<i>gridellii</i> Pic, 1955, <i>Dasytes</i>	402
<i>gridellii</i> Pic, 1928, <i>Aplocnemus</i>	410
<i>grigorjevi</i> Barovskij, 1929, <i>Malthodes</i>	289
<i>grilati</i> Reitter, 1888, <i>Sternodea</i>	514
<i>grisea</i> Linnaeus, 1758, <i>Soronia</i>	476
<i>griseipennis</i> Pic, 1913, <i>Malthinus</i>	279
<i>griseipennis</i> Stephens, 1835, <i>Cantharis</i>	246
<i>griseohirta</i> Reitter, 1885, <i>Trichocele</i>	414
<i>griseonotata</i> Pic, 1951, <i>Malthinus</i>	281
<i>griseopubens</i> Pic, 1928, <i>Lycocerus</i>	249
<i>griseopubescens</i> Pic, 1899, <i>Aplocnemus</i>	413
<i>griseostriatus</i> Kleine, 1926, <i>Plateros</i>	220
<i>grisescens</i> A. Fleischer, 1910, <i>Byturus</i>	547
<i>grisescens</i> Candèze, 1895, <i>Silesis</i>	112
<i>grisescens</i> Germar, 1844, <i>Aeoloides</i>	104
<i>griseus</i> Herbst, 1784, <i>Drapetes</i>	208
<i>griseus</i> Jelínek, 1978, <i>Meligethes</i>	482
<i>griseus</i> Küster, 1849, <i>Dasytes</i>	402
<i>griseus</i> Schwarz, 1900, <i>Lacon</i>	101
<i>groenblomi</i> Kangas, 1955, <i>Xyletinus</i>	360
<i>grossa</i> LeConte, 1855, <i>Corticaria</i>	644

<i>grossa</i> Linnaeus, 1758, <i>Peltis</i>	366
<i>grossepunctata</i> Reitter, 1896, <i>Atomaria</i>	528
<i>grossepunctatus</i> Wittmer, 1981, <i>Carphuroides</i>	415
<i>grossicornis</i> Abeille de Perrin, 1891, <i>Anthocomus</i>	439
<i>grossulariae</i> Meier, 1899, <i>Adalia</i>	604
<i>grossulus</i> Casey, 1924, <i>Cryptophagus</i>	520
<i>grossus</i> Erichson, 1845, <i>Phalacrus</i>	511
<i>grossus</i> J. R. Sahlberg, 1913, <i>Drasterius</i>	105
<i>grossus</i> Kishii, 1994, <i>Glyphonyx</i>	109
<i>grouvellei</i> Achard, 1923, <i>Aulacochilus</i>	538
<i>grouvellei</i> Bruce, 1938, <i>Cryptophagus</i>	517
<i>grouvellei</i> Buysson, 1900, <i>Metanomus</i>	178
<i>grouvellei</i> Guillebeau, 1894, <i>Merobrachys</i>	507
<i>grouvellei</i> Guillebeau, 1892, <i>Phalacrus</i>	511
<i>grouvellei</i> Jelínek, 1978, <i>Epuraea</i>	464
<i>grouvellei</i> Pic, 1906, <i>Prothemus</i>	260
<i>grouvellei</i> Pic, 1937, <i>Caenocara</i>	344
<i>grouvellei</i> Reitter, 1880, <i>Airaphilus</i>	498
<i>grouvellei</i> Reitter, 1876, <i>Silvanoprus</i>	500
<i>grouvellei</i> Reitter, 1877, <i>Cucujus</i>	502
<i>gruenwaldti</i> Dolin, 1998, <i>Hypnoidus</i>	154
<i>grundmanni</i> Mandl, 1953, <i>Ceratomegilla</i>	609
<i>gruziana</i> Wittmer, 1972, <i>Rhagonycha</i>	264
<i>grypopygus</i> Pic, 1912, <i>Malthodes</i>	286
<i>guadarramensis</i> Graells, 1858, <i>Rhagonycha</i>	266
<i>guadarramensis</i> Wittmer, 1970, <i>Malthodes</i>	285
<i>guanche</i> Cobos, 1970, <i>Cardiophorus</i>	202
<i>guanche</i> Evers, 1988, <i>Attalus</i>	422
<i>guangdongiensis</i> X.-F. Pang & Mao, 1979, <i>Cryptogonus</i>	575
<i>guangxiensis</i> Wittmer, 1997, <i>Asiopodabrus</i>	234
<i>guangxiensis</i> X.-F. Pang & Mao, 1975, <i>Stethorus</i>	592
<i>guayote</i> Wurst & Cate, 1994, <i>Cardiophorus</i>	202
<i>gucheng</i> G.-Y. Yu, 2000, <i>Scymnus</i>	586
<i>gudenzii</i> Guglielmi & Platia, 1985, <i>Athous</i>	161
<i>gudenzii</i> Platia, 1983, <i>Anostirus</i>	174
<i>gudenzii</i> Platia & Schimmel, 2001, <i>Melanotus</i>	145
<i>guerini</i> Pic, 1911, <i>Opilo</i>	373
<i>guerinii</i> Allibert, 1847, <i>Ahasverus</i>	498
<i>guerinii</i> Crotch, 1874, <i>Rodolia</i>	597
<i>guerinii</i> Hope, 1840, <i>Helota</i>	495
<i>guerryi</i> Pic, 1939, <i>Ponyalis</i>	218
<i>guerryi</i> Pic, 1906, <i>Lycocerus</i>	250
<i>guerryi</i> Pic, 1920, <i>Lobonyx</i>	384
<i>guerryi</i> Pic, 1903, <i>Condylops</i>	438
<i>guilanensis</i> Wittmer, 1986, <i>Ebaeus</i>	430
<i>guilinensis</i> G. Yu, 1995, <i>Cybocephalus</i>	489
<i>guilinensis</i> Wittmer, 1999, <i>Attalus</i>	422
<i>guilinensis</i> Wittmer, 1995, <i>Kuatunia</i>	436
<i>guillardii</i> Mulsant, 1853, <i>Hyperaspis</i>	577
<i>guillebeaudi</i> Buysson, 1896, <i>Adrastus</i>	108

guillebeau Mulsant & Godart, 1853, <i>Mulsanteus</i>	133
<i>guillebelli</i> Mulsant & Godart, 1853, <i>Mulsanteus</i>	133
<i>guillebelli</i> Mulsant & Rey, 1868, <i>Globicornis</i>	316
<i>guilleti</i> Pic, 1905, <i>Cantharis</i>	247
guishanensis Nakane, 1996, <i>Clerus</i>	372
guishuni Ôhira, 1977, <i>Campsosternus</i>	94
guizhouensis Jiang, 1991, <i>Campsosternus</i>	94
guizhouensis Kishii & Jiang, 1996, <i>Hemicrepidius</i>	170
guizhouensis Wittmer, 1997, <i>Themus</i>	271
<i>gulo</i> Chevrolat, 1874, <i>Trichodes</i>	377
<i>gulo</i> Mulsant & Godart, 1855, <i>Dermestes</i>	300
guptai C. Johnson, 1979, <i>Corticarina</i>	646
gurgistanus Faldermann, 1835, <i>Agriotes</i>	115
gurjevae Dolin, 1997, <i>Melanotus</i>	145
gurjevae Dolin, 1995, <i>Zorochros</i>	193
<i>gurjevae</i> Dolin & Bessolitzina, 1982, <i>Oedostethus</i>	189
<i>gurjevae</i> Dolin & Ôhira, 1976, <i>Ampedus</i>	123
<i>gurjevae</i> Kirejtshuk, 1984, <i>Meligenes</i>	482
<i>gurjevae</i> Orlov, 1995, <i>Odontoderus</i>	168
<i>gurjevae</i> Penev, 1983, <i>Adrastus</i>	108
<i>gurjevae</i> Stibick, 1979, <i>Hypnoidus</i>	154
gurkha Kazantsev, 2001, <i>Plateros</i>	219
guruguensis Wittmer, 1971, <i>Malthinus</i>	279
gussakovskii Gurjeva, 1961, <i>Megapenthoidea</i>	137
<i>gustavii</i> Mulsant, 1853, <i>Harmonia</i>	615
<i>gutta</i> Newman, 1834, <i>Atomaria</i>	525
<i>guttalis</i> Herbst, 1793, <i>Nitidula</i>	474
<i>guttata</i> A. G. Olivier, 1811, <i>Eपुरaea</i>	461
<i>guttata</i> Ritsema, 1893, <i>Helota</i>	495
<i>guttatoapicalis</i> Pic, 1938, <i>Malthodes</i>	289
<i>guttatopunctata</i> Linnaeus, 1758, <i>Adalia</i>	604
<i>guttatulus</i> Melsheimer, 1845, <i>Negastrius</i>	188
<i>guttatus</i> Dolin & Cate, 2002, <i>Hypnoidus</i>	154
<i>guttatus</i> Germar, 1839, <i>Eanus</i>	177
<i>guttatus</i> Matsumura, 1915, <i>Lichenophanes</i>	322
<i>guttatus</i> Sharp, 1877, <i>Drapetes</i>	208
<i>guttatus</i> Sharp, 1885, <i>Teredolaemus</i>	552
<i>guttatus</i> Smirnoff, 1956, <i>Pharoscyrnus</i>	571
<i>guttatus</i> Tournier, 1889, <i>Olibrus</i>	509
<i>guttegenus</i> Ganglbauer, 1911, <i>Malthodes</i>	289
<i>guttifer</i> Abeille de Perrin, 1893, <i>Clanoptilus</i>	443
<i>guttifer</i> Kiesenwetter, 1852, <i>Malthodes</i>	289
<i>guttifer</i> Reitter, 1893, <i>Trichodes</i>	379
<i>guttifera</i> Reitter, 1887, <i>Eपुरaea</i>	461
<i>guttula</i> Mannerheim, 1844, <i>Atomaria</i>	526
<i>guttulata</i> Fairmaire, 1870, <i>Hyperaspis</i>	577
<i>guttulifer</i> Ganglbauer, 1911, <i>Malthodes</i>	294
guyonii Guérin-Méneville, 1844, <i>Cebrio</i>	91
gyalpo Wittmer, 1983, <i>Micropodabrus</i>	257
gyalpo Wittmer, 1974, <i>Malthinus</i>	279

gylippus Reitter, 1906, <i>Ptinus</i>	336
gyllenhali Buysson, 1926, <i>Dalopius</i>	119
gyllenhali J. Weise, 1879, <i>Hippodamia</i>	617
gyllenhali C. G. Thomson, 1885, <i>Rhizophagus</i>	491
gyllenhali Chevolat, 1833, <i>Sphindus</i>	455
gyllenhali Crotch, 1870, <i>Triplax</i>	545
gyllenhali Laporte, 1840, <i>Dermestes</i>	301
gyllenhali Reiche, 1860, <i>Aplotarsus</i>	175
gyojya Kishii, 2004, <i>Ampedus</i>	123
gyotokui Kamiya, 1963, <i>Hyperaspis</i>	577
gyotokui Nakane & Makino, 1989, <i>Asiopodabrus</i>	234
gypsatus Candèze, 1891, <i>Agrypnus</i>	97
gypsicola Graells, 1858, <i>Cebrio</i>	91
gyrinoides Marsham, 1802, <i>Ephistemus</i>	530
gyropygus Pic, 1912, <i>Malthodes</i>	289
gyrosa Logvinovskiy, 1978, <i>Peritheca</i>	346
habaciensis Hoang, 1982, <i>Scymnus</i>	585
habashanensis Wittmer, 1996, <i>Condylops</i>	438
habunensis Miwa, 1934, <i>Ampedus</i>	129
hachijo Kishii, 1994, <i>Paracardiophorus</i>	206
hachijoensis Kishii, 1985, <i>Haterumelater</i>	130
hachijoensis Ôhira, 1969, <i>Melanotus</i>	145
hachijonis Hisamatsu, 1963, <i>Fornax</i>	86
hackeli Švihla, 2004, <i>Themus</i>	270
hadullanus Wurst, 1995, <i>Brachygonus</i>	129
haedulus Candèze, 1857, <i>Agrypnus</i>	97
haemapterus Illiger, 1807, <i>Anostirus</i>	174
haematideus A. Costa, 1849, <i>Exochomus</i>	594
haematoceras Schrank, 1781, <i>Drapetes</i>	208
haematodes Erichson, 1845, <i>Cucujus</i>	502
haematodes Fabricius, 1777, <i>Anostirus</i>	175
haematomus Candèze, 1860, <i>Dicronychus</i>	204
haemelyter Schrank, 1798, <i>Ampedus</i>	127
haemisphaerica Schrank, 1798, <i>Subcoccinella</i>	630
haemopterus Gmelin, 1790, <i>Ampedus</i>	127
haemorrhoidale Illiger, 1807, <i>Lasioderma</i>	357
haemorrhoidalis Abeille de Perrin, 1891, <i>Clanoptilus</i>	443
haemorrhoidalis Ballion, 1878, <i>Danacaeomimus</i>	394
haemorrhoidalis C. G. Thomson, 1864, <i>Cantharis</i>	241
haemorrhoidalis Della Beffa, 1913, <i>Tytthaspis</i>	601
haemorrhoidalis Español, 1971, <i>Xyletinus</i>	360
haemorrhoidalis Fabricius, 1801, <i>Athous</i>	156
haemorrhoidalis Fabricius, 1792, <i>Metacantharis</i>	255
haemorrhoidalis Fabricius, 1798, <i>Divales</i>	406
haemorrhoidalis Fabricius, 1777, <i>Omosita</i>	474
haemorrhoidalis Fabricius, 1777, <i>Subcoccinella</i>	630
haemorrhoidalis Förster, 1849, <i>Meligethes</i>	482
haemorrhoidalis Herbst, 1797, <i>Scymnus</i>	584
haemorrhoidalis Küster, 1852, <i>Dermestes</i>	300
haemorrhoidalis Pic, 1906, <i>Idgia</i>	385

<i>haemorrhoidalis</i> Schilsky, 1906, <i>Lobonyx</i>	384
<i>haemorrhous</i> Candèze, 1860, <i>Melanotus</i>	151
<i>haemorrhous</i> Solsky, 1882, <i>Tetrabrachys</i>	574
<i>haemus</i> Buysson, 1890, <i>Athous</i>	158
<i>haennii</i> Brancucci, 1983, <i>Microichthyurus</i>	297
<i>haeres</i> Abeille de Perrin, 1883, <i>Anthocomus</i>	439
<i>hagai</i> Kazantsev & Takahashi, 2001, <i>Rhagonycha</i>	264
<i>hagai</i> Takahashi, 2002, <i>Malthodes</i>	289
<i>hainanense</i> Miyatake, 1961, <i>Serangiella</i>	569
<i>hainanensis</i> Araki, 1949, <i>Episcapha</i>	540
<i>hainanensis</i> M. Chûjô, 1967, <i>Anadastus</i>	532
<i>hainanensis</i> M. Chûjô, 1968, <i>Episcaphula</i>	540
<i>hainanensis</i> Miyatake, 1994, <i>Limnichopharus</i>	568
<i>hainanensis</i> Miyatake, 1969, <i>Sphaeroplastina</i>	569
<i>hainanensis</i> Miyatake, 1970, <i>Brumoides</i>	592
<i>hainanensis</i> Miyatake, 1961, <i>Phymatosternus</i>	595
<i>hainanensis</i> Platia & Schimmel, 2001, <i>Melanotus</i>	145
<i>hainanensis</i> X.-F. Pang & Mao, 1979, <i>Cryptogonus</i>	575
<i>hainanensis</i> X.-F. Pang & R. D. Gordon, 1986, <i>Scymnus</i>	589
<i>hajazensis</i> Pic, 1929, <i>Clanoptilus</i>	445
<i>hakonensis</i> Nakane, 1980, <i>Triplax</i>	544
<i>hakonensis</i> Takahashi, 1992, <i>Asiopodabrus</i>	235
<i>hakusanus</i> Ôhira, 1954, <i>Ampedus</i>	128
<i>halabensis</i> Švihla, 2002, <i>Malthodes</i>	289
<i>halevyae</i> Thomas, 1993, <i>Cryptolestes</i>	503
<i>hallaensis</i> Kishii, 2002, <i>Hemicrepidius</i>	171
<i>hallasanae</i> Lee, 1998, <i>Melanotus</i>	145
<i>halli</i> Dobson, 1954, <i>Carpophilus</i>	467
<i>halonis</i> Lewis, 1896, <i>Anatis</i>	606
<i>halperini</i> Español, 1978, <i>Clada</i>	353
<i>hamadae</i> Evers, 1962, <i>Attalus</i>	425
<i>hamai</i> Ôhira, 1967, <i>Agrypnus</i>	99
<i>hamata</i> Lewis, 1879, <i>Episcapha</i>	540
<i>hamata</i> Wittmer, 1996, <i>Intybia</i>	417
<i>hamaticollis</i> Fairmaire, 1874, <i>Bostrychoplites</i>	322
<i>hamatipennis</i> Lesne, 1895, <i>Heterobostrychus</i>	322
<i>hamatus</i> Fabricius, 1787, <i>Amphicerus</i>	321
<i>hamatus</i> G. Yu, 1993, <i>Pseudoscymnus</i>	582
<i>hamatus</i> Ganglbauer, 1897, <i>Cryptophagus</i>	520
<i>hamatus</i> Kiesenwetter, 1852, <i>Malthodes</i>	289
<i>hamburgensis</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>hamifer</i> Kiesenwetter, 1866, <i>Charopus</i>	441
<i>hamifer</i> Smirnoff, 1953, <i>Pharoscymnus</i>	571
<i>hamirensis</i> Cherepanov, 1957, <i>Poemnites</i>	180
<i>hammondi</i> C. Johnson, 1972, <i>Corticarina</i>	646
<i>hammondi</i> Kirejtshuk, 1992, <i>Epuraea</i>	463
<i>hammondi</i> Kirejtshuk, 1980, <i>Meligethes</i>	482
<i>hampei</i> L. Redtenbacher, 1874, <i>Colotes</i>	427
<i>hamulatus</i> Arrow, 1926, <i>Asymbius</i>	559
<i>hana</i> Nakane, 1959, <i>Taenioncus</i>	466

hana Nakane & Makino, 1990, <i>Asiopodabrus</i>	234
hanatanii Okushima, 1996, <i>Lycocerus</i>	250
hanchunglinensis Li, 1992, <i>Indalmus</i>	564
hanifi Afroze, 1998, <i>Jauravia</i>	570
hankae Háva, 1999, <i>Dermestes</i>	301
<i>hannenfeldii</i> Tournier, 1872, <i>Rhizophagus</i>	492
hanseni Jansson, 1947, <i>Xyletinus</i>	360
hansi Švihla, 2004, <i>Lycocerus</i>	250
<i>hapalochroides</i> Abeille de Perrin, 1891, <i>Anthocomus</i>	438
<i>haplocnemoides</i> Reitter, 1902, <i>Anthodromius</i>	386
haplonotus Reitter, 1910, <i>Hypnoidus</i>	154
haptoncoidea Kirejtshuk, 1992, <i>Epuraea</i>	464
<i>hardwickei</i> Csiki, 1910, <i>Eucteanus</i>	561
<i>hardwickei</i> Hope, 1831, <i>Eucteanus</i>	561
hareja J. Weise, 1879, <i>Pseudoscymnus</i>	582
haridwarensis Vats & Chauhan, 1991, <i>Cardiophorus</i>	197
hariensis Evers, 1959, <i>Attalus</i>	422
harmandi Bourgeois, 1902, <i>Lopheros</i>	215
harmandi Bourgeois, 1902, <i>Plateros</i>	219
harmandi Bourgeois, 1902, <i>Stenothemus</i>	269
harmandi E. Olivier, 1903, <i>Cyphonocerus</i>	225
<i>harmandi</i> E. Olivier, 1902, <i>Lucidina</i>	230
harmandi Fleutiaux, 1923, <i>Hylis</i>	83
harmandi Fleutiaux, 1900, <i>Hylochaes</i>	84
<i>harmandi</i> Fleutiaux, 1900, <i>Silesis</i>	112
<i>harmandi</i> Fleutiaux, 1902, <i>Hemicrepidius</i>	171
harmandi Grouvelle, 1902, <i>Epuraea</i>	464
<i>harmandi</i> Grouvelle, 1903, <i>Neopallodes</i>	473
<i>harmandi</i> Grouvelle, 1902, <i>Neopallodes</i>	473
harmandi Grouvelle, 1903, <i>Physoronia</i>	476
harmandi Grouvelle, 1903, <i>Mimemodes</i>	493
harmandi Grouvelle, 1912, <i>Psammoecus</i>	497
harmandi Grouvelle, 1903, <i>Laemophloeus</i>	504
harmandi Pic, 1925, <i>Diaphanes</i>	226
harmandi Pic, 1925, <i>Lycocerus</i>	250
<i>harmandi</i> Pic, 1926, <i>Lycocerus</i>	250
harmandi Pic, 1924, <i>Macrohabronychus</i>	255
<i>harmandi</i> Pic, 1901, <i>Ptinomorphus</i>	354
harmandi Schimmel, 2004, <i>Amamipenthes</i>	135
harmandi Villiers, 1945, <i>Anadastus</i>	532
harmandianus Kazantsev, 2007, <i>Lycocerus</i>	250
harmodius Reitter, 1905, <i>Athous</i>	161
<i>haroldi</i> Nakane, 1990, <i>Asiopodabrus</i>	235
haroldi Reitter, 1877, <i>Ancyrona</i>	365
haroldi Reitter, 1873, <i>Ecnomaeus</i>	472
haroldi Reitter, 1877, <i>Meligethes</i>	482
<i>haroldi</i> Reitter, 1876, <i>Sternodea</i>	514
hartmanni Evers, 1996, <i>Ebaeus</i>	430
hartmanni Háva, 2000, <i>Anthrenus</i>	313
hartmanni Háva, 2001, <i>Orphinus</i>	317

hartmanni Kopetz, 2004, <i>Themus</i>	270
hartmanni Platia & Schimmel, 2004, <i>Melanotus</i>	145
hartmanni Schimmel, 1998, <i>Neoathousius</i>	166
hartungii Wollaston, 1862, <i>Dolichophron</i>	407
hasegawai Kinoda & Nakane, 1993, <i>Lycocerus</i>	250
hasegawai Miyatake, 1963, <i>Coccinella</i>	610
hasegawai Nakane & Baba, 1961, <i>Plateros</i>	219
hasimoufensis Evers, 1995, <i>Attalus</i>	422
<i>hastata</i> A. G. Olivier, 1791, <i>Adalia</i>	602
hastatostylus Wittmer, 1966, <i>Malthodes</i>	289
hastulifer Kiesenwetter, 1871, <i>Malthodes</i>	289
hastulifer Solsky, 1881, <i>Malachius</i>	449
hatayamai Kishii, 1975, <i>Silesis</i>	112
hatayensis Wittmer, 1974, <i>Troglops</i>	454
haterumanus Ôhira, 1967, <i>Agrypnus</i>	98
haterumarum Ôhira, 1968, <i>Glyphonyx</i>	109
hatomensis Kamiya, 1965, <i>Scymnus</i>	586
hattorii Kôno, 1938, <i>Dorcatoma</i>	345
<i>hattorii</i> Kôno, 1940, <i>Ipidia</i>	473
<i>hattorii</i> Ôhira, 1954, <i>Ectinus</i>	120
hauseri Abeille de Perrin, 1887, <i>Attalus</i>	420
<i>hauseri</i> Cobos, 1963, <i>Trixagus</i>	88
hauseri Dolin, 1971, <i>Melanotus</i>	145
hauseri Escherich, 1894, <i>Trichodes</i>	378
hauseri J. Weise, 1895, <i>Chilocorus</i>	593
hauseri J. Weise, 1905, <i>Macronaemia</i>	601
<i>hauseri</i> John, 1971, <i>Thorictus</i>	304
hauseri John, 1965, <i>Thorictus</i>	304
hauseri Mader, 1930, <i>Rodolia</i>	597
hauseri Mader, 1930, <i>Macroilleis</i>	598
<i>hauseri</i> Mader, 1930, <i>Calvia</i>	608
<i>hauseri</i> Mader, 1930, <i>Propylea</i>	623
hauseri Mader, 1930, <i>Epilachna</i>	627
hauseri Pic, 1907, <i>Cerapheles</i>	441
hauseri Reitter, 1896, <i>Aeoloides</i>	104
hauseri Reitter, 1890, <i>Dasytidius</i>	390
hauseri Reitter, 1890, <i>Cryptophagus</i>	517
hauseri Schilsky, 1894, <i>Chaetomalachius</i>	389
hauseri Schwarz, 1900, <i>Cardiophorus</i>	197
hauseri Wittmer, 1999, <i>Hypebaeina</i>	433
hausmanni Gredler, 1866, <i>Scymnus</i>	591
<i>hausmanni</i> J. Weise, 1885, <i>Clitostethus</i>	579
hausschweisi Platia & Schimmel, 2001, <i>Melanotus</i>	145
hayashii Nakane, 1955, <i>Episcapha</i>	539
hayato Nakane, 1989, <i>Asiopodabrus</i>	235
hayekae Platia & Gudenzi, 2002, <i>Cardiophorus</i>	197
hayekae Schimmel, 1993, <i>Ampedus</i>	123
hayekae Schimmel & Platia, 1991, <i>Dima</i>	184
hayekae Schimmel & Platia, 1991, <i>Penia</i>	185
hayeki Cobos, 1970, <i>Cardiophorus</i>	202

hazara Ślipiński, 1988, <i>Cerylon</i>	553
hebei Háva, 2004, <i>Ctesias</i>	315
hebeiensis Platia & Schimmel, 2004, <i>Melanotus</i>	145
hebeiensis Schimmel, 2003, <i>Ampedus</i>	123
hebes Erichson, 1845, <i>Meligethes</i>	481
hebraea Linnaeus, 1758, <i>Anatis</i>	606
hebraicus Bourgeois, 1883, <i>Dasytiscus</i>	391
hebraicus Schilsky, 1906, <i>Aplocnemus</i>	413
hedenborgii Candèze, 1860, <i>Dicronychus</i>	204
hederae Dufour, 1843, <i>Mesocoelopus</i>	354
hederae Ihssen, 1949, <i>Anobium</i>	339
hederae Laporte, 1840, <i>Mesocoelopus</i>	354
hederae P. W. J. Müller, 1821, <i>Ochina</i>	353
hedini Fleutiaux, 1936, <i>Agriotes</i>	115
hedini Kleine, 1928, <i>Lycostomus</i>	211
hedini Pic, 1933, <i>Lycocerus</i>	250
hedini Pic, 1933, <i>Themus</i>	271
heegeri Ganglbauer, 1899, <i>Clitostethus</i>	579
heeri Tournier, 1872, <i>Epuraea</i>	463
hegurensis Kishii, 1964, <i>Agriotes</i>	118
hegurensis Kishii, 1964, <i>Actenicerus</i>	173
heianus Kishii, 1985, <i>Agrypnus</i>	97
heianus Kishii, 1976, <i>Haterumelater</i>	130
heianus Kishii, 1970, <i>Quasimus</i>	191
heianus Kishii, 1977, <i>Paracardiophorus</i>	206
heidiae Brancucci, 1983, <i>Ichthyurus</i>	297
heijia G.-Y. Yu & Montgomery, 2000, <i>Pseudoscymnus</i>	582
heiligi Reitter, 1908, <i>Metophthalmus</i>	640
heinertzi Wittmer, 1979, <i>Malthodes</i>	289
heinrichi Stibick, 1980, <i>Hypnoidus</i>	154
heinzi Wittmer, 1978, <i>Pakabsidia</i>	259
heleocharis Satô, 2002, <i>Cantharis</i>	242
helgae Fürsch, 1965, <i>Scymniscus</i>	583
heliophilus Peyron, 1877, <i>Clanoptilus</i>	443
helleni Dahlgren, 1968, <i>Rhagonycha</i>	262
helleni Sjöberg, 1939, <i>Epuraea</i>	460
hellenica Geisthardt, 1983, <i>Lampyris</i>	227
hellenica Heyden, 1883, <i>Cantharis</i>	246
hellenicum Reitter, 1885, <i>Sphaerosoma</i>	555
hellenicus Dajoz, 1973, <i>Philothermus</i>	554
hellenicus Obenberger, 1922, <i>Airaphilus</i>	498
hellenicus Wittmer, 1980, <i>Malthodes</i>	289
helleri Deelder, 1942, <i>Aulacochilus</i>	539
helleri Fleutiaux, 1900, <i>Proxyllobius</i>	85
helleri John, 1963, <i>Thorictus</i>	304
helleri Mader, 1934, <i>Episcaphula</i>	540
helleri Ritsema, 1911, <i>Helota</i>	495
helmi Reitter, 1889, <i>Dermestes</i>	301
helophoroides Fairmaire, 1881, <i>Dastarcus</i>	551
heluanensis Endrödy-Younga, 1968, <i>Cybocephalus</i>	490

<i>helveticus</i> Kiesenwetter, 1852, <i>Malthodes</i>	287
<i>helveticus</i> Pic, 1902, <i>Pseudeurostus</i>	332
<i>helveticus</i> Tournier, 1876, <i>Olibrus</i>	509
<i>helveticus</i> Tournier, 1872, <i>Cryptophagus</i>	521
<i>helvolus</i> Candèze, 1873, <i>Agaripenthes</i>	135
<i>hemipterus</i> Erichson, 1840, <i>Brachemys</i>	451
<i>hemipterus</i> Evers, 1964, <i>Carphuroides</i>	416
<i>hemipterus</i> Geoffroy, 1762, <i>Phosphaenus</i>	230
<i>hemipterus</i> Linnaeus, 1758, <i>Carpophilus</i>	466
<i>hemisphaericum</i> Csiki, 1910, <i>Sphaerosoma</i>	555
<i>hemisphaericum</i> Ganglbauer, 1899, <i>Sphaerosoma</i>	555
<i>hemisphaericus</i> Wollaston, 1873, <i>Aphanocephalus</i>	556
<i>hemixanthus</i> Fairmaire, 1900, <i>Themus</i>	272
<i>henanica</i> G.-Y. Yu, 1999, <i>Afissula</i>	626
<i>hendecaspilota</i> Mader, 1927, <i>Epilachna</i>	627
<i>hendeli</i> Reitter, 1910, <i>Thorictus</i>	304
<i>henoni</i> Abeille de Perrin, 1894, <i>Idiotropa</i>	207
<i>henoni</i> Candèze, 1895, <i>Aplotarsus</i>	175
<i>henoni</i> Candèze, 1889, <i>Cardiophorus</i>	199
<i>henoni</i> Fairmaire, 1867, <i>Cychramus</i>	471
<i>henoni</i> Pic, 1912, <i>Cardiophorus</i>	203
<i>henoni</i> Pic, 1897, <i>Ptinus</i>	333
<i>henoni</i> Pic, 1900, <i>Dasytidius</i>	391
<i>henoni</i> Pic, 1904, <i>Attalus</i>	424
<i>henoni</i> Pic, 1901, <i>Tetrabrachys</i>	574
<i>henonianus</i> Schenkl, 1927, <i>Cardiophorus</i>	203
<i>henonii</i> Mulsant, 1850, <i>Harmonia</i>	615
<i>henricae</i> Mulsant, 1866, <i>Harmonia</i>	615
<i>henrici</i> Pic, 1901, <i>Malthinus</i>	280
<i>henschi</i> Reitter, 1901, <i>Episernus</i>	349
<i>hepaticus</i> Canepari, 1997, <i>Scymnus</i>	586
<i>heptamerus</i> Peyerimhoff, 1924, <i>Anthrenus</i>	315
<i>heptapotamica</i> Barovskij, 1928, <i>Cantharis</i>	242
<i>heptapotamicus</i> Dobrzanskiy, 1927, <i>Pharoscyrnus</i>	570
<i>heptaspilicus</i> Ren & X.-F. Pang, 1995, <i>Scymnus</i>	586
<i>heptastigma</i> Fuente, 1907, <i>Henosepilachna</i>	629
<i>heraldica</i> Schirmer, 1913, <i>Coccinella</i>	611
<i>herbacea</i> Gistel, 1857, <i>Corticicara</i>	647
<i>herbarius</i> Gorham, 1883, <i>Tricorynus</i>	355
<i>herbea</i> Marseul, 1864, <i>Rhagonycha</i>	264
<i>herberi</i> Heyden, 1904, <i>Propylea</i>	624
<i>herbigrada</i> Reitter, 1896, <i>Atomaria</i>	526
<i>herbigradus</i> Mulsant & Guillebeau, 1855, <i>Athous</i>	161
<i>herborisans</i> Gistel, 1857, <i>Latridius</i>	638
<i>herbsti</i> Gmelin, 1790, <i>Anthocomus</i>	439
<i>herbsti</i> J. Weise, 1879, <i>Adalia</i>	602
<i>herbsti</i> Küster, 1847, <i>Psoa</i>	328
<i>herculeanus</i> Schaufuss, 1863, <i>Phyllocerus</i>	81
<i>hercules</i> Audisio, 1986, <i>Meligethes</i>	482
<i>herculis</i> Všetěčka, 1948, <i>Anommatus</i>	549

herkulis Kaszab, 1947, <i>Anommatus</i>	549
<i>herminea</i> Reitter, 1875, <i>Atomaria</i>	528
heros Fabricius, 1801, <i>Passandra</i>	502
herrmanni Háva, 2003, <i>Thaumaglossa</i>	318
hervei Dajoz, 1968, <i>Abromus</i>	548
<i>herzegovina</i> Pic, 1911, <i>Rhagonycha</i>	266
herzegovinus Wittmer, 1970, <i>Malthodes</i>	289
herzi Koenig, 1887, <i>Agrypnus</i>	97
hesperia Wollaston, 1863, <i>Micrambe</i>	522
hesperica Baudi di Selve, 1859, <i>Rhagonycha</i>	264
<i>heterochroa</i> Gistel, 1857, <i>Epuraea</i>	465
<i>heteroclitus</i> Lyubarsky, 1997, <i>Cryptophagus</i>	515
heterogama Lesne, 1941, <i>Psicula</i>	324
heteromorphus Abeille de Perrin, 1869, <i>Micrinus</i>	450
<i>heteronota</i> Pandellé, 1867, <i>Rhagonycha</i>	268
<i>heteropalpus</i> Marseul, 1868, <i>Colotes</i>	428
<i>heterostomoides</i> Reitter, 1877, <i>Carpophilus</i>	466
hetitica Wittmer, 1969, <i>Boveycantharis</i>	239
hetitica Wittmer, 1972, <i>Rhagonycha</i>	264
hetiticus Wittmer, 1974, <i>Malthinus</i>	279
hetiticus Wittmer, 1970, <i>Malthodes</i>	289
hetschkoi Reitter, 1913, <i>Arthrolips</i>	632
hetzeli Platia, 2004, <i>Athous</i>	161
hexacanthus Kiesenwetter, 1852, <i>Malthodes</i>	289
<i>hexagona</i> Motschulsky, 1866, <i>Melanophthalma</i>	647
<i>hexagonalis</i> Motschulsky, 1866, <i>Dienerella</i>	636
<i>hexagonalis</i> Tournier, 1872, <i>Cryptophagus</i>	517
hexaspilota Hope, 1831, <i>Aiolocaria</i>	606
heydeni Abeille de Perrin, 1887, <i>Attalus</i>	425
heydeni Abeille de Perrin, 1882, <i>Malachius</i>	449
heydeni Buysson, 1915, <i>Cardiophorus</i>	197
heydeni E. Olivier, 1884, <i>Nyctophila</i>	228
heydeni Escherich, 1892, <i>Trichodes</i>	378
heydeni Flach, 1895, <i>Brachemys</i>	451
<i>heydeni</i> Flach, 1888, <i>Olibrus</i>	509
heydeni Heyden, 1867, <i>Drapetes</i>	208
heydeni J. Weise, 1892, <i>Ceratomegilla</i>	609
heydeni Kiesenwetter, 1879, <i>Hatchiana</i>	237
heydeni Kiesenwetter, 1870, <i>Enicopus</i>	407
<i>heydeni</i> Meier, 1897, <i>Hippodamia</i>	617
<i>heydeni</i> Procházka, 1894, <i>Danacea</i>	398
heydeni Reitter, 1891, <i>Heteroderes</i>	106
<i>heydeni</i> Reitter, 1894, <i>Malacogaster</i>	210
heydeni Reitter, 1875, <i>Thorictodes</i>	302
heydeni Reitter, 1881, <i>Attagenus</i>	308
heydeni Reitter, 1891, <i>Dasytiscus</i>	391
heydeni Reitter, 1875, <i>Cybocephalus</i>	489
<i>heydeni</i> Reitter, 1875, <i>Cryptophagus</i>	514
<i>heydeni</i> Reitter, 1875, <i>Revelieria</i>	640
<i>heydeni</i> Schilsky, 1899, <i>Xyloperthella</i>	325

<i>heydeni</i> Schilsky, 1897, <i>Danacea</i>	396
<i>heydeni</i> Schilsky, 1894, <i>Aplocnemus</i>	410
<i>heydeni</i> Schilsky, 1897, <i>Trichoceble</i>	414
<i>heydeni</i> Schwarz, 1891, <i>Agriotes</i>	115
<i>heydeni</i> Schwarz, 1892, <i>Melanotus</i>	145
<i>heydeniana</i> Meier, 1899, <i>Hippodamia</i>	617
<i>heyeri</i> Saxesen, 1838, <i>Ctenicera</i>	177
<i>heyrovskyi</i> Obenberger, 1917, <i>Dermestes</i>	301
<i>heyrovskyi</i> Obenberger, 1917, <i>Cryptophagus</i>	520
<i>heyrovskyi</i> Roubal, 1940, <i>Zoroachros</i>	193
<i>heyuanus</i> G.-Y. Yu, 2000, <i>Scymnus</i>	586
<i>hickeri</i> Kaszab, 1955, <i>Dasytes</i>	402
<i>hickeri</i> Pic, 1934, <i>Lycocerus</i>	250
<i>hickeri</i> Pic, 1935, <i>Aplocnemus</i>	410
<i>hickeri</i> Wittmer, 1958, <i>Malthodes</i>	288
<i>hickेरiana</i> Wittmer, 1955, <i>Hypomixis</i>	436
<i>hidaensis</i> Ôhira, 1998, <i>Ectinus</i>	120
<i>hidaensis</i> Takahashi & Kiriyama, 2000, <i>Asiopodabrus</i>	234
<i>hidalgo</i> Winkler, 1959, <i>Trichodes</i>	377
<i>hidalgoi</i> Perez Arcas, 1874, <i>Melanotus</i>	150
<i>hideoanus</i> Kishii, 1990, <i>Homotechnes</i>	153
<i>hideoi</i> Sakai, 2003, <i>Mimogastrallus</i>	341
<i>hiekei</i> Fürsch, 1965, <i>Nephus</i>	581
<i>hiekei</i> Iablokoff-Khnzorian, 1977, <i>Oenopia</i>	622
<i>hiekei</i> Mardjanian, 1983, <i>Cardiophorus</i>	196
<i>hiekei</i> Platia & Schimmel, 2001, <i>Melanotus</i>	145
<i>hiekei</i> Schimmel & Platia, 1992, <i>Senodonia</i>	186
<i>hiemalis</i> Baudi di Selve, 1870, <i>Atomaria</i>	525
<i>hiemalis</i> Dolin & Atamuradov, 1980, <i>Cardiophorus</i>	197
<i>hierichunticus</i> J. R. Sahlberg, 1913, <i>Aplocnemus</i>	413
<i>hiermeieri</i> Schimmel & Platia, 1991, <i>Neoathousius</i>	166
<i>hieroglyphica</i> Abeille de Perrin, 1872, <i>Trogoderma</i>	320
<i>hieroglyphica</i> Linnaeus, 1758, <i>Coccinella</i>	610
<i>hieroglyphica</i> Sulzer, 1776, <i>Henosepilachna</i>	629
<i>hieroglyphicus</i> Champion, 1926, <i>Macrohabronychus</i>	255
<i>hieroglyphicus</i> Pic, 1899, <i>Negastrius</i>	188
<i>hierrensis</i> Franz, 1980, <i>Cardiophorus</i>	202
<i>hierroensis</i> C. Johnson, 1985, <i>Corticaria</i>	643
<i>hierroensis</i> Palm, 1975, <i>Europs</i>	493
<i>hige</i> Kishii, 1993, <i>Pectocera</i>	95
<i>higonia</i> Lewis, 1888, <i>Anacypta</i>	364
<i>higonius</i> Lewis, 1894, <i>Ectinus</i>	120
<i>higonius</i> Lewis, 1892, <i>Teneroides</i>	383
<i>higonius</i> Lewis, 1887, <i>Microsternus</i>	538
<i>hikosana</i> Nakane & Makino, 1981, <i>Hatchiana</i>	237
<i>hikosanus</i> Takakura, 1988, <i>Malthodes</i>	289
<i>hikosanus</i> Takakura, 1988, <i>Hypebaeus</i>	434
<i>hilairei</i> Pic, 1952, <i>Anthrenus</i>	312
<i>hilaris</i> Buysson, 1901, <i>Thanasimus</i>	375
<i>hilaris</i> Rosenhauer, 1856, <i>Clanoptilus</i>	442

<i>hilda</i> Gradl, 1882, <i>Adalia</i>	604
<i>hilfi</i> John, 1965, <i>Thorictus</i>	304
<i>hilfi</i> Reitter, 1912, <i>Athous</i>	158
<i>hilfi</i> Reitter, 1902, <i>Ctenicera</i>	177
<i>hilgendorfi</i> Harold, 1878, <i>Stenothemus</i>	269
<i>hilleri</i> Harold, 1877, <i>Tenerus</i>	383
<i>hilleri</i> J. Weise, 1885, <i>Sticholotis</i>	571
<i>hilleri</i> John, 1971, <i>Aphanocephalus</i>	556
<i>hilleri</i> Reitter, 1881, <i>Thaumaglossa</i>	318
<i>hilleri</i> Reitter, 1877, <i>Pseudeurostus</i>	333
<i>hilleri</i> Reitter, 1877, <i>Epuraea</i>	461
<i>hilleri</i> Reitter, 1877, <i>Hebasculinus</i>	473
<i>hilleri</i> Reitter, 1877, <i>Neopallodes</i>	473
<i>hilleri</i> Reitter, 1877, <i>Ussuriphia</i>	477
<i>hilleri</i> Reitter, 1878, <i>Placonotus</i>	506
<i>hilleri</i> Schilsky, 1900, <i>Sculptotheca</i>	346
<i>himachalica</i> Wittmer, 1997, <i>Pakabsidia</i>	259
<i>himachalicus</i> Wittmer, 1981, <i>Hypebaeus</i>	434
<i>himalaica</i> Lyubarsky, 1998, <i>Anitamaria</i>	530
<i>himalaica</i> Wittmer, 1979, <i>Cantharis</i>	247
<i>himalaica</i> Wittmer, 1977, <i>Asiosilis</i>	274
<i>himalaicis</i> Champion, 1920, <i>Ichthyurus</i>	297
<i>himalaicus</i> Bruce, 1952, <i>Cryptophagus</i>	517
<i>himalaicus</i> Champion, 1922, <i>Antherophagus</i>	514
<i>himalaicus</i> Mukhopadhyay & Sengupta, 1977, <i>Placonotus</i>	506
<i>himalaicus</i> Wittmer, 1974, <i>Falsopodabrus</i>	248
<i>himalaicus</i> Wittmer, 1965, <i>Macrohabronychus</i>	255
<i>himalaicus</i> Wittmer, 1973, <i>Themus</i>	271
<i>himalayaensis</i> Kapur, 1958, <i>Priscibrumus</i>	595
<i>himalayaensis</i> Kirejtshuk, 1998, <i>Epuraea</i>	464
<i>himalayaensis</i> Kirejtshuk, 1980, <i>Meligethes</i>	483
<i>himalayaensis</i> Lesne, 1925, <i>Sphindus</i>	455
<i>himalayana</i> Garg & Saini, 1996, <i>Poemnites</i>	180
<i>himalayana</i> Kapur, 1963, <i>Afidentula</i>	625
<i>himalayansis</i> Schimmel, 2004, <i>Sawadapenthes</i>	138
<i>himalayanum</i> Pic, 1911, <i>Hladilium</i>	392
<i>himalayanus</i> Jagemann, 1944, <i>Agrypnus</i>	97
<i>himalayanus</i> Lesne, 1932, <i>Stephanopachys</i>	326
<i>himalayanus</i> Ôhira & Becker, 1973, <i>Liotrichus</i>	177
<i>himalayanus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	145
<i>himalayanus</i> Schawaller, 1989, <i>Aphanocephalus</i>	556
<i>himalayanus</i> Schimmel, 2004, <i>Abelater</i>	135
<i>himalayanus</i> Schimmel, 2003, <i>Podeonius</i>	140
<i>himalayensis</i> Kapur, 1948, <i>Cryptogonus</i>	575
<i>himalayensis</i> Lucht, 1989, <i>Otho</i>	82
<i>himalayensis</i> Stebbing, 1914, <i>Thanasimus</i>	375
<i>himalayensis</i> Stibick, 1980, <i>Hypnoidus</i>	154
<i>himalejica</i> Bourgeois, 1885, <i>Ponyalis</i>	218
<i>himalejicus</i> Bourgeois, 1882, <i>Lycoprogentes</i>	217
<i>himerensis</i> Ragusa, 1881, <i>Lanelater</i>	102

hinakurai Kishii, 1998, <i>Limoniscus</i>	165
hinakurai Takahashi, 1996, <i>Asiopodabrus</i>	234
hingstoni Kapur, 1948, <i>Cryptogonus</i>	575
hingstoni Kapur, 1963, <i>Scymnus</i>	586
hingstoni Kapur, 1963, <i>Epilachna</i>	627
hinkei I. Frivaldszky, 1837, <i>Cardiophorus</i>	197
hinokiboranus Takahashi, 1992, <i>Asiopodabrus</i>	234
hintoni Mroczkowski, 1952, <i>Anthrenus</i>	312
<i>hintzi</i> Pic, 1945, <i>Trichodes</i>	377
hippanicus Orlov, 1997, <i>Dicronychus</i>	204
<i>hipponensis</i> Desbrochers des Loges, 1870, <i>Cardiophorus</i>	201
<i>hipponensis</i> Guillebeau, 1892, <i>Phalacrus</i>	511
<i>hipponensis</i> Pic, 1912, <i>Peripontius</i>	111
<i>hipponensis</i> Pic, 1903, <i>Malthodes</i>	289
<i>hipponensis</i> Schwarz, 1891, <i>Agriotes</i>	116
hipposideros Lesne, 1908, <i>Lyctus</i>	327
hiramatsui Ôhira, 1995, <i>Sericus</i>	134
hiramatsui Ôhira, 1995, <i>Xanthopenthes</i>	139
hiramatsui Ôhira, 1976, <i>Limoniscus</i>	165
hiramatsui Ôhira, 1996, <i>Liotrichus</i>	178
hiranoi Nakane, 1977, <i>Malthodes</i>	289
hiranoi Ôhira, 1993, <i>Homotechnes</i>	153
hiranoi Sasaji, 1989, <i>Cathartocryptus</i>	531
hiranoi Sasaji, 1984, <i>Cryptophilus</i>	531
hiranoi Sasaji, 1978, <i>Endomychus</i>	561
hiranoi Takahashi, 1992, <i>Asiopodabrus</i>	234
<i>hirasanus</i> Kishii, 1966, <i>Dalopius</i>	119
hirashimai Sasaji, 1990, <i>Mychothenus</i>	559
hirashimai Sasaji, 1967, <i>Sticholotis</i>	571
hirashimai Sasaji, 1968, <i>Stethorus</i>	592
hirayamai Miwa, 1934, <i>Agriotes</i>	115
hirayamai Yuasa, 1963, <i>Oenopia</i>	622
hirayuanus Kishii, 2001, <i>Homotechnes</i>	153
hirculus Gurjeva, 1988, <i>Anostirus</i>	174
hiromasai Ôhira, 1968, <i>Homotechnes</i>	153
hiroshii Satô & Okushima, 2001, <i>Lycocerus</i>	250
hiroshimensis Nakane, 1969, <i>Lopheros</i>	215
hiroyoshii Ôhira, 1998, <i>Quasimus</i>	190
hirsuta Seidlitz, 1889, <i>Ochina</i>	352
hirsutula Reitter, 1873, <i>Aethina</i>	471
hirsutulum Reiche, 1868, <i>Phradonoma</i>	318
hirsutulus Faldermann, 1835, <i>Dasytes</i>	402
<i>hirsutulus</i> Stephens, 1829, <i>Latridius</i>	639
hirsutus Bellés, 1996, <i>Casapus</i>	329
<i>hirsutus</i> Fairmaire, 1860, <i>Xenostrongylus</i>	477
hirsutus G.-Y. Yu, 1997, <i>Scymnus</i>	586
<i>hirsutus</i> Pic, 1921, <i>Lycocerus</i>	251
hirsutus Pic, 1895, <i>Ptinus</i>	336
<i>hirsutus</i> Schilsky, 1896, <i>Enicopus</i>	408
<i>hirsutus</i> Stephens, 1830, <i>Synaptus</i>	113

hirta Cooper, 1982, <i>Pria</i>	488
hirta Dolin, 1978, <i>Solskyana</i>	166
hirta Majer, 1989, <i>Cyrdothrix</i>	394
<i>hirta</i> Marsham, 1802, <i>Mycetaea</i>	567
<i>hirtella</i> C. G. Thomson, 1863, <i>Corticaria</i>	643
<i>hirtella</i> Candèze, 1863, <i>Penia</i>	185
<i>hirtella</i> Walker, 1858, <i>Evorinea</i>	306
<i>hirtellus</i> Candèze, 1863, <i>Mulsanteus</i>	133
<i>hirtellus</i> Herbst, 1806, <i>Agriotes</i>	116
<i>hirtellus</i> Sturm, 1837, <i>Ptinus</i>	336
<i>hirticolle</i> Laporte, 1840, <i>Mezium</i>	329
<i>hirticollis</i> Fabricius, 1792, <i>Dermestes</i>	302
<i>hirticollis</i> P. H. Lucas, 1846, <i>Ptinus</i>	336
<i>hirticollis</i> Semenov, 1891, <i>Ampedus</i>	123
<i>hirticornis</i> Herbst, 1806, <i>Melanotus</i>	145
<i>hirticornis</i> Kiesenwetter, 1867, <i>Ptinus</i>	333
<i>hirtipenne</i> Reiche, 1864, <i>Mezium</i>	329
<i>hirtula</i> Reitter, 1885, <i>Pseudamauronia</i>	394
<i>hirtulum</i> Reitter, 1876, <i>Sphaerosoma</i>	555
<i>hirtulus</i> Kraatz, 1858, <i>Cryptophagus</i>	521
<i>hirtulus</i> Reitter, 1884, <i>Airaphilus</i>	498
<i>hirtulus</i> Rosenhauer, 1856, <i>Attagenus</i>	308
<i>hirtulus</i> Wollaston, 1861, <i>Stagetus</i>	347
<i>hirtum</i> Illiger, 1807, <i>Nicobium</i>	342
<i>hirtum</i> Wollaston, 1862, <i>Melyrosoma</i>	388
<i>hirtus</i> Casey, 1900, <i>Henotiderus</i>	522
<i>hirtus</i> Fabricius, 1781, <i>Trinodes</i>	306
<i>hirtus</i> Gyllenhal, 1827, <i>Latridius</i>	639
<i>hirtus</i> Herbst, 1784, <i>Hemicrepidius</i>	170
<i>hirtus</i> Kleine, 1940, <i>Lycostomus</i>	211
<i>hirtus</i> Linnaeus, 1767, <i>Enicopus</i>	407
<i>hirugatakensis</i> Takahashi, 1992, <i>Hatchiana</i>	237
<i>hirundinis</i> Chevrolat, 1876, <i>Cebrio</i>	90
<i>hisamatsui</i> Ishida, 1986, <i>Lycocerus</i>	251
<i>hisamatsui</i> Jelínek, 1993, <i>Amphicrossus</i>	459
<i>hisamatsui</i> Jelínek, 1978, <i>Epuraea</i>	464
<i>hisamatsui</i> Maeda, 1974, <i>Neocladoxena</i>	535
<i>hisamatsui</i> Maeda, 1972, <i>Paederolanguria</i>	535
<i>hisamatsui</i> Mamaev, 1976, <i>Fornax</i>	86
<i>hisamatsui</i> Miyatake, 1976, <i>Horniolus</i>	579
<i>hisamatsui</i> Nakane, 1987, <i>Subprotelater</i>	207
<i>hisamatsui</i> Nakane, 1966, <i>Epuraea</i>	461
<i>hisamatsui</i> Nakane, 1982, <i>Microsternus</i>	538
<i>hisamatsui</i> Ohbayashi, 1977, <i>Evorinea</i>	306
<i>hisamatsui</i> Ôhira & Satô, 1964, <i>Neodrasterius</i>	107
<i>hisamatsui</i> Sakai, 1982, <i>Eurypogon</i>	81
<i>hisamatsui</i> Wittmer, 1984, <i>Prothemus</i>	260
<i>hisanoi</i> Sasaji, 1978, <i>Dialexia</i>	559
<i>hisashii</i> Nakane, 1990, <i>Asiopodabrus</i>	236
<i>hislopi</i> Wollaston, 1857, <i>Atomaria</i>	525

<i>hispana</i> Kiesenwetter, 1859, <i>Mauroania</i>	393
<i>hispanica</i> Dajoz, 1970, <i>Corticaria</i>	645
<i>hispanica</i> E. Olivier, 1884, <i>Nyctophila</i>	228
<i>hispanica</i> Gougelet & H. Brisout de Barneville, 1859, <i>Danacea</i>	396
<i>hispanica</i> J. Weise, 1879, <i>Vibidia</i>	599
<i>hispanica</i> Pic, 1932, <i>Rhagonycha</i>	264
<i>hispanica</i> Pic, 1908, <i>Globicornis</i>	316
<i>hispanica</i> Reiche, 1878, <i>Cantharis</i>	245
<i>hispanicus</i> Baudi di Selve, 1859, <i>Malthodes</i>	295
<i>hispanicus</i> Cobos, 1961, <i>Cardiophorus</i>	197
<i>hispanicus</i> Dajoz, 1969, <i>Anommatus</i>	549
<i>hispanicus</i> Desbrochers des Loges, 1871, <i>Agriotes</i>	117
<i>hispanicus</i> Fürsch & Kreissl, 1967, <i>Scymnus</i>	591
<i>hispanicus</i> Kalík, 1952, <i>Dermestes</i>	300
<i>hispanicus</i> Kiesenwetter, 1872, <i>Anthodromius</i>	386
<i>hispanicus</i> Pic, 1910, <i>Athous</i>	163
<i>hispanicus</i> Pic, 1907, <i>Dignomus</i>	331
<i>hispanicus</i> Pic, 1953, <i>Lapidoniptus</i>	331
<i>hispanicus</i> Pic, 1953, <i>Aplocnemus</i>	412
<i>hispanicus</i> Platia & Gudenzi, 1999, <i>Ampedus</i>	123
<i>hispanicus</i> Reitter, 1910, <i>Selatosomus</i>	181
<i>hispanicus</i> Reitter, 1871, <i>Meligethes</i>	487
<i>hispanicus</i> Reitter, 1885, <i>Cybocephalus</i>	489
<i>hispanicus</i> Reitter, 1908, <i>Metophthalmus</i>	640
<i>hispanicus</i> Sáez-Bolaño, 1989, <i>Neopristilophus</i>	178
<i>hispanicus</i> Spinola, 1844, <i>Trichodes</i>	377
<i>hispanus</i> Chevrolat, 1876, <i>Trichodes</i>	377
<i>hispanus</i> Kiesenwetter, 1877, <i>Episernus</i>	349
<i>hispanus</i> Perris, 1864, <i>Haplomalachius</i>	447
<i>hispanus</i> Uhagón, 1900, <i>Colotes</i>	427
<i>hispidata</i> Blackburn, 1885, <i>Minthea</i>	328
<i>hispidulus</i> Candèze, 1857, <i>Agrypnus</i>	97
<i>hispidulus</i> Montrouzier, 1860, <i>Dermestes</i>	299
<i>hispidum</i> Champion, 1923, <i>Nosodendron</i>	299
<i>hispidus</i> Arrow, 1925, <i>Cycloxenus</i>	552
<i>hispidus</i> Candèze, 1860, <i>Athous</i>	162
<i>hispidus</i> Dolin & Atamuradov, 1987, <i>Zoroachros</i>	193
<i>hispidus</i> Pic, 1895, <i>Niptodes</i>	332
<i>hissarensis</i> Wittmer, 1992, <i>Ebaeus</i>	430
<i>hissaricus</i> Dolin & Latifi, 1988, <i>Melanotus</i>	145
<i>hissaricus</i> Dolin & Latifi, 1989, <i>Cardiophorus</i>	197
<i>hissaricus</i> Mroczkowski, 1961, <i>Anthrenus</i>	311
<i>hissariensis</i> Barovskij, 1910, <i>Tetrabrachys</i>	574
<i>hissarus</i> Majer, 1988, <i>Dasytiscus</i>	391
<i>histeroides</i> Fabricius, 1792, <i>Cerylon</i>	553
<i>histeroides</i> Faldermann, 1837, <i>Hyperaspis</i>	577
<i>histeroides</i> Stephens, 1835, <i>Ephistemus</i>	530
<i>histeroides</i> Thunberg, 1784, <i>Sibirhelus</i>	458
<i>histrion</i> Fabricius, 1792, <i>Anthrenus</i>	313
<i>histrion</i> Gmelin, 1790, <i>Ampedus</i>	121

histrion Joy & Tomlin, 1910, <i>Enicmus</i>	637
histrion Kiesenwetter, 1874, <i>Intybia</i>	417
histrion Majer, 1995, <i>Mimothrix</i>	392
histrion Wollaston, 1854, <i>Xenostrogylus</i>	477
<i>hiugaensis</i> Takizawa, 1917, <i>Menochilus</i>	619
hiwadanus Takahashi & Kiriyaama, 2000, <i>Asiopodabrus</i>	234
hjorti B. G. Rye, 1905, <i>Ampedus</i>	123
hladili Jelínek, 1982, <i>Meligethes</i>	483
hladili Majer, 1988, <i>Dasytiscus</i>	391
hladili Švihla, 1980, <i>Malthodes</i>	289
hladilorum Schimmel, 1987, <i>Dima</i>	184
<i>hladilorum</i> Winkler, 1984, <i>Opilo</i>	373
hmong Kazantsev, 2007, <i>Themus</i>	271
<i>hoabinhensis</i> Hoang, 1982, <i>Scymnus</i>	586
hoangi Canepari, 1997, <i>Sumnius</i>	575
hoangi Kovář, 2007, <i>Pseudaspidimerus</i>	576
hoberlandti Cate, 2002, <i>Dicronychus</i>	204
hoberlandti Günther, 1958, <i>Tetrabrachys</i>	574
hoberlandti Švihla, 1983, <i>Malthodes</i>	289
hobsoni Champion, 1926, <i>Themus</i>	271
<i>hochhuthi</i> Chaudoir, 1845, <i>Hypocopus</i>	531
hodeki Kovář, 2005, <i>Coccinella</i>	611
<i>hoematica</i> Gorham, 1894, <i>Sumnius</i>	575
<i>hoemorroidalis</i> Reiche & Saulcy, 1857, <i>Rhagonycha</i>	262
<i>hoepfneri</i> Germar, 1844, <i>Oedostethus</i>	190
hofferi Švihla, 1980, <i>Malthinus</i>	279
hofferi Žirovnický, 1974, <i>Trichodes</i>	378
hoffmanni Gressitt, 1939, <i>Idgia</i>	385
hoffmanni J. Weise, 1879, <i>Scymnus</i>	584
hoffmanni Reitter, 1871, <i>Meligethes</i>	483
hoffmannseggi Gravenhorst, 1809, <i>Hyperaspis</i>	577
hokkaidoensis Kazantsev & Takahashi, 2001, <i>Rhagonycha</i>	264
holdereri Reitter, 1900, <i>Athousius</i>	163
holdhausi Kaszab, 1955, <i>Malthodes</i>	289
holdhausi Mader, 1939, <i>Paederolanguria</i>	535
holofulvus Kocher, 1967, <i>Cebrio</i>	91
hololeptooides Nakane, 1967, <i>Platychora</i>	476
<i>hololeuca</i> Mulsant, 1850, <i>Calvia</i>	607
hololeucus Faldermann, 1835, <i>Niptus</i>	332
holomelas Fairmaire, 1887, <i>Macrocerus</i>	296
holomelas Peyerimhoff, 1949, <i>Malacogaster</i>	210
holontelius Vats & Kashyap, 1992, <i>Agrypnus</i>	97
<i>holosericeus</i> A. G. Olivier, 1790, <i>Prosternon</i>	180
<i>holosericeus</i> C. R. Sahlberg, 1819, <i>Attagenus</i>	309
<i>holosericeus</i> Dufour, 1854, <i>Xyletinus</i>	360
<i>holosericeus</i> Tournier, 1860, <i>Dermestes</i>	300
<i>holosericeus</i> Wollaston, 1861, <i>Xyletinus</i>	359
<i>holsatica</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>holtzi</i> Hintz, 1902, <i>Tillus</i>	370
<i>holtzi</i> Hintz, 1902, <i>Trichodes</i>	378

holtzi Pic, 1905, <i>Rhagonycha</i>	264
holtzi Pic, 1904, <i>Malthodes</i>	289
holtzi Pic, 1904, <i>Danacea</i>	396
holtzi Pic, 1908, <i>Aplocnemus</i>	410
holtzi Reitter, 1905, <i>Athous</i>	161
holtzi Schwarz, 1896, <i>Pseudagriotes</i>	120
holtzi Schwarz, 1902, <i>Anostirus</i>	174
holzschuhi Bic, 2002, <i>Mesolycus</i>	214
holzschuhi Bocáková, 2003, <i>Dihammatus</i>	217
holzschuhi Bocáková, 1997, <i>Plateros</i>	219
holzschuhi Dolin, 2001, <i>Quasimus</i>	190
holzschuhi Jelínek & Spornraft, 1979, <i>Meligethes</i>	483
holzschuhi Platia & Schimmel, 1997, <i>Aeoloides</i>	104
holzschuhi Platia & Schimmel, 1991, <i>Silesis</i>	112
holzschuhi Platia & Schimmel, 2001, <i>Melanotus</i>	145
holzschuhi Schimmel, 1994, <i>Pectocera</i>	95
holzschuhi Schimmel, 2003, <i>Gamepenthès</i>	136
holzschuhi Schimmel, 2004, <i>Megapenthès</i>	137
holzschuhi Schimmel, 2004, <i>Platianeus</i>	138
holzschuhi Schimmel, 1996, <i>Dima</i>	184
holzschuhi Schimmel & Platia, 1991, <i>Penia</i>	185
holzschuhi Švihla, 1999, <i>Boveycantharis</i>	239
holzschuhi Wittmer, 1972, <i>Rhagonycha</i>	264
holzschuhi Wittmer, 1978, <i>Malthodes</i>	289
holzschuhi Wittmer, 1984, <i>Maltypus</i>	296
holzschuhi Wittmer, 1974, <i>Malachius</i>	450
holzschuhi Wittmer, 1984, <i>Attalusinus</i>	451
homalisinus Illiger, 1807, <i>Campylomorphus</i>	131
homhilia Geisthardt, 2003, <i>Selasia</i>	210
hondoensis Kishii, 1985, <i>Ampedus</i>	121
hondoensis Kishii, 1985, <i>Harminius</i>	169
hondoensis Ôhira, 1997, <i>Paracardiophorus</i>	206
honestus Bourgeois, 1885, <i>Lycostomus</i>	211
honguanus Ôhira, 1962, <i>Ampedus</i>	123
honoratus Lyubarsky, 1999, <i>Cryptophagus</i>	517
honshuensis Easton, 1956, <i>Meligethes</i>	481
honshuensis Yajima & Nakane, 1969, <i>Lycocerus</i>	254
hoocalis X.-F. Pang & R. D. Gordon, 1986, <i>Scymnus</i>	586
hopei Platia & Schimmel, 2001, <i>Melanotus</i>	145
hopei Ritsema, 1915, <i>Helota</i>	495
hopeiana Miyatake, 1985, <i>Epilachna</i>	627
hopii Mulsant, 1850, <i>Adalia</i>	605
hoploderus Candèze, 1860, <i>Cardiophorus</i>	202
hoplotarsus Jacquelin du Val, 1860, <i>Enicopus</i>	407
hoppi John, 1971, <i>Thorictus</i>	304
horai Platia & Schimmel, 2001, <i>Melanotus</i>	145
horaianus Nakane, 1991, <i>Ebaeus</i>	430
horaki Švihla, 1980, <i>Malthinus</i>	282
horii Hisamatsu, 1976, <i>Brachypterus</i>	457
horikawai Takahashi & Okushima, 1999, <i>Asiopodabrus</i>	234

horioi Kishii, 1955, <i>Scutellathous</i>	172
horioi Nakane & Nobuchi, 1955, <i>Spondotriplax</i>	543
horioni Fürsch, 1965, <i>Scymniscus</i>	583
horishanus Miwa, 1929, <i>Neopenthes</i>	138
horishanus Miwa, 1927, <i>Melanotus</i>	151
horishanus Miwa, 1930, <i>Quasimus</i>	190
horishanus Ohta, 1929, <i>Cryptogonus</i>	576
horni Bourgeois, 1905, <i>Raractocetus</i>	363
horni J. Weise, 1901, <i>Pharoscymnus</i>	570
horni J. Weise, 1901, <i>Ortalia</i>	598
horni M. Chûjô, 1941, <i>Triplax</i>	544
horni Schwarz, 1901, <i>Cateanus</i>	135
horridula Reitter, 1877, <i>Atomaria</i>	525
horridum Har. Lindberg, 1951, <i>Mezium</i>	329
horridus Escalera, 1914, <i>Troglops</i>	454
hortensis Geoffroy, 1785, <i>Glischrochilus</i>	469
hortensis Mannerheim, 1844, <i>Melanophthalma</i>	648
horvathi Csiki, 1901, <i>Dapsa</i>	563
hoshidatensis Ôhira, 1968, <i>Agaripenthes</i>	135
hoshiensis Nakane, 1990, <i>Asiopodabrus</i>	234
hosodai Kishii, 1990, <i>Ampedus</i>	123
hosodai Kishii, 1989, <i>Limoniscus</i>	165
hosodai Kishii, 1992, <i>Oedostethus</i>	189
hosodai Takahashi & Kiriyama, 2000, <i>Asiopodabrus</i>	234
hosokawai Arimoto, 2000, <i>Denticolloides</i>	168
hospes Rosenhauer, 1847, <i>Cantharis</i>	243
hottentotta Kuwert, 1893, <i>Eucymatodera</i>	368
houlberti Monnot, 1914, <i>Oenopia</i>	621
hourai Kishii, 1989, <i>Melanotus</i>	145
housaiana Kishii, 1994, <i>Yukoana</i>	192
housaianus Kishii, 1994, <i>Zoroachros</i>	193
housaianus Kishii, 1994, <i>Cardiotarsus</i>	203
housaii Kishii, 1991, <i>Glyphonyx</i>	109
housaii Kishii, 1991, <i>Melanotus</i>	151
houwau Kishii, 1990, <i>Ampedus</i>	123
houwau Kishii, 1992, <i>Fleutiauxellus</i>	188
hozumii Nakane, 1981, <i>Neohydnus</i>	370
hozumii Nakane & Makino, 1990, <i>Asiopodabrus</i>	234
hsui Kazantsev & P.-S. Yang, 1999, <i>Cautires</i>	222
hualiensis Wittmer, 1995, <i>Micropodabrus</i>	257
huangea C. Cao & Xiao, 1984, <i>Phymatosternus</i>	596
huashanensis Wittmer, 1999, <i>Attalus</i>	422
huashansong G.-Y. Yu, 1999, <i>Scymnus</i>	586
hubbardi Casey, 1885, <i>Cryptamorpha</i>	497
hubeiana Schimmel, 2003, <i>Penia</i>	185
hubeiana Wittmer, 1997, <i>Rhagonycha</i>	264
hubeicus Kazantsev, 2004, <i>Mesolycus</i>	214
hubeiensis Kishii & Jiang, 1996, <i>Cidnopus</i>	164
hubeiensis Schimmel, 2003, <i>Gamepenthes</i>	136
hubeiensis Švihla, 2004, <i>Lycocerus</i>	250

huegeli L. Redtenbacher, 1868, <i>Idgia</i>	385
huguettae Vincent, 1991, <i>Dienerella</i>	636
huiliensis X.-F. Pang & Mao, 1979, <i>Telsimia</i>	596
huiliensis X.-F. Pang & Mao, 1979, <i>Vibidia</i>	599
hukuokensis Miyahara, 1942, <i>Aulacochilus</i>	539
humbertii E. C. Rye, 1872, <i>Phalacrus</i>	510
humeralis Arrow, 1925, <i>Tetraphala</i>	536
humeralis Bickhardt, 1908, <i>Cardiophorus</i>	196
humeralis Candèze, 1859, <i>Anchastus</i>	139
humeralis Candèze, 1873, <i>Zoroehros</i>	192
humeralis Della Beffa, 1914, <i>Cynegetis</i>	625
humeralis Dufour, 1851, <i>Xylophilus</i>	85
humeralis Dufour, 1843, <i>Ctenicera</i>	177
humeralis Fabricius, 1798, <i>Urophorus</i>	468
humeralis Fabricius, 1787, <i>Dacne</i>	537
humeralis Faldermann, 1837, <i>Uleiota</i>	497
humeralis Fischer von Waldheim, 1824, <i>Athous</i>	163
humeralis Grouvelle, 1890, <i>Aethina</i>	470
humeralis Grouvelle, 1883, <i>Laemophloeus</i>	504
humeralis Hintz, 1904, <i>Trichodes</i>	377
humeralis J. R. Sahlberg, 1913, <i>Tetrabrachys</i>	574
humeralis Kiesenwetter, 1874, <i>Malthinus</i>	279
humeralis Kraatz, 1894, <i>Trichodes</i>	378
humeralis Kraatz, 1853, <i>Atomaria</i>	527
humeralis L. Redtenbacher, 1849, <i>Metacantharis</i>	256
humeralis Marsham, 1802, <i>Malthinus</i>	278
humeralis Marsham, 1802, <i>Tritoma</i>	545
humeralis Mink, 1853, <i>Sphindus</i>	455
humeralis Miwa, 1927, <i>Athousius</i>	163
humeralis Miwa, 1930, <i>Cardiotarsus</i>	203
humeralis Morawitz, 1862, <i>Anthocomus</i>	439
humeralis Motschulsky, 1860, <i>Anostirus</i>	174
humeralis P. H. Lucas, 1843, <i>Scobicia</i>	324
humeralis Panzer, 1795, <i>Scymnus</i>	589
humeralis Pic, 1931, <i>Drilus</i>	209
humeralis Pic, 1895, <i>Ptinus</i>	333
humeralis Pic, 1922, <i>Endomychus</i>	560
humeralis Ponza, 1805, <i>Coccinella</i>	613
humeralis R. H. Johnson, 1910, <i>Adalia</i>	602
humeralis Reiche & Saulcy, 1857, <i>Chionotopus</i>	442
humeralis Reitter, 1891, <i>Drasterius</i>	105
humeralis Reitter, 1889, <i>Biphylus</i>	547
humeralis Say, 1835, <i>Ptinus</i>	336
humeralis Say, 1824, <i>Adalia</i>	602
humeralis Schaller, 1783, <i>Adalia</i>	604
humeralis Schilsky, 1888, <i>Lycoperdina</i>	565
humeralis Townson, 1800, <i>Parexochomus</i>	595
humeralis Wittmer, 1951, <i>Macrohabronychus</i>	255
humeralis Wollaston, 1864, <i>Lycoperdina</i>	565
humerala A. Villa & G. B. Villa, 1835, <i>Adalia</i>	604

<i>humeridens</i> Bruce, 1943, <i>Cryptophagus</i>	517
<i>humeridens</i> Grouvelle, 1903, <i>Paracerylon</i>	554
<i>humeridens</i> Reitter, 1884, <i>Metophthalmus</i>	640
<i>humerolineatus</i> Wittmer, 1997, <i>Lycocerus</i>	250
<i>humeronotatus</i> Pic, 1902, <i>Cardiophorus</i>	197
<i>humeropicta</i> Nakane, 1958, <i>Mycetina</i>	565
<i>humeropictus</i> Buysson, 1925, <i>Athous</i>	158
<i>humeropictus</i> Buysson, 1900, <i>Zorochochros</i>	193
<i>humerosignata</i> Nakane, 1968, <i>Mycetina</i>	565
<i>humerosignatus</i> Buysson, 1926, <i>Agriotes</i>	116
<i>humerosus</i> Chevrolat, 1874, <i>Cebrio</i>	91
<i>humerosus</i> Mader, 1938, <i>Sinocymbachus</i>	566
<i>humerosus</i> Reitter, 1873, <i>Carpophilus</i>	466
<i>humerosus</i> Reitter, 1871, <i>Meligethes</i>	483
<i>humerosus</i> Reitter, 1876, <i>Diplocoelus</i>	548
<i>humerotestacea</i> Pic, 1938, <i>Lycocerus</i>	252
<i>humerotinctus</i> Buysson, 1926, <i>Adrastus</i>	109
<i>humile</i> Rey, 1889, <i>Cartodere</i>	636
<i>humilis</i> Erichson, 1841, <i>Adrastus</i>	108
<i>humilis</i> Erichson, 1840, <i>Cardiophorus</i>	197
<i>humilis</i> Erichson, 1840, <i>Ebaeus</i>	430
<i>humilis</i> Platia & Schimmel, 1991, <i>Silesis</i>	112
<i>humilis</i> Rosenhauer, 1856, <i>Arthrolips</i>	632
<i>humilis</i> Schwarz, 1892, <i>Melanotus</i>	145
<i>hummeli</i> Fleutiaux, 1936, <i>Megapenthes</i>	137
<i>hummeli</i> Fleutiaux, 1936, <i>Xanthopenthes</i>	139
<i>hummeli</i> Fleutiaux, 1936, <i>Zorochochros</i>	193
<i>hummeli</i> Fleutiaux, 1936, <i>Cardiophorus</i>	197
<i>hummeli</i> J. Weise, 1879, <i>Hippodamia</i>	618
<i>hummeli</i> Pic, 1933, <i>Lampyrus</i>	227
<i>hummeli</i> Pic, 1933, <i>Micropodabrus</i>	258
<i>hummeli</i> Pic, 1933, <i>Pseudoligomerus</i>	342
<i>hummleri</i> Pic, 1908, <i>Cantharis</i>	247
<i>hummleri</i> Reitter, 1911, <i>Microrhagus</i>	82
<i>hunanensis</i> Platia & Schimmel, 2001, <i>Melanotus</i>	145
<i>hungarica</i> Csiki, 1903, <i>Cantharis</i>	242
<i>hungarica</i> K. Papp, 1943, <i>Cynegetis</i>	625
<i>hungarica</i> K. Papp, 1943, <i>Subcoccinella</i>	630
<i>hungarica</i> Pic, 1910, <i>Crudosilis</i>	274
<i>hungarica</i> Sajó, 1881, <i>Ceratomegilla</i>	609
<i>hungaricus</i> Dudich, 1922, <i>Anommatus</i>	549
<i>hungaricus</i> Iablokoff-Khznorian & Karapetyan, 1991, <i>Ptinus</i>	337
<i>hungaricus</i> J. Weise, 1875, <i>Thorictus</i>	304
<i>hungaricus</i> Pic, 1918, <i>Dirrhagofarsus</i>	83
<i>hungaricus</i> Reitter, 1884, <i>Metophthalmus</i>	640
<i>hupalupae</i> Israelson, 1985, <i>Cryptophagus</i>	517
<i>hupeanus</i> Wittmer, 1956, <i>Micropodabrus</i>	257
<i>hupehanus</i> Miyatake, 1970, <i>Chilocorus</i>	593
<i>hurusyoi</i> M. Chûjô, 1941, <i>Triplax</i>	544
<i>hwadongensis</i> Jeng, 1998, <i>Cyphonocerus</i>	225

<i>hyalinus</i> Sturm, 1826, <i>Tillus</i>	369
<i>hybrida</i> Mannerheim, 1843, <i>Dictyoptera</i>	214
<i>hybridus</i> Baudi di Selve, 1874, <i>Opetiopalpus</i>	382
<i>hybridus</i> Flach, 1888, <i>Phalacrus</i>	511
<i>hybridus</i> Majer, 1989, <i>Cyrdobaldus</i>	394
<i>hybridus</i> Reitter, 1885, <i>Dasytiscus</i>	391
<i>hydnoceroides</i> Gorham, 1893, <i>Callimerus</i>	371
<i>hydrangeae</i> X.-F. Pang & Mao, 1979, <i>Afissula</i>	626
<i>hydrophila</i> Jeng, 2003, <i>Luciola</i>	232
<i>hydroporoides</i> Murray, 1864, <i>Tetrisus</i>	465
<i>hygrophilus</i> Pal, 1998, <i>Sarothrias</i>	362
<i>hymettensis</i> Pic, 1903, <i>Malthodes</i>	285
<i>hyogoensis</i> Nakane & Makino, 1989, <i>Asiopodabrus</i>	234
<i>hyonosen</i> Nakane, 1969, <i>Cautires</i>	222
<i>hyperborea</i> Kazantsev, 1994, <i>Rhagonycha</i>	264
<i>hyperborea</i> Paykull, 1799, <i>Adalia</i>	602
<i>hyperboreus</i> Gyllenhal, 1827, <i>Berninelsonius</i>	153
<i>hyperici</i> Meier, 1897, <i>Hippodamia</i>	617
<i>hypnicola</i> Kishii, 1964, <i>Agrypnus</i>	97
<i>hypobori</i> Perris, 1855, <i>Leptophloeus</i>	505
<i>hypocrita</i> Abeille de Perrin, 1891, <i>Hypebaeus</i>	433
<i>hypocrita</i> C. N. F. Brisout de Barneville, 1867, <i>Meligethes</i>	483
<i>hypocrita</i> Lewis, 1894, <i>Liotrichus</i>	178
<i>hypocrita</i> Mulsant & Rey, 1861, <i>Cratosilis</i>	248
<i>hypocrites</i> Tournier, 1889, <i>Olibrus</i>	508
<i>hypocritus</i> Chevrolat, 1861, <i>Trichodes</i>	378
<i>hypogastricus</i> Candèze, 1873, <i>Ampedus</i>	123
<i>hypoleuca</i> Kiesenwetter, 1859, <i>Danacea</i>	396
<i>hypomelanus</i> Marsham, 1802, <i>Rhyzobius</i>	573
<i>hypopelius</i> Fairmaire, 1900, <i>Themus</i>	272
<i>hyrcana</i> Švihla, 2002, <i>Rhagonycha</i>	264
<i>hystriculus</i> Sharp, 1885, <i>Cautomus</i>	553
<i>hystrix</i> Abeille de Perrin, 1885, <i>Mixis</i>	437
<i>hyugaensis</i> Nakane, 1994, <i>Macrolycus</i>	213
<i>hyuganus</i> Nakane, 1995, <i>Plateros</i>	219
<i>iablokoffi</i> Leseigneur, 1972, <i>Athous</i>	157
<i>iberica</i> Dahlgren, 1975, <i>Rhagonycha</i>	264
<i>ibericus</i> Bahillo de la Puebla, 2003, <i>Tillus</i>	369
<i>ibericus</i> Franz, 1967, <i>Zoroachros</i>	193
<i>ibericus</i> Jacquelin du Val, 1860, <i>Enicopus</i>	407
<i>ibericus</i> Motschulsky, 1837, <i>Exochomus</i>	594
<i>ibericus</i> Rosenhauer, 1856, <i>Malthodes</i>	289
<i>ibex</i> Abeille de Perrin, 1890, <i>Clanoptilus</i>	443
<i>iblanensis</i> Wittmer, 1971, <i>Malthinus</i>	279
<i>ibukianus</i> Ôhira, 1997, <i>Homotechnes</i>	153
<i>ibukiyamana</i> Nawa, 1921, <i>Luciola</i>	231
<i>icaricus</i> Wittmer, 1940, <i>Malthodes</i>	292
<i>icelica</i> Švihla, 1995, <i>Rhagonycha</i>	264
<i>ichihashii</i> Narukawa, 2002, <i>Antibothrus</i>	551
<i>ichihashii</i> Ôhira, 1978, <i>Adelocera</i>	96

ichihashii Takahashi & Kiriyaama, 2003, <i>Asiopodabrus</i>	234
ichitai Takahashi & Okushima, 1999, <i>Asiopodabrus</i>	234
iconiensis Pic, 1908, <i>Dicronychus</i>	204
ictaria Fiori, 1914, <i>Cantharis</i>	242
ietenensis Buysson, 1902, <i>Cardiophorus</i>	199
ifranensis Pic, 1952, <i>Cantharis</i>	242
igai Nakane, 1963, <i>Stigmatium</i>	375
igarashii Kôno, 1930, <i>Falsotillus</i>	368
ignicollis Lewis, 1894, <i>Limonius</i>	165
ignius M. Chûjô & Satô, 1970, <i>Plateros</i>	220
ignorans Reitter, 1883, <i>Sphaerosoma</i>	555
ignoratus Evers, 1989, <i>Troglops</i>	454
ignotus Platia & Schimmel, 2001, <i>Melanotus</i>	151
igermalensis Escalera, 1936, <i>Attalus</i>	420
ihai Ôhira, 1967, <i>Agrypnus</i>	98
ihai Ôhira, 1968, <i>Glyphonyx</i>	109
ihai Ôhira, 1962, <i>Lanecarus</i>	110
ihai Wittmer, 1960, <i>Asiopodabrus</i>	234
iheyanus Kawashima & Satou, 2004, <i>Stenocladus</i>	233
ihsseni C. Johnson, 1978, <i>Atomaria</i>	528
ikarianus Nakane, 1961, <i>Plateros</i>	220
ikauensis Wittmer, 1978, <i>Malthinus</i>	279
ikutanii Nakane, 1963, <i>Homotechnes</i>	153
ilanensis Brancucci, 1985, <i>Microichthyurus</i>	297
ilanensis Kazantsev & P.-S. Yang, 1999, <i>Cautires</i>	222
ilanensis Wittmer, 1995, <i>Micropodabrus</i>	258
iliaca Marseul, 1864, <i>Cordicantharis</i>	248
ilicicola Pic, 1912, <i>Malthodes</i>	289
ilicis Laporte, 1840, <i>Malachius</i>	450
ilicis Liberti, 1985, <i>Danacea</i>	395
ilisicus Wittmer, 1974, <i>Malthinus</i>	279
iljini Barovskij, 1922, <i>Drilus</i>	209
iljini Barovskij, 1908, <i>Podabrus</i>	237
illaesa Mannerheim, 1844, <i>Corticaria</i>	643
illaesicollis Roubal, 1927, <i>Exochomus</i>	594
illaesiformis Reitter, 1898, <i>Corticaria</i>	645
illecebrosa Mulsant, 1846, <i>Hyperaspis</i>	577
illepidus Candèze, 1873, <i>Glyphonyx</i>	109
illepidus Walker, 1871, <i>Trichodes</i>	376
illiensis Savoyskaya, 1969, <i>Nephus</i>	580
illigeri Gravenhorst, 1807, <i>Coccinella</i>	613
illigeri J. Weise, 1879, <i>Aphidecta</i>	607
illuminans Dobrzanskiy, 1924, <i>Adalia</i>	602
illustris Casey, 1916, <i>Placonotus</i>	506
illustris Fleutiaux, 1921, <i>Melanoxanthus</i>	137
illustris Spinola, 1844, <i>Trichodes</i>	379
illustris Spinola, 1844, <i>Trichodes</i>	379
illustris Wollaston, 1854, <i>Psilothrix</i>	408
illus Abeille de Perrin, 1890, <i>Clanoptilus</i>	442
illyrica Motschulsky, 1854, <i>Luciola</i>	232

<i>illyrica</i> Mulsant, 1861, <i>Cantharis</i>	239
<i>ilvensis</i> Holdhaus, 1923, <i>Malthodes</i>	289
<i>ilyai</i> Kazantsev, 2000, <i>Mesolycus</i>	214
<i>imanensis</i> Medvedev, 1970, <i>Lopheros</i>	216
<i>imasakai</i> Kinoda & Nakane, 1993, <i>Lycocerus</i>	252
<i>imasakai</i> Kishii, 1976, <i>Quasimus</i>	190
<i>imasakai</i> Kishii, 1979, <i>Platynychus</i>	207
<i>imasakai</i> Matsuda, 1985, <i>Plateros</i>	220
<i>imasakai</i> Ôhira, 1995, <i>Paracardiophorus</i>	206
<i>imasakai</i> Takahashi & Okushima, 1999, <i>Asiopodabrus</i>	235
<i>imfoveatus</i> Vats & Kashyap, 1992, <i>Adelocera</i>	96
<i>imitans</i> Fiori, 1914, <i>Cantharis</i>	242
<i>imitans</i> Lewis, 1894, <i>Limoniscus</i>	165
<i>imitata</i> Reitter, 1888, <i>Atomaria</i>	526
<i>imitator</i> Dolin, 1997, <i>Melanotus</i>	145
<i>imitator</i> Platia & Gudenzi, 2002, <i>Cardiophorus</i>	197
<i>imitator</i> Reitter, 1891, <i>Aeoloides</i>	104
<i>imitator</i> Reitter, 1899, <i>Trichodes</i>	378
<i>imitator</i> Reitter, 1894, <i>Trichodes</i>	379
<i>imitatus</i> Gurjeva, 1989, <i>Paraphotistus</i>	179
<i>immaculata</i> A. G. Olivier, 1790, <i>Omosita</i>	474
<i>immaculata</i> Gmelin, 1790, <i>Hippodamia</i>	618
<i>immaculata</i> Latreille, 1807, <i>Lycoperdina</i>	564
<i>immaculata</i> M. Chûjô & Kiuchi, 1963, <i>Megalodacne</i>	540
<i>immaculata</i> P. Rossi, 1794, <i>Subcoccinella</i>	630
<i>immaculata</i> Ritsema, 1891, <i>Helota</i>	495
<i>immaculata</i> Schilsky, 1888, <i>Cantharis</i>	244
<i>immaculatithorax</i> Pic, 1900, <i>Cantharis</i>	239
<i>immaculatus</i> A. Fleischer, 1889, <i>Drapetes</i>	207
<i>immaculatus</i> Abeille de Perrin, 1891, <i>Malachius</i>	448
<i>immaculatus</i> Miwa, 1929, <i>Babadrasterius</i>	104
<i>immaculatus</i> Miwa, 1928, <i>Anostirus</i>	174
<i>immaculatus</i> Oliveira, 1893, <i>Drasterius</i>	105
<i>immaculatus</i> P. H. Lucas, 1846, <i>Carpophilus</i>	466
<i>immaculatus</i> Schaufuss, 1882, <i>Ampedus</i>	127
<i>immaculatus</i> Stephens, 1830, <i>Malthinus</i>	279
<i>immaculatus</i> Suffrian, 1843, <i>Scymnus</i>	589
<i>immaculicollis</i> Laporte, 1840, <i>Cantharis</i>	241
<i>immaculicollis</i> Mulsant & Rey, 1867, <i>Malachius</i>	448
<i>immaculicollis</i> Pic, 1905, <i>Hatchiana</i>	237
<i>immaculicollis</i> Pic, 1903, <i>Attalus</i>	424
<i>immaculithorax</i> Pic, 1908, <i>Malachius</i>	450
<i>immarginata</i> Reitter, 1902, <i>Trichoceble</i>	414
<i>immarginatus</i> Champion, 1925, <i>Phalacrus</i>	511
<i>immarginatus</i> Hintz, 1904, <i>Trichodes</i>	377
<i>immarginatus</i> Kraatz, 1894, <i>Trichodes</i>	380
<i>immarginatus</i> P. W. J. Müller, 1821, <i>Gastrallus</i>	340
<i>immaturus</i> Schilsky, 1896, <i>Acanthocnemus</i>	384
<i>immaturus</i> Schilsky, 1897, <i>Dasytes</i>	405
<i>immigrans</i> Israelson, 1987, <i>Aposericoderus</i>	633

<i>immixtus</i> Rey, 1889, <i>Cryptophagus</i>	521
<i>immsi</i> J. Weise, 1912, <i>Rodolia</i>	597
<i>immunda</i> J. Weise, 1879, <i>Adalia</i>	605
<i>immunda</i> Sturm, 1844, <i>Eपुरaea</i>	462
<i>immundus</i> Kraatz, 1858, <i>Meligethes</i>	483
<i>immundus</i> Reitter, 1899, <i>Brachypterolus</i>	456
<i>immundus</i> Reitter, 1874, <i>Cryptolestes</i>	504
<i>immunis</i> Marsham, 1802, <i>Malthinus</i>	279
<i>immutatus</i> John, 1963, <i>Thorictus</i>	304
<i>impallens</i> Buysson, 1887, <i>Athous</i>	157
<i>impar</i> Majer, 1996, <i>Dasytidius</i>	390
<i>impectinatus</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	98
<i>impedita</i> E. Olivier, 1902, <i>Luciola</i>	232
<i>impeditus</i> Majer, 1986, <i>Apovates</i>	409
<i>impennis</i> Pic, 1901, <i>Malthodes</i>	289
<i>imperator</i> Pic, 1906, <i>Themus</i>	272
<i>imperceptus</i> Gurjeva, 1987, <i>Aplotarsus</i>	175
<i>imperfecta</i> E. Olivier, 1899, <i>Pelania</i>	228
<i>imperfecta</i> Heyden, 1897, <i>Hippodamia</i>	617
<i>imperfectus</i> Breit, 1912, <i>Trichodes</i>	380
<i>imperforatus</i> Pic, 1908, <i>Aplocnemus</i>	413
<i>imperialis</i> Fabricius, 1792, <i>Cryptarcha</i>	468
<i>imperialis</i> Gené, 1836, <i>Danacea</i>	396
<i>imperialis</i> Gorham, 1889, <i>Themus</i>	272
<i>imperialis</i> Grouvelle, 1903, <i>Soronia</i>	477
<i>imperialis</i> Herbst, 1793, <i>Synonycha</i>	625
<i>imperialis</i> Lewis, 1879, <i>Cucujus</i>	502
<i>imperialis</i> Linnaeus, 1767, <i>Ptinomorphus</i>	354
<i>imperialis</i> Morawitz, 1862, <i>Clanoptilus</i>	443
<i>imperialis</i> O. F. Müller, 1776, <i>Ptinomorphus</i>	354
<i>impexum</i> Toskina, 1998, <i>Lasioderma</i>	357
<i>impexus</i> Buysson, 1905, <i>Cardiophorus</i>	202
<i>impexus</i> Mulsant, 1850, <i>Scymnus</i>	586
<i>impictipennis</i> Fairmaire, 1876, <i>Hippodamia</i>	617
<i>implicatus</i> Escalera, 1926, <i>Axinotarsus</i>	441
<i>implicatus</i> Wittmer, 1963, <i>Malthodes</i>	289
<i>impolitus</i> E. Olivier, 1913, <i>Curtos</i>	231
<i>importatus</i> Pic, 1952, <i>Anthrenus</i>	312
<i>impresicollis</i> Chevrolat, 1874, <i>Cebrio</i>	91
<i>imprensa</i> A. G. Olivier, 1790, <i>Corticaria</i>	643
<i>imprensa</i> Erichson, 1846, <i>Atomaria</i>	528
<i>imprensa</i> Verhoeff, 1891, <i>Coccinella</i>	613
<i>impresibasis</i> Reitter, 1910, <i>Thorictus</i>	304
<i>impresicollis</i> Bouwer, 1984, <i>Ampedus</i>	123
<i>impresicollis</i> Fairmaire, 1891, <i>Vesta</i>	225
<i>impresicollis</i> Fairmaire, 1884, <i>Malthinus</i>	279
<i>impresicollis</i> Pic, 1944, <i>Mezioniptus</i>	332
<i>impresicollis</i> Pic, 1954, <i>Xenorthrius</i>	380
<i>impresicollis</i> Reitter, 1881, <i>Dermestes</i>	300
<i>impresicollis</i> Reitter, 1885, <i>Dasytiscus</i>	391

<i>impressicollis</i> Tournier, 1872, <i>Cryptophagus</i>	514
<i>impressicollis</i> Wollaston, 1854, <i>Europs</i>	493
<i>impressicornis</i> Wittmer, 1994, <i>Colotes</i>	427
<i>impressifrons</i> Fairmaire, 1867, <i>Cebrio</i>	91
<i>impressifrons</i> Fall, 1905, <i>Tricorynus</i>	356
<i>impressifrons</i> Hampe, 1866, <i>Elathous</i>	164
<i>impressifrons</i> Küster, 1847, <i>Ptilinus</i>	356
<i>impressifrons</i> Pic, 1919, <i>Malachiomimus</i>	425
<i>impressifrons</i> Ponza, 1805, <i>Troglops</i>	454
<i>impressipennis</i> Fairmaire, 1886, <i>Themus</i>	271
<i>impressipennis</i> Gorham, 1903, <i>Opilo</i>	373
<i>impressipennis</i> Pic, 1921, <i>Aplocnemus</i>	411
<i>impressipennis</i> Wittmer, 1981, <i>Hypebaeus</i>	434
<i>impressipes</i> Pic, 1916, <i>Calochromus</i>	224
<i>impressithorax</i> Pic, 1930, <i>Thorictus</i>	304
<i>impressithorax</i> Pic, 1896, <i>Dignomus</i>	330
<i>impressithorax</i> Pic, 1902, <i>Ernobius</i>	350
<i>impressithorax</i> Švihla, 1997, <i>Malthinus</i>	279
<i>impressithorax</i> Wittmer, 1997, <i>Malthodes</i>	289
<i>impressiventris</i> Fairmaire, 1891, <i>Prothemus</i>	260
<i>impressiventris</i> Schwarz, 1900, <i>Cardiophorus</i>	197
<i>impressoides</i> Reitter, 1901, <i>Paraphotistus</i>	179
<i>impressum</i> Comolli, 1837, <i>Trogoxylon</i>	328
<i>impressum</i> Erichson, 1845, <i>Cerylon</i>	553
<i>impressum</i> Wollaston, 1865, <i>Hyperisus</i>	351
<i>impressus</i> Fabricius, 1792, <i>Paraphotistus</i>	179
<i>impressus</i> Marsham, 1802, <i>Aplocnemus</i>	410
<i>impressus</i> Pic, 1898, <i>Dermestes</i>	300
<i>impressus</i> Wittmer, 1972, <i>Nepachys</i>	426
<i>impressus</i> Wittmer, 1954, <i>Colotrema</i>	428
<i>impressus</i> Wittmer, 1995, <i>Ebaeus</i>	432
<i>impressus</i> Wittmer, 1983, <i>Hypotroglops</i>	436
<i>impressus</i> Wittmer, 1995, <i>Condylops</i>	438
<i>impressus</i> Wollaston, 1865, <i>Cryptophagus</i>	517
<i>imprimosa</i> Schimmel, 2002, <i>Penia</i>	185
<i>improvisa</i> Dahlgren, 1976, <i>Rhagonycha</i>	263
<i>improvisus</i> Bruce, 1946, <i>Orthoperus</i>	634
<i>improvisus</i> Gurjeva, 1976, <i>Silesis</i>	112
<i>impubens</i> Reitter, 1888, <i>Atomaria</i>	527
<i>impunctata</i> Linnaeus, 1767, <i>Cynegetis</i>	625
<i>impunctata</i> Miyatake, 1966, <i>Sticholotis</i>	571
<i>impunctatum</i> Schilsky, 1899, <i>Lasioderma</i>	357
<i>impunctatus</i> Pic, 1894, <i>Attagenus</i>	307
<i>impunctipennis</i> Wollaston, 1864, <i>Sphaericus</i>	338
<i>impustulata</i> Ganglbauer, 1899, <i>Nitidula</i>	473
<i>impustulata</i> Linnaeus, 1767, <i>Oenopia</i>	622
<i>inaequalis</i> A. G. Olivier, 1790, <i>Ctenicera</i>	177
<i>inaequalis</i> Candèze, 1879, <i>Denticollis</i>	167
<i>inaequalis</i> DeGeer, 1774, <i>Danosoma</i>	100
<i>inaequalis</i> Fabricius, 1775, <i>Coelophora</i>	614

<i>inaequalis</i> Grouvelle, 1914, <i>Phenolia</i>	475
<i>inaequalis</i> J. Weise, 1879, <i>Adalia</i>	602
<i>inaequalis</i> LeConte, 1853, <i>Melanotus</i>	143
<i>inaequalis</i> Pic, 1922, <i>Macrolycus</i>	213
<i>inaequalis</i> Pic, 1924, <i>Macrohabronychus</i>	255
<i>inaequalis</i> Pic, 1920, <i>Lobonyx</i>	384
<i>inaequalis</i> Reitter, 1894, <i>Phloiocopus</i>	374
<i>inaequalis</i> Reitter, 1878, <i>Cryptophagus</i>	517
<i>inaequalis</i> Reitter, 1889, <i>Biphyllus</i>	547
<i>inaequalis</i> Rey, 1889, <i>Epuraea</i>	462
<i>inaequalithorax</i> Pic, 1933, <i>Malthinus</i>	279
<i>inapicalis</i> Fiori, 1914, <i>Rhagonycha</i>	263
<i>inapicalis</i> Pic, 1902, <i>Ancistronycha</i>	238
<i>inapicalis</i> Pic, 1903, <i>Rhagonycha</i>	264
<i>inapicalis</i> Pic, 1910, <i>Malthodes</i>	288
<i>inapicalis</i> Pic, 1905, <i>Malthodes</i>	289
<i>inapicalis</i> Pic, 1945, <i>Trichodes</i>	378
<i>inapicalis</i> Pic, 1894, <i>Dasytes</i>	402
<i>inapicalis</i> Pic, 1917, <i>Attalus</i>	423
<i>inapicalis</i> Pic, 1899, <i>Hypebaeus</i>	434
<i>inapicalis</i> Pic, 1904, <i>Mycetina</i>	565
<i>inapicipennis</i> Pic, 1923, <i>Malthodes</i>	289
<i>inapicipennis</i> Pic, 1955, <i>Trichodes</i>	377
<i>inapicipennis</i> Pic, 1955, <i>Trichodes</i>	378
<i>inaudax</i> Mulsant, 1853, <i>Hyperaspis</i>	577
<i>incana</i> Reitter, 1884, <i>Danacea</i>	395
<i>incanus</i> Erichson, 1840, <i>Dicronychus</i>	204
<i>incanus</i> Gyllenhal, 1827, <i>Aplotarsus</i>	175
<i>incanus</i> J. Frivaldszky, 1882, <i>Anthrenus</i>	314
<i>incanus</i> Kiesenwetter, 1852, <i>Malthinus</i>	279
<i>incanus</i> Rosenhauer, 1856, <i>Dasytes</i>	402
<i>incanus</i> Sturm, 1845, <i>Meligethes</i>	483
<i>incarripes</i> Miyatake, 1965, <i>Xenorthrius</i>	380
<i>incarnata</i> Kirby, 1837, <i>Calvia</i>	608
<i>incauta</i> Mulsant, 1850, <i>Epilachna</i>	627
<i>incerta</i> P. Rossi, 1790, <i>Tritoma</i>	545
<i>incerta</i> Pic, 1920, <i>Idgia</i>	385
<i>incertula</i> C. Johnson, 1971, <i>Atomaria</i>	525
<i>incertus</i> Grouvelle, 1888, <i>Leptophloeus</i>	505
<i>incertus</i> Mulsant, 1846, <i>Scymnus</i>	590
<i>incertus</i> Mulsant & Rey, 1868, <i>Attagenus</i>	307
<i>incertus</i> Mulsant & Rey, 1868, <i>Anthrenus</i>	312
<i>incertus</i> Pic, 1925, <i>Attalus</i>	421
<i>incertus</i> Schilsky, 1895, <i>Dasytes</i>	402
<i>incertus</i> Schwarz, 1892, <i>Melanotus</i>	143
<i>incertus</i> W. J. MacLeay, 1872, <i>Tarsostenus</i>	383
<i>inchoata</i> Heyden, 1897, <i>Hippodamia</i>	617
<i>inchoatus</i> Majer, 1991, <i>Dasytidius</i>	390
<i>incilostilus</i> Wittmer, 1970, <i>Malthodes</i>	289
<i>incinctus</i> Mulsant, 1850, <i>Nephus</i>	580

<i>incisa</i> E. Olivier, 1884, <i>Nyctophila</i>	227
<i>incisa</i> Mannerheim, 1844, <i>Cartodere</i>	636
<i>incisicollis</i> Pic, 1921, <i>Plateros</i>	220
<i>incisicollis</i> Pic, 1924, <i>Thorictus</i>	304
<i>incisopygus</i> Wittmer, 1956, <i>Attalus</i>	422
<i>incisus</i> Har. Lindberg, 1951, <i>Nephus</i>	580
<i>incisus</i> Pascoe, 1866, <i>Machlotes</i>	551
<i>incisus</i> Pic, 1904, <i>Ernobius</i>	351
<i>incisus</i> Pic, 1917, <i>Troglops</i>	454
<i>incisus</i> Wittmer, 1995, <i>Lycocerus</i>	250
<i>incisus</i> Wittmer, 1984, <i>Hypebaeus</i>	434
<i>inclusens</i> Kirsch, 1871, <i>Nephus</i>	579
<i>inclusum</i> LeConte, 1854, <i>Trogoderma</i>	319
<i>incognita</i> Geisthardt, 1982, <i>Nyctophila</i>	228
<i>incognita</i> Iablokoff-Khnzorian, 1966, <i>Cryptarcha</i>	468
<i>incognitus</i> Faldermann, 1835, <i>Aplocnemus</i>	411
<i>incognitus</i> Háva, 2003, <i>Attagenus</i>	308
<i>incognitus</i> Jelínek, 1976, <i>Anamartus</i>	455
<i>incognitus</i> Platia, 1988, <i>Athous</i>	158
<i>incognitus</i> Platia & Schimmel, 1991, <i>Silesis</i>	112
<i>incognitus</i> Schwarz, 1891, <i>Agriotes</i>	115
<i>incognitus</i> Schwarz, 1891, <i>Agriotes</i>	116
<i>incola</i> Herbst, 1806, <i>Synaptus</i>	113
<i>incommodus</i> Flach, 1888, <i>Phalacrus</i>	511
<i>incommodus</i> Walker, 1859, <i>Psammoecus</i>	498
<i>incompleta</i> Motschulsky, 1860, <i>Epuraea</i>	462
<i>incompleta</i> Schulz, 1899, <i>Hippodamia</i>	617
<i>incompletus</i> Pic, 1939, <i>Cladophorus</i>	223
<i>incompositus</i> Ohbayashi, 1954, <i>Cautires</i>	222
<i>incomptus</i> Kraatz, 1882, <i>Lacon</i>	101
<i>incompta</i> J. Weise, 1881, <i>Hippodamia</i>	617
<i>inconsiderata</i> Mulsant, 1866, <i>Micraspis</i>	620
<i>inconspicua</i> Nakane, 1967, <i>Aethina</i>	470
<i>inconspicua</i> Wollaston, 1860, <i>Corticaria</i>	643
<i>inconspicuus</i> Wollaston, 1867, <i>Diomus</i>	577
<i>inconstans</i> Roubal, 1936, <i>Adalia</i>	605
<i>inconstans</i> Schaufuss, 1862, <i>Adalia</i>	604
<i>inconstans</i> Wollaston, 1862, <i>Casapus</i>	329
<i>inconstricta</i> Rey, 1889, <i>Atomaria</i>	529
<i>incorruptus</i> Kleine, 1928, <i>Cautires</i>	222
<i>incostatus</i> Pic, 1905, <i>Anostirus</i>	174
<i>incostatus</i> Wittmer, 1972, <i>Malthodes</i>	289
<i>incrassatus</i> Peyerimhoff, 1949, <i>Aulonothroscus</i>	87
<i>incrassatus</i> Schilsky, 1900, <i>Dasytes</i>	402
<i>incrassatus</i> Wittmer, 1988, <i>Micropodabrus</i>	257
<i>incrassicornis</i> Pic, 1900, <i>Malthinus</i>	279
<i>incrassipes</i> Wittmer, 1956, <i>Malthinus</i>	279
<i>inculta</i> Gené, 1839, <i>Cantharis</i>	242
<i>incultus</i> John, 1971, <i>Thorictus</i>	304
<i>incurvus</i> Bocáková, 1997, <i>Plateros</i>	220

indentatus Wittmer, 1995, <i>Lycocerus</i>	250
indentilis Vats & Chauhan, 1991, <i>Cardiophorus</i>	197
inderihensis Mulsant, 1850, <i>Scymnus</i>	590
indescreta Peyerimhoff, 1917, <i>Arthrolips</i>	632
indiana Garg & Saini, 1996, <i>Metanomus</i>	178
indiana Gorham, 1897, <i>Cyclotoma</i>	560
indiana Veer, 2004, <i>Thaumaglossa</i>	318
indianus Garg, 1997, <i>Agrypnus</i>	98
<i>indianus</i> Gorham, 1874, <i>Stenotarsus</i>	568
indianus Strohecker, 1972, <i>Ancylopus</i>	562
indianus Strohecker, 1968, <i>Eumorphus</i>	563
indica Arrow, 1915, <i>Evorinea</i>	306
indica Crotch, 1876, <i>Dacne</i>	537
indica Crotch, 1876, <i>Episcapha</i>	540
indica Crotch, 1876, <i>Tritoma</i>	545
<i>indica</i> Crotch, 1874, <i>Oenopia</i>	621
indica Español, 1977, <i>Caenocara</i>	344
indica Fleutiaux, 1916, <i>Paracsikia</i>	184
indica Grouvelle, 1894, <i>Parametopia</i>	475
indica Grouvelle, 1894, <i>Pria</i>	488
indica Háva, 2000, <i>Megatoma</i>	317
<i>indica</i> J. Weise, 1903, <i>Oenopia</i>	621
<i>indica</i> J. Weise, 1910, <i>Protothea</i>	624
indica Mulsant, 1850, <i>Henosepilachna</i>	629
indica Pal, 1992, <i>Parmaschema</i>	557
indica Schimmel, 1994, <i>Pectocera</i>	95
indica Timberlake, 1947, <i>Illeis</i>	598
indica Tomaszewska, 1997, <i>Dapsa</i>	563
indicum Pic, 1938, <i>Stigmatium</i>	375
indicus Arrow, 1925, <i>Idiophyes</i>	559
<i>indicus</i> Candèze, 1900, <i>Hypnoidus</i>	154
indicus Fleutiaux, 1933, <i>Agonischius</i>	131
indicus Garg, 1997, <i>Cardiophorus</i>	197
indicus Gorham, 1895, <i>Aulacochilus</i>	538
indicus Gorham, 1875, <i>Indalmus</i>	564
indicus Grouvelle, 1894, <i>Cyllodes</i>	472
indicus Grouvelle, 1903, <i>Europs</i>	493
indicus Grouvelle, 1916, <i>Henoticus</i>	521
indicus Hisamatsu, 1963, <i>Carpophilus</i>	466
indicus Kalík, 1954, <i>Attagenus</i>	308
indicus Méquignon, 1913, <i>Rhizophagus</i>	492
indicus Motschulsky, 1858, <i>Zorochros</i>	193
indicus Motschulsky, 1854, <i>Diaphanes</i>	226
indicus Motschulsky, 1866, <i>Stephostethus</i>	640
indicus Pal & Sengupta, 1979, <i>Silvanoprus</i>	500
<i>indicus</i> Pic, 1921, <i>Lycocerus</i>	251
indicus Pic, 1937, <i>Stagetus</i>	347
indicus Pic, 1943, <i>Ernobius</i>	350
indicus Pic, 1914, <i>Nesocoelopus</i>	355
indicus Pic, 1914, <i>Stagetomorphus</i>	355

<i>indicus</i> Pic, 1913, <i>Clanoptilus</i>	443
<i>indicus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	145
<i>indicus</i> Reitter, 1913, <i>Gastrallus</i>	340
<i>indicus</i> Schimmel, 2004, <i>Hayekpenthes</i>	136
<i>indicus</i> Sengupta, 1978, <i>Propalticus</i>	506
<i>indicus</i> Strohecker, 1982, <i>Asymbius</i>	559
<i>indicus</i> Wittmer, 1966, <i>Platerodrilus</i>	221
<i>indicus</i> Wittmer, 1957, <i>Protomaltypus</i>	296
<i>indigenus</i> Gurjeva, 1988, <i>Melanotus</i>	145
<i>indra</i> Kapur, 1950, <i>Stethorus</i>	592
<i>indiscoidea</i> Pic, 1914, <i>Metacantharis</i>	256
<i>indisjuncta</i> Pic, 1910, <i>Malthinus</i>	279
<i>indistincta</i> Medvedev & Ryvkin, 1989, <i>Rhagonycha</i>	264
<i>indistinctus</i> Buysson, 1912, <i>Peripontius</i>	111
<i>indocilis</i> Mulsant, 1850, <i>Henosepilachna</i>	630
<i>indosinensis</i> Fleutiaux, 1927, <i>Agrypnus</i>	98
<i>indosinensis</i> Fleutiaux, 1933, <i>Melanotus</i>	143
<i>indus</i> Candèze, 1859, <i>Drasterius</i>	106
<i>indus</i> Motschulsky, 1858, <i>Phalacrus</i>	511
<i>induta</i> Schilsky, 1897, <i>Danacea</i>	396
<i>indutus</i> Abeille de Perrin, 1894, <i>Ptinus</i>	334
<i>indutus</i> Kiesenwetter, 1859, <i>Dasytidius</i>	390
<i>ineditus</i> Jacquelin du Val, 1863, <i>Anelastidius</i>	86
<i>inelegans</i> Nakane, 1967, <i>Cyphonocerus</i>	225
<i>inepta</i> Fiori, 1908, <i>Malthodes</i>	289
<i>ineptus</i> Candèze, 1860, <i>Athous</i>	157
<i>ineptus</i> Gurjeva, 1966, <i>Cardiophorus</i>	202
<i>ineptus</i> Háva & Tezcan, 2004, <i>Anthrenus</i>	311
<i>inequalithorax</i> Pic, 1916, <i>Themus</i>	270
<i>inermicollis</i> Pic, 1907, <i>Priobium</i>	341
<i>inermis</i> Reitter, 1894, <i>Trichodes</i>	378
<i>inermis</i> Reitter, 1884, <i>Neopallodes</i>	473
<i>inermis</i> Reitter, 1876, <i>Silvanolomus</i>	500
<i>inermis</i> Schwarz, 1900, <i>Cardiophorus</i>	197
<i>inermis</i> Wittmer, 1972, <i>Nepachys</i>	426
<i>iners</i> Kiesenwetter, 1859, <i>Danacea</i>	397
<i>inexpecta</i> Kishii, 1957, <i>Adzusa</i>	95
<i>inexpectata</i> Günther, 1959, <i>Hyperaspis</i>	577
<i>inexpectatus</i> Bruce, 1948, <i>Gloeosoma</i>	635
<i>inexpectatus</i> Kishii, 1969, <i>Heteroderes</i>	106
<i>inexpectatus</i> Majer, 1990, <i>Anthodromius</i>	386
<i>inexpectus</i> Abeille de Perrin, 1900, <i>Troglops</i>	454
<i>inexpectus</i> Takahashi, 1992, <i>Asiopodabrus</i>	234
<i>inexspectatum</i> Lohse, 1954, <i>Anobium</i>	339
<i>inexspectatus</i> Palm, 1974, <i>Dasytes</i>	404
<i>infanta</i> Arrow, 1925, <i>Tritoma</i>	545
<i>infasciata</i> Pic, 1931, <i>Hirtomegatoma</i>	316
<i>infasciata</i> Pic, 1922, <i>Mauroania</i>	393
<i>infasciatus</i> Pic, 1901, <i>Anthocomus</i>	439
<i>infausta</i> Mulsant, 1850, <i>Henosepilachna</i>	630

<i>infernalis</i> Evers, 1961, <i>Transvestitus</i>	429
<i>infernalis</i> Mulsant, 1853, <i>Chilocorus</i>	593
<i>infernalis</i> Mulsant, 1853, <i>Chilocorus</i>	593
<i>inficetus</i> Candèze, 1892, <i>Silesis</i>	113
<i>infidus</i> Grouvelle, 1913, <i>Meligethes</i>	484
<i>infigurata</i> Pic, 1914, <i>Cantharis</i>	241
<i>infimior</i> J. Weise, 1885, <i>Scymniscus</i>	582
<i>infimum</i> Baudi di Selve, 1889, <i>Sphaerosoma</i>	555
<i>infimus</i> Buysson, 1906, <i>Cardiophorus</i>	201
<i>infinitus</i> Majer, 1991, <i>Dasytidius</i>	390
<i>infirmus</i> Reitter, 1892, <i>Actenicerus</i>	173
<i>inflata</i> Champion, 1922, <i>Corticaria</i>	643
<i>inflata</i> Rosenhauer, 1856, <i>Migneauxia</i>	648
<i>inflaticeps</i> Motschulsky, 1866, <i>Dienerella</i>	637
<i>inflatipennis</i> Champion, 1922, <i>Corticaria</i>	643
<i>inflatus</i> Candèze, 1882, <i>Platynychus</i>	207
<i>inflatus</i> Cobos, 1970, <i>Cardiophorus</i>	202
<i>inflavus</i> Marseul, 1878, <i>Malthinus</i>	279
<i>informis</i> Kraatz, 1879, <i>Selatosomus</i>	183
<i>informis</i> Schwarz, 1891, <i>Agriotes</i>	115
<i>inforticornis</i> Pic, 1913, <i>Cantharis</i>	247
<i>infrapunctata</i> Wittmer, 1977, <i>Asiosilis</i>	274
<i>infraterna</i> Pic, 1922, <i>Themus</i>	273
<i>infurcatus</i> Pic, 1912, <i>Troglops</i>	454
<i>infuscata</i> J. R. Sahlberg, 1871, <i>Rhagonycha</i>	263
<i>infuscata</i> J. Weise, 1895, <i>Henosepilachna</i>	630
<i>infuscata</i> Mäklin, 1853, <i>Epuraea</i>	462
<i>infuscata</i> Schilsky, 1897, <i>Danacea</i>	398
<i>infuscatum</i> Halbert, 1910, <i>Paramecosoma</i>	523
<i>infuscatus</i> Abeille de Perrin, 1891, <i>Axinotarsus</i>	440
<i>infuscatus</i> Bocáková, 1997, <i>Plateros</i>	220
<i>infuscatus</i> Casey, 1900, <i>Cryptophagus</i>	519
<i>infuscatus</i> Chevrolat, 1874, <i>Cebrio</i>	91
<i>infuscatus</i> Desbrochers des Loges, 1870, <i>Agriotes</i>	115
<i>infuscatus</i> Eschscholtz, 1829, <i>Metanomus</i>	178
<i>infuscatus</i> J. R. Sahlberg, 1903, <i>Heteroderes</i>	106
<i>infuscatus</i> J. R. Sahlberg, 1903, <i>Dasytiscus</i>	391
<i>infuscatus</i> J. R. Sahlberg, 1903, <i>Dasytes</i>	402
<i>infuscatus</i> Motschulsky, 1845, <i>Laemophloeus</i>	504
<i>infuscatus</i> Yajima & Nakane, 1969, <i>Lycocerus</i>	250
<i>infuscus</i> Grouvelle, 1916, <i>Cryptophagus</i>	517
<i>ingauna</i> Liberti, 1984, <i>Danacea</i>	398
<i>ingae</i> Wittmer, 1978, <i>Hypebaeus</i>	434
<i>ingens</i> Fairmaire, 1897, <i>Menghouius</i>	225
<i>ingens</i> Lewis, 1884, <i>Languriomorpha</i>	534
<i>ingens</i> Majer, 1986, <i>Piechockia</i>	394
<i>ingens</i> Platia & Schimmel, 2001, <i>Melanotus</i>	151
<i>ingibbosus</i> Pic, 1924, <i>Mesocoelopus</i>	354
<i>inglanensis</i> Wittmer, 1981, <i>Hypebaeus</i>	434
<i>inglorius</i> Gozis, 1882, <i>Kateretes</i>	458

<i>ingridae</i> Schimmel, 1994, <i>Pectocera</i>	95
<i>ingridae</i> Schimmel, 1996, <i>Peripontius</i>	111
<i>ingridae</i> Schimmel, 2004, <i>Melanoxanthus</i>	137
<i>inhalita</i> Reitter, 1884, <i>Cryptarcha</i>	468
<i>inhirsutus</i> Pic, 1922, <i>Picolistrus</i>	409
<i>inhonesta</i> J. Weise, 1879, <i>Hippodamia</i>	618
<i>inhumanus</i> Pic, 1916, <i>Liotrichus</i>	178
<i>inhumeralis</i> Pic, 1907, <i>Xylophilus</i>	85
<i>inhumeralis</i> Pic, 1911, <i>Chionotopus</i>	442
<i>inimpressus</i> Wittmer, 1995, <i>Condylops</i>	438
<i>inimpressus</i> Wittmer, 1982, <i>Microlipus</i>	450
<i>initialis</i> Kirejtshuk, 1979, <i>Meligethes</i>	483
<i>inlateralis</i> Pic, 1902, <i>Cantharis</i>	247
<i>inlateralis</i> Pic, 1911, <i>Attalus</i>	420
<i>inlateralis</i> Pic, 1938, <i>Colotes</i>	428
<i>inlimbata</i> Pic, 1902, <i>Metacantharis</i>	255
<i>inlimbatus</i> Fürsch, 1958, <i>Scymnus</i>	588
<i>inlimbatus</i> Pic, 1925, <i>Cautires</i>	222
<i>inlustris</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	98
<i>inmaculatus</i> Escalera, 1914, <i>Colotes</i>	427
<i>innotata</i> Haworth, 1812, <i>Adalia</i>	604
<i>innotata</i> Pic, 1902, <i>Megatoma</i>	316
<i>innotaticeps</i> Pic, 1907, <i>Ancistronycha</i>	238
<i>innotaticeps</i> Pic, 1938, <i>Colotes</i>	428
<i>innotaticollis</i> Pic, 1914, <i>Lampyroidea</i>	231
<i>innotaticollis</i> Pic, 1920, <i>Stenothemus</i>	269
<i>innotaticollis</i> Pic, 1937, <i>Laemoglyptus</i>	275
<i>innotaticollis</i> Pic, 1937, <i>Dasytes</i>	401
<i>innotaticollis</i> Pic, 1917, <i>Troglops</i>	454
<i>innotatithorax</i> Pic, 1902, <i>Rhagonycha</i>	266
<i>innotatus</i> Pic, 1929, <i>Eanus</i>	177
<i>innotatus</i> Pic, 1911, <i>Attalus</i>	419
<i>inopaciceps</i> Pic, 1926, <i>Lycocerus</i>	250
<i>inopinatus</i> Buysson, 1891, <i>Athous</i>	157
<i>inopinatus</i> Dolin, 2001, <i>Quasimus</i>	190
<i>inops</i> Mulsant, 1866, <i>Micraspis</i>	620
<i>inornata</i> Gorham, 1873, <i>Dapsa</i>	563
<i>inornata</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>inornata</i> J. Weise, 1895, <i>Menochilus</i>	619
<i>inornata</i> Lewis, 1894, <i>Yukara</i>	172
<i>inornata</i> M. Chûjô, 1941, <i>Pselaphandra</i>	542
<i>inornata</i> Shibata, 1966, <i>Spondotriplax</i>	543
<i>inornatus</i> J. Weise, 1887, <i>Chilocorus</i>	593
<i>inornatus</i> Küster, 1846, <i>Micrinus</i>	450
<i>inpectoralis</i> Pic, 1908, <i>Cantharis</i>	242
<i>inplicata</i> Pic, 1910, <i>Stagetus</i>	346
<i>inquinata</i> Mulsant, 1846, <i>Ceratomegilla</i>	609
<i>insepularis</i> Pic, 1909, <i>Cantharis</i>	242
<i>inscitus</i> Casey, 1900, <i>Cryptophagus</i>	518
<i>inseulptus</i> J. R. Sahlberg, 1913, <i>Tetrabrachys</i>	574

<i>inscutellata</i> Roubal, 1931, <i>Coccinella</i>	613
<i>insecta</i> Wollaston, 1857, <i>Atomaria</i>	525
<i>inseriata</i> Reitter, 1901, <i>Monotoma</i>	494
<i>insidiosa</i> E. Olivier, 1886, <i>Pyrocoelia</i>	228
<i>insidiosa</i> Mulsant, 1866, <i>Harmonia</i>	615
<i>insidiosus</i> Iablokoff-Khznorian, 1966, <i>Chaetomalachius</i>	389
<i>insidiosus</i> Lewis, 1894, <i>Ectinus</i>	120
<i>insignata</i> Pic, 1902, <i>Armidia</i>	238
<i>insignaticollis</i> Pic, 1900, <i>Cantharis</i>	239
<i>insignatithorax</i> Delkeskamp, 1939, <i>Cantharis</i>	243
<i>insignicornis</i> Pic, 1909, <i>Clanomalachius</i>	442
<i>insignipes</i> Pic, 1907, <i>Malthinus</i>	279
<i>insignis</i> Ancey, 1870, <i>Nyctophila</i>	228
<i>insignis</i> Buquet, 1840, <i>Clanoptilus</i>	443
<i>insignis</i> Desbrochers des Loges, 1875, <i>Cardiophorus</i>	197
<i>insignis</i> Escalera, 1914, <i>Thanasimodes</i>	375
<i>insignis</i> Fischer von Waldheim, 1829, <i>Trichodes</i>	378
<i>insignis</i> Geisthardt, 1988, <i>Nyctophila</i>	227
<i>insignis</i> Gorham, 1892, <i>Epilachna</i>	627
<i>insignis</i> Grouvelle, 1891, <i>Aulonosoma</i>	501
<i>insignis</i> Majer, 1997, <i>Amauronia</i>	393
<i>insignita</i> Bedel, 1918, <i>Episcapha</i>	540
<i>insignitus</i> Jacquelin du Val, 1860, <i>Cebrio</i>	91
<i>insignitus</i> Kishii, 1955, <i>Ampedus</i>	128
<i>insignitus</i> Lesne, 1928, <i>Callimerus</i>	371
<i>insignitus</i> Lewis, 1894, <i>Ectinoides</i>	119
<i>insitivus</i> Germar, 1824, <i>Neopristilophus</i>	178
<i>insolentus</i> Dolin & Bessolitzina, 1990, <i>Oedostethus</i>	189
<i>insolita</i> Grouvelle, 1908, <i>Epuraea</i>	464
<i>instabilis</i> Bruce, 1936, <i>Cryptophagus</i>	521
<i>instabilis</i> Kiesenwetter, 1866, <i>Cantharis</i>	242
<i>insuetus</i> Logvinovskiy, 1978, <i>Gastrallus</i>	340
<i>insulanus</i> Kishii, 1976, <i>Haterumelater</i>	130
<i>insulanus</i> Zhantiev, 1988, <i>Trinodes</i>	306
<i>insularis</i> Abeille de Perrin, 1881, <i>Axinotarsus</i>	440
<i>insularis</i> Chevrolat, 1874, <i>Cebrio</i>	91
<i>insularis</i> Dajoz, 1968, <i>Abromus</i>	548
<i>insularis</i> Desbrochers des Loges, 1869, <i>Athous</i>	161
<i>insularis</i> Desbrochers des Loges, 1871, <i>Ptinus</i>	334
<i>insularis</i> Fairmaire, 1891, <i>Lanelater</i>	102
<i>insularis</i> Fiori, 1914, <i>Cantharis</i>	241
<i>insularis</i> Grouvelle, 1906, <i>Epuraea</i>	463
<i>insularis</i> Guillebeau, 1892, <i>Phalacrus</i>	511
<i>insularis</i> Hisamatsu, 1964, <i>Platychora</i>	476
<i>insularis</i> Israelson, 1974, <i>Clada</i>	353
<i>insularis</i> J. Weise, 1923, <i>Propylea</i>	623
<i>insularis</i> Kazantsev, 1995, <i>Pyropterus</i>	216
<i>insularis</i> Kessel, 1921, <i>Laemophloeus</i>	504
<i>insularis</i> Kiesenwetter, 1871, <i>Malthodes</i>	289
<i>insularis</i> Kishii, 2002, <i>Hemicrepidius</i>	171

<i>insularis</i> Lee & Woo, 1999, <i>Melanotus</i>	145
<i>insularis</i> Majer, 1996, <i>Dasytidius</i>	390
<i>insularis</i> Miwa, 1934, <i>Chatanayus</i>	119
<i>insularis</i> Miwa & M. Chûjô, 1937, <i>Caenolanguria</i>	533
<i>insularis</i> Nakane & M. Araki, 1959, <i>Menochilus</i>	619
<i>insularis</i> Pic, 1915, <i>Malthinus</i>	279
<i>insularis</i> Platia & Gudenzi, 1998, <i>Paraphotistus</i>	179
<i>insularis</i> Schilsky, 1897, <i>Danacea</i>	397
<i>insularis</i> Sicard, 1912, <i>Propylea</i>	623
<i>insulcata</i> Pic, 1933, <i>Clada</i>	353
<i>insulcatum</i> Pic, 1922, <i>Hladilium</i>	392
<i>insulcatus</i> Pic, 1903, <i>Malthodes</i>	289
<i>insulcatus</i> Pic, 1924, <i>Thorictus</i>	304
<i>insulcatus</i> Pic, 1937, <i>Gastrallus</i>	340
<i>insulicola</i> Obenberger, 1917, <i>Anthrenus</i>	313
<i>insulicola</i> Roubal, 1919, <i>Cryptophagus</i>	517
<i>insulsus</i> Buysson, 1914, <i>Melanotus</i>	143
<i>insulsus</i> Buysson, 1904, <i>Hemicrepidius</i>	170
<i>insulsus</i> Candèze, 1873, <i>Fleutiauxellus</i>	187
<i>insulsus</i> Harold, 1878, <i>Lycocerus</i>	250
<i>insusetus</i> Evers, 1959, <i>Attalus</i>	422
<i>insuturellus</i> Yajima & Nakane, 1969, <i>Lycocerus</i>	254
<i>intactus</i> Peyerimhoff, 1949, <i>Aulonothroscus</i>	88
<i>integer</i> Baudi di Selve, 1873, <i>Aplocnemus</i>	411
<i>integer</i> Heer, 1841, <i>Cryptophilus</i>	531
<i>integer</i> Rey, 1889, <i>Holoparamecus</i>	558
<i>integer</i> Wollaston, 1857, <i>Aulonothroscus</i>	88
<i>integra</i> Wankowicz, 1867, <i>Ipidia</i>	473
<i>integricollis</i> Reitter, 1911, <i>Agriotes</i>	115
<i>intendens</i> Walker, 1858, <i>Epuraea</i>	464
<i>intercalaris</i> Winkler, 1974, <i>Trichodes</i>	379
<i>intercalatis</i> Kirejtshuk, 1995, <i>Epuraea</i>	461
<i>interceptus</i> Grouvelle, 1903, <i>Microlaemus</i>	505
<i>interjecta</i> Sjöberg, 1939, <i>Epuraea</i>	461
<i>interjectus</i> Jelínek & Spornraft, 1979, <i>Meligethes</i>	483
<i>interjectus</i> Peyerimhoff, 1925, <i>Dasytes</i>	402
<i>interjunctus</i> Peyerimhoff, 1925, <i>Attalus</i>	422
<i>intermedia</i> Apfelbeck, 1911, <i>Danacea</i>	397
<i>intermedia</i> J. R. Sahlberg, 1913, <i>Dapsa</i>	563
<i>intermedia</i> Mroczkowski, 1961, <i>Ctesias</i>	315
<i>intermedia</i> Ritsema, 1905, <i>Helota</i>	495
<i>intermedia</i> W. G. Schneider, 1881, <i>Anisosticta</i>	600
<i>intermedia</i> W. G. Schneider, 1881, <i>Adalia</i>	606
<i>intermedia</i> Wittmer, 1972, <i>Rhagonycha</i>	264
<i>intermedius</i> Apfelbeck, 1917, <i>Rhizophagus</i>	492
<i>intermedius</i> Binaghi, 1946, <i>Metophthalmus</i>	639
<i>intermedius</i> Boieldieu, 1856, <i>Ptinus</i>	337
<i>intermedius</i> Bruce, 1934, <i>Cryptophagus</i>	517
<i>intermedius</i> Buysson, 1896, <i>Ampedus</i>	127
<i>intermedius</i> Candèze, 1895, <i>Heteroderes</i>	106

<i>intermedius</i> Chevrolat, 1874, <i>Cebrio</i>	91
<i>intermedius</i> Escalera, 1914, <i>Axinotarsus</i>	440
<i>intermedius</i> Fiori, 1909, <i>Dasytes</i>	404
<i>intermedius</i> Fleutiaux, 1940, <i>Melanotus</i>	145
<i>intermedius</i> G. Yu, 1997, <i>Cybocephalus</i>	489
<i>intermedius</i> Hochhut, 1872, <i>Phalacrus</i>	511
<i>intermedius</i> Israelson, 1980, <i>Teplinus</i>	634
<i>intermedius</i> Kalík, 1951, <i>Dermestes</i>	301
<i>intermedius</i> Kirejtshuk, 1979, <i>Meligethes</i>	483
<i>intermedius</i> Nakane, 1996, <i>Clerus</i>	372
<i>intermedius</i> Platia & Gudenzi, 2003, <i>Dicronychus</i>	204
<i>intermedius</i> Savoyskaya, 1968, <i>Nephus</i>	580
<i>intermedius</i> Smith, 1851, <i>Nausibius</i>	499
<i>intermedius</i> Wittmer, 1971, <i>Malthinus</i>	279
<i>intermedius</i> Wollaston, 1865, <i>Stagetus</i>	347
<i>intermixtus</i> Kirejtshuk, 1979, <i>Meligethes</i>	483
<i>intermixtus</i> Wittmer, 1954, <i>Macrohabronychus</i>	255
<i>intermixtus</i> Wittmer, 1956, <i>Hypebaeus</i>	434
<i>internepunctata</i> J. Weise, 1879, <i>Coccinella</i>	612
<i>internexus</i> Gorham, 1887, <i>Stenotarsus</i>	568
<i>interposita</i> Dahlgren, 1978, <i>Rhagonycha</i>	264
<i>interpositus</i> Dolin, 1993, <i>Quasimus</i>	191
<i>interpositus</i> Dolin & Agajev, 1993, <i>Zoroachros</i>	193
<i>interpositus</i> Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
<i>interpositus</i> Gottwald, 1977, <i>Xyletinus</i>	360
<i>interpositus</i> Majer, 1990, <i>Cerallus</i>	386
<i>interpositus</i> Rey, 1891, <i>Athous</i>	156
<i>interpositus</i> Roubal, 1941, <i>Denticollis</i>	167
<i>interpositus</i> Švec, 1992, <i>Podocesus</i>	511
<i>interpunctata</i> Haworth, 1812, <i>Adalia</i>	602
<i>interrupta</i> Fabricius, 1792, <i>Menochilus</i>	619
<i>interrupta</i> Gredler, 1870, <i>Mycetina</i>	565
<i>interrupta</i> Meier, 1899, <i>Adalia</i>	602
<i>interruptefasciatus</i> Ronchetti, 1910, <i>Trichodes</i>	377
<i>interruptus</i> Goeze, 1777, <i>Scymnus</i>	590
<i>interruptus</i> Hintz, 1904, <i>Trichodes</i>	377
<i>interruptus</i> Klug, 1842, <i>Phloiocopus</i>	374
<i>interruptus</i> Klug, 1842, <i>Trichodes</i>	376
<i>interruptus</i> Kraatz, 1894, <i>Trichodes</i>	379
<i>interruptus</i> Miwa, 1929, <i>Amblyopus</i>	541
<i>interruptus</i> Nakane, 1994, <i>Endomychus</i>	561
<i>interruptus</i> Pic, 1893, <i>Ptinomorphus</i>	354
<i>interruptus</i> Wittmer, 1974, <i>Malthinus</i>	279
<i>intersecta</i> Mt. Chûjô, 1993, <i>Pseudotritoma</i>	542
<i>intersitus</i> Bruce, 1951, <i>Orthoperus</i>	634
<i>interstinctus</i> Lewis, 1894, <i>Fleutiauxellus</i>	188
<i>interstitialis</i> Desbrochers des Loges, 1873, <i>Athous</i>	161
<i>interstitialis</i> Heyden, 1870, <i>Bothrideres</i>	551
<i>interstitialis</i> Mannerheim, 1844, <i>Corticaria</i>	643
<i>intertexta</i> J. Weise, 1879, <i>Coccinella</i>	611

intonsus Pic, 1907, <i>Ptinus</i>	334
<i>intricata</i> Mannerheim, 1844, <i>Corticaria</i>	644
<i>intricata</i> Rey, 1889, <i>Corticaria</i>	647
introgibbera G. Yu, 1993, <i>Henosepilachna</i>	629
<i>intrusus</i> Buysson, 1912, <i>Cardiophorus</i>	203
<i>intuberculatus</i> Pic, 1924, <i>Lobonyx</i>	384
intusdirigeta Wittmer, 1995, <i>Hypomixis</i>	436
inugoejianus Takahashi, 1992, <i>Asiopodabrus</i>	235
inunctus Lacordaire, 1835, <i>Hypoganus</i>	177
inunctus Panzer, 1795, <i>Drapetes</i>	208
<i>inundata</i> J. Weise, 1879, <i>Myrrha</i>	620
<i>inundatus</i> J. Weise, 1879, <i>Scymnus</i>	590
<i>inustus</i> Buysson, 1906, <i>Agriotes</i>	118
<i>invectitius</i> Candèze, 1865, <i>Melanotus</i>	148
invenusta Geisthardt, 1983, <i>Nyctophila</i>	228
<i>inversa</i> J. Weise, 1905, <i>Subcoccinella</i>	630
<i>inversa</i> LeConte, 1857, <i>Omosita</i>	474
<i>investitus</i> Roubal, 1920, <i>Stethorus</i>	592
involatilis Lyubarsky, 1997, <i>Cryptophagus</i>	517
involucer Platia & Gudenzi, 2004, <i>Dicronychus</i>	204
<i>involutus</i> Buysson, 1922, <i>Cardiophorus</i>	195
iokii Satô, 1968, <i>Drilaster</i>	233
ionicus Pic, 1901, <i>Malthinus</i>	279
iota Arrow, 1915, <i>Evorinea</i>	306
ipsoides Reitter, 1879, <i>Glischrochilus</i>	469
<i>iracundus</i> Snellen van Vollenhoven, 1869, <i>Xylothrips</i>	325
irakensis John, 1963, <i>Thorictus</i>	304
iramatsui Ôhira, 1978, <i>Yukoana</i>	192
iranica Dobrzanskiy, 1926, <i>Coccinella</i>	611
iranica Gerstmeier & Kuff, 1992, <i>Tilloidea</i>	369
iranica Wittmer, 1975, <i>Cantharis</i>	242
iranica Wittmer, 1972, <i>Rhagonycha</i>	264
iranicus Dolin, 2002, <i>Zoroachros</i>	193
iranicus Gurjeva, 1972, <i>Ampedus</i>	123
iranicus Háva & Kalík, 1999, <i>Dermestes</i>	301
iranicus Platia, 2002, <i>Agriotes</i>	115
iranicus Platia, 2004, <i>Athous</i>	161
iranicus Platia & Gudenzi, 2002, <i>Aeoloides</i>	104
iranicus Platia & Gudenzi, 1999, <i>Melanotus</i>	145
iranicus Platia & Gudenzi, 2000, <i>Gurjevelater</i>	156
iranicus Platia & Gudenzi, 1999, <i>Craspedostethus</i>	203
iranicus Švihla, 1987, <i>Nepachys</i>	426
iranicus Toskina, 1995, <i>Ptilinus</i>	356
iranicus Wittmer, 1972, <i>Malthodes</i>	292
<i>iranicus</i> Wittmer, 1978, <i>Malthodes</i>	294
iranicus Wittmer, 1981, <i>Colotes</i>	427
iranicus Wittmer, 1970, <i>Ebaeus</i>	430
iranicus Wittmer, 1979, <i>Condylops</i>	438
iraqensis Platia & Gudenzi, 1997, <i>Agriotes</i>	115
iraqi Geisthardt, 1999, <i>Lampyrus</i>	226

<i>iricutensis</i> Laxmann, 1770, <i>Trichodes</i>	378
<i>iremela</i> Kazantsev, 1994, <i>Rhagonycha</i>	262
<i>ireos</i> A. Villa & G. B. Villa, 1833, <i>Stegobium</i>	343
<i>iridea</i> Thunberg, 1781, <i>Coelophora</i>	614
<i>iridicollis</i> Marseul, 1868, <i>Clanoptilus</i>	443
<i>iriei</i> Ôhira, 1978, <i>Adelocera</i>	95
<i>iriei</i> Ôhira, 1977, <i>Zorochros</i>	192
<i>iriomoteana</i> Nakane, 1981, <i>Idgia</i>	385
<i>iriomotecola</i> Kishii, 1972, <i>Nanseia</i>	107
<i>iriomotensis</i> Kishii, 1985, <i>Abelater</i>	135
<i>iriomotensis</i> Miwa, 1934, <i>Glyphonyx</i>	109
<i>iriomotensis</i> Nakane, 1985, <i>Pyrocoelia</i>	229
<i>iriomotensis</i> Ôhira, 1968, <i>Silesis</i>	112
<i>iriomotoensis</i> Wittmer, 1972, <i>Laemoglyptus</i>	275
<i>iristonius</i> Dolin, 1971, <i>Athous</i>	158
<i>irkutensis</i> A. Strand, 1968, <i>Corticarina</i>	646
<i>irrawadicus</i> Švihla, 2004, <i>Lycocerus</i>	251
<i>irreductus</i> Buysson, 1911, <i>Ampedus</i>	127
<i>irregulare</i> Pic, 1928, <i>Nosodendron</i>	299
<i>irregularis</i> J. Weise, 1879, <i>Anisosticta</i>	600
<i>irregularis</i> Pic, 1940, <i>Pieleus</i>	374
<i>irregularis</i> Sakai, 1984, <i>Byrrhodes</i>	343
<i>irretusus</i> Rey, 1889, <i>Cryptophagus</i>	515
<i>irroratum</i> Reitter, 1881, <i>Trogoderma</i>	319
<i>irroratus</i> Kiesenwetter, 1852, <i>Dignomus</i>	330
<i>isabellae</i> Dajoz, 1973, <i>Dima</i>	184
<i>isabellae</i> Reitter, 1899, <i>Anthrenus</i>	312
<i>isabellinae</i> Mulsant & Rey, 1868, <i>Anthrenus</i>	312
<i>isabellinus</i> Buysson, 1912, <i>Aeoloides</i>	104
<i>isabellinus</i> Küster, 1848, <i>Anthrenus</i>	312
<i>isamutanakai</i> Kishii, 2004, <i>Athousius</i>	163
<i>isaoi</i> Kishii, 1973, <i>Chatanayus</i>	119
<i>isaoi</i> Kishii, 1979, <i>Quasimus</i>	191
<i>isensis</i> Kamiya, 1966, <i>Chujochilus</i>	594
<i>ishidai</i> Kishii, 1955, <i>Sericus</i>	134
<i>ishidai</i> Kishii, 1976, <i>Fleutiauxellus</i>	187
<i>ishidai</i> M. Araki, 1963, <i>Scymnus</i>	587
<i>ishidai</i> Nakane & Kinoda, 1992, <i>Lycocerus</i>	251
<i>ishidai</i> Nakane & Makino, 1990, <i>Asiopodabrus</i>	235
<i>ishidai</i> Ohta, 1931, <i>Coelophora</i>	614
<i>ishigakensis</i> Kamiya, 1959, <i>Chilocorus</i>	593
<i>ishigakensis</i> Miyatake, 1985, <i>Callimerus</i>	371
<i>ishigakiana</i> Nakane, 1961, <i>Ponyalis</i>	218
<i>ishigakianus</i> Kishii, 1974, <i>Melanotus</i>	145
<i>ishigakianus</i> Kishii, 1976, <i>Quasimus</i>	190
<i>ishigakianus</i> Satô & Ohbayashi, 1968, <i>Macrolycus</i>	213
<i>ishigakiensis</i> Ôhira, 1967, <i>Adelocera</i>	96
<i>ishigakiensis</i> Ôhira, 1967, <i>Priopus</i>	152
<i>ishigakiensis</i> Okushima, 1991, <i>Themus</i>	270
<i>ishiharai</i> Hisamatsu, 1994, <i>Euryptychus</i>	86

ishiharai Ishida, 1986, <i>Lycocerus</i>	251
ishiharai Nakane & Kishii, 1954, <i>Chatanayus</i>	119
ishiharai Ôhira, 1994, <i>Agrypnus</i>	98
ishiharai Sakai, 1994, <i>Hadrobregmus</i>	341
ishiharai Satô, 1986, <i>Hatchiana</i>	237
ishiharai Satô & Wittmer, 1989, <i>Haplomalachius</i>	447
ishikawai Kishii, 1998, <i>Ampedus</i>	124
ishizuchi Kishii, 1985, <i>Homotechnes</i>	153
<i>isidis</i> Kirsch, 1871, <i>Pharoscygnus</i>	571
<i>isis</i> Crotch, 1874, <i>Cheilomenes</i>	610
<i>islamicus</i> Bouwer, 1984, <i>Ampedus</i>	124
<i>isoplexidis</i> Wollaston, 1854, <i>Meligethes</i>	483
<i>israelicus</i> Endrödy-Younga, 1984, <i>Cybocephalus</i>	489
<i>israelicus</i> Háva, 2004, <i>Anthrenus</i>	311
<i>israelicus</i> Winkler, 1963, <i>Trichodes</i>	377
<i>israelsoni</i> Español, 1972, <i>Paraxyletinus</i>	362
<i>israelsoni</i> Palm, 1975, <i>Malthinus</i>	280
<i>israelsoni</i> Palm, 1974, <i>Dasytes</i>	404
<i>issenensis</i> Evers, 1962, <i>Malachiomimus</i>	425
<i>isshikii</i> Miwa, 1928, <i>Hemicrepidius</i>	170
<i>issikii</i> M. Chûjô, 1936, <i>Aulacochilus</i>	538
<i>issikii</i> Miwa, 1929, <i>Melanotus</i>	143
<i>issunboushi</i> Kishii, 1966, <i>Quasimus</i>	190
<i>istriacus</i> Scopoli, 1763, <i>Anostirus</i>	175
<i>istrianus</i> Reitter, 1910, <i>Anommatus</i>	550
<i>italica</i> A. G. Olivier, 1790, <i>Luciola</i>	232
<i>italica</i> Fiori, 1914, <i>Cantharis</i>	242
<i>italica</i> J. Weise, 1879, <i>Tytthaspis</i>	601
<i>italica</i> Le Peletier de Saint-Fargeau & Audinet-Serville, 1825, <i>Psoa</i>	328
<i>italica</i> Linnaeus, 1767, <i>Luciola</i>	232
<i>italica</i> Pic, 1908, <i>Rhagonycha</i>	266
<i>italica</i> Pic, 1908, <i>Ochina</i>	352
<i>italica</i> Walter, 1882, <i>Hippodamia</i>	618
<i>italicus</i> Aragona, 1830, <i>Ptinus</i>	333
<i>italicus</i> Baudi di Selve, 1871, <i>Agriotes</i>	117
<i>italicus</i> Escalera, 1926, <i>Axinotarsus</i>	440
<i>italicus</i> J. Weise, 1895, <i>Nephus</i>	581
<i>italicus</i> Pardo Alcaide, 1967, <i>Clanoptilus</i>	443
<i>italicus</i> Platia & Bartolozzi, 1988, <i>Cardiophorus</i>	197
<i>italicus</i> Reitter, 1885, <i>Stagetus</i>	347
<i>italicus</i> Reitter, 1904, <i>Hypebaeus</i>	434
<i>italicus</i> Wittmer, 1984, <i>Troglops</i>	454
<i>iteratus</i> Peyerimhoff, 1925, <i>Dasytes</i>	404
<i>itigiensis</i> Champion, 1919, <i>Melyris</i>	387
itoi Kazantsev & Takahashi, 2001, <i>Rhagonycha</i>	264
itoi Sasaji, 1982, <i>Coelophora</i>	614
<i>ivanensis</i> Reitter, 1902, <i>Ptinus</i>	333
<i>ivanovi</i> Jakobson, 1913, <i>Ampedus</i>	124
<i>ivanovi</i> Jakobson, 1913, <i>Zorochochros</i>	193
<i>iwanadomensis</i> Takahashi & Kiriyama, 2000, <i>Asiopodabrus</i>	235

<i>iwasakii</i> Matsumura, 1918, <i>Pyrocoelia</i>	228
<i>iwasakii</i> Matsumura, 1918, <i>Curtos</i>	231
<i>iwasakii</i> Miwa, 1927, <i>Ludioschema</i>	132
<i>iwatensis</i> Ôhira, 1968, <i>Homotechnes</i>	153
<i>iyeri</i> Imms & Chatterjee, 1915, <i>Silvanopsis</i>	500
<i>iyoenis</i> Kishii, 1982, <i>Paraphotistus</i>	179
<i>izmirensis</i> Cate & Platia, 1997, <i>Agriotes</i>	115
<i>izucola</i> Kishii, 2001, <i>Homotechnes</i>	153
<i>izuensis</i> Okushima & Satô, 2000, <i>Lycocerus</i>	253
<i>izuinsulanus</i> Kishii, 1977, <i>Hemicrepidius</i>	171
<i>izumii</i> Kishii, 1985, <i>Homotechnes</i>	153
<i>jablanicensis</i> Obenberger, 1916, <i>Necrobia</i>	382
<i>jacksoni</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	98
<i>jacobsoni</i> Barovskij, 1926, <i>Cantharis</i>	242
<i>jacobsoni</i> Barovskij, 1909, <i>Tetrabrachys</i>	574
<i>jacobsoni</i> Barovskij, 1906, <i>Nephus</i>	580
<i>jacobsoni</i> Barovskij, 1927, <i>Exochomus</i>	594
<i>jacobsoni</i> Dobrzanskiy, 1924, <i>Adalia</i>	602
<i>jacobsoni</i> Reitter, 1903, <i>Denticollis</i>	167
<i>jacobsoni</i> Reitter, 1905, <i>Megathous</i>	171
<i>jacobsoni</i> Zhantiev, 1963, <i>Attagenus</i>	308
<i>jacobsoni</i> Zhantiev, 1976, <i>Anthrenus</i>	315
<i>jacqueti</i> Pic, 1916, <i>Denticollis</i>	167
<i>jacqueti</i> Pic, 1895, <i>Dignomus</i>	330
<i>jacqueti</i> Pic, 1912, <i>Trichodes</i>	376
<i>jactans</i> Reitter, 1899, <i>Trichodes</i>	377
<i>jactatus</i> Lewis, 1894, <i>Medakathous</i>	171
<i>jaculatorius</i> G.-Y. Yu, 2000, <i>Scymnus</i>	586
<i>jacutica</i> Barovskij, 1926, <i>Silis</i>	276
<i>jaegeri</i> Kopetz, 2004, <i>Themus</i>	270
<i>jaegeri</i> Schimmel, 2002, <i>Dima</i>	184
<i>jagemanni</i> Cate, 2007, <i>Silesis</i>	112
<i>jagemanni</i> Jiang, 1993, <i>Agrypnus</i>	98
<i>jagemanni</i> Platia & Gudenzi, 2000, <i>Peripontius</i>	111
<i>jagemanni</i> Platia & Schimmel, 2002, <i>Melanotus</i>	151
<i>jagemanni</i> Schimmel, 2002, <i>Parapenia</i>	184
<i>jageri</i> Bocák & Bocáková, 1999, <i>Plateros</i>	220
<i>jailensis</i> Breit, 1913, <i>Cryptophagus</i>	515
<i>jailensis</i> Dolin, 1971, <i>Selatosomus</i>	182
<i>jakesi</i> C. Johnson, 1973, <i>Caenoscelis</i>	513
<i>jakli</i> Háva, 2001, <i>Anthrenus</i>	314
<i>jakobsoni</i> Stepanov, 1930, <i>Selatosomus</i>	181
<i>jakovlevi</i> Barovskij, 1908, <i>Rhagonycha</i>	268
<i>jakovlevi</i> Semenov, 1904, <i>Lycoperdina</i>	565
<i>jakovlevi</i> Semenov, 1898, <i>Stephostethus</i>	640
<i>jakowlewi</i> J. Weise, 1892, <i>Scymnus</i>	590
<i>jakowlewi</i> J. Weise, 1892, <i>Calvia</i>	608
<i>jakowlewi</i> Reitter, 1892, <i>Platamartus</i>	458
<i>jakowlewi</i> Reitter, 1888, <i>Cryptophagus</i>	517
<i>jakowlewi</i> Semenov, 1891, <i>Ampedus</i>	126

jakowlewi Semenov, 1898, <i>Peltis</i>	366
jakowlewi Semenov, 1902, <i>Leucohimatium</i>	536
jakowlewi Semenov, 1898, <i>Tritoma</i>	546
jakutensis Dobrzanskiy, 1926, <i>Anisosticta</i>	600
janeti Grouvelle, 1899, <i>Leptophloeus</i>	505
janetscheki Bielawski, 1971, <i>Scymnus</i>	586
jankovskii Skopin, 1951, <i>Tolyphus</i>	512
jansoni Bonvouloir, 1895, <i>Drapetes</i>	207
jansoni Crotch, 1873, <i>Microlanguria</i>	534
jansoni Platia & Schimmel, 2001, <i>Melanotus</i>	145
jansoni Schimmel & Platia, 1991, <i>Penia</i>	185
janssoni Büche & Lundberg, 2002, <i>Dorcatoma</i>	344
janthinus Lacordaire, 1842, <i>Aulacochilus</i>	538
japonensis Fleutiaux, 1900, <i>Bioxylus</i>	85
japonensis Fleutiaux, 1923, <i>Dromaeolus</i>	86
japonensis Nakane & M. Araki, 1958, <i>Cryptogonus</i>	576
japonica C. Johnson, 1976, <i>Melanophthalma</i>	648
japonica Crotch, 1873, <i>Dacne</i>	537
japonica Crotch, 1873, <i>Triplax</i>	544
japonica Crotch, 1874, <i>Hyperaspis</i>	578
japonica Crotch, 1874, <i>Calvia</i>	608
japonica Gorham, 1874, <i>Saula</i>	568
japonica Hisamatsu, 1963, <i>Melasis</i>	84
japonica Hisamatsu, 1985, <i>Platynema</i>	478
japonica J. Kurisaki, 1914, <i>Callicaria</i>	607
japonica Kiesenwetter, 1874, <i>Podistra</i>	260
japonica Motschulsky, 1861, <i>Epuraea</i>	464
japonica Nakane & Nobuchi, 1955, <i>Spondotriplax</i>	543
japonica Ohta, 1929, <i>Helota</i>	495
japonica Paulian, 1962, <i>Arthrolips</i>	632
japonica Pic, 1906, <i>Trichodesma</i>	342
japonica Pic, 1937, <i>Dorcatoma</i>	345
japonica Pic, 1943, <i>Lasioderma</i>	357
japonica Reitter, 1875, <i>Temnoscheila</i>	365
japonica Reitter, 1889, <i>Ancyrona</i>	365
japonica Reitter, 1873, <i>Epuraea</i>	464
japonica Reitter, 1874, <i>Omosita</i>	474
japonica Reitter, 1873, <i>Physoronia</i>	476
japonica Reitter, 1873, <i>Soronia</i>	476
japonica Reitter, 1877, <i>Corticaria</i>	643
japonica Sakai, 1977, <i>Hisamatsua</i>	354
japonica Sasaji, 1984, <i>Sternodea</i>	514
japonica Sicard, 1907, <i>Callicaria</i>	607
japonica Thunberg, 1784, <i>Luciola</i>	232
japonica Thunberg, 1781, <i>Propylea</i>	623
japonicola Sakai, 1975, <i>Megorama</i>	358
japonicum E. A. Chapin, 1940, <i>Serangium</i>	569
japonicum Lesne, 1895, <i>Sinoxylon</i>	323
japonicum Matthews, 1899, <i>Gloeosoma</i>	635
japonicum Sasaji, 1999, <i>Cerophytum</i>	81

japonicus Arrow, 1915, <i>Orphinus</i>	317
japonicus Bourgeois, 1902, <i>Xylobanus</i>	223
japonicus Crotch, 1873, <i>Aulacochilus</i>	538
japonicus Fleutiaux, 1902, <i>Hylis</i>	83
japonicus Fleutiaux, 1923, <i>Poecilochrus</i>	85
japonicus Fleutiaux, 1902, <i>Megapenthes</i>	137
japonicus Fleutiaux, 1902, <i>Calambus</i>	176
japonicus Hisamatsu, 1957, <i>Fryanus</i>	82
japonicus Hisamatsu, 1964, <i>Derodontus</i>	298
japonicus Hisamatsu, 1985, <i>Kateretes</i>	458
japonicus Hisamatsu, 1985, <i>Triacanus</i>	477
japonicus J. Weise, 1901, <i>Cryptogonus</i>	576
japonicus J. Weise, 1879, <i>Scymnus</i>	586
japonicus Kamiya, 1960, <i>Scymnomorphus</i>	572
japonicus Kamiya, 1959, <i>Stethorus</i>	592
japonicus Kiesenwetter, 1874, <i>Lycocerus</i>	251
japonicus Kiesenwetter, 1874, <i>Dasytes</i>	404
japonicus Kiesenwetter, 1874, <i>Nepachys</i>	426
japonicus Kishii, 1984, <i>Dalopius</i>	119
japonicus Kishii, 1959, <i>Quasimus</i>	190
japonicus Kishii & Ôhira, 1956, <i>Anostirus</i>	174
japonicus Lesne, 1895, <i>Dinoderus</i>	325
japonicus Matsumura, 1915, <i>Dinoderus</i>	326
japonicus Matthews, 1899, <i>Corylophus</i>	631
japonicus Matthews, 1899, <i>Orthoperus</i>	634
japonicus Matthews, 1899, <i>Gloeosoma</i>	635
japonicus Nakane, 1957, <i>Lanecarus</i>	110
japonicus Nakane, 1969, <i>Plateros</i>	220
japonicus Nakane, 1966, <i>Propalticus</i>	506
japonicus Nakane & Hisamatsu, 1991, <i>Subprotelater</i>	207
japonicus Nakane & Hisamatsu, 1963, <i>Henoticus</i>	522
japonicus Ohbayashi, 1949, <i>Malthinus</i>	280
japonicus Ohbayashi, 1985, <i>Anthrenus</i>	313
japonicus Ôhira, 1974, <i>Melanotus</i>	151
japonicus Ohta, 1930, <i>Byturus</i>	547
japonicus Pic, 1942, <i>Lopheros</i>	216
japonicus Pic, 1903, <i>Holcobius</i>	343
japonicus Pic, 1904, <i>Malachius</i>	450
japonicus Reitter, 1877, <i>Attagenus</i>	310
japonicus Reitter, 1877, <i>Ptinus</i>	333
japonicus Reitter, 1879, <i>Aspidiphorus</i>	455
japonicus Reitter, 1878, <i>Heterhelus</i>	457
japonicus Reitter, 1873, <i>Amphicrossus</i>	459
japonicus Reitter, 1873, <i>Meligethes</i>	483
japonicus Reitter, 1884, <i>Rhizophagus</i>	492
japonicus Reitter, 1874, <i>Pediacus</i>	502
japonicus Reitter, 1874, <i>Cryptophagus</i>	517
japonicus Reitter, 1878, <i>Curelius</i>	530
japonicus Reitter, 1889, <i>Scymnomorphus</i>	572
japonicus Sakai, 1982, <i>Eurypogon</i>	81

japonicus Sakai, 1982, <i>Oligomerus</i>	342
japonicus Sasaji, 1983, <i>Biphyllus</i>	547
japonicus Sasaji, 1991, <i>Eidoreus</i>	561
<i>japonicus</i> Sicard, 1907, <i>Chilocorus</i>	593
japonicus Silfverberg, 1977, <i>Ampedus</i>	124
japonicus Ślipiński, 1988, <i>Philothermus</i>	554
japonicus Švec, 1992, <i>Stilbus</i>	512
japonius Motschulsky, 1858, <i>Glischrochilus</i>	469
<i>japonum</i> Reitter, 1879, <i>Lyctoxylon</i>	326
japonus Reitter, 1877, <i>Hebasculinus</i>	472
japonus Reitter, 1874, <i>Mimemodes</i>	493
jarantajensis Wittmer, 1977, <i>Clanoptilus</i>	445
jarmilae Čechovský & Platia, 1991, <i>Anostirus</i>	174
jarmilae Winkler, 1974, <i>Emmepus</i>	370
jaromiri Švihla, 2002, <i>Malthodes</i>	289
jaroslavli Logvinovskiy, 1977, <i>Ernobius</i>	350
jasoni Dolin & Chantladze, 1987, <i>Pseudanostirus</i>	180
<i>jatrophae</i> Wollaston, 1867, <i>Lyctus</i>	327
<i>javana</i> Mulsant, 1850, <i>Coelophora</i>	614
<i>javanicus</i> Grouvelle, 1885, <i>Silvanoprus</i>	500
javanus Candèze, 1860, <i>Platynychus</i>	207
javanus Gorham, 1877, <i>Tenerus</i>	383
javanus Guérin-Méneville, 1841, <i>Aulacochilus</i>	538
javeti Jacquelin du Val, 1852, <i>Colotes</i>	428
javrozae Majer, 1988, <i>Bilyella</i>	400
jeanvoinei Fleutiaux, 1936, <i>Actenicerus</i>	173
<i>jeanvoinei</i> Pic, 1927, <i>Lycostomus</i>	211
<i>jeanvoinei</i> Pic, 1927, <i>Lycocerus</i>	250
jeffreyi Dolin & Cate, 2002, <i>Hypnoidus</i>	154
jejuensis Kang & Okushima, 2003, <i>Lycocerus</i>	251
jejunus Kiesenwetter, 1858, <i>Athous</i>	162
jejunus Kiesenwetter, 1863, <i>Aplocnemus</i>	411
<i>jejunus</i> Reitter, 1913, <i>Meligethes</i>	480
<i>jekeli</i> Reitter, 1875, <i>Dacne</i>	537
jelinecki Dajoz, 1971, <i>Anommatus</i>	550
jelinecki Audisio, 1980, <i>Anamartus</i>	455
jelinecki Audisio, 1976, <i>Meligethes</i>	483
jelinecki Audisio & Kirejtshuk, 1989, <i>Carpophilus</i>	466
jelinecki Brodský & Winkler, 1988, <i>Trichodes</i>	378
jelinecki Cate, 2002, <i>Cardiophorus</i>	198
jelinecki Háva, 2004, <i>Attagenus</i>	308
jelinecki Kirejtshuk, 1986, <i>Aethina</i>	471
jelinecki Majer, 1989, <i>Chaetomalachius</i>	389
<i>jelinecki</i> Reška, 1982, <i>Cryptophagus</i>	521
jelinecki Švec & Poneš, 1999, <i>Olibrus</i>	509
jelinecki Švihla, 2004, <i>Lycocerus</i>	251
jelinecki Švihla, 2002, <i>Malthodes</i>	289
jelinecki Wittmer, 1979, <i>Cephaloncus</i>	452
jendeki Majer, 1995, <i>Mimothrix</i>	392
jendeki Platia & Schimmel, 1996, <i>Silesis</i>	112

jendeki Platia & Schimmel, 2001, <i>Melanotus</i>	145
jendeki Schimmel, 1993, <i>Ampedus</i>	124
jendeki Schimmel, 1998, <i>Penia</i>	185
jendeki Wittmer, 1997, <i>Mimopodabrus</i>	258
jendeki Wittmer, 1997, <i>Podosilis</i>	275
jengi Kazantsev, 2000, <i>Cautires</i>	222
jeniferae Kawashima & Satô, 2001, <i>Rhagophthalmus</i>	225
jenisi Bocáková, 1997, <i>Plateros</i>	220
jenisseensis J. R. Sahlberg, 1903, <i>Paracardiophorus</i>	206
jenniferi Jeng & Satô, 1999, <i>Cyphonocerus</i>	225
jerashensis Wittmer, 1995, <i>Embrocerus</i>	452
jermolenkoi Dolin, 1969, <i>Cardiophorus</i>	198
jesuita Fabricius, 1775, <i>Bostrychopsis</i>	322
jezoensis Ôhira, 1992, <i>Sericus</i>	135
jianchuanensis C. Cao & Xiao, 1984, <i>Epilachna</i>	627
jianfengensis Jing, 1988, <i>Coelophora</i>	614
jiangxiana Kishii & Jiang, 1994, <i>Pectocera</i>	95
jiangxiensis Schimmel, 1996, <i>Ampedus</i>	124
jiangxiensis Schimmel, 2004, <i>Gamepenthesis</i>	136
jigongshan G.-Y. Yu, 1999, <i>Scymnus</i>	586
jindraai Schimmel, 2003, <i>Ampedus</i>	124
jindraai Švihla, 2004, <i>Cantharis</i>	242
jindraai Švihla, 2004, <i>Lycocerus</i>	251
jindraai Švihla, 2002, <i>Rhagonycha</i>	264
jindraai Švihla, 2004, <i>Stenothemus</i>	269
<i>jinghongiensis</i> X.-F. Pang & Mao, 1979, <i>Anortalia</i>	598
<i>jinyangiensis</i> X.-F. Pang & Mao, 1979, <i>Telsimia</i>	596
jirisanensis Kang & Kim, 2000, <i>Hatchiana</i>	237
jiuzhaigouensis Kolibáč, 1998, <i>Neohydnius</i>	370
jizuensis Schimmel, 2004, <i>Megapenthesis</i>	137
jizushanensis Bocáková, 1997, <i>Plateros</i>	220
jizushanensis Wittmer, 1997, <i>Podosilis</i>	275
jizushanensis Wittmer, 1999, <i>Holzschuhus</i>	433
jizushanensis Wittmer, 1995, <i>Condylops</i>	438
<i>jocosus</i> Candèze, 1882, <i>Crepidophorus</i>	169
<i>jocosus</i> Erichson, 1840, <i>Attalus</i>	420
<i>jocularis</i> Candèze, 1889, <i>Craspedostethus</i>	203
johanidesi Švihla, 2004, <i>Islamocantharis</i>	249
johannae Zeising & Sieg, 1992, <i>Ampedus</i>	124
johni Geisthardt, 1975, <i>Parafallia</i>	557
johni Pal, 1992, <i>Aphanocephalus</i>	556
johnsoni Bousquet & Laplante, 1999, <i>Monotoma</i>	494
johnsoni Sengupta, 1980, <i>Cryptophagus</i>	517
jonica Liberti, 1985, <i>Danacea</i>	395
jonica Pic, 1901, <i>Pseudeuanoma</i>	210
<i>jonica</i> Pic, 1901, <i>Armidia</i>	238
jonica Reitter, 1888, <i>Atomaria</i>	525
<i>jordanensis</i> Fürsch, 1970, <i>Scymnus</i>	583
<i>jordanensis</i> J. R. Sahlberg, 1913, <i>Metophthalmus</i>	640
jordanicus Majer, 1988, <i>Dasytiscus</i>	391

jordanicus Pic, 1934, <i>Anthrenus</i>	311
jordanicus Wittmer, 1974, <i>Malthinus</i>	280
jordanicus Wittmer, 1963, <i>Malthodes</i>	289
jordanicus Wittmer, 1979, <i>Attalus</i>	422
jordanicus Wittmer, 1960, <i>Hypebaeus</i>	433
jordanicus Wittmer, 1965, <i>Clanoptilus</i>	443
jordanii Ritsema, 1899, <i>Helota</i>	495
jordanis Jelínek & Spornraft, 1979, <i>Meligethes</i>	483
jouvenoti Buysson, 1926, <i>Athous</i>	156
jubilarii Corporaal, 1932, <i>Trichodes</i>	378
jubilatus Evers, 1971, <i>Fortunatius</i>	425
jucunda Arrow, 1925, <i>Pseudotritoma</i>	542
jucunda J. Weise, 1879, <i>Coccinella</i>	611
jucundus Fürsch, 1977, <i>Nephus</i>	581
jucundus Gorham, 1903, <i>Anadastus</i>	532
jucundus Gurjeva, 1974, <i>Dicronychus</i>	205
jucundus Märkel, 1847, <i>Sericus</i>	134
jucundus Platia & Schimmel, 2001, <i>Melanotus</i>	145
jucundus Reitter, 1894, <i>Trichodes</i>	377
jucundus Wollaston, 1862, <i>Fortunatius</i>	425
judaicus Wittmer, 1985, <i>Psiloderes</i>	452
judaica E. Olivier, 1884, <i>Luciola</i>	232
judaicus Evers, 1948, <i>Ebaeus</i>	430
judaicus J. R. Sahlberg, 1913, <i>Olibrus</i>	509
judaicus J. R. Sahlberg, 1913, <i>Metophthalmus</i>	640
judaicus Reiche & Saulcy, 1857, <i>Lanelater</i>	102
judex Abeille de Perrin, 1885, <i>Clanoptilus</i>	445
judex Candèze, 1874, <i>Agrypnus</i>	98
judicariensis Schwarz, 1900, <i>Athous</i>	162
juditae Laibner, 1991, <i>Adrastus</i>	108
jugicola Perez Arcas, 1872, <i>Hemicrepidius</i>	170
juglandis Herbst, 1793, <i>Cacotemnus</i>	339
juglandis Iablokoff-Khnzorian, 1964, <i>Ampedus</i>	128
jugoslavicus Dolin, 1983, <i>Athous</i>	159
juldanus Reitter, 1910, <i>Pseudanostirus</i>	180
juldusanus Reitter, 1918, <i>Ampedus</i>	124
juliana Gradl, 1882, <i>Oenopia</i>	621
julianum Penev, 1987, <i>Haterumelater</i>	130
julianus Pace, 1979, <i>Anommatus</i>	550
jumlaensis Wittmer, 1981, <i>Ebaeus</i>	430
junceus Peyron, 1877, <i>Malachius</i>	449
junci Stephens, 1830, <i>Kateretes</i>	458
juncicola Abeille de Perrin, 1898, <i>Emmepus</i>	370
juncta Majer, 1996, <i>Brodskyana</i>	388
junctus Smirnoff, 1956, <i>Pharoscymnus</i>	571
junior Candèze, 1873, <i>Mulsanteus</i>	133
juniperi Bourgeois, 1894, <i>Mauroania</i>	393
juniperi Chobaut, 1899, <i>Ernobius</i>	350
juniperi Grouvelle, 1874, <i>Leptophloeus</i>	505
juniperi Motschulsky, 1837, <i>Scymnus</i>	588

juniperinus Orlov, 1993, <i>Cardiophorus</i>	198
jupillei Pic, 1927, <i>Danacea</i>	398
jurae Pic, 1913, <i>Actenicerus</i>	174
jurassica Pic, 1914, <i>Malthodes</i>	287
jureceki Jagemann, 1939, <i>Athous</i>	156
jureceki Mader, 1936, <i>Endomychus</i>	561
jureceki Obenberger, 1917, <i>Atomaria</i>	525
jureceki Pic, 1921, <i>Dacne</i>	538
jureceki Stepanov, 1930, <i>Calambus</i>	176
jurjurensis Pic, 1898, <i>Dasytes</i>	405
jurulosus Candèze, 1889, <i>Agrypnus</i>	98
justei Pardo Alcaide, 1971, <i>Axinotarsus</i>	440
juvencus Buysson, 1887, <i>Peripontius</i>	111
juvencus Chevrolat, 1874, <i>Cebrio</i>	91
kabakovi Dolin, 1992, <i>Cardiohypnus</i>	187
kabakovi Gurjeva, 1990, <i>Melanotus</i>	145
kabakovi Gurjeva, 1986, <i>Liotrichus</i>	178
kabakovi Gurjeva, 1989, <i>Paraphotistus</i>	179
kabakovi Hoang, 1982, <i>Scymnus</i>	586
kabakovi Kazantsev, 1994, <i>Rhagonycha</i>	264
kabakovi Melnik, 2004, <i>Trichodes</i>	378
kabakovi Saluk, 1992, <i>Corticaria</i>	643
kabakovi Saluk, 1992, <i>Corticarina</i>	646
kabakovi Wittmer, 1979, <i>Themus</i>	272
kabateki Platia & Schimmel, 2002, <i>Melanotus</i>	145
kabulanus John, 1964, <i>Thorictus</i>	304
kabulensis Wittmer, 1979, <i>Malachiomimus</i>	426
kabyliana Constantin, 1988, <i>Danacea</i>	398
kabyliana Pic, 1900, <i>Cantharis</i>	240
kabylianus Chobaut, 1906, <i>Metophthalmus</i>	639
kabylianus Pic, 1899, <i>Cardiophorus</i>	201
kabylianus Pic, 1895, <i>Ptinus</i>	335
kabylianus Pic, 1898, <i>Attalus</i>	424
kabylica Audisio & De Biase, 1996, <i>Dapsa</i>	563
kadesanus Ôhira, 1969, <i>Procræus</i>	138
kadleci Mertlik, 2005, <i>Ischnodes</i>	130
kadleci Švihla, 2002, <i>Rhagonycha</i>	264
kadleci Švihla, 2002, <i>Malthinus</i>	280
kadleci Švihla, 2002, <i>Macrocerus</i>	296
kadowakii Kishii, 1976, <i>Oedostethus</i>	189
kadowakii Nakane & Makino, 1989, <i>Asiopodabrus</i>	235
kafiristanicus Wittmer, 1956, <i>Hypebaeus</i>	434
kafkai Háva, 2000, <i>Globicornis</i>	315
kafkai Háva & Kalík, 1999, <i>Dermestes</i>	301
kafkai Švihla, 1999, <i>Cantharis</i>	242
kafkai Švihla, 2002, <i>Malthinus</i>	280
kafkanus Reitter, 1905, <i>Athous</i>	159
kaganensis Wittmer, 1981, <i>Pakabsidia</i>	259
kaganensis Wittmer, 1981, <i>Ebaeus</i>	430
kagiana Matsumura, 1928, <i>Luciola</i>	232

kaguyahime Kamiya, 1961, <i>Scymnus</i>	586
kahleni Fürsch, 1997, <i>Scymniscus</i>	583
kahleni Wittmer, 1982, <i>Malthodes</i>	289
kai Kishii, 1986, <i>Ampedus</i>	124
kai Kishii, 1996, <i>Homotechnes</i>	153
kai Kishii, 1994, <i>Quasimus</i>	190
kaiensis Kamiya, 1961, <i>Nephus</i>	581
kailidisi C. Johnson, 1975, <i>Ernobius</i>	350
kaimon Nakane, 1987, <i>Attalus</i>	422
kaiseri Bielawski, 1957, <i>Henosepilachna</i>	630
kakusatoi Kishii, 1998, <i>Melanotus</i>	145
kalabi Mertlik, 2001, <i>Ligmargus</i>	155
kalalovae Majer, 1991, <i>Dasytidius</i>	390
kalavrytana Pic, 1909, <i>Cantharis</i>	240
kalavrytus Reitter, 1884, <i>Tetrabrachys</i>	574
kalawrytus Reitter, 1883, <i>Tetrabrachys</i>	574
kalesarensis Vats & Kashyap, 1995, <i>Octocryptus</i>	103
kali Sengupta & De, 1988, <i>Rhizophagus</i>	492
kaliki Havelka, 1957, <i>Dermestes</i>	302
kaliki Mroczkowski, 1961, <i>Ctesias</i>	315
kaliki Pic, 1952, <i>Anthrenus</i>	312
kalimpongensis Wittmer, 1995, <i>Hypomixis</i>	436
kambaitana Bielawski, 1967, <i>Afissula</i>	626
kambaiticomimus Wittmer, 1997, <i>Themus</i>	272
kamengensis Vazirani & Saha, 1972, <i>Gerstaeckerus</i>	564
kamengensis Wittmer, 1966, <i>Malthinus</i>	280
kamezawai Takahashi, 2003, <i>Yukikoa</i>	273
kamikochiana Nakane, 1982, <i>Mycetina</i>	565
kamikochianus Nakane & Makino, 1990, <i>Asiopodabrus</i>	235
kamitakaranus Takahashi & Kiriya, 2000, <i>Asiopodabrus</i>	235
kamiyai M. Araki, 1964, <i>Scymnus</i>	586
kamjeensis Wittmer, 1978, <i>Lycocerus</i>	251
kamjeensis Wittmer, 1975, <i>Maltypus</i>	296
kamtchaticus Kuznecov & Ren, 1996, <i>Hyperaspis</i>	577
kamtschatica Motschulsky, 1845, <i>Atomaria</i>	525
kamtschaticus Jakobson, 1913, <i>Anostirus</i>	174
kamtschaticus Lyubarsky, 1992, <i>Cryptophagus</i>	515
kamtschaticus Motschulsky, 1866, <i>Latridius</i>	639
kamuro Kishii, 1996, <i>Ampedus</i>	124
kanagawaensis Takahashi, 1992, <i>Asiopodabrus</i>	235
kanamarui Kishida, 1936, <i>Pyrocoelia</i>	229
kandaharicus Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
kandaharicus John, 1962, <i>Thorictus</i>	304
kanekoi Araki, 1943, <i>Tritoma</i>	545
kanekoi Takahashi, 2003, <i>Yukikoa</i>	273
kanekoi Takahashi, 1999, <i>Caccodes</i>	276
kangraensis Champion, 1925, <i>Achaetomalachius</i>	388
kaniei Ôhira, 1996, <i>Homotechnes</i>	153
kankau Fowler, 1913, <i>Anadastus</i>	532
kankau Miwa, 1931, <i>Glyphonyx</i>	109

kanmiyai Ôhira, 1991, <i>Oedostethus</i>	189
kanoi Brancucci, 1983, <i>Trypherus</i>	298
kanoi Nakane, 1967, <i>Erotides</i>	215
kanoi Nakane, 1968, <i>Propyropterus</i>	216
kanoi Nakane, 1969, <i>Plateros</i>	220
kanoi Nakane, 1967, <i>Pristolycus</i>	230
kanoi Wittmer, 1984, <i>Prothemus</i>	260
kansaiensis Nakane & Makino, 1990, <i>Asiopodabrus</i>	235
kansuensis Kleine, 1940, <i>Cladophorus</i>	223
kansuensis Pic, 1933, <i>Stenothemus</i>	269
kansui Fürsch, 1981, <i>Hyperaspis</i>	577
kantneri Platia & Gudenzi, 2002, <i>Cardiophorus</i>	198
kantnerorum Švihla, 2002, <i>Malthodes</i>	289
kanwonensis Švihla, 1995, <i>Rhagonycha</i>	264
kapfereri Reitter, 1913, <i>Cryptarcha</i>	468
kapleri Platia & Schimmel, 1994, <i>Lacon</i>	101
kapuri Anand, 1990, <i>Illeis</i>	598
kapuri Kovář, 2007, <i>Scymnus</i>	586
karabachensis Dolin, 1982, <i>Selatosomus</i>	183
<i>karabachensis</i> Kolenati, 1846, <i>Agriotes</i>	115
karachiensis Ahmad, 1973, <i>Ghanius</i>	569
karadjensis Wittmer, 1970, <i>Ebaeus</i>	430
karafutonis Kôno, 1930, <i>Thanasimus</i>	375
karahutonis M. Chûjô, 1941, <i>Tritoma</i>	545
karakumensis Wittmer, 1970, <i>Ebaeus</i>	430
<i>karamani</i> J. Weise, 1885, <i>Platynaspis</i>	596
<i>karanisensis</i> Blaisdell, 1927, <i>Thorictodes</i>	302
karasawa Kishii, 1999, <i>Homotechnes</i>	153
karatepeensis Wittmer, 1970, <i>Malthodes</i>	289
karatshaicus Wittmer, 1979, <i>Hypebaeus</i>	434
<i>karelini</i> Marseul, 1864, <i>Dichelotarsus</i>	237
karin Sasaji, 1995, <i>Mycetina</i>	565
karnali Háva, 2001, <i>Attagenus</i>	308
karnaliensis Kopetz, 2004, <i>Themus</i>	272
karneri Schimmel, 1996, <i>Ampedus</i>	124
karpathicus Buysson, 1886, <i>Ampedus</i>	124
karpathosensis Wittmer, 1988, <i>Clanoptilus</i>	444
karpowkae Hummel, 1827, <i>Coccinella</i>	613
karsantianus Pic, 1910, <i>Agriotes</i>	115
karsensis Švihla, 1995, <i>Rhagonycha</i>	264
karsensis Wittmer, 1988, <i>Haplomalachius</i>	447
karsensis Wittmer, 1995, <i>Cephaloncus</i>	452
kasachstanicus Gurjeva, 1964, <i>Pseudanostirus</i>	180
kasachstanicus Medvedev, 1964, <i>Colotes</i>	428
kasachstanicus Švihla, 1980, <i>Ebaeus</i>	430
<i>kasaii</i> Kurisaki, 1920, <i>Myzia</i>	620
kasantsevi Schimmel, 2002, <i>Penia</i>	185
kasantsevi Wittmer, 1996, <i>Haplomalachius</i>	447
kaschmirensis Kleine, 1928, <i>Calochromus</i>	224
<i>kaschmirensis</i> Pic, 1916, <i>Pakabsidia</i>	259

kaschmirensis Pic, 1909, <i>Themus</i>	272
kaschmirensis Wittmer, 1974, <i>Malthinus</i>	280
kashiensis Takahashi, 2002, <i>Asiopodabrus</i>	235
kashmirensis Champion, 1922, <i>Achaetomalachius</i>	388
kashmirensis Dolin, 1993, <i>Yukoana</i>	192
kashmirensis Fairmaire, 1891, <i>Lobonyx</i>	384
<i>kashmirensis</i> Kapur, 1956, <i>Pharoscygnus</i>	570
kashmirensis Schimmel, 1997, <i>Pectocera</i>	95
kashmirensis Sengupta, 1976, <i>Dienerella</i>	636
kashmirensis Sengupta, 1983, <i>Stephostethus</i>	640
kashmirensis Sengupta & Pal, 1980, <i>Himascelis</i>	514
kashmirensis Wittmer, 1978, <i>Leiothorax</i>	249
kashmirensis Wittmer, 1984, <i>Nepachys</i>	426
kashyapi Vats & Kashyap, 1992, <i>Drapetes</i>	208
kasosensis Wittmer, 1988, <i>Malachius</i>	449
kaspanyani Kirejtshuk, 1984, <i>Meligethes</i>	483
kasuganus Nakane, 1988, <i>Biphyllus</i>	547
kasugensis Kishii, 1966, <i>Ampedus</i>	124
kasugensis Nakane & Makino, 1989, <i>Asiopodabrus</i>	235
kasyi Platia & Gudenzi, 2002, <i>Melanotus</i>	145
kasyi Platia & Gudenzi, 2000, <i>Lomopneus</i>	156
kaszabi Audisio, 1979, <i>Meligethes</i>	483
kaszabi Bielawski, 1975, <i>Nephus</i>	580
kaszabi Bielawski & Fürsch, 1960, <i>Henosepilachna</i>	629
kaszabi C. Johnson, 1970, <i>Atomaria</i>	526
kaszabi Dajoz, 1968, <i>Anommatus</i>	550
kaszabi Dolin, 1986, <i>Athous</i>	162
kaszabi Dolin & W. Suzuki, 1987, <i>Penia</i>	185
kaszabi Español, 1971, <i>Lasioderma</i>	357
<i>kaszabi</i> Español, 1971, <i>Xyletinus</i>	361
kaszabi Evers, 1965, <i>Troglocollops</i>	419
kaszabi Evers, 1968, <i>Ebaeus</i>	430
kaszabi Gurjeva, 1968, <i>Oedostethus</i>	189
kaszabi Gurjeva, 1969, <i>Cardiophorus</i>	198
kaszabi Gurjeva, 1968, <i>Paracardiophorus</i>	206
kaszabi Iablokoff-Khnzorian, 1974, <i>Tetrabrachys</i>	574
kaszabi Jelínek, 1965, <i>Brachypterus</i>	457
kaszabi Kalík, 1950, <i>Dermestes</i>	301
kaszabi Kirejtshuk, 1992, <i>Epuraea</i>	461
kaszabi Kirejtshuk, 1987, <i>Pallodes</i>	475
kaszabi Kirejtshuk, 1984, <i>Physoronia</i>	475
kaszabi L. N. Medvedev, 1971, <i>Olibrus</i>	509
kaszabi Majer, 1982, <i>Aplocnemus</i>	411
kaszabi Pal & Sengupta, 1979, <i>Cryptomorpha</i>	497
kaszabi Pardo Alcaide, 1966, <i>Cyrtosus</i>	446
kaszabi Ratti, 1972, <i>Airaphilus</i>	498
kaszabi Rucker, 1983, <i>Enicmus</i>	638
<i>kaszabi</i> Rucker, 1980, <i>Melanophthalma</i>	647
<i>kaszabi</i> Vosyka, 1957, <i>Cantharis</i>	244
<i>kaszabi</i> Wittmer, 1971, <i>Cantharis</i>	247

kaszabi Wittmer, 1974, <i>Malthinus</i>	280
<i>kaszabi</i> Wittmer, 1965, <i>Malthodes</i>	290
kaszabi Wittmer, 1958, <i>Clanoptilus</i>	444
kaszabi Zhantiev, 1973, <i>Anthrenus</i>	313
kaszabianus Iablokoff-Khnzorian, 1976, <i>Scymnus</i>	586
katamon Kishii, 1985, <i>Fleutiauxellus</i>	187
katarensis Dahlgren, 1985, <i>Metacantharis</i>	256
kathmanduensis Miyatake, 1985, <i>Henosepilachna</i>	629
kathmandulis Ôhira & Becker, 1974, <i>Prokraerus</i>	138
katmandu Dajoz, 1979, <i>Paracerylon</i>	554
<i>katoi</i> Kishii, 1992, <i>Agrypnus</i>	99
<i>katoi</i> Kishii, 1998, <i>Ampedus</i>	121
<i>katoi</i> Kishii, 2002, <i>Limoniscus</i>	165
<i>katoi</i> Nakane, 1969, <i>Cautires</i>	222
katomandulia Ôhira & Becker, 1972, <i>Dima</i>	184
katsuyai Ôhira, 2003, <i>Lanecarus</i>	110
<i>kaufmanni</i> Reitter, 1881, <i>Ptinus</i>	337
<i>kaufmanni</i> Reitter, 1881, <i>Corticaria</i>	642
kaulbacki Platia & Schimmel, 2001, <i>Melanotus</i>	145
kawaharai Kishii, 2002, <i>Limoniscus</i>	165
kawaharai Kishii, 1993, <i>Menoko</i>	188
kawaiianus Takahashi & Kiriyaama, 2000, <i>Asiopodabrus</i>	235
kawaii Ôhira, 1967, <i>Ischiodontus</i>	130
kawakatsui Kishii, 1990, <i>Melanotus</i>	151
<i>kawamurae</i> Matsumura, 1918, <i>Pyrocoelia</i>	228
<i>kawamurae</i> Miwa, 1929, <i>Agrypnus</i>	98
<i>kawamurai</i> Ohta, 1929, <i>Scymnus</i>	586
<i>kawasakii</i> Nakane, 1956, <i>Intybia</i>	417
<i>kawasei</i> Ôhira, 1995, <i>Homotechnes</i>	153
kazakhstanicus Wittmer, 1979, <i>Malthodes</i>	289
kazantsevi Chernyshev, 1996, <i>Macrolycus</i>	213
kazantsevi Švihla, 1995, <i>Rhagoxycha</i>	268
kazantsevi Wittmer, 1992, <i>Malthodes</i>	289
<i>kaznakovi</i> Barovskij, 1926, <i>Bactrocantharis</i>	238
<i>kaznakovi</i> R. Schmidt, 1904, <i>Thorictus</i>	304
kazuoi Ohbayashi & Satô, 1968, <i>Themus</i>	272
kazuoi Satô & Ohbayashi, 1968, <i>Libnetis</i>	217
kazuoi Satô & Ohbayashi, 1968, <i>Cautires</i>	222
<i>kebiliensis</i> Buysson, 1912, <i>Drasterius</i>	105
<i>keeni</i> Casey, 1924, <i>Cryptophagus</i>	516
kefallinica Dahlgren, 1975, <i>Rhagoxycha</i>	264
<i>kehamae</i> Crotch, 1874, <i>Oenopia</i>	621
keiseri Wittmer, 1969, <i>Metacantharis</i>	256
kejvali Švihla, 2004, <i>Lycocerus</i>	251
<i>kelchii</i> Gistel, 1857, <i>Meligethes</i>	478
kelescenyi Gebien, 1899, <i>Necrobia</i>	382
kempi Grouvelle, 1913, <i>Cucujus</i>	502
kensakui M. Chûjô, 1955, <i>Tritoma</i>	545
keramenis Kawashima & Satou, 2004, <i>Stenocladius</i>	233
kerkyranus Reitter, 1905, <i>Athous</i>	159

kerstinae Kopetz, 2004, <i>Themus</i>	272
kervillei E. Olivier, 1909, <i>Luciola</i>	232
kervillei Pic, 1932, <i>Cantharis</i>	242
kervillei Pic, 1932, <i>Clanoptilus</i>	443
kerzhneri Wittmer, 1979, <i>Malthodes</i>	289
keyserlingi Koenig, 1889, <i>Cardiophorus</i>	198
khaganensis Wittmer, 1996, <i>Asiapelochrus</i>	427
khalaus Bielawski, 1979, <i>Phymatosternus</i>	596
<i>khapra</i> Arrow, 1917, <i>Trogoderma</i>	319
khasianus Gorham, 1889, <i>Themus</i>	272
<i>khevenhuelleri</i> L. Miller, 1852, <i>Meligethes</i>	480
khinjanus John, 1964, <i>Thorictus</i>	304
<i>khmerensis</i> Lesne, 1896, <i>Lichenophanes</i>	322
khzoriani C. Johnson, 1989, <i>Corticaria</i>	643
khzoriani C. Johnson, 1976, <i>Corticarina</i>	646
khzoriani Español, 1969, <i>Stagetus</i>	347
khzoriani Fürsch, 1985, <i>Hyperaspis</i>	577
khzoriani Hernando & Ribes, 1990, <i>Tetrabrachys</i>	574
<i>khzoriani</i> Karapetyan, 1980, <i>Hemicoelus</i>	340
khzoriani Kirejtshuk, 1979, <i>Meligethes</i>	483
khzoriani Wittmer, 1964, <i>Cephaloncus</i>	452
khotanensis Hicker, 1935, <i>Troglops</i>	454
khumbuensis C. Johnson, 1971, <i>Atomaria</i>	526
khumjungensis Wittmer, 1973, <i>Themus</i>	272
khuzistanicus Wittmer, 1972, <i>Malthinus</i>	280
kiangsuensis Wittmer, 1994, <i>Rhagophthalmus</i>	225
kiashianus Miwa, 1928, <i>Actenicerus</i>	173
kibane Kishii, 1994, <i>Ampedus</i>	124
kibane Kishii, 1989, <i>Hemicrepidius</i>	170
kibunensis Kishii, 1966, <i>Ampedus</i>	124
kidoi Nakane, 1982, <i>Dacne</i>	537
kidoi Sasaji, 1990, <i>Bystodes</i>	559
kiesenwetteri C. N. F. Brisout de Barneville, 1866, <i>Ctenicera</i>	177
kiesenwetteri C. N. F. Brisout de Barneville, 1863, <i>Malthinus</i>	280
<i>kiesenwetteri</i> Candèze, 1860, <i>Cardiophorus</i>	199
<i>kiesenwetteri</i> Edwards, 1921, <i>Grynobius</i>	348
<i>kiesenwetteri</i> Gistel, 1857, <i>Taiyalu</i>	183
<i>kiesenwetteri</i> Heyden, 1870, <i>Danacea</i>	397
<i>kiesenwetteri</i> Kraatz, 1882, <i>Anthodromius</i>	386
<i>kiesenwetteri</i> Lewis, 1893, <i>Intybia</i>	417
<i>kiesenwetteri</i> Marseul, 1864, <i>Rhagonycha</i>	264
<i>kiesenwetteri</i> Morawitz, 1861, <i>Trachelobrachys</i>	359
<i>kiesenwetteri</i> Mulsant, 1850, <i>Nephus</i>	580
<i>kiesenwetteri</i> Reitter, 1884, <i>Ptinus</i>	336
<i>kiesenwetteri</i> Reitter, 1872, <i>Allotarsus</i>	400
<i>kiesenwetteri</i> Reitter, 1891, <i>Dolichophron</i>	407
<i>kiesenwetteri</i> Reitter, 1881, <i>Anommatus</i>	550
<i>kiesenwetteri</i> Schaufuss, 1863, <i>Athous</i>	160
<i>kiesenwetteri</i> Schilsky, 1898, <i>Ernobius</i>	350
<i>kiesenwetteri</i> Schilsky, 1899, <i>Lasioderma</i>	357

kiesenwetteri Schilsky, 1897, <i>Aplocnemus</i>	411
kiesenwetteri Solsky, 1881, <i>Clanomalachus</i>	442
kiesenwetteri Wollaston, 1854, <i>Malthodes</i>	290
kiianus Kishii, 1986, <i>Ampedus</i>	129
kiiensis Kishii, 1976, <i>Quasimus</i>	190
kiiensis Nakane & Nakino, 1989, <i>Asiopodabrus</i>	235
kiiensis Ôhira, 1999, <i>Corymbitodes</i>	176
kikai Kishii, 1985, <i>Agrypnus</i>	98
kikai Kishii, 1977, <i>Paracardiophorus</i>	206
kikuchii Miwa, 1929, <i>Lacon</i>	101
kikuchii Ohta, 1929, <i>Harmonia</i>	615
kikuchii W. Suzuki, 1985, <i>Ampedus</i>	124
kimotoi Kamiya, 1965, <i>Scymnus</i>	586
kimotoi Nakane, 1977, <i>Drilaster</i>	233
kimurai Kishii, 1970, <i>Quasimus</i>	191
kindermanni Chevrolat, 1874, <i>Trichodes</i>	380
kindermannii Candèze, 1860, <i>Cardiophorus</i>	198
kingsiensis Wittmer, 1983, <i>Themus</i>	273
kinoshitai Sakai, 1993, <i>Rhamna</i>	355
kintaroi Ôhira, 1989, <i>Ampedus</i>	124
kintaroui Kishii, 1990, <i>Lacon</i>	101
kintaroui Kishii, 1991, <i>Glyphonyx</i>	109
kintaroui Kishii, 1991, <i>Ampedus</i>	124
kintaroui Kishii, 1989, <i>Melanotus</i>	145
kintaroui Kishii, 1982, <i>Quasimus</i>	191
kintokisanus Takahashi, 1992, <i>Asiopodabrus</i>	235
kinugasai Takahashi, 2002, <i>Malthodes</i>	290
kinzelbachi Chassain, 1979, <i>Cardiophorus</i>	198
kinzelbachi Platia & Schimmel, 1994, <i>Agriotes</i>	115
kinzelbachi Wittmer, 1981, <i>Anthocomus</i>	439
kiontochananus Pic, 1921, <i>Lycocerus</i>	251
kiotoensis M. Araki, 1963, <i>Scymnus</i>	587
kiotoensis Nakane & M. Araki, 1960, <i>Micraspis</i>	620
kiotoensis Pic, 1954, <i>Hypebaeus</i>	434
kirbyanus Latreille, 1807, <i>Indalmus</i>	564
kirbyi LeConte, 1855, <i>Corticaria</i>	642
kirbyi Mulsant, 1850, <i>Oenopia</i>	622
kirejtshuki Audisio, 1979, <i>Meligethes</i>	483
kirejtshuki Bowestead, 2003, <i>Holopsis</i>	631
kirghisicus Iablokoff-Khnzorian, 1970, <i>Agriotes</i>	115
kirghizicus Dolin, 1969, <i>Melanotus</i>	145
kirghizicus Fursov, 1939, <i>Trichodes</i>	378
kirgisicus Iablokoff-Khnzorian, 1976, <i>Chilocorus</i>	593
kirgisicus Lyubarsky, 1989, <i>Cryptophagus</i>	517
kirgisicus Platia, 2001, <i>Ampedus</i>	124
kirgisicus Wittmer, 1970, <i>Hypebaeus</i>	434
kirgizicum Toskina, 1999, <i>Lasioderma</i>	357
kirgizorum Barovskij, 1922, <i>Parexochomus</i>	595
kirisensis Švihla, 2004, <i>Malthodes</i>	290
kirishima Nakane, 1975, <i>Plateros</i>	220

kirishimana Nakane, 1979, <i>Trichodesma</i>	342
<i>kirishimensis</i> Araki, 1943, <i>Pseudotritoma</i>	542
<i>kiritschenkoi</i> Barovskij, 1926, <i>Cantharis</i>	240
<i>kiritschenkoi</i> Barovskij, 1925, <i>Ceratomegilla</i>	609
<i>kiritschenkoi</i> Barovskij, 1929, <i>Rhagonycha</i>	261
<i>kiritschenkoi</i> Barovskij, 1931, <i>Malthodes</i>	290
<i>kiritschenkoi</i> Barovskij, 1922, <i>Exochomus</i>	594
<i>kiritschenkoi</i> Bielawski, 1961, <i>Tetrabrachys</i>	574
kiriyamai Takahashi, 2002, <i>Asiopodabrus</i>	235
<i>kirschenblatti</i> Kirejtshuk, 1979, <i>Meligethes</i>	486
<i>kirschi</i> Reitter, 1871, <i>Meligethes</i>	479
<i>kirschii</i> Reitter, 1875, <i>Pharaxonotha</i>	536
<i>kishii</i> Nakane & Makino, 1989, <i>Asiopodabrus</i>	235
<i>kishiii</i> Nakane, 1955, <i>Intybia</i>	417
<i>kishiii</i> Ôhira, 1968, <i>Glyphonyx</i>	109
<i>kishiii</i> Ôhira, 1967, <i>Fleutiauxellus</i>	187
<i>kishkini</i> Fursov, 1936, <i>Euryptychus</i>	86
<i>kisilensis</i> Wittmer, 1970, <i>Malthodes</i>	290
kiso Kishii, 1990, <i>Ampedus</i>	124
kiso Nakane, 1989, <i>Asiopodabrus</i>	235
kisuji Kishii, 2004, <i>Ampedus</i>	124
kitakyushuensis Takakura, 1989, <i>Themus</i>	273
kitami Kishii, 1998, <i>Ampedus</i>	123
kitamurai Nakane, 1989, <i>Diplopherusa</i>	368
kitanoi Ôhira, 1972, <i>Athousius</i>	163
kiuchii Sasaji, 1971, <i>Propalticus</i>	506
kiukianganus Gorham, 1889, <i>Prothemus</i>	260
kiungdoni Platia & Schimmel, 2001, <i>Melanotus</i>	145
kiyoyamai Kishii, 1996, <i>Neodrasterius</i>	107
klapperichi Bocák, 1999, <i>Ponyalis</i>	218
klapperichi Bocák & Bocáková, 1987, <i>Cautires</i>	222
klapperichi Bowstead, 1999, <i>Arthrolips</i>	632
klapperichi Brancucci, 1983, <i>Ichthyurus</i>	297
klapperichi Bruce, 1943, <i>Cryptophagus</i>	517
klapperichi C. Johnson, 1971, <i>Atomaria</i>	526
<i>klapperichi</i> C. Johnson, 1977, <i>Latridius</i>	639
klapperichi Constantin, 1983, <i>Danacea</i>	397
klapperichi Easton, 1957, <i>Meligethes</i>	483
klapperichi Endrödy-Younga, 1968, <i>Cybocephalus</i>	489
klapperichi Evers, 1948, <i>Attalus</i>	422
klapperichi Evers, 1948, <i>Kuatunia</i>	436
klapperichi Fürsch, 1985, <i>Hyperaspis</i>	577
klapperichi G.-Y. Yu, 1995, <i>Stethorus</i>	592
klapperichi Gurjeva, 1975, <i>Cardiophorus</i>	198
klapperichi Hicker, 1948, <i>Laius</i>	417
klapperichi Iablokoff-Khnzorian, 1966, <i>Chaetomalachius</i>	389
klapperichi Iablokoff-Khnzorian, 1974, <i>Tetrabrachys</i>	574
klapperichi Jelinek, 1975, <i>Glischrochilus</i>	469
klapperichi John, 1964, <i>Thorictus</i>	304
klapperichi John, 1956, <i>Aphanocephalus</i>	556

klapperichi Kirejtshuk, 1998, <i>Epuraea</i>	465
klapperichi Kleine, 1940, <i>Lycostomus</i>	212
klapperichi Lefkovitch, 1962, <i>Cryptolestes</i>	503
klapperichi Lucht, 1984, <i>Microrhagus</i>	82
klapperichi Mader, 1955, <i>Helota</i>	495
klapperichi Mader, 1955, <i>Paederolanguria</i>	535
klapperichi Mader, 1941, <i>Aulacochilus</i>	538
klapperichi Mader, 1941, <i>Meilichius</i>	561
klapperichi Mader, 1955, <i>Sticholotis</i>	571
<i>klapperichi</i> Mader, 1955, <i>Cryptogonus</i>	576
klapperichi Majer, 1988, <i>Dasytiscus</i>	391
klapperichi Pic, 1955, <i>Cyphonocerus</i>	226
klapperichi Pic, 1955, <i>Lucidina</i>	230
klapperichi Pic, 1955, <i>Luciola</i>	232
klapperichi Pic, 1954, <i>Ctesias</i>	315
klapperichi Pic, 1956, <i>Dignomus</i>	330
klapperichi Pic, 1954, <i>Clerus</i>	372
<i>klapperichi</i> Rebmann, 1944, <i>Physoronia</i>	475
klapperichi Schweiger, 1952, <i>Paracerylon</i>	554
klapperichi Winkler, 1974, <i>Opilo</i>	373
<i>klapperichi</i> Wittmer, 1956, <i>Cantharis</i>	247
klapperichi Wittmer, 1951, <i>Malthinus</i>	280
klapperichi Wittmer, 1963, <i>Malthodes</i>	290
klapperichi Wittmer, 1956, <i>Hypebaeus</i>	434
klapperichi Wittmer, 1956, <i>Embrocerus</i>	452
klapperichi X.-F. Pang & R. D. Gordon, 1986, <i>Scymnus</i>	586
klapperichianus Wittmer, 1966, <i>Cephaloncus</i>	452
klausnitzeri Schimmel, 1996, <i>Dima</i>	184
kleineanus Nakane, 1971, <i>Plateros</i>	220
<i>kleinei</i> Nakane, 1967, <i>Macrolycus</i>	213
<i>kleinei</i> Nakane, 1967, <i>Lyponia</i>	218
<i>klingenbergi</i> Künnemann, 1917, <i>Coccinella</i>	611
klinosiphonicus Ren & X.-F. Pang, 1995, <i>Scymnus</i>	586
kliri Cate, 2002, <i>Melanotus</i>	145
klugii Baudi di Selve, 1874, <i>Melyris</i>	387
<i>klugii</i> Kraatz, 1873, <i>Trichodes</i>	379
<i>kluki</i> Wankowicz, 1865, <i>Orthoperus</i>	634
<i>kniephoffi</i> Della Beffa, 1913, <i>Coccinella</i>	611
knirschi Pic, 1929, <i>Pacificanthia</i>	259
knizeki Háva, 2004, <i>Anthrenus</i>	314
knizeki Švihla, 2004, <i>Cantharis</i>	242
knizeki Zahradník, 1996, <i>Gastrallus</i>	340
kobachidzei Dolin & Chantladze, 1982, <i>Athous</i>	159
kobayashii Kishii, 1996, <i>Pectocera</i>	95
kobensis Champion, 1925, <i>Heterostilbus</i>	507
kobensis Lewis, 1895, <i>Malthinus</i>	280
kobensis Lewis, 1896, <i>Anisosticta</i>	600
kobiensis Dahlgren, 1975, <i>Rhagonycha</i>	264
kobiensis Wittmer, 1970, <i>Malthodes</i>	290
kobiki Kishii, 2002, <i>Ampedus</i>	124

kocheri Cobos, 1959, <i>Aulonothroscus</i>	88
kocheri Español, 1963, <i>Gastrallus</i>	340
kocheri Franz, 1967, <i>Agriotes</i>	114
kocheri John, 1965, <i>Thorictus</i>	304
kocheri Pardo Alcaide, 1962, <i>Ebaeus</i>	430
<i>kocheri</i> Pic, 1953, <i>Malthinus</i>	284
kocheri Pic, 1953, <i>Ptinus</i>	336
<i>kocheri</i> Pic, 1952, <i>Xyletinus</i>	360
kocheri Pic, 1950, <i>Dasytes</i>	405
<i>kocheri</i> Pic, 1949, <i>Attalus</i>	422
<i>kochi</i> Bruce, 1943, <i>Cryptophagus</i>	519
<i>kochi</i> Heyden, 1883, <i>Sospita</i>	624
<i>kochi</i> J. Weise, 1913, <i>Coelophora</i>	614
<i>kochi</i> John, 1964, <i>Thorictus</i>	304
<i>kochi</i> Pic, 1935, <i>Rhagonycha</i>	264
<i>kochi</i> Pic, 1934, <i>Dignomus</i>	330
<i>kochi</i> Schatzmayr, 1939, <i>Tetrabrachys</i>	574
<i>kochi</i> Wittmer, 1935, <i>Malthodes</i>	290
<i>kochianus</i> Ôhira, 1963, <i>Liotrichus</i>	178
<i>koebelei</i> Timberlake, 1943, <i>Illeis</i>	598
<i>koebelei</i> X.-F. Pang & R. D. Gordon, 1986, <i>Scymnus</i>	586
<i>koenigi</i> Iablokoff-Khnzorian, 1970, <i>Pharoscyminus</i>	570
<i>koenigi</i> Pic, 1954, <i>Trogoderma</i>	319
<i>koenigi</i> Pic, 1954, <i>Callimerus</i>	371
<i>koenigi</i> Pic, 1912, <i>Ebaeus</i>	431
<i>koenigi</i> Reitter, 1887, <i>Thorictus</i>	304
<i>koenigi</i> Schwarz, 1897, <i>Hemicrepidius</i>	170
<i>koenigi</i> Semenov, 1891, <i>Ampedus</i>	124
<i>koestlini</i> Wittmer, 1980, <i>Malthodes</i>	290
<i>kofleri</i> Gottwald, 1977, <i>Xyletinus</i>	360
<i>kohlarianum</i> Lesne, 1906, <i>Sinoxylon</i>	323
<i>kohnoi</i> Ôhira, 1991, <i>Oedostethus</i>	189
<i>koikei</i> Kishii & Ôhira, 1956, <i>Melanotus</i>	151
<i>koikei</i> Kishii & Ôhira, 1956, <i>Corymbitodes</i>	176
<i>kojimai</i> Nakane, 1995, <i>Episcaphula</i>	540
<i>kojimai</i> Nakane, 1994, <i>Endomychus</i>	561
<i>kojimai</i> Nakane & Hisamatsu, 1963, <i>Rhizophagoidea</i>	495
<i>kokandicus</i> Solsky, 1882, <i>Attalus</i>	420
<i>kokeilli</i> Küster, 1845, <i>Agrypnus</i>	98
<i>kokujevi</i> Semenov, 1898, <i>Stephostethus</i>	640
<i>kolbei</i> Grouvelle, 1909, <i>Pria</i>	488
<i>kolbei</i> Ritsema, 1889, <i>Helota</i>	495
<i>kolbei</i> Wanka, 1929, <i>Latridius</i>	639
<i>kolibaci</i> Majer, 1996, <i>Danacaeomimus</i>	394
<i>kolibaci</i> Platia & Schimmel, 2002, <i>Melanotus</i>	145
<i>kolibaci</i> Wittmer, 1997, <i>Themus</i>	270
<i>kolosovi</i> Nikitsky, 1983, <i>Biphyllus</i>	547
<i>kolthoffi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	145
<i>koltzei</i> Flach, 1888, <i>Olibrus</i>	509
<i>koltzei</i> J. Weise, 1887, <i>Nephus</i>	580

<i>koltzei</i> J. Weise, 1879, <i>Exochomus</i>	594
<i>koltzei</i> J. Weise, 1887, <i>Eoadalia</i>	614
<i>koltzei</i> Reitter, 1890, <i>Agriotes</i>	118
<i>koltzei</i> Reitter, 1901, <i>Ampedus</i>	124
<i>koltzei</i> Reitter, 1910, <i>Hypnoidus</i>	154
<i>koltzei</i> Reitter, 1895, <i>Cidnopus</i>	164
<i>koltzei</i> Reitter, 1887, <i>Merobrachys</i>	507
<i>koltzei</i> Reitter, 1887, <i>Lycoperdina</i>	565
<i>kolymensis</i> Dolin & Bessolitzina, 1990, <i>Oedostethus</i>	189
<i>kolymensis</i> Kazantsev, 1992, <i>Dichelotarsus</i>	236
<i>komatsui</i> Nakane, 1990, <i>Asiopodabrus</i>	235
<i>kometsuki</i> Kishii, 1985, <i>Orthostethus</i>	133
<i>kompantzevi</i> Zhantiev, 2004, <i>Anthrenus</i>	313
<i>kompanzevi</i> Logvinovskiy, 1979, <i>Cacotemnus</i>	339
<i>kompirasanus</i> Kamiya, 1961, <i>Nephus</i>	580
<i>kongoensis</i> Kishii, 1969, <i>Homotechnes</i>	153
<i>konigi</i> Abeille de Perrin, 1900, <i>Cordylepherus</i>	446
<i>konigi</i> Reitter, 1885, <i>Euryptychus</i>	86
<i>konishii</i> Ôhira, 1962, <i>Eanus</i>	177
<i>konoï</i> Nakane, 1969, <i>Lopheros</i>	216
<i>konoï</i> Nakane & Kishii, 1955, <i>Xanthopenthes</i>	139
<i>konowi</i> E. Hoffmann, 1887, <i>Necrobia</i>	382
<i>konumaensis</i> Ohta, 1931, <i>Mycetina</i>	566
<i>kopeckyi</i> Háva, 2000, <i>Turcicornis</i>	320
<i>kopeckyi</i> Platia & Gudenzi, 1998, <i>Zoroachros</i>	193
<i>kopeckyi</i> Švihla, 2002, <i>Malthodes</i>	290
<i>kopetdagensis</i> Dolin, 1994, <i>Zoroachros</i>	193
<i>kopetdagensis</i> Wittmer, 1970, <i>Malthodes</i>	290
<i>kopetdagensis</i> Dolin, 1998, <i>Hypnoidus</i>	154
<i>kopetdagensis</i> Dolin & Atamuradov, 1994, <i>Melanotus</i>	145
<i>kopetdagensis</i> Dolin & Atamuradov, 1994, <i>Cardiophorus</i>	198
<i>kopetensis</i> Wittmer, 1994, <i>Clanoptilus</i>	444
<i>kopetzi</i> Platia & Schimmel, 2004, <i>Melanotus</i>	145
<i>kopetzi</i> Švihla, 2004, <i>Leiothorax</i>	249
<i>kopetzi</i> Švihla, 2002, <i>Malthodes</i>	290
<i>korabicus</i> Csiki, 1940, <i>Athous</i>	159
<i>koraiensis</i> Kishii, 1978, <i>Actenicerus</i>	173
<i>korbi</i> Pic, 1904, <i>Denticollis</i>	167
<i>korbi</i> Pic, 1912, <i>Cantharis</i>	246
<i>korbi</i> Schilsky, 1897, <i>Danacea</i>	397
<i>korbi</i> Schilsky, 1897, <i>Dasytes</i>	402
<i>korbi</i> Schilsky, 1896, <i>Enicopus</i>	407
<i>korbi</i> Schilsky, 1897, <i>Aplocnemus</i>	409
<i>korbianus</i> Ganglbauer, 1905, <i>Trichodes</i>	376
<i>korbunovi</i> Majer, 1989, <i>Schoenia</i>	394
<i>kordofanus</i> Candèze, 1859, <i>Heteroderes</i>	106
<i>koreaensis</i> Kang & Kim, 2000, <i>Rhagonycha</i>	264
<i>koreanus</i> Bielawski, 1980, <i>Stethorus</i>	591
<i>koreanus</i> Fürsch, 1965, <i>Nephus</i>	580
<i>koreanus</i> Kim, 2000, <i>Oedostethus</i>	189

koreanus Kleine, 1936, <i>Lycostomus</i>	212
koreanus Kleine, 1936, <i>Plateros</i>	220
koreanus Mt. Chûjô, 1993, <i>Cymbachus</i>	562
korellipticus Han, 2000, <i>Quasimus</i>	191
korobokkurus Kishii, 1968, <i>Hisago</i>	188
korotjaevi Gurjeva, 1987, <i>Agrypnus</i>	98
korotyaevi Kirejtshuk, 1992, <i>Epuraea</i>	461
korschefskii Mader, 1930, <i>Propylea</i>	623
korschefskiyi Bollow, 1941, <i>Amphicrossus</i>	459
korschefskiyi Mader, 1930, <i>Vibidia</i>	599
korsuni Tshernyshev, 2003, <i>Ebaeus</i>	432
korzhinskii Barovskij, 1926, <i>Metacantharis</i>	255
kosakai Nakane, 1977, <i>Plateros</i>	220
koschwitzi Platia, 2003, <i>Athous</i>	160
koschwitzi Platia & Gudenzi, 1999, <i>Cardiophorus</i>	198
koschwitzi Schimmel, 1990, <i>Ampedus</i>	124
koshiki Kishii, 1984, <i>Ectinus</i>	120
koshikiensis Ôhira, 2003, <i>Glyphonyx</i>	110
koshimizui Nakane, 1993, <i>Lycostomus</i>	212
koshunensis Matsumura, 1918, <i>Curtos</i>	231
koshunensis Miwa, 1929, <i>Agrypnus</i>	99
koshunensis Miwa, 1929, <i>Procraerus</i>	138
kosianus Canepari, 1997, <i>Scymnus</i>	586
kostali Wittmer, 1997, <i>Metacantharis</i>	256
kosugi Kishii, 1982, <i>Ampedus</i>	123
kosugi Kishii, 1975, <i>Melanotus</i>	149
kosugiensis Kishii, 1983, <i>Ampedus</i>	124
kotokuanus Nakane & Kinoda, 1992, <i>Lycocerus</i>	251
kotschyi Schilsky, 1896, <i>Chaetomalachius</i>	389
kotuenensis Kazantsev, 1993, <i>Macrolycus</i>	213
kouichiana Kishii, 1989, <i>Limonius</i>	165
kouichii Takahashi, 2002, <i>Malthodes</i>	290
kouichii Takahashi & Kiriyaama, 2000, <i>Asiopodabrus</i>	235
kourai Kishii, 1994, <i>Melanotus</i>	145
kourili Roubal, 1936, <i>Zoroachros</i>	193
kovalevi Nikitsky, 1992, <i>Laricobius</i>	298
kovali Orlov, 1994, <i>Athous</i>	159
kovancii Platia, 2003, <i>Athous</i>	162
kovari Švihla, 1987, <i>Colotes</i>	427
koyamai Nakane & Kishii, 1958, <i>Actenicerus</i>	173
koyana Nakane, 1958, <i>Mycetina</i>	566
koziorowicz Desbrochers des Loges, 1870, <i>Aplocnemus</i>	411
kozlovi Barovskij, 1909, <i>Tetrabrachys</i>	574
kozlovi Emetz, 1977, <i>Xyletinus</i>	359
kozoanus Kishii, 1998, <i>Ampedus</i>	124
kraatzi Bourgeois, 1882, <i>Lycostomus</i>	212
kraatzi Candèze, 1879, <i>Limoniscus</i>	165
kraatzi Fowler, 1908, <i>Doubledaya</i>	534
kraatzi Grouvelle, 1903, <i>Brachypterus</i>	457
kraatzi Pic, 1900, <i>Malthinus</i>	280

kraatzi Pic, 1895, <i>Danacea</i>	397
<i>kraatzi</i> Reitter, 1894, <i>Trichodes</i>	377
<i>kraatzi</i> Schilsky, 1896, <i>Acanthocnemus</i>	384
<i>kraatzi</i> Schilsky, 1894, <i>Divales</i>	406
<i>kraatzi</i> Schwarz, 1893, <i>Lacon</i>	100
<i>kraatzi</i> Schwarz, 1891, <i>Agriotes</i>	115
<i>kraatzi</i> Schwarz, 1892, <i>Melanotus</i>	145
<i>kraatzi</i> Wasmann, 1895, <i>Thorictus</i>	304
<i>kraatzii</i> Reitter, 1871, <i>Meligethes</i>	483
<i>kraatzii</i> Reitter, 1875, <i>Cryptophagus</i>	521
krali Platia & Schimmel, 1996, <i>Silesis</i>	112
krasnowi Semenov, 1891, <i>Tetrabrachys</i>	574
kraussi Ganglbauer, 1897, <i>Laemophloeus</i>	504
kraussi Reitter, 1902, <i>Malachius</i>	449
kreissli Fürsch & Uygun, 1980, <i>Nephus</i>	581
kresli Háva, 2003, <i>Orphinus</i>	317
kreticus Fürsch, 1965, <i>Nephus</i>	580
<i>kriechbaumii</i> Mulsant, 1866, <i>Hippodamia</i>	618
krimicus Endrödy-Younga, 1968, <i>Cybocephalus</i>	489
<i>krishna</i> Crotch, 1874, <i>Calvia</i>	608
krishna W. Suzuki, 1982, <i>Neocsikia</i>	184
<i>krivolutzhki</i> L. N. Medvedev, 1970, <i>Isorhipis</i>	84
<i>krivolutzkii</i> Medvedev, 1966, <i>Benibotarus</i>	214
<i>krivolutzkii</i> Medvedev, 1966, <i>Plateros</i>	220
krokeri Evers, 1986, <i>Hypebaeus</i>	435
kroliki Borowski, 2002, <i>Dignomus</i>	330
kronbladi Platia & Gudenzi, 2000, <i>Cardiophorus</i>	198
kronbladi Švihla, 1993, <i>Rhagonycha</i>	264
kruegeri Pic, 1935, <i>Cebrio</i>	91
kruegeri Pic, 1928, <i>Cardiophorus</i>	198
kruegeri Pic, 1929, <i>Aplocnemus</i>	411
kruegeri Pic, 1934, <i>Clanoptilus</i>	444
kruegeri Reitter, 1905, <i>Athous</i>	162
<i>krueperi</i> Reitter, 1873, <i>Meligethes</i>	486
<i>krueperi</i> Reitter, 1880, <i>Cryptolestes</i>	503
<i>krueperi</i> Schilsky, 1897, <i>Danacea</i>	397
krugeri Ritsema, 1900, <i>Helota</i>	496
<i>kruperi</i> Pic, 1901, <i>Malthinus</i>	277
kruperi Pic, 1929, <i>Ptinus</i>	336
kruperi Pic, 1909, <i>Clanoptilus</i>	444
<i>krynckii</i> Ganglbauer, 1899, <i>Endomychus</i>	560
kryshtali Dolin, 1988, <i>Adrastus</i>	108
kryzhanovskii Logvinovskiy, 1977, <i>Lasioderma</i>	357
kryzhanovskii Sokolov, 1979, <i>Anthrenus</i>	314
kryzhanovskiji Kirejtshuk, 1984, <i>Urophorus</i>	468
kryzhanovskiji Wittmer, 1979, <i>Hypomixis</i>	436
kryzhanovskyi Dolin & Atamuradov, 1989, <i>Lacon</i>	101
kryzhanovskyi Dolin & Chantladze, 1980, <i>Cardiophorus</i>	198
kryzhanovskyi Gurjeva, 1988, <i>Melanotus</i>	146
kryzhanovskyi Tshernyshev, 1997, <i>Cephaloncus</i>	452

kuangi Tian, 2000, <i>Cybocephalus</i>	489
kuatunensis Bocák, 1999, <i>Lyponia</i>	218
kuatunensis Wittmer, 1995, <i>Lycocerus</i>	251
kuatunensis Wittmer, 1979, <i>Stenothemus</i>	269
kuatunensis Wittmer, 1983, <i>Themus</i>	272
kuatunensis Wittmer, 1951, <i>Malthodes</i>	290
kubanensis Pic, 1900, <i>Rhagonycha</i>	264
kubanensis Pic, 1909, <i>Aplocnemus</i>	411
kubani Bocáková, 1997, <i>Plateros</i>	220
kubani Majer, 1991, <i>Dasytidius</i>	390
kubani Majer, 1995, <i>Mimothrix</i>	392
kubani Platia & Gudenzi, 1997, <i>Agriotes</i>	115
kubani Platia & Schimmel, 1993, <i>Silesis</i>	112
kubani Platia & Schimmel, 2001, <i>Melanotus</i>	146
kubani Schimmel, 2004, <i>Megapenthes</i>	137
kubani Schimmel, 1998, <i>Athous</i>	163
kubani Schimmel, 1996, <i>Neoathousius</i>	166
kubani Schimmel, 1996, <i>Dima</i>	184
kubani Švihla, 2004, <i>Lycocerus</i>	251
kubani Švihla, 1984, <i>Cephaloncus</i>	452
kubani Wittmer, 1995, <i>Pseudopodabrus</i>	261
kubani Wittmer, 1999, <i>Platybaeus</i>	437
kubotai Narukawa, 1994, <i>Tritoma</i>	545
kubotai W. Suzuki, 1978, <i>Priopus</i>	152
kucerai Platia & Schimmel, 2002, <i>Melanotus</i>	146
kucerai Schimmel, 2003, <i>Ampedus</i>	124
kucerai Schimmel, 2004, <i>Xanthopenthes</i>	139
kuchleri Pic, 1913, <i>Bactrocantharis</i>	238
kuehnelti Hicker, 1959, <i>Clanomalachus</i>	442
kuesterei Schilsky, 1894, <i>Aplocnemus</i>	412
kugartensis Barovskij, 1926, <i>Cantharis</i>	242
kugitangi Dolin & Atamuradov, 1986, <i>Cardiophorus</i>	198
kugleri Wittmer, 1975, <i>Maltypus</i>	296
kukkulensis Švihla, 1987, <i>Ebaeus</i>	430
kulaebensis Reitter, 1894, <i>Trichodes</i>	377
kuldzhensis Dolin & Cate, 1998, <i>Hypnoidus</i>	154
kuleghana Marseul, 1868, <i>Rhagonycha</i>	264
kulti Kalík, 1951, <i>Globicornis</i>	316
kuluana Wittmer, 1979, <i>Pakabsidia</i>	259
kuluensis Jagemann, 1945, <i>Heteroderes</i>	106
kuluensis Pic, 1922, <i>Hladilium</i>	392
kuluensis Pic, 1910, <i>Attalus</i>	422
kuluensis Pic, 1910, <i>Tropiebaeus</i>	437
kuluensis Vats & Kashyap, 1992, <i>Agrypnus</i>	98
kulzeri Evers, 1948, <i>Malachus</i>	449
kumamotonis Nakane, 1969, <i>Lycostomus</i>	212
kumaonensis Champion, 1922, <i>Achaetomalachus</i>	388
kumaonensis Evers, 1985, <i>Malachus</i>	449
kumaonensis Wittmer, 1973, <i>Themus</i>	272
kumaonensis Wittmer, 1979, <i>Cephaloncus</i>	452

kumaso Kishii, 2001, <i>Hemicrepidius</i>	170
kumatai Miyatake, 1985, <i>Sticholotis</i>	571
kumatai Nakane, 1983, <i>Plateros</i>	220
kumaunensis Vats & Chauhan, 1991, <i>Melanotus</i>	146
kumayuni Garg, 1997, <i>Agrypnus</i>	98
kume Kishii, 1996, <i>Agrypnus</i>	98
kume Kishii, 2004, <i>Priopus</i>	152
kumejimensis M. Chûjô & Satô, 1972, <i>Pyrocoelia</i>	229
kumejimensis Satô, 1986, <i>Malthinus</i>	280
kumensis Ôhira, 1999, <i>Melanotus</i>	146
kunarensis Wittmer, 1997, <i>Prothemellus</i>	260
kunarensis Wittmer, 1958, <i>Cephaloncus</i>	452
kunashiriana Kôno, 1936, <i>Languriomorpha</i>	534
kunasirensis Medvedev, 1966, <i>Xylobanus</i>	223
kunigamiensis Ishida, 1989, <i>Lycocerus</i>	251
kunimi Kishii, 1966, <i>Actenicerus</i>	173
kuniyoshii Ôhira, 1968, <i>Ampedus</i>	129
kuniyoshii Ôhira, 1967, <i>Priopus</i>	152
kuniyoshii Ôhira, 1967, <i>Hemicrepidius</i>	171
kunzei Aubé, 1843, <i>Holoparamesus</i>	558
kunzei Erichson, 1845, <i>Meligethes</i>	483
kurama Kishii, 1983, <i>Ampedus</i>	124
kurashvili Dolin & Chantladze, 1987, <i>Cardiophorus</i>	198
kuratai Kishii, 1968, <i>Homotechnes</i>	153
kurbatovi Kazantsev, 1998, <i>Asiopodabrus</i>	235
kurbatovi Kazantsev, 1989, <i>Ancistronycha</i>	238
kurbatovi Kazantsev, 1994, <i>Rhagonycha</i>	264
kurbatovi Kazantsev, 1995, <i>Malthodes</i>	290
kurbatovi Toskina, 1999, <i>Lasioderma</i>	357
kurbatovi Wittmer, 1997, <i>Protomaltypus</i>	296
kurdicus Dolin & Mertlik, 2002, <i>Zorochochros</i>	193
kurdistana Švihla, 1983, <i>Rhagonycha</i>	264
kurdistanica Schilsky, 1897, <i>Psilothrix</i>	408
kurdistanicus Platia & Gudenzi, 1996, <i>Tolphorea</i>	113
kurdistanus John, 1965, <i>Thorictus</i>	304
kurentzovi Medvedev, 1970, <i>Plateros</i>	220
kuriharai Ôhira, 2000, <i>Reitterelater</i>	130
kurilensis Bowstead, 2003, <i>Holopsis</i>	631
kurilensis Dolin, 1987, <i>Actenicerus</i>	173
kurilensis Dolin & Ôhira, 1976, <i>Ampedus</i>	124
kurilensis Gurjeva, 1972, <i>Ligmargus</i>	155
kurilensis Medvedev, 1966, <i>Macrolycus</i>	213
kurilensis Medvedev, 1966, <i>Cautires</i>	222
kurilensis Miwa, 1928, <i>Liotrichus</i>	178
kurilica Wittmer, 1971, <i>Rhagonycha</i>	264
kurinoensis Nakane, 1983, <i>Tritoma</i>	545
kuriyamanus Takahashi, 2002, <i>Asiopodabrus</i>	235
kurofunei Miwa, 1934, <i>Liotrichus</i>	178
kurohime Miyatake, 1959, <i>Pseudoscymnus</i>	582
kuroisawanus Takahashi & Kiriyama, 2000, <i>Asiopodabrus</i>	235

kuroiwaie Matsumura, 1918, <i>Luciola</i>	232
kurokamiensis Kinoda & Nakane, 1993, <i>Lycocerus</i>	251
kurokawensis Nakane, 1987, <i>Nepachys</i>	426
kuronis Ohta, 1930, <i>Myrmecoptinus</i>	332
kurosai Miyatake, 1977, <i>Micraspis</i>	620
kurosai Nakane, 1981, <i>Stenotarsus</i>	568
kurosai Sasaji, 1987, <i>Caenoscelis</i>	513
kurosawai Nakane & Kishii, 1958, <i>Glyphonyx</i>	110
kurosawai Sakai, 1986, <i>Trichodesma</i>	342
kurosawai Sasaji, 1993, <i>Ancistria</i>	501
kurosawai Sasaji, 1983, <i>Pediacus</i>	503
kurosawai Sasaji, 1986, <i>Dastarcus</i>	551
kurosawai Sasaji, 1969, <i>Cryptogonus</i>	576
kurosawai Satô, 1982, <i>Themus</i>	272
kurosawai Satô, 1986, <i>Attalus</i>	422
kurosawai W. Suzuki, 1986, <i>Megapenthes</i>	137
kurosawai Wittmer, 1982, <i>Macrohabronychus</i>	254
kurosawai Wittmer, 1982, <i>Micropodabrus</i>	257
kurosawai Wittmer, 1954, <i>Malthodes</i>	290
kurotai Ôhira, 1994, <i>Homotechnes</i>	153
kurotai Ôhira, 1997, <i>Harminius</i>	169
kurotai Ôhira, 1992, <i>Fleutiauxellus</i>	188
kurseongensis Lepesme, 1939, <i>Dermestes</i>	301
kusamai Takahashi, 1999, <i>Asiopodabrus</i>	235
kuschkensis Dolin & Atamuradov, 1989, <i>Cardiophorus</i>	198
kushihige Kishii, 1990, <i>Lacon</i>	101
kushiroensis Ôhira, 1997, <i>Dalopius</i>	119
kusnetzovi Kirejtshuk, 1988, <i>Cybocephalus</i>	489
kusuii Ôhira, 1993, <i>Agrypnus</i>	98
kusuii Ôhira, 2004, <i>Agrypnus</i>	99
kusuii Ôhira, 1994, <i>Heteroderes</i>	106
kusuii Ôhira, 1974, <i>Tetrigus</i>	108
kusuii Ôhira, 1989, <i>Ampedus</i>	125
kusuii Ôhira, 1973, <i>Megapenthes</i>	137
kusuii Ôhira, 1994, <i>Calambus</i>	176
kutiaueensis Wittmer, 1996, <i>Asiapelochrus</i>	427
kutteri Wittmer, 1971, <i>Hypebaeina</i>	433
kutzschenbachi Reitter, 1878, <i>Ptinus</i>	335
kuwaitianus Platia & Schimmel, 1997, <i>Cardiophorus</i>	198
kuwanae Silvestri, 1909, <i>Chilocorus</i>	593
kuwanai Ohta, 1921, <i>Hyperaspis</i>	578
kuwerti Reitter, 1893, <i>Trichodes</i>	380
kuznetsovi Fürsch, 2002, <i>Nephus</i>	580
kuznetzovi Lafer, 1992, <i>Phalacrus</i>	511
kuzurius Sasaji, 1985, <i>Biphyllus</i>	547
kvaki Kirejtshuk, 1977, <i>Meligethes</i>	483
kyotoensis Kishii, 1966, <i>Quasimus</i>	191
kyushuensis Miyatake, 1963, <i>Horniolus</i>	579
kyushuensis Nakane, 1989, <i>Indanobium</i>	356
kyushuensis Sasaji, 1978, <i>Endomychus</i>	560

kyushuensis Takakura, 1988, <i>Hatchiana</i>	237
kyushuensis Takakura, 1989, <i>Lycocerus</i>	251
kyushuensis Takakura, 1988, <i>Malthodes</i>	290
labiatus Brullé, 1832, <i>Malachius</i>	449
labiatus Erichson, 1843, <i>Brachypterus</i>	457
<i>labiatus</i> Kugelann, 1794, <i>Laemophloeus</i>	504
<i>labiatus</i> Motschulsky, 1860, <i>Dichelotarsus</i>	237
labilis Erichson, 1840, <i>Attalus</i>	420
labilis Erichson, 1846, <i>Cryptophagus</i>	517
<i>labilis</i> Mulsant, 1846, <i>Coccinella</i>	611
laboissierei Pic, 1929, <i>Themus</i>	271
labouli Pic, 1935, <i>Cebrio</i>	91
<i>lacerata</i> Mannerheim, 1844, <i>Corticaria</i>	642
<i>lacertosa</i> Mulsant, 1850, <i>Henosepilachna</i>	630
lacertosus Candèze, 1857, <i>Lanelater</i>	102
lacertosus Erichson, 1841, <i>Adrastus</i>	108
laciniatus Kiesenwetter, 1852, <i>Malthodes</i>	290
<i>laco</i> i Majer, 1985, <i>Aplocnemus</i>	409
<i>laconiensis</i> Pic, 1918, <i>Cantharis</i>	242
laconoides Candèze, 1865, <i>Anathesis</i>	100
<i>lacordairei</i> Méquignon, 1929, <i>Athous</i>	156
lacordairii Crotch, 1870, <i>Triplax</i>	544
lacteifrons Marseul, 1878, <i>Malthinus</i>	280
lacteolus Motschulsky, 1866, <i>Metophthalmus</i>	640
<i>lacustris</i> Casey, 1900, <i>Atomaria</i>	525
<i>lacustris</i> Casey, 1924, <i>Calvia</i>	608
ladakhensis Wittmer, 1997, <i>Pakabsidia</i>	259
ladakhensis Wittmer, 1978, <i>Hypomixis</i>	436
laemophloeoides Reitter, 1874, <i>Microbrontes</i>	505
laesicollis Mulsant, 1850, <i>Epilachna</i>	628
<i>laesus</i> Germar, 1824, <i>Hemicrepidius</i>	170
laesus Kiesenwetter, 1871, <i>Malthinus</i>	280
laeta Arrow, 1915, <i>Thaumaglossa</i>	318
laeta Arrow, 1925, <i>Languriophasma</i>	534
laeta Fabricius, 1792, <i>Cratosilis</i>	248
laeta Fabricius, 1798, <i>Hippodamia</i>	618
laeta J. Weise, 1879, <i>Hippodamia</i>	617
laeta Kirejtshuk, 1998, <i>Epuraea</i>	461
laeta Majer, 1986, <i>Trichoceble</i>	414
laetabilis Lewis, 1887, <i>Pseudotritoma</i>	542
laeticeps Pic, 1921, <i>Plateros</i>	220
<i>laeticolor</i> Reitter, 1891, <i>Aeoloides</i>	104
laetificus J. Weise, 1879, <i>Scymnus</i>	590
<i>laetipes</i> Abeille de Perrin, 1907, <i>Aplocnemus</i>	411
<i>laetipes</i> Buysson, 1902, <i>Cardiophorus</i>	201
<i>laetipes</i> Reitter, 1894, <i>Thanasimus</i>	375
<i>laetulus</i> Reitter, 1918, <i>Ampedus</i>	122
laetus Candèze, 1879, <i>Crepidophorus</i>	169
<i>laetus</i> Friederichs, 1901, <i>Negastrius</i>	189
<i>laetus</i> Mulsant & Rey, 1864, <i>Ernobius</i>	350

<i>laetus</i> Nakane, 1967, <i>Macrolycus</i>	213
<i>laetus</i> Schilsky, 1897, <i>Aplocnemus</i>	409
<i>laetus</i> Walzl, 1838, <i>Malthodes</i>	287
<i>laeve</i> Illiger, 1807, <i>Lasioderma</i>	357
<i>laevicarinatus</i> Platia & Gudenzi, 1999, <i>Agriotes</i>	115
<i>laevicolle</i> Reitter, 1883, <i>Sphaerosoma</i>	555
<i>laevicollis</i> Baudi di Selve, 1873, <i>Danacea</i>	398
<i>laevicollis</i> Kiesenwetter, 1859, <i>Malthinus</i>	280
<i>laevicollis</i> Mannerheim, 1852, <i>Hypoganomorphus</i>	178
<i>laevicollis</i> Rey, 1889, <i>Arthrolips</i>	632
<i>laevicollis</i> Schilsky, 1897, <i>Dasytes</i>	402
<i>laevicollis</i> Wollaston, 1862, <i>Attalus</i>	422
<i>laevigata</i> Kirejtshuk, 1984, <i>Soronia</i>	477
<i>laevigata</i> Oberthür, 1883, <i>Helota</i>	496
<i>laevigata</i> Peyerimhoff, 1927, <i>Tilloidea</i>	369
<i>laevigatus</i> A. G. Olivier, 1790, <i>Gastrallus</i>	340
<i>laevigatus</i> Champion, 1924, <i>Heterostilbus</i>	507
<i>laevigatus</i> Desbrochers des Loges, 1871, <i>Athous</i>	159
<i>laevigena</i> Reitter, 1884, <i>Gibbium</i>	329
<i>laevior</i> Abeille de Perrin, 1872, <i>Pityophagus</i>	470
<i>laevior</i> Reitter, 1874, <i>Xylolestes</i>	506
<i>laevipennis</i> Faldermann, 1837, <i>Trogoxylon</i>	328
<i>laevis</i> Arrow, 1925, <i>Episcaphula</i>	540
<i>laevis</i> Galeazzi, 1854, <i>Trogoxylon</i>	328
<i>laevis</i> Kaszab, 1947, <i>Anommatus</i>	550
<i>laevis</i> LeConte, 1855, <i>Corticarina</i>	646
<i>laevis</i> Marsham, 1802, <i>Ernobius</i>	349
<i>laevis</i> Reitter, 1884, <i>Atomaria</i>	526
<i>laevis</i> Wollaston, 1864, <i>Hierronius</i>	491
<i>laevissimus</i> Abeille de Perrin, 1890, <i>Troglops</i>	454
<i>laevisternus</i> Guillebeau, 1897, <i>Olibrus</i>	509
<i>laevistriatus</i> Dufour, 1851, <i>Athous</i>	159
<i>laevithorax</i> Buysson, 1906, <i>Zorochros</i>	193
<i>laeviuscula</i> Gyllenhal, 1827, <i>Epuraea</i>	461
<i>laeviusculus</i> Schilsky, 1896, <i>Dasytes</i>	402
<i>laferi</i> Kirejtshuk, 1992, <i>Epuraea</i>	461
<i>laferi</i> Krivolutskaya, 1992, <i>Tritoma</i>	545
<i>laferi</i> Lyubarsky, 1987, <i>Atomaria</i>	526
<i>lafertei</i> Chevrolat, 1843, <i>Trichodes</i>	379
<i>lagari</i> Pardo Alcaide, 1966, <i>Enicopus</i>	408
<i>laghouatensis</i> Pic, 1902, <i>Cardiophorus</i>	202
<i>laguncula</i> Easton, 1955, <i>Meligethes</i>	483
<i>lahaulensis</i> Vats & Chauhan, 1992, <i>Sericus</i>	135
<i>lahinvanensis</i> Wittmer, 1981, <i>Ebaeus</i>	430
<i>lahoulensis</i> Wittmer, 1973, <i>Themus</i>	272
<i>laichartingi</i> Gredler, 1863, <i>Agriotes</i>	116
<i>laichauana</i> Hoang, 1983, <i>Coelophora</i>	614
<i>lalaensis</i> Wittmer, 1983, <i>Lycocerus</i>	251
<i>lalashanensis</i> Okushima & Satô, 1999, <i>Macrohabronychus</i>	255
<i>lama</i> Kapur, 1963, <i>Coccinella</i>	611

lambeleti Leseigneur, 2004, <i>Athous</i>	162
<i>lambessanus</i> Pic, 1951, <i>Clanoptilus</i>	444
<i>lambiana</i> Sharp, 1910, <i>Corticarina</i>	646
<i>lameerei</i> Wasmann, 1902, <i>Thorictus</i>	304
<i>lamellata</i> Champion, 1921, <i>Hypomixis</i>	436
<i>lamellatus</i> C.-T. Yang & R.-H. Wu, 1972, <i>Pseudoscymnus</i>	582
<i>lamellatus</i> Wittmer, 1973, <i>Themus</i>	270
<i>lamellicornis</i> C. N. F. Brisout de Barneville, 1882, <i>Cryptophagus</i>	515
<i>lamelliger</i> Wittmer, 1993, <i>Malthodes</i>	290
<i>lameyi</i> Fleutiaux, 1927, <i>Agrypnus</i>	98
<i>lameyi</i> Fleutiaux, 1918, <i>Melanotus</i>	146
<i>lameyi</i> Pic, 1909, <i>Malthodes</i>	290
<i>lamii</i> Rosenhauer, 1856, <i>Meligethes</i>	483
<i>laminatus</i> Chevrolat, 1843, <i>Trichodes</i>	378
<i>laminatus</i> Pic, 1917, <i>Troglops</i>	453
<i>lampyroides</i> E. Olivier, 1891, <i>Diaphanes</i>	226
<i>lanata</i> Wollaston, 1862, <i>Casapus</i>	329
<i>lanatus</i> Gurjeva, 1988, <i>Melanotus</i>	149
<i>lanatus</i> Lesne, 1934, <i>Endecatomus</i>	320
<i>lanatus</i> Rey, 1891, <i>Athous</i>	157
<i>lancetapicalis</i> X.-F. Pang & R. D. Gordon, 1986, <i>Pseudoscymnus</i>	582
<i>langana</i> Pic, 1923, <i>Podosilis</i>	275
<i>langer</i> Erber & Hinterseher, 2002, <i>Sphaericus</i>	337
<i>langfordi</i> Van Zwaluwenburg, 1957, <i>Ischiodontus</i>	130
<i>langii</i> Solsky, 1866, <i>Leucohimatium</i>	536
<i>langpingensis</i> T. Zeng & L.-F. Yang, 1996, <i>Epilachna</i>	628
<i>langsdorfi</i> Stierlin, 1880, <i>Megathous</i>	171
<i>langtangensis</i> Wittmer, 1993, <i>Malthinus</i>	280
<i>languens</i> Mulsant, 1850, <i>Henosepilachna</i>	629
<i>languidus</i> Buysson, 1891, <i>Haterumelater</i>	130
<i>languidus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	146
<i>lanarius</i> Illiger, 1801, <i>Dermestes</i>	301
<i>lanjaroni</i> Pic, 1952, <i>Rhagonycha</i>	264
<i>lanpingensis</i> Jing, 1992, <i>Oenopia</i>	621
<i>lansbergi</i> Candèze, 1882, <i>Melanoxanthus</i>	137
<i>lantauensis</i> G.-Y. Yu, 2001, <i>Diomus</i>	576
<i>lanuginosa</i> Baudi di Selve, 1873, <i>Dorcatoma</i>	345
<i>lanuginosus</i> Chevrolat, 1874, <i>Cebrio</i>	91
<i>lanuginosus</i> Franz, 1969, <i>Pocadius</i>	476
<i>lanyuanus</i> Kishii, 1995, <i>Agrypnus</i>	97
<i>lanyuanus</i> Sasaji, 1991, <i>Phymatosternus</i>	596
<i>lanzarotensis</i> Palm, 1974, <i>Dasytes</i>	405
<i>laokaiensis</i> Pic, 1914, <i>Podosilis</i>	275
<i>laosensis</i> Pic, 1937, <i>Lycostomus</i>	212
<i>laotianus</i> Achard, 1926, <i>Amphisternus</i>	562
<i>lapicida</i> Faldermann, 1835, <i>Agriotes</i>	115
<i>lapidarius</i> Fairmaire, 1862, <i>Spaniophaenus</i>	523
<i>lapideus</i> Candèze, 1857, <i>Agrypnus</i>	98
<i>lapidicola</i> Germar, 1844, <i>Zoroachros</i>	193
<i>lapidicola</i> Reitter, 1880, <i>Cryptophagus</i>	517

<i>lapplandicus</i> Evers, 1993, <i>Ebaeus</i>	430
<i>lapponica</i> C. Johnson, 1978, <i>Atomaria</i>	528
<i>lapponica</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>lapponica</i> Reitter, 1894, <i>Epuraea</i>	462
<i>lapponica</i> Thunberg, 1795, <i>Hippodamia</i>	616
<i>lapponica</i> Zetterstedt, 1838, <i>Corticaria</i>	643
<i>lapponicus</i> Gyllenhal, 1810, <i>Dichelotarsus</i>	236
<i>lapponicus</i> Gyllenhal, 1827, <i>Cryptophagus</i>	518
<i>lapponicus</i> Leinberg, 1900, <i>Kateretes</i>	458
<i>lapponum</i> Mannerheim, 1844, <i>Stephostethus</i>	641
<i>laptelensis</i> Champion, 1925, <i>Charopus</i>	441
<i>lardarius</i> DeGeer, 1775, <i>Stephostethus</i>	640
<i>lardarius</i> Linnaeus, 1758, <i>Dermestes</i>	300
<i>lareyniei</i> Jacquelin du Val, 1859, <i>Aspidiphorus</i>	455
<i>lareynii</i> Jacquelin du Val, 1859, <i>Lampyris</i>	227
<i>largus</i> Majer, 1988, <i>Chaetomalachius</i>	389
<i>laricola</i> Kiesenwetter, 1861, <i>Cratosilis</i>	248
<i>laricina</i> Motschulsky, 1860, <i>Epuraea</i>	462
<i>larrygrayi</i> Wittmer, 1982, <i>Themus</i>	272
<i>larseni</i> Platia & Schimmel, 1997, <i>Dicronychus</i>	204
<i>larvata</i> Roubal, 1936, <i>Adalia</i>	604
<i>larvatus</i> Candèze, 1874, <i>Cryptalaus</i>	107
<i>lasioides</i> J. Weise, 1879, <i>Exochomus</i>	594
<i>lasistanicus</i> Wittmer, 1974, <i>Malthinus</i>	280
<i>lasithiensis</i> Wittmer, 1975, <i>Malthinus</i>	280
<i>lassallei</i> Platia & Gudenzi, 1996, <i>Athous</i>	162
<i>lata</i> Aubé, 1850, <i>Ipidia</i>	473
<i>lata</i> Grimmer, 1841, <i>Atomaria</i>	525
<i>lata</i> Kiesenwetter, 1867, <i>Danacea</i>	397
<i>lata</i> Kiesenwetter, 1872, <i>Merophysia</i>	558
<i>lata</i> Li, 1961, <i>Epilachna</i>	628
<i>lata</i> Majer, 1996, <i>Euthrix</i>	391
<i>lata</i> Reitter, 1877, <i>Clypastraea</i>	633
<i>latangulus</i> Reitter, 1889, <i>Cryptophagus</i>	518
<i>latebasalis</i> Pic, 1927, <i>Anthrenus</i>	312
<i>latecavus</i> Wittmer, 1969, <i>Troglocollops</i>	419
<i>latefasciata</i> Pic, 1919, <i>Intybia</i>	417
<i>latefasciatus</i> Kraatz, 1894, <i>Trichodes</i>	380
<i>latefasciatus</i> Pic, 1929, <i>Indalmus</i>	564
<i>latefasciatus</i> Reitter, 1892, <i>Anthrenus</i>	312
<i>latefasciatus</i> Reitter, 1883, <i>Glischrochilus</i>	469
<i>lateflavicans</i> Pic, 1910, <i>Malthinus</i>	277
<i>latelimbatus</i> Pic, 1905, <i>Cardiophorus</i>	198
<i>latemaculata</i> Pic, 1905, <i>Cantharis</i>	240
<i>latemaculatus</i> Motschulsky, 1858, <i>Scymnus</i>	586
<i>latemaculatus</i> Pic, 1920, <i>Anthocomus</i>	439
<i>latemarginatus</i> Wittmer, 1981, <i>Carphuroides</i>	415
<i>latenigrescens</i> Nakane, 1983, <i>Plateros</i>	220
<i>latenotata</i> Pic, 1902, <i>Megatoma</i>	317
<i>latenotatus</i> Pic, 1914, <i>Malachius</i>	448

<i>latenotatus</i> Pic, 1928, <i>Malachius</i>	450
<i>latens</i> Wollaston, 1862, <i>Tenebroides</i>	365
<i>lateobliterus</i> Pic, 1902, <i>Cardiophorus</i>	196
<i>lateobscurus</i> Pic, 1921, <i>Ernobius</i>	350
<i>latepallidus</i> Pic, 1902, <i>Malthodes</i>	290
<i>latepictus</i> Buysson, 1900, <i>Drasterius</i>	105
<i>lateplagiatus</i> Fairmaire, 1862, <i>Cerapheles</i>	441
<i>lateralipictum</i> Buysson, 1912, <i>Aeoloderma</i>	103
<i>lateralis</i> A. Fleischer, 1900, <i>Tytthaspis</i>	601
<i>lateralis</i> A. G. Olivier, 1790, <i>Dalopius</i>	119
<i>lateralis</i> Arrow, 1925, <i>Bolerus</i>	532
<i>lateralis</i> C. N. F. Brisout de Barneville, 1866, <i>Athous</i>	161
<i>lateralis</i> C. R. Sahlberg, 1820, <i>Cryptarcha</i>	468
<i>lateralis</i> Chevrolat, 1861, <i>Xenostrogylus</i>	477
<i>lateralis</i> Erichson, 1839, <i>Podabrus</i>	237
<i>lateralis</i> Erichson, 1840, <i>Attalus</i>	420
<i>lateralis</i> Fabricius, 1794, <i>Ampedus</i>	128
<i>lateralis</i> Gistel, 1857, <i>Atomaria</i>	529
<i>lateralis</i> Guillebeau, 1893, <i>Phalacrus</i>	511
<i>lateralis</i> Gyllenhal, 1827, <i>Sericoderus</i>	633
<i>lateralis</i> Herbst, 1806, <i>Adrastus</i>	109
<i>lateralis</i> J. Weise, 1879, <i>Adalia</i>	604
<i>lateralis</i> Linnaeus, 1758, <i>Cantharis</i>	247
<i>lateralis</i> Marsham, 1802, <i>Athous</i>	160
<i>lateralis</i> Motschulsky, 1860, <i>Luciola</i>	232
<i>lateralis</i> Motschulsky, 1853, <i>Malthinus</i>	277
<i>lateralis</i> Panzer, 1794, <i>Hyperaspis</i>	577
<i>lateralis</i> Reitter, 1890, <i>Drasterius</i>	105
<i>lateralis</i> Reitter, 1888, <i>Atomaria</i>	526
<i>lateralis</i> Rey, 1889, <i>Cryptophagus</i>	520
<i>lateralis</i> Schilsky, 1894, <i>Aplocnemus</i>	411
<i>lateralis</i> Schwarz, 1905, <i>Penia</i>	185
<i>lateralis</i> Sicard, 1914, <i>Scymnus</i>	590
<i>laterangulus</i> Reitter, 1891, <i>Cryptophagus</i>	518
<i>laterculus</i> Kazantsev, 1991, <i>Plateros</i>	220
<i>latericollis</i> Chevrolat, 1874, <i>Cebrio</i>	91
<i>lateriemarginata</i> Wittmer, 1997, <i>Pakabsidia</i>	259
<i>laterimaculatus</i> Wittmer, 1966, <i>Clanoptilus</i>	444
<i>laterinodosus</i> Wittmer, 1936, <i>Ebaeus</i>	430
<i>lateripuncta</i> Gradl, 1880, <i>Adalia</i>	604
<i>lateripunctata</i> J. Weise, 1879, <i>Psyllobora</i>	599
<i>lateripunctata</i> Mader, 1936, <i>Tritoma</i>	546
<i>lateritia</i> Mannerheim, 1844, <i>Corticaria</i>	643
<i>lateritius</i> Broun, 1880, <i>Silvanus</i>	500
<i>lateritius</i> Dolin & Protzenko, 1965, <i>Ampedus</i>	124
<i>lateritius</i> Gorham, 1895, <i>Lycostomus</i>	212
<i>lateritius</i> Gorham, 1889, <i>Lycocerus</i>	251
<i>lateritius</i> Reitter, 1879, <i>Protosilvanus</i>	500
<i>laterufa</i> Corporaal, 1949, <i>Tilloidea</i>	369
<i>laterufescens</i> Pic, 1914, <i>Malthodes</i>	287

<i>laterufus</i> Pic, 1900, <i>Malthinus</i>	281
<i>laterufus</i> Pic, 1920, <i>Xyletinus</i>	359
<i>latescapularis</i> Pic, 1953, <i>Cantharis</i>	242
<i>latescapulatus</i> Buysson, 1906, <i>Dicronychus</i>	204
<i>latevittatus</i> Nakane, 1983, <i>Plateros</i>	220
<i>latialis</i> Fiori, 1906, <i>Malthodes</i>	290
<i>laticeps</i> Belon, 1881, <i>Stephostethus</i>	640
<i>laticeps</i> Fiori, 1915, <i>Malthinus</i>	284
<i>laticeps</i> Lewis, 1894, <i>Thymalus</i>	366
<i>laticeps</i> Pic, 1922, <i>Troglops</i>	454
<i>laticeps</i> Reitter, 1884, <i>Dienerella</i>	637
<i>laticeps</i> Stephens, 1835, <i>Malachius</i>	448
<i>laticolle</i> Schweiger, 1949, <i>Cerylon</i>	553
<i>laticollis</i> Achard, 1922, <i>Ohtaius</i>	566
<i>laticollis</i> Baudi di Selve, 1873, <i>Micrinus</i>	450
<i>laticollis</i> Boheman, 1858, <i>Macrosilis</i>	275
<i>laticollis</i> Bourgeois, 1885, <i>Dasytidius</i>	390
<i>laticollis</i> Duftschmid, 1825, <i>Xyletinus</i>	360
<i>laticollis</i> Fischer von Waldheim, 1824, <i>Drapetes</i>	208
<i>laticollis</i> Gorham, 1883, <i>Luciola</i>	232
<i>laticollis</i> Gorham, 1887, <i>Mycetina</i>	565
<i>laticollis</i> Heer, 1841, <i>Pastilodes</i>	491
<i>laticollis</i> Hisamatsu, 1963, <i>Bioxylus</i>	85
<i>laticollis</i> Küster, 1848, <i>Brachypterolus</i>	456
<i>laticollis</i> L. Miller, 1858, <i>Spaniopaenus</i>	523
<i>laticollis</i> Majer, 1990, <i>Anthodromius</i>	386
<i>laticollis</i> Mannerheim, 1844, <i>Corticaria</i>	645
<i>laticollis</i> Motschulsky, 1861, <i>Melanotus</i>	146
<i>laticollis</i> Motschulsky, 1839, <i>Thorictus</i>	304
<i>laticollis</i> P. H. Lucas, 1846, <i>Cryptophagus</i>	518
<i>laticollis</i> Pic, 1935, <i>Macrolycus</i>	213
<i>laticollis</i> Pic, 1926, <i>Lyropaeus</i>	221
<i>laticollis</i> Pic, 1900, <i>Malthinus</i>	280
<i>laticollis</i> Pic, 1921, <i>Stagetus</i>	346
<i>laticollis</i> Pic, 1927, <i>Ernobius</i>	350
<i>laticollis</i> Pic, 1894, <i>Microjulistus</i>	414
<i>laticollis</i> Reitter, 1891, <i>Alfieriella</i>	530
<i>laticollis</i> Rosenhauer, 1856, <i>Clanoptilus</i>	444
<i>laticollis</i> Rybinski, 1897, <i>Aulonothroscus</i>	88
<i>laticollis</i> Schimmel & Platia, 1991, <i>Pseudocsikia</i>	186
<i>laticollis</i> Wollaston, 1865, <i>Atomaria</i>	526
<i>laticorne</i> Chao & Lee, 1966, <i>Trogoderma</i>	320
<i>laticorne</i> Fairmaire, 1891, <i>Cyrebion</i>	248
<i>laticornis</i> Arrow, 1925, <i>Anadastus</i>	532
<i>laticornis</i> Boubers & Leseigneur, 1956, <i>Athous</i>	158
<i>laticornis</i> Champion, 1919, <i>Idgia</i>	385
<i>laticornis</i> Chevrolat, 1874, <i>Cebrio</i>	91
<i>laticornis</i> Fairmaire, 1900, <i>Ponyalis</i>	218
<i>laticornis</i> Kirsch, 1875, <i>Anathesis</i>	100
<i>laticornis</i> Lesne, 1895, <i>Xylomedes</i>	321

<i>laticornis</i> Reitter, 1900, <i>Pleonomus</i>	156
<i>latifascia</i> Kuwert, 1894, <i>Omadius</i>	372
<i>latifasciata</i> Lewis, 1887, <i>Tritoma</i>	546
<i>latifrons</i> Champion, 1921, <i>Malachiomimus</i>	426
<i>latifrons</i> Peyron, 1877, <i>Troglops</i>	454
<i>latifrons</i> Toskina, 1998, <i>Lasioderma</i>	357
<i>latior</i> Abeille de Perrin, 1891, <i>Anthocomus</i>	439
<i>latior</i> Bourgeois, 1888, <i>Enicopus</i>	407
<i>latior</i> Grouvelle, 1914, <i>Ipidia</i>	473
<i>latior</i> Jelínek, 1999, <i>Glischrochilus</i>	469
<i>latior</i> Orlov, 1994, <i>Athous</i>	159
<i>latior</i> Pic, 1908, <i>Trixagus</i>	88
<i>latior</i> Pic, 1948, <i>Dorcatoma</i>	345
<i>latior</i> Pic, 1899, <i>Stagetus</i>	347
<i>latior</i> Pic, 1954, <i>Pseudomesothes</i>	355
<i>latior</i> Pic, 1940, <i>Neohydnius</i>	370
<i>latior</i> Pic, 1932, <i>Orthrius</i>	374
<i>latior</i> Pic, 1894, <i>Danacea</i>	396
<i>latior</i> Pic, 1908, <i>Aplocnemus</i>	411
<i>latior</i> Pic, 1894, <i>Psammoecus</i>	497
<i>latiorithorax</i> Pic, 1938, <i>Rhagonycha</i>	265
<i>latipennis</i> J. R. Sahlberg, 1871, <i>Corticarina</i>	646
<i>latipennis</i> Pic, 1898, <i>Rhagonycha</i>	265
<i>latipennis</i> Pic, 1914, <i>Ptinus</i>	334
<i>latipennis</i> Pic, 1943, <i>Clada</i>	353
<i>latipennis</i> Pic, 1927, <i>Tricorynus</i>	355
<i>latipennis</i> Pic, 1903, <i>Danacea</i>	397
<i>latipennis</i> Pic, 1900, <i>Psilothrix</i>	408
<i>latipennis</i> Pic, 1911, <i>Aplocnemus</i>	413
<i>latipes</i> Grouvelle, 1896, <i>Epuraea</i>	461
<i>latipes</i> Grouvelle, 1908, <i>Kabakovia</i>	478
<i>latipes</i> Marsham, 1802, <i>Meligethes</i>	478
<i>latipes</i> Pic, 1913, <i>Thilmanus</i>	211
<i>latipes</i> Reitter, 1884, <i>Physoronia</i>	475
<i>latiplaga</i> Solsky, 1876, <i>Nitidula</i>	474
<i>latirufus</i> Pic, 1901, <i>Malthinus</i>	280
<i>latissima</i> Reitter, 1880, <i>Epuraea</i>	461
<i>latissimus</i> Bielz, 1850, <i>Dermestes</i>	302
<i>latissimus</i> Cherepanov, 1957, <i>Oedostethus</i>	189
<i>latissimus</i> Majer, 1989, <i>Dasytidius</i>	390
<i>latissimus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	146
<i>latissimus</i> Reitter, 1910, <i>Selatosomus</i>	182
<i>latissimus</i> Rücker, 1986, <i>Latridius</i>	638
<i>latisternus</i> Guillebeau, 1894, <i>Olibrus</i>	509
<i>latitans</i> Wollaston, 1861, <i>Lasioderma</i>	357
<i>latitarse</i> Apfelbeck, 1915, <i>Sphaerosoma</i>	555
<i>latithorax</i> Pic, 1902, <i>Drilus</i>	209
<i>latithorax</i> Pic, 1926, <i>Podabrus</i>	237
<i>latithorax</i> Pic, 1903, <i>Malthodes</i>	290
<i>latiuscula</i> Bourgeois, 1906, <i>Podistra</i>	260

latiuscula J. R. Sahlberg, 1887, <i>Rhagonycha</i>	265
latiusculus Kofler, 1970, <i>Xyletinus</i>	360
latiusculus Reitter, 1889, <i>Ampedus</i>	124
latiusculus Wollaston, 1865, <i>Aulonothroscus</i>	88
latoimpressus Wittmer, 1995, <i>Pseudopodabrus</i>	261
latopygus Wittmer, 1972, <i>Attalus</i>	422
latreillei Dufour, 1843, <i>Anobium</i>	339
latreillei Leach, 1824, <i>Cebrio</i>	91
latreillii Bonelli, 1812, <i>Ochina</i>	352
latridioides Motschulsky, 1839, <i>Hypocopus</i>	531
latro Fabricius, 1775, <i>Ptinus</i>	336
latrunculus Kazantsev, 2000, <i>Libnetisia</i>	218
latrunculus Normand, 1948, <i>Dasytes</i>	402
latum Grouvelle, 1874, <i>Passandra</i>	502
latus Fabricius, 1801, <i>Selatosomus</i>	182
latus Fairmaire, 1850, <i>Nausibius</i>	499
latus Fuessly, 1775, <i>Drapetes</i>	208
latus L. Redtenbacher, 1849, <i>Symbiotes</i>	560
latus Platia & Schimmel, 2001, <i>Melanotus</i>	146
latus Reitter, 1884, <i>Tetrabrachys</i>	574
latus Reitter, 1884, <i>Tetrabrachys</i>	574
latus Scriba, 1790, <i>Cychramus</i>	472
latus Sulzer, 1776, <i>Drapetes</i>	208
latus Villiers, 1945, <i>Anadastus</i>	532
latus Wittmer, 1982, <i>Nepachys</i>	426
laufferi Reitter, 1904, <i>Stenagostus</i>	172
laufferi Reitter, 1902, <i>Necrobinus</i>	382
laufferi Schilsky, 1906, <i>Dasytes</i>	404
laufferi Uhagón, 1898, <i>Attalus</i>	422
lauianus Wurst, 1995, <i>Anostirus</i>	174
laureatus Evers & Plata, 1990, <i>Cephaloncus</i>	452
lauricola Israelson, 1980, <i>Xenoscelis</i>	537
lauricola Wollaston, 1862, <i>Leipaspis</i>	364
laurisilvae Evers, 1988, <i>Fortunatius</i>	425
lautus Kiesenwetter, 1852, <i>Malthodes</i>	290
lavanica Sengupta & Mukherjee, 1977, <i>Basulanguria</i>	533
lavergnei Reiche, 1869, <i>Athous</i>	158
laxicornis Arrow, 1925, <i>Tritoma</i>	546
lazorkoi Dolin, 2003, <i>Zorochros</i>	193
leachiellus Stephens, 1829, <i>Olibrus</i>	508
leacocianus Wollaston, 1860, <i>Lyctus</i>	327
leai Grouvelle, 1913, <i>Ancistria</i>	501
leati Easton, 1956, <i>Meligethes</i>	483
lebedevi Roubal, 1929, <i>Monotoma</i>	494
lebedevi Roubal, 1913, <i>Stilbus</i>	512
lebedewi Reitter, 1909, <i>Thorictus</i>	305
lebisehi Platia & Schimmel, 1991, <i>Silesis</i>	112
lebisehi Platia & Schimmel, 2001, <i>Melanotus</i>	146
leboulei Escalera, 1923, <i>Thorictus</i>	305
lecerfi Kocher, 1956, <i>Xyletinus</i>	359

<i>lecomtei</i> Méquignon, 1927, <i>Anostirus</i>	175
lederi C. Johnson, 1970, <i>Atomaria</i>	526
lederi Flach, 1888, <i>Olibrus</i>	508
lederi Heyden, 1878, <i>Anostirus</i>	174
lederi Pic, 1909, <i>Rhagonycha</i>	265
lederi Pic, 1912, <i>Malthodes</i>	290
lederi Reitter, 1888, <i>Ampedus</i>	123
lederi Reitter, 1881, <i>Thorictus</i>	304
lederi Reitter, 1884, <i>Ptinus</i>	335
lederi Reitter, 1871, <i>Meligethes</i>	483
lederi Reitter, 1872, <i>Astilpnus</i>	499
lederi Reitter, 1876, <i>Sternodea</i>	514
lederi Reitter, 1888, <i>Sphaerosoma</i>	555
lederi Reitter, 1880, <i>Dapsa</i>	563
lederi Reitter, 1875, <i>Enicmus</i>	638
lederi Reitter, 1875, <i>Migneauxia</i>	648
lederi Schilsky, 1897, <i>Dasytes</i>	403
lederi Schilsky, 1896, <i>Trichoceble</i>	414
lederi Tournier, 1889, <i>Olibrus</i>	510
leeanus Kishii, 2002, <i>Melanotus</i>	146
leechi Kalík, 1952, <i>Dermestes</i>	300
leechi Miyatake, 1961, <i>Hyperaspis</i>	577
leechi Nakane, 1971, <i>Plateros</i>	220
leechi Nakane, 1971, <i>Xylobanus</i>	223
leechianus Gorham, 1889, <i>Themus</i>	272
leei Kazantsev, 2002, <i>Cautires</i>	222
leei Kazantsev & P. S. Yang, 1999, <i>Libnetis</i>	217
legatoides Kishii, 1975, <i>Melanotus</i>	146
legatus Candèze, 1860, <i>Melanotus</i>	146
legitimus Kleine, 1939, <i>Lycostomus</i>	212
lehmanni Platia & Schimmel, 2001, <i>Melanotus</i>	146
lehmanni Schimmel, 1999, <i>Ectamenogonus</i>	135
leileri C. Johnson, 1985, <i>Corticaria</i>	643
leileri Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
leileri Israelson, 1976, <i>Mesocoelopus</i>	354
leinfesti Platia & Gudenzi, 1998, <i>Agriotes</i>	115
leistoides Candèze, 1863, <i>Dima</i>	184
lelieurii Spinola, 1844, <i>Phloiocopus</i>	374
lemniscatus Denisova, 1948, <i>Selatosomus</i>	183
lemonchei Otero & González, 1985, <i>Cryptophagus</i>	518
lemoroi Guillebeau, 1892, <i>Olibrosoma</i>	508
lemovicium Buysson, 1925, <i>Athous</i>	158
lencoranica Kazantsev, 1992, <i>Rhagonycha</i>	265
lenensis Poppius, 1903, <i>Stephostethus</i>	640
leningeri Platia & Schimmel, 2001, <i>Melanotus</i>	146
lenis Candèze, 1859, <i>Heteroderes</i>	106
lenis Champion, 1922, <i>Hypebaeus</i>	435
lenkae Zahradník, 1998, <i>Ernobius</i>	350
lenkorana Méquignon, 1945, <i>Epuraea</i>	461
lenkorani Geisthardt, 1982, <i>Nyctophila</i>	227

lenkoranus Gurjeva, 1974, <i>Elater</i>	131
lenkoranus Reitter, 1889, <i>Ampedus</i>	124
<i>lenkoranus</i> Reitter, 1907, <i>Rhizophagus</i>	492
lenticula Gorham, 1892, <i>Adalia</i>	605
leo C.-T. Yang, 1978, <i>Scymnus</i>	586
<i>leonardi</i> Pic, 1913, <i>Cantharis</i>	246
<i>leonardii</i> Liberti, 1979, <i>Danacea</i>	397
leonhardi Apfelbeck, 1916, <i>Sphaerosoma</i>	555
<i>leonhardi</i> Breit, 1908, <i>Ptinus</i>	337
leonhardi Reitter, 1913, <i>Thorictus</i>	303
leonhardi Reitter, 1905, <i>Athous</i>	162
leonhardi Roubal, 1917, <i>Priartobium</i>	342
leonhardi Roubal, 1917, <i>Episernomorphus</i>	349
<i>leonhardi</i> Scholz, 1932, <i>Meligethes</i>	482
<i>leopardina</i> J. Weise, 1879, <i>Propylea</i>	624
leopardinus Mulsant & Godart, 1855, <i>Dermestes</i>	301
<i>lepaigei</i> Lacordaire, 1835, <i>Isorhipis</i>	84
lepida Faldermann, 1837, <i>Triplax</i>	544
lepidii L. Miller, 1851, <i>Meligethes</i>	483
lepidopterus Panzer, 1800, <i>Lacon</i>	101
lepidotus Palisot de Beauvois, 1805, <i>Meristhus</i>	102
<i>lepidus</i> A. Villa & G. B. Villa, 1838, <i>Ptinus</i>	335
lepidus Abeille de Perrin, 1895, <i>Ebaeus</i>	430
<i>lepidus</i> Brullé, 1832, <i>Trichodes</i>	377
<i>lepidus</i> Casey, 1900, <i>Cryptophagus</i>	521
lepidus Grouvelle, 1908, <i>Psammoecus</i>	497
lepidus Háva & Kovařík, 2004, <i>Attagenus</i>	308
<i>lepidus</i> Hochhut, 1873, <i>Curelius</i>	530
lepidus Mäklin, 1878, <i>Ampedus</i>	124
lepidus Rosenhauer, 1847, <i>Microrhagus</i>	82
<i>lepidus</i> Tournier, 1889, <i>Olibrus</i>	509
lepidus Wollaston, 1864, <i>Ptilinus</i>	356
lepineyi Peyerimhoff, 1935, <i>Dasytes</i>	402
lepontinus Schwarz, 1900, <i>Athous</i>	159
<i>leporinus</i> Buysson, 1916, <i>Hemicrepidius</i>	170
leprieuri Chobaut, 1894, <i>Xyletinus</i>	361
leprieuri Desbrochers des Loges, 1870, <i>Athous</i>	159
<i>leprieuri</i> Pic, 1941, <i>Synaptus</i>	113
leprieuri Pic, 1902, <i>Paracardiophorus</i>	206
leprieuri Pic, 1896, <i>Ptinus</i>	336
<i>leprieuri</i> Pic, 1920, <i>Trichodes</i>	380
leprieuri Pic, 1894, <i>Danacea</i>	397
<i>leprieuri</i> Pic, 1943, <i>Lycoperdina</i>	565
<i>leprieuri</i> Pic, 1912, <i>Coccinula</i>	600
<i>leprieuri</i> Pic, 1895, <i>Myzia</i>	620
leprieuri Reitter, 1887, <i>Attagenus</i>	308
leptocephalus Abeille de Perrin, 1885, <i>Attalus</i>	422
leptogracilis Ôhira, 1967, <i>Ampedus</i>	124
<i>leptotropus</i> Buysson, 1925, <i>Athous</i>	157
<i>lepturoides</i> Scopoli, 1793, <i>Brachypterolus</i>	456

leseigneuri Muona, 2002, <i>Trixagus</i>	88
leseigneuri Olexa, 1960, <i>Xylophilus</i>	85
leseigneuri Stibick, 1980, <i>Hypnoidus</i>	154
lesinae Reitter, 1884, <i>Dignomus</i>	330
lesnei Chobaut, 1898, <i>Enneadesmus</i>	324
lesnei Grouvelle, 1903, <i>Cryptarcha</i>	468
lesnei Pic, 1924, <i>Micropodabrus</i>	257
lesnei Ritsema, 1906, <i>Helota</i>	496
lessiniensis Pace, 1975, <i>Anommatus</i>	550
lesueurii Spinola, 1844, <i>Phloiocopus</i>	374
lethierryi Desbrochers des Loges, 1875, <i>Cardiophorus</i>	199
lethierryi Fairmaire, 1875, <i>Thorictus</i>	304
lethierryi Peyron, 1877, <i>Microlipus</i>	450
lethierryi Pic, 1918, <i>Danacea</i>	398
letourneuxi Buysson, 1891, <i>Cardiophorus</i>	202
letourneuxi E. Olivier, 1884, <i>Stenocladus</i>	233
letourneuxi Pic, 1902, <i>Isidus</i>	141
letourneuxi Pic, 1898, <i>Mariouta</i>	302
letourneuxi Pic, 1894, <i>Ptinus</i>	336
letourneuxi Pic, 1928, <i>Laius</i>	418
letourneuxi Pic, 1914, <i>Merophysia</i>	558
letourneuxi Pic, 1926, <i>Pharoscyrnus</i>	571
letzneri J. Weise, 1887, <i>Dasytes</i>	404
letzneri Reitter, 1873, <i>Meligethes</i>	480
leucaspis Reitter, 1888, <i>Ptinus</i>	335
leucippus Reitter, 1899, <i>Trichodes</i>	377
leucocephala Gmelin, 1790, <i>Coccinula</i>	601
leucogastra Preyssler, 1790, <i>Axinotarsus</i>	440
leucogrammus Solsky, 1876, <i>Anthrenus</i>	315
leucophaeatus Candèze, 1873, <i>Agriotes</i>	115
leucophaeus Kiesenwetter, 1858, <i>Athous</i>	160
leucophaeus Lacordaire, 1835, <i>Athous</i>	156
leucopsideus A. G. Olivier, 1795, <i>Trichodes</i>	378
leucosa Majer, 1989, <i>Haplothrix</i>	392
leuthneri Pic, 1900, <i>Ptinus</i>	336
leuthneri Platia & Gudenzi, 1997, <i>Agriotes</i>	115
levaillanti Chevrolat, 1874, <i>Cebrio</i>	91
levaillanti Mulsant, 1850, <i>Nephus</i>	581
levantinum J. R. Sahlberg, 1913, <i>Gloeosoma</i>	635
levantinus Audisio & Jelínek, 2001, <i>Xenostromylus</i>	477
levantinus J. R. Sahlberg, 1913, <i>Synaptus</i>	113
levantinus K. Daniel & J. Daniel, 1903, <i>Zorochores</i>	193
levecrassus Wittmer, 1970, <i>Colotes</i>	427
levecyaneus Wittmer, 1982, <i>Hypebaeus</i>	435
leveexcavatus Wittmer, 1996, <i>Condylops</i>	438
leveillei Pic, 1927, <i>Cantharis</i>	242
leveillei Pic, 1927, <i>Lasioderma</i>	358
leveillei Sainte-Claire Deville, 1910, <i>Ochina</i>	352
leveincisus Wittmer, 1966, <i>Malthodes</i>	290
levesulcatus Wittmer, 1992, <i>Ebaeus</i>	430

levigata Geisthardt, 1983, <i>Lampyris</i>	226
levis Platia & Gudenzi, 2002, <i>Cardiophorus</i>	198
levisus Vats & Chauhan, 1992, <i>Adiaphorus</i>	130
lewisi Bowstead, 2003, <i>Holopsis</i>	631
lewisi Candèze, 1873, <i>Tetrigus</i>	108
lewisi Fleutiaux, 1900, <i>Dirrhagofarsus</i>	83
lewisi Fleutiaux, 1923, <i>Dromaeolus</i>	86
lewisi Fleutiaux, 1923, <i>Euryptychus</i>	86
lewisi Fleutiaux, 1923, <i>Fornax</i>	86
lewisi Fleutiaux, 1900, <i>Dalopius</i>	119
lewisi Fleutiaux, 1902, <i>Corymbitodes</i>	176
lewisi Fleutiaux, 1902, <i>Paracardiophorus</i>	206
lewisi Gorham, 1873, <i>Panamomus</i>	562
lewisi J. Weise, 1880, <i>Propylea</i>	623
lewisi Jakobson, 1911, <i>Thanasimus</i>	375
lewisi Kamiya, 1961, <i>Pseudoscymnus</i>	582
lewisi Kishii, 1955, <i>Ampedus</i>	121
lewisi Lohde, 1899, <i>Tenerus</i>	383
lewisi Nakane, 1950, <i>Episcapha</i>	539
lewisi Pic, 1906, <i>Lycocerus</i>	251
lewisi Reitter, 1876, <i>Ancyrona</i>	365
lewisi Reitter, 1873, <i>Amphicrossus</i>	459
lewisi Reitter, 1884, <i>Carpophilus</i>	467
lewisi Reitter, 1884, <i>Cychramus</i>	472
lewisi Reitter, 1884, <i>Psilopyga</i>	476
lewisi Reitter, 1884, <i>Soronia</i>	477
lewisi Reitter, 1876, <i>Silvanus</i>	500
lewisi Reitter, 1889, <i>Ancistria</i>	501
lewisi Reitter, 1889, <i>Notolaemus</i>	505
lewisi Reitter, 1874, <i>Cryptophagus</i>	518
lewisi Reitter, 1877, <i>Atomaria</i>	526
lewisi Reitter, 1889, <i>Atomarops</i>	531
lewisi Reitter, 1889, <i>Biphyllus</i>	547
lewisi Ritsema, 1915, <i>Helota</i>	496
lewisi Schenkling, 1927, <i>Melanotus</i>	146
lewisi Schwarz, 1906, <i>Zorochros</i>	193
lewisiana Nakane, 1983, <i>Tritoma</i>	546
lewisii Crotch, 1873, <i>Languriomorpha</i>	534
lewisii Crotch, 1873, <i>Neotriplax</i>	542
lewisii Crotch, 1874, <i>Phymatosternus</i>	596
lewisii Crotch, 1874, <i>Bothrocalvia</i>	607
lewisii Gorham, 1878, <i>Tilloidea</i>	369
lewisii Kiesenwetter, 1879, <i>Trichodesma</i>	342
lewisii Kiesenwetter, 1879, <i>Tilloidea</i>	369
lewisii Kraatz, 1895, <i>Doubledaya</i>	534
lewisii Matthews, 1899, <i>Arthrolips</i>	632
lewisii Reitter, 1873, <i>Cryptarcha</i>	468
lewisii Reitter, 1873, <i>Meligethes</i>	484
lgockii Dolin, 1983, <i>Athous</i>	159
libani Laporte, 1833, <i>Nyctophila</i>	228

<i>libanicola</i> Pic, 1901, <i>Rhagonycha</i>	268
<i>libanicus</i> Dajoz, 1968, <i>Anommatus</i>	550
<i>libanicus</i> Fairmaire, 1881, <i>Dastarcus</i>	551
<i>libanicus</i> Pic, 1899, <i>Ptinus</i>	333
<i>libanicus</i> Pic, 1901, <i>Aplocnemus</i>	411
<i>libanicus</i> Wittmer, 1965, <i>Condylops</i>	438
<i>libanus</i> Peyron, 1877, <i>Hypebaeus</i>	435
<i>libenae</i> Švihla, 2002, <i>Malthinus</i>	280
<i>libenae</i> Švihla, 2002, <i>Malthodes</i>	290
<i>libera</i> Dieke, 1947, <i>Henosepilachna</i>	629
<i>libnetoides</i> Nakane, 1971, <i>Dilophotes</i>	212
<i>liburnica</i> Depoli, 1912, <i>Cantharis</i>	242
<i>licenti</i> Majer, 1996, <i>Danacaeomimus</i>	394
<i>licenti</i> Pic, 1938, <i>Rhagonycha</i>	265
<i>licenti</i> Pic, 1938, <i>Themus</i>	271
<i>licenti</i> Pic, 1938, <i>Malthodes</i>	290
<i>licenti</i> Pic, 1938, <i>Opilo</i>	373
<i>licenti</i> Pic, 1938, <i>Dasytidius</i>	390
<i>lichatschovii</i> Hummel, 1827, <i>Bulaea</i>	600
<i>lichenum</i> Marsham, 1802, <i>Ptinus</i>	335
<i>lichuaniensis</i> Xiao, 1993, <i>Epilachna</i>	628
<i>licia</i> Mulsant, 1856, <i>Micraspis</i>	620
<i>lictorius</i> Lewis, 1895, <i>Asiopodabrus</i>	235
<i>liebegotti</i> Geisthardt, 1985, <i>Lampyris</i>	227
<i>liegeli</i> J. Weise, 1890, <i>Malthodes</i>	290
<i>ligatus</i> Candèze, 1878, <i>Prokraerus</i>	138
<i>ligatus</i> Schwarz, 1906, <i>Mulsanteus</i>	133
<i>lignarius</i> Gistel, 1857, <i>Stephostethus</i>	641
<i>ligneus</i> Candèze, 1879, <i>Liotrichus</i>	178
<i>ligneus</i> Murray, 1864, <i>Carpophilus</i>	467
<i>lignosa</i> O.F. Müller, 1764, <i>Rhagonycha</i>	265
<i>ligulatistylus</i> Wittmer, 1960, <i>Malthodes</i>	290
<i>ligurica</i> Liberti, 1984, <i>Danacea</i>	397
<i>liguricus</i> Reitter, 1872, <i>Meligethes</i>	479
<i>lijiangensis</i> G.-Y. Yu, 2000, <i>Scymnus</i>	584
<i>lijiangensis</i> Schimmel, 1996, <i>Ampedus</i>	124
<i>lijiangensis</i> Schimmel, 2004, <i>Cateanus</i>	135
<i>lijiangensis</i> Schimmel & Cate, 1991, <i>Dima</i>	184
<i>lijiangensis</i> Wittmer, 1995, <i>Condylops</i>	438
<i>lijiangiensis</i> X.-F. Pang & Mao, 1979, <i>Cryptogonus</i>	576
<i>liliputana</i> A. Villa & G. B. Villa, 1833, <i>Dienerella</i>	636
<i>liliputanus</i> Germar, 1844, <i>Quasimus</i>	191
<i>liliputianus</i> Mulsant & Rey, 1868, <i>Anthrenus</i>	314
<i>limatus</i> Kazantsev, 2007, <i>Lycocerus</i>	251
<i>limbalis</i> Fairmaire, 1889, <i>Luciola</i>	232
<i>limbata</i> C. G. Thomson, 1864, <i>Rhagonycha</i>	266
<i>limbata</i> C. R. Sahlberg, 1820, <i>Epuraea</i>	462
<i>limbata</i> Fabricius, 1787, <i>Epuraea</i>	463
<i>limbata</i> Fabricius, 1781, <i>Hippodamia</i>	618
<i>limbata</i> Förster, 1851, <i>Cartodere</i>	636

<i>limbata</i> Gmelin, 1790, <i>Adalia</i>	604
<i>limbata</i> Gradl, 1880, <i>Adalia</i>	604
<i>limbata</i> Moll, 1784, <i>Subcoccinella</i>	630
<i>limbata</i> Motschulsky, 1854, <i>Lampyris</i>	227
<i>limbata</i> Motschulsky, 1835, <i>Dapsa</i>	563
<i>limbata</i> Motschulsky, 1858, <i>Jauravia</i>	570
<i>limbata</i> Motschulsky, 1866, <i>Rodolia</i>	597
<i>limbata</i> Pic, 1895, <i>Melyris</i>	387
<i>limbata</i> Schilsky, 1897, <i>Danacea</i>	397
<i>limbatella</i> Wittmer, 1997, <i>Rhagonycha</i>	265
<i>limbaticollis</i> Motschulsky, 1859, <i>Diacanthous</i>	169
<i>limbaticollis</i> Pic, 1914, <i>Dictyoptera</i>	214
<i>limbaticollis</i> Pic, 1926, <i>Ponyalis</i>	218
<i>limbatipennis</i> Nakane & Kishii, 1955, <i>Limoniscus</i>	165
<i>limbatipennis</i> Pic, 1916, <i>Denticollis</i>	167
<i>limbatipennis</i> Pic, 1906, <i>Lycocerus</i>	249
<i>limbatipennis</i> Pic, 1926, <i>Lycocerus</i>	251
<i>limbatipennis</i> Wittmer, 1956, <i>Rhagonycha</i>	266
<i>limbatithorax</i> Pic, 1907, <i>Indamauronia</i>	393
<i>limbatum</i> Pic, 1934, <i>Trogoderma</i>	319
<i>limbatus</i> Fabricius, 1777, <i>Adrastus</i>	108
<i>limbatus</i> Fabricius, 1787, <i>Thymalus</i>	366
<i>limbatus</i> Fabricius, 1798, <i>Attalus</i>	419
<i>limbatus</i> Hoang, 1982, <i>Pseudaspidimerus</i>	576
<i>limbatus</i> Kiesenwetter, 1863, <i>Attalus</i>	419
<i>limbatus</i> Mink, 1853, <i>Sphinginus</i>	426
<i>limbatus</i> Motschulsky, 1860, <i>Troglocollops</i>	419
<i>limbatus</i> Motschulsky, 1858, <i>Scymnus</i>	588
<i>limbatus</i> Pic, 1907, <i>Xylophilus</i>	85
<i>limbatus</i> Pic, 1915, <i>Lycocerus</i>	251
<i>limbatus</i> Pic, 1900, <i>Malthinus</i>	281
<i>limbatus</i> Pic, 1919, <i>Trypherus</i>	298
<i>limbatus</i> Pic, 1903, <i>Tetrabrachys</i>	574
<i>limbatus</i> Stephens, 1832, <i>Scymnus</i>	584
<i>limbatus</i> Wittmer, 1981, <i>Macrohabronychus</i>	255
<i>limbatus</i> Wittmer, 1983, <i>Themus</i>	272
<i>limbella</i> J. Weise, 1879, <i>Adalia</i>	604
<i>limbellus</i> Peyron, 1877, <i>Ebaeus</i>	430
<i>limbellus</i> Wittmer, 1953, <i>Anthocomus</i>	439
<i>limbicollis</i> Abeille de Perrin, 1882, <i>Microlipus</i>	450
<i>limbicollis</i> Motschulsky, 1867, <i>Corticaria</i>	645
<i>limbifer</i> Kiesenwetter, 1850, <i>Clanoptilus</i>	442
<i>limbipennis</i> Kiesenwetter, 1866, <i>Aplocnemus</i>	411
<i>limbipennis</i> Marseul, 1864, <i>Rhagonycha</i>	267
<i>limbiventris</i> C. G. Thomson, 1864, <i>Malthodes</i>	288
<i>limbolarius</i> Fairmaire, 1900, <i>Prothemus</i>	260
<i>limnichoides</i> Wollaston, 1854, <i>Scymnus</i>	583
<i>limonii</i> Donisthorpe, 1903, <i>Nephus</i>	581
<i>limoniiiformis</i> Candèze, 1865, <i>Athous</i>	157
<i>linanicus</i> G.-Y. Yu & X.-F. Pang, 1995, <i>Scymnus</i>	586

<i>linariae</i> Cornelius, 1863, <i>Brachypterolus</i>	456
<i>linariae</i> Stephens, 1830, <i>Brachypterolus</i>	456
<i>lindbergi</i> Bielawski, 1959, <i>Nephus</i>	581
<i>lindbergi</i> Cobos, 1970, <i>Cardiophorus</i>	202
<i>lindbergi</i> Evers, 1961, <i>Cephaloncus</i>	452
<i>lindbergi</i> Fürsch, 1959, <i>Scymnus</i>	591
<i>lindbergi</i> John, 1963, <i>Thorictus</i>	304
<i>lindbergi</i> Mroczkowski, 1959, <i>Anthrenus</i>	312
<i>lindbergi</i> Palm, 1958, <i>Microrhagus</i>	82
<i>lindbergi</i> Palm, 1975, <i>Malthinus</i>	280
<i>lindbergi</i> Pic, 1932, <i>Cantharis</i>	243
<i>lindbergi</i> Pic, 1932, <i>Rhagonycha</i>	267
<i>lindbergi</i> Pic, 1932, <i>Malthodes</i>	295
<i>lindbergi</i> Rebmann, 1940, <i>Meligethes</i>	483
<i>lindbergius</i> Pic, 1954, <i>Attalus</i>	422
<i>lindbergorum</i> Bruce, 1934, <i>Micrambe</i>	522
<i>lindemannae</i> Fürsch, 1960, <i>Tetrabrachys</i>	574
<i>lindemannae</i> Wittmer, 1960, <i>Hypebaeus</i>	435
<i>linderi</i> Reitter, 1875, <i>Anommatus</i>	550
<i>linskogi</i> Kirejtshuk, 1987, <i>Neopallodes</i>	473
<i>lineare</i> P. Rossi, 1794, <i>Dolichosoma</i>	407
<i>linearis</i> Candèze, 1865, <i>Megapenthes</i>	137
<i>linearis</i> Goeze, 1777, <i>Lyctus</i>	327
<i>linearis</i> Grouvelle, 1909, <i>Leptophloeus</i>	505
<i>linearis</i> Kugelann, 1792, <i>Stephanopachys</i>	326
<i>linearis</i> Latreille, 1807, <i>Pityophagus</i>	470
<i>linearis</i> Linnaeus, 1758, <i>Denticollis</i>	167
<i>linearis</i> Mäklin, 1853, <i>Epuraea</i>	461
<i>linearis</i> Morawitz, 1861, <i>Cordylepherus</i>	446
<i>linearis</i> Paykull, 1798, <i>Corticaria</i>	645
<i>linearis</i> Stephens, 1830, <i>Atomaria</i>	528
<i>lineata</i> Bach, 1854, <i>Metacantharis</i>	256
<i>lineata</i> C. Johnson, 1974, <i>Corticaria</i>	644
<i>lineata</i> Kiesenwetter, 1852, <i>Cantharis</i>	245
<i>lineata</i> Meier, 1899, <i>Adalia</i>	602
<i>lineata</i> Pic, 1899, <i>Malthinus</i>	280
<i>lineata</i> Pic, 1907, <i>Idgia</i>	385
<i>lineatellus</i> Mulsant, 1846, <i>Rhyzobius</i>	573
<i>lineaticeps</i> Pic, 1924, <i>Lycocerus</i>	252
<i>lineaticolle</i> Pic, 1937, <i>Nicobium</i>	342
<i>lineaticollis</i> Pic, 1917, <i>Clanoptilus</i>	444
<i>lineatipennis</i> Pic, 1908, <i>Rhagonycha</i>	264
<i>lineatipennis</i> Wittmer, 1953, <i>Lycocerus</i>	251
<i>lineatipennis</i> Wittmer, 1995, <i>Anthocomus</i>	440
<i>lineatithorax</i> Pic, 1910, <i>Danacea</i>	396
<i>lineatithorax</i> Pic, 1900, <i>Attalus</i>	420
<i>lineatithorax</i> Wittmer, 1995, <i>Lycocerus</i>	251
<i>lineatobasalis</i> Fuente, 1903, <i>Drasterius</i>	105
<i>lineatocollis</i> Champion, 1920, <i>Malthinus</i>	280
<i>lineatocollis</i> Hope, 1831, <i>Lycocerus</i>	251

<i>lineatocollis</i> Pic, 1899, <i>Melyris</i>	387
<i>lineatocollis</i> Schilsky, 1894, <i>Divales</i>	406
<i>lineatofemoralis</i> Pic, 1917, <i>Themus</i>	272
<i>lineatoides</i> Reitter, 1911, <i>Agriotes</i>	117
<i>lineatoserrata</i> C. Johnson, 1977, <i>Corticaria</i>	643
<i>lineatus</i> DeGeer, 1774, <i>Dalopius</i>	119
<i>lineatus</i> Gorham, 1883, <i>Lopheros</i>	216
<i>lineatus</i> Gurjeva, 1964, <i>Cardiophorus</i>	198
<i>lineatus</i> Hope, 1831, <i>Cautires</i>	222
<i>lineatus</i> J. Weise, 1885, <i>Brumoides</i>	593
<i>lineatus</i> Kishii, 1991, <i>Lanecarus</i>	110
<i>lineatus</i> Linnaeus, 1767, <i>Agriotes</i>	115
<i>lineatus</i> Pic, 1927, <i>Actenicerus</i>	174
<i>lineatus</i> Pic, 1894, <i>Attagenus</i>	308
<i>lineatus</i> Sengupta & De, 1988, <i>Rhizophagus</i>	492
<i>lineatus</i> Villers, 1789, <i>Athous</i>	157
<i>lineicollis</i> Reitter, 1880, <i>Passandra</i>	502
<i>lineola</i> Gebler, 1843, <i>Tytthaspis</i>	601
<i>lineola</i> Notman, 1920, <i>Atomaria</i>	529
<i>lineolata</i> Marsham, 1802, <i>Coccinella</i>	610
<i>lineolatus</i> Pic, 1924, <i>Micropodabrus</i>	257
<i>lineolatus</i> Pic, 1915, <i>Malthodes</i>	294
<i>lineolus</i> Panzer, 1795, <i>Dalopius</i>	119
<i>lineolus</i> Panzer, 1795, <i>Drapetes</i>	208
<i>linguiformis</i> G.-Y. Yu, 1995, <i>Sticholotis</i>	571
<i>linguilatus</i> H. Pang, 1998, <i>Cryptogonus</i>	576
<i>lini</i> Kishii, 1990, <i>Ampedus</i>	124
<i>linnavuorii</i> Platia & Gudenzi, 1999, <i>Craspedostethus</i>	203
<i>linnavuorii</i> Platia & Schimmel, 1997, <i>Cardiophorus</i>	198
<i>linnei</i> Della Beffa, 1913, <i>Anatis</i>	606
<i>linnei</i> J. Weise, 1879, <i>Sospita</i>	624
<i>linateus</i> Candèze, 1873, <i>Mulsanteus</i>	133
<i>lipicensis</i> G. Müller, 1924, <i>Scymnus</i>	587
<i>lippus</i> Chevrolat, 1866, <i>Clanoptilus</i>	442
<i>lipsiensis</i> J. Weise, 1879, <i>Coccinella</i>	612
<i>liquidus</i> Erichson, 1845, <i>Olibrus</i>	509
<i>lisa</i> Kirejtshuk, 1987, <i>Epuraea</i>	465
<i>lishanensis</i> Wittmer, 1982, <i>Micropodabrus</i>	257
<i>literatus</i> Reitter, 1878, <i>Cyllodes</i>	472
<i>lithophila</i> Herbst, 1783, <i>Mycetina</i>	565
<i>lithophiloides</i> Reitter, 1890, <i>Coccidula</i>	572
<i>lithophilus</i> Candèze, 1857, <i>Lacon</i>	101
<i>litigiosa</i> J. Weise, 1879, <i>Hippodamia</i>	618
<i>litigiosus</i> P. Rossi, 1792, <i>Agriotes</i>	115
<i>litoralis</i> J. Weise, 1879, <i>Coccinella</i>	613
<i>litterata</i> Eschscholtz, 1818, <i>Cantharis</i>	246
<i>littoralis</i> Dajoz, 1969, <i>Anommatus</i>	550
<i>littoralis</i> Eschscholtz, 1829, <i>Hypolithus</i>	155
<i>littoreus</i> Herbst, 1806, <i>Hypnoidus</i>	155
<i>litura</i> Fabricius, 1787, <i>Rhizophagus</i>	573

<i>liturata</i> Dietrich, 1857, <i>Cantharis</i>	241
<i>liturata</i> Fallén, 1807, <i>Cantharis</i>	246
<i>liturata</i> L. Redtenbacher, 1849, <i>Metacantharis</i>	256
<i>liturata</i> W. S. MacLeay, 1825, <i>Micrencaustes</i>	539
<i>lituratus</i> Gorham, 1878, <i>Laricobius</i>	298
<i>lituratus</i> Gorham, 1894, <i>Priscibrumus</i>	595
<i>lituratus</i> Motschulsky, 1853, <i>Malthinus</i>	280
<i>liuchowensis</i> Wittmer, 1989, <i>Micropodabrus</i>	257
<i>liuchungloi</i> Kryzhanovskij, 1960, <i>Indalmus</i>	564
<i>liui</i> M. Chûjô, 1967, <i>Cyrtomorphus</i>	541
<i>liui</i> Platia & Schimmel, 2001, <i>Melanotus</i>	146
<i>liukueiensis</i> Kishii, 1990, <i>Agrypnus</i>	98
<i>liukueiensis</i> Kishii, 1989, <i>Melanotus</i>	146
<i>liukuiensis</i> Kishii, 1989, <i>Glyphonyx</i>	110
<i>liukuiensis</i> Kishii, 1989, <i>Agriotes</i>	116
<i>livadiensis</i> Pic, 1910, <i>Danacea</i>	396
<i>livens</i> Linnaeus, 1761, <i>Denticollis</i>	168
<i>livida</i> DeGeer, 1775, <i>Aphidecta</i>	607
<i>livida</i> Herbst, 1783, <i>Subcoccinella</i>	631
<i>livida</i> Hope, 1831, <i>Cordylocera</i>	274
<i>livida</i> Linnaeus, 1758, <i>Cantharis</i>	242
<i>lividianus</i> Pic, 1911, <i>Malthodes</i>	290
<i>lividipennis</i> Schenkling, 1912, <i>Teneropsis</i>	383
<i>lividula</i> Mulsant, 1850, <i>Bulaea</i>	600
<i>lividus</i> A. G. Olivier, 1791, <i>Rhyzobius</i>	573
<i>lividus</i> Bold, 1872, <i>Nephus</i>	581
<i>lividus</i> P. L. S. Müller, 1802, <i>Denticollis</i>	168
<i>lixensis</i> Bourgeois, 1911, <i>Aplocnemus</i>	413
<i>lixianensis</i> Jing, 1986, <i>Ceratomegilla</i>	609
<i>lizipingensis</i> Bic, 2002, <i>Dilophotes</i>	212
<i>lizleri</i> Platia, 2003, <i>Agriotes</i>	116
<i>ljudmilae</i> Gurjeva, 1987, <i>Cardiophorus</i>	198
<i>lloydi</i> Easton, 1968, <i>Meligethes</i>	483
<i>lobanovi</i> Kirejtshuk, 1984, <i>Meligethes</i>	480
<i>lobata</i> Motschulsky, 1854, <i>Lampyrus</i>	227
<i>lobatus</i> A. G. Olivier, 1790, <i>Sphinginus</i>	426
<i>lobatus</i> Kiesenwetter, 1852, <i>Malthodes</i>	290
<i>lobatus</i> Rosenhauer, 1856, <i>Attagenus</i>	308
<i>loberinus</i> Sharp, 1900, <i>Henoticus</i>	521
<i>lobicollis</i> Reitter, 1888, <i>Malthodes</i>	290
<i>lobli</i> Dajoz, 1975, <i>Cartodere</i>	635
<i>loboderus</i> Mulsant & Rey, 1868, <i>Dignomus</i>	330
<i>loboensis</i> Mayor, 2004, <i>Dasytes</i>	402
<i>lobulus</i> Xiao, 1993, <i>Cryptogonus</i>	576
<i>loebli</i> Bowestead, 1999, <i>Orthoperus</i>	634
<i>loebli</i> C. Johnson & Bowestead, 2003, <i>Caenoscelis</i>	513
<i>loebli</i> Canepari, 1986, <i>Sticholotis</i>	571
<i>loebli</i> Canepari, 1986, <i>Cryptogonus</i>	576
<i>loebli</i> Háva, 2003, <i>Nosodendron</i>	299
<i>loebli</i> Háva, 2002, <i>Dermestes</i>	301

loebli Jelínek & Háva, 2001, <i>Laricobius</i>	299
loebli Leschen, 1996, <i>Asternodea</i>	514
loebli Otero, 1997, <i>Micrambe</i>	522
loebli Platia & Schimmel, 1993, <i>Silesis</i>	112
loebli Platia & Schimmel, 2001, <i>Melanotus</i>	146
loebli Schimmel, 1993, <i>Ampedus</i>	129
loebli Schimmel & Platia, 1991, <i>Neoathousius</i>	166
loebli Schimmel & Platia, 1991, <i>Dima</i>	184
<i>logesi</i> Pic, 1894, <i>Ptinus</i>	333
logunovi Tshernyshev, 1994, <i>Troglocollops</i>	419
logvinenkoae Dolin, 1982, <i>Selatosomus</i>	183
logvinovskii Toskina, 1998, <i>Lasioderma</i>	357
lohitensis Wittmer, 1960, <i>Lycocerus</i>	251
lohsei C. Johnson & A. Strand, 1968, <i>Atomaria</i>	528
lohsei Evers, 1995, <i>Cyrtosus</i>	446
lohsei Wittmer, 1975, <i>Armidia</i>	238
loi Sasaji, 1968, <i>Stethorus</i>	592
loi Sasaji, 1982, <i>Coelophora</i>	614
lokveanus Wittmer, 1970, <i>Malthodes</i>	290
<i>lokvensis</i> Stiller, 1926, <i>Cantharis</i>	246
lomakini Chernyshev, 1998, <i>Crudosilis</i>	274
lombardus Fiori, 1909, <i>Dasytes</i>	404
lombardus Pace, 1979, <i>Anommatus</i>	550
lomnickii Reitter, 1905, <i>Athous</i>	162
lomnickii Reitter, 1903, <i>Dorcatoma</i>	344
lompei Zeising & Brunne, 2003, <i>Cardiophorus</i>	198
<i>lomus</i> Sengupta, 1980, <i>Cryptophagus</i>	515
<i>lomus</i> Sengupta, 1980, <i>Cryptophagus</i>	518
lonchiatus X.-F. Pang & Huang, 1985, <i>Scymnus</i>	586
longepubens Pic, 1927, <i>Danacea</i>	397
longethorax Paulian, 1962, <i>Arthrolips</i>	632
<i>longevittatus</i> Pic, 1953, <i>Malthinus</i>	283
longiantennus Vats & Chauhan, 1992, <i>Poemnites</i>	180
longiceps Mulsant & Rey, 1868, <i>Danacea</i>	397
longiceps Pic, 1922, <i>Malchinomorphus</i>	255
longiceps Pic, 1908, <i>Micropodabrus</i>	257
longiclavis Nikitsky, 1987, <i>Derodontus</i>	298
longiclavis Sjöberg, 1939, <i>Epuraea</i>	461
<i>longicollis</i> A. G. Olivier, 1790, <i>Cebrio</i>	91
<i>longicollis</i> A. G. Olivier, 1790, <i>Athous</i>	160
<i>longicollis</i> Buysson, 1904, <i>Corymbitodes</i>	176
<i>longicollis</i> Candèze, 1897, <i>Rismethus</i>	103
<i>longicollis</i> Dolin, 1987, <i>Penia</i>	185
<i>longicollis</i> Erichson, 1840, <i>Cyrtosus</i>	447
<i>longicollis</i> Fischer von Waldheim, 1829, <i>Denops</i>	367
<i>longicollis</i> Gerstmeier, 1985, <i>Trichodes</i>	378
<i>longicollis</i> Gyllenhal, 1827, <i>Rhizophagus</i>	491
<i>longicollis</i> Gyllenhal, 1827, <i>Monotoma</i>	494
<i>longicollis</i> Jelínek, 1978, <i>Brachypterus</i>	457
<i>longicollis</i> Kiesenwetter, 1859, <i>Cordicantharis</i>	248

longicollis Lewis, 1894, <i>Ectinus</i>	120
longicollis Majer, 1989, <i>Danacaeomimus</i>	394
longicollis Mulsant & Rey, 1853, <i>Dryophilus</i>	348
longicollis Reitter, 1876, <i>Silvanoprus</i>	500
<i>longicollis</i> Reitter, 1875, <i>Telmatophilus</i>	524
longicollis Schilsky, 1897, <i>Melyris</i>	387
longicollis Zetterstedt, 1838, <i>Corticaria</i>	643
longicorne Pic, 1907, <i>Yunnanobium</i>	357
<i>longicorne</i> Reitter, 1884, <i>Gibbium</i>	329
longicornis A. G. Olivier, 1795, <i>Tetrapriocera</i>	324
longicornis Arrow, 1925, <i>Tetratritoma</i>	543
longicornis C. G. Thomson, 1863, <i>Atomaria</i>	529
longicornis Candèze, 1860, <i>Melanotus</i>	146
longicornis Candèze, 1865, <i>Athous</i>	159
longicornis Cate, 2002, <i>Craspedostethus</i>	203
longicornis Gurjeva, 1976, <i>Adrastus</i>	108
<i>longicornis</i> Hampe, 1852, <i>Dirrhagofarsus</i>	83
longicornis Herbst, 1783, <i>Corticaria</i>	644
longicornis Hisamatsu, 1958, <i>Proxylobius</i>	85
longicornis Kiesenwetter, 1866, <i>Malthinus</i>	280
longicornis Kiesenwetter, 1863, <i>Trichoceble</i>	414
longicornis Kiesenwetter, 1859, <i>Axinotarsus</i>	440
longicornis Kishii, 1989, <i>Glyphonyx</i>	110
longicornis Kocher, 1962, <i>Aplocnemus</i>	411
longicornis Lindberg, 1953, <i>Cardiophorus</i>	202
<i>longicornis</i> Mannerheim, 1843, <i>Cryptolestes</i>	503
longicornis Okushima & Satô, 1999, <i>Macrohabronychus</i>	255
longicornis Palm, 1976, <i>Casapus</i>	329
<i>longicornis</i> Pic, 1894, <i>Attagenus</i>	308
longicornis Pic, 1948, <i>Attalus</i>	422
<i>longicornis</i> Ratzeburg, 1837, <i>Ernobius</i>	350
longicornis Reiche, 1878, <i>Benibotarus</i>	214
longicornis Reitter, 1889, <i>Dendrophagus</i>	496
longicornis Reitter, 1887, <i>Merophysia</i>	558
<i>longicornis</i> Schaufuss, 1862, <i>Cardiophorus</i>	198
longicornis Schimmel & Platia, 1991, <i>Neoathousius</i>	166
longicornis Schimmel & Platia, 1991, <i>Dima</i>	184
longicornis Sturm, 1837, <i>Ernobius</i>	350
longicornis Tomaszewska, 2001, <i>Pseudindalmus</i>	566
longicornis Toskina, 1995, <i>Ptilinus</i>	356
longicornis Wittmer, 1978, <i>Podistra</i>	260
longicornis Wittmer, 1995, <i>Lycocerus</i>	251
longicornis Wittmer, 1981, <i>Holzschuhus</i>	433
longicornis Wollaston, 1854, <i>Sphaericus</i>	338
longifasciata Liu, 1962, <i>Coccinella</i>	611
longilaterophyses Takahashi & Kiriyaama, 2000, <i>Asiopodabrus</i>	235
longilobus G.-Y. Yu, 1996, <i>Diomus</i>	576
longimanus Kiesenwetter, 1859, <i>Enicopus</i>	407
longimanus Wollaston, 1864, <i>Brachypterus</i>	457
longinotus Lyubarsky, 1989, <i>Cryptophagus</i>	518

longior Arrow, 1925, <i>Anadastus</i>	533
longior Grouvelle, 1919, <i>Cryptophagus</i>	518
<i>longior</i> Mader, 1941, <i>Triplax</i>	545
longior Pic, 1938, <i>Colotes</i>	427
longior Strohecker, 1951, <i>Saula</i>	568
longior Wittmer, 1997, <i>Intybia</i>	417
longipennis Champion, 1922, <i>Microlipus</i>	450
<i>longipennis</i> Chevrolat, 1860, <i>Metholcus</i>	361
longipennis Coye, 1870, <i>Thorictus</i>	304
<i>longipennis</i> Easton, 1957, <i>Meligethes</i>	482
longipennis Fairmaire, 1866, <i>Cebrio</i>	91
longipennis Fairmaire, 1891, <i>Themus</i>	272
longipennis Ferrari, 1869, <i>Phyllocerus</i>	81
longipennis Gebler, 1833, <i>Xyletinus</i>	361
longipennis Gebler, 1833, <i>Dasytes</i>	402
<i>longipennis</i> Grouvelle, 1919, <i>Cryptophagus</i>	516
<i>longipennis</i> Hisamatsu, 1961, <i>Cryptarcha</i>	468
<i>longipennis</i> Küster, 1848, <i>Melanotus</i>	143
<i>longipennis</i> Lewis, 1894, <i>Melanotus</i>	146
<i>longipennis</i> Miwa, 1934, <i>Ampedus</i>	128
<i>longipennis</i> Motschulsky, 1854, <i>Lampyris</i>	227
<i>longipennis</i> Motschulsky, 1853, <i>Malthinus</i>	279
<i>longipennis</i> Motschulsky, 1858, <i>Aethina</i>	471
<i>longipennis</i> Motschulsky, 1867, <i>Holoparamecus</i>	558
<i>longipennis</i> Murray, 1864, <i>Heterhelus</i>	457
longipennis Ôhira, 1966, <i>Glyphonyx</i>	110
longipennis P. H. Lucas, 1846, <i>Malthinus</i>	280
longipennis Pic, 1912, <i>Thilmanus</i>	211
longipennis Pic, 1921, <i>Conderis</i>	221
longipennis Pic, 1923, <i>Ochotyra</i>	225
longipennis Pic, 1904, <i>Attagenus</i>	309
<i>longipennis</i> Pic, 1937, <i>Anthrenus</i>	311
longipennis Pic, 1897, <i>Dignomus</i>	330
longipennis Schwarz, 1902, <i>Silesis</i>	112
longipennis Schwarz, 1902, <i>Cardiotarsus</i>	203
longipennis Sjöberg, 1939, <i>Epuraea</i>	461
longipennis Vats & Chauhan, 1992, <i>Conoderus</i>	104
longipennis Westwood, 1849, <i>Orthocladiscus</i>	368
<i>longipennis</i> Wittmer, 1951, <i>Malthodes</i>	287
longipes Arrow, 1943, <i>Chondria</i>	567
longipes Candèze, 1863, <i>Penia</i>	185
longipes Fiori, 1914, <i>Cantharomorphus</i>	247
longipes Gurjeva, 1988, <i>Melanotus</i>	146
<i>longipes</i> Matthews, 1899, <i>Arthrolips</i>	632
<i>longipes</i> P. Rossi, 1792, <i>Ptinus</i>	336
longipes Ritsema, 1889, <i>Helota</i>	496
longipes Wittmer, 1953, <i>Micropodabrus</i>	257
longipilis Fairmaire, 1892, <i>Opilo</i>	373
longipilis Pic, 1894, <i>Danacea</i>	397
longipilis Reitter, 1889, <i>Chaetomalachius</i>	389

longipilis Wittmer, 1995, <i>Lycocerus</i>	251
longipilosus Vats & Chauhan, 1991, <i>Melanotus</i>	146
longipygus Wittmer, 1954, <i>Malthodes</i>	290
longisetosum Chao & Lee, 1966, <i>Trogoderma</i>	319
<i>longisiphonulus</i> C. Cao & Xiao, 1984, <i>Scymnus</i>	588
<i>longisiphonulus</i> X.-F. Pang, 1966, <i>Stethorus</i>	592
<i>longisiphonulus</i> X.-F. Pang & R. D. Gordon, 1986, <i>Scymnus</i>	588
longissima Dieke, 1947, <i>Epilachna</i>	628
longissimus Abeille de Perrin, 1881, <i>Trichodes</i>	378
longissimus Pic, 1905, <i>Podabrus</i>	237
longissimus Reitter, 1904, <i>Athous</i>	160
longistylus Pic, 1909, <i>Malthodes</i>	290
longitarsis J. R. Sahlberg, 1900, <i>Micrambe</i>	522
longitarsis Jansson, 1942, <i>Xyletinus</i>	360
<i>longitarsis</i> Pandellé, 1867, <i>Cantharis</i>	239
longithorax Pic, 1933, <i>Diaphanes</i>	226
longithorax Pic, 1899, <i>Malthinus</i>	280
longiungulata Kirejtshuk, 1998, <i>Epuraea</i>	461
longiuscula Schimmel & Platia, 1991, <i>Penia</i>	185
longiusculus Reitter, 1877, <i>Cryptoramorphus</i>	343
longiventris Grouvelle, 1919, <i>Cryptophagus</i>	518
longiventris Majer, 1991, <i>Dasytidius</i>	390
longmenicus X.-F. Pang, 1986, <i>Scymnus</i>	590
longula Barovskij, 1925, <i>Ceratomegilla</i>	609
<i>longula</i> Broun, 1910, <i>Corticaria</i>	642
<i>longula</i> Dahlgren, 1968, <i>Rhagonycha</i>	261
<i>longula</i> Desbrochers des Loges, 1889, <i>Mauroania</i>	393
<i>longula</i> Erichson, 1845, <i>Epuraea</i>	461
longulus Erichson, 1840, <i>Cardiophorus</i>	198
<i>longulus</i> Gyllenhal, 1808, <i>Orithales</i>	179
longulus J. Weise, 1879, <i>Aulonothroscus</i>	88
longulus Kiesenwetter, 1859, <i>Drilus</i>	209
longulus Kishii, 1970, <i>Quasimus</i>	191
longulus Miwa, 1930, <i>Glyphonyx</i>	110
<i>longulus</i> Reitter, 1896, <i>Anthodromius</i>	386
<i>longulus</i> Reitter, 1885, <i>Brachypterolus</i>	456
<i>longulus</i> Schilsky, 1897, <i>Aplocnemus</i>	411
<i>longulus</i> Schilsky, 1894, <i>Meligethes</i>	484
<i>longulus</i> Sharp, 1885, <i>Dastarcus</i>	551
longum Candèze, 1895, <i>Ludioschema</i>	132
longus Arrow, 1915, <i>Anthrenus</i>	311
longus Gurjeva, 1990, <i>Melanotus</i>	146
loochooana M. Chûjô, 1969, <i>Tritoma</i>	546
loochooanus Sasaji, 1991, <i>Biphyllus</i>	548
loochooensis Kishii, 1979, <i>Platynychus</i>	207
loochooensis Miwa, 1929, <i>Melanotus</i>	151
loochooensis Miwa, 1934, <i>Ryukyucardiophorus</i>	207
lopatini Dowgailo, 1997, <i>Ebaeus</i>	431
lopatini Gurjeva, 1966, <i>Cardiophorus</i>	203
lopatini Lucht, 1987, <i>Pseudochapianus</i>	87

<i>lopatini</i> Medvedev, 1964, <i>Trypheridium</i>	297
<i>lopatini</i> Wittmer, 1992, <i>Condylops</i>	438
<i>lopatini</i> Zhantiev, 1976, <i>Anthrenus</i>	312
<i>lopchuensis</i> Wittmer, 1981, <i>Macrohabronychus</i>	255
<i>lopchuensis</i> Wittmer, 1978, <i>Malthinus</i>	280
<i>lopchuensis</i> Wittmer, 1981, <i>Carphuroides</i>	415
<i>lopchuensis</i> Wittmer, 1981, <i>Hypebaeus</i>	435
<i>lophantae</i> Blaisdell, 1892, <i>Lindorus</i>	573
<i>loricata</i> J. Weise, 1879, <i>Adalia</i>	604
<i>loricatoides</i> Wasmann, 1897, <i>Thorictus</i>	304
<i>loricatus</i> Arrow, 1925, <i>Anadastus</i>	533
<i>loricatus</i> Peyron, 1857, <i>Thorictus</i>	304
<i>lotharensis</i> Ôhira & Becker, 1973, <i>Rismethus</i>	103
<i>lotharensis</i> Ôhira & Becker, 1973, <i>Zorochros</i>	193
<i>lovendali</i> Ganglbauer, 1899, <i>Cryptophagus</i>	518
<i>lowei</i> Wollaston, 1879, <i>Holoparamecus</i>	558
<i>loxiphyllus</i> Ren & X.-F. Pang, 1994, <i>Scymnus</i>	586
<i>lozanocaboi</i> Plata Negrache, 1990, <i>Fortunatius</i>	425
<i>luanus</i> Kishii & Jiang, 1999, <i>Selatosomus</i>	182
<i>lublini</i> Buysson, 1926, <i>Hemicrepidius</i>	170
<i>lubrica</i> Majer, 1996, <i>Brodskyana</i>	388
<i>lubricus</i> Buysson, 1891, <i>Ampedus</i>	124
<i>lucana</i> Liberti, 1989, <i>Danacea</i>	397
<i>lucanus</i> Wittmer, 1935, <i>Dasytes</i>	403
<i>lucasi</i> Fairmaire, 1866, <i>Cebrio</i>	91
<i>lucasi</i> Jakobson, 1911, <i>Rhagonycha</i>	268
<i>lucasi</i> John, 1965, <i>Thorictus</i>	304
<i>lucasii</i> Boieldieu, 1856, <i>Ptinus</i>	336
<i>lucasii</i> Murray, 1864, <i>Brachypterus</i>	457
<i>lucens</i> Fabricius, 1775, <i>Denticollis</i>	168
<i>lucens</i> Moscardini, 1967, <i>Ancistronycha</i>	238
<i>lucens</i> Peyerimhoff, 1926, <i>Dorcatoma</i>	344
<i>lucernensis</i> Wittmer, 1981, <i>Malthodes</i>	290
<i>lucerus</i> Vats & Kashyap, 1993, <i>Lanelater</i>	102
<i>luciae</i> Laibner, 1985, <i>Dicronychus</i>	205
<i>lucida</i> J. Weise, 1879, <i>Coccinella</i>	612
<i>lucida</i> Pic, 1906, <i>Cantharis</i>	247
<i>lucida</i> Reitter, 1889, <i>Atomaria</i>	526
<i>lucidipennis</i> Pic, 1914, <i>Ernobius</i>	350
<i>lucidofasciata</i> M. Chûjô, 1969, <i>Episcapha</i>	540
<i>lucidula</i> Brullé, 1832, <i>Psilothrix</i>	408
<i>lucidus</i> Guillebeau, 1892, <i>Olibrus</i>	508
<i>lucidus</i> Mulsant & Rey, 1863, <i>Ernobius</i>	350
<i>lucidus</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	98
<i>lucifer</i> Reiche & Saulcy, 1857, <i>Lampyroidea</i>	231
<i>lucifer</i> Wittmer, 1956, <i>Hypomixis</i>	436
<i>lucifera</i> E. Olivier, 1884, <i>Lampyroidea</i>	231
<i>lucifuga</i> Leder, 1872, <i>Reitteria</i>	557
<i>lucifugus</i> Falcoz, 1922, <i>Cryptophagus</i>	516
<i>luciolus</i> Canepari, 1997, <i>Scymnus</i>	586

<i>luctifer</i> Reitter, 1872, <i>Meligethes</i>	481
<i>luctuosa</i> Desbrochers des Loges, 1889, <i>Danacea</i>	397
<i>luctuosa</i> J. Weise, 1879, <i>Coccinella</i>	610
<i>luctuosus</i> A. G. Olivier, 1790, <i>Bostrichus</i>	321
<i>luctuosus</i> Abeille de Perrin, 1890, <i>Ebaeus</i>	431
<i>luctuosus</i> Buysson, 1906, <i>Athous</i>	157
<i>luctuosus</i> Depoli, 1928, <i>Selatosomus</i>	181
<i>luctuosus</i> Fairmaire, 1867, <i>Cebrio</i>	91
<i>luctuosus</i> Förster, 1849, <i>Meligethes</i>	485
<i>luctuosus</i> Har. Lindberg, 1953, <i>Attalus</i>	422
<i>luctuosus</i> Solsky, 1871, <i>Elater</i>	131
<i>lucusensis</i> Escalera, 1923, <i>Thorictus</i>	304
<i>ludovicae</i> Mulsant, 1866, <i>Adalia</i>	602
<i>ludovici</i> Breit, 1908, <i>Cryptophagus</i>	517
<i>ludovici</i> Pic, 1911, <i>Anthodromius</i>	386
<i>ludwigi</i> Pic, 1901, <i>Malthodes</i>	290
<i>ludyi</i> J. Weise, 1879, <i>Nephus</i>	581
<i>lугanensis</i> Stierlin, 1902, <i>Dermestes</i>	300
<i>lugdunensis</i> Pic, 1919, <i>Trichodes</i>	376
<i>lugens</i> Petri, 1926, <i>Cryptophagus</i>	520
<i>lugens</i> W. Redtenbacher, 1842, <i>Megapenthes</i>	137
<i>luguanus</i> Schimmel, 2003, <i>Ampedus</i>	124
<i>lugubricus</i> Reitter, 1910, <i>Selatosomus</i>	182
<i>lugubris</i> Abeille de Perrin, 1891, <i>Attalus</i>	422
<i>lugubris</i> Bedel, 1918, <i>Episcapha</i>	540
<i>lugubris</i> Buysson, 1906, <i>Athous</i>	157
<i>lugubris</i> Candèze, 1888, <i>Xanthopenthes</i>	139
<i>lugubris</i> Dieke, 1947, <i>Epilachna</i>	628
<i>lugubris</i> Dufour, 1851, <i>Selatosomus</i>	182
<i>lugubris</i> Gistel, 1857, <i>Necrobinus</i>	382
<i>lugubris</i> J. Weise, 1879, <i>Adalia</i>	602
<i>lugubris</i> O. F. Müller, 1776, <i>Ampedus</i>	125
<i>lugubris</i> Sturm, 1845, <i>Meligethes</i>	484
<i>lugubris</i> Walter, 1882, <i>Hippodamia</i>	618
<i>lugubrivestis</i> Mulsant, 1853, <i>Parexochomus</i>	595
<i>luigionii</i> Della Beffa, 1913, <i>Calvia</i>	607
<i>luigionii</i> Pic, 1921, <i>Dryophilus</i>	348
<i>luigionii</i> Pic, 1920, <i>Danacea</i>	397
<i>luigionii</i> Platia, 1988, <i>Athous</i>	162
<i>lukesi</i> Fürsch, 1958, <i>Scymnus</i>	585
<i>luliangensis</i> C. Cao & Xiao, 1984, <i>Vibidia</i>	599
<i>lulusarensis</i> Wittmer, 1981, <i>Themus</i>	270
<i>lumbaris</i> Sturm, 1845, <i>Meligethes</i>	482
<i>luminosum</i> Logvinovskiy, 1977, <i>Lasioderma</i>	357
<i>lunaepustulata</i> Haworth, 1812, <i>Adalia</i>	604
<i>lunariae</i> Audisio & De Biase, 1999, <i>Meligethes</i>	484
<i>lunata</i> Fabricius, 1775, <i>Cheilomenes</i>	610
<i>lunata</i> Walter, 1882, <i>Propylea</i>	624
<i>lunatus</i> Champion, 1921, <i>Laius</i>	417
<i>lunatus</i> Fabricius, 1787, <i>Biphyllus</i>	548

<i>lunatus</i> Kapur, 1948, <i>Cryptogonus</i>	576
<i>lundbergi</i> C. Johnson, 1978, <i>Atomaria</i>	526
<i>lundbergi</i> Platia, 1989, <i>Agriotes</i>	116
<i>lundbergi</i> Platia & Gudenzi, 2000, <i>Cardiophorus</i>	198
<i>lundbergi</i> Švihla, 1993, <i>Rhagonycha</i>	265
<i>lundbergi</i> Švihla, 1994, <i>Malthinus</i>	280
<i>lundbergi</i> Zahradník, 1996, <i>Xyletinus</i>	360
<i>lundbladi</i> Palm, 1956, <i>Enicmus</i>	638
<i>lunifer</i> Czwalina, 1884, <i>Malthodes</i>	286
<i>lunigera</i> Brahm, 1790, <i>Adalia</i>	604
<i>lunigera</i> J. Weise, 1879, <i>Adalia</i>	602
<i>lunigerum</i> Reitter, 1883, <i>Sphaerosoma</i>	555
<i>lunigerus</i> Thunberg, 1808, <i>Cryptogonus</i>	576
<i>lunularis</i> Marsham, 1802, <i>Adalia</i>	604
<i>lunulatus</i> Fischer von Waldheim, 1844, <i>Dichelotarsus</i>	237
<i>lunulatus</i> Gmelin, 1790, <i>Exochomus</i>	594
<i>lunulatus</i> Wittmer, 1958, <i>Ebaeus</i>	431
<i>luperoides</i> Pic, 1933, <i>Attalus</i>	421
<i>lupinosus</i> Candèze, 1857, <i>Agrypnus</i>	98
<i>lupinus</i> Mannerheim, 1843, <i>Dermestes</i>	301
<i>lurida</i> Rücker, 1983, <i>Dienerella</i>	637
<i>luridipes</i> Lacordaire, 1835, <i>Dicronychus</i>	204
<i>luridus</i> Fabricius, 1781, <i>Lanelater</i>	102
<i>luridus</i> Kleine, 1940, <i>Lycostomus</i>	212
<i>luridus</i> Lyubarsky, 2004, <i>Augasmus</i>	507
<i>luridus</i> Murray, 1864, <i>Carpophilus</i>	467
<i>luriei</i> Toskina, 2002, <i>Xestobium</i>	352
<i>luristana</i> Švihla, 1995, <i>Rhagonycha</i>	265
<i>luristanicus</i> Pic, 1916, <i>Heteroderes</i>	106
<i>luristanicus</i> Pic, 1920, <i>Tolphorea</i>	113
<i>lushuiensis</i> Jing, 1992, <i>Coelophora</i>	614
<i>lusitana</i> Heyden, 1870, <i>Danacea</i>	397
<i>lusitanica</i> Charpentier, 1825, <i>Luciola</i>	232
<i>lusitanica</i> Motschulsky, 1854, <i>Lampyris</i>	227
<i>lusitanica</i> Procházka, 1894, <i>Danacea</i>	397
<i>lusitanica</i> Reitter, 1913, <i>Merophysia</i>	558
<i>lusitanicus</i> Buysson, 1913, <i>Dicronychus</i>	204
<i>lusitanicus</i> Dajoz, 1969, <i>Abromus</i>	548
<i>lusitanicus</i> Erichson, 1840, <i>Attalus</i>	422
<i>lusitanicus</i> Erichson, 1840, <i>Malachius</i>	449
<i>lusitanus</i> Illiger, 1807, <i>Dignomus</i>	330
<i>lusitanus</i> Reitter, 1888, <i>Niptodes</i>	332
<i>lusoensis</i> Coiffait, 1984, <i>Abromus</i>	548
<i>lusoria</i> Mulsant, 1850, <i>Henosepilachna</i>	630
<i>lutaeanus</i> Kishii, 1994, <i>Melanotus</i>	146
<i>lutatus</i> Abeille de Perrin, 1890, <i>Attalus</i>	422
<i>lutea</i> Germar, 1843, <i>Hemiops</i>	186
<i>lutea</i> Gorham, 1887, <i>Chondria</i>	567
<i>lutea</i> O.F. Müller, 1764, <i>Rhagonycha</i>	265
<i>lutea</i> P. Rossi, 1794, <i>Adalia</i>	604

<i>lutea</i> Rücker, 1979, <i>Corticarina</i>	646
<i>lutea</i> Schaufuss, 1862, <i>Adalia</i>	604
<i>luteata</i> Schilsky, 1888, <i>Cantharis</i>	241
<i>luteiceps</i> Schilsky, 1888, <i>Cantharis</i>	242
<i>luteicollis</i> Fairmaire, 1897, <i>Pyrocoelia</i>	229
<i>luteicornis</i> Champion, 1924, <i>Phalacrus</i>	511
<i>luteicornis</i> Schilsky, 1894, <i>Dasytes</i>	402
<i>luteipalpis</i> Schilsky, 1907, <i>Danacea</i>	397
<i>luteipennis</i> Erichson, 1841, <i>Adrastus</i>	109
<i>luteipennis</i> Kiesenwetter, 1874, <i>Lycocerus</i>	253
<i>luteipes</i> Candèze, 1873, <i>Quasimus</i>	190
<i>luteipes</i> Champion, 1921, <i>Malachiomimus</i>	426
<i>luteipes</i> Hope, 1843, <i>Megapenthes</i>	137
<i>luteipes</i> Pic, 1938, <i>Themus</i>	272
<i>luteipes</i> Schilsky, 1888, <i>Cantharis</i>	244
<i>luteipes</i> Schilsky, 1897, <i>Danacea</i>	396
<i>luteofasciatus</i> Pic, 1940, <i>Clerus</i>	372
<i>luteofasciatus</i> Pic, 1932, <i>Thanasimodes</i>	375
<i>luteoguttata</i> Mulsant, 1850, <i>Henosepilachna</i>	629
<i>luteola</i> Erichson, 1843, <i>Epuraea</i>	464
<i>luteola</i> Trella, 1925, <i>Malthinus</i>	278
<i>luteolimbata</i> Pic, 1902, <i>Cantharis</i>	240
<i>luteolus</i> Fairmaire, 1873, <i>Cebrio</i>	91
<i>luteolus</i> Fairmaire, 1882, <i>Raractocetus</i>	363
<i>luteolus</i> Stephens, 1830, <i>Malthinus</i>	278
<i>luteomaculatus</i> Pic, 1921, <i>Sinocymbachus</i>	566
<i>luteoniger</i> Canepari, 1997, <i>Clitostethus</i>	579
<i>luteoniger</i> Canepari, 1997, <i>Pseudoscymnus</i>	582
<i>luteoniger</i> Jelínek, 1982, <i>Glischrochilus</i>	469
<i>luteonotatus</i> Pic, 1913, <i>Agriotes</i>	116
<i>luteonotatus</i> Pic, 1902, <i>Dichelotarsus</i>	237
<i>luteonotatus</i> Pic, 1926, <i>Opilo</i>	373
<i>luteonotatus</i> Pic, 1953, <i>Allotarsus</i>	400
<i>luteopicta</i> Mulsant, 1866, <i>Coccinella</i>	611
<i>luteopilosum</i> Pic, 1901, <i>Priobium</i>	341
<i>luteopubens</i> Pic, 1909, <i>Stagetodes</i>	346
<i>luteopubens</i> Pic, 1922, <i>Danacea</i>	397
<i>luteopustulata</i> Mulsant, 1850, <i>Propylea</i>	623
<i>luteorubra</i> Goeze, 1777, <i>Platynaspis</i>	596
<i>luteostylus</i> Pic, 1919, <i>Malthodes</i>	291
<i>luteosuturalis</i> Pic, 1925, <i>Ptinomorphus</i>	354
<i>luteotibialis</i> Evers, 1959, <i>Fortunatius</i>	425
<i>luteotibialis</i> Evers, 1962, <i>Cyrtosus</i>	446
<i>lutescens</i> Fall, 1910, <i>Metanomus</i>	178
<i>lutescens</i> Geoffroy, 1785, <i>Cantharis</i>	244
<i>lutescens</i> Krauss, 1902, <i>Clanoptilus</i>	445
<i>luteus</i> Fabricius, 1787, <i>Cychramus</i>	472
<i>luteus</i> Kiesenwetter, 1872, <i>Cerallus</i>	386
<i>luteus</i> Pic, 1935, <i>Malthinus</i>	280
<i>lutosus</i> Candèze, 1857, <i>Agrypnus</i>	98

<i>lutosus</i> Mulsant & Rey, 1868, <i>Epauloecus</i>	331
<i>lutra</i> Solsky, 1876, <i>Meligethes</i>	488
<i>lutshniki</i> Dobrzanskiy, 1917, <i>Coccinella</i>	611
<i>luxorensis</i> Fürsch, 1989, <i>Scymnus</i>	586
<i>luxurians</i> Erichson, 1840, <i>Attalus</i>	421
<i>lycoceriformis</i> Pic, 1916, <i>Themus</i>	270
<i>lycoperdi</i> Scopoli, 1763, <i>Cryptophagus</i>	518
<i>lycotropus</i> G.-Y. Yu, 2000, <i>Scymnus</i>	584
<i>lyctoides</i> Wollaston, 1865, <i>Gastrallus</i>	340
<i>lygaeum</i> Iablokoff-Khinzorian, 1972, <i>Serangium</i>	569
<i>lymantriae</i> Beal, 1992, <i>Zhantievus</i>	320
<i>lyncea</i> A. G. Olivier, 1808, <i>Oenopia</i>	622
<i>lyncea</i> Bourgeois, 1900, <i>Rhagonycha</i>	265
<i>lynceus</i> Candèze, 1874, <i>Cryptalaus</i>	107
<i>lynx</i> Mulsant & Rey, 1868, <i>Attagenus</i>	309
<i>lyra</i> Walter, 1882, <i>Propylea</i>	624
<i>lyrata</i> J. Weise, 1900, <i>Hippodamia</i>	618
<i>lyratus</i> Reitter, 1891, <i>Holoparamecus</i>	558
<i>lyriformis</i> Wittmer, 1992, <i>Malthodes</i>	291
<i>lysholmi</i> Munster, 1933, <i>Epuraea</i>	460
<i>lysholmi</i> Munster, 1932, <i>Cryptophagus</i>	518
<i>lysholmi</i> Pic, 1900, <i>Danacea</i>	397
<i>lysholmi</i> Pic, 1899, <i>Microjulistus</i>	415
<i>lythrodes</i> Germar, 1813, <i>Pheletes</i>	166
<i>lythropterus</i> Germar, 1844, <i>Ampedus</i>	122
<i>lyubarskyi</i> Johnson, 2007, <i>Cryptophagus</i>	518
<i>maackii</i> Crotch, 1876, <i>Tritoma</i>	546
<i>maai</i> Cobos, 1966, <i>Triaxagus</i>	88
<i>maai</i> Miyatake, 1970, <i>Brumoides</i>	593
<i>macedonica</i> Dahlgren, 1985, <i>Rhagonycha</i>	265
<i>macedonica</i> Pic, 1909, <i>Danacea</i>	398
<i>macedonica</i> Schimmel, 1993, <i>Dima</i>	184
<i>macedonicus</i> Cate & Platia, 1989, <i>Cidnopus</i>	164
<i>macedonicus</i> Pic, 1922, <i>Aplocnemus</i>	411
<i>macedonicus</i> Platia & Gudenzi, 2002, <i>Dicronychus</i>	205
<i>macedonicus</i> Schimmel, 1996, <i>Ampedus</i>	124
<i>macedonicus</i> Švihla, 1980, <i>Malthodes</i>	293
<i>maceki</i> Majer, 1991, <i>Dasytidius</i>	390
<i>maceki</i> Platia & Gudenzi, 1997, <i>Agriotes</i>	116
<i>maceki</i> Švihla, 1983, <i>Rhagonycha</i>	265
<i>maceki</i> Švihla, 1994, <i>Malthodes</i>	291
<i>macellarius</i> Duftschmid, 1825, <i>Attagenus</i>	310
<i>macellarius</i> Fabricius, 1781, <i>Attagenus</i>	309
<i>macellarius</i> Herbst, 1792, <i>Dermestes</i>	301
<i>macer</i> Kiesenwetter, 1878, <i>Malachius</i>	449
<i>machadoi</i> Bellés, 1994, <i>Sphaericus</i>	338
<i>machadoi</i> Cobos, 1983, <i>Cardiophorus</i>	202
<i>machnovskyi</i> Dolin, 1969, <i>Anostirus</i>	174
<i>machulkai</i> Švihla, 1993, <i>Rhagonycha</i>	265
<i>macilenta</i> Casey, 1900, <i>Caenoscelis</i>	513

<i>macilentus</i> Chevrolat, 1874, <i>Cebrio</i>	91
<i>macilentus</i> Kiesenwetter, 1874, <i>Asiopodabrus</i>	235
<i>macilentus</i> Stenius, 1952, <i>Scymniscus</i>	583
<i>mackiei</i> Pic, 1931, <i>Attalus</i>	422
<i>macleayi</i> Blackburn, 1889, <i>Sinoxylon</i>	323
<i>macrocephala</i> Kocher, 1954, <i>Cantharis</i>	239
<i>macrocephala</i> Schaufuss, 1862, <i>Danacea</i>	398
<i>macroderes</i> Candèze, 1859, <i>Heteroderes</i>	106
<i>macroderus</i> Abeille de Perrin, 1890, <i>Charopus</i>	442
<i>macrofasciatus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	146
<i>macrolycoides</i> Kazantsev, 2002, <i>Xylobanus</i>	223
<i>macropalpus</i> Reitter, 1910, <i>Selatosomus</i>	183
<i>macrophtalmus</i> Liberti, 1982, <i>Dasytes</i>	405
<i>macropterus</i> E. Olivier, 1884, <i>Phosphaenus</i>	230
<i>macrosilesiformis</i> Pic, 1923, <i>Cantharis</i>	243
<i>macrostigma</i> Gabriel, 1905, <i>Hippodamia</i>	618
<i>macrosuturalis</i> Kazantsev, 1991, <i>Plateros</i>	220
<i>macrotis</i> Beck, 1817, <i>Eucnemis</i>	85
<i>macularis</i> Fuss, 1850, <i>Derodontus</i>	298
<i>macularis</i> Mulsant, 1850, <i>Epilachna</i>	628
<i>maculata</i> Cornelius, 1884, <i>Anisosticta</i>	600
<i>maculata</i> Dalla Torre, 1879, <i>Epuraea</i>	463
<i>maculata</i> DeGeer, 1774, <i>Soronia</i>	476
<i>maculata</i> Fourcroy, 1785, <i>Rhagonycha</i>	263
<i>maculata</i> Geisthardt, 1987, <i>Lampyris</i>	227
<i>maculata</i> Geisthardt, 2004, <i>Lampyroidea</i>	231
<i>maculata</i> Jing, 1987, <i>Halyzia</i>	598
<i>maculata</i> Korschevsky, 1944, <i>Sticholotis</i>	571
<i>maculata</i> M. Chûjô, 1940, <i>Dacne</i>	538
<i>maculata</i> Reitter, 1873, <i>Cryptarcha</i>	468
<i>maculata</i> Schilsky, 1888, <i>Cantharis</i>	241
<i>maculata</i> Schilsky, 1890, <i>Rhagonycha</i>	263
<i>maculata</i> Walter, 1882, <i>Coccinella</i>	613
<i>maculata</i> Walter, 1882, <i>Myzia</i>	620
<i>maculaticeps</i> Pic, 1921, <i>Lycocerus</i>	250
<i>maculaticeps</i> Pic, 1920, <i>Malthinus</i>	281
<i>maculaticeps</i> Pic, 1910, <i>Danacea</i>	396
<i>maculaticollis</i> Pic, 1932, <i>Haplomalachius</i>	447
<i>maculatipennis</i> Pic, 1917, <i>Condylops</i>	438
<i>maculatithorax</i> Pic, 1921, <i>Plateros</i>	220
<i>maculatus</i> Cate, 2002, <i>Cardiophorus</i>	198
<i>maculatus</i> DeGeer, 1774, <i>Dermestes</i>	301
<i>maculatus</i> Geoffroy, 1785, <i>Allonyx</i>	371
<i>maculatus</i> Háva, 2004, <i>Globicornis</i>	316
<i>maculatus</i> Kiesenwetter, 1877, <i>Xyletinus</i>	360
<i>maculatus</i> Kiesenwetter, 1864, <i>Colotes</i>	428
<i>maculatus</i> Laporte, 1838, <i>Colotes</i>	427
<i>maculatus</i> Murray, 1864, <i>Carpophilus</i>	467
<i>maculatus</i> P. Rossi, 1790, <i>Drapetes</i>	208
<i>maculatus</i> Pic, 1922, <i>Ptinomorphus</i>	354

<i>maculatus</i> Schilsky, 1894, <i>Meligethes</i>	481
<i>maculatus</i> Wittmer, 1954, <i>Troglops</i>	454
<i>maculiceps</i> Dowgailo, 1997, <i>Ebaeus</i>	431
<i>maculiceps</i> Wittmer, 1983, <i>Lycocerus</i>	251
<i>maculicolle</i> Fleutiaux, 1940, <i>Ludioschema</i>	132
<i>maculicollis</i> Abeille de Perrin, 1894, <i>Cyrtosus</i>	447
<i>maculicollis</i> Bonvouloir, 1872, <i>Scython</i>	87
<i>maculicollis</i> Fairmaire, 1856, <i>Cebrio</i>	91
<i>maculicollis</i> Fairmaire, 1866, <i>Nyctophila</i>	228
<i>maculicollis</i> Fuente, 1913, <i>Melyris</i>	387
<i>maculicollis</i> Hope, 1831, <i>Lycocerus</i>	251
<i>maculicollis</i> Lewis, 1892, <i>Teneroides</i>	383
<i>maculicollis</i> Märkel, 1852, <i>Rhagonycha</i>	265
<i>maculicollis</i> Motschulsky, 1860, <i>Apalochrus</i>	416
<i>maculicollis</i> Mulsant & Wachanru, 1852, <i>Lampyroidea</i>	231
<i>maculicollis</i> P. H. Lucas, 1846, <i>Attalus</i>	424
<i>maculicollis</i> Peyron, 1877, <i>Apalochrus</i>	416
<i>maculicollis</i> Pic, 1897, <i>Hemicrepidius</i>	170
<i>maculicollis</i> Pic, 1903, <i>Pelochrus</i>	429
<i>maculicollis</i> Reiche & Saulcy, 1857, <i>Cardiophorus</i>	198
<i>maculicollis</i> Reitter, 1884, <i>Aethina</i>	470
<i>maculicollis</i> Schilsky, 1897, <i>Cerallus</i>	386
<i>maculicollis</i> Sicard, 1922, <i>Epilachna</i>	628
<i>maculicollis</i> Stephens, 1835, <i>Cantharis</i>	246
<i>maculicornis</i> Buysson, 1912, <i>Melanotus</i>	146
<i>maculicornis</i> Pic, 1914, <i>Danacea</i>	397
<i>maculicrus</i> Desbrochers des Loges, 1869, <i>Cardiophorus</i>	195
<i>maculielytris</i> Ishida, 1986, <i>Lycocerus</i>	251
<i>maculifasciata</i> Reitter, 1899, <i>Ctesias</i>	315
<i>maculifasciatum</i> Reitter, 1887, <i>Phradonoma</i>	318
<i>maculifer</i> Champenois, 1900, <i>Trichodes</i>	378
<i>maculifer</i> Pic, 1896, <i>Ptinus</i>	334
<i>maculifer</i> Reitter, 1881, <i>Anthrenus</i>	311
<i>maculifer</i> Walzl, 1835, <i>Olibrus</i>	508
<i>maculifrons</i> Champion, 1920, <i>Ichthyurus</i>	297
<i>maculifrons</i> Lewis, 1887, <i>Tritoma</i>	546
<i>maculigera</i> J. Weise, 1879, <i>Hippodamia</i>	618
<i>maculigera</i> K. Papp, 1943, <i>Cynegetis</i>	625
<i>maculipennis</i> A. Villa & G. B. Villa, 1833, <i>Antherophagus</i>	514
<i>maculipennis</i> Kraatz, 1895, <i>Phenolia</i>	475
<i>maculipennis</i> Pic, 1900, <i>Malthinus</i>	278
<i>maculipennis</i> Pic, 1899, <i>Danacea</i>	397
<i>maculipennis</i> Schilsky, 1894, <i>Divales</i>	406
<i>maculipennis</i> Schwarz, 1902, <i>Actenicerus</i>	173
<i>maculithorax</i> Gemminger, 1870, <i>Lampyroidea</i>	231
<i>maculithorax</i> Pic, 1916, <i>Denticollis</i>	168
<i>maculithorax</i> Pic, 1904, <i>Ancistronycha</i>	238
<i>maculithorax</i> Pic, 1898, <i>Malthinus</i>	280
<i>maculithorax</i> Pic, 1898, <i>Malachius</i>	449
<i>maculithorax</i> S. Wang & C. Yang, 1993, <i>Lycocerus</i>	254

maculithorax Wittmer, 1972, <i>Lycocerus</i>	251
maculithorax Wittmer, 1997, <i>Prothemus</i>	260
maculithorax Wittmer, 1970, <i>Ebaeus</i>	431
maculiventris Chevrolat, 1854, <i>Clanoptilus</i>	444
<i>maculiventris</i> Fairmaire, 1884, <i>Malthinus</i>	282
maculiventris Reitter, 1894, <i>Malacogaster</i>	210
maculivertex Ishida, 1989, <i>Micropodabrus</i>	257
maculivestis Mulsant, 1853, <i>Epilachna</i>	628
maculosa Fairmaire, 1866, <i>Nitidula</i>	474
<i>maculosa</i> Gorham, 1891, <i>Oenopia</i>	621
<i>maculosa</i> J. Weise, 1879, <i>Coccinella</i>	612
<i>maculosa</i> Reitter, 1887, <i>Megatoma</i>	317
maculosa Wollaston, 1858, <i>Corticaria</i>	644
maculosus Abeille de Perrin, 1895, <i>Ptinus</i>	335
maculosus Fairmaire, 1888, <i>Stenotarsus</i>	568
<i>maculosus</i> Gmelin, 1790, <i>Sericus</i>	134
maculosus J. Weise, 1910, <i>Platynaspidius</i>	596
<i>maculosus</i> Wollaston, 1864, <i>Nephus</i>	580
<i>madadorum</i> Roubal, 1945, <i>Cryptophagus</i>	518
madagassa J. Weise, 1909, <i>Sticholotis</i>	571
<i>madecassus</i> Pic, 1909, <i>Sphaericus</i>	338
maderae Kraatz, 1869, <i>Clypastraea</i>	633
maderae Wollaston, 1854, <i>Displotera</i>	557
maderensis Coiffait, 1984, <i>Anommatus</i>	550
<i>maderensis</i> Jansson, 1940, <i>Atomaria</i>	525
maderensis Wollaston, 1854, <i>Attalus</i>	422
maderi Corporaal, 1939, <i>Callimerus</i>	371
maderi Hicker, 1955, <i>Malthodes</i>	291
maderi Strohecker, 1982, <i>Mycetina</i>	565
madidus Kiesenwetter, 1863, <i>Charopus</i>	441
madoni Belon, 1885, <i>Merophysia</i>	558
<i>madoni</i> Pic, 1934, <i>Ptinus</i>	333
madoni Pic, 1932, <i>Ptinus</i>	335
madoni Pic, 1932, <i>Stagetus</i>	347
madoni Pic, 1930, <i>Ernobius</i>	350
<i>madoni</i> Pic, 1930, <i>Metholcus</i>	362
madoniensis Švihla, 2002, <i>Malthinus</i>	280
<i>maeandra</i> Walter, 1882, <i>Propylea</i>	624
maedai Kiyoyama, 1979, <i>Pseudotritoma</i>	542
maedai Nakane, 1989, <i>Asiopodabrus</i>	235
maeklinii Candèze, 1865, <i>Lacon</i>	101
maenamii Ôhira, 1969, <i>Lacon</i>	101
<i>maerens</i> Westwood, 1849, <i>Tarsostenus</i>	383
<i>maerkeli</i> Kiesenwetter, 1852, <i>Rhagonycha</i>	265
<i>maertensi</i> Roubal, 1936, <i>Adalia</i>	604
<i>maestus</i> Friederichs, 1901, <i>Negastrius</i>	189
maestus Platia & Schimmel, 2002, <i>Melanotus</i>	146
magadanica Kazantsev, 1998, <i>Crudosilis</i>	274
magadanica Tsinkevich, 2001, <i>Corticaria</i>	644
maghrebinus Audisio, 1993, <i>Urophorus</i>	468

magisi Wittmer, 1974, <i>Malthinus</i>	280
magistrettii Platia & Schimmel, 1988, <i>Ampedus</i>	124
magna Araki, 1949, <i>Episcapha</i>	540
magna Dieke, 1947, <i>Epilachna</i>	628
<i>magna</i> Grouvelle, 1913, <i>Ancistria</i>	501
magnanii Guglielmi & Platia, 1985, <i>Athous</i>	159
magnanii Platia, 2002, <i>Cardiophorus</i>	198
magnanii Platia & Gudenzi, 1996, <i>Agriotes</i>	116
<i>magniceps</i> Reitter, 1897, <i>Rhizophagus</i>	491
<i>magniceps</i> Wittmer, 1995, <i>Lycocerus</i>	251
<i>magniceps</i> Wittmer, 1997, <i>Malthinus</i>	280
<i>magnicollis</i> Reitter, 1882, <i>Philothermus</i>	554
<i>magnifica</i> L. Redtenbacher, 1843, <i>Coccinella</i>	611
<i>magnifica</i> Pic, 1906, <i>Themus</i>	270
<i>magnificoides</i> Munster, 1930, <i>Coccinella</i>	612
<i>magnificus</i> Reitter, 1880, <i>Ptinomorphus</i>	354
<i>magnius</i> Ishida, 1986, <i>Lycocerus</i>	251
<i>magnocapsularis</i> Fürsch, 1966, <i>Scymnus</i>	588
<i>magnomaculatus</i> Fürsch, 1958, <i>Scymnus</i>	590
<i>magnopunctata</i> Rybakow, 1889, <i>Coccinella</i>	611
<i>magnum</i> Nakane, 1963, <i>Gloeosoma</i>	635
<i>magnus</i> Fleutiaux, 1931, <i>Phorocardius</i>	206
<i>magnus</i> Miwa, 1929, <i>Anthracalaus</i>	108
<i>magnus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	146
<i>magnus</i> S. Wang & C. Yang, 1990, <i>Podabrus</i>	237
<i>magogyakushi</i> Sakai, 1996, <i>Mizodorcatoma</i>	345
<i>mahabharaticus</i> Kazantsev, 2001, <i>Plateros</i>	220
<i>maheswar</i> Pal & Sengupta, 2003, <i>Aspidiphorus</i>	455
<i>maiko</i> W. Suzuki, 1985, <i>Ischnodes</i>	130
<i>mainanderi</i> Fürsch, 1965, <i>Scymniscus</i>	583
<i>maindroni</i> Abeille de Perrin, 1900, <i>Hadrocnemus</i>	417
<i>maindroni</i> Fleutiaux, 1944, <i>Octocryptus</i>	103
<i>mairei</i> Peyerimhoff, 1926, <i>Attalus</i>	422
<i>maisus</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	98
<i>majeri</i> Švihla, 1987, <i>Ebaeus</i>	431
<i>major</i> A. Costa, 1882, <i>Scymnus</i>	591
<i>major</i> Arrow, 1922, <i>Episcaphula</i>	540
<i>major</i> Barovskij, 1933, <i>Aulonothroscus</i>	88
<i>major</i> C. O. Waterhouse, 1879, <i>Conderis</i>	221
<i>major</i> Champion, 1919, <i>Teredolaemus</i>	552
<i>major</i> Crotch, 1874, <i>Tetrabrachys</i>	574
<i>major</i> Dobrzhanskiy, 1927, <i>Oenopia</i>	621
<i>major</i> Fleutiaux, 1889, <i>Agrypnus</i>	98
<i>major</i> Paulian, 1962, <i>Arthrolips</i>	632
<i>major</i> Paulian, 1950, <i>Clypastraea</i>	633
<i>major</i> Pic, 1895, <i>Phradonoma</i>	318
<i>major</i> Pic, 1901, <i>Dignomus</i>	331
<i>major</i> Pic, 1908, <i>Idgia</i>	385
<i>major</i> Pic, 1902, <i>Danacea</i>	397
<i>major</i> Pic, 1922, <i>Trichoceble</i>	414

<i>major</i> Reitter, 1905, <i>Diacanthous</i>	169
<i>major</i> Reitter, 1887, <i>Cholovocera</i>	557
<i>major</i> Schaller, 1783, <i>Calvia</i>	607
<i>majori</i> Piccioli, 1877, <i>Macrocerus</i>	296
<i>majus</i> Lefkovitch, 1962, <i>Placonotus</i>	506
<i>makarios</i> Evers, 1971, <i>Attalus</i>	422
<i>makarovi</i> Zahradník, 1997, <i>Stagetus</i>	347
<i>makiharai</i> Ôhira, 1973, <i>Glyphonyx</i>	110
<i>makiharai</i> Ôhira, 1970, <i>Abelater</i>	135
<i>makiharai</i> Ôhira, 1970, <i>Pleonomus</i>	156
<i>makiharai</i> Satô, 1976, <i>Trypherus</i>	298
<i>makiharai</i> Wittmer, 1985, <i>Lycocerus</i>	252
<i>makiharai</i> Wittmer, 1983, <i>Themus</i>	270
<i>makiharai</i> Wittmer, 1984, <i>Malthodes</i>	291
<i>makolskii</i> Mroczkowski, 1950, <i>Anthrenus</i>	312
<i>makrisi</i> Preiss & Platia, 2003, <i>Drasterius</i>	106
<i>malabicus</i> Sengupta, 1983, <i>Stephostethus</i>	641
<i>malaccensis</i> Crotch, 1874, <i>Micraspis</i>	620
<i>malaccensis</i> Dieck, 1870, <i>Cebrio</i>	91
<i>malacum</i> Casey, 1900, <i>Pteryngium</i>	523
<i>malaicus</i> Xiao, 1993, <i>Stethorus</i>	592
<i>malaisei</i> Bruce, 1944, <i>Cryptophagus</i>	516
<i>malaisei</i> Fleutiaux, 1942, <i>Melanotus</i>	146
<i>malaisianus</i> Candèze, 1865, <i>Campsosternus</i>	94
<i>malasiae</i> Crotch, 1874, <i>Cryptogonus</i>	576
<i>malatiensis</i> Heyden, 1886, <i>Boveycantharis</i>	239
<i>malatyensis</i> Wittmer, 1988, <i>Clanoptilus</i>	444
<i>malayanus</i> Lesne, 1910, <i>Lyctus</i>	327
<i>malchinoides</i> Pic, 1899, <i>Macrocerus</i>	296
<i>malcolmi</i> Pic, 1904, <i>Malthodes</i>	286
<i>maleci</i> Majer, 1989, <i>Danacaeomimus</i>	394
<i>maleci</i> Majer, 1988, <i>Bilyella</i>	400
<i>malickyi</i> Wittmer, 1980, <i>Malthodes</i>	291
<i>malickyi</i> Wittmer, 1992, <i>Ebaeus</i>	431
<i>malinicus</i> Sengupta, 1983, <i>Stephostethus</i>	641
<i>malisorum</i> Všetěčka, 1948, <i>Anommatus</i>	550
<i>malkini</i> Majer, 1996, <i>Dasytidius</i>	390
<i>malkini</i> Mroczkowski, 1980, <i>Anthrenus</i>	311
<i>malkini</i> Wittmer, 1986, <i>Malthinus</i>	280
<i>malleata</i> Gradl, 1880, <i>Adalia</i>	604
<i>malleforma</i> Peng, 2002, <i>Epilachna</i>	628
<i>malmusii</i> Platia & Gudenzi, 2000, <i>Athous</i>	162
<i>maltensis</i> Pic, 1894, <i>Attagenus</i>	309
<i>malthiniformis</i> Champion, 1924, <i>Ichthyurus</i>	297
<i>malthinoides</i> Kiesenwetter, 1874, <i>Asiopodabrus</i>	235
<i>malthinoides</i> Pic, 1921, <i>Rhagonycha</i>	265
<i>malus</i> Fleutiaux, 1928, <i>Dolinolus</i>	135
<i>malyi</i> Obenberger, 1917, <i>Cybocephalus</i>	489
<i>malyi</i> Obenberger, 1914, <i>Monotoma</i>	494
<i>mamaevi</i> Medvedev, 1979, <i>Lopheros</i>	216

mamajevi Dolin & Ôhira, 1976, <i>Ampedus</i>	124
mamajevi Gurjeva, 1966, <i>Neocardiophorus</i>	205
mamillanus Gurjeva, 1989, <i>Melanotus</i>	146
mamorui Okushima & Satô, 1999, <i>Stenothemus</i>	269
manaliensis Bocáková, 1997, <i>Plateros</i>	220
manaliensis Schimmel & Platia, 1991, <i>Neoathousius</i>	166
manaliensis Wittmer, 1995, <i>Malthinus</i>	280
<i>manca</i> Heyden, 1897, <i>Hippodamia</i>	617
<i>mancinii</i> Pic, 1935, <i>Malthodes</i>	293
<i>mancinii</i> Pic, 1927, <i>Danacea</i>	399
<i>mancinii</i> Pic, 1927, <i>Aplocnemus</i>	410
<i>mandariana</i> Mulsant, 1850, <i>Coelophora</i>	613
<i>mandarinea</i> Gerstaecker, 1858, <i>Lycoperdina</i>	565
<i>mandchurica</i> Pic, 1911, <i>Rhagonycha</i>	265
<i>mandchuricus</i> Pic, 1911, <i>Ebaeus</i>	431
<i>manderstjernae</i> Mulsant, 1853, <i>Afidentula</i>	625
<i>mandibularis</i> Dufour, 1843, <i>Athous</i>	157
<i>mandibularis</i> J. R. Sahlberg, 1913, <i>Meligethes</i>	484
<i>mandibularis</i> Laporte, 1840, <i>Pria</i>	488
<i>mandibularis</i> Reitter, 1873, <i>Eपुरaea</i>	465
<i>mandibularis</i> Tournier, 1889, <i>Phalacrus</i>	510
<i>mandli</i> Wittmer, 1966, <i>Malthinus</i>	280
<i>mandshuricus</i> Kleine, 1940, <i>Lopheros</i>	216
<i>manevali</i> Pic, 1944, <i>Malthodes</i>	295
<i>mangiferae</i> M. Chûjô, 1936, <i>Sinoxylon</i>	323
<i>mangini</i> Pic, 1926, <i>Lycocerus</i>	250
<i>mangonis</i> Buysson, 1929, <i>Denticollis</i>	168
<i>mangonis</i> Buysson, 1913, <i>Zoroachros</i>	193
<i>manifestus</i> Gurjeva, 1989, <i>Melanotus</i>	146
<i>manipulus</i> Fürsch & Kreissl, 1967, <i>Scymnus</i>	590
<i>mannerheimi</i> Mulsant, 1850, <i>Coccinella</i>	611
<i>mannerheimi</i> Pic, 1902, <i>Cantharis</i>	240
<i>mannerheimi</i> Reitter, 1875, <i>Corticaria</i>	644
<i>mannerheimii</i> Kolenati, 1846, <i>Enicmus</i>	638
<i>manni</i> Reichenspenger, 1926, <i>Thorictus</i>	304
<i>manschukuoensis</i> Hicker, 1959, <i>Malachius</i>	449
<i>mansusanensis</i> Han, 2000, <i>Zoroachros</i>	193
<i>mantici</i> Jelínek, 1995, <i>Aethina</i>	470
<i>mantici</i> Majer, 1996, <i>Dasytidius</i>	390
<i>manubriatus</i> Kiesenwetter, 1863, <i>Malthodes</i>	291
<i>manuelae</i> Platia & Gudenzi, 1998, <i>Mulsanteus</i>	133
<i>manueli</i> Evers, 1948, <i>Microlipus</i>	450
<i>manueli</i> Fairmaire, 1856, <i>Microrhagus</i>	82
<i>manueli</i> Pic, 1910, <i>Cardiophorus</i>	197
<i>manzanalensis</i> Pic, 1912, <i>Cardiophorus</i>	200
<i>manzanalensis</i> Pic, 1917, <i>Rhagonycha</i>	268
<i>manzanalensis</i> Pic, 1927, <i>Rhagonycha</i>	268
<i>mao</i> Kazantsev, 2000, <i>Cautires</i>	222
<i>maowenensis</i> Kolibáč, 1998, <i>Emmepus</i>	370
<i>maowensis</i> Majer, 1995, <i>Mimothrix</i>	392

<i>maramarosensis</i> Kaszab, 1947, <i>Anommatus</i>	549
<i>marani</i> Roubal, 1936, <i>Dicronychus</i>	205
<i>marshensis</i> Wittmer, 1974, <i>Malthinus</i>	280
<i>marshensis</i> Wittmer, 1970, <i>Malthodes</i>	291
<i>marchali</i> Pic, 1914, <i>Aplocnemus</i>	411
<i>marchandi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	146
<i>marchiae</i> Gmelin, 1790, <i>Tillus</i>	369
<i>marchica</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>marchii</i> Pic, 1922, <i>Malthodes</i>	292
<i>marci</i> Linnaeus, 1767, <i>Elateroides</i>	362
<i>marciana</i> Leoni, 1905, <i>Cantharis</i>	241
<i>mardinensis</i> Pic, 1906, <i>Cantharis</i>	246
<i>margae</i> Stibick, 1980, <i>Ligmargus</i>	155
<i>margarethae</i> Ritsema, 1900, <i>Helota</i>	496
<i>margelanicus</i> Heyden, 1881, <i>Cardiophorus</i>	199
<i>margelanus</i> Majer, 1991, <i>Dasytidius</i>	390
<i>margheritae</i> Guglielmi & Platia, 1985, <i>Athous</i>	162
<i>marginalis</i> Broun, 1880, <i>Cartodere</i>	636
<i>marginalis</i> Gebler, 1830, <i>Mycetina</i>	565
<i>marginalis</i> Kapur, 1956, <i>Sticholotis</i>	571
<i>marginalis</i> Kishii, 1994, <i>Glyphonyx</i>	110
<i>marginalis</i> Laporte, 1840, <i>Axinotarsus</i>	440
<i>marginalis</i> Motschulsky, 1860, <i>Meligethes</i>	481
<i>marginalis</i> P. Rossi, 1794, <i>Scymnus</i>	590
<i>marginaloides</i> Canepari, 1997, <i>Hyperaspis</i>	577
<i>marginata</i> A. Fleischer, 1909, <i>Atomaria</i>	529
<i>marginata</i> Arrow, 1925, <i>Megalodacne</i>	540
<i>marginata</i> Dalla Torre, 1879, <i>Epuraea</i>	463
<i>marginata</i> Dalla Torre, 1879, <i>Nitidula</i>	474
<i>marginata</i> Fabricius, 1801, <i>Xylopsocus</i>	325
<i>marginata</i> Fabricius, 1781, <i>Amphotis</i>	471
<i>marginata</i> Geoffroy, 1785, <i>Calvia</i>	608
<i>marginata</i> Grouvelle, 1894, <i>Aethina</i>	471
<i>marginata</i> Heyden, 1890, <i>Melyris</i>	387
<i>marginata</i> Küster, 1851, <i>Danacea</i>	397
<i>marginata</i> Paykull, 1798, <i>Globicornis</i>	316
<i>marginata</i> Rücker, 1983, <i>Dienerella</i>	636
<i>marginata</i> Stephens, 1830, <i>Cantharis</i>	247
<i>marginata</i> Thunberg, 1784, <i>Adalia</i>	604
<i>marginatum</i> Reitter, 1886, <i>Nosodendron</i>	299
<i>marginatus</i> Baudi di Selve, 1874, <i>Anthodromius</i>	386
<i>marginatus</i> Champion, 1924, <i>Heterostilbus</i>	507
<i>marginatus</i> Fiori, 1905, <i>Cybocephalus</i>	489
<i>marginatus</i> Fischer von Waldheim, 1842, <i>Dasytes</i>	402
<i>marginatus</i> Fleutiaux, 1923, <i>Rhagomicrus</i>	83
<i>marginatus</i> Gredler, 1870, <i>Meligethes</i>	481
<i>marginatus</i> Latreille, 1806, <i>Malthodes</i>	291
<i>marginatus</i> Lewis, 1895, <i>Cyphonocerus</i>	225
<i>marginatus</i> Linnaeus, 1758, <i>Dalopius</i>	119
<i>marginatus</i> Papp, 1943, <i>Selatosomus</i>	181

<i>marginatus</i> Paykull, 1798, <i>Latridius</i>	639
<i>marginatus</i> Pic, 1931, <i>Anostirus</i>	174
<i>marginatus</i> Pic, 1921, <i>Stagetus</i>	346
<i>marginatus</i> Reitter, 1884, <i>Tetrabrachys</i>	574
<i>marginatus</i> Rottenberg, 1871, <i>Aplocnemus</i>	411
<i>marginatus</i> Thunberg, 1781, <i>Dermestes</i>	301
<i>marginatus</i> Walth, 1835, <i>Troglops</i>	454
<i>marginatus</i> Wittmer, 1979, <i>Penhedybius</i>	438
<i>marginella</i> Baudi di Selve, 1859, <i>Rhagonycha</i>	267
<i>marginella</i> Fabricius, 1801, <i>Hyperaspis</i>	578
<i>marginella</i> O. F. Müller, 1776, <i>Harmonia</i>	616
<i>marginella</i> Quensel, 1790, <i>Hyperaspis</i>	578
<i>marginella</i> Thunberg, 1795, <i>Adalia</i>	604
<i>marginellus</i> A. G. Olivier, 1790, <i>Clanoptilus</i>	444
<i>marginellus</i> Fabricius, 1787, <i>Denticollis</i>	168
<i>marginellus</i> Herbst, 1806, <i>Athous</i>	160
<i>marginellus</i> Hope, 1831, <i>Diaphanes</i>	226
<i>marginellus</i> Motschulsky, 1860, <i>Podabrus</i>	238
<i>marginellus</i> Motschulsky, 1858, <i>Carpophilus</i>	466
<i>marginellus</i> Perris, 1864, <i>Cidnopus</i>	164
<i>marginemaculata</i> Brahm, 1790, <i>Coccinella</i>	610
<i>marginepunctata</i> Marsham, 1802, <i>Adalia</i>	604
<i>marginepunctata</i> Schaller, 1783, <i>Harmonia</i>	616
<i>marginicollis</i> Boheman, 1858, <i>Dictyopectera</i>	214
<i>marginicollis</i> Ganglbauer, 1906, <i>Malthinus</i>	281
<i>marginicollis</i> Grouvelle, 1914, <i>Loberus</i>	537
<i>marginicollis</i> Handschuch, 1847, <i>Attagenus</i>	308
<i>marginicollis</i> Hope, 1831, <i>Epilachna</i>	628
<i>marginicollis</i> Kraatz, 1882, <i>Malachius</i>	450
<i>marginicollis</i> Lewis, 1894, <i>Nothodes</i>	165
<i>marginicollis</i> Nakane, 1969, <i>Plateros</i>	220
<i>marginicollis</i> P. H. Lucas, 1846, <i>Clanoptilus</i>	442
<i>marginicollis</i> Reitter, 1890, <i>Athous</i>	159
<i>marginicollis</i> Reitter, 1891, <i>Chaetomalachius</i>	389
<i>marginicollis</i> Reitter, 1888, <i>Atomaria</i>	526
<i>marginicollis</i> Schaum, 1859, <i>Thorictus</i>	304
<i>marginicollis</i> Schilsky, 1892, <i>Malthodes</i>	291
<i>marginicollis</i> Schilsky, 1897, <i>Aplocnemus</i>	411
<i>marginipennis</i> Bourgeois, 1888, <i>Malthinus</i>	282
<i>marginipennis</i> Fairmaire, 1866, <i>Cebrio</i>	91
<i>marginipennis</i> Gestro, 1882, <i>Tenerus</i>	384
<i>marginipennis</i> Lewis, 1894, <i>Cidnopus</i>	164
<i>marginipennis</i> P. H. Lucas, 1846, <i>Agriotes</i>	117
<i>marginithorax</i> Wittmer, 1972, <i>Rhagonycha</i>	265
<i>marginiventris</i> Reiche & Saulcy, 1857, <i>Cantharis</i>	243
<i>mariae</i> Abeille de Perrin, 1885, <i>Malachius</i>	449
<i>mariae</i> Mulsant, 1853, <i>Propylea</i>	623
<i>mariae</i> Pic, 1952, <i>Cantharis</i>	243
<i>mariae</i> Ritsema, 1899, <i>Helota</i>	496
<i>mariei</i> Méquignon, 1928, <i>Athous</i>	157

<i>mariei</i> Méquignon, 1940, <i>Xyletinus</i>	361
<i>marikovskii</i> Savoyskaya, 1969, <i>Scymniscus</i>	583
<i>marinellus</i> Kovář, 2007, <i>Scymnus</i>	590
<i>marinus</i> Fabricius, 1787, <i>Dermestes</i>	301
<i>marinus</i> Heyden, 1882, <i>Rhyzobius</i>	573
<i>marinus</i> Kamiya, 1961, <i>Scymnus</i>	590
<i>marinus</i> Mulsant, 1850, <i>Scymnus</i>	583
<i>maritima</i> Fiori, 1914, <i>Cantharis</i>	244
<i>maritima</i> Majer, 1997, <i>Amauronia</i>	393
<i>maritima</i> Ménétrés, 1832, <i>Ceratomegilla</i>	609
<i>maritima</i> Motschulsky, 1866, <i>Dienerella</i>	636
<i>maritima</i> Pic, 1902, <i>Rhagonycha</i>	263
<i>maritima</i> Reitter, 1884, <i>Lycoperdina</i>	565
<i>maritimum</i> Reitter, 1904, <i>Sphaerosoma</i>	555
<i>maritimus</i> Casey, 1898, <i>Amphicerus</i>	321
<i>maritimus</i> Curtis, 1840, <i>Fleutiauxellus</i>	187
<i>maritimus</i> Dolin, 1971, <i>Cardiophorus</i>	198
<i>maritimus</i> Géné, 1839, <i>Attagenus</i>	309
<i>maritimus</i> Kazantsev, 1995, <i>Pyropterus</i>	216
<i>maritimus</i> Kazantsev, 1996, <i>Podabrus</i>	238
<i>maritimus</i> Pic, 1899, <i>Malthinus</i>	278
<i>marmorata</i> K. Papp, 1943, <i>Subcoccinella</i>	631
<i>marmorata</i> Schwarz, 1905, <i>Penia</i>	185
<i>marmoratus</i> Bourgeois, 1902, <i>Micropodabrus</i>	257
<i>marmoratus</i> Reitter, 1877, <i>Ptilineurus</i>	348
<i>marmoratus</i> Reitter, 1889, <i>Biphyllus</i>	548
<i>marmoratus</i> Wollaston, 1865, <i>Sphaericus</i>	337
<i>marmottani</i> Bonvouloir, 1871, <i>Isorhipis</i>	84
<i>marmottani</i> Buysson, 1912, <i>Cardiophorus</i>	198
<i>marmottani</i> C. N. F. Brisout de Barneville, 1872, <i>Meligethes</i>	483
<i>marmottani</i> Fairmaire, 1868, <i>Hyperaspis</i>	577
<i>marmottani</i> Peyron, 1877, <i>Microlipus</i>	450
<i>marocana</i> Pic, 1949, <i>Rhagonycha</i>	267
<i>marocana</i> Švihla, 1990, <i>Rhagonycha</i>	262
<i>marocanus</i> Buysson, 1918, <i>Melanotus</i>	144
<i>marocanus</i> Háva, 1999, <i>Dermestes</i>	301
<i>marocanus</i> Pic, 1930, <i>Malthodes</i>	291
<i>marocanus</i> Pic, 1944, <i>Pardonius</i>	429
<i>marocanus</i> Wittmer, 1971, <i>Malthinus</i>	281
<i>maroccana</i> Bedel, 1921, <i>Cantharis</i>	243
<i>maroccana</i> Español, 1968, <i>Clada</i>	353
<i>maroccana</i> Kocher, 1953, <i>Henosepilachna</i>	629
<i>maroccanus</i> Chevrolat, 1874, <i>Cebrio</i>	91
<i>maroccanus</i> Dajoz, 1969, <i>Abromus</i>	548
<i>maroccanus</i> Easton, 1956, <i>Meligethes</i>	484
<i>maroccanus</i> Kraatz, 1894, <i>Trichodes</i>	380
<i>maroccanus</i> Reitter, 1884, <i>Tenebroides</i>	365
<i>maroccanus</i> Schimmel, 1992, <i>Ampedus</i>	124
<i>maroniensis</i> Pic, 1927, <i>Tricorynus</i>	355
<i>maronita</i> Bonvouloir, 1871, <i>Dromaeolus</i>	86

maronitus Pic, 1903, <i>Malthodes</i>	291
marraquense Escalera, 1914, <i>Cebrio</i>	91
marraquensis Escalera, 1914, <i>Dignomus</i>	331
marraquensis Escalera, 1914, <i>Attalus</i>	420
marraquensis Escalera, 1914, <i>Psiloderes</i>	452
<i>marrubii</i> C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	484
marsaleki Majer, 1996, <i>Dasytidius</i>	390
marseuli Bedel & Bourgeois, 1901, <i>Rhagonycha</i>	268
marseuli Gorham, 1873, <i>Eucteanus</i>	561
marseuli Reitter, 1873, <i>Epuraea</i>	461
<i>marseulii</i> Matthews, 1890, <i>Arthrolips</i>	632
<i>marshami</i> Stephens, 1830, <i>Cryptophagus</i>	518
marsueli Bedel, 1868, <i>Triplax</i>	544
martae Švihla, 2004, <i>Lycocerus</i>	251
martensi C. Johnson, 1977, <i>Corticaria</i>	644
martensi Canepari, 1997, <i>Scymnus</i>	586
martensi Kazantsev, 1993, <i>Punicealis</i>	216
martensi Kirejtshuk, 1998, <i>Epuraea</i>	463
martensi Platia & Schimmel, 1991, <i>Silesis</i>	112
martensi Platia & Schimmel, 2001, <i>Melanotus</i>	146
martensi Schimmel & Platia, 1991, <i>Dima</i>	184
martensi Schimmel & Platia, 1991, <i>Penia</i>	185
<i>martensi</i> Sengupta, 1980, <i>Cryptophagus</i>	517
martensi Wittmer, 1979, <i>Falsopodabrus</i>	248
<i>martialis</i> Pic, 1914, <i>Agriotes</i>	118
<i>martialis</i> Pic, 1908, <i>Cantharis</i>	244
<i>martialis</i> Pic, 1918, <i>Axinotarsus</i>	440
martinae Platia, 2003, <i>Athous</i>	160
<i>martinezi</i> Escalera, 1917, <i>Ptinus</i>	334
<i>martinezi</i> Reitter, 1904, <i>Athous</i>	160
<i>martini</i> Buysson, 1901, <i>Megathous</i>	171
<i>martini</i> C. N. F. Brisout de Barneville, 1878, <i>Amphotis</i>	471
<i>martini</i> Fairmaire, 1896, <i>Trichodes</i>	378
<i>martini</i> Pic, 1908, <i>Rhagonycha</i>	265
<i>martini</i> Pic, 1893, <i>Ptinus</i>	335
<i>martini</i> Pic, 1893, <i>Ptinus</i>	335
<i>martini</i> Pic, 1904, <i>Danacea</i>	397
<i>martini</i> Pic, 1917, <i>Troglops</i>	454
<i>martini</i> Platia & Gudenzi, 2003, <i>Dicronychus</i>	205
<i>martini</i> Zeising & Sieg, 1992, <i>Ampedus</i>	124
martinsi Wasmann, 1925, <i>Thorictus</i>	304
<i>martynovi</i> Plavilshchikov, 1924, <i>Opetiopalpus</i>	383
marussii Kapur, 1973, <i>Coccinella</i>	611
marussii Pic, 1955, <i>Lamprigera</i>	229
maruyamai Kishii, 2001, <i>Pectocera</i>	95
maruyamanus Ôhira, 1992, <i>Ampedus</i>	124
masaakii Nakane, 1990, <i>Asiopodabrus</i>	235
masafumii Ôhira, 1973, <i>Platynychus</i>	207
masakianus Kishii, 1977, <i>Melanotus</i>	146
masakii Kishii, 1979, <i>Hayekpenthes</i>	136

masakii Kishii, 1975, <i>Sawadapenthes</i>	138
masakii Kishii, 1975, <i>Melanotus</i>	150
masamichii Kishii, 1990, <i>Ampedus</i>	125
masamichii Kishii, 2004, <i>Melanotus</i>	146
masataikai Takahashi, 2003, <i>Yukikoa</i>	273
masataikai Takahashi & Kiriyama, 2003, <i>Asiopodabrus</i>	235
masatoi Kishii, 2002, <i>Ampedus</i>	125
masatoi Takahashi, 1999, <i>Asiopodabrus</i>	235
mascae Evers, 1961, <i>Attalus</i>	422
mascarensis Corporaal, 1932, <i>Thanasimus</i>	375
mascarensis Reitter, 1875, <i>Cryptophagus</i>	515
masculatus Ôhira, 1966, <i>Ampedus</i>	125
masculiantennatus Escalera, 1933, <i>Attalus</i>	424
mashanus G. Yu, 1994, <i>Cybocephalus</i>	489
masoae Platia, 2003, <i>Athous</i>	160
masoni Reitter, 1900, <i>Aposericoderus</i>	633
maspalomensis Palm, 1975, <i>Malthinus</i>	281
maspalomensis Palm, 1975, <i>Phalacrus</i>	511
massanae Marquet, 1875, <i>Bothrideres</i>	551
massiei Fleutiaux, 1895, <i>Agrypnus</i>	99
massiei Fleutiaux, 1940, <i>Ludioschema</i>	132
massiliensis Abeille de Perrin, 1896, <i>Malthodes</i>	290
massiliensis Pic, 1911, <i>Ptinus</i>	334
massinisa Escalera, 1926, <i>Axinotarsus</i>	440
massurae Levrat, 1859, <i>Cantharis</i>	243
mastersi T. Blackburn, 1892, <i>Coelophora</i>	614
mastigoides Ren & X.-F. Pang, 1995, <i>Scymnus</i>	586
matensis Pic, 1923, <i>Lycocerus</i>	252
materliki Toskina, 2002, <i>Xyletinus</i>	359
mateui Cobos, 1970, <i>Cardiophorus</i>	202
mateui Pardo Alcaide, 1954, <i>Attalus</i>	422
mateui Pic, 1954, <i>Aplocnemus</i>	412
mathieui Pic, 1900, <i>Malthinus</i>	283
mathieui Pic, 1903, <i>Malthodes</i>	291
mathieui Pic, 1925, <i>Dasytes</i>	402
matysi Dolin, 1992, <i>Oedostethus</i>	189
matysi Kazantsev, 1994, <i>Rhagonycha</i>	265
matobai Kishii, 1974, <i>Glyphonyx</i>	110
matobai Kishii, 1982, <i>Ampedus</i>	125
matobai Kishii, 1973, <i>Amamipenthes</i>	135
matobai Kishii, 1973, <i>Ectamenogonus</i>	136
matobai Kishii, 1973, <i>Priopus</i>	152
matobai Kishii, 1974, <i>Quasimus</i>	191
matronalis Audisio & Spornraft, 1990, <i>Meligethes</i>	484
matsudai Bocák, 1996, <i>Erotides</i>	215
matsumurae Miwa, 1929, <i>Campsosternus</i>	94
matsumurai M. Chûjô, 1941, <i>Episcaphula</i>	540
matsumurai Majer, 1995, <i>Mimothrix</i>	392
matsumurai Miyatake, 1985, <i>Chilocorus</i>	593
matsumurai Nakane, 1963, <i>Pyrocoelia</i>	229

matsumurai Sasaji, 1968, <i>Aspidimerus</i>	575
matsumurai Schenkling, 1927, <i>Melanotus</i>	146
matsunagai Imasaka & Okushima, 2000, <i>Lycocerus</i>	251
<i>matsushitai</i> Kôno, 1938, <i>Elateroides</i>	362
matsuzawai M. Chûjô, 1955, <i>Anadastus</i>	533
matthewsi Bowestead, 2003, <i>Catoptyx</i>	635
matthewsi Reitter, 1885, <i>Teplinus</i>	634
matthiesseni Reitter, 1906, <i>Hylis</i>	83
matzenaueri J. Müller, 1913, <i>Anommatus</i>	550
mauli Gardner & Classey, 1962, <i>Brachypeplus</i>	478
maunsonica Jadwiszczak & Węgrzynowicz, 2003, <i>Henosepilachna</i>	629
maura Motschulsky, 1866, <i>Melanophthalma</i>	648
<i>maura</i> O'Mahony, 1927, <i>Rhyzobius</i>	573
<i>maura</i> Pic, 1921, <i>Cantharis</i>	243
<i>mauritanica</i> A. G. Olivier, 1790, <i>Nyctophila</i>	228
<i>mauritanica</i> A. G. Olivier, 1790, <i>Nyctophila</i>	228
<i>mauritanica</i> Linnaeus, 1767, <i>Pelania</i>	228
<i>mauritanica</i> P. H. Lucas, 1846, <i>Cantharis</i>	243
<i>mauritanicus</i> Desbrochers des Loges, 1869, <i>Cardiophorus</i>	201
<i>mauritanicus</i> Español, 1963, <i>Gastrallus</i>	340
<i>mauritanicus</i> Linnaeus, 1758, <i>Tenebroides</i>	365
<i>mauritanicus</i> Motschulsky, 1858, <i>Dicronychus</i>	205
<i>mauritanicus</i> P. H. Lucas, 1846, <i>Melanotus</i>	144
<i>mauritanicus</i> P. H. Lucas, 1842, <i>Drilus</i>	209
<i>mauritanicus</i> P. H. Lucas, 1846, <i>Thorictus</i>	304
<i>mauritanicus</i> P. H. Lucas, 1846, <i>Ptinus</i>	334
<i>mauritanicus</i> P. H. Lucas, 1846, <i>Divales</i>	406
<i>mauritanicus</i> P. H. Lucas, 1846, <i>Cyrtosus</i>	446
<i>mauritanicus</i> Pic, 1912, <i>Malthodes</i>	291
<i>mauriti</i> Abeille de Perrin, 1900, <i>Colotes</i>	428
<i>maurus</i> Desbrochers des Loges, 1870, <i>Cardiophorus</i>	201
<i>maurus</i> Gurjeva, 1976, <i>Adrastus</i>	109
<i>maurus</i> Gurjeva, 1979, <i>Melanotus</i>	142
<i>maurus</i> Herbst, 1806, <i>Drapetes</i>	208
<i>maurus</i> Laporte, 1840, <i>Malthodes</i>	291
<i>maurus</i> Schilsky, 1895, <i>Aplocnemus</i>	411
<i>maurus</i> Sturm, 1845, <i>Meligethes</i>	484
<i>mausoni</i> Hayek, 1973, <i>Lacon</i>	101
<i>mausonica</i> Heller, 1920, <i>Episcapha</i>	540
<i>maxima</i> Bedel, 1871, <i>Micrencaustes</i>	539
<i>maxima</i> Heller, 1923, <i>Soronia</i>	476
<i>maxima</i> J. Weise, 1898, <i>Epilachna</i>	628
<i>maxima</i> Pic, 1903, <i>Clada</i>	353
<i>maxima</i> Schilsky, 1894, <i>Dolichosoma</i>	407
<i>maximiceps</i> Pic, 1917, <i>Malthinus</i>	283
<i>maximus</i> Escherich, 1892, <i>Trichodes</i>	379
<i>maximus</i> Fairmaire, 1852, <i>Phalacrus</i>	511
<i>maximus</i> Grouvelle, 1913, <i>Pseudonausibius</i>	500
<i>maximus</i> Pic, 1938, <i>Aulonothroscus</i>	88
<i>maximus</i> Pic, 1907, <i>Themus</i>	272

<i>maximus</i> Tournier, 1889, <i>Olibrus</i>	510
<i>mayeti</i> Guillebeau, 1892, <i>Phalacrus</i>	511
<i>mayeti</i> Mulsant, 1866, <i>Harmonia</i>	615
<i>mayeti</i> Pic, 1914, <i>Ernobius</i>	350
<i>mazarakii</i> Baeckman, 1903, <i>Malachius</i>	449
<i>mazetieri</i> Falcoz, 1929, <i>Cryptophagus</i>	520
<i>mazokhini</i> Toskina, 1999, <i>Lasioderma</i>	358
<i>mazuri</i> Borowski, 1995, <i>Eurostoptinus</i>	331
<i>m-disjunctum</i> Buysson, 1912, <i>Aeoloderma</i>	103
<i>mecheriensis</i> John, 1965, <i>Thorictus</i>	305
<i>mecheriensis</i> Pic, 1898, <i>Danacea</i>	397
<i>media</i> Gmelin, 1790, <i>Cantharis</i>	242
<i>media</i> Li, 1961, <i>Epilachna</i>	628
<i>medianus</i> Pic, 1922, <i>Stenotarsus</i>	568
<i>medianus</i> Platia & Schimmel, 2002, <i>Melanotus</i>	146
<i>medianus</i> Wittmer, 1974, <i>Malthinus</i>	281
<i>mediatlantis</i> Kocher, 1952, <i>Cebrio</i>	91
<i>mediocrenotatus</i> Pic, 1914, <i>Malthinus</i>	283
<i>mediocricornis</i> Pic, 1918, <i>Malthodes</i>	291
<i>mediocris</i> Gurjeva, 1972, <i>Oedostethus</i>	189
<i>mediocris</i> Majer, 1986, <i>Trichoceble</i>	414
<i>mediofasciatus</i> Pic, 1903, <i>Diacanthous</i>	169
<i>mediofasciatus</i> Pic, 1934, <i>Themus</i>	270
<i>mediofasciatus</i> Westwood, 1852, <i>Omadius</i>	372
<i>mediojunctus</i> Mader, 1936, <i>Bolbomorphus</i>	560
<i>mediojunctus</i> Pic, 1921, <i>Bolbomorphus</i>	560
<i>mediopunctata</i> Penecke, 1901, <i>Adalia</i>	604
<i>mediopunctata</i> Sajó, 1881, <i>Hippodamia</i>	618
<i>mediopustulatus</i> Schrank, 1798, <i>Chilocorus</i>	593
<i>mediozonatus</i> Fairmaire, 1892, <i>Wittmeridecus</i>	370
<i>mediozonatus</i> Nakane, 1955, <i>Mesolycus</i>	214
<i>mediterraneus</i> Abeille de Perrin, 1882, <i>Ebaeus</i>	429
<i>mediterraneus</i> Endrödy-Younga, 1968, <i>Cybocephalus</i>	489
<i>mediterraneus</i> Iablokoff-Khnzorian, 1972, <i>Scymnus</i>	583
<i>mediterraneus</i> Wittmer, 1974, <i>Malthinus</i>	281
<i>mediterranea</i> Otero & Johnson, 2001, <i>Micrambe</i>	522
<i>medius</i> Grouvelle, 1914, <i>Biphyllus</i>	548
<i>medius</i> Rey, 1889, <i>Meligethes</i>	484
<i>medius</i> Rottenberg, 1871, <i>Dasytidius</i>	390
<i>medogensis</i> Jing, 1987, <i>Xanthadalia</i>	625
<i>medvedevi</i> Dolin, 1960, <i>Agriotes</i>	116
<i>medvedevi</i> Dolin, 1997, <i>Melanotus</i>	146
<i>medvedevi</i> Gurjeva, 1977, <i>Ampedus</i>	125
<i>medvedevi</i> Gurjeva, 1966, <i>Cardiophorus</i>	198
<i>medvedevi</i> Kazantsev, 1993, <i>Macrolycus</i>	213
<i>medvedevi</i> Kazantsev, 1990, <i>Punicealis</i>	216
<i>medvedevi</i> Kirejtshuk, 1978, <i>Meligethes</i>	484
<i>medvedevi</i> Logvinovskiy, 1977, <i>Xyletinus</i>	359
<i>medvedevi</i> Wittmer, 1992, <i>Malthodes</i>	291
<i>medvedevi</i> Wittmer, 1979, <i>Troglocollops</i>	419

medvedevi Wittmer, 1970, <i>Ebaeus</i>	431
<i>megacephala</i> Kiesenwetter, 1859, <i>Amauronia</i>	393
<i>megacephalus</i> Spinola, 1844, <i>Cylidrus</i>	367
<i>megadoma</i> Sturm, 1826, <i>Attagenus</i>	310
<i>megalcephalus</i> Champion, 1924, <i>Mimemodes</i>	493
<i>megalophtalmus</i> Ganglbauer, 1911, <i>Malthodes</i>	292
<i>megastigma</i> Fürsch, 1958, <i>Scymnus</i>	589
<i>megathorax</i> Faldermann, 1835, <i>Cardiophorus</i>	198
<i>megatoma</i> Fabricius, 1798, <i>Attagenus</i>	310
<i>megatomoides</i> Reitter, 1881, <i>Trogoderma</i>	319
<i>megatomoides</i> Roubal, 1917, <i>Xyletinus</i>	359
<i>megerlei</i> Lacordaire, 1835, <i>Brachygonus</i>	129
<i>megesticus</i> Wittmer, 1935, <i>Malthodes</i>	291
<i>meghriensis</i> Iablokoff-Khnzorian, 1978, <i>Triplax</i>	544
<i>mehadiensis</i> Ganglbauer, 1899, <i>Atomaria</i>	525
<i>mehadiensis</i> Motschulsky, 1854, <i>Luciola</i>	232
<i>meieri</i> Reitter, 1897, <i>Tricorynus</i>	355
<i>meionitida</i> Bowstead, 1999, <i>Arthrolips</i>	632
<i>meisteri</i> Gredler, 1857, <i>Rhagonycha</i>	265
<i>meisteri</i> Reitter, 1884, <i>Ptinus</i>	336
<i>mekaliensis</i> Pic, 1912, <i>Cardiophorus</i>	195
<i>mekrani</i> Candèze, 1889, <i>Lacon</i>	101
<i>melaleucotrichos</i> Graells, 1858, <i>Allotarsus</i>	400
<i>melampus</i> Illiger, 1807, <i>Cardiophorus</i>	198
<i>melanaria</i> Mulsant, 1850, <i>Synona</i>	624
<i>melanarius</i> Förster, 1849, <i>Meligethes</i>	485
<i>melanarius</i> Gourreau, 1970, <i>Scymnus</i>	587
<i>melancholica</i> Dalla Torre, 1879, <i>Podabrus</i>	237
<i>melancholicus</i> Fabricius, 1798, <i>Selatosomus</i>	181
<i>melancholicus</i> Reitter, 1871, <i>Meligethes</i>	487
<i>melanica</i> Hatch, 1962, <i>Atomaria</i>	528
<i>melanocara</i> Gistel, 1857, <i>Corticarina</i>	646
<i>melanocephala</i> Creutzer, 1797, <i>Rhagonycha</i>	265
<i>melanocephala</i> Gandolphe, 1865, <i>Cebrio</i>	90
<i>melanocephala</i> Herbst, 1784, <i>Rhagonycha</i>	265
<i>melanocephala</i> L. Redtenbacher, 1858, <i>Melyris</i>	387
<i>melanocephala</i> Lacordaire, 1842, <i>Triplax</i>	544
<i>melanocephala</i> Latreille, 1804, <i>Triplax</i>	544
<i>melanocephala</i> Marsham, 1802, <i>Epuraea</i>	465
<i>melanocephala</i> Motschulsky, 1860, <i>Triplacidea</i>	543
<i>melanocephalum</i> Herbst, 1793, <i>Paramecosoma</i>	523
<i>melanocephalum</i> Schilsky, 1899, <i>Lasioderma</i>	358
<i>melanocephalus</i> A. G. Olivier, 1808, <i>Ancylopus</i>	562
<i>melanocephalus</i> Desbrochers des Loges, 1870, <i>Agriotes</i>	117
<i>melanocephalus</i> Fabricius, 1781, <i>Melanoxanthus</i>	137
<i>melanocephalus</i> Fleutiaux, 1918, <i>Silesis</i>	112
<i>melanocephalus</i> Germar, 1839, <i>Cebrio</i>	91
<i>melanocephalus</i> Leach, 1824, <i>Cebrio</i>	92
<i>melanocephalus</i> Marsham, 1802, <i>Malthodes</i>	291
<i>melanocephalus</i> P. H. Lucas, 1846, <i>Cebrio</i>	91

<i>melanocephalus</i> Rebmann, 1956, <i>Meligethes</i>	488
<i>melanocephalus</i> Zubkov, 1833, <i>Parexochomus</i>	595
<i>melanocera</i> Schummel, 1844, <i>Rhagonycha</i>	266
<i>melanodera</i> Eschscholtz, 1818, <i>Rhagonycha</i>	265
<i>melanoderes</i> Mulsant & Guillebeau, 1855, <i>Athous</i>	159
<i>melanogastrica</i> Motschulsky, 1860, <i>Cantharis</i>	244
<i>melanoleucus</i> Solsky, 1876, <i>Anthrenus</i>	312
<i>melanoleura</i> LeConte, 1859, <i>Adalia</i>	602
<i>melanopepla</i> Mulsant, 1850, <i>Synona</i>	624
<i>melanophthalmus</i> Geoffroy, 1785, <i>Athous</i>	160
<i>melanophthalma</i> Gmelin, 1790, <i>Coccidula</i>	572
<i>melanophthalma</i> Mannerheim, 1844, <i>Corticaria</i>	645
<i>melanophthalmos</i> Gmelin, 1790, <i>Stenagostus</i>	172
<i>melanophthalmus</i> Majer, 1990, <i>Flavojulistus</i>	414
<i>melanoptera</i> Eschscholtz, 1818, <i>Cantharis</i>	243
<i>melanopus</i> Evers, 1966, <i>Attalus</i>	420
<i>melanopus</i> Harold, 1878, <i>Lycocerus</i>	254
<i>melanorhynchus</i> Abeille de Perrin, 1890, <i>Haplomalachius</i>	447
<i>melanoscelis</i> Kolenati, 1846, <i>Cantharis</i>	246
<i>melanosternus</i> Harold, 1879, <i>Anadastus</i>	533
<i>melanostoma</i> Brullé, 1832, <i>Psilothrix</i>	408
<i>melanota</i> Mulsant, 1850, <i>Coelophora</i>	614
<i>melanothorax</i> Candèze, 1860, <i>Dicronychus</i>	204
<i>melanotites</i> Gredler, 1863, <i>Brachygonus</i>	129
<i>melanotoides</i> Miwa, 1930, <i>Melanotus</i>	151
<i>melanotoides</i> Reitter, 1891, <i>Ectamenogonus</i>	136
<i>melanoxanthoides</i> Fleutiaux, 1918, <i>Xanthopenthes</i>	139
<i>melantoides</i> Fleutiaux, 1940, <i>Ludigenoides</i>	132
<i>melanura</i> A. G. Olivier, 1790, <i>Rhagonycha</i>	263
<i>melanura</i> Kollar & L. Redtenbacher, 1848, <i>Idgia</i>	385
<i>melanurus</i> Candèze, 1878, <i>Melanoxanthus</i>	137
<i>melanurus</i> Gorham, 1877, <i>Tenerus</i>	383
<i>melanurus</i> Mulsant & Guillebeau, 1855, <i>Ampedus</i>	125
<i>melanurus</i> Schwarz, 1896, <i>Aphanobius</i>	131
<i>melas</i> Fairmaire, 1866, <i>Cebrio</i>	92
<i>melas</i> J. Weise, 1898, <i>Chilocorus</i>	593
<i>melas</i> Koenig, 1887, <i>Anostirus</i>	174
<i>melasoides</i> Laporte, 1835, <i>Isorhipis</i>	84
<i>melaspis</i> Chevrolat, 1854, <i>Cantharis</i>	243
<i>melaspoides</i> Wittmer, 1971, <i>Cantharis</i>	243
<i>meles</i> Buysson, 1906, <i>Hemicrepidius</i>	170
<i>meligethoides</i> Reitter, 1873, <i>Aethina</i>	471
<i>melillense</i> Escalera, 1914, <i>Cebrio</i>	92
<i>melina</i> Erichson, 1843, <i>Epuraea</i>	461
<i>melitensis</i> Bourgeois, 1885, <i>Dasytidius</i>	390
<i>melitensis</i> Pic, 1903, <i>Niptodes</i>	332
<i>melitensis</i> Schilsky, 1897, <i>Aplocnemus</i>	411
<i>melittensis</i> Peyron, 1877, <i>Attalus</i>	422
<i>melli</i> Platia & Schimmel, 2001, <i>Melanotus</i>	146
<i>mellii</i> Hope, 1842, <i>Pectocera</i>	95

<i>mellii</i> Westwood, 1848, <i>Helota</i>	496
<i>mellinus</i> Canepari, 1997, <i>Scymnus</i>	586
<i>mellitula</i> Reitter, 1873, <i>Epuraea</i>	463
<i>mellitulus</i> Reitter, 1872, <i>Meligethes</i>	484
<i>mellonii</i> Platia & Schimmel, 2001, <i>Melanotus</i>	146
<i>meloiformis</i> Linder, 1863, <i>Malthodes</i>	285
<i>melonii</i> Platia, 1984, <i>Athous</i>	162
<i>melonii</i> Platia & Gudenzi, 2000, <i>Adrastus</i>	108
<i>melyroides</i> Pic, 1896, <i>Divales</i>	406
<i>membranacea</i> Motschulsky, 1854, <i>Lampyris</i>	227
<i>membranaceus</i> Reitter, 1874, <i>Cybocephalus</i>	489
<i>memnonia</i> Kiesenwetter, 1861, <i>Trichoceble</i>	414
<i>memnonius</i> Erichson, 1845, <i>Meligethes</i>	484
<i>mencey</i> Evers, 1971, <i>Fortunatius</i>	425
<i>mendax</i> Kiesenwetter, 1871, <i>Malthodes</i>	291
<i>mendax</i> Kiesenwetter, 1866, <i>Ebaeus</i>	431
<i>mendax</i> Kuwert, 1894, <i>Clerus</i>	372
<i>mendax</i> Rey, 1891, <i>Cantharis</i>	242
<i>mendax</i> Sahlberg, 1913, <i>Laemophloeus</i>	504
<i>mendeli</i> Dolin & Cate, 2001, <i>Hypnoidus</i>	154
<i>mendesi</i> Platia & Serrano, 2002, <i>Athous</i>	162
<i>mendica</i> A. G. Olivier, 1790, <i>Apate</i>	320
<i>mendica</i> Mulsant, 1850, <i>Coelophora</i>	614
<i>mendizabali</i> Cobos, 1970, <i>Cardiophorus</i>	202
<i>mendoza</i> Heyden, 1897, <i>Hippodamia</i>	617
<i>menetriesi</i> Faldermann, 1837, <i>Leiestes</i>	561
<i>menetriesi</i> Faldermann, 1835, <i>Melanotus</i>	149
<i>menetriesi</i> Mulsant, 1850, <i>Coccinella</i>	612
<i>menetriesi</i> Reitter, 1890, <i>Megathous</i>	171
<i>menetriesii</i> Motschulsky, 1860, <i>Anadastus</i>	533
<i>menetriezi</i> Faldermann, 1839, <i>Cantharis</i>	242
<i>menieri</i> Majer, 1995, <i>Mimothrix</i>	392
<i>menieri</i> Wittmer, 1981, <i>Themus</i>	272
<i>menlungensis</i> X.-F. Pang & Mao, 1979, <i>Ortalia</i>	598
<i>menoko</i> Kishii, 1994, <i>Ampedus</i>	125
<i>menthae</i> C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	481
<i>mentita</i> Lyubarsky, 1999, <i>Atomaria</i>	526
<i>mentonensis</i> Peragallo, 1863, <i>Luciola</i>	232
<i>mephistopheles</i> Escalera, 1921, <i>Cephalogonia</i>	451
<i>mequignoni</i> Fagniez, 1946, <i>Divales</i>	406
<i>mera</i> Majer, 1989, <i>Haplothrix</i>	392
<i>meraculus</i> Reitter, 1889, <i>Brachygonus</i>	129
<i>mercator</i> Fauvel, 1889, <i>Oryzaeophilus</i>	499
<i>mercki</i> Mulsant, 1838, <i>Erotides</i>	215
<i>merditana</i> Apfelbeck, 1911, <i>Danacea</i>	398
<i>merditanum</i> Apfelbeck, 1915, <i>Sphaerosoma</i>	555
<i>meridianus</i> Mulsant, 1862, <i>Malthodes</i>	287
<i>meridianus</i> Švec, 1992, <i>Tinodemus</i>	512
<i>meridionale</i> Laporte, 1840, <i>Caenocara</i>	344
<i>meridionale</i> Reitter, 1883, <i>Sphaerosoma</i>	555

meridionalis Abeille de Perrin, 1885, <i>Cyrtosus</i>	446
meridionalis Coiffait, 1984, <i>Abromus</i>	548
meridionalis Dahlgren, 1975, <i>Rhagonycha</i>	265
<i>meridionalis</i> Desbrochers des Loges, 1869, <i>Agriotes</i>	116
<i>meridionalis</i> Fiori, 1914, <i>Cantharis</i>	244
<i>meridionalis</i> Fürsch, 1958, <i>Scymnus</i>	588
meridionalis Gurjeva, 1966, <i>Cardiophorus</i>	197
<i>meridionalis</i> Kraatz, 1858, <i>Trogoderma</i>	319
<i>meridionalis</i> Küster, 1848, <i>Brachypterus</i>	457
meridionalis Laporte, 1840, <i>Zorochochros</i>	193
<i>meridionalis</i> Motschulsky, 1837, <i>Subcoccinella</i>	631
<i>meridionalis</i> Obenberger, 1916, <i>Korynetes</i>	381
<i>meridionalis</i> Reitter, 1871, <i>Meligethes</i>	484
<i>meridionalis</i> Reitter, 1875, <i>Corticarina</i>	646
meridionalis Schilsky, 1894, <i>Dasytes</i>	402
merkli Fürsch, 1994, <i>Nephus</i>	581
merkli J. Weise, 1895, <i>Malthinus</i>	277
merkli Jadwyszczak, 1989, <i>Afissula</i>	626
merkli Mertlik, 1998, <i>Zorochochros</i>	193
merkli Pic, 1910, <i>Dicronychus</i>	205
merkli Pic, 1895, <i>Ptinus</i>	336
merkli Švec, 1992, <i>Stilbus</i>	512
mersinensis Pic, 1901, <i>Malthodes</i>	291
mersinensis Švihla, 1999, <i>Boveycantharis</i>	239
mertliki Platia, 2003, <i>Agriotes</i>	116
mertliki Platia & Gudenzi, 2002, <i>Athous</i>	162
mertliki Platia & Gudenzi, 1999, <i>Ryukyucardiophorus</i>	207
mertliki Platia & Schimmel, 2001, <i>Melanotus</i>	146
mertliki Platia & Schimmel, 1992, <i>Elathous</i>	164
merula Moscardini, 1962, <i>Cantharis</i>	243
mesasiaticus Dolin, 1995, <i>Zorochochros</i>	193
mesasiaticus Dolin & Latifi, 1997, <i>Cardiophorus</i>	198
mesasiaticus Savoyskaya, 1971, <i>Scymnus</i>	590
<i>mesatlanticus</i> Kocher, 1956, <i>Cebrio</i>	92
<i>mesatlanticus</i> Peyerimhoff, 1948, <i>Callotroglops</i>	451
meschniggi Reitter, 1905, <i>Xerasia</i>	547
<i>mesmini</i> Buysson, 1900, <i>Athous</i>	160
<i>mesmini</i> Pic, 1908, <i>Dasytes</i>	403
mesomela Herbst, 1792, <i>Atomaria</i>	526
<i>mesomelus</i> Linnaeus, 1758, <i>Denticollis</i>	168
mesopotamicus Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
<i>mesopotamicus</i> Escalera, 1923, <i>Thorictus</i>	305
mesopotamicus Háva, 2001, <i>Anthrenus</i>	312
mesopotamicus Lesne, 1937, <i>Xylogenes</i>	324
mesopotamicus Pic, 1906, <i>Trixagus</i>	88
mesopotamicus Pic, 1894, <i>Dignomus</i>	331
<i>mesopotamicus</i> Pic, 1901, <i>Anthocomus</i>	439
mesopotamicus Platia & Gudenzi, 1999, <i>Dicronychus</i>	205
mesopotamicus Švihla, 1983, <i>Malthodes</i>	290
mesopotamicus Wittmer, 1974, <i>Malthinus</i>	281

<i>messenicus</i> Brullé, 1832, <i>Dicronychus</i>	205
<i>messenius</i> Fiori, 1904, <i>Malthodes</i>	290
<i>messi</i> Candèze, 1874, <i>Ceropectus</i>	94
<i>messorobius</i> Dolin, 1971, <i>Selatosomus</i>	181
<i>mestsheryakovi</i> Kirejtshuk, 1992, <i>Epuraea</i>	461
<i>metallescens</i> Abeille de Perrin, 1891, <i>Malachius</i>	448
<i>metallescens</i> Fairmaire, 1896, <i>Idgia</i>	385
<i>metallescens</i> Flach, 1888, <i>Olibrus</i>	509
<i>metallescens</i> Gorham, 1889, <i>Lycocerus</i>	251
<i>metallescens</i> Schaufuss, 1869, <i>Brachypterus</i>	457
<i>metallica</i> Reitter, 1874, <i>Corticaria</i>	643
<i>metallicipennis</i> Fairmaire, 1887, <i>Lycocerus</i>	251
<i>metallicum</i> Candèze, 1895, <i>Ludioschema</i>	132
<i>metallicus</i> Baudi di Selve, 1870, <i>Cybocephalus</i>	489
<i>metallicus</i> Fabricius, 1792, <i>Dasytes</i>	404
<i>metallicus</i> Paykull, 1800, <i>Paraphotistus</i>	179
<i>metallicus</i> Rosenhauer, 1856, <i>Meligethes</i>	487
<i>metallicus</i> Wollaston, 1862, <i>Fortunatius</i>	425
<i>metallipennis</i> Wittmer, 1997, <i>Cantharis</i>	243
<i>metallipennis</i> Wittmer, 1994, <i>Indiebaeus</i>	436
<i>metasobrina</i> M. Chûjô, 1941, <i>Tritoma</i>	546
<i>metasternalis</i> Crotch, 1876, <i>Megalanguria</i>	534
<i>metasternalis</i> Miyatake, 1970, <i>Phaenochilus</i>	595
<i>metasternalis</i> Reitter, 1894, <i>Trichodes</i>	376
<i>meticulosus</i> Candèze, 1863, <i>Agriotes</i>	116
<i>metzneri</i> Schaufuss, 1870, <i>Phosphaenopterus</i>	230
<i>meuseli</i> Reitter, 1905, <i>Athous</i>	162
<i>mexensis</i> Wittmer, 1969, <i>Malthinus</i>	281
<i>mexicanum</i> Sharp, 1885, <i>Tricorynus</i>	355
<i>meybohmi</i> Zeising & Brunne, 2003, <i>Ampedus</i>	125
<i>meyeri</i> Pic, 1953, <i>Malthodes</i>	294
<i>meyeri</i> Stierlin, 1862, <i>Hypnoidus</i>	155
<i>meynieri</i> Peyerimhoff, 1931, <i>Microjulistus</i>	415
<i>meziendi</i> Marseul, 1864, <i>Metacantharis</i>	255
<i>m-fuscum</i> Mulsant, 1866, <i>Adalia</i>	604
<i>miandamensis</i> Schimmel & Platia, 1991, <i>Neoathousius</i>	166
<i>miandamensis</i> Wittmer, 1986, <i>Anthocomus</i>	440
<i>miaoensis</i> Kazantsev, 2002, <i>Cautires</i>	222
<i>mica</i> Gurjeva, 1977, <i>Ampedus</i>	125
<i>micaceus</i> Rey, 1889, <i>Cryptophagus</i>	518
<i>micado</i> Reitter, 1921, <i>Trixagus</i>	88
<i>micans</i> Brenske & Reitter, 1884, <i>Ptinus</i>	335
<i>micans</i> Corporaal & Pic, 1940, <i>Callimerus</i>	371
<i>micans</i> Germar, 1843, <i>Actenicerus</i>	174
<i>micans</i> Harold, 1875, <i>Tetraphala</i>	535
<i>micans</i> Mannerheim, 1829, <i>Lasioderma</i>	358
<i>micans</i> Mulsant & Guillebeau, 1855, <i>Sericus</i>	134
<i>micans</i> Procházka, 1894, <i>Danacea</i>	397
<i>micans</i> Reitter, 1874, <i>Cybocephalus</i>	489
<i>michai</i> Platia & Gudenzi, 2000, <i>Cardiophorus</i>	198

michailovi Dolin, 1988, <i>Melanotus</i>	146
<i>michailovi</i> Gurjeva, 1988, <i>Melanotus</i>	150
michinoku Kishii, 2004, <i>Hypolithus</i>	155
michioi Osawa & Mt. Chûjô, 1990, <i>Micrencaustes</i>	539
michitakai M. Chûjô, 1960, <i>Tritoma</i>	546
micramboides Reitter, 1874, <i>Micrambe</i>	522
microaugustus Platia & Schimmel, 2002, <i>Melanotus</i>	146
microcephalus Candèze, 1882, <i>Cardiophorus</i>	198
microcephalus Pic, 1952, <i>Cephaloncus</i>	452
microgenitalia Li, 1961, <i>Epilachna</i>	628
micronigerinus Takahashi, 1992, <i>Asiopodabrus</i>	235
micronotatus Pic, 1920, <i>Themus</i>	272
microphthalmus Escalera, 1940, <i>Ifnidius</i>	425
microphthalmus Grouvelle, 1919, <i>Antherophagus</i>	514
microps Belon, 1895, <i>Holoparamecus</i>	558
<i>microps</i> Erichson, 1896, <i>Thes</i>	641
microps G. Müller, 1935, <i>Dasytes</i>	400
microps Jelínek, 1984, <i>Rhizophagus</i>	492
<i>micropunctata</i> K. Papp, 1943, <i>Subcoccinella</i>	631
micropygus Wittmer, 1970, <i>Malthodes</i>	291
microthorax Paulian, 1962, <i>Clypastraea</i>	633
<i>microtomus</i> J. R. Sahlberg, 1871, <i>Ernobius</i>	350
micrus Ślipiński, 1988, <i>Philothermus</i>	554
micrus Tomaszewska, 1997, <i>Endomychus</i>	561
midas Kiesenwetter, 1874, <i>Themus</i>	272
miegi Graells, 1858, <i>Adrastus</i>	108
miekoeae Takakura, 1987, <i>Lycocerus</i>	251
mifsudi Švec, 2000, <i>Tinodemus</i>	512
migliaccioi Platia & Schimmel, 1991, <i>Silesis</i>	112
<i>migrator</i> Sharp, 1885, <i>Amphicerus</i>	321
<i>mihalovicsi</i> Kaszab, 1955, <i>Cantharis</i>	245
mikado Lewis, 1896, <i>Phaenochilus</i>	595
<i>mikado</i> Reitter, 1884, <i>Meligethes</i>	482
mikawaensis Ôhira, 1986, <i>Agrypnus</i>	98
mikheechevi Toskina, 1999, <i>Lasioderma</i>	358
miki Reitter, 1888, <i>Sternodea</i>	514
mikunisanus Takahashi, 1992, <i>Asiopodabrus</i>	235
mikyoensis Ôhira, 1998, <i>Ampedus</i>	129
miles Fowler, 1913, <i>Tetraphala</i>	536
miles Lewis, 1894, <i>Ampedus</i>	129
<i>militans</i> Kiesenwetter, 1874, <i>Ponyalis</i>	219
<i>militaris</i> Arrow, 1925, <i>Tetratritoma</i>	543
<i>militaris</i> Dieke, 1947, <i>Epilachna</i>	628
<i>militaris</i> Gorham, 1889, <i>Lycocerus</i>	253
<i>militaris</i> Wollaston, 1854, <i>Attalus</i>	420
milkoi Tshernyshev, 1999, <i>Hypebaeina</i>	433
milkoi Tshernyshev, 1999, <i>Clanoptilus</i>	444
milkoi Zhantiev, 2004, <i>Anthrenus</i>	315
millefolii Paykull, 1800, <i>Olibrus</i>	509
milleri Kiesenwetter, 1860, <i>Rhagonycha</i>	265

<i>milleri</i> Reitter, 1905, <i>Athous</i>	158
<i>milleri</i> Reitter, 1872, <i>Meligethes</i>	481
<i>milleri</i> Reitter, 1875, <i>Cryptophagus</i>	518
<i>milleri</i> Schilsky, 1897, <i>Danacea</i>	395
<i>milleri</i> Wollaston, 1867, <i>Ifnidius</i>	425
<i>milo</i> Germar, 1843, <i>Selatosomus</i>	182
<i>milosi</i> Švihla, 2004, <i>Lycocerus</i>	251
<i>mimetica</i> Dieke, 1947, <i>Afidenta</i>	625
<i>mimeuri</i> Pic, 1953, <i>Mesocoelopus</i>	354
<i>mimica</i> J. Weise, 1902, <i>Oenopia</i>	622
<i>mimica</i> Medvedev & Ryvkin, 1989, <i>Rhagonycha</i>	265
<i>mimica</i> Pic, 1906, <i>Malthinus</i>	283
<i>mimicus</i> Buysson, 1911, <i>Cardiophorus</i>	199
<i>mimicus</i> Pic, 1912, <i>Peripontius</i>	111
<i>mimithorax</i> Pic, 1910, <i>Cantharis</i>	246
<i>mimolewisi</i> Satô, 1982, <i>Thanasimus</i>	375
<i>mimonti</i> Boieldieu, 1859, <i>Opilo</i>	373
<i>mimosinensis</i> Wittmer, 1988, <i>Malthinus</i>	281
<i>mimulus</i> Capra & Fürsch, 1967, <i>Scymnus</i>	591
<i>mimulus</i> Fürsch, 1958, <i>Scymnus</i>	591
<i>minasensis</i> Pic, 1927, <i>Tricorynus</i>	355
<i>minaticus</i> Sengupta, 1983, <i>Stephostethus</i>	641
<i>minckwitzii</i> Della Beffa, 1913, <i>Coccinella</i>	611
<i>mingrelica</i> Kazantsev, 1994, <i>Crudosilis</i>	274
<i>mingrelica</i> Motschulsky, 1845, <i>Luciola</i>	232
<i>mingrelicus</i> Reitter, 1890, <i>Athous</i>	162
<i>minhoensis</i> Coiffait, 1984, <i>Abromus</i>	548
<i>miniaceus</i> Gemminger & Harold, 1869, <i>Anthocomus</i>	439
<i>miniata</i> Hope, 1831, <i>Palaeoneda</i>	622
<i>miniata</i> Mader, 1954, <i>Xanthadalia</i>	625
<i>miniaticollis</i> Candèze, 1860, <i>Cardiophorus</i>	198
<i>miniaticollis</i> Hope, 1831, <i>Priopus</i>	152
<i>miniaticollis</i> Pic, 1902, <i>Xyletinus</i>	361
<i>miniaticollis</i> Tarnier, 1860, <i>Attalus</i>	422
<i>miniatulus</i> Reitter, 1899, <i>Anthrenus</i>	312
<i>miniatus</i> Candèze, 1885, <i>Denticollis</i>	168
<i>miniatus</i> Champion, 1926, <i>Lycocerus</i>	253
<i>miniatus</i> Fairmaire, 1891, <i>Helcophorus</i>	215
<i>miniatus</i> Gorham, 1892, <i>Ampedus</i>	126
<i>miniatus</i> Hope, 1831, <i>Priopus</i>	152
<i>miniatus</i> Kolenati, 1846, <i>Anthocomus</i>	439
<i>miniatus</i> Pic, 1928, <i>Helcophorus</i>	215
<i>miniatus</i> Reiche & Saulcy, 1857, <i>Anthocomus</i>	439
<i>miniatus</i> Reitter, 1888, <i>Malachius</i>	449
<i>minidiversus</i> Platia & Schimmel, 1996, <i>Priopus</i>	152
<i>minima</i> Gorham, 1894, <i>Afidentula</i>	625
<i>minima</i> Grouvelle, 1903, <i>Soronia</i>	477
<i>minima</i> Nikitsky & Kompantzev, 1995, <i>Dacne</i>	537
<i>minima</i> Pic, 1921, <i>Rhagonycha</i>	265
<i>minima</i> Schimmel & Platia, 1991, <i>Paracsikia</i>	184

<i>minimum</i> Sharp, 1885, <i>Cerylon</i>	553
<i>minimus</i> A. G. Olivier, 1790, <i>Malthinus</i>	279
<i>minimus</i> Barovskij, 1910, <i>Tetrabrachys</i>	574
<i>minimus</i> Dolin, 1997, <i>Melanotus</i>	146
<i>minimus</i> Falcoz, 1929, <i>Cryptophagus</i>	521
<i>minimus</i> Grouvelle, 1913, <i>Silvanus</i>	501
<i>minimus</i> Grouvelle, 1914, <i>Cryptophilus</i>	531
<i>minimus</i> Gyllenhal, 1808, <i>Malthodes</i>	288
<i>minimus</i> Heyden, 1870, <i>Niptodes</i>	332
<i>minimus</i> Hisamatsu, 1959, <i>Xylophilus</i>	85
<i>minimus</i> J. R. Sahlberg, 1903, <i>Dasytiscus</i>	391
<i>minimus</i> J. R. Sahlberg, 1903, <i>Dasytes</i>	402
<i>minimus</i> Kraatz, 1894, <i>Trichodes</i>	379
<i>minimus</i> Lacordaire, 1835, <i>Zorochros</i>	193
<i>minimus</i> Linnaeus, 1758, <i>Malthodes</i>	291
<i>minimus</i> Nakane, 1969, <i>Lopheros</i>	216
<i>minimus</i> O. F. Müller, 1776, <i>Scymnus</i>	590
<i>minimus</i> P. Rossi, 1790, <i>Attalus</i>	420
<i>minimus</i> P. Rossi, 1794, <i>Stethorus</i>	592
<i>minimus</i> Palm, 1975, <i>Malthinus</i>	281
<i>minimus</i> Rey, 1889, <i>Meligethes</i>	481
<i>minimus</i> Schimmel, 2004, <i>Xanthopenthes</i>	139
<i>minimus</i> Stephens, 1830, <i>Malthodes</i>	288
<i>miniopictus</i> Bedel, 1884, <i>Anthrenus</i>	312
<i>minisculus</i> G.-Y. Yu, 1993, <i>Scymnus</i>	584
<i>minoensis</i> Miwa, 1934, <i>Actenicerus</i>	173
<i>minoensis</i> Ôhira, 1954, <i>Liotrichus</i>	178
<i>minoicus</i> Wittmer, 1971, <i>Malthodes</i>	291
<i>minois</i> Fürsch, 1985, <i>Hyperaspis</i>	578
<i>minor</i> Baudi di Selve, 1873, <i>Luciola</i>	232
<i>minor</i> Baudi di Selve, 1870, <i>Merophysia</i>	557
<i>minor</i> Bolívar y Pieltain, 1913, <i>Cydistus</i>	224
<i>minor</i> C. O. Waterhouse, 1876, <i>Passandra</i>	502
<i>minor</i> E. Olivier, 1901, <i>Lampyris</i>	227
<i>minor</i> Endrödy-Younga, 1968, <i>Cybocephalus</i>	489
<i>minor</i> Fleutiaux, 1903, <i>Ludioschema</i>	132
<i>minor</i> Fursov, 1936, <i>Enneadesmus</i>	324
<i>minor</i> Gorham, 1891, <i>Coelophora</i>	613
<i>minor</i> J. R. Sahlberg, 1903, <i>Chilocorus</i>	593
<i>minor</i> Lyubarsky, 1997, <i>Cryptophagus</i>	518
<i>minor</i> M. Chûjô, 1941, <i>Dacne</i>	538
<i>minor</i> M. Chûjô, 1941, <i>Dexialia</i>	559
<i>minor</i> Majer, 1990, <i>Jelinekius</i>	415
<i>minor</i> Meier, 1899, <i>Tricorynus</i>	355
<i>minor</i> Pic, 1922, <i>Evorinea</i>	306
<i>minor</i> Pic, 1926, <i>Hedobia</i>	353
<i>minor</i> Rey, 1889, <i>Meligethes</i>	478
<i>minor</i> Schwarz, 1891, <i>Agriotes</i>	116
<i>minor</i> Stierlin, 1863, <i>Malthodes</i>	295
<i>minor</i> Sulzer, 1776, <i>Tilloidea</i>	369

minor Wittmer, 1997, <i>Micropodabrus</i>	257
minor Wittmer, 1984, <i>Prothemus</i>	260
minor Wittmer, 1997, <i>Themus</i>	271
minor Wollaston, 1865, <i>Anthrenus</i>	311
minor Zahradník, 1993, <i>Dorcatoma</i>	344
minos Wurst, 1997, <i>Ampedus</i>	125
minotaurus Majer, 1988, <i>Dasytiscus</i>	391
minqinensis Mao & Li, 1998, <i>Nephus</i>	582
minshanicus Kazantsev, 2002, <i>Xylobanus</i>	223
minus Takahashi, 1992, <i>Asiopodabrus</i>	235
<i>minusculus</i> Bach, 1852, <i>Oedostethus</i>	190
<i>minusculus</i> Barovskij, 1926, <i>Lycocerus</i>	252
<i>minusculus</i> Orlov, 1994, <i>Athous</i>	159
<i>minusculus</i> Schimmel, 1998, <i>Neoathousius</i>	166
<i>minusculus</i> Tournier, 1889, <i>Olibrus</i>	510
<i>minuta</i> Bocák, 1999, <i>Lyponia</i>	218
<i>minuta</i> Fabricius, 1792, <i>Corticarina</i>	646
<i>minuta</i> L. N. Medvedev, 1970, <i>Isorhipis</i>	84
<i>minuta</i> Motschulsky, 1854, <i>Luciola</i>	232
<i>minuta</i> Pic, 1894, <i>Danacea</i>	397
<i>minuta</i> Reitter, 1873, <i>Epuraea</i>	463
<i>minuta</i> Wittmer, 1954, <i>Asiothrix</i>	388
<i>minutalis</i> Normand, 1950, <i>Thorictus</i>	305
<i>minutehumeralis</i> Pic, 1953, <i>Cantharis</i>	242
<i>minutemaculata</i> Wittmer, 1997, <i>Cantharis</i>	243
<i>minutemarginatus</i> Wittmer, 1992, <i>Clanoptilus</i>	444
<i>minutenotata</i> Pic, 1914, <i>Prothemus</i>	261
<i>minutipenis</i> Tshernyshev, 2002, <i>Chaetomalachius</i>	389
<i>minutissima</i> Tournier, 1872, <i>Atomaria</i>	527
<i>minutissimus</i> Germar, 1823, <i>Quasimus</i>	191
<i>minutissimus</i> Laporte, 1840, <i>Quasimus</i>	191
<i>minutissimus</i> Motschulsky, 1858, <i>Latridius</i>	639
<i>minutissimus</i> P. Rossi, 1790, <i>Scymnus</i>	588
<i>minutissimus</i> Pic, 1933, <i>Micropodabrus</i>	257
<i>minutissimus</i> Pic, 1894, <i>Dasytes</i>	402
<i>minutissimus</i> Sakai, 2002, <i>Ernobius</i>	350
<i>minutissimus</i> Schrank, 1781, <i>Scymnus</i>	588
<i>minutinitidus</i> Wittmer, 1995, <i>Lycocerus</i>	251
<i>minutopygus</i> Wittmer, 1954, <i>Malthodes</i>	291
<i>minutula</i> Wittmer, 1956, <i>Juengerius</i>	428
<i>minutulus</i> Cherepanov, 1957, <i>Oedostethus</i>	189
<i>minutulus</i> Gestro, 1906, <i>Microichthyurus</i>	297
<i>minutulus</i> Wittmer, 1995, <i>Micropodabrus</i>	257
<i>minutum</i> Fabricius, 1792, <i>Stegobium</i>	343
<i>minutum</i> Har. Lindberg, 1951, <i>Lasioderma</i>	358
<i>minutum</i> Logvinovskiy, 1977, <i>Lasioderma</i>	357
<i>minutus</i> A. G. Olivier, 1791, <i>Cryptolestes</i>	503
<i>minutus</i> C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	484
<i>minutus</i> Dajoz, 1969, <i>Anommatus</i>	550
<i>minutus</i> Erber & Hinterseher, 2002, <i>Sphaericus</i>	338

minutus Erichson, 1846, <i>Anthrenus</i>	313
minutus Fabricius, 1787, <i>Platycis</i>	216
minutus Fabricius, 1775, <i>Dinoderus</i>	326
minutus Frivaldszky, 1877, <i>Mychothenus</i>	559
minutus Har. Lindberg, 1951, <i>Cardiophorus</i>	202
minutus Hisamatsu, 1985, <i>Litochrus</i>	507
<i>minutus</i> Laporte, 1840, <i>Ptinus</i>	333
minutus Linnaeus, 1758, <i>Limonius</i>	165
minutus Linnaeus, 1767, <i>Latridius</i>	639
minutus Nikitsky, 1992, <i>Laricobius</i>	299
<i>minutus</i> Panzer, 1795, <i>Epauloecus</i>	331
<i>minutus</i> Paykull, 1800, <i>Pheletes</i>	166
minutus Pic, 1938, <i>Omalisus</i>	211
<i>minutus</i> Pic, 1921, <i>Ernobius</i>	351
minutus Pic, 1927, <i>Microjulistus</i>	415
minutus Pic, 1903, <i>Tetrabrachys</i>	574
minutus Rey, 1891, <i>Trixagus</i>	89
<i>minutus</i> Schaufuss, 1882, <i>Symbiotes</i>	560
minutus Tournier, 1889, <i>Olibrus</i>	510
<i>minutus</i> Tournier, 1868, <i>Phalacrus</i>	511
minutus Wittmer, 1974, <i>Leiothorax</i>	249
minutus Wittmer, 1956, <i>Hypebaeus</i>	435
<i>mionopsis</i> Ganglbauer, 1911, <i>Malthodes</i>	294
mirabile Ślipiński, 1982, <i>Spinocerylon</i>	554
mirabilis Candèze, 1860, <i>Cardiohypnus</i>	187
<i>mirabilis</i> Dalla Torre, 1880, <i>Cantharis</i>	244
mirabilis Fleutiaux, 1930, <i>Campsosternus</i>	94
mirabilis Fleutiaux, 1928, <i>Melanoxanthus</i>	137
mirabilis Fleutiaux, 1923, <i>Priopus</i>	152
mirabilis Gurjeva, 1987, <i>Christinea</i>	100
mirabilis Háva & Jelínek, 1999, <i>Laricobius</i>	299
mirabilis Lyubarsky, 1997, <i>Chinophagus</i>	531
mirabilis Miwa, 1934, <i>Aganohypoganus</i>	174
<i>mirabilis</i> Miwa, 1935, <i>Raractocetus</i>	363
<i>mirabilis</i> Motschulsky, 1860, <i>Aiolocaria</i>	606
mirabilis Sasaji, 1995, <i>Dexialia</i>	559
mirabilis Sasaji, 1967, <i>Shirozuella</i>	570
<i>mirabilis</i> Schilsky, 1897, <i>Aplocnemus</i>	410
mirabiloides Dieke, 1947, <i>Epilachna</i>	628
mirae Audisio, 1999, <i>Meligethes</i>	484
miranda Wollaston, 1864, <i>Coccinella</i>	612
mirandus Abeille de Perrin, 1885, <i>Malachiomimus</i>	426
mirandus Barovskij, 1930, <i>Punicealis</i>	216
mirator Kirejtshuk, 1979, <i>Meligethes</i>	484
miricollis Peyerimhoff, 1948, <i>Clanoptilus</i>	444
mirificus Gurjeva, 1972, <i>Selatosomus</i>	183
mirificus Schimmel, 1993, <i>Ampedus</i>	129
mirleftensis Evers, 1962, <i>Attalus</i>	420
<i>mirmidon</i> Grouvelle, 1913, <i>Grouvellia</i>	465
<i>mirus</i> Grouvelle, 1905, <i>Placonotus</i>	506

mirus Grouvelle, 1914, <i>Cryptophilus</i>	531
mirus Gurjeva, 1972, <i>Selatosomus</i>	183
mirus Platia & Schimmel, 2001, <i>Melanotus</i>	146
<i>misella</i> Baudi di Selve, 1873, <i>Danacea</i>	395
<i>misellus</i> Kiesenwetter, 1852, <i>Malthodes</i>	291
<i>misellus</i> LeConte, 1865, <i>Ozognathus</i>	351
<i>misellus</i> Rey, 1889, <i>Meligethes</i>	480
<i>miser</i> Abeille de Perrin, 1891, <i>Attalus</i>	422
<i>misera</i> J. Weise, 1901, <i>Afidenta</i>	625
<i>mithra</i> Jelínek, 1978, <i>Meligethes</i>	484
<i>mitigatus</i> Candèze, 1859, <i>Heteroderes</i>	106
<i>mitis</i> J. Weise, 1912, <i>Phrynocaria</i>	623
<i>mitis</i> Küster, 1850, <i>Danacea</i>	397
<i>mitlaensis</i> Wittmer, 1937, <i>Attalus</i>	422
<i>mitsuhashii</i> Takizawa, 1917, <i>Cryptogonus</i>	576
<i>mitsukanus</i> Takahashi & Kiriyama, 2000, <i>Asiopodabrus</i>	235
<i>miurai</i> Nakane, 1987, <i>Spinifornax</i>	87
<i>miwai</i> Kishii, 1958, <i>Ampedus</i>	123
<i>miwai</i> Kishii, 1962, <i>Mucromorphus</i>	172
<i>miwai</i> M. Chûjô, 1941, <i>Episcaphula</i>	540
<i>miwai</i> M. Satô & N. Ohbayashi, 1968, <i>Plateros</i>	220
<i>miwai</i> Nakane, 1966, <i>Neotriplax</i>	542
<i>miwai</i> Ôhira, 1972, <i>Dalopius</i>	119
<i>miwai</i> Ôhira, 1966, <i>Quasimus</i>	191
<i>miwai</i> Ohta, 1931, <i>Helota</i>	496
<i>mixta</i> Walter, 1882, <i>Myzia</i>	621
<i>mixtus</i> Dajoz, 1984, <i>Anommatus</i>	550
<i>mixtus</i> Fleutiaux, 1931, <i>Dicronychus</i>	205
<i>mixtus</i> Kirejtshuk, 1989, <i>Kateretes</i>	458
<i>mixtus</i> Schilsky, 1896, <i>Dasytes</i>	400
<i>mixtus</i> Wittmer, 1993, <i>Pakabsidia</i>	259
<i>miyajimanus</i> Ôhira, 1971, <i>Selatosomus</i>	182
<i>miyakei</i> Nakane, 1985, <i>Lymexylon</i>	363
<i>miyakei</i> Ôhira, 1967, <i>Agrypnus</i>	98
<i>miyakei</i> Ôhira, 1964, <i>Ectinus</i>	120
<i>miyako</i> Kishii, 1969, <i>Reitterelater</i>	130
<i>miyako</i> Nakane, 1981, <i>Pyrocoelia</i>	229
<i>miyakoanus</i> Nakane, 1985, <i>Hypebaeus</i>	435
<i>miyakoensis</i> Ôhira, 1969, <i>Agrypnus</i>	98
<i>miyakonis</i> Kishii, 1976, <i>Quasimus</i>	191
<i>miyamotoi</i> Nakane, 1955, <i>Laius</i>	417
<i>miyamotoi</i> Nakane & Kishii, 1955, <i>Agrypnus</i>	98
<i>miyamotoi</i> Nakane & M. Araki, 1959, <i>Scymnus</i>	590
<i>miyamotoi</i> Wittmer, 1955, <i>Ebaeus</i>	431
<i>miyanouranus</i> Kishii, 1968, <i>Actenicerus</i>	173
<i>miyatai</i> Ôhira, 1992, <i>Ampedus</i>	125
<i>miyatakei</i> Hisamatsu, 1955, <i>Microrhagus</i>	82
<i>miyatakei</i> Ishida, 1986, <i>Macrohabronychus</i>	254
<i>miyatakei</i> Kamiya, 1961, <i>Scymnus</i>	586
<i>miyatakei</i> Ôhira, 1966, <i>Hypoganus</i>	177

miyatakei Sakai, 1979, <i>Nesocoelopus</i>	355
miyatakei Yoshimichi, 2004, <i>Opilo</i>	373
mizunoanus Kishii, 1988, <i>Ampedus</i>	125
mizunoi Kishii, 1976, <i>Ampedus</i>	125
mizunoi Takahashi, 2003, <i>Yukikoa</i>	273
mlikovskyi Švihla, 1995, <i>Rhagonycha</i>	265
<i>m-nigrum</i> Fabricius, 1792, <i>Aphidecta</i>	607
mniszechi Grouvelle, 1874, <i>Cucujus</i>	502
mniszechi Platia & Schimmel, 2001, <i>Melanotus</i>	146
<i>mnotata</i> Pic, 1938, <i>Megatoma</i>	317
<i>mobilis</i> Moore, 1957, <i>Ptinus</i>	336
<i>mobilis</i> Mulsant, 1850, <i>Anatis</i>	606
mobiliteriae Li, 1961, <i>Epilachna</i>	628
<i>mocquerysi</i> Reiche, 1878, <i>Podabrus</i>	237
<i>mocsaryi</i> Szombathy, 1910, <i>Idolus</i>	140
moczarskii Ganglbauer, 1912, <i>Malthodes</i>	291
<i>moczarskii</i> Reitter, 1908, <i>Curelius</i>	530
<i>moderata</i> Walker, 1859, <i>Rhyzopertha</i>	326
<i>moderatus</i> Candèze, 1888, <i>Xanthopenthes</i>	139
<i>moderatus</i> Schenkling, 1928, <i>Trixagus</i>	89
<i>modesta</i> Kiesenwetter, 1874, <i>Macrohabronychus</i>	255
<i>modestum</i> Fairmaire, 1884, <i>Passandra</i>	502
<i>modestus</i> Abeille de Perrin, 1885, <i>Ebaeus</i>	431
<i>modestus</i> Boisduval, 1835, <i>Lacon</i>	101
<i>modestus</i> C. O. Waterhouse, 1879, <i>Lycostomus</i>	211
<i>modestus</i> Candèze, 1857, <i>Agrypnus</i>	98
<i>modestus</i> Candèze, 1859, <i>Heteroderes</i>	106
<i>modestus</i> Candèze, 1878, <i>Lanecarus</i>	110
<i>modestus</i> Candèze, 1892, <i>Adiaphorus</i>	130
<i>modestus</i> Candèze, 1859, <i>Xanthopenthes</i>	139
<i>modestus</i> Fleutiaux, 1923, <i>Dirrhagofarsus</i>	83
<i>modestus</i> Friederichs, 1901, <i>Negastrius</i>	189
<i>modestus</i> Herbst, 1806, <i>Drapetes</i>	208
<i>modestus</i> J. Weise, 1877, <i>Trixagus</i>	88
<i>modestus</i> Kiesenwetter, 1858, <i>Agriotes</i>	116
<i>modestus</i> Kiesenwetter, 1874, <i>Lycostomus</i>	212
<i>modestus</i> Kiesenwetter, 1852, <i>Malthodes</i>	291
<i>modestus</i> Lesne, 1911, <i>Lyctus</i>	327
<i>modestus</i> Lewis, 1894, <i>Actenicerus</i>	173
<i>modestus</i> Lewis, 1894, <i>Fleutiauxellus</i>	187
<i>modestus</i> Pic, 1934, <i>Dasytes</i>	402
<i>modestus</i> Zhantiev, 2004, <i>Anthrenus</i>	314
<i>moerens</i> LeConte, 1857, <i>Meligethes</i>	478
<i>moerens</i> Westwood, 1852, <i>Tarsostenus</i>	383
<i>moesiacus</i> J. Weise, 1895, <i>Malthodes</i>	287
<i>moestus</i> Buysson, 1906, <i>Denticollis</i>	168
<i>moestus</i> Candèze, 1857, <i>Lanelater</i>	102
<i>moestus</i> Erichson, 1845, <i>Meligethes</i>	486
<i>moestus</i> J. Weise, 1885, <i>Pharoscygnus</i>	570
moffartsi Platia & Schimmel, 2001, <i>Melanotus</i>	146

<i>mogadoricus</i> Escalera, 1914, <i>Cebrio</i>	91
<i>mogadoricus</i> Escalera, 1914, <i>Thorictus</i>	304
<i>moghrebica</i> Lesne, 1934, <i>Phonapate</i>	321
<i>moghrebicus</i> Lesne, 1925, <i>Trichodes</i>	378
<i>mohammed</i> Chobaut, 1898, <i>Aplocnemus</i>	411
<i>mohanensis</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	98
<i>mokattamensis</i> Pic, 1912, <i>Attalus</i>	422
<i>mokrzeckii</i> Łomnicki, 1923, <i>Athous</i>	156
<i>molesta</i> Jacquelin du Val, 1860, <i>Nyctophila</i>	228
<i>molestum</i> Majer, 1996, <i>Hladilium</i>	392
<i>molipes</i> Olliff, 1895, <i>Menochilus</i>	619
<i>molitor</i> Aubé, 1850, <i>Anthrenus</i>	314
<i>molitor</i> Reitter, 1889, <i>Attagenus</i>	309
<i>mollicella</i> Reitter, 1873, <i>Nitidula</i>	474
<i>mollis</i> Linnaeus, 1758, <i>Ernobius</i>	350
<i>mollis</i> Linnaeus, 1758, <i>Opilo</i>	373
<i>mollis</i> Reitter, 1889, <i>Athous</i>	159
<i>monacha</i> Moscardini, 1962, <i>Cantharis</i>	243
<i>monachi</i> Pic, 1918, <i>Cantharis</i>	244
<i>monachus</i> Candèze, 1878, <i>Agonischius</i>	131
<i>monachus</i> Fabricius, 1775, <i>Apate</i>	320
<i>monachus</i> Kazantsev, 2000, <i>Libnetis</i>	217
<i>monachus</i> Mulsant, 1856, <i>Chilocorus</i>	594
<i>monachus</i> Mulsant & Godart, 1855, <i>Agriotes</i>	115
<i>monastirensis</i> Pic, 1935, <i>Cebrio</i>	92
<i>monastirensis</i> Pic, 1917, <i>Danacea</i>	398
<i>mongol</i> Barovskij, 1922, <i>Exochomus</i>	594
<i>mongolica</i> C. Johnson, 1970, <i>Atomaria</i>	526
<i>mongolica</i> Kazantsev, 1998, <i>Crudosilis</i>	274
<i>mongolica</i> Motschulsky, 1860, <i>Luciola</i>	232
<i>mongolica</i> Pic, 1906, <i>Cantharis</i>	247
<i>mongolica</i> Rücker, 1983, <i>Corticaria</i>	644
<i>mongolica</i> Wittmer, 1971, <i>Rhagonycha</i>	265
<i>mongolicum</i> Español, 1971, <i>Lasioderma</i>	358
<i>mongolicum</i> Zhantiev, 1973, <i>Trogoderma</i>	319
<i>mongolicus</i> A. Fleischer, 1900, <i>Scymnus</i>	588
<i>mongolicus</i> A. Fleischer, 1900, <i>Exochomus</i>	594
<i>mongolicus</i> Español, 1971, <i>Xyletinus</i>	360
<i>mongolicus</i> Evers, 1968, <i>Apalochrus</i>	416
<i>mongolicus</i> Evers, 1968, <i>Ebaeus</i>	431
<i>mongolicus</i> Evers, 1968, <i>Hypebaeus</i>	435
<i>mongolicus</i> Gurjeva, 1968, <i>Melanotus</i>	147
<i>mongolicus</i> J. Weise, 1890, <i>Scymnus</i>	586
<i>mongolicus</i> Motschulsky, 1860, <i>Denticollis</i>	168
<i>mongolicus</i> Motschulsky, 1845, <i>Curtos</i>	231
<i>mongolicus</i> Rücker, 1983, <i>Latridius</i>	639
<i>mongolicus</i> Wittmer, 1965, <i>Troglocollops</i>	419
<i>mongolicus</i> Wittmer, 1976, <i>Colotes</i>	428
<i>mongolicus</i> Wittmer, 1969, <i>Anthocomus</i>	440
<i>mongolicus</i> Zhantiev, 1973, <i>Attagenus</i>	309

mongolicus Zhantiev, 1973, <i>Anthrenus</i>	313
mongolicus Zhantiev, 1973, <i>Globicornis</i>	316
moniliatus Kiesenwetter, 1863, <i>Dasytes</i>	402
monilicornis Champion, 1922, <i>Danaceothrix</i>	389
monilicornis Schwarz, 1897, <i>Athous</i>	159
<i>monilicornis</i> Stephens, 1831, <i>Cryptolestes</i>	503
monilis Fabricius, 1787, <i>Laemophloeus</i>	504
monnaiensis Ôhira, 1968, <i>Homotechnes</i>	153
<i>monochroa</i> Reitter, 1894, <i>Epuraea</i>	463
monochrous Fairmaire, 1900, <i>Prothemus</i>	260
monosha Bielawski, 1979, <i>Calvia</i>	607
<i>monostigma</i> Champion, 1926, <i>Lycocerus</i>	252
monsforensis Pace, 1979, <i>Anommatus</i>	550
monstrosipes Pic, 1909, <i>Allotarsodasytes</i>	400
<i>monstrositarsis</i> Pic, 1896, <i>Dignomus</i>	331
monstrosus Pic, 1909, <i>Malthodes</i>	291
monstrosus Reitter, 1874, <i>Mimemodes</i>	493
<i>monstrosus</i> Schultze, 1916, <i>Trochoideus</i>	567
monsuna Bielawski, 1979, <i>Epilachna</i>	628
montana Biggs, 1947, <i>Rhagonycha</i>	265
montana Geisthardt, 1983, <i>Nyctophila</i>	228
montana Miwa & M. Chûjô, 1936, <i>Paederolanguria</i>	535
montana Ohta, 1929, <i>Helota</i>	496
montana Savoyskaya, 1969, <i>Oenopia</i>	622
montana Stierlin, 1889, <i>Cantharis</i>	243
montana Vats & Chauhan, 1992, <i>Drapetes</i>	208
montandoni Aubé, 1843, <i>Philothermus</i>	554
montandoni Bourgeois, 1900, <i>Phosphaenopterus</i>	230
<i>montandoni</i> Buysson, 1895, <i>Drasterius</i>	105
<i>montandoni</i> Buysson, 1889, <i>Ectamenogonus</i>	136
<i>montandoni</i> Dajoz, 1968, <i>Anommatus</i>	550
<i>montandoni</i> Pic, 1907, <i>Malthinus</i>	284
<i>montandoni</i> Pic, 1922, <i>Malthodes</i>	291
<i>montandoni</i> Pic, 1911, <i>Ptinus</i>	333
<i>montandoni</i> Pic, 1893, <i>Cychramus</i>	472
montanoasiaticus Saluk, 1995, <i>Enicmus</i>	638
montanum Gurjeva, 1980, <i>Prosternon</i>	180
montanum Ślipiński, 1981, <i>Paracerylon</i>	554
montanus C. N. F. Brisout de Barneville, 1863, <i>Cryptophagus</i>	518
montanus C.-T. Yang, 1971, <i>Pseudoscymnus</i>	582
<i>montanus</i> Candèze, 1860, <i>Athous</i>	159
<i>montanus</i> Casey, 1916, <i>Symbiotes</i>	560
<i>montanus</i> Escalera, 1914, <i>Ptinus</i>	336
<i>montanus</i> Gredler, 1866, <i>Dasytes</i>	404
<i>montanus</i> Grouvelle, 1913, <i>Amystrops</i>	459
<i>montanus</i> Grouvelle, 1903, <i>Cyllodes</i>	472
<i>montanus</i> Hoang, 1982, <i>Nephus</i>	581
<i>montanus</i> Kiesenwetter, 1863, <i>Malthodes</i>	291
<i>montanus</i> Kishii, 1998, <i>Actenicerus</i>	173
<i>montanus</i> Kleine, 1928, <i>Xylobanus</i>	223

<i>montanus</i> Lewis, 1894, <i>Ampedus</i>	121
<i>montanus</i> Miwa, 1929, <i>Agrypnus</i>	98
<i>montanus</i> Miwa, 1928, <i>Sericus</i>	134
<i>montanus</i> Miwa, 1934, <i>Mucromorphus</i>	172
<i>montanus</i> Mulsant & Rey, 1868, <i>Dasytes</i>	402
<i>montanus</i> Nakane, 1967, <i>Macrolycus</i>	213
<i>montanus</i> Peyron, 1877, <i>Malachius</i>	448
<i>montanus</i> Pic, 1953, <i>Attalus</i>	422
<i>montanus</i> Scopoli, 1763, <i>Adrastus</i>	108
<i>montanus</i> Toskina, 1998, <i>Stagetus</i>	347
<i>montanus</i> Vats & Kashyap, 1992, <i>Senodonia</i>	186
<i>montanus</i> Wittmer, 1983, <i>Themus</i>	272
<i>montanus</i> Wittmer, 1981, <i>Ebaeus</i>	431
<i>montazerii</i> Fürsch, 1995, <i>Serangium</i>	569
<i>montabor</i> Mayor, 2004, <i>Aplocnemus</i>	413
<i>montemurroi</i> Otero & Angelini, 1984, <i>Cryptophagus</i>	518
<i>montenegrina</i> Apfelbeck, 1911, <i>Danacea</i>	396
<i>montenegrina</i> Reitter, 1888, <i>Atomaria</i>	526
<i>montenegrinus</i> Pic, 1915, <i>Ebaeus</i>	431
<i>montenegrinus</i> Reitter, 1910, <i>Selatosomus</i>	182
<i>montenegroensis</i> Laibner, 1987, <i>Adrastus</i>	108
<i>monticola</i> Barovskij, 1926, <i>Cantharis</i>	241
<i>monticola</i> Candèze, 1897, <i>Lacon</i>	101
<i>monticola</i> Candèze, 1895, <i>Agonischius</i>	131
<i>monticola</i> Dahlgren, 1985, <i>Rhagonycha</i>	265
<i>monticola</i> Evers, 1961, <i>Attalus</i>	422
<i>monticola</i> Geisthardt, 2000, <i>Lampyris</i>	227
<i>monticola</i> Grouvelle, 1910, <i>Phenolia</i>	475
<i>monticola</i> Grouvelle, 1916, <i>Cryptophagus</i>	518
<i>monticola</i> H. Brisout de Barneville, 1881, <i>Corticaria</i>	643
<i>monticola</i> Jelínek, 1975, <i>Glischrochilus</i>	469
<i>monticola</i> Kiesenwetter, 1878, <i>Malachius</i>	449
<i>monticola</i> Kishii, 1961, <i>Yukoana</i>	192
<i>monticola</i> Kleine, 1930, <i>Calochromus</i>	224
<i>monticola</i> Kurosawa, 1985, <i>Arractocetus</i>	363
<i>monticola</i> Mannerheim, 1844, <i>Cartodere</i>	636
<i>monticola</i> Ménétrés, 1832, <i>Melanotus</i>	147
<i>monticola</i> Sasaji, 1967, <i>Hikonasukuna</i>	572
<i>monticola</i> Villiers, 1945, <i>Doubledaya</i>	534
<i>montiphionus</i> Kazantsev, 2000, <i>Xylobanus</i>	223
<i>montisatri</i> Peyerimhoff, 1931, <i>Airaphilus</i>	498
<i>montivaga</i> Csiki, 1900, <i>Mycetina</i>	566
<i>montivaga</i> Majer, 1995, <i>Mimothrix</i>	392
<i>montivaga</i> Mulsant, 1853, <i>Harmonia</i>	615
<i>montivaga</i> Mulsant & Rey, 1868, <i>Danacea</i>	398
<i>montivagus</i> Champion, 1923, <i>Pediacus</i>	503
<i>montivagus</i> Gurjeva, 1982, <i>Pseudanostirus</i>	181
<i>montivagus</i> Lewis, 1894, <i>Limoniscus</i>	165
<i>montivagus</i> Miwa, 1929, <i>Gamepenthes</i>	136
<i>montivagus</i> Rosenhauer, 1847, <i>Metanomus</i>	178

montivagus Rosenhauer, 1856, <i>Aplocnemus</i>	413
montivagus Schilsky, 1907, <i>Dasytes</i>	404
montrouzieri Fauvel, 1862, <i>Henosepilachna</i>	629
montrouzieri Mulsant, 1853, <i>Cryptolaemus</i>	573
moorei Iablokoff-Khnzorian & Karapetyan, 1991, <i>Ptinus</i>	336
moorii Candèze, 1860, <i>Phorocardius</i>	206
moorii Crotch, 1874, <i>Epilachna</i>	628
moralesi Cobos, 1958, <i>Cardiophorus</i>	198
morator E. Olivier, 1891, <i>Lamprigera</i>	229
moraviaca Reitter, 1875, <i>Melanophthalma</i>	648
moraviaca Walter, 1882, <i>Hippodamia</i>	618
moraviaca Walter, 1882, <i>Propylea</i>	624
moraviacus Fürsch, 1958, <i>Scymnus</i>	585
moraviacus Reitter, 1871, <i>Meligethes</i>	487
moravicus Švihla, 1997, <i>Malthinus</i>	281
moraviensis Gottwald, 1977, <i>Xyletinus</i>	360
moraviensis Pic, 1918, <i>Ancistronycha</i>	238
morawitzi Semenov, 1891, <i>Asiocnemis</i>	86
morawitzi Solsky, 1871, <i>Episcapha</i>	540
morbosus Candèze, 1886, <i>Melanotus</i>	147
mordelloides Host, 1789, <i>Drapetes</i>	207
mordelloides Notman, 1920, <i>Brachypterolus</i>	456
mordkovitshi Tshernyshev, 1994, <i>Troglocollops</i>	419
mordkovitshi Tshernyshev, 1997, <i>Cephaloncus</i>	452
moreana Pic, 1909, <i>Rhagonycha</i>	264
moreana Pic, 1905, <i>Danacea</i>	398
moreanus Pic, 1921, <i>Stagetus</i>	347
moreleti Tarnier, 1860, <i>Aeolus</i>	104
moreli Mulsant & Rey, 1875, <i>Isidus</i>	141
moreli Pic, 1926, <i>Idolus</i>	140
moreli Pic, 1933, <i>Aplotarsus</i>	175
moreli Pic, 1923, <i>Cardiophorus</i>	200
moreli Pic, 1923, <i>Cantharis</i>	245
moreli Pic, 1927, <i>Microjulistus</i>	414
moreli Pic, 1927, <i>Attalus</i>	420
moreli Schilsky, 1899, <i>Dasytes</i>	402
morfini Pic, 1901, <i>Cantharis</i>	246
morfini Pic, 1929, <i>Dignomus</i>	330
morgani E. Olivier, 1907, <i>Nyctophila</i>	228
moricei Pic, 1901, <i>Armidia</i>	238
moricei Pic, 1930, <i>Malthinus</i>	277
moricii Fairmaire, 1889, <i>Anthracalaus</i>	108
morii Kishii, 2004, <i>Homotechnes</i>	153
morimotoi Hisamatsu, 1960, <i>Rhagomicrus</i>	83
morimotoi Kamiya, 1964, <i>Propalticus</i>	506
morimotoi Kamiya, 1965, <i>Sticholotis</i>	571
morimotoi Sasaji, 1997, <i>Antibothrus</i>	551
morio A. Fleischer, 1900, <i>Diomus</i>	577
morio A. Villa & G. B. Villa, 1835, <i>Hemicoelus</i>	340
morio Baudi di Selve, 1875, <i>Lamprohiza</i>	230

<i>morio</i> Baudi di Selve, 1873, <i>Cantharis</i>	243
<i>morio</i> Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
<i>morio</i> Fabricius, 1792, <i>Cantharis</i>	243
<i>morio</i> Fabricius, 1787, <i>Elateroides</i>	362
<i>morio</i> Fabricius, 1801, <i>Scymnus</i>	590
<i>morio</i> Fürsch, 1966, <i>Diomus</i>	577
<i>morio</i> Kiesenwetter, 1858, <i>Fleutiauxellus</i>	187
<i>morio</i> Kiesenwetter, 1852, <i>Rhagonycha</i>	265
<i>morio</i> Kolenati, 1846, <i>Atomaria</i>	526
<i>morio</i> Kugelann, 1794, <i>Cyllodes</i>	472
<i>morio</i> Leach, 1824, <i>Cebrio</i>	92
<i>morio</i> Motschulsky, 1853, <i>Malthodes</i>	291
<i>morio</i> Paykull, 1798, <i>Scymnus</i>	590
<i>morio</i> Reitter, 1878, <i>Heterhelus</i>	457
<i>morio</i> Schilsky, 1888, <i>Elater</i>	131
<i>morio</i> Schönherr, 1817, <i>Aplocnemus</i>	413
<i>morishamai</i> Takahashi, 2002, <i>Malthodes</i>	290
<i>morocco</i> Háva, 2000, <i>Ctesias</i>	315
<i>moroderi</i> Pic, 1915, <i>Pelochrus</i>	429
<i>moroderi</i> Reitter, 1906, <i>Ptinus</i>	337
<i>morosa</i> Kiesenwetter, 1863, <i>Danacea</i>	398
<i>mososus</i> Erichson, 1845, <i>Meligethes</i>	484
<i>morula</i> Bruce, 1943, <i>Micrambe</i>	522
<i>morula</i> Reitter, 1875, <i>Atomaria</i>	527
<i>morulus</i> Kiesenwetter, 1879, <i>Opetiopalpus</i>	382
<i>morvani</i> Wittmer, 1974, <i>Rhagonycha</i>	265
<i>moscovica</i> Gmelin, 1790, <i>Anatis</i>	606
<i>mosquensis</i> Ivanov, 1902, <i>Drasterius</i>	105
<i>mossulensis</i> Abeille de Perrin, 1881, <i>Chionotopus</i>	442
<i>mossulensis</i> Pic, 1912, <i>Dicronychus</i>	205
<i>mostarensis</i> Pic, 1926, <i>Cantharis</i>	242
<i>mostarensis</i> Reitter, 1915, <i>Anommatus</i>	550
<i>mosulensis</i> Wittmer, 1988, <i>Clanoptilus</i>	444
<i>motoshigei</i> Kishii, 1999, <i>Ampedus</i>	125
<i>motschoulskii</i> Barovskij, 1930, <i>Lopheros</i>	216
<i>motschulskii</i> Barovskij, 1928, <i>Crudosilis</i>	274
<i>motschulskii</i> Kolenati, 1846, <i>Corticaria</i>	645
<i>motschulskii</i> Mulsant, 1850, <i>Hyperaspis</i>	578
<i>motschulskii</i> Reitter, 1873, <i>Epuraea</i>	463
<i>motschulskii</i> Wollaston, 1854, <i>Hypocoprus</i>	531
<i>motschulskyi</i> Bedel, 1873, <i>Triplacidea</i>	543
<i>motschulskyi</i> Crotch, 1874, <i>Scymnus</i>	590
<i>motschulskyi</i> E. Olivier, 1911, <i>Rhagophthalmus</i>	225
<i>motschulskyi</i> Fleutiaux, 1902, <i>Homotechnes</i>	153
<i>motschulskyi</i> Gurjeva, 1979, <i>Ampedus</i>	125
<i>motschulskyi</i> Heyden, 1880, <i>Cardiophorus</i>	198
<i>motschulskyi</i> Kazantsev, 2001, <i>Podistra</i>	259
<i>motschulskyi</i> Motschulsky, 1854, <i>Pyrocoelia</i>	229
<i>motschulskyi</i> Nikitsky & Semenov, 2001, <i>Dapsa</i>	563
<i>mouhoti</i> Crotch, 1876, <i>Doubledaya</i>	534

<i>mouhoti</i> Crotch, 1874, <i>Coelophora</i>	614
<i>mouhoti</i> Fleutiaux, 1923, <i>Galbites</i>	86
<i>mouhoti</i> Gorham, 1892, <i>Xenorthrius</i>	380
<i>mouhoti</i> Pic, 1903, <i>Clada</i>	353
<i>mouhotii</i> Crotch, 1874, <i>Aspidimerus</i>	575
<i>mounaldai</i> Miwa, 1931, <i>Denticollis</i>	168
<i>moupinensis</i> Fairmaire, 1889, <i>Lycostomus</i>	212
<i>moupinensis</i> Fairmaire, 1889, <i>Pyrocoelia</i>	229
<i>moupinensis</i> Fairmaire, 1889, <i>Idgia</i>	385
<i>moupinensis</i> Pic, 1926, <i>Lycocerus</i>	252
<i>moupinensis</i> Pic, 1922, <i>Cordylepherus</i>	446
<i>moutoni</i> Pic, 1936, <i>Clerus</i>	372
<i>moutoni</i> Pic, 1937, <i>Cyrtosus</i>	446
<i>moutonii</i> Ritsema, 1905, <i>Helota</i>	496
<i>moxiensis</i> Bic, 2002, <i>Mesolycus</i>	214
<i>moxiensis</i> Bocáková, 1997, <i>Plateros</i>	220
<i>moxiensis</i> Wittmer, 1995, <i>Lycocerus</i>	252
<i>moyses</i> Fairmaire, 1852, <i>Cebrio</i>	92
<i>mozabita</i> Chobaut, 1897, <i>Attalus</i>	422
<i>mozabitus</i> Chobaut, 1897, <i>Tillus</i>	370
<i>mozabitus</i> Pic, 1898, <i>Clanoptilus</i>	442
<i>mraceki</i> Švihla, 2002, <i>Malthinus</i>	281
<i>mroczkowskii</i> Kalík, 1954, <i>Anthrenus</i>	312
<i>mroczkowskii</i> Tomaszewska, 1997, <i>Endomychus</i>	561
<i>m-signatus</i> Pic, 1919, <i>Tryptherus</i>	298
<i>muchi</i> Wittmer, 1981, <i>Malthinus</i>	281
<i>mucorea</i> LeConte, 1853, <i>Agrypnus</i>	98
<i>mucoreus</i> Kiesenwetter, 1879, <i>Malthinus</i>	281
<i>mucoreus</i> LeConte, 1854, <i>Dermestes</i>	300
<i>mucronata</i> E. Olivier, 1884, <i>Lampyris</i>	226
<i>mucronatus</i> Rey, 1889, <i>Meligethes</i>	481
<i>mucronatus</i> Wittmer, 1979, <i>Micropodabrus</i>	257
<i>muehlei</i> Gottwald, 1983, <i>Xyletinus</i>	360
<i>muehlei</i> Majer, 1996, <i>Dasytidius</i>	390
<i>muehlei</i> Švihla, 1990, <i>Malthinus</i>	281
<i>muehlei</i> Wittmer, 1988, <i>Troglops</i>	454
<i>muehli</i> Reitter, 1908, <i>Epuraea</i>	461
<i>muelleri</i> Hicker, 1955, <i>Cantharis</i>	242
<i>muelleri</i> J. Weise, 1929, <i>Scymnus</i>	590
<i>muelleri</i> Kiesenwetter, 1873, <i>Amauronia</i>	393
<i>muelleri</i> Mader, 1955, <i>Endomychus</i>	561
<i>muelleri</i> Mader, 1955, <i>Plotina</i>	569
<i>muelleri</i> Mader, 1930, <i>Exochomus</i>	594
<i>muelleri</i> Penecke, 1907, <i>Scymnus</i>	587
<i>mugangensis</i> Švihla, 2004, <i>Lycocerus</i>	252
<i>muganglingensis</i> Švihla, 2004, <i>Themus</i>	272
<i>mugodsharicus</i> Sokolov, 1974, <i>Anthrenus</i>	313
<i>muii</i> Timberlake, 1943, <i>Calvia</i>	607
<i>mulsa</i> J. Weise, 1903, <i>Coccinula</i>	601
<i>mulsanti</i> G. R. Waterhouse, 1862, <i>Nephus</i>	581

<i>mulsanti</i> Kiesenwetter, 1850, <i>Lamprohiza</i>	230
<i>mulsanti</i> Kiesenwetter, 1877, <i>Ernobius</i>	350
<i>mulsanti</i> Marseul, 1886, <i>Ptilinus</i>	356
<i>mulsanti</i> Schaufuss, 1862, <i>Myzia</i>	621
<i>mulsanti</i> Schilsky, 1899, <i>Lasioderma</i>	358
<i>mulsanti</i> Schilsky, 1897, <i>Melyris</i>	387
<i>mulsanti</i> Schilsky, 1894, <i>Dasytes</i>	404
<i>mulsantianus</i> Sharp, 1916, <i>Ernobius</i>	350
<i>mulsantianus</i> Sicard, 1907, <i>Scymnus</i>	583
<i>multesimus</i> Lyubarsky, 1993, <i>Olibrus</i>	509
<i>multicaudis</i> Kiesenwetter, 1866, <i>Charopus</i>	442
<i>multicolor</i> Fairmaire, 1886, <i>Tilloidea</i>	369
<i>multicolor</i> Reitter, 1889, <i>Malachiomimus</i>	426
<i>multicostatus</i> Kazantsev, 2002, <i>Macrolycus</i>	213
<i>multicostatus</i> Wittmer, 1982, <i>Micropodabrus</i>	257
<i>multidisjunctum</i> Pic, 1912, <i>Aeoloderma</i>	103
<i>multiexcavatus</i> Wittmer, 1988, <i>Micropodabrus</i>	257
<i>multifasciatus</i> Pic, 1920, <i>Trichodes</i>	380
<i>multifasciatus</i> Wollaston, 1863, <i>Attagenus</i>	309
<i>multiguttata</i> Meier, 1899, <i>Myrrha</i>	620
<i>multiguttata</i> Reitter, 1877, <i>Stelidota</i>	477
<i>multiguttatus</i> Schrank, 1798, <i>Attagenus</i>	309
<i>multiimpressus</i> Pic, 1910, <i>Athous</i>	156
<i>multiimpressus</i> Wittmer, 1997, <i>Lycocerus</i>	252
<i>multilimbatus</i> Pic, 1910, <i>Macrohabronychus</i>	255
<i>multilineatum</i> Candèze, 1878, <i>Aeoloderma</i>	103
<i>multimacula</i> Heyden, 1883, <i>Harmonia</i>	616
<i>multimaculatus</i> Grouvelle, 1914, <i>Cyllodes</i>	472
<i>multimaculatus</i> Pic, 1916, <i>Macrohabronychus</i>	255
<i>multimaculatus</i> Pic, 1918, <i>Anthrenus</i>	311
<i>multimaculatus</i> Sasaji, 1970, <i>Meilichius</i>	561
<i>multimaculatus</i> Schwarz, 1898, <i>Heteroderes</i>	106
<i>multimaculatus</i> Wittmer, 1995, <i>Malthinus</i>	281
<i>multinotatus</i> Pic, 1929, <i>Malthinus</i>	276
<i>multinotatus</i> Pic, 1929, <i>Malthinus</i>	281
<i>multipartita</i> Fairmaire, 1889, <i>Tilloidea</i>	369
<i>multiplicata</i> Mulsant, 1866, <i>Harmonia</i>	615
<i>multipunctata</i> J. Weise, 1879, <i>Coccinella</i>	611
<i>multipunctata</i> Mulsant, 1850, <i>Henosepilachna</i>	630
<i>multipunctata</i> Pic, 1944, <i>Hedobia</i>	353
<i>multipunctatum</i> Toskina, 1999, <i>Lasioderma</i>	358
<i>multispinosus</i> Wittmer, 1995, <i>Malthinus</i>	281
<i>multistriata</i> Pic, 1937, <i>Macrodorcatoma</i>	347
<i>multistriatus</i> Pic, 1906, <i>Lycocerus</i>	252
<i>multistriatus</i> Pic, 1943, <i>Gastrallus</i>	340
<i>multistriatus</i> Zetterstedt, 1838, <i>Olibrus</i>	508
<i>multistriolatus</i> Perris, 1866, <i>Astilpnus</i>	499
<i>multonotata</i> Pic, 1910, <i>Malthinus</i>	283
<i>mumiarum</i> Hope, 1834, <i>Necrobia</i>	382
<i>munda</i> Erichson, 1846, <i>Atomaria</i>	526

<i>munda</i> J. Weise, 1879, <i>Adalia</i>	602
<i>munda</i> Sharp, 1878, <i>Epuraea</i>	463
<i>mundulus</i> E. Olivier, 1913, <i>Curtos</i>	231
<i>mundulus</i> Lewis, 1879, <i>Calambus</i>	176
<i>mundum</i> Matthews, 1899, <i>Arthrolips</i>	632
<i>mundus</i> Gurjeva, 1976, <i>Lomopneus</i>	156
<i>mundus</i> Matthews, 1885, <i>Orthoperus</i>	634
<i>mundus</i> Schenkling, 1912, <i>Teneropsis</i>	383
<i>muneaka</i> Kishii, 1991, <i>Glyphonyx</i>	110
<i>munganasti</i> Reitter, 1908, <i>Thorictus</i>	304
<i>munin</i> Nakane, 1977, <i>Tilloidea</i>	369
<i>munroi</i> Hinton, 1943, <i>Anthrenus</i>	312
<i>munsteri</i> A. Strand, 1937, <i>Corticaria</i>	644
<i>mupinensis</i> Wittmer, 1987, <i>Prothemus</i>	260
<i>muraniensis</i> Švihla, 2004, <i>Malthodes</i>	291
<i>murasei</i> Ohta, 1929, <i>Calvia</i>	608
<i>murgianus</i> Pic, 1914, <i>Malthodes</i>	291
<i>muricatum</i> Fabricius, 1792, <i>Sinoxylon</i>	323
<i>muricatum</i> Linnaeus, 1767, <i>Sinoxylon</i>	323
<i>muricatus</i> Fabricius, 1775, <i>Apate</i>	320
<i>muriculatus</i> G.-Y. Yu, 1995, <i>Stethorus</i>	592
<i>murina</i> Baudi di Selve, 1874, <i>Dorcatoma</i>	345
<i>murina</i> Küster, 1850, <i>Danacea</i>	398
<i>murina</i> Majer, 1989, <i>Danaceothrix</i>	389
<i>murinoides</i> Gurjeva, 1963, <i>Zorochros</i>	193
<i>murinus</i> Erichson, 1845, <i>Meligethes</i>	485
<i>murinus</i> Herbst, 1792, <i>Dermestes</i>	301
<i>murinus</i> L. Miller, 1862, <i>Agriotes</i>	116
<i>murinus</i> Linnaeus, 1758, <i>Agrypnus</i>	98
<i>murinus</i> Linnaeus, 1758, <i>Dermestes</i>	301
<i>murinus</i> Reiche, 1869, <i>Athous</i>	157
<i>murinus</i> Reitter, 1895, <i>Zorochros</i>	193
<i>murinus</i> Schilsky, 1894, <i>Dasytes</i>	402
<i>murinus</i> Sturm, 1837, <i>Mesocoelopus</i>	354
<i>murrayi</i> Grouvelle, 1906, <i>Epuraea</i>	464
<i>murrensensis</i> Ahmad, 1968, <i>Pseudoscymnus</i>	582
<i>mursini</i> Dolin, 1990, <i>Melanotus</i>	147
<i>murzini</i> Dolin & Cate, 2002, <i>Hypnoidus</i>	154
<i>murzini</i> Kazantsev, 2001, <i>Macrolycus</i>	213
<i>murzini</i> Kazantsev, 2004, <i>Helcophorus</i>	215
<i>murzini</i> Platia & Schimmel, 2002, <i>Melanotus</i>	147
<i>mus</i> Candèze, 1889, <i>Cardiophorus</i>	198
<i>mus</i> Illiger, 1807, <i>Nothodes</i>	166
<i>mus</i> Lewis, 1894, <i>Podeonius</i>	140
<i>mus</i> Miwa, 1929, <i>Cryptalaus</i>	107
<i>mus</i> Reitter, 1884, <i>Meligethes</i>	484
<i>musae</i> Montrouzier, 1855, <i>Coelophora</i>	614
<i>musae</i> Wollaston, 1854, <i>Cryptamorpha</i>	497
<i>musaeorum</i> Ziegler, 1844, <i>Ahasverus</i>	498
<i>musarti</i> Pic, 1913, <i>Cantharis</i>	240

<i>muscoreus</i> Reitter, 1881, <i>Dermestes</i>	300
<i>muscorum</i> Fabricius, 1787, <i>Anthrenus</i>	313
<i>muscroides</i> Kishii, 1995, <i>Agrypnus</i>	98
<i>musculus</i> Candèze, 1857, <i>Agrypnus</i>	98
<i>musculus</i> Candèze, 1873, <i>Silesis</i>	112
<i>musculus</i> Erichson, 1840, <i>Paracardiophorus</i>	206
<i>musculus</i> Germar, 1844, <i>Heteroderes</i>	106
<i>musculus</i> Gorham, 1887, <i>Ectomychus</i>	567
<i>musculus</i> Rosenhauer, 1847, <i>Hylis</i>	84
<i>museorum</i> Linnaeus, 1761, <i>Anthrenus</i>	313
<i>mushana</i> Li, 1961, <i>Epilachna</i>	628
<i>mushanus</i> Miwa, 1928, <i>Vuilletus</i>	134
<i>mushanus</i> Miwa, 1928, <i>Actenicerus</i>	173
<i>mushanus</i> Ohta, 1931, <i>Ohtaius</i>	566
<i>mushensis</i> Wittmer, 1997, <i>Malthodes</i>	291
<i>mussardi</i> C. Johnson & Bowstead, 2003, <i>Caenoscelis</i>	513
<i>mussardi</i> Kocher, 1969, <i>Cebrio</i>	92
<i>mussuricus</i> Arrow, 1925, <i>Eucteanus</i>	561
<i>mustelinus</i> Erichson, 1846, <i>Dermestes</i>	301
<i>mustelinus</i> Perris, 1853, <i>Dermestes</i>	300
<i>mutabilis</i> Bates, 1866, <i>Silesis</i>	112
<i>mutabilis</i> Champion, 1922, <i>Achaetomalachius</i>	388
<i>mutabilis</i> E. Olivier, 1884, <i>Lampyris</i>	226
<i>mutabilis</i> Gmelin, 1790, <i>Adalia</i>	604
<i>mutabilis</i> Gurjeva, 1966, <i>Cardiophorus</i>	198
<i>mutabilis</i> L. G. Scriba, 1791, <i>Hippodamia</i>	618
<i>mutabilis</i> Rosenhauer, 1856, <i>Meligethes</i>	480
<i>mutabilis</i> Wollaston, 1862, <i>Malthinus</i>	281
<i>mutata</i> Pic, 1910, <i>Malthinus</i>	283
<i>mutata</i> Pic, 1895, <i>Danacea</i>	398
<i>mutator</i> Rey, 1891, <i>Selatosomus</i>	181
<i>mutatus</i> Gemminger & Harold, 1868, <i>Meligethes</i>	479
<i>mutatus</i> Harold, 1869, <i>Melanotus</i>	147
<i>mutatus</i> Wittmer, 1970, <i>Malthodes</i>	292
<i>muticus</i> Baudi di Selve, 1872, <i>Clanoptilus</i>	445
<i>muticus</i> C. N. F. Brisout de Barneville, 1863, <i>Cryptophilus</i>	531
<i>muticus</i> Chevrolat, 1874, <i>Cebrio</i>	92
<i>muticus</i> Fabricius, 1781, <i>Laemophloeus</i>	504
<i>muticus</i> Herbst, 1806, <i>Agrypnus</i>	98
<i>mutilatus</i> Erichson, 1843, <i>Carpophilus</i>	467
<i>mutilatus</i> Kiesenwetter, 1879, <i>Malthinus</i>	281
<i>mutilatus</i> Kiesenwetter, 1879, <i>Trypherus</i>	298
<i>mutilatus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	147
<i>mutilatus</i> Rosenhauer, 1847, <i>Crepidophorus</i>	169
<i>mutilatus</i> Walker, 1858, <i>Xylothrips</i>	325
<i>mutillaeicolor</i> White, 1849, <i>Stigmatium</i>	375
<i>mutillaeformis</i> Reitter, 1895, <i>Clerus</i>	372
<i>mutillarius</i> Fabricius, 1775, <i>Clerus</i>	372
<i>mutillaroides</i> Reitter, 1894, <i>Clerus</i>	372
<i>mutilus</i> Platia & Gudenzi, 2004, <i>Dicronychus</i>	205

mutsu Kishii, 1991, <i>Ampedus</i>	125
mutsuensis Ôhira, 1989, <i>Dalopius</i>	119
mutsuurai Nakane, 1963, <i>Homotechnes</i>	153
mylabrinus Baudi di Selve, 1871, <i>Hypebaeus</i>	435
myops Besuchet, 1972, <i>Cautomus</i>	553
myops Ślipiński, 1988, <i>Philothermus</i>	554
<i>myrmecodes</i> Spinola, 1844, <i>Tilloidea</i>	369
<i>myrmecophila</i> Reitter, 1895, <i>Atomaria</i>	524
<i>myrmecophilus</i> Reitter, 1881, <i>Thorictus</i>	304
<i>myrrhilegius</i> Wurst, 2001, <i>Craspedostethus</i>	203
<i>mysorensis</i> Mhadihassan, 1955, <i>Silvanopsis</i>	500
<i>mystacea</i> Mulsant, 1853, <i>Propylea</i>	623
<i>mystagogus</i> Fleutiaux, 1923, <i>Microrhagus</i>	83
<i>mystax</i> Gurjeva, 1971, <i>Oedostethus</i>	189
<i>mystica</i> Mulsant, 1850, <i>Epilachna</i>	628
<i>mysticoides</i> Sicard, 1914, <i>Afissula</i>	626
<i>mysticus</i> Kiesenwetter, 1852, <i>Malthodes</i>	292
<i>nabataeica</i> Wittmer, 1971, <i>Hypebaeina</i>	433
<i>nabataeicus</i> Wittmer, 1974, <i>Malthinus</i>	281
<i>nabeulanus</i> John, 1964, <i>Thorictus</i>	304
<i>nadari</i> Buysson, 1899, <i>Agriotes</i>	117
<i>nadari</i> Buysson, 1904, <i>Athous</i>	162
<i>nadari</i> Pic, 1896, <i>Danacaeomimus</i>	394
<i>nadezhdae</i> Cherepanov, 1965, <i>Agriotes</i>	116
<i>nadezhdae</i> Dolin, 1971, <i>Negastrius</i>	188
<i>nadezhdae</i> Plavilshchikov, 1924, <i>Dermestes</i>	300
<i>nagaii</i> Nakane, 1994, <i>Macrolycus</i>	213
<i>nagaii</i> Nakane, 1961, <i>Calochromus</i>	224
<i>nagaii</i> Sakai, 1978, <i>Hadrobregmus</i>	341
<i>nagaoi</i> Nakane, 1977, <i>Triplax</i>	544
<i>nagaoi</i> Ôhira, 1966, <i>Agrypnus</i>	98
<i>nagaoi</i> Ôhira, 1968, <i>Agaripenthes</i>	135
<i>nagaoi</i> Ôhira, 1968, <i>Podeonius</i>	140
<i>nagaoi</i> Ôhira, 1967, <i>Actenicerus</i>	173
<i>nagasakiensis</i> Kamiya, 1961, <i>Pseudoscymnus</i>	582
<i>nagasakiensis</i> Miyatake, 1978, <i>Telsimia</i>	597
<i>nagayamai</i> M. Araki, 1961, <i>Vibidia</i>	599
<i>nahiricus</i> Zhantiev, 1976, <i>Anthrenus</i>	311
<i>nainiensis</i> Champion, 1922, <i>Hypebaeina</i>	433
<i>nainiensis</i> Champion, 1924, <i>Olibrus</i>	509
<i>nainitalensis</i> Mukhopadhyay & Sengupta, 1978, <i>Xylophloeus</i>	506
<i>najaformis</i> G.-Y. Yu, 1997, <i>Scymnus</i>	590
<i>nakachii</i> Nakane, 1961, <i>Plateros</i>	220
<i>nakaikemensis</i> Sasaji & Kishimoto, 1996, <i>Scymnus</i>	584
<i>nakamurai</i> Nakane, 1996, <i>Tillus</i>	370
<i>nakanei</i> Brancucci, 1983, <i>Trypherus</i>	298
<i>nakanei</i> C. Johnson, 1976, <i>Corticarina</i>	646
<i>nakanei</i> Easton, 1957, <i>Meligethes</i>	484
<i>nakanei</i> Hisamatsu, 1961, <i>Cyllodes</i>	472
<i>nakanei</i> Iga, 1949, <i>Stigmatium</i>	375

<i>nakanei</i> J. R. Winkler, 1953, <i>Lopheros</i>	215
<i>nakanei</i> J. R. Winkler, 1953, <i>Cautires</i>	222
<i>nakanei</i> Kishii, 1955, <i>Megathous</i>	171
<i>nakanei</i> M. Araki, 1964, <i>Pseudoscymnus</i>	582
<i>nakanei</i> M. Araki, 1963, <i>Pseudoscymnus</i>	582
<i>nakanei</i> M. Chûjô, 1941, <i>Triplax</i>	544
<i>nakanei</i> M. Chûjô, 1941, <i>Ectomychus</i>	567
<i>nakanei</i> Ôhira, 1986, <i>Paracardiophorus</i>	206
<i>nakanei</i> Takahashi & Okushima, 1999, <i>Asiopodabrus</i>	235
<i>nakanei</i> Wittmer, 1953, <i>Lycocerus</i>	252
<i>nakanei</i> Wittmer, 1974, <i>Laemoglyptus</i>	275
<i>nakanei</i> Wittmer, 1955, <i>Malthinus</i>	281
<i>nakanoi</i> Narukawa, 2004, <i>Microsternus</i>	538
<i>nakanoshimensis</i> Nakane, 1959, <i>Stenotarsus</i>	568
<i>nakaoui</i> Nakane, 1990, <i>Asiopodabrus</i>	235
<i>nakayamai</i> Ôhira, 1976, <i>Agriotes</i>	118
<i>namanganensis</i> Fursov, 1939, <i>Trichodes</i>	378
<i>namnasae</i> Wittmer, 1973, <i>Themus</i>	272
<i>namsooa</i> Stibick, 1968, <i>Tropihypnus</i>	167
<i>nana</i> Erichson, 1846, <i>Atomaria</i>	529
<i>nana</i> Gradl, 1880, <i>Anatis</i>	606
<i>nana</i> Kiesenwetter, 1863, <i>Danacea</i>	398
<i>nana</i> Mulsant & Rey, 1861, <i>Arthrolips</i>	632
<i>nana</i> Reitter, 1873, <i>Epuraea</i>	460
<i>nana</i> Reitter, 1887, <i>Merophysia</i>	558
<i>nanasawaensis</i> Takahashi, 1992, <i>Asiopodabrus</i>	235
<i>nankinensis</i> Pic, 1908, <i>Ebaeus</i>	431
<i>nankineus</i> Fairmaire, 1878, <i>Glischrochilus</i>	469
<i>nankineus</i> Pic, 1913, <i>Tryptherus</i>	298
<i>nankineus</i> Pic, 1916, <i>Attagenus</i>	310
<i>nankingensis</i> Wittmer, 1997, <i>Malthinus</i>	281
<i>nankunicus</i> X.-F. Pang, 1986, <i>Scymnus</i>	586
<i>nanlingensis</i> Tian & G. Yu, 1994, <i>Cybocephalus</i>	490
<i>nanpingensis</i> Wittmer, 1995, <i>Lycocerus</i>	252
<i>nanpingensis</i> Wittmer, 1999, <i>Attalus</i>	422
<i>nanschanensis</i> Reitter, 1900, <i>Ebaeus</i>	431
<i>nanshanchica</i> Nakane, 1966, <i>Tritoma</i>	546
<i>nanshanensis</i> Wittmer, 1983, <i>Lycocerus</i>	252
<i>nantouanus</i> Wittmer, 1982, <i>Macrohabronychus</i>	255
<i>nantouensis</i> Brancucci, 1983, <i>Tryptherus</i>	298
<i>nantouensis</i> Wittmer, 1995, <i>Micropodabrus</i>	257
<i>nantouensis</i> Wittmer, 1984, <i>Malthodes</i>	292
<i>nantouensis</i> Wittmer, 1986, <i>Ebaeus</i>	431
<i>nanula</i> Mannerheim, 1844, <i>Dienerella</i>	636
<i>nanulus</i> Obenberger, 1938, <i>Anommatus</i>	550
<i>nanulus</i> Reitter, 1919, <i>Brachypterolus</i>	456
<i>nanum</i> Küster, 1849, <i>Stegobium</i>	343
<i>nanus</i> Endrödy-Younga, 1968, <i>Hierronius</i>	491
<i>nanus</i> Erichson, 1845, <i>Meligethes</i>	484
<i>nanus</i> Gurjeva, 1975, <i>Selatosomus</i>	183

nanus Gurjeva, 1963, <i>Zoroachros</i>	193
nanus Gurjeva, 1966, <i>Cardiophorus</i>	198
<i>nanus</i> Herbst, 1806, <i>Adrastus</i>	109
nanus John, 1964, <i>Thorictus</i>	304
nanus Kleine, 1939, <i>Parataphes</i>	217
<i>nanus</i> Mulsant, 1860, <i>Scymnus</i>	583
<i>nanus</i> Olliff, 1883, <i>Lophocateres</i>	366
nanus Silfverberg, 1977, <i>Ampedus</i>	125
naokii Okushima & Imasaka, 2000, <i>Lycocerus</i>	252
naomii Kishii, 1981, <i>Dalopius</i>	119
naomii Kishii, 1997, <i>Limoniscus</i>	165
naomii Kishii, 1996, <i>Actenicerus</i>	173
nara Lewis, 1884, <i>Languriomorpha</i>	534
<i>narae</i> Lewis, 1896, <i>Rodolia</i>	597
naranensis Wittmer, 1981, <i>Ebaeus</i>	431
naratougeanus Takahashi & Kiriyaama, 2000, <i>Asiopodabrus</i>	235
nardii Zahradník, 2007, <i>Xyletinus</i>	360
<i>narentinum</i> Apfelbeck, 1909, <i>Sphaerosoma</i>	555
narentinus Wittmer, 1970, <i>Malthodes</i>	290
narukawai Kishii, 1996, <i>Melanotus</i>	147
narukawai Kishii, 1998, <i>Homotechnes</i>	153
narukawai Kishii, 1993, <i>Limonius</i>	165
narynensis Dolin & Cate, 1998, <i>Hypnoidus</i>	154
naseri J. Müller, 1916, <i>Athous</i>	162
nasiraensis Wittmer, 1985, <i>Psiloderes</i>	453
<i>nassovica</i> Heyden, 1904, <i>Adalia</i>	604
nasutus Chevrolat, 1860, <i>Airaphilus</i>	498
nasutus Kiesenwetter, 1874, <i>Erotides</i>	215
nasutus Wittmer, 1988, <i>Troglops</i>	454
nathaliae Platia & Schimmel, 1988, <i>Cardiophorus</i>	198
natividadei Peyerimhoff, 1937, <i>Airaphilus</i>	498
<i>natricis</i> C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	485
natsumiae M. Chûjô & Satô, 1972, <i>Lucidina</i>	230
navale Linnaeus, 1758, <i>Lymexylon</i>	363
naviauxi Chassain, 1983, <i>Lanelater</i>	102
naviauxi Duverger, 1983, <i>Tetrabrachys</i>	574
navicularis Ren & X.-F. Pang, 1992, <i>Axinoscymnus</i>	578
naviculiformis Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
naxiana Reitter, 1884, <i>Alfieriella</i>	530
<i>naxosensis</i> Pic, 1923, <i>Malachius</i>	448
nazarenkoi Dolin, 1992, <i>Oedostethus</i>	189
<i>neapolitana</i> Pic, 1918, <i>Ancistronycha</i>	238
neapolitanus A. Costa, 1847, <i>Cebrio</i>	92
neapolitanus Pic, 1905, <i>Malthinus</i>	281
<i>neapolitanus</i> Pic, 1925, <i>Ptinus</i>	333
nebrioides Candèze, 1863, <i>Penia</i>	185
nebriomorpha W. Suzuki, 1979, <i>Dima</i>	184
nebulosa Champion, 1922, <i>Corticaria</i>	644
<i>nebulosa</i> J. Weise, 1879, <i>Harmonia</i>	616
<i>nebulosa</i> Marsham, 1802, <i>Cryptarcha</i>	468

<i>nebulosus</i> DeGeer, 1774, <i>Dermestes</i>	301
<i>nebulosus</i> Motschulsky, 1858, <i>Dicronychus</i>	205
<i>nebulosus</i> Motschulsky, 1858, <i>Platynychus</i>	207
<i>nebulosus</i> Razoumowsky, 1789, <i>Agrypnus</i>	98
<i>nebulosus</i> Reitter, 1886, <i>Anthrenus</i>	314
<i>necrophora</i> Dalla Torre, 1879, <i>Podabrus</i>	237
<i>nectarineus</i> Gistel, 1857, <i>Kateretes</i>	458
<i>neeraae</i> Garg & Vasu, 1996, <i>Priopus</i>	152
<i>negatus</i> Buysson, 1895, <i>Agriotes</i>	117
<i>neglecta</i> Dahlgren, 1975, <i>Rhagonycha</i>	265
<i>neglecta</i> Heer, 1841, <i>Epuraea</i>	463
<i>neglecta</i> J. Weise, 1879, <i>Hippodamia</i>	618
<i>neglecta</i> Mulsant, 1862, <i>Malthodes</i>	287
<i>neglecta</i> Schilsky, 1897, <i>Danacea</i>	398
<i>neglectus</i> Champion, 1926, <i>Prothemus</i>	260
<i>neglectus</i> Grouvelle, 1883, <i>Laemophloeus</i>	504
<i>neglectus</i> I. Frivaldszky, 1865, <i>Macrophagus</i>	536
<i>neglectus</i> Nakane, 1989, <i>Asiopodabrus</i>	235
<i>neglectus</i> Palm, 1975, <i>Malthinus</i>	281
<i>neglectus</i> Schilsky, 1897, <i>Dasytidius</i>	391
<i>neglectus</i> Schwarz, 1891, <i>Agriotes</i>	117
<i>neimongolanus</i> S. Wang & C. Yang, 1990, <i>Prothemus</i>	260
<i>neixiangicus</i> G.-Y. Yu, 1999, <i>Nephus</i>	580
<i>nemoralis</i> Bouwer, 1980, <i>Ampedus</i>	125
<i>nemoralis</i> Gmelin, 1790, <i>Axinotarsus</i>	440
<i>nempta</i> Kishii, 1996, <i>Actenicerus</i>	173
<i>nenoharanus</i> Takahashi & Kiriyaama, 2000, <i>Asiopodabrus</i>	235
<i>neoalienus</i> Platia & Gudenzi, 1999, <i>Cardiophorus</i>	198
<i>neoarnoldii</i> Platia & Gudenzi, 1999, <i>Cardiophorus</i>	199
<i>neoganglbaueri</i> Wittmer, 1970, <i>Malthodes</i>	292
<i>neomelanoderes</i> Buysson, 1925, <i>Athous</i>	158
<i>neoposticeseminiatus</i> Buysson, 1922, <i>Cardiophorus</i>	201
<i>neopunctaticollis</i> Buysson, 1920, <i>Melanotus</i>	143
<i>neosuturalis</i> Pic, 1902, <i>Cardiophorus</i>	202
<i>neotericus</i> Buysson, 1902, <i>Cardiophorus</i>	201
<i>neoterminalis</i> Wittmer, 1948, <i>Attalus</i>	425
<i>nepalensis</i> Dajoz, 1979, <i>Philothermus</i>	554
<i>nepalense</i> Háva & Farkač, 2003, <i>Nosodendron</i>	299
<i>nepalensis</i> Bielawski, 1972, <i>Cryptogonus</i>	576
<i>nepalensis</i> Bielawski, 1971, <i>Scymnus</i>	586
<i>nepalensis</i> Bocáková, 2004, <i>Prolibnetis</i>	218
<i>nepalensis</i> Burckhardt & Ślipiński, 1995, <i>Ancistria</i>	501
<i>nepalensis</i> C. Johnson, 1975, <i>Henoticus</i>	522
<i>nepalensis</i> Candèze, 1871, <i>Agrypnus</i>	97
<i>nepalensis</i> Crotch, 1874, <i>Coelophora</i>	613
<i>nepalensis</i> Dolin, 1992, <i>Cardiohypnus</i>	187
<i>nepalensis</i> Easton, 1968, <i>Meligethes</i>	484
<i>nepalensis</i> Español, 1983, <i>Neoxyletinus</i>	359
<i>nepalensis</i> Háva, 2001, <i>Attagenus</i>	309
<i>nepalensis</i> Hisamatsu, 1978, <i>Phenolia</i>	475

nepalensis Hope, 1831, <i>Lamprigera</i>	229
nepalensis Hope, 1931, <i>Themus</i>	271
nepalensis Jelínek, 1984, <i>Stelidota</i>	477
nepalensis Kapur, 1958, <i>Epilachna</i>	628
nepalensis Kazantsev, 1991, <i>Plateros</i>	220
<i>nepalensis</i> Lyubarsky, 1999, <i>Himascelis</i>	514
nepalensis Majer, 1996, <i>Achaetomalachius</i>	388
nepalensis Miyatake, 1985, <i>Sticholotis</i>	571
nepalensis Nakane, 1983, <i>Lyponia</i>	218
nepalensis Ôhira & Becker, 1973, <i>Rismethus</i>	103
nepalensis Ôhira & Becker, 1972, <i>Glyphonyx</i>	110
nepalensis Ôhira & Becker, 1971, <i>Silesis</i>	112
nepalensis Ôhira & Becker, 1974, <i>Procraerus</i>	138
nepalensis Ôhira & Becker, 1974, <i>Melanotus</i>	147
nepalensis Ôhira & Becker, 1973, <i>Hypnoidus</i>	154
nepalensis Ôhira & Becker, 1973, <i>Liotrichus</i>	178
nepalensis Ôhira & Becker, 1972, <i>Neocsikia</i>	184
nepalensis Ôhira & Becker, 1972, <i>Parhemiops</i>	186
nepalensis Ôhira & Becker, 1973, <i>Neohypdonus</i>	189
nepalensis Pal & Sengupta, 1979, <i>Silvanopsis</i>	500
nepalensis Schimmel, 1993, <i>Ampedus</i>	125
nepalensis Schimmel, 2004, <i>Sawadapenthes</i>	138
nepalensis Sengupta, 1983, <i>Stephostethus</i>	641
nepalensis Strohecker, 1982, <i>Ectomychus</i>	567
nepalensis Wittmer, 1979, <i>Stenocladius</i>	233
nepalensis Wittmer, 1958, <i>Lycocerus</i>	252
<i>nepalensis</i> Wittmer, 1981, <i>Lycocerus</i>	254
nepalensis Wittmer, 1974, <i>Stenothemus</i>	269
nepalensis Wittmer, 1966, <i>Malthinus</i>	281
nepalensis Wittmer, 1978, <i>Protomaltypus</i>	296
nepalensis Wittmer, 1977, <i>Colotes</i>	428
nepalensis Wittmer, 1981, <i>Hypebaeus</i>	435
nepalensis Wittmer, 1983, <i>Hypotroglops</i>	436
nepalensis Wittmer, 1966, <i>Sceloattalus</i>	437
nepalensis Wittmer, 1980, <i>Tropiebaeus</i>	437
nepalica Kirejtshuk, 1998, <i>Epuraa</i>	461
nepalicus Miyatake, 1985, <i>Pseudoscymnus</i>	582
<i>nepenthus</i> X.-F. Pang & Huang, 1985, <i>Scymnus</i>	587
nephrospilus Ren & Pang, 1995, <i>Scymnus</i>	586
nepos Murray, 1864, <i>Carpophilus</i>	467
<i>neptunia</i> Baudi di Selve, 1893, <i>Cantharis</i>	242
nervosa E. Olivier, 1883, <i>Lampyris</i>	227
<i>nervosa</i> Mannerheim, 1844, <i>Cartodere</i>	636
<i>nervosus</i> Motschulsky, 1860, <i>Dichelotarsus</i>	237
<i>nescius</i> Rey, 1889, <i>Cryptophagus</i>	515
<i>netolitzkyi</i> Penecke, 1912, <i>Rhagonycha</i>	265
neuberti Platia & Gudenzi, 2002, <i>Cardiophorus</i>	199
nevadense Reitter, 1883, <i>Sphaerosoma</i>	555
nevadensis Constantin, 1971, <i>Malthodes</i>	292
nevadensis Escalera, 1926, <i>Axinotarsus</i>	441

<i>nevadensis</i> Pic, 1908, <i>Cantharis</i>	243
<i>nevadensis</i> Pic, 1904, <i>Danacea</i>	395
<i>nevadensis</i> Pic, 1954, <i>Dasytes</i>	402
<i>nevadensis</i> Pic, 1908, <i>Aplocnemus</i>	409
<i>nevadensis</i> Švihla, 1995, <i>Rhagonycha</i>	266
<i>nevili</i> Dohrn, 1882, <i>Illeis</i>	598
<i>newtoni</i> Pic, 1921, <i>Lycocerus</i>	252
<i>newtoni</i> Pic, 1927, <i>Asiosilis</i>	274
<i>nibagou</i> G.-Y. Yu, 2000, <i>Shirozuella</i>	570
<i>nicaeensis</i> Lesne, 1921, <i>Omalisus</i>	211
<i>nicobaricus</i> L. Redtenbacher, 1868, <i>Xylopsocus</i>	325
<i>nidicola</i> Palm, 1944, <i>Latridius</i>	639
<i>nidum</i> Arrow, 1915, <i>Dermestes</i>	300
<i>niehuisi</i> Schimmel & Platia, 1992, <i>Dima</i>	184
<i>nielamuensis</i> X.-F. Pang & Mao, 1977, <i>Epilachna</i>	628
<i>niemeyeri</i> Schulz, 1899, <i>Hippodamia</i>	617
<i>nigellus</i> Kiesenwetter, 1852, <i>Malthodes</i>	286
<i>niger</i> Aubé, 1843, <i>Holoparamecus</i>	558
<i>niger</i> C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	483
<i>niger</i> C. N. F. Brisout de Barneville, 1863, <i>Cryptophagus</i>	520
<i>niger</i> Candèze, 1878, <i>Pachyderes</i>	107
<i>niger</i> Escalera, 1921, <i>Fortunatius</i>	425
<i>niger</i> Fabricius, 1792, <i>Melanotus</i>	148
<i>niger</i> Fiori, 1899, <i>Athous</i>	157
<i>niger</i> Fleutiaux, 1918, <i>Campsosternus</i>	94
<i>niger</i> Fleutiaux, 1895, <i>Ludioschema</i>	132
<i>niger</i> Fluiter, 1939, <i>Nephus</i>	581
<i>niger</i> Gebler, 1830, <i>Trixagus</i>	89
<i>niger</i> Herbst, 1797, <i>Trogoderma</i>	319
<i>niger</i> J. R. Sahlberg, 1889, <i>Glischrochilus</i>	469
<i>niger</i> J. Weise, 1887, <i>Chilocorus</i>	593
<i>niger</i> Lee, 1998, <i>Melanotus</i>	147
<i>niger</i> Linnaeus, 1758, <i>Hemicrepidius</i>	170
<i>niger</i> Linnaeus, 1761, <i>Dasytes</i>	402
<i>niger</i> Matsumura & Yokoyama, 1928, <i>Trinodes</i>	306
<i>niger</i> Miwa, 1928, <i>Paraphotistus</i>	179
<i>niger</i> Ohbayashi, 1954, <i>Xylobanus</i>	223
<i>niger</i> P. Rossi, 1790, <i>Orphilus</i>	306
<i>niger</i> P. W. J. Müller, 1821, <i>Mesocoelopus</i>	354
<i>niger</i> Petagna, 1787, <i>Enicopus</i>	407
<i>niger</i> Pic, 1895, <i>Laricobius</i>	298
<i>niger</i> Ragusa, 1896, <i>Tillus</i>	369
<i>niger</i> Schwarz, 1905, <i>Agrypnus</i>	98
<i>niger</i> Schwarz, 1891, <i>Agriotes</i>	118
<i>niger</i> Schwarz, 1897, <i>Elathous</i>	164
<i>niger</i> Seidlitz, 1888, <i>Kateretes</i>	458
<i>niger</i> Wittmer, 1983, <i>Lycocerus</i>	249
<i>niger</i> Wittmer, 1979, <i>Troglocollops</i>	419
<i>niger</i> Wittmer, 1955, <i>Hypebaeus</i>	435
<i>nigernitens</i> Voet, 1791, <i>Ischnodes</i>	130

nigerrima C. Johnson, 1975, <i>Corticarina</i>	646
nigerrima Kirejtshuk, 1998, <i>Epuraea</i>	463
nigerrima Schimmel & Platia, 1991, <i>Paracsikia</i>	184
nigerrimus Constantin, 1975, <i>Malthinus</i>	281
nigerrimus Desbrochers des Loges, 1869, <i>Megathous</i>	171
nigerrimus Erichson, 1840, <i>Cardiophorus</i>	199
nigerrimus Evers, 1995, <i>Fortunatius</i>	425
nigerrimus Fleutiaux, 1903, <i>Priopus</i>	152
nigerrimus Lacordaire, 1835, <i>Ampedus</i>	125
nigerrimus Pic, 1903, <i>Malthodes</i>	292
nigerrimus Rosenhauer, 1856, <i>Meligethes</i>	484
nigerrimus Wittmer, 1992, <i>Collops</i>	416
nigerrimus Wittmer, 1981, <i>Ebaeus</i>	431
nigerrimus Yajima & Nakane, 1969, <i>Lycocerus</i>	252
nigra C. Johnson, 1975, <i>Corticarina</i>	646
nigra Croissand, 1887, <i>Oenopia</i>	622
nigra DeGeer, 1774, <i>Cantharis</i>	243
nigra Della Beffa, 1912, <i>Subcoccinella</i>	631
nigra Fiori, 1906, <i>Malthodes</i>	286
nigra Gadeau de Kerville, 1884, <i>Aiolocaria</i>	606
nigra Gmelin, 1790, <i>Hyperaspis</i>	578
nigra Háva, 2003, <i>Hirtomegatoma</i>	316
nigra Haworth, 1812, <i>Adalia</i>	604
nigra J. Weise, 1879, <i>Telsimia</i>	597
nigra Mäklin, 1853, <i>Epuraea</i>	460
nigra Newman, 1834, <i>Pastilodes</i>	491
nigra Pic, 1921, <i>Trichocele</i>	414
nigra Ragusa, 1892, <i>Nitidula</i>	473
nigrans Pal & Sengupta, 1977, <i>Silvanus</i>	500
nigratissimus Buysson, 1891, <i>Cardiophorus</i>	199
nigratorius Buysson, 1926, <i>Adrastus</i>	109
nigratus Heyden, 1894, <i>Trichodes</i>	377
nigratus Sengupta, 1979, <i>Mimemodes</i>	493
nigratus Sengupta, 1978, <i>Himascelis</i>	514
nigratus Sengupta, 1976, <i>Stephostethus</i>	641
nigrescans T. L. Casey, 1916, <i>Trogoderma</i>	319
nigrescens E. Olivier, 1884, <i>Lampyroidea</i>	231
nigrescens Escalera, 1914, <i>Cebrio</i>	89
nigrescens J. Weise, 1879, <i>Henosepilachna</i>	629
nigrescens Kapur, 1948, <i>Cryptogonus</i>	576
nigrescens Palm, 1975, <i>Malthinus</i>	281
nigrescens Pic, 1949, <i>Aplocnemus</i>	409
nigrescens Stephens, 1830, <i>Meligethes</i>	484
nigrescens Stephens, 1829, <i>Orthoperus</i>	634
nigrescens Trella, 1925, <i>Cantharis</i>	244
nigrescens Wollaston, 1857, <i>Sphaericus</i>	338
nigribuccis Marseul, 1878, <i>Malthinus</i>	283
nigricans Dalla Torre, 1879, <i>Peltis</i>	366
nigricans Gerhardt, 1898, <i>Scymnus</i>	588
nigricans Hope, 1845, <i>Acanthocnemus</i>	384

nigricans J. Weise, 1879, <i>Nephus</i>	580
nigricans O.F. Müller, 1776, <i>Cantharis</i>	243
nigricans P. H. Lucas, 1846, <i>Cebrio</i>	92
nigricans Peyron, 1877, <i>Charopus</i>	442
nigricans Platia & Gudenzi, 1997, <i>Agriotes</i>	116
nigricans Platia & Schimmel, 1991, <i>Elathous</i>	164
<i>nigricans</i> Ragusa, 1894, <i>Cebrio</i>	91
<i>nigricans</i> Schilsky, 1888, <i>Omalisus</i>	210
<i>nigricans</i> Schilsky, 1892, <i>Epuraea</i>	462
nigricans Vats & Chauhan, 1991, <i>Cardiophorus</i>	199
nigricapitatus Tomaszewska, 2002, <i>Endomychus</i>	561
<i>nigriceps</i> Belon, 1897, <i>Holoparamecus</i>	558
<i>nigriceps</i> Candèze, 1892, <i>Silesis</i>	112
<i>nigriceps</i> Daniel, 1903, <i>Agriotes</i>	117
<i>nigriceps</i> Erichson, 1846, <i>Atomaria</i>	524
<i>nigriceps</i> Fairmaire, 1873, <i>Cebrio</i>	92
<i>nigriceps</i> Grouvelle, 1913, <i>Cybocephalus</i>	490
<i>nigriceps</i> Lacordaire, 1842, <i>Triplax</i>	544
<i>nigriceps</i> M. Chûjô, 1938, <i>Endomychus</i>	561
<i>nigriceps</i> Mannerheim, 1823, <i>Isorhipis</i>	84
<i>nigriceps</i> Mulsant, 1862, <i>Malthodes</i>	286
<i>nigriceps</i> Pic, 1938, <i>Lycocerus</i>	249
<i>nigriceps</i> Reitter, 1888, <i>Pselaphandra</i>	542
<i>nigriceps</i> Schilsky, 1896, <i>Dasytes</i>	402
<i>nigriceps</i> Waltl, 1838, <i>Rhagonycha</i>	266
<i>nigriceps</i> Waltl, 1839, <i>Corticaria</i>	642
<i>nigriceps</i> Wittmer, 1955, <i>Lycocerus</i>	252
<i>nigriceps</i> Wittmer, 1999, <i>Holzschuhus</i>	433
<i>nigriceps</i> Wittmer, 1935, <i>Brachemys</i>	451
<i>nigriclava</i> Roubal, 1917, <i>Ernobius</i>	350
<i>nigriclavus</i> Gorham, 1873, <i>Ectomychus</i>	568
<i>nigriclavus</i> Guillebeau, 1896, <i>Brachypterus</i>	456
<i>nigriclavus</i> Stephens, 1829, <i>Orthoperus</i>	634
<i>nigricollis</i> Baudi di Selve, 1859, <i>Malthodes</i>	290
<i>nigricollis</i> Bourgeois, 1905, <i>Lycostomus</i>	212
<i>nigricollis</i> Champion, 1925, <i>Antherophagus</i>	514
<i>nigricollis</i> Dufour, 1851, <i>Malthodes</i>	288
<i>nigricollis</i> Erichson, 1840, <i>Cardiophorus</i>	199
<i>nigricollis</i> Escalera, 1926, <i>Axinotarsus</i>	440
<i>nigricollis</i> Fleutiaux, 1918, <i>Drasterius</i>	105
<i>nigricollis</i> Gebler, 1830, <i>Denticollis</i>	168
<i>nigricollis</i> Gerstaecker, 1858, <i>Dapsa</i>	563
<i>nigricollis</i> Haenel, 1940, <i>Cantharis</i>	241
<i>nigricollis</i> Küster, 1846, <i>Ebaeus</i>	430
<i>nigricollis</i> Laporte, 1838, <i>Cebrio</i>	92
<i>nigricollis</i> Leinberg, 1900, <i>Kateretes</i>	458
<i>nigricollis</i> Lewis, 1892, <i>Thanasimus</i>	375
<i>nigricollis</i> Miwa, 1928, <i>Hemicrepidius</i>	170
<i>nigricollis</i> Motschulsky, 1849, <i>Rhagonycha</i>	266
<i>nigricollis</i> P. H. Lucas, 1849, <i>Laemophloeus</i>	504

<i>nigricollis</i> Pic, 1894, <i>Microjulistus</i>	415
<i>nigricollis</i> Ragusa, 1896, <i>Divales</i>	406
<i>nigricollis</i> Reitter, 1876, <i>Micrambe</i>	522
<i>nigricollis</i> Schilsky, 1888, <i>Pheletes</i>	166
<i>nigricollis</i> Schilsky, 1896, <i>Haplothrix</i>	392
<i>nigricollis</i> Schwarz, 1891, <i>Agriotes</i>	114
<i>nigricollis</i> Schwarz, 1901, <i>Melanotus</i>	147
<i>nigricollis</i> Seidlitz, 1889, <i>Thanasimus</i>	375
<i>nigricollis</i> Stephens, 1830, <i>Malthodes</i>	291
<i>nigricollis</i> Trella, 1932, <i>Cantharis</i>	247
<i>nigricollis</i> Wittmer, 1984, <i>Lycocerus</i>	252
<i>nigricollis</i> Wittmer, 1976, <i>Colotes</i>	428
<i>nigricollis</i> Zetterstedt, 1838, <i>Corticaria</i>	642
<i>nigricolor</i> Pic, 1906, <i>Cantharis</i>	244
<i>nigricolor</i> Wittmer, 1951, <i>Lycocerus</i>	252
<i>nigricoloriceps</i> Pic, 1928, <i>Micropodabrus</i>	256
<i>nigricornis</i> Arrow, 1925, <i>Rhodotritoma</i>	542
<i>nigricornis</i> Baudi di Selve, 1859, <i>Cardiophorus</i>	200
<i>nigricornis</i> C. N. F. Brisout de Barneville, 1866, <i>Athous</i>	157
<i>nigricornis</i> Escalera, 1940, <i>Attalus</i>	424
<i>nigricornis</i> Evers, 1948, <i>Cyrtosus</i>	446
<i>nigricornis</i> Fabricius, 1792, <i>Aplocnemus</i>	411
<i>nigricornis</i> Fabricius, 1787, <i>Antherophagus</i>	514
<i>nigricornis</i> Herbst, 1806, <i>Drapetes</i>	208
<i>nigricornis</i> Laporte, 1840, <i>Cantharis</i>	244
<i>nigricornis</i> Leoni, 1906, <i>Cebrio</i>	90
<i>nigricornis</i> Leoni, 1906, <i>Cebrio</i>	92
<i>nigricornis</i> Letzner, 1847, <i>Cantharis</i>	245
<i>nigricornis</i> M. Chûjô, 1938, <i>Endomychus</i>	561
<i>nigricornis</i> Mulsant, 1846, <i>Polymus</i>	566
<i>nigricornis</i> Panzer, 1799, <i>Paraphotistus</i>	179
<i>nigricornis</i> Petri, 1912, <i>Rhagonycha</i>	266
<i>nigricornis</i> Reitter, 1881, <i>Omalisus</i>	211
<i>nigricornis</i> Schilsky, 1896, <i>Dasytidius</i>	390
<i>nigricornis</i> Stephens, 1830, <i>Meligethes</i>	479
<i>nigrifrons</i> G.-Y. Yu, 1997, <i>Clitostethus</i>	579
<i>nigrifrons</i> Pic, 1895, <i>Microjulistus</i>	415
<i>nigrifrons</i> Stephens, 1833, <i>Cantharis</i>	242
<i>nigrihumeralis</i> Okushima & Satô, 1997, <i>Prothemus</i>	260
<i>nigrilabris</i> Mulsant, 1866, <i>Micraspis</i>	620
<i>nigrilimbata</i> Jing, 1986, <i>Phrynocaria</i>	623
<i>nigrimembris</i> Kazantsev, 1994, <i>Lycocerus</i>	252
<i>nigrimembris</i> Pic, 1922, <i>Xylobanus</i>	223
<i>nigrina</i> Casey, 1916, <i>Peltis</i>	366
<i>nigrina</i> J. Weise, 1879, <i>Adalia</i>	604
<i>nigrina</i> Pic, 1893, <i>Stenomera</i>	328
<i>nigrina</i> Reitter, 1897, <i>Hedobia</i>	353
<i>nigrina</i> Reitter, 1879, <i>Triplax</i>	544
<i>nigrina</i> Wittmer, 1936, <i>Malthinus</i>	282
<i>nigrinoides</i> Reitter, 1918, <i>Ampedus</i>	125

<i>nigrinotata</i> Pic, 1905, <i>Cantharis</i>	247
<i>nigrinus</i> Bollow, 1941, <i>Amphicrossus</i>	459
<i>nigrinus</i> Brancucci, 1985, <i>Tryptherus</i>	298
<i>nigrinus</i> Candèze, 1900, <i>Limonius</i>	165
<i>nigrinus</i> Escalera, 1914, <i>Cebrio</i>	92
<i>nigrinus</i> Herbst, 1784, <i>Ampedus</i>	125
<i>nigrinus</i> Hisamatsu, 1960, <i>Microrhagus</i>	83
<i>nigrinus</i> Kolbe, 1924, <i>Agriotes</i>	116
<i>nigrinus</i> Kugelann, 1794, <i>Scymnus</i>	590
<i>nigrinus</i> Marsham, 1802, <i>Hemicrepidius</i>	170
<i>nigrinus</i> Marsham, 1802, <i>Meligethes</i>	479
<i>nigrinus</i> Miwa, 1931, <i>Ectinus</i>	120
<i>nigrinus</i> Paykull, 1800, <i>Drapetes</i>	208
<i>nigrinus</i> Pic, 1894, <i>Psammoecus</i>	497
<i>nigrinus</i> Ratzeburg, 1837, <i>Ernobius</i>	350
<i>nigrinus</i> Reitter, 1902, <i>Anthodromius</i>	386
<i>nigrinus</i> Rey, 1889, <i>Cryptophagus</i>	520
<i>nigrinus</i> Schaufuss, 1866, <i>Macrocerus</i>	296
<i>nigrinus</i> Schilsky, 1890, <i>Adrastus</i>	108
<i>nigrinus</i> Schilsky, 1898, <i>Dasytes</i>	405
<i>nigrinus</i> Stephens, 1829, <i>Phalacrus</i>	510
<i>nigrinus</i> Stephens, 1829, <i>Phalacrus</i>	511
<i>nigrinus</i> Sturm, 1837, <i>Ernobius</i>	350
<i>nigrinus</i> Tournier, 1829, <i>Phalacrus</i>	510
<i>nigripalpis</i> Fiori, 1912, <i>Danacea</i>	398
<i>nigripalpis</i> Rey, 1891, <i>Cantharis</i>	246
<i>nigripalustris</i> Takahashi, 2002, <i>Asiopodabrus</i>	235
<i>nigripenne</i> Fleutiaux, 1895, <i>Ludioschema</i>	132
<i>nigripennis</i> A. Fleischer, 1900, <i>Calvia</i>	607
<i>nigripennis</i> Candèze, 1893, <i>Hemiops</i>	186
<i>nigripennis</i> Comolli, 1837, <i>Ptinus</i>	336
<i>nigripennis</i> Erichson, 1843, <i>Parexochomus</i>	595
<i>nigripennis</i> Fabricius, 1792, <i>Triplax</i>	544
<i>nigripennis</i> Fiori, 1899, <i>Agriotes</i>	115
<i>nigripennis</i> Fleutiaux, 1928, <i>Melanoxanthus</i>	137
<i>nigripennis</i> J. Weise, 1895, <i>Cryptogonus</i>	576
<i>nigripennis</i> Kamiya, 1965, <i>Axinoscymnus</i>	579
<i>nigripennis</i> Kugelann, 1794, <i>Atomaria</i>	526
<i>nigripennis</i> Küster, 1848, <i>Colotes</i>	428
<i>nigripennis</i> L. Redtenbacher, 1868, <i>Amystrops</i>	459
<i>nigripennis</i> Latreille, 1804, <i>Triplax</i>	544
<i>nigripennis</i> Lewis, 1896, <i>Aiolocaria</i>	606
<i>nigripennis</i> Miwa, 1928, <i>Hemicrepidius</i>	170
<i>nigripennis</i> Motschulsky, 1858, <i>Ortitma</i>	542
<i>nigripennis</i> Nakane & Ohbayashi, 1958, <i>Greenarus</i>	215
<i>nigripennis</i> Pic, 1938, <i>Lycocerus</i>	249
<i>nigripennis</i> Pic, 1913, <i>Ichthyurus</i>	297
<i>nigripennis</i> Pic, 1899, <i>Microjulistus</i>	415
<i>nigripennis</i> Reitter, 1891, <i>Drasterius</i>	105
<i>nigripennis</i> Reitter, 1881, <i>Thorictus</i>	305

<i>nigripennis</i> Reitter, 1879, <i>Dapsa</i>	563
<i>nigripennis</i> Reitter, 1891, <i>Tetrabrachys</i>	574
<i>nigripennis</i> Rey, 1889, <i>Corylophus</i>	631
<i>nigripennis</i> Schilsky, 1888, <i>Cantharis</i>	242
<i>nigripennis</i> Schilsky, 1894, <i>Divales</i>	406
<i>nigripennis</i> Schwarz, 1891, <i>Agriotes</i>	114
<i>nigripennis</i> Wittmer, 1979, <i>Cydistus</i>	224
<i>nigripes</i> Bourgeois, 1897, <i>Malthinus</i>	280
<i>nigripes</i> Corporaal, 1926, <i>Callimerus</i>	371
<i>nigripes</i> Crotch, 1873, <i>Anadastus</i>	532
<i>nigripes</i> Fabricius, 1787, <i>Lycostomus</i>	212
<i>nigripes</i> Fabricius, 1792, <i>Globicornis</i>	316
<i>nigripes</i> Germar, 1843, <i>Hemiops</i>	186
<i>nigripes</i> Gyllenhal, 1808, <i>Cidnopus</i>	164
<i>nigripes</i> Heller, 1923, <i>Tritoma</i>	546
<i>nigripes</i> J. R. Sahlberg, 1908, <i>Cybocephalus</i>	490
<i>nigripes</i> Kolenati, 1846, <i>Charopus</i>	441
<i>nigripes</i> Mader, 1955, <i>Endomychus</i>	561
<i>nigripes</i> Mulsant & Rey, 1868, <i>Aplocnemus</i>	411
<i>nigripes</i> Pic, 1894, <i>Dasytidius</i>	390
<i>nigripes</i> Reitter, 1901, <i>Cerylon</i>	553
<i>nigripes</i> Schaufuss, 1867, <i>Malacogaster</i>	210
<i>nigripes</i> Schilsky, 1889, <i>Cantharis</i>	242
<i>nigripes</i> Schilsky, 1899, <i>Anthodromius</i>	386
<i>nigripes</i> Schilsky, 1897, <i>Danacea</i>	399
<i>nigripes</i> Schilsky, 1894, <i>Dasytes</i>	405
<i>nigripes</i> Schilsky, 1896, <i>Graellsinus</i>	408
<i>nigripes</i> Vats & Chauhan, 1992, <i>Conoderus</i>	104
<i>nigripes</i> W. Redtenbacher, 1842, <i>Rhagonycha</i>	266
<i>nigripes</i> Walzl, 1835, <i>Troglops</i>	453
<i>nigripes</i> Wittmer, 1995, <i>Lycocerus</i>	252
<i>nigripubens</i> Reitter, 1911, <i>Trogoderma</i>	319
<i>nigrirostris</i> Stephens, 1830, <i>Atomaria</i>	529
<i>nigrita</i> Geisthardt, 1982, <i>Nyctophila</i>	228
<i>nigrita</i> Mannerheim, 1852, <i>Selatosomus</i>	181
<i>nigritarsis</i> Abeille de Perrin, 1885, <i>Axinotarsus</i>	440
<i>nigritarsis</i> Brullé, 1832, <i>Rhagonycha</i>	266
<i>nigritarsis</i> C. O. Waterhouse, 1873, <i>Languriomorpha</i>	534
<i>nigritarsis</i> Escalera, 1914, <i>Troglops</i>	454
<i>nigritarsis</i> Küster, 1850, <i>Danacea</i>	398
<i>nigritarsis</i> Mulsant & Wachanru, 1852, <i>Occathemus</i>	258
<i>nigrithorax</i> Fiori, 1899, <i>Agriotes</i>	115
<i>nigrithorax</i> Fuente, 1909, <i>Cardiophorus</i>	200
<i>nigrithorax</i> Fuente, 1897, <i>Dasytes</i>	401
<i>nigrithorax</i> Pic, 1909, <i>Malthodes</i>	292
<i>nigrithorax</i> Wittmer, 1995, <i>Lycocerus</i>	252
<i>nigrithorax</i> Wittmer, 1936, <i>Malthinus</i>	277
<i>nigrithorax</i> Wittmer, 1956, <i>Hypebaeus</i>	435
<i>nigritula</i> Dietrich, 1857, <i>Cantharis</i>	244
<i>nigritulus</i> Champion, 1923, <i>Carphurus</i>	416

<i>nigritulus</i> Dufour, 1843, <i>Hypebaeus</i>	433
<i>nigritulus</i> Reitter, 1890, <i>Hemicrepidius</i>	170
<i>nigritulus</i> Reitter, 1888, <i>Cryptophagus</i>	520
<i>nigritus</i> Fabricius, 1798, <i>Chilocorus</i>	593
<i>nigritus</i> Kiesenwetter, 1859, <i>Dasytes</i>	403
<i>nigritus</i> P. H. Lucas, 1846, <i>Meligethes</i>	485
<i>nigritus</i> Tournier, 1889, <i>Olibrus</i>	510
<i>nigritus</i> X.-F. Pang & Mao, 1979, <i>Aspidimerus</i>	575
<i>nigriventralis</i> Krivolutskaya, 1981, <i>Thanasimus</i>	375
<i>nigriventris</i> C. G. Thomson, 1866, <i>Rhyzobius</i>	573
<i>nigriventris</i> Fischer von Waldheim, 1844, <i>Dichelotarsus</i>	237
<i>nigriventris</i> Gorham, 1896, <i>Anadastus</i>	532
<i>nigriventris</i> John, 1955, <i>Aphanocephalus</i>	556
<i>nigriventris</i> Leinberg, 1900, <i>Kateretes</i>	458
<i>nigriventris</i> Motschulsky, 1860, <i>Rhagonycha</i>	266
<i>nigriventris</i> Motschulsky, 1860, <i>Anadastus</i>	533
<i>nigriventris</i> P. H. Lucas, 1843, <i>Bostrichus</i>	321
<i>nigriventris</i> Reitter, 1889, <i>Ampedus</i>	126
<i>nigriventris</i> Stephens, 1830, <i>Atomaria</i>	529
<i>nigroabdominalis</i> Pic, 1914, <i>Lycocerus</i>	252
<i>nigroaeneus</i> Dolin & Protzenko, 1965, <i>Cardiophorus</i>	199
<i>nigroaeneus</i> Küster, 1850, <i>Dasytes</i>	405
<i>nigroaeneus</i> Marsham, 1802, <i>Limonius</i>	165
<i>nigroannulatus</i> Pic, 1922, <i>Lycocerus</i>	252
<i>nigroapicalis</i> Miwa, 1927, <i>Allocardiophorus</i>	194
<i>nigroapicalis</i> Pic, 1934, <i>Emmepus</i>	370
<i>nigroapicalis</i> Pic, 1955, <i>Callimerus</i>	371
<i>nigrobasalis</i> G.-Y. Yu, 2000, <i>Scymnus</i>	586
<i>nigrobilineatus</i> Pic, 1916, <i>Lycocerus</i>	252
<i>nigrocapitata</i> Bourgeois, 1900, <i>Rhagonycha</i>	263
<i>nigrocastanea</i> Grouvelle, 1903, <i>Aethina</i>	471
<i>nigrocaudatus</i> Abeille de Perrin, 1885, <i>Ebaeus</i>	431
<i>nigrocephala</i> Mt. Chûjô, 1993, <i>Dacne</i>	537
<i>nigrocinctus</i> Ganglbauer, 1899, <i>Clitostethus</i>	579
<i>nigrocoeruleus</i> Geoffroy, 1799, <i>Korynetes</i>	381
<i>nigrocyaneus</i> Buysson, 1912, <i>Cardiophorus</i>	199
<i>nigrocyaneus</i> Mulsant & Rey, 1868, <i>Dasytes</i>	405
<i>nigrofasciata</i> P. Rossi, 1790, <i>Coccinella</i>	613
<i>nigrofasciatus</i> Miyatake, 1959, <i>Menochilus</i>	619
<i>nigrofasciatus</i> Sasaji, 1988, <i>Ectomychus</i>	568
<i>nigrofemoralis</i> Majer, 1989, <i>Cyrdobaldus</i>	394
<i>nigrofemoralis</i> Pic, 1894, <i>Dasytidius</i>	391
<i>nigrofemoralis</i> Schilsky, 1898, <i>Dasytes</i>	405
<i>nigrofemorata</i> Pic, 1898, <i>Danacea</i>	397
<i>nigrofemorata</i> Schilsky, 1890, <i>Rhagonycha</i>	266
<i>nigrofemoratus</i> Fürsch, 1958, <i>Nephus</i>	581
<i>nigrofemoratus</i> Pic, 1894, <i>Aplocnemus</i>	412
<i>nigroflava</i> Fairmaire, 1878, <i>Pyrocoelia</i>	229
<i>nigroflavus</i> Goeze, 1777, <i>Ampedus</i>	125
<i>nigrofucus</i> Vats & Kashyap, 1992, <i>Lacon</i>	101

<i>nigrofuscus</i> Jing, 1983, <i>Sumnius</i>	575
<i>nigrohumeralis</i> Pic, 1939, <i>Ponyalis</i>	218
<i>nigroides</i> Wasmann, 1925, <i>Thorictus</i>	303
<i>nigroimpressa</i> Pic, 1922, <i>Rhagonycha</i>	266
<i>nigrolabra</i> Pic, 1915, <i>Cantharis</i>	239
<i>nigrolineatus</i> Kishii, 1991, <i>Abelater</i>	135
<i>nigrolineatus</i> Pic, 1920, <i>Ampedus</i>	125
<i>nigrolineatus</i> Vats & Chauhan, 1992, <i>Conoderus</i>	104
<i>nigromaculata</i> Blackburn, 1888, <i>Cartodere</i>	635
<i>nigromaculata</i> Mader, 1935, <i>Propylea</i>	623
<i>nigromaculatus</i> DeGeer, 1774, <i>Sericus</i>	134
<i>nigromaculatus</i> Goeze, 1777, <i>Parexochomus</i>	595
<i>nigromaculatus</i> Hisamatsu, 1985, <i>Augasmus</i>	507
<i>nigromaculatus</i> Lewis, 1892, <i>Omadius</i>	372
<i>nigromaculatus</i> P. H. Lucas, 1846, <i>Divales</i>	406
<i>nigromaculatus</i> Schimmel, 1993, <i>Ampedus</i>	125
<i>nigromaculosus</i> Vats & Chauhan, 1992, <i>Conoderus</i>	104
<i>nigromarginalis</i> G.-Y. Yu, 2000, <i>Scymnus</i>	584
<i>nigromarginatus</i> Miyatake, 1970, <i>Xanthocorus</i>	595
<i>nigromarginatus</i> Motschulsky, 1860, <i>Chilocorus</i>	593
<i>nigronotatus</i> Pic, 1916, <i>Pristolycus</i>	230
<i>nigronotatus</i> Pic, 1908, <i>Malthinus</i>	283
<i>nigronotatus</i> Pic, 1901, <i>Trigonogenius</i>	339
<i>nigronotatus</i> Pic, 1942, <i>Ptinomorphus</i>	354
<i>nigroopaca</i> Wittmer, 1995, <i>Kuatunia</i>	436
<i>nigroornatus</i> Reitter, 1889, <i>Notolaemus</i>	505
<i>nigropectoralis</i> X.-F. Pang & Mao, 1979, <i>Amida</i>	597
<i>nigropectus</i> Champion, 1922, <i>Danacaeomimus</i>	394
<i>nigropiceus</i> Gorham, 1887, <i>Endomychus</i>	561
<i>nigropiceus</i> Ivanov, 1902, <i>Athous</i>	156
<i>nigropicta</i> J. Weise, 1879, <i>Coccinula</i>	601
<i>nigropictus</i> Fairmaire, 1876, <i>Exochomus</i>	594
<i>nigropictus</i> Wollaston, 1867, <i>Scymnus</i>	588
<i>nigropilosus</i> Gerhardt, 1912, <i>Actenicerus</i>	174
<i>nigropilosus</i> Reitter, 1902, <i>Anthodromius</i>	386
<i>nigropilosus</i> Reitter, 1885, <i>Dasytes</i>	403
<i>nigropilosus</i> Schilsky, 1896, <i>Dasytes</i>	402
<i>nigropilosus</i> Schwarz, 1902, <i>Anostirus</i>	174
<i>nigroplagiatus</i> Blanchard, 1853, <i>Lacon</i>	101
<i>nigroplagiatus</i> Champion, 1922, <i>Hedybius</i>	438
<i>nigroplumbeus</i> Pic, 1926, <i>Clanoptilus</i>	444
<i>nigropolitus</i> Wittmer, 1995, <i>Themus</i>	272
<i>nigropubens</i> Reitter, 1904, <i>Agriotes</i>	116
<i>nigropubescens</i> Barovskij, 1926, <i>Cantharis</i>	241
<i>nigropunctata</i> Lewis, 1887, <i>Tritoma</i>	546
<i>nigropunctata</i> Nakane, 1951, <i>Chondria</i>	567
<i>nigropunctata</i> Reitter, 1919, <i>Epuraea</i>	463
<i>nigropunctata</i> Reitter, 1900, <i>Coccidula</i>	572
<i>nigropunctatus</i> Candèze, 1860, <i>Dicronychus</i>	205
<i>nigropunctatus</i> Chevrolat, 1874, <i>Omadius</i>	372

<i>nigropunctatus</i> Kiesenwetter, 1863, <i>Dasytes</i>	400
<i>nigropunctatus</i> Küster, 1849, <i>Dasytes</i>	400
<i>nigropunctatus</i> Motschulsky, 1860, <i>Dicronychus</i>	205
<i>nigropustulatus</i> Champion, 1925, <i>Attalus</i>	422
<i>nigropygidialis</i> Pic, 1954, <i>Rhagonycha</i>	266
<i>nigror</i> Platia, 2003, <i>Agriotes</i>	116
<i>nigror</i> Reitter, 1896, <i>Ampedus</i>	125
<i>nigroruber</i> DeGeer, 1774, <i>Pyropterus</i>	216
<i>nigrorubra</i> DeGeer, 1774, <i>Platycis</i>	216
<i>nigrorubra</i> Goeze, 1777, <i>Pyropterus</i>	216
<i>nigrorubra</i> Lesne, 1901, <i>Coccographis</i>	328
<i>nigrorufus</i> Pal, 1993, <i>Aulacochilus</i>	539
<i>nigroscutellaris</i> Ohbayashi, 1956, <i>Lyponia</i>	218
<i>nigroscutellata</i> Reitter, 1888, <i>Atomaria</i>	529
<i>nigroscutellatus</i> Buysson, 1924, <i>Agriotes</i>	117
<i>nigrosetosus</i> Motschulsky, 1854, <i>Malachius</i>	449
<i>nigrosignatus</i> Pic, 1954, <i>Ichthyurus</i>	297
<i>nigrosignatus</i> Pic, 1933, <i>Colotes</i>	428
<i>nigrostriatus</i> Kleine, 1926, <i>Lycoprogentes</i>	217
<i>nigrostriatus</i> Kleine, 1928, <i>Cautires</i>	222
<i>nigrostriatus</i> Vats & Chauhan, 1993, <i>Silesis</i>	113
<i>nigrosubapicalis</i> Pic, 1926, <i>Micropodabrus</i>	258
<i>nigrosulcatus</i> Kleine, 1928, <i>Plateros</i>	220
<i>nigrosuta</i> A. Fiori, 1900, <i>Rhagonycha</i>	266
<i>nigrosuturale</i> Reitter, 1909, <i>Leucohimatium</i>	536
<i>nigrosuturalis</i> Escalera, 1914, <i>Cebrio</i>	92
<i>nigrosuturalis</i> Kamiya, 1961, <i>Scymnus</i>	590
<i>nigrosuturalis</i> Kapur, 1951, <i>Brumoides</i>	593
<i>nigrosuturus</i> Vats & Chauhan, 1991, <i>Cardiophorus</i>	199
<i>nigroterminata</i> Reitter, 1898, <i>Rhagonycha</i>	263
<i>nigroterminatus</i> W. S. MacLeay, 1826, <i>Melanoxanthus</i>	137
<i>nigrothoracica</i> Pal, 2003, <i>Ancylopus</i>	562
<i>nigrotibialis</i> Tshernyshev, 2003, <i>Ebaeus</i>	431
<i>nigrotinctus</i> Gistel, 1857, <i>Ampedus</i>	129
<i>nigrovariegata</i> M. Chûjô, 1968, <i>Pseudotritoma</i>	542
<i>nigrovelatus</i> Buysson, 1912, <i>Cardiophorus</i>	196
<i>nigroventris</i> Lewis, 1894, <i>Ampedus</i>	124
<i>nigroverticalis</i> Fairmaire, 1887, <i>Lycocerus</i>	252
<i>nigrovittata</i> Kapur, 1963, <i>Coccinella</i>	611
<i>nigrovittatus</i> Pic, 1925, <i>Calochromus</i>	224
<i>nigrum</i> Kishii, 1985, <i>Menoko</i>	188
<i>nihonicus</i> Kishii, 1966, <i>Limoniscus</i>	165
<i>nihonicus</i> Kishii, 1979, <i>Harminius</i>	169
<i>niisatoi</i> Satô & Takahashi, 1989, <i>Themus</i>	270
<i>niitakaensis</i> Wittmer, 1955, <i>Malthodes</i>	292
<i>nijazi</i> Dolin & Agajev, 1983, <i>Cardiophorus</i>	201
<i>nikitanus</i> Brenske & Reitter, 1884, <i>Ptinus</i>	335
<i>nikitskii</i> Toskina, 1995, <i>Ptilinus</i>	356
<i>nikitskii</i> Toskina, 1999, <i>Lasioderma</i>	358
<i>nikitskyi</i> Bowstead, 2000, <i>Orthoperus</i>	634

nikitskyi Egorov, 1992, <i>Aulonothroscus</i>	88
nikitskyi Johnson, 2007, <i>Atomaria</i>	526
<i>nikitskyi</i> Kazantsev, 1995, <i>Malthodes</i>	289
nikitskyi Kirejtshuk, 1992, <i>Epuraea</i>	463
nikkoensis Jakobson, 1913, <i>Corymbitodes</i>	176
nikkoensis Kishii, 1976, <i>Fleutiauxellus</i>	188
nikkoensis Kishii, 1976, <i>Zorochros</i>	193
nikkoensis Miwa, 1928, <i>Harminius</i>	169
nikkoensis Ôhira, 1973, <i>Ampedus</i>	129
<i>nikkoensis</i> Yajima & Nakane, 1969, <i>Lycocerus</i>	254
nikodymi Platia & Schimmel, 2001, <i>Melanotus</i>	147
nikolajevi Nikitsky & Semenov, 2001, <i>Dapsa</i>	563
nikritini Nikitsky & Kompantzev, 1997, <i>Triplax</i>	544
<i>nilotica</i> Mulsant, 1850, <i>Cheilomenes</i>	610
niloticus Canepari, 1978, <i>Nephus</i>	580
nimbosus Majer, 1986, <i>Dasytes</i>	403
ningshanensis G.-Y. Yu & Yao, 2000, <i>Scymnus</i>	584
ninoseanus Nakane & Makino, 1990, <i>Asiopodabrus</i>	235
niphe Gistel, 1857, <i>Zorochros</i>	194
niponensis Gorham, 1874, <i>Idiophyes</i>	559
niponensis Lewis, 1894, <i>Meristhus</i>	103
niponensis Lewis, 1894, <i>Elater</i>	132
niponensis Lewis, 1894, <i>Limoniscus</i>	165
niponensis Lewis, 1874, <i>Tritoma</i>	546
niponensis Ôhira, 1970, <i>Dalopius</i>	119
niponensis Pic, 1907, <i>Attalus</i>	425
niponica Lewis, 1896, <i>Henosepilachna</i>	629
niponicus Kiesenwetter, 1874, <i>Caccodes</i>	276
niponicus Kishii, 1957, <i>Fleutiauxellus</i>	187
niponicus Lewis, 1894, <i>Ampedus</i>	129
niponicus Lewis, 1894, <i>Cardiophorus</i>	199
niponicus Lewis, 1879, <i>Tryptherus</i>	298
niponicus Lewis, 1892, <i>Opilo</i>	373
niponicus Lewis, 1895, <i>Intybia</i>	417
<i>niponicus</i> Lewis, 1896, <i>Scymnus</i>	584
niponicus Ôhira, 1964, <i>Melanotus</i>	147
nipparensis Hisamatsu, 1957, <i>Heterotaxis</i>	87
nippon Kishii, 1982, <i>Ampedus</i>	127
nipponensis Fleutiaux, 1923, <i>Dromaeolus</i>	86
nipponensis Kalík & Ohbayashi, 1985, <i>Anthrenus</i>	312
<i>nipponensis</i> Lewis, 1896, <i>Heterobostrychus</i>	322
nipponensis Ôhira, 1973, <i>Denticollis</i>	168
nipponensis Ôhira, 1973, <i>Liotrichus</i>	178
nipponica Shinohara, 1941, <i>Encaustes</i>	539
nipponica Yuasa, 1963, <i>Myzia</i>	620
nipponicus Cobos, 1969, <i>Aulonothroscus</i>	88
nipponicus Endrödy-Younga, 1971, <i>Cybocephalus</i>	490
nipponicus Fleutiaux, 1923, <i>Otho</i>	82
nipponicus Fleutiaux, 1923, <i>Fornax</i>	86
nipponicus Hisamatsu, 1985, <i>Augasmus</i>	507

<i>nipponicus</i> Kishii, 1979, <i>Ectinus</i>	120
<i>nipponicus</i> Nakane, 1984, <i>Arractocetus</i>	363
<i>nipponicus</i> Sakai, 1984, <i>Byrrhodes</i>	344
<i>nishidai</i> Kishii, 1986, <i>Liotrichus</i>	178
<i>nitens</i> Fall, 1910, <i>Carpophilus</i>	466
<i>nitens</i> Marsham, 1802, <i>Tolyphus</i>	513
<i>nitens</i> Marsham, 1802, <i>Ephistemus</i>	530
<i>nitens</i> Rey, 1889, <i>Arthrolips</i>	632
<i>nitens</i> Scopoli, 1763, <i>Selatosomus</i>	181
<i>nitescens</i> E. Olivier, 1903, <i>Luciola</i>	232
<i>nitescens</i> Grouvelle, 1897, <i>Epuraea</i>	463
<i>nitida</i> Baudi di Selve, 1859, <i>Rhagonycha</i>	266
<i>nitida</i> Champion, 1919, <i>Idgia</i>	385
<i>nitida</i> E. A. Chapin, 1926, <i>Telsimia</i>	597
<i>nitida</i> Fleutiaux, 1902, <i>Menoko</i>	188
<i>nitidicollis</i> Chevrolat, 1873, <i>Cyrtosus</i>	447
<i>nitidicollis</i> Fairmaire, 1891, <i>Lamprigera</i>	229
<i>nitidicollis</i> Kishii, 1991, <i>Glyphonyx</i>	110
<i>nitidicollis</i> Kishii & Ôhira, 1956, <i>Vuilletus</i>	134
<i>nitidicollis</i> Koenig, 1889, <i>Hypnoidus</i>	154
<i>nitidicollis</i> L. Miller, 1881, <i>Agriotes</i>	118
<i>nitidicollis</i> Laporte, 1840, <i>Limonius</i>	165
<i>nitidicollis</i> Reitter, 1873, <i>Meligethes</i>	485
<i>nitidicollis</i> Schilsky, 1896, <i>Dasytes</i>	402
<i>nitidicollis</i> Wittmer, 1994, <i>Laius</i>	417
<i>nitidicornis</i> Gurjeva, 1988, <i>Melanotus</i>	147
<i>nitidipenne</i> Germain, 1856, <i>Mezium</i>	329
<i>nitidipennis</i> Murray, 1867, <i>Xyloperthodes</i>	323
<i>nitidipennis</i> Waterhose, 1881, <i>Phonapate</i>	321
<i>nitidissima</i> Pic, 1922, <i>Podosilis</i>	275
<i>nitidissima</i> Pic, 1904, <i>Danacea</i>	398
<i>nitidissimus</i> Roubal, 1943, <i>Meligethes</i>	484
<i>nitidithorax</i> Pic, 1905, <i>Malthinus</i>	281
<i>nitidula</i> Fabricius, 1792, <i>Silis</i>	276
<i>nitidula</i> Heer, 1841, <i>Atomaria</i>	526
<i>nitidula</i> Marsham, 1802, <i>Atomaria</i>	526
<i>nitiduloides</i> Wollaston, 1854, <i>Cryptophagus</i>	518
<i>nitidulus</i> Allen, 1942, <i>Orthoperus</i>	634
<i>nitidulus</i> Duftschmid, 1825, <i>Rhizophagus</i>	491
<i>nitidulus</i> Fabricius, 1792, <i>Ebaeus</i>	431
<i>nitidulus</i> Fabricius, 1798, <i>Rhizophagus</i>	492
<i>nitidulus</i> Küster, 1847, <i>Anthrenus</i>	314
<i>nitidulus</i> L. Miller, 1858, <i>Cryptophagus</i>	518
<i>nitidulus</i> Marsham, 1802, <i>Adrastus</i>	108
<i>nitidulus</i> Wollaston, 1871, <i>Ernobius</i>	351
<i>nitidum</i> Fleutiaux, 1895, <i>Ludioschema</i>	132
<i>nitidum</i> Schenkling, 1916, <i>Gastrocentrum</i>	368
<i>nitidus</i> A. Costa, 1847, <i>Microrhagus</i>	82
<i>nitidus</i> Candèze, 1857, <i>Adelocera</i>	96
<i>nitidus</i> Candèze, 1860, <i>Priopus</i>	152

<i>nitidus</i> Candèze, 1878, <i>Cardiophorus</i>	199
<i>nitidus</i> Duftschmid, 1825, <i>Dignomus</i>	331
<i>nitidus</i> Fabricius, 1792, <i>Teredus</i>	552
<i>nitidus</i> Fleutiaux, 1902, <i>Hypnoidus</i>	155
<i>nitidus</i> Gmelin, 1790, <i>Pheletes</i>	166
<i>nitidus</i> Horn, 1862, <i>Tenebroides</i>	365
<i>nitidus</i> Küster, 1849, <i>Charopus</i>	442
<i>nitidus</i> Majer, 1990, <i>Aplocnemus</i>	413
<i>nitidus</i> Matthews, 1899, <i>Arthrolips</i>	632
<i>nitidus</i> Pic, 1895, <i>Niptodes</i>	332
<i>nitidus</i> Stephens, 1835, <i>Ephistemus</i>	530
<i>nitobei</i> Miwa, 1930, <i>Oedostethus</i>	189
<i>nivalis</i> Ahrens, 1814, <i>Cantharis</i>	241
<i>nivalis</i> L. Redtenbacher, 1849, <i>Cratosilis</i>	248
<i>nivalis</i> Wasmann, 1895, <i>Thorictus</i>	304
<i>nivea</i> Panzer, 1798, <i>Metacantharis</i>	255
<i>niveicollis</i> Jacquelin du Val, 1859, <i>Metophthalmus</i>	639
<i>niveipennis</i> J. R. Sahlberg, 1903, <i>Anthrenus</i>	312
<i>nivellei</i> Escalera, 1925, <i>Thorictus</i>	303
<i>niveus</i> Abeille de Perrin, 1898, <i>Callotroglops</i>	451
<i>niveus</i> Boieldieu, 1854, <i>Sphaericus</i>	338
<i>niveus</i> Jeng & Satô, 2001, <i>Diaphanes</i>	226
<i>niveus</i> Reitter, 1881, <i>Anthrenus</i>	312
<i>nivicola</i> Kiesenwetter, 1866, <i>Aplotarsus</i>	175
<i>nivicola</i> Mulsant, 1850, <i>Coccinella</i>	611
<i>nivosus</i> Escalera, 1914, <i>Dignomus</i>	330
<i>noacki</i> Kleine, 1950, <i>Xylobanus</i>	223
<i>nobile</i> Reitter, 1881, <i>Phradonoma</i>	318
<i>nobiliformis</i> Reitter, 1894, <i>Trichodes</i>	377
<i>nobilis</i> Gorham, 1889, <i>Themus</i>	272
<i>nobilis</i> Illiger, 1798, <i>Psilothrix</i>	408
<i>nobilis</i> Klug, 1842, <i>Trichodes</i>	378
<i>nobilis</i> Lewis, 1893, <i>Rhizophagus</i>	492
<i>nobilis</i> Reitter, 1884, <i>Niptodes</i>	332
<i>nobilis</i> Reitter, 1894, <i>Epuraea</i>	460
<i>nobilis</i> Reitter, 1873, <i>Pocadius</i>	476
<i>nobilissima</i> Reitter, 1884, <i>Armidia</i>	238
<i>nobuchii</i> Kishii, 1955, <i>Sericus</i>	134
<i>nobuoi</i> Ôhira, 1966, <i>Campsosternus</i>	94
<i>nobuoi</i> Okushima & Satô, 2000, <i>Themus</i>	272
<i>nocivus</i> Mulsant & Godart, 1872, <i>Anthrenus</i>	314
<i>nocte</i> Pal, 1993, <i>Episcapha</i>	540
<i>noctiluca</i> Linnaeus, 1767, <i>Lampyris</i>	227
<i>nodai</i> Ôhira, 1996, <i>Homotechnes</i>	154
<i>nodicornis</i> Motschulsky, 1854, <i>Cyrtosus</i>	446
<i>nodicornis</i> Wittmer, 1982, <i>Micropodabrus</i>	257
<i>nodieri</i> Fleutiaux, 1918, <i>Agriotes</i>	118
<i>nodieri</i> Pic, 1932, <i>Stagetus</i>	347
<i>nodifer</i> Westwood, 1839, <i>Cartodere</i>	635
<i>nodifer</i> Wittmer, 1981, <i>Ebaeus</i>	431

nodifrons Champion, 1921, <i>Laius</i>	418
nodipennis Krynicki, 1832, <i>Hypebaeus</i>	433
<i>nodulosa</i> Motschulsky, 1866, <i>Cartodere</i>	636
nodulus Wollaston, 1854, <i>Sphaericus</i>	338
nokozanus Miwa, 1928, <i>Ectinus</i>	120
<i>nominandus</i> Roubal, 1915, <i>Microrhagus</i>	83
nomurai Kishii, 1993, <i>Silesis</i>	112
nomurai Ôhira, 1968, <i>Glyphonyx</i>	110
nomurai Ôhira, 1968, <i>Ampedus</i>	129
<i>nonfriedi</i> Pic, 1934, <i>Themus</i>	273
nonggangensis T. Zeng & L.-F. Yang, 1996, <i>Afissula</i>	626
nonveilleri Dajoz, 1984, <i>Anommatus</i>	550
nonveilleri G. Müller, 1946, <i>Podistra</i>	260
<i>nooitgedag</i> Irish, 1996, <i>Stethomezium</i>	329
nopporensis Wittmer, 1971, <i>Rhagonycha</i>	266
<i>norensis</i> Pic, 1913, <i>Lycocerus</i>	253
<i>norica</i> Ganglbauer, 1899, <i>Atomaria</i>	528
<i>normalis</i> Reitter, 1894, <i>Trichodes</i>	379
normandi Buysson, 1920, <i>Hemicleus</i>	100
normandi Chobaut, 1924, <i>Thorictus</i>	304
normandi Constantin, 1988, <i>Danacea</i>	398
normandi Easton, 1954, <i>Meligethes</i>	485
<i>normandi</i> Escalera, 1926, <i>Axinotarsus</i>	441
normandi Kalík, 1951, <i>Dermestes</i>	301
normandi Lesne, 1897, <i>Bostrychoplites</i>	321
normandi Majer, 1990, <i>Dasytidius</i>	390
normandi Peyerimhoff, 1931, <i>Cybocephalus</i>	490
normandi Peyerimhoff, 1917, <i>Sphaerosoma</i>	555
<i>normandi</i> Pic, 1900, <i>Malthinus</i>	280
normandi Pic, 1900, <i>Malthodes</i>	295
<i>normandi</i> Pic, 1899, <i>Ernobius</i>	351
<i>normandi</i> Pic, 1919, <i>Troglops</i>	453
<i>normanna</i> C. N. F. Brisout de Barneville, 1892, <i>Corticaria</i>	643
<i>normatus</i> Reitter, 1888, <i>Biphyllus</i>	548
<i>norvegica</i> A. Strand, 1940, <i>Cartodere</i>	636
norvegicus Easton, 1959, <i>Meligethes</i>	485
<i>norvegicus</i> J. R. Sahlberg, 1926, <i>Cryptophagus</i>	520
norvegicus Munster, 1901, <i>Olibrus</i>	509
<i>norvegicus</i> Munster, 1928, <i>Nephus</i>	581
notabilis Candèze, 1873, <i>Paraphotistus</i>	179
notabilis Dolin, 1994, <i>Melanotus</i>	147
<i>notata</i> A. G. Olivier, 1791, <i>Harmonia</i>	616
notata Gmelin, 1790, <i>Dacne</i>	538
notata Klug, 1842, <i>Tilloidea</i>	369
notata Laicharting, 1781, <i>Ceratomegilla</i>	609
<i>notata</i> Walth, 1838, <i>Metacantharis</i>	256
<i>notaticeps</i> Pic, 1907, <i>Ancistronycha</i>	238
<i>notaticeps</i> Pic, 1903, <i>Cantharis</i>	245
<i>notaticeps</i> Pic, 1949, <i>Attalus</i>	425
<i>notaticeps</i> Pic, 1914, <i>Incisomalachius</i>	436

notaticeps Pic, 1917, <i>Troglops</i>	454
notaticeps Wittmer, 1956, <i>Malthinus</i>	281
notaticollis Bourgeois, 1902, <i>Malthodes</i>	292
<i>notaticollis</i> Pic, 1921, <i>Lycocerus</i>	251
<i>notaticollis</i> Pic, 1900, <i>Malthinus</i>	277
<i>notaticollis</i> Pic, 1907, <i>Cerapheles</i>	441
<i>notaticollis</i> Rosenhauer, 1856, <i>Rhagonycha</i>	266
<i>notaticollis</i> Schilsky, 1890, <i>Cantharis</i>	247
<i>notaticollis</i> Schilsky, 1894, <i>Divales</i>	406
<i>notaticornis</i> Pic, 1927, <i>Armidia</i>	238
<i>notatipennis</i> Pic, 1931, <i>Orphinus</i>	317
<i>notatipennis</i> Pic, 1926, <i>Tenerus</i>	384
<i>notatithorax</i> Obenberger, 1917, <i>Placonotus</i>	506
<i>notatithorax</i> Pic, 1916, <i>Denticollis</i>	168
<i>notatithorax</i> Pic, 1955, <i>Diaphanes</i>	226
<i>notatithorax</i> Pic, 1947, <i>Macrohabronychus</i>	255
<i>notatithorax</i> Pic, 1922, <i>Micropodabrus</i>	257
<i>notatithorax</i> Pic, 1936, <i>Apalochrus</i>	416
<i>notativentris</i> Reitter, 1902, <i>Brachyleptus</i>	456
<i>notatulus</i> Buysson, 1912, <i>Drasterius</i>	105
<i>notatus</i> Reitter, 1873, <i>Cyllodes</i>	472
<i>notatus</i> Zubkov, 1833, <i>Apalochrus</i>	416
<i>nothus</i> Candèze, 1865, <i>Platynychus</i>	207
<i>nothus</i> Kiesenwetter, 1874, <i>Eropterus</i>	215
<i>notiale</i> Péringuey, 1899, <i>Stethomezium</i>	329
<i>notidanus</i> X.-F. Pang & Huang, 1985, <i>Scymnus</i>	590
<i>notodonta</i> Latreille, 1827, <i>Lanelater</i>	102
<i>notopedalis</i> Crotch, 1876, <i>Pentelanguria</i>	535
<i>notsui</i> Wittmer, 1984, <i>Prothemus</i>	260
<i>notsui</i> Wittmer, 1984, <i>Malthinus</i>	281
<i>notus</i> X.-F. Pang & Pu, 1990, <i>Scymnus</i>	586
<i>noualhieri</i> Bourgeois, 1894, <i>Malthodes</i>	287
<i>nourrichelii</i> Laporte, 1838, <i>Attalus</i>	422
<i>nova</i> Jakobson, 1911, <i>Danacea</i>	398
<i>nova</i> Roelofs, 1939, <i>Atomaria</i>	529
<i>novaezealandie</i> Colenso, 1888, <i>Coccinella</i>	613
<i>novaki</i> Binaghi, 1935, <i>Oedostethus</i>	189
<i>novaki</i> Dajoz, 1977, <i>Anommatus</i>	550
<i>novaki</i> G. Müller, 1946, <i>Luciola</i>	232
<i>novaki</i> Penecke, 1907, <i>Athous</i>	162
<i>novaki</i> Reitter, 1889, <i>Malthinus</i>	283
<i>novaki</i> Reitter, 1894, <i>Malthodes</i>	292
<i>novemdecimnotata</i> Gebler, 1830, <i>Bulaea</i>	600
<i>novemdecimpunctata</i> Linnaeus, 1758, <i>Anisosticta</i>	600
<i>novemdecimsignata</i> Faldermann, 1835, <i>Harmonia</i>	615
<i>novemexcavatus</i> Wittmer, 1951, <i>Micropodabrus</i>	257
<i>novemmaculata</i> C. Cao & Pu, 1985, <i>Coelophora</i>	614
<i>novemmaculata</i> Fabricius, 1781, <i>Coelophora</i>	614
<i>novemnotata</i> Haworth, 1912, <i>Hippodamia</i>	618
<i>novempunctata</i> Fabricius, 1775, <i>Coelophora</i>	614

<i>novempunctata</i> Geoffroy, 1785, <i>Ceratomegilla</i>	609
<i>novempunctata</i> Haworth, 1912, <i>Hippodamia</i>	618
<i>novempunctata</i> Linnaeus, 1758, <i>Coccinella</i>	613
<i>novempunctata</i> Scopoli, 1763, <i>Hippodamia</i>	618
<i>novempunctatus</i> Miyatake, 1979, <i>Horniolus</i>	579
<i>novemsignata</i> Thunberg, 1820, <i>Coelophora</i>	614
<i>novenus</i> G.-Y. Yu, 1995, <i>Scymnus</i>	587
<i>novoathonius</i> Sumakow, 1903, <i>Drilus</i>	209
<i>noxius</i> Mulsant & Rey, 1868, <i>Dermestes</i>	299
<i>nozirianus</i> Nakane, 1969, <i>Plateros</i>	220
<i>nozirianus</i> Nakane & Makino, 1990, <i>Asiopodabrus</i>	234
<i>nubatama</i> Kishii, 1988, <i>Ampedus</i>	125
<i>nubicus</i> Mader, 1949, <i>Pharoscygnus</i>	570
<i>nubigena</i> Wollaston, 1863, <i>Airaphilus</i>	498
<i>nubila</i> Baudi di Selve, 1872, <i>Rhagonycha</i>	265
<i>nubilipennis</i> Germar, 1843, <i>Prosternon</i>	180
<i>nubilosus</i> Schwarz, 1895, <i>Cardiophorus</i>	199
<i>nubilosus</i> Wurst & Schimmel, 1995, <i>Anostirus</i>	174
<i>nubilus</i> Bessolitzina, 1974, <i>Oedostethus</i>	189
<i>nubilus</i> Candèze, 1857, <i>Cryptalaus</i>	107
<i>nubilus</i> Hodgson Torres & Plata Negrache, 1987, <i>Charopus</i>	442
<i>nubilus</i> Jeng & Lai, 2001, <i>Diaphanes</i>	226
<i>nubilus</i> Mulsant, 1850, <i>Scymnus</i>	590
<i>nubilus</i> Schrank, 1786, <i>Actenicerus</i>	174
<i>nuceus</i> Candèze, 1882, <i>Melanotus</i>	147
<i>nuceus</i> Fairmaire, 1866, <i>Agriotes</i>	116
<i>nudipennis</i> Reitter, 1911, <i>Cantharis</i>	242
<i>nudipennis</i> Sicard, 1910, <i>Coelophora</i>	613
<i>nudus</i> Küster, 1853, <i>Ectinus</i>	120
<i>nudus</i> Schilsky, 1894, <i>Dasytes</i>	403
<i>nuguei</i> Pic, 1910, <i>Sphaerarthrum</i>	276
<i>numerosus</i> Platia & Schimmel, 1991, <i>Silesis</i>	112
<i>numida</i> Candèze, 1860, <i>Cardiophorus</i>	199
<i>numida</i> Fairmaire, 1866, <i>Cebrio</i>	92
<i>numida</i> Lesne, 1899, <i>Lichenophanes</i>	322
<i>numidica</i> Bedel, 1890, <i>Ochina</i>	353
<i>numidica</i> Normand, 1935, <i>Lampyrus</i>	227
<i>numidica</i> Pic, 1903, <i>Stagetus</i>	346
<i>numidicus</i> Fairmaire, 1866, <i>Cebrio</i>	91
<i>numidicus</i> P. H. Lucas, 1846, <i>Cebrio</i>	92
<i>numidicus</i> Pic, 1909, <i>Malthodes</i>	292
<i>numidicus</i> Pic, 1900, <i>Pharoscygnus</i>	570
<i>nuptiabilis</i> Abeille de Perrin, 1900, <i>Attalus</i>	425
<i>nuragicus</i> Audisio & Jelinek, 1990, <i>Meligethes</i>	485
<i>nuratavica</i> Sokolov, 1983, <i>Ctesias</i>	315
<i>nurdagensis</i> Wittmer, 1972, <i>Rhagonycha</i>	266
<i>nurdagensis</i> Wittmer, 1970, <i>Malthodes</i>	292
<i>nuristanicus</i> Wittmer, 1956, <i>Trypheridium</i>	297
<i>nuristanicus</i> Wittmer, 1989, <i>Laius</i>	418
<i>nuristanicus</i> Wittmer, 1956, <i>Hypebaeus</i>	435

<i>nuristanicus</i> Wittmer, 1956, <i>Cephaloncus</i>	452
<i>nuristanus</i> Hicker, 1937, <i>Themus</i>	271
<i>nuristanus</i> Wittmer, 1981, <i>Carphuroides</i>	415
<i>nycturgus</i> Gistel, 1857, <i>Elateroides</i>	362
<i>nyholmi</i> Wittmer, 1970, <i>Malthodes</i>	292
<i>nympha</i> Liberti, 1985, <i>Danacea</i>	395
<i>oakanus</i> Ohta, 1930, <i>Byturus</i>	547
<i>obakoe</i> Kishii, 1979, <i>Ectinus</i>	120
<i>obakoensis</i> Kishii, 1976, <i>Athousius</i>	163
<i>obayashii</i> Miwa, 1934, <i>Priopus</i>	152
<i>obconiceps</i> Pic, 1925, <i>Plateros</i>	220
<i>obconicicollis</i> Pic, 1914, <i>Lycocerus</i>	252
<i>obconicus</i> Abeille de Perrin, 1891, <i>Clanoptilus</i>	443
<i>obcordata</i> Marsham, 1802, <i>Micrambe</i>	523
<i>obeliscus</i> Lewis, 1892, <i>Cladiscus</i>	367
<i>obenbergeri</i> Fürsch, 1958, <i>Scymnus</i>	585
<i>obenbergeri</i> Jansson, 1936, <i>Korynetes</i>	381
<i>obenbergeri</i> John, 1965, <i>Thorictus</i>	305
<i>obenbergeri</i> Kalík, 1951, <i>Megatoma</i>	317
<i>obenbergeri</i> Mader, 1933, <i>Ceratomegilla</i>	609
<i>obenbergeri</i> Reitter, 1915, <i>Danacaeomimus</i>	394
<i>obenbergeri</i> Roubal, 1941, <i>Farsus</i>	82
<i>oberthueri</i> Champenois, 1900, <i>Trichodes</i>	379
<i>oberthueri</i> Gorham, 1889, <i>Lycocerus</i>	252
<i>oberthueri</i> Platia & Schimmel, 2001, <i>Melanotus</i>	151
<i>oberthueri</i> Reitter, 1881, <i>Anthrenus</i>	313
<i>oberthueri</i> Ritsema, 1889, <i>Helota</i>	496
<i>oberthueri</i> Schimmel, 1993, <i>Dima</i>	184
<i>oberthuerii</i> Uhagón, 1879, <i>Cordylepherus</i>	446
<i>oberthuri</i> Pic, 1955, <i>Lycocerus</i>	250
<i>oberthuri</i> Pic, 1955, <i>Prothemus</i>	260
<i>obesulus</i> Casey, 1900, <i>Henotiderus</i>	522
<i>obesulus</i> Wollaston, 1864, <i>Cryptophagus</i>	518
<i>obesum</i> Melsheimer, 1846, <i>Stegobium</i>	343
<i>obesus</i> Brullé, 1832, <i>Dicronychus</i>	204
<i>obesus</i> Iablokoff-Khnzorian, 1964, <i>Farsus</i>	82
<i>obesus</i> Kiesenwetter, 1871, <i>Dasytidius</i>	390
<i>obesus</i> Kiesenwetter, 1879, <i>Sphindus</i>	455
<i>obesus</i> Krynicki, 1832, <i>Dicronychus</i>	205
<i>obesus</i> P. H. Lucas, 1846, <i>Ptinus</i>	336
<i>obesus</i> Reitter, 1881, <i>Metophthalmus</i>	639
<i>obesus</i> Westwood, 1849, <i>Opetiopalpus</i>	382
<i>obfuscata</i> A. Strand, 1937, <i>Corticarina</i>	647
<i>obienesis</i> Cherepanov, 1966, <i>Cidnopus</i>	164
<i>obliqua</i> C. Johnson, 1971, <i>Atomaria</i>	526
<i>obliqua</i> Randall, 1838, <i>Calvia</i>	608
<i>obliqua</i> Reitter, 1884, <i>Lycoperdina</i>	565
<i>obliquata</i> Reiche, 1862, <i>Adalia</i>	604
<i>obliquatus</i> Brullé, 1832, <i>Trichodes</i>	377
<i>obliquebinotata</i> Roubal, 1936, <i>Adalia</i>	602

<i>obliquesignata</i> Gorham, 1873, <i>Mycetina</i>	566
<i>obliquestriatus</i> Reitter, 1890, <i>Cybocephalus</i>	490
<i>obliquus</i> Champion, 1925, <i>Stilbus</i>	512
<i>obliquus</i> Comolli, 1837, <i>Nephus</i>	581
<i>obliquus</i> J. Weise, 1887, <i>Malthodes</i>	288
<i>obliquus</i> J. Weise, 1879, <i>Nephus</i>	581
<i>obliquus</i> Rey, 1889, <i>Attagenus</i>	308
<i>obliterata</i> Haworth, 1812, <i>Adalia</i>	604
<i>obliterata</i> Linnaeus, 1758, <i>Aphidecta</i>	607
<i>obliterata</i> Pic, 1937, <i>Lycocerus</i>	250
<i>obliterata</i> Pic, 1900, <i>Attalus</i>	420
<i>obliteratithorax</i> Pic, 1911, <i>Attalus</i>	419
<i>obliteratum</i> Candèze, 1859, <i>Aeoloderma</i>	103
<i>obliteratus</i> Dolin & Šauša, 1997, <i>Cardiophorus</i>	199
<i>obliteratus</i> Reitter, 1874, <i>Cryptophilus</i>	531
<i>oblitus</i> Candèze, 1859, <i>Heteroderes</i>	106
<i>oblitus</i> Sharp, 1916, <i>Ernobius</i>	351
<i>oblonga</i> C. N. F. Brisout de Barneville, 1863, <i>Soronia</i>	477
<i>oblonga</i> Fabricius, 1775, <i>Melyris</i>	387
<i>oblonga</i> Herbst, 1793, <i>Epuraea</i>	461
<i>oblonga</i> Herbst, 1783, <i>Hippodamia</i>	617
<i>oblonga</i> Kiesenwetter, 1872, <i>Merophysia</i>	558
<i>oblonga</i> Linnaeus, 1758, <i>Grynocharis</i>	365
<i>oblonga</i> Matthews, 1899, <i>Arthrolips</i>	632
<i>oblonga</i> Motschulsky, 1849, <i>Coccinella</i>	613
<i>oblongata</i> Thunberg, 1820, <i>Coelophora</i>	613
<i>oblongicollis</i> Blatch & Horner, 1892, <i>Rhizophagus</i>	492
<i>oblongicollis</i> Desbrochers des Loges, 1871, <i>Athous</i>	157
<i>oblongicollis</i> Dolin & Cate, 1999, <i>Denticolloides</i>	168
<i>oblongicollis</i> Fairmaire, 1886, <i>Passandra</i>	502
<i>oblongicollis</i> Miwa, 1929, <i>Megapenthes</i>	137
<i>oblongior</i> Wollaston, 1864, <i>Nephus</i>	580
<i>oblongipennis</i> C. Johnson, 1981, <i>Corticarina</i>	646
<i>oblongissimus</i> Platia & Schimmel, 2002, <i>Melanotus</i>	147
<i>oblongoguttata</i> Linnaeus, 1758, <i>Myzia</i>	620
<i>oblongonotatus</i> Champion, 1927, <i>Ichthyurus</i>	297
<i>oblongopunctata</i> Fabricius, 1787, <i>Anatis</i>	606
<i>oblongopunctatus</i> Grouvelle, 1903, <i>Carpophilus</i>	466
<i>oblongula</i> Kiesenwetter, 1874, <i>Kuatunia</i>	436
<i>oblongulus</i> Fairmaire, 1891, <i>Byturus</i>	547
<i>oblongulus</i> Kishii, 1989, <i>Melanotus</i>	147
<i>oblongulus</i> Motschulsky, 1860, <i>Ptinus</i>	337
<i>oblongulus</i> Mulsant & Rey, 1864, <i>Xyletinus</i>	360
<i>oblongulus</i> Normand, 1936, <i>Scymnus</i>	587
<i>oblongulus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	147
<i>oblongum</i> Laporte, 1840, <i>Oligomerus</i>	342
<i>oblongum</i> Matthews, 1899, <i>Arthrolips</i>	632
<i>oblongus</i> Arrow, 1925, <i>Aulacochilus</i>	539
<i>oblongus</i> Della Beffa, 1931, <i>Lacon</i>	101
<i>oblongus</i> Erichson, 1845, <i>Stilbus</i>	512

oblongus Fleutiaux, 1934, <i>Zoroachros</i>	193
<i>oblongus</i> Geoffroy, 1785, <i>Lyctus</i>	327
oblongus Gorham, 1883, <i>Calymmaderus</i>	343
<i>oblongus</i> Motschulsky, 1860, <i>Euxestus</i>	552
oblongus Reitter, 1889, <i>Thymalus</i>	366
oblongus Solsky, 1871, <i>Hemicrepidius</i>	170
oblongus Weidenbach, 1859, <i>Exochomus</i>	594
<i>obnoxia</i> Reitter, 1873, <i>Eपुरaea</i>	460
oboensis Kazantsev, 1994, <i>Rhagonycha</i>	266
obovatus Dolin, 1993, <i>Quasimus</i>	191
obovatus Dolin & Cate, 2003, <i>Hypnoidus</i>	155
obscura C. Johnson, 1970, <i>Atomaria</i>	526
obscura C. N. F. Brisout de Barneville, 1863, <i>Corticaria</i>	644
obscura C. R. Sahlberg, 1833, <i>Arthrolips</i>	632
<i>obscura</i> Fabricius, 1777, <i>Nitidula</i>	474
<i>obscura</i> J. Weise, 1879, <i>Adalia</i>	604
obscura Linnaeus, 1758, <i>Cantharis</i>	244
<i>obscura</i> M. Chûjô, 1968, <i>Spondotriplax</i>	543
obscura Pic, 1901, <i>Pseudeuanoma</i>	210
obscura Reitter, 1873, <i>Aethina</i>	471
obscura Schilsky, 1897, <i>Danacea</i>	398
<i>obscuratus</i> Escalera, 1914, <i>Cebrio</i>	92
<i>obscuratus</i> Escalera, 1926, <i>Axinotarsus</i>	440
<i>obscuratus</i> Nakane, 1958, <i>Stenagostus</i>	172
<i>obscuratus</i> Pic, 1904, <i>Stenagostus</i>	172
<i>obscuraenea</i> Ménériés, 1832, <i>Dasytes</i>	401
<i>obscurella</i> Motschulsky, 1854, <i>Lampyris</i>	227
<i>obscuriceps</i> Pic, 1900, <i>Malthinus</i>	277
<i>obscuriceps</i> Pic, 1907, <i>Stagetus</i>	346
<i>obscuriceps</i> Pic, 1908, <i>Colotes</i>	428
<i>obscuriceps</i> Pic, 1899, <i>Hypebaeus</i>	433
<i>obscuricolle</i> Fleutiaux, 1895, <i>Ludioschema</i>	132
<i>obscuricollis</i> Fairmaire, 1883, <i>Malthinus</i>	282
<i>obscuricollis</i> Jiang, 1999, <i>Dalopius</i>	119
<i>obscuricollis</i> Motschulsky, 1853, <i>Malthodes</i>	292
<i>obscuricollis</i> Pic, 1895, <i>Ptinus</i>	335
<i>obscuricollis</i> Schenkling, 1898, <i>Opetiopalpus</i>	383
<i>obscuricollis</i> Wollaston, 1865, <i>Biphyllus</i>	548
<i>obscuricolor</i> Jeng & Lai, 1998, <i>Curtos</i>	231
<i>obscuricolor</i> Pic, 1935, <i>Macrohabronychus</i>	255
<i>obscuricolor</i> Pic, 1905, <i>Macrohabronychus</i>	255
<i>obscuricolor</i> Pic, 1920, <i>Malthinus</i>	284
<i>obscuricolor</i> Pic, 1903, <i>Malthodes</i>	292
<i>obscuricolor</i> Pic, 1927, <i>Mizodorcatoma</i>	345
<i>obscuricolor</i> Pic, 1909, <i>Clada</i>	353
<i>obscuricolor</i> Reitter, 1891, <i>Aeoloides</i>	104
<i>obscuricolorissimus</i> Kazantsev, 2007, <i>Macrohabronychus</i>	255
<i>obscuricornis</i> Guillebeau, 1894, <i>Olibrus</i>	509
<i>obscuricornis</i> Motschulsky, 1860, <i>Troglocollops</i>	419
<i>obscuricornis</i> Pic, 1899, <i>Drilus</i>	210

<i>obscuricornis</i> Pic, 1906, <i>Cerapheles</i>	441
<i>obscurimaculatus</i> Kishii, 1957, <i>Fleutiauxellus</i>	187
<i>obscurimembris</i> Pic, 1952, <i>Rhagonycha</i>	264
<i>obscurimembris</i> Pic, 1933, <i>Malthodes</i>	288
<i>obscurimembris</i> Pic, 1933, <i>Tryptherus</i>	298
<i>obscurimembris</i> Pic, 1923, <i>Idgia</i>	385
<i>obscurior</i> Bourgeois, 1897, <i>Malthinus</i>	284
<i>obscurior</i> Buysson, 1899, <i>Cardiophorus</i>	199
<i>obscurior</i> Pic, 1905, <i>Cebrio</i>	91
<i>obscurior</i> Pic, 1913, <i>Sericus</i>	134
<i>obscurior</i> Pic, 1916, <i>Megathous</i>	171
<i>obscurior</i> Pic, 1900, <i>Rhagonycha</i>	268
<i>obscurior</i> Pic, 1935, <i>Malthodes</i>	285
<i>obscurior</i> Pic, 1901, <i>Malthodes</i>	295
<i>obscurior</i> Pic, 1895, <i>Ptinus</i>	335
<i>obscurior</i> Pic, 1908, <i>Stagetus</i>	347
<i>obscurior</i> Pic, 1899, <i>Episernus</i>	349
<i>obscurior</i> Pic, 1902, <i>Trachelobrachys</i>	359
<i>obscurior</i> Wittmer, 1954, <i>Mimopodabrus</i>	258
<i>obscurior</i> Wittmer, 1981, <i>Themus</i>	270
<i>obscurioripes</i> Pic, 1926, <i>Micropodabrus</i>	257
<i>obscuripennis</i> Pic, 1899, <i>Dicronychus</i>	205
<i>obscuripennis</i> Pic, 1907, <i>Cantharis</i>	245
<i>obscuripennis</i> Pic, 1898, <i>Malthinus</i>	281
<i>obscuripennis</i> Pic, 1930, <i>Dignomus</i>	330
<i>obscuripennis</i> Pic, 1929, <i>Ptinus</i>	333
<i>obscuripennis</i> Pic, 1905, <i>Attalus</i>	423
<i>obscuripennis</i> Reitter, 1906, <i>Denticollis</i>	167
<i>obscuripes</i> Chevrolat, 1874, <i>Cebrio</i>	92
<i>obscuripes</i> Everts, 1921, <i>Cantharis</i>	244
<i>obscuripes</i> Gyllenhal, 1817, <i>Ludioschema</i>	132
<i>obscuripes</i> J. R. Sahlberg, 1871, <i>Dichelotarsus</i>	236
<i>obscuripes</i> J. R. Sahlberg, 1913, <i>Metacantharis</i>	256
<i>obscuripes</i> J. R. Sahlberg, 1913, <i>Ptinus</i>	335
<i>obscuripes</i> Kiesenwetter, 1866, <i>Malthinus</i>	281
<i>obscuripes</i> Lewis, 1894, <i>Corymbitodes</i>	176
<i>obscuripes</i> Pic, 1900, <i>Macrocerus</i>	296
<i>obscuripes</i> Pic, 1898, <i>Necrobinus</i>	382
<i>obscuripes</i> Pic, 1896, <i>Dasytidius</i>	390
<i>obscuripes</i> Pic, 1895, <i>Danacea</i>	397
<i>obscuripes</i> Pic, 1928, <i>Attalus</i>	424
<i>obscuripes</i> Reitter, 1898, <i>Corticaria</i>	645
<i>obscuripes</i> Schilsky, 1897, <i>Danacea</i>	397
<i>obscuripes</i> Schilsky, 1897, <i>Aplocnemus</i>	411
<i>obscurissima</i> Pic, 1906, <i>Podosilis</i>	275
<i>obscurissima</i> Pic, 1902, <i>Dapsa</i>	563
<i>obscuritarsis</i> Pic, 1907, <i>Asiosilis</i>	274
<i>obscuritarsis</i> Pic, 1895, <i>Danacea</i>	398
<i>obscurithorax</i> Pic, 1902, <i>Rhagonycha</i>	267
<i>obscurithorax</i> Pic, 1900, <i>Malthinus</i>	280

<i>obscurithorax</i> Pic, 1895, <i>Ptinus</i>	333
<i>obscurithorax</i> Pic, 1905, <i>Microjulistus</i>	414
<i>obscurithorax</i> Pic, 1898, <i>Attalus</i>	423
<i>obscurithorax</i> Pic, 1914, <i>Colotes</i>	427
<i>obscurithorax</i> Pic, 1903, <i>Hypebaeus</i>	434
<i>obscuriuscula</i> Dietrich, 1857, <i>Malthodes</i>	292
<i>obscuriventris</i> Pic, 1902, <i>Ernobius</i>	351
<i>obsкуроaeneus</i> Koenig, 1889, <i>Paraphotistus</i>	179
<i>obsкуроfasciatus</i> Reitter, 1894, <i>Cardiophorus</i>	197
<i>obsкуроlineatus</i> Kishii, 1979, <i>Ectinus</i>	120
<i>obsкуроsignata</i> Liu, 1962, <i>Harmonia</i>	616
<i>obscurum</i> Fleutiaux, 1895, <i>Ludioschema</i>	132
<i>obscurum</i> Solsky, 1868, <i>Lasioderma</i>	358
<i>obscurus</i> Baudi di Selve, 1872, <i>Thilmanus</i>	211
<i>obscurus</i> Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
<i>obscurus</i> Erichson, 1845, <i>Meligethes</i>	485
<i>obscurus</i> Fabricius, 1792, <i>Telmatophilus</i>	524
<i>obscurus</i> Fleutiaux, 1940, <i>Lacon</i>	101
<i>obscurus</i> Fleutiaux, 1918, <i>Xanthopenthes</i>	139
<i>obscurus</i> Germar, 1817, <i>Aplocnemus</i>	412
<i>obscurus</i> Guillebeau, 1892, <i>Olibrus</i>	509
<i>obscurus</i> Gyllenhal, 1813, <i>Dasytes</i>	404
<i>obscurus</i> Linnaeus, 1758, <i>Agriotes</i>	116
<i>obscurus</i> Pic, 1896, <i>Ptinus</i>	337
<i>obscurus</i> Pic, 1899, <i>Microjulistus</i>	415
<i>obscurus</i> Reitter, 1911, <i>Byturus</i>	547
<i>obscurus</i> Sakai, 1975, <i>Deroptilinus</i>	361
<i>obscurus</i> Say, 1825, <i>Attagenus</i>	310
<i>obscurus</i> Sicard, 1907, <i>Phymatosternus</i>	596
<i>obscurus</i> Wollaston, 1864, <i>Cardiophorus</i>	202
<i>obscurus</i> Wollaston, 1862, <i>Attalus</i>	423
<i>obsidianus</i> Germar, 1844, <i>Ampedus</i>	125
<i>obsignatus</i> J. Weise, 1901, <i>Scymnus</i>	588
<i>obsita</i> Wollaston, 1867, <i>Minthea</i>	327
<i>obsitus</i> Wollaston, 1864, <i>Thorictus</i>	303
<i>obsolescens</i> Casey, 1916, <i>Monotoma</i>	494
<i>obsolescens</i> T. L. Casey, 1900, <i>Trogoderma</i>	319
<i>obsoleta</i> A. Strand, 1940, <i>Corticaria</i>	644
<i>obsoleta</i> Casey, 1899, <i>Psyllobora</i>	599
<i>obsoleta</i> D. H. Schneider, 1792, <i>Aphidecta</i>	607
<i>obsoleta</i> Fabricius, 1792, <i>Epuraea</i>	463
<i>obsoleta</i> Herbst, 1793, <i>Epuraea</i>	459
<i>obsoleta</i> Ponza, 1805, <i>Coccinella</i>	613
<i>obsoletum</i> Reitter, 1883, <i>Sphaerosoma</i>	555
<i>obsoletus</i> Baudi di Selve, 1874, <i>Ptinus</i>	336
<i>obsoletus</i> Chevrolat, 1861, <i>Xenostrogylus</i>	477
<i>obsoletus</i> Erichson, 1840, <i>Colotes</i>	428
<i>obsoletus</i> Erichson, 1843, <i>Carpophilus</i>	466
<i>obsoletus</i> Illiger, 1807, <i>Athous</i>	162
<i>obsoletus</i> J. Weise, 1890, <i>Scymniscus</i>	583

<i>obsoletus</i> Marsham, 1802, <i>Cidnopus</i>	164
<i>obsoletus</i> Reitter, 1879, <i>Cryptophagus</i>	518
<i>obsoletus</i> Rey, 1889, <i>Meligethes</i>	486
<i>obsoletus</i> Smith, 1851, <i>Cryptolestes</i>	503
<i>obsoletus</i> Stephens, 1830, <i>Anommatus</i>	549
<i>obstinatum</i> Majer, 1996, <i>Hladilium</i>	392
<i>obtrita</i> Logvinovskiy, 1980, <i>Dorcatoma</i>	344
<i>obtusa</i> Fairmaire, 1866, <i>Pelania</i>	228
<i>obtusa</i> LeConte, 1855, <i>Corticaria</i>	642
<i>obtusangula</i> Motschulsky, 1854, <i>Luciola</i>	232
<i>obtusangulus</i> Fairmaire, 1866, <i>Cebrio</i>	92
<i>obtusatus</i> Roubal, 1951, <i>Stephostethus</i>	640
<i>obtusicollis</i> Motschulsky, 1845, <i>Monotoma</i>	493
<i>obtusicornis</i> Motschulsky, 1867, <i>Holoparamecus</i>	558
<i>obtusicornis</i> Solsky, 1881, <i>Clanoptilus</i>	443
<i>obtusidens</i> Rey, 1889, <i>Cryptophagus</i>	519
<i>obtusidentatus</i> Lesne, 1899, <i>Enneadesmus</i>	324
<i>obtusifrons</i> Desbrochers des Loges, 1871, <i>Athous</i>	157
<i>obtusus</i> Curtis, 1827, <i>Triaxagus</i>	89
<i>obtusus</i> DeGeer, 1774, <i>Agriotes</i>	116
<i>obtusus</i> Guillebeau, 1886, <i>Brachypterolus</i>	456
<i>obtusus</i> Gyllenhal, 1808, <i>Attagenus</i>	309
<i>obtusus</i> Kiesenwetter, 1858, <i>Triaxagus</i>	88
<i>obtusus</i> Matthews, 1890, <i>Gloeosoma</i>	635
<i>obtusus</i> Reitter, 1884, <i>Holoparamecus</i>	558
<i>obtusus</i> Rey, 1889, <i>Meligethes</i>	479
<i>obtusus</i> Rey, 1889, <i>Cryptolestes</i>	503
<i>obtusus</i> Rey, 1889, <i>Cryptophagus</i>	521
<i>obtusus</i> Wollaston, 1864, <i>Cardiophorus</i>	202
<i>obversepunctata</i> Mulsant, 1853, <i>Calvia</i>	607
<i>obversepunctata</i> Schrank, 1781, <i>Hippodamia</i>	618
<i>occidentalis</i> Dajoz, 1968, <i>Anommatus</i>	550
<i>occidentalis</i> Fürsch, 1967, <i>Hyperaspis</i>	578
<i>occidentalis</i> Geisthardt, 1983, <i>Lampyris</i>	226
<i>occidentalis</i> Israelson, 1984, <i>Metophthalmus</i>	640
<i>occidentalis</i> Juarez & Zaragoza, 1990, <i>Delphastus</i>	569
<i>occidentalis</i> Kazantsev, 2007, <i>Cantharis</i>	244
<i>occidentalis</i> Wittmer, 1970, <i>Malthodes</i>	293
<i>occidentalis</i> Wollaston, 1863, <i>Micrambe</i>	522
<i>occiduus</i> Mulsant & Rey, 1870, <i>Dasytes</i>	403
<i>occipitalis</i> Fairmaire, 1876, <i>Cantharis</i>	244
<i>occipitalis</i> Rosenhauer, 1847, <i>Ancistronycha</i>	238
<i>occitanicus</i> Villers, 1789, <i>Elater</i>	131
<i>occitanus</i> Buysson, 1893, <i>Elater</i>	131
<i>occulatus</i> Motschulsky, 1858, <i>Cryptogonus</i>	576
<i>occultistylus</i> Wittmer, 1958, <i>Malthodes</i>	292
<i>occultus</i> Leder, 1872, <i>Holoparamecus</i>	558
<i>occupator</i> Wurst, 2001, <i>Propsephus</i>	131
<i>oceaniae</i> Bourgeois, 1884, <i>Caccodes</i>	276
<i>oceanica</i> Wollaston, 1865, <i>Leipaspis</i>	364

oceanicum Wollaston, 1854, <i>Melyrosoma</i>	388
oceanicus Evers, 1971, <i>Attalus</i>	423
oceanicus Fauvel, 1903, <i>Anthrenus</i>	312
ocellaris Stephens, 1830, <i>Dinoderus</i>	326
ocellata H. Piel de Churchville & T. Piel de Churchville, 1900, <i>Coccinella</i>	613
ocellata L. Redtenbacher, 1844, <i>Henosepilachna</i>	629
ocellata Linnaeus, 1758, <i>Anatis</i>	606
ocellata R. H. Johnson, 1910, <i>Adalia</i>	602
ocellataemaculata Mader, 1930, <i>Epilachna</i>	628
ocellatopunctatus Lewis, 1894, <i>Melanotus</i>	147
ocellatus Arrow, 1920, <i>Eumorphus</i>	564
ocellatus Buysson, 1891, <i>Ampedus</i>	125
ocellatus Dolin, 1993, <i>Quasimus</i>	191
ocellatus G.-Y. Yu, 2000, <i>Pseudoscymnus</i>	582
ocellatus Platia & Schimmel, 2001, <i>Melanotus</i>	147
ocelliferus Canepari, 1997, <i>Pseudoscymnus</i>	582
ocelligera J. Weise, 1879, <i>Calvia</i>	608
ocellus Brown, 1929, <i>Ptinus</i>	337
ochoticus Motschulsky, 1860, <i>Podabrus</i>	237
ochracea C. C. A. Zimmermann, 1869, <i>Atomaria</i>	525
ochracea Fiori, 1914, <i>Cantharis</i>	244
ochracea Sturm, 1844, <i>Epuraea</i>	459
ochraceicollis Pic, 1923, <i>Ponyalis</i>	218
ochraceipennis Fürsch, 1958, <i>Nephus</i>	581
ochraceus Chassain, 1983, <i>Saudilacon</i>	103
ochraceus Har. Lindberg, 1951, <i>Attalus</i>	423
ochraceus Kiesenwetter, 1874, <i>Asiopodabrus</i>	235
ochraceus Murray, 1864, <i>Kateretes</i>	458
ochraceus Reiche, 1868, <i>Anthrenus</i>	314
ochraceus Scriba, 1790, <i>Byturus</i>	547
ochreata Reiche, 1878, <i>Cantharis</i>	244
ochreipennis Fowler, 1890, <i>Anadastus</i>	533
ochreosa Casey, 1900, <i>Caenoscelis</i>	513
ochrinulus Reitter, 1887, <i>Ampedus</i>	125
ochripennis Reitter, 1887, <i>Ampedus</i>	122
ochripes Schilsky, 1897, <i>Danacea</i>	395
ochroleuca Schilsky, 1897, <i>Danacea</i>	398
ochropa Stephens, 1830, <i>Rhagonycha</i>	267
ochropterus Eschscholtz, 1830, <i>Ampedus</i>	126
ochropterus Germar, 1844, <i>Ampedus</i>	125
ochropterus Klug, 1862, <i>Carpophilus</i>	467
ochropterus Stephens, 1830, <i>Aplotarsus</i>	175
ochropus Gmelin, 1790, <i>Hypebaeus</i>	434
ochropus Sturm, 1845, <i>Meligethes</i>	485
ochsi Fagniez, 1946, <i>Dasytes</i>	405
ocreata T. Zeng & L.-F. Yang, 1996, <i>Epilachna</i>	628
ocsanyi Kiesenwetter, 1858, <i>Athous</i>	157
octaedron Peyerimhoff, 1943, <i>Trogoderma</i>	319
octodecimguttata Linnaeus, 1758, <i>Myrrha</i>	620
octodecimmaculata Thunberg, 1795, <i>Psyllobora</i>	599

<i>octodecimpunctata</i> D. H. Schneider, 1787, <i>Tytthaspis</i>	601
<i>octodecimpunctata</i> Scopoli, 1763, <i>Oenopia</i>	621
<i>octodecimsignata</i> Mulsant, 1866, <i>Psyllobora</i>	599
<i>octodecimspilota</i> Hope, 1843, <i>Harmonia</i>	615
<i>octodentata</i> Say, 1824, <i>Corticaria</i>	645
<i>octodentatus</i> Mäklin, 1852, <i>Salebicus</i>	523
<i>octoguttata</i> Fabricius, 1787, <i>Myzia</i>	621
<i>octoguttata</i> Haworth, 1812, <i>Adalia</i>	604
<i>octoguttata</i> J. Weise, 1910, <i>Rodolia</i>	597
<i>octoguttata</i> Sulzer, 1776, <i>Adalia</i>	602
<i>octoguttatus</i> Candèze, 1882, <i>Gamepenthès</i>	136
<i>octoguttatus</i> Mader, 1933, <i>Cryptogonus</i>	576
<i>octoguttatus</i> Miyatake, 1961, <i>Phymatosternus</i>	596
<i>octomaculata</i> Fabricius, 1781, <i>Harmonia</i>	615
<i>octomaculatus</i> Kishii, 1978, <i>Actenicerus</i>	173
<i>octomaculatus</i> Pic, 1894, <i>Attagenus</i>	308
<i>octomaculatus</i> Schwarz, 1898, <i>Gamepenthès</i>	136
<i>octomaculatus</i> Villers, 1789, <i>Trichodes</i>	379
<i>octonotata</i> Bedel, 1874, <i>Tritoma</i>	546
<i>octonotata</i> Fabricius, 1801, <i>Coelophora</i>	614
<i>octopunctata</i> Della Beffa, 1913, <i>Hippodamia</i>	618
<i>octopunctata</i> Fabricius, 1775, <i>Adalia</i>	604
<i>octopunctata</i> O. F. Müller, 1764, <i>Adalia</i>	604
<i>octopunctata</i> W. G. Schneider, 1881, <i>Hippodamia</i>	617
<i>octopunctata</i> Walter, 1882, <i>Anatis</i>	606
<i>octopunctatus</i> Fabricius, 1787, <i>Trichodes</i>	379
<i>octopunctatus</i> Mroczkowski, 2002, <i>Attagenus</i>	308
<i>octopustulata</i> Della Beffa, 1913, <i>Adalia</i>	604
<i>octopustulata</i> Penecke, 1901, <i>Adalia</i>	602
<i>octopustulata</i> Thunberg, 1795, <i>Coccinella</i>	610
<i>octosignata</i> Mulsant, 1850, <i>Phrynocaria</i>	623
<i>octosignatus</i> Gebler, 1830, <i>Exochomus</i>	594
<i>octostriatus</i> Dajoz, 1969, <i>Anommatus</i>	550
<i>octusis</i> Reitter, 1919, <i>Ipidia</i>	473
<i>oculare</i> Nakane, 1963, <i>Melittomma</i>	363
<i>ocularis</i> Champion, 1926, <i>Micropodabrus</i>	256
<i>ocularis</i> Fairmaire, 1849, <i>Epuraea</i>	464
<i>ocularis</i> Jelínek, 1978, <i>Aethina</i>	470
<i>ocularis</i> Pic, 1921, <i>Micropodabrus</i>	256
<i>ocularis</i> Reitter, 1901, <i>Xyletinus</i>	359
<i>ocularis</i> Reitter, 1872, <i>Micrambe</i>	523
<i>ocularis</i> Sakai, 1982, <i>Eurypogon</i>	81
<i>ocularis</i> Sasaji, 1988, <i>Medamatento</i>	570
<i>oculata</i> Belon, 1891, <i>Displotera</i>	557
<i>oculata</i> Gebler, 1817, <i>Cantharis</i>	239
<i>oculata</i> Háva, 2004, <i>Phradonoma</i>	318
<i>oculata</i> L. Redtenbacher, 1868, <i>Idgia</i>	385
<i>oculata</i> Schilsky, 1896, <i>Trichoceble</i>	414
<i>oculata</i> Thunberg, 1795, <i>Coccinella</i>	613
<i>oculatifer</i> Pic, 1900, <i>Occathemus</i>	259

oculatissimus Israelson, 1974, <i>Paraxyletinus</i>	362
<i>oculatissimus</i> Wollaston, 1857, <i>Scymnus</i>	584
<i>oculatum</i> Wollaston, 1865, <i>Oligomerus</i>	342
oculatus Gorham, 1883, <i>Lateralis</i>	215
oculatus Kiesenwetter, 1867, <i>Dasytes</i>	405
<i>oculatus</i> Lewis, 1894, <i>Denticollis</i>	168
oculatus Motschulsky, 1845, <i>Macrocerus</i>	296
oculatus Wittmer, 1999, <i>Microlipus</i>	450
<i>oculea</i> Mulsant, 1850, <i>Henosepilachna</i>	629
oculeum Toskina, 1999, <i>Lasioderma</i>	358
oculeus Toskina, 2002, <i>Ernobius</i>	351
oculifer Abeille de Perrin, 1885, <i>Ebaeus</i>	431
oculilobatus Wittmer, 1996, <i>Condylops</i>	438
oculimarginalis Hicker, 1935, <i>Cantharis</i>	244
odaisanus Miwa, 1928, <i>Actenicerus</i>	173
oedemeroides Fairmaire, 1896, <i>Podabrinus</i>	259
oedemeroides Kiesenwetter, 1874, <i>Lycocerus</i>	252
oertzeni J. Weise, 1886, <i>Scymnus</i>	587
oertzeni Reitter, 1888, <i>Ptinus</i>	335
oertzeni Schilsky, 1900, <i>Ernobius</i>	351
oertzeni Schilsky, 1897, <i>Danacea</i>	398
<i>oertzeni</i> Schilsky, 1895, <i>Dasytes</i>	401
oertzeni Schilsky, 1896, <i>Trichoceble</i>	414
oertzeni Schwarz, 1897, <i>Peripontius</i>	111
oertzeni Schwarz, 1900, <i>Cardiophorus</i>	199
oestocraerus X.-F. Pang & Huang, 1985, <i>Scymnus</i>	587
ogatai Kishii, 1996, <i>Pectocera</i>	94
ogatai Kishii, 1996, <i>Agrypnus</i>	98
ogatai Kishii, 1986, <i>Ectinoides</i>	119
ogatai Kishii, 1983, <i>Ampedus</i>	125
ogatai Kishii, 1988, <i>Melanotus</i>	146
ogatai Kishii, 1983, <i>Homotechnes</i>	154
ogatai Kishii, 1985, <i>Limoniscus</i>	165
ogatai Kishii, 1985, <i>Quasimus</i>	191
ogieri Fairmaire, 1864, <i>Colotes</i>	427
oginoi Kishii, 2001, <i>Homotechnes</i>	153
ogloblini Denisova, 1948, <i>Ampedus</i>	125
<i>ogumae</i> Matsumura, 1911, <i>Meligethes</i>	482
<i>ogumae</i> Matsumura, 1911, <i>Xylobanus</i>	223
ogurae Lewis, 1894, <i>Agriotes</i>	118
ohbai Wittmer, 1994, <i>Rhagophthalmus</i>	225
ohbai Wittmer, 1994, <i>Stenocladus</i>	234
ohbai Wittmer, 1984, <i>Malthinus</i>	281
<i>ohbayashi</i> Nakane, 1951, <i>Endomychus</i>	561
<i>ohbayashii</i> Brancucci, 1985, <i>Tryptherus</i>	298
<i>ohbayashii</i> Nakane, 1969, <i>Dictyoptera</i>	214
<i>ohbayashii</i> Ôhira, 1968, <i>Homotechnes</i>	153
<i>ohbayashii</i> Ôhira, 1964, <i>Actenicerus</i>	173
<i>ohbayashii</i> Satô, 1968, <i>Drilaster</i>	233
<i>ohbayashii</i> Wittmer, 1954, <i>Malthodes</i>	292

ohbayashii Wittmer, 1954, <i>Hypebaeus</i>	435
ohbayashii Wittmer, 1953, <i>Anhomodactylus</i>	438
ohdai Kishii, 1983, <i>Ampedus</i>	128
ohdaisanus Nakane, 1969, <i>Cautires</i>	223
ohirai Ohbayashi, 1956, <i>Dilophotes</i>	212
ohirai W. Suzuki & Dolin, 1987, <i>Penia</i>	185
ohkawai Kishii, 1986, <i>Homotechnes</i>	153
ohkawai Kishii, 1998, <i>Fleutiauxellus</i>	187
ohkawai Satô, 1976, <i>Themus</i>	270
ohkurai Matsuda, 1992, <i>Eropterus</i>	215
ohkurai Ôhira, 1992, <i>Quasimus</i>	190
ohmi Kishii, 1996, <i>Homotechnes</i>	153
ohmi Kishii, 1976, <i>Fleutiauxellus</i>	187
ohsawai Kishii, 2004, <i>Ampedus</i>	125
ohshirakawanus Takahashi & Kiriyama, 2000, <i>Asiopodabrus</i>	235
<i>ohtai</i> Barber, 1942, <i>Byturus</i>	547
ohtai C.-T. Yang & R.-H. Wu, 1972, <i>Pseudoscymnus</i>	582
ohtai Miyatake, 1970, <i>Brumoides</i>	593
ohtai Sasaji, 1968, <i>Cryptogonus</i>	576
ohtai Sasaji, 1971, <i>Scymnus</i>	584
ohtsukai Ôhira, 1988, <i>Ampedus</i>	125
ohtsukai Sasaji, 1982, <i>Pseudoscymnus</i>	582
oikensis Kishii, 2002, <i>Homotechnes</i>	153
oinodon Wurst, 2001, <i>Agrypnus</i>	98
oisoanus Takahashi, 1992, <i>Asiopodabrus</i>	234
oiwakensis Kishii, 1991, <i>Glyphonyx</i>	110
<i>oiwakensis</i> Ôhira, 1974, <i>Ampedus</i>	121
okabei Takahashi, 1992, <i>Lycocerus</i>	252
okadai Nakane & Makino, 1990, <i>Asiopodabrus</i>	235
okadai Nakane & Ohbayashi, 1949, <i>Lucidina</i>	230
okadomei Ôhira, 1966, <i>Hemicrepidius</i>	171
<i>okalii</i> Reška, 1982, <i>Cryptophagus</i>	518
okhotskanus Kishii, 1997, <i>Ampedus</i>	124
okianus Nakane & Makino, 1990, <i>Asiopodabrus</i>	235
okicola Kishii, 1970, <i>Quasimus</i>	191
<i>okinawae</i> Matsumura, 1928, <i>Curtos</i>	231
okinawaensis Nakane, 1985, <i>Malachius</i>	449
okinawana M. Chûjô, 1970, <i>Paederolanguria</i>	535
okinawana Ôhira, 1971, <i>Yukoana</i>	192
okinawana Sakai, 1991, <i>Clada</i>	353
okinawanus Chûjô, 1959, <i>Glyphonyx</i>	110
okinawanus Ishida, 1986, <i>Lycocerus</i>	252
okinawanus Kamiya, 1965, <i>Pseudoscymnus</i>	582
okinawanus Matsumura, 1918, <i>Curtos</i>	231
okinawanus Nakane, 1983, <i>Cyphonocerus</i>	226
okinawanus Ôhira, 1967, <i>Agrypnus</i>	96
okinawanus Ôhira, 1971, <i>Vuilletus</i>	134
okinawanus Ôhira, 1967, <i>Fleutiauxellus</i>	187
okinawanus Satô & Ohbayashi, 1968, <i>Macrolycus</i>	213
okinawanus Wittmer, 1970, <i>Malthinus</i>	281

okinawanus Wittmer, 1960, <i>Attalus</i>	423
okinawanus Yajima & Nakane, 1969, <i>Callimerus</i>	371
okinawense Miwa, 1927, <i>Ludioschema</i>	132
okinawense Miyatake, 1961, <i>Serangiella</i>	569
okinawensis Chûjô & Miyatake, 1963, <i>Horniolus</i>	579
okinawensis Hisamatsu, 1985, <i>Cryptarcha</i>	468
okinawensis Kishii, 1992, <i>Sephilus</i>	131
okinawensis Kishii, 1979, <i>Hayekpenthes</i>	136
okinawensis Miwa, 1928, <i>Silesis</i>	112
<i>okinawensis</i> Miyatake, 1959, <i>Rodolia</i>	597
okinawensis Nakane, 1977, <i>Drilaster</i>	233
okinawensis Ôhira, 2000, <i>Drasterius</i>	106
okinawensis Ôhira, 1967, <i>Tetrigus</i>	108
okinawensis Ôhira, 1982, <i>Melanotus</i>	148
okinawensis Ôhira, 1998, <i>Quasimus</i>	191
okinawensis Wittmer, 1958, <i>Hypebaeus</i>	435
okudai Kishii, 1998, <i>Ampedus</i>	125
okudai Kishii, 1998, <i>Homotechnes</i>	153
okuhidanus Takahashi & Kiriyama, 2000, <i>Asiopodabrus</i>	235
okunii M. Chûjô, 1936, <i>Neodacne</i>	541
okuyugawaranus Takahashi, 1992, <i>Lycocerus</i>	252
olbiensis Mulsant & Guillebeau, 1856, <i>Athous</i>	162
olcesei Buysson, 1905, <i>Athous</i>	162
olcesei Pic, 1898, <i>Malthinus</i>	281
<i>olcesi</i> Crotch, 1874, <i>Parexochomus</i>	595
olcesii Fairmaire, 1884, <i>Lanelater</i>	102
oleare Lesne, 1932, <i>Sinoxylon</i>	323
olearis Lyubarsky, 2004, <i>Stilbus</i>	512
oleosus Kirejtshuk, 1987, <i>Pallodes</i>	475
olexai Hisamatsu, 1963, <i>Rhacopus</i>	83
olexai Jelínek, 1976, <i>Anamartus</i>	455
olexai Jelínek, 1999, <i>Physoronia</i>	475
olexai Palm, 1955, <i>Hylis</i>	84
olexai Švihla, 1983, <i>Pakabsidia</i>	259
olgae Kalík, 1946, <i>Anthrenus</i>	313
olgae Solsky, 1881, <i>Cardiophorus</i>	199
olivacea Baudi di Selve, 1873, <i>Danacea</i>	398
<i>olivacea</i> Gyllenhal, 1813, <i>Pria</i>	488
olivacea Majer, 1989, <i>Mimothrix</i>	392
olivaceus Eschscholtz, 1829, <i>Hypnoidus</i>	155
<i>olivaceus</i> Fournel, 1840, <i>Byturus</i>	547
<i>olivaceus</i> Heer, 1841, <i>Meligethes</i>	481
olivensis Evers, 1959, <i>Attalus</i>	423
<i>oliveti</i> Kiesenwetter, 1866, <i>Rhagonycha</i>	264
<i>olivetorum</i> O. G. A. Costa, 1839, <i>Chilocorus</i>	593
<i>olivieri</i> Bedel, 1891, <i>Glischrochilus</i>	469
<i>olivieri</i> Buysson, 1900, <i>Negastrius</i>	188
<i>olivieri</i> Candèze, 1874, <i>Lacon</i>	101
<i>olivieri</i> Chevrolat, 1843, <i>Trichodes</i>	377
<i>olivieri</i> Desbrochers des Loges, 1875, <i>Agriotes</i>	116

<i>olivieri</i> J. Weise, 1879, <i>Adalia</i>	602
<i>olivieri</i> Lepesme, 1939, <i>Dermestes</i>	302
<i>olivieri</i> Pic, 1911, <i>Drilaster</i>	233
<i>olivieri</i> Pic, 1893, <i>Ptinus</i>	336
<i>olivieri</i> Spinola, 1844, <i>Trichodes</i>	380
<i>olivieriana</i> Heyden, 1890, <i>Lampyrus</i>	227
<i>olivierii</i> Klug, 1842, <i>Trichodes</i>	379
<i>oloyensis</i> Wittmer, 1999, <i>Kuatunia</i>	437
<i>olschwangi</i> Kazantsev, 1994, <i>Silis</i>	276
<i>olympiaca</i> Reitter, 1875, <i>Corticaria</i>	644
<i>olympiaca</i> Schilsky, 1897, <i>Danacea</i>	398
<i>olympiacus</i> Wittmer, 1974, <i>Malthinus</i>	281
<i>olympica</i> Marseul, 1864, <i>Boveycantharis</i>	239
<i>olympica</i> Meschnigg, 1934, <i>Dima</i>	184
<i>olympica</i> Pic, 1901, <i>Malthodes</i>	291
<i>olympicus</i> Švihla, 2004, <i>Malthodes</i>	292
<i>olympicus</i> Wittmer, 1988, <i>Troglops</i>	454
<i>omanensis</i> Borowski, 2000, <i>Dignomus</i>	331
<i>omanensis</i> Platia & Schimmel, 1997, <i>Agrypnus</i>	98
<i>omanensis</i> Platia & Schimmel, 1997, <i>Heteroderes</i>	106
<i>omanensis</i> Platia & Schimmel, 1997, <i>Dicronychus</i>	205
<i>omanus</i> Toskina, 1998, <i>Xyletinus</i>	359
<i>omanus</i> Wittmer, 1996, <i>Troglomorphus</i>	453
<i>omega</i> Evers, 1965, <i>Dromanthomorphus</i>	416
<i>omeica</i> Zia, 1959, <i>Tetraphala</i>	536
<i>omeiensis</i> Wittmer, 1983, <i>Themus</i>	272
<i>omeishanensis</i> Schimmel, 1996, <i>Penia</i>	185
<i>omissa</i> Grouvelle, 1908, <i>Epuraea</i>	465
<i>omissa</i> Wittmer, 1954, <i>Podosilis</i>	275
<i>omissus</i> Buysson, 1889, <i>Peripontius</i>	111
<i>omogonis</i> Hisamatsu, 1953, <i>Neopallodes</i>	473
<i>omophloides</i> Abeille de Perrin, 1882, <i>Attalus</i>	423
<i>omoplatus</i> Spinola, 1844, <i>Trichodes</i>	376
<i>omostigma</i> Heyden, 1897, <i>Hippodamia</i>	617
<i>omotoensis</i> Ôhira, 1978, <i>Adelocera</i>	96
<i>omotoensis</i> Ôhira, 1966, <i>Melanotus</i>	151
<i>oncina</i> A. G. Olivier, 1808, <i>Oenopia</i>	622
<i>oncosiphonos</i> C. Cao & Xiao, 1984, <i>Scymnus</i>	587
<i>ondai</i> Kishii, 1990, <i>Homotechnes</i>	153
<i>ondreji</i> Švihla, 2004, <i>Lycocerus</i>	252
<i>onerusus</i> Lewis, 1894, <i>Selatosomus</i>	181
<i>ontakeanus</i> Kishii, 1969, <i>Diacanthous</i>	169
<i>ontakecola</i> Kishii, 1968, <i>Homotechnes</i>	153
<i>onzuiensis</i> Takahashi, 2003, <i>Yukikoa</i>	273
<i>ooptera</i> Fairmaire, 1875, <i>Corticarina</i>	646
<i>oothecophilum</i> Chao & Lee, 1966, <i>Trogoderma</i>	319
<i>opaca</i> E. Olivier, 1885, <i>Pyrocoelia</i>	229
<i>opaca</i> Germar, 1824, <i>Cantharis</i>	245
<i>opaca</i> Grouvelle, 1897, <i>Epuraea</i>	464
<i>opaca</i> Heller, 1920, <i>Episcapha</i>	540

<i>opaca</i> Mulsant, 1862, <i>Rhagonycha</i>	266
<i>opaca</i> O.F. Müller, 1776, <i>Cantharis</i>	242
<i>opaca</i> Schilsky, 1897, <i>Falsomelyris</i>	387
<i>opaca</i> Ziegler, 1845, <i>Monotoma</i>	494
<i>opaciceps</i> Pic, 1901, <i>Malthodes</i>	292
<i>opacicollis</i> Peyerimhoff, 1926, <i>Tolyphus</i>	513
<i>opacicollis</i> Reitter, 1910, <i>Hypnoidus</i>	155
<i>opacicornis</i> Liberti, 1982, <i>Dasytes</i>	405
<i>opacifrons</i> Grouvelle, 1908, <i>Cryptamorpha</i>	497
<i>opacipenne</i> Kishii, 1993, <i>Ludioschema</i>	132
<i>opacipennis</i> Abeille de Perrin, 1882, <i>Malachius</i>	450
<i>opacipennis</i> Nakane, 1959, <i>Tetrisus</i>	465
<i>opacipennis</i> Pic, 1906, <i>Prothemus</i>	260
<i>opacipennis</i> Wollaston, 1864, <i>Enicmus</i>	638
<i>opacithorax</i> Pic, 1908, <i>Dasytes</i>	402
<i>opacofulvus</i> Reitter, 1898, <i>Procraerus</i>	138
<i>opacosericeus</i> Reitter, 1896, <i>Cryptophagus</i>	518
<i>opacula</i> Abeille de Perrin, 1894, <i>Danacea</i>	398
<i>opacula</i> Grouvelle, 1906, <i>Epuraea</i>	464
<i>opacula</i> Poppius, 1904, <i>Epuraea</i>	462
<i>opacus</i> Abeille de Perrin, 1892, <i>Anamartus</i>	455
<i>opacus</i> Candèze, 1873, <i>Megapenthes</i>	137
<i>opacus</i> Candèze, 1878, <i>Arhaphes</i>	187
<i>opacus</i> Fleutiaux, 1934, <i>Athous</i>	163
<i>opacus</i> Fursov, 1936, <i>Trichodes</i>	377
<i>opacus</i> Gurjeva, 1966, <i>Cardiophorus</i>	199
<i>opacus</i> Habelmann, 1854, <i>Teredus</i>	552
<i>opacus</i> Kiesenwetter, 1866, <i>Paradrilus</i>	210
<i>opacus</i> Kiesenwetter, 1878, <i>Clanoptilus</i>	443
<i>opacus</i> Korotyaev, 1989, <i>Tetrabrachys</i>	574
<i>opacus</i> Lewis, 1894, <i>Paracardiophorus</i>	206
<i>opacus</i> Lewis, 1888, <i>Cucujus</i>	502
<i>opacus</i> Pic, 1921, <i>Libnetis</i>	217
<i>opacus</i> Pic, 1946, <i>Attagenus</i>	308
<i>opacus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	147
<i>opacus</i> Reitter, 1898, <i>Cryptophagus</i>	518
<i>opacus</i> Rosenhauer, 1856, <i>Meligethes</i>	485
<i>opalizans</i> J. R. Sahlberg, 1889, <i>Epuraea</i>	461
<i>opatroides</i> Candèze, 1895, <i>Penia</i>	185
<i>operculata</i> Liu, 1950, <i>Henosepilachna</i>	629
<i>opertus</i> Majer, 1991, <i>Dasytidius</i>	390
<i>ophthalmica</i> Dajoz, 1970, <i>Melanophthalma</i>	648
<i>ophthalmicus</i> Bruce, 1938, <i>Cryptophagus</i>	519
<i>opicus</i> Candèze, 1900, <i>Melanotus</i>	147
<i>opponens</i> Walker, 1859, <i>Cyllodes</i>	472
<i>optabilis</i> Lewis, 1894, <i>Ampedus</i>	125
<i>optatus</i> Lewis, 1894, <i>Fleutiauxellus</i>	188
<i>ophthalmica</i> Mulsant, 1850, <i>Adalia</i>	602
<i>optivus</i> Majer, 1989, <i>Dasytidius</i>	390
<i>opulenta</i> Schilsky, 1897, <i>Danacea</i>	398

<i>opuntiae</i> Reitter, 1884, <i>Dapsa</i>	563
<i>oralis</i> Ahrens, 1814, <i>Cantharis</i>	247
<i>oranensis</i> Chevrolat, 1874, <i>Cebrio</i>	92
<i>oranensis</i> Pic, 1901, <i>Malthodes</i>	292
<i>oranicus</i> Evers, 1966, <i>Clanoptilus</i>	444
<i>orbatus</i> C. O. Waterhouse, 1877, <i>Calochromus</i>	224
<i>orbatus</i> Wollaston, 1854, <i>Sphaericus</i>	338
<i>orbicollis</i> Mannerheim, 1853, <i>Corticaria</i>	644
<i>orbicularis</i> Gorham, 1887, <i>Bystodes</i>	559
<i>orbicularis</i> Lindberg, 1953, <i>Sphaericus</i>	338
<i>orbicularis</i> Lyubarsky, 2004, <i>Stilbus</i>	512
<i>orbiculatus</i> C.-T. Yang, 1971, <i>Pseudoscymnus</i>	582
<i>orbiculatus</i> Gyllenhal, 1808, <i>Aspidiphorus</i>	455
<i>orbiculus</i> Gyllenhal, 1808, <i>Cryptogonus</i>	576
<i>ordinarius</i> Gurjeva, 1970, <i>Ampedus</i>	125
<i>ordubadensis</i> Agajev, 1985, <i>Cardiophorus</i>	199
<i>ordubadensis</i> Reitter, 1889, <i>Malthodes</i>	292
<i>oreadis</i> Wurst, 1996, <i>Phyllocerus</i>	81
<i>oreas</i> Gistel, 1857, <i>Agriotes</i>	119
<i>oreas</i> Liberti, 1985, <i>Danacea</i>	395
<i>oreophilus</i> Audisio, 1984, <i>Meligethes</i>	485
<i>oreophilus</i> Kazantsev, 2002, <i>Macrolycus</i>	213
<i>oresitropha</i> Iablokoff-Khinzorian, 1972, <i>Coccinula</i>	600
<i>oreumsensis</i> Kang & Okushima, 2003, <i>Asiopodabrus</i>	235
<i>orgivasa</i> Pic, 1954, <i>Cantharis</i>	244
<i>orientale</i> Schaufuss, 1887, <i>Passandra</i>	502
<i>orientalicus</i> Wittmer, 1970, <i>Malthodes</i>	292
<i>orientalis</i> Abeille de Perrin, 1881, <i>Troglops</i>	454
<i>orientalis</i> Bonvouloir, 1859, <i>Triaxagus</i>	89
<i>orientalis</i> Candèze, 1889, <i>Actenicerus</i>	173
<i>orientalis</i> Champion, 1922, <i>Corticaria</i>	644
<i>orientalis</i> Dahlgren, 1968, <i>Rhagonycha</i>	262
<i>orientalis</i> Dieke, 1947, <i>Henosepilachna</i>	630
<i>orientalis</i> Escalera, 1926, <i>Axinotarsus</i>	441
<i>orientalis</i> Fairmaire, 1859, <i>Enicopus</i>	407
<i>orientalis</i> Faldermann, 1835, <i>Lampyris</i>	227
<i>orientalis</i> Fursov, 1935, <i>Elateroides</i>	363
<i>orientalis</i> Gorham, 1889, <i>Lycocerus</i>	252
<i>orientalis</i> Gorham, 1873, <i>Danae</i>	567
<i>orientalis</i> Hope, 1843, <i>Agrypnus</i>	99
<i>orientalis</i> Israelson, 1974, <i>Stagetus</i>	347
<i>orientalis</i> J. Weise, 1879, <i>Hippodamia</i>	619
<i>orientalis</i> K. Zimmermann, 1939, <i>Henosepilachna</i>	629
<i>orientalis</i> Kleine, 1930, <i>Lycostomus</i>	211
<i>orientalis</i> Kuznecova, 1928, <i>Dermestes</i>	300
<i>orientalis</i> L. Redtenbacher, 1844, <i>Alindria</i>	364
<i>orientalis</i> Lewis, 1894, <i>Ampedus</i>	125
<i>orientalis</i> Lohse, 1977, <i>Aplocnemus</i>	412
<i>orientalis</i> Mader, 1955, <i>Scymnus</i>	587
<i>orientalis</i> Nietner, 1856, <i>Aethina</i>	471

<i>orientalis</i> Olliff, 1884, <i>Aethina</i>	470
<i>orientalis</i> Peyron, 1857, <i>Thorictus</i>	305
<i>orientalis</i> Reiche, 1861, <i>Amphotis</i>	471
<i>orientalis</i> Reitter, 1878, <i>Attagenus</i>	309
<i>orientalis</i> Reitter, 1877, <i>Clypastraea</i>	633
<i>orientalis</i> Reitter, 1877, <i>Migneauxia</i>	648
<i>orientalis</i> Sasaji, 1987, <i>Telmatophilus</i>	524
<i>orientalis</i> Sasaji, 1983, <i>Mychocerus</i>	554
<i>orientalis</i> Saulcy, 1864, <i>Merophysia</i>	558
<i>orientalis</i> Schilsky, 1894, <i>Dasytes</i>	403
<i>orientalis</i> Wittmer, 1979, <i>Ebaeus</i>	430
<i>orientalis</i> Wittmer & Magis, 1978, <i>Islamocantharis</i>	248
<i>orientalis</i> Zhantiev, 1988, <i>Ctesias</i>	315
<i>orientis</i> Gorham, 1883, <i>Conderis</i>	221
<i>ornata</i> Arrow, 1925, <i>Danae</i>	567
<i>ornata</i> Grouvelle, 1903, <i>Epuraea</i>	463
<i>ornata</i> Grouvelle, 1903, <i>Epuraea</i>	465
<i>ornata</i> Heer, 1841, <i>Atomaria</i>	526
<i>ornata</i> Herbst, 1783, <i>Myrrha</i>	620
<i>ornata</i> Hoang, 1982, <i>Oenopia</i>	622
<i>ornata</i> Kapur, 1963, <i>Singhikalia</i>	599
<i>ornata</i> Procházka, 1894, <i>Danacea</i>	395
<i>ornata</i> Reitter, 1873, <i>Epuraea</i>	461
<i>ornata</i> Reitter, 1877, <i>Corticaria</i>	644
<i>ornata</i> Voet, 1806, <i>Propylea</i>	624
<i>ornatella</i> Casey, 1899, <i>Adalia</i>	602
<i>ornaticeps</i> Wittmer, 1956, <i>Ebaeus</i>	431
<i>ornaticollis</i> Marseul, 1864, <i>Rhagonycha</i>	266
<i>ornatissimus</i> Wollaston, 1862, <i>Attalus</i>	423
<i>ornatula</i> Bourgeois, 1894, <i>Malthodes</i>	289
<i>ornatula</i> Kirejtshuk, 1984, <i>Epuraea</i>	463
<i>ornatulus</i> Lewis, 1892, <i>Neoclerus</i>	367
<i>ornatulus</i> Toskina, 2003, <i>Gastrallus</i>	341
<i>ornatum</i> Say, 1825, <i>Trogoderma</i>	319
<i>ornatus</i> Baudi di Selve, 1872, <i>Malachius</i>	449
<i>ornatus</i> Candèze, 1888, <i>Heteroderes</i>	106
<i>ornatus</i> Candèze, 1891, <i>Priopus</i>	152
<i>ornatus</i> Candèze, 1860, <i>Cardiophorus</i>	195
<i>ornatus</i> Escalera, 1914, <i>Attalus</i>	420
<i>ornatus</i> Faldermann, 1835, <i>Malachius</i>	449
<i>ornatus</i> Fleutiaux, 1928, <i>Anchastelater</i>	139
<i>ornatus</i> Germar, 1842, <i>Xyletinus</i>	360
<i>ornatus</i> Grouvelle, 1908, <i>Carpophilus</i>	467
<i>ornatus</i> Guillebeau, 1892, <i>Olibrus</i>	510
<i>ornatus</i> Israelson, 1974, <i>Paraxyletinus</i>	362
<i>ornatus</i> Jelínek, 1978, <i>Kateretes</i>	458
<i>ornatus</i> Kocher, 1955, <i>Anthrenus</i>	311
<i>ornatus</i> Lesne, 1897, <i>Xylodectes</i>	324
<i>ornatus</i> Lewis, 1894, <i>Gamepenthès</i>	136
<i>ornatus</i> Motschulsky, 1863, <i>Cyllodes</i>	472

<i>ornatus</i> P. W. J. Müller, 1821, <i>Ptinus</i>	335
<i>ornatus</i> Rosenhauer, 1856, <i>Malthinus</i>	281
<i>ornatus</i> Savoyskaya, 1969, <i>Scymnus</i>	590
<i>ornithorrhyncha</i> T. Zeng & L.-F. Yang, 1996, <i>Afissula</i>	626
<i>orodromus</i> Gurjeva, 1982, <i>Pseudanostirus</i>	181
<i>oromii</i> Cobos, 1978, <i>Cardiophorus</i>	202
<i>oromii</i> Español, 1978, <i>Clada</i>	353
<i>oromii</i> Israelson, 1985, <i>Atomaria</i>	526
<i>oromii</i> Otero, 1989, <i>Cryptophagus</i>	519
<i>oropensis</i> Caminero, 1983, <i>Cebrio</i>	90
<i>orzolensis</i> Leiler, 1984, <i>Sphaericus</i>	337
<i>osakaensis</i> M. Araki, 1963, <i>Scymnus</i>	587
<i>osawai</i> Ashida & Kim, 1999, <i>Dacne</i>	538
<i>osawai</i> Nakane, 1969, <i>Lyponia</i>	218
<i>osawai</i> Nakane, 1950, <i>Drilonius</i>	234
<i>osawai</i> Nakane, 1982, <i>Tritoma</i>	546
<i>osawai</i> Nakane & Makino, 1981, <i>Hatchiana</i>	237
<i>osawai</i> Ôhira, 1972, <i>Zorochros</i>	192
<i>osawai</i> Sasaji, 1986, <i>Alloneda</i>	606
<i>osculatii</i> Marietti, 1844, <i>Tetrabrachys</i>	575
<i>osellai</i> Audisio & Jelínek, 2000, <i>Meligethes</i>	485
<i>osellai</i> Guglielmi & Platia, 1985, <i>Melanotus</i>	147
<i>osellai</i> Guglielmi & Platia, 1985, <i>Athous</i>	159
<i>osellai</i> Pace, 1974, <i>Anommatus</i>	550
<i>osellai</i> Švihla, 1993, <i>Rhagonycha</i>	266
<i>osellai</i> Wittmer, 1974, <i>Malthodes</i>	292
<i>osensis</i> Hayashi, 1951, <i>Dorcatoma</i>	345
<i>oshimaensis</i> Sasaji, 1976, <i>Nephus</i>	580
<i>oshimana</i> Miwa, 1936, <i>Paederolanguria</i>	535
<i>oshimana</i> Nakane, 1961, <i>Ponyalis</i>	218
<i>oshimana</i> Nakane, 1985, <i>Pyrocoelia</i>	229
<i>oshimanus</i> Nakane, 1987, <i>Spinifornax</i>	87
<i>oshimanus</i> Nakane, 1988, <i>Biphyllus</i>	548
<i>oshimanus</i> Nakane, 1981, <i>Stenotarsus</i>	568
<i>oshimanus</i> Ôhira, 1969, <i>Agrypnus</i>	99
<i>oshimanus</i> Ôhira, 1967, <i>Melanotus</i>	147
<i>osiris</i> Mulsant, 1858, <i>Cheilomenes</i>	610
<i>osmana</i> Wittmer, 1972, <i>Rhagonycha</i>	262
<i>ossetica</i> Kazantsev, 1998, <i>Podistra</i>	260
<i>osseticola</i> Lyubarsky, 1992, <i>Cryptophagus</i>	515
<i>osseticus</i> Nikitsky, 1993, <i>Derodontus</i>	298
<i>ossium</i> Kirby, 1837, <i>Nitidula</i>	474
<i>ostindicus</i> Kazantsev, 1996, <i>Helcophorus</i>	215
<i>otaitoensis</i> Nakane, 1961, <i>Tritoma</i>	546
<i>otini</i> Easton, 1954, <i>Meligethes</i>	485
<i>otini</i> Majer, 1990, <i>Dasytidius</i>	389
<i>otini</i> Peyerimhoff, 1948, <i>Dasytes</i>	403
<i>otini</i> Peyerimhoff, 1948, <i>Clanoptilus</i>	444
<i>otini</i> Wittmer, 1971, <i>Malthinus</i>	281
<i>otobeanus</i> Kishii, 1988, <i>Melanotus</i>	147

otobei Kishii, 1986, <i>Ampedus</i>	129
otohime Kamiya, 1961, <i>Scymnus</i>	584
otome Kishii, 1992, <i>Ampedus</i>	126
otome Kishii, 1985, <i>Ischnodes</i>	130
otome Kôno, 1932, <i>Platycis</i>	216
otsukae Miwa, 1928, <i>Actenicerus</i>	173
otti Breimi-Wolf, 1855, <i>Pseudeurostus</i>	333
ottoi Delkeskamp, 1939, <i>Cantharis</i>	241
ottoi Johnson, 2007, <i>Migneauxia</i>	648
ottomana J. Weise, 1879, <i>Adalia</i>	602
ottomanus Reitter, 1905, <i>Athous</i>	162
ottonis Winkler, 1974, <i>Emmepus</i>	370
oudai Švihla, 2004, <i>Lycocerus</i>	252
oudai Švihla, 2004, <i>Mimopodabrus</i>	258
oudjanus Pic, 1920, <i>Attalus</i>	423
ouinensis Evers, 1995, <i>Attalus</i>	423
oujdaensis Wittmer, 1969, <i>Malthinus</i>	281
outereloi Otero & González, 1983, <i>Cryptophagus</i>	521
outkensis Kocher, 1967, <i>Cebrio</i>	89
ovalatus Kim, 2000, <i>Oedostethus</i>	189
ovalioides Kishii, 1970, <i>Quasimus</i>	191
ovalipennis Coye, 1870, <i>Merophysia</i>	558
ovalipennis Reitter, 1875, <i>Corticarina</i>	646
ovalis Arrow, 1915, <i>Orphinus</i>	317
ovalis Beck, 1817, <i>Murmidius</i>	553
ovalis C. G. Thomson, 1862, <i>Meligethes</i>	485
ovalis Candèze, 1873, <i>Quasimus</i>	191
ovalis Fleutiaux, 1887, <i>Thaumaglossa</i>	318
ovalis Germar, 1824, <i>Adelocera</i>	96
ovalis Grouvelle, 1883, <i>Xylolestes</i>	506
ovalis Hope, 1831, <i>Luciola</i>	232
ovalis Iablokoff-Khnzorian, 1959, <i>Olibrus</i>	509
ovalis Laporte, 1838, <i>Cyrtosus</i>	447
ovalis Reitter, 1921, <i>Trixagus</i>	89
ovalis Sasaji, 1970, <i>Dexialia</i>	559
ovalis Wittmer, 1984, <i>Maltypus</i>	296
ovata Ohta, 1929, <i>Jauravia</i>	570
ovata Sengupta, 1976, <i>Dienerella</i>	636
ovatipennis Wollaston, 1862, <i>Attalus</i>	423
ovatus Arrow, 1925, <i>Ectomychus</i>	568
ovatus Grimmer, 1841, <i>Stephostethus</i>	641
ovatus Marsham, 1802, <i>Epauloecus</i>	331
ovatus Marsham, 1802, <i>Olibrus</i>	508
ovatus Sturm, 1845, <i>Meligethes</i>	485
ovicollis LeConte, 1859, <i>Polycaon</i>	328
ovicollis Reitter, 1887, <i>Corticaria</i>	644
oviformis Reitter, 1884, <i>Pocadites</i>	476
ovimaculatus Sasaji, 1968, <i>Scymnus</i>	587
ovipennis Casey, 1899, <i>Adalia</i>	603
ovipennis Crotch, 1874, <i>Tetrabrachys</i>	574

ovipennis Desbrochers des Loges, 1875, <i>Cardiophorus</i>	199
ovipennis Reitter, 1884, <i>Niptodes</i>	332
<i>ovivorus</i> Matsumura & Yokoyama, 1928, <i>Thaumaglossa</i>	318
ovoideus Sicard, 1929, <i>Pharoscygnus</i>	571
ovosimilis Wittmer, 1964, <i>Ebaeus</i>	431
ovtschinnikovi Dolin, 1997, <i>Melanotus</i>	147
<i>ovulum</i> Erichson, 1846, <i>Ephistemus</i>	530
ovulum Fairmaire, 1875, <i>Oxystrongylus</i>	474
owadai Okushima & Satô, 1997, <i>Stenothemus</i>	269
owadai Satô & Kimura, 1994, <i>Luciola</i>	232
owarianus Nakane & Makino, 1990, <i>Asiopodabrus</i>	236
oxiana Iablokoff-Khnzorian, 1964, <i>Dapsa</i>	563
oxianus Iablokoff-Khnzorian, 1970, <i>Agriotes</i>	116
oxyacanthae Peyron, 1877, <i>Clanoptilus</i>	444
oxycedri Reitter, 1901, <i>Ernobius</i>	351
<i>oxys</i> Abeille de Perrin, 1890, <i>Clanoptilus</i>	444
ozakii Ôhira, 1992, <i>Scutellathous</i>	172
ozakii Ôhira, 1995, <i>Menoko</i>	188
ozeanus Nakane, 1994, <i>Macrolycus</i>	213
ozeanus Nakane & Kinoda, 1992, <i>Lycocerus</i>	251
ozeanus Nakane & Kishii, 1954, <i>Liotrichus</i>	178
ozeanus Nakane & Makino, 1990, <i>Asiopodabrus</i>	236
pacatus Lewis, 1894, <i>Selatosomus</i>	181
pacei Guglielmi & Platia, 1985, <i>Athous</i>	159
pachycephalus Chevrolat, 1874, <i>Cebrio</i>	92
pachycollis Ôhira, 1973, <i>Ampedus</i>	126
pacifica Kazantsev, 1994, <i>Rhagonycha</i>	266
<i>pacificus</i> Casey, 1898, <i>Stephanopachys</i>	326
<i>pacificus</i> Motschulsky, 1860, <i>Anostirus</i>	174
<i>pacificus</i> Sakai, 2001, <i>Hyperisus</i>	352
<i>padana</i> Comolli, 1837, <i>Hippodamia</i>	617
<i>padana</i> Fiori, 1914, <i>Cantharis</i>	246
paelex Evers, 1991, <i>Attalus</i>	423
paflagonensis Platia & Gudenzi, 1998, <i>Athous</i>	162
paflagonica Švihla, 2004, <i>Rhagonycha</i>	266
pagana Rosenhauer, 1847, <i>Cantharis</i>	247
<i>paganetii</i> Reitter, 1910, <i>Selatosomus</i>	182
paganetti Obenberger, 1914, <i>Triplax</i>	544
paganetti Obenberger, 1914, <i>Sphaerosoma</i>	555
paganettii Flach, 1907, <i>Cantharis</i>	244
paganettii Obenberger, 1917, <i>Thorictus</i>	305
paganettii Obenberger, 1918, <i>Airaphilus</i>	498
<i>paganettii</i> Pic, 1907, <i>Cardiophorus</i>	196
<i>paganettii</i> Pic, 1912, <i>Malthodes</i>	292
<i>paganosa</i> Pic, 1942, <i>Cantharis</i>	242
paganus Lewis, 1896, <i>Scymnus</i>	590
paghmanensis Wittmer, 1974, <i>Nepachys</i>	426
pagmanus Nakane, 1966, <i>Negastrius</i>	189
pahalgamus Sengupta & Biswas, 1977, <i>Rhizophagus</i>	492
paivae Wollaston, 1862, <i>Canariclerus</i>	371

paivai Wollaston, 1859, <i>Pachylanguria</i>	535
paiwan Kishii, 1991, <i>Glyphonyx</i>	110
pakistanana Wittmer, 1997, <i>Cantharis</i>	244
pakistanensis Ahmad & Ghani, 1966, <i>Simmondsius</i>	595
pakistanicus Dolin, 1993, <i>Quasimus</i>	191
pakistanicus Dolin, 1999, <i>Zorochros</i>	193
<i>pakistanicus</i> Havelka, 1951, <i>Dermestes</i>	301
pakistanicus Platia, 1988, <i>Ampedus</i>	126
pakistanicus Platia & Schimmel, 2001, <i>Melanotus</i>	147
pakistanicus Ślipiński, 1988, <i>Philothermus</i>	554
pakistanicus Tomaszewska, 1997, <i>Endomychus</i>	561
pakistanicus W. Suzuki, 1985, <i>Dima</i>	184
pakistanicus Wittmer, 1986, <i>Laius</i>	418
pakistanicus Wittmer, 1960, <i>Hypebaeus</i>	435
pakistanus Wittmer, 1960, <i>Themus</i>	270
<i>pakistanus</i> Wittmer, 1973, <i>Themus</i>	273
palaeoaegyptiacus Grüss, 1930, <i>Anthrenus</i>	315
palaestina Pic, 1900, <i>Flabellotilloidea</i>	368
<i>palaestinensis</i> Amsel & Hering, 1931, <i>Oxystrongylus</i>	475
palaestinensis Audisio & De Biase, 1996, <i>Dapsa</i>	563
palaestinus Baudi di Selve, 1873, <i>Aplocnemus</i>	411
palaestinus Peyron, 1877, <i>Malachius</i>	449
palaestinus Pic, 1901, <i>Malthodes</i>	292
palaestinus Pic, 1902, <i>Troglops</i>	454
palaui Español, 1945, <i>Abromus</i>	548
<i>paleatus</i> Candèze, 1893, <i>Ampedus</i>	127
palii Dolin & Atamuradov, 1987, <i>Zorochros</i>	193
paling G.-Y. Yu, 2001, <i>Epilachna</i>	628
palingensis Wittmer, 1993, <i>Malthinus</i>	281
<i>pallasi</i> Mulsant, 1850, <i>Halazia</i>	598
pallens Fabricius, 1792, <i>Adrastus</i>	108
<i>pallens</i> Fabricius, 1792, <i>Uleiota</i>	497
pallens Germar, 1824, <i>Xyletinus</i>	359
<i>pallens</i> Har. Lindberg, 1953, <i>Brachypterus</i>	456
pallens Linnaeus, 1758, <i>Antherophagus</i>	514
pallens Majer, 1988, <i>Dasytiscus</i>	391
pallens Mannerheim, 1844, <i>Melanophthalma</i>	647
<i>pallens</i> Mulsant & Guillebeau, 1855, <i>Athous</i>	159
<i>pallens</i> Rey, 1889, <i>Kateretes</i>	458
pallescens Marseul, 1868, <i>Dapsa</i>	563
pallescens Stephens, 1835, <i>Epuraea</i>	461
palliata Gyllenhal, 1808, <i>Cantharis</i>	244
<i>palliata</i> Schranck, 1798, <i>Triplax</i>	544
<i>palliatus</i> Baudi di Selve, 1872, <i>Attalus</i>	422
palliatus Perris, 1847, <i>Ptinus</i>	333
pallicolor Fairmaire, 1883, <i>Malthinus</i>	281
pallicolor Wittmer, 1951, <i>Lycocerus</i>	252
pallicrus Desbrochers des Loges, 1875, <i>Zorochros</i>	193
<i>pallida</i> Fabricius, 1787, <i>Rhagonycha</i>	265
pallida Gebler, 1841, <i>Lycoperdina</i>	565

<i>pallida</i> Geisthardt, 1987, <i>Lampyris</i>	227
<i>pallida</i> Goeze, 1777, <i>Cantharis</i>	244
<i>pallida</i> Haworth, 1812, <i>Hippodamia</i>	617
<i>pallida</i> Mandl, 1974, <i>Paulusiella</i>	93
<i>pallida</i> Marriner, 1929, <i>Anatis</i>	606
<i>pallida</i> Marsham, 1802, <i>Cortinicara</i>	647
<i>pallida</i> Motschulsky, 1849, <i>Bulaea</i>	600
<i>pallida</i> Mulsant, 1850, <i>Bulaea</i>	600
<i>pallida</i> P. Rossi, 1790, <i>Anisosticta</i>	600
<i>pallida</i> Platia, 2004, <i>Tolphorea</i>	113
<i>pallida</i> Stephens, 1830, <i>Monotoma</i>	494
<i>pallida</i> Thunberg, 1784, <i>Aphidecta</i>	607
<i>pallida</i> Wollaston, 1846, <i>Caenoscelis</i>	513
<i>pallidenitens</i> Kleine, 1940, <i>Lycostomus</i>	212
<i>pallidescriptus</i> Jelínek, 1999, <i>Glischrochilus</i>	469
<i>pallidiangulus</i> Miwa, 1928, <i>Agriotes</i>	118
<i>pallidiceps</i> Pic, 1911, <i>Micropodabrus</i>	257
<i>pallidiceps</i> Wittmer, 1956, <i>Ebaeus</i>	431
<i>pallidicincta</i> Lewis, 1887, <i>Tritoma</i>	546
<i>pallidicolor</i> Escalera, 1940, <i>Attalus</i>	422
<i>pallidicolor</i> Pic, 1910, <i>Agriotes</i>	114
<i>pallidicolor</i> Pic, 1903, <i>Malthodes</i>	292
<i>pallidicolor</i> Pic, 1908, <i>Ochina</i>	352
<i>pallidicolor</i> Reitter, 1894, <i>Teloclerus</i>	368
<i>pallidicornis</i> Arrow, 1925, <i>Amblyopus</i>	541
<i>pallidicornis</i> Corporaal & van der Wiel, 1949, <i>Cladiscus</i>	367
<i>pallidihumeralis</i> Kishii, 1973, <i>Neopenthes</i>	138
<i>pallidior</i> Buysson, 1925, <i>Athous</i>	158
<i>pallidior</i> Escalera, 1921, <i>Attalus</i>	423
<i>pallidior</i> Pic, 1902, <i>Podabrus</i>	237
<i>pallidior</i> Pic, 1895, <i>Ptinus</i>	333
<i>pallidior</i> Pic, 1912, <i>Episernus</i>	349
<i>pallidipalpis</i> Abeille de Perrin, 1894, <i>Danacea</i>	398
<i>pallidipennis</i> Bielz, 1850, <i>Tillus</i>	370
<i>pallidipennis</i> Chevrolat, 1874, <i>Cebrio</i>	92
<i>pallidipennis</i> Desbrochers des Loges, 1870, <i>Athous</i>	158
<i>pallidipennis</i> Holdhaus, 1903, <i>Atomaria</i>	526
<i>pallidipennis</i> Majer, 1990, <i>Cerallus</i>	386
<i>pallidipennis</i> Pic, 1897, <i>Cardiophorus</i>	202
<i>pallidipennis</i> Pic, 1900, <i>Malthinus</i>	281
<i>pallidipennis</i> Pic, 1903, <i>Malthodes</i>	292
<i>pallidipennis</i> Pic, 1902, <i>Ernobius</i>	351
<i>pallidipennis</i> Pic, 1898, <i>Emmepus</i>	370
<i>pallidipennis</i> Schilsky, 1896, <i>Danacea</i>	398
<i>pallidipennis</i> Wittmer, 1988, <i>Hypebaeus</i>	435
<i>pallidipes</i> Escalera, 1921, <i>Attalus</i>	424
<i>pallidipes</i> Fairmaire, 1884, <i>Malthinus</i>	281
<i>pallidipes</i> Miwa, 1934, <i>Glyphonyx</i>	110
<i>pallidipes</i> Miwa, 1930, <i>Cardiotarsus</i>	203
<i>pallidipes</i> Pic, 1898, <i>Falsomelyris</i>	387

<i>pallidipes</i> Pic, 1944, <i>Trichocele</i>	414
<i>pallidipes</i> Wittmer, 1997, <i>Lycocerus</i>	252
<i>pallidipes</i> Wittmer, 1954, <i>Themus</i>	270
<i>pallidipes</i> Wittmer, 1992, <i>Ebaeus</i>	431
<i>pallidithorax</i> Pic, 1910, <i>Rhagonycha</i>	264
<i>pallidithorax</i> Pic, 1899, <i>Malthinus</i>	283
<i>pallidithorax</i> Wittmer, 1984, <i>Cantharis</i>	247
<i>pallidiventris</i> Fairmaire, 1889, <i>Podosilis</i>	275
<i>pallidiventris</i> Lewis, 1887, <i>Tritoma</i>	545
<i>pallidivestis</i> Mulsant, 1853, <i>Scymnus</i>	590
<i>pallidobrunneus</i> Wittmer, 1973, <i>Themus</i>	270
<i>pallidocincticollis</i> Pic, 1917, <i>Themus</i>	273
<i>pallidohirtus</i> Pic, 1899, <i>Dasytes</i>	405
<i>pallidosignata</i> Pic, 1904, <i>Cantharis</i>	244
<i>pallidula</i> Kishii, 1976, <i>Menoko</i>	188
<i>pallidulus</i> Cate, 2002, <i>Megapenthes</i>	137
<i>pallidulus</i> Erichson, 1840, <i>Pelochrus</i>	429
<i>pallidulus</i> Erichson, 1843, <i>Meligethinus</i>	488
<i>pallidulus</i> Illiger, 1807, <i>Agriotes</i>	116
<i>pallidulus</i> Mulsant, 1850, <i>Rhyzobius</i>	573
<i>pallidulus</i> Wittmer, 1956, <i>Hypebaeus</i>	435
<i>pallidulus</i> Wollaston, 1867, <i>Scymnus</i>	591
<i>pallidum</i> Fleutiaux, 1940, <i>Ludioschema</i>	132
<i>pallidus</i> A. G. Olivier, 1795, <i>Opilo</i>	373
<i>pallidus</i> Abeille de Perrin, 1882, <i>Pelochrus</i>	429
<i>pallidus</i> Crotch, 1874, <i>Tetrabrachys</i>	574
<i>pallidus</i> Duftschmid, 1825, <i>Ptinus</i>	337
<i>pallidus</i> Fürsch, 1980, <i>Nephus</i>	580
<i>pallidus</i> Heer, 1841, <i>Kateretes</i>	458
<i>pallidus</i> L. Redtenbacher, 1858, <i>Brachygonus</i>	129
<i>pallidus</i> Laporte, 1840, <i>Xyletinus</i>	359
<i>pallidus</i> Lewis, 1894, <i>Hayekpenthes</i>	136
<i>pallidus</i> Marsham, 1802, <i>Rhyzobius</i>	573
<i>pallidus</i> Pic, 1921, <i>Plateros</i>	220
<i>pallidus</i> Pic, 1938, <i>Diaphanes</i>	226
<i>pallidus</i> Pic, 1894, <i>Psammoecus</i>	497
<i>pallidus</i> Platia & Gudenzi, 2002, <i>Athous</i>	162
<i>pallidus</i> Reitter, 1878, <i>Sericoderus</i>	633
<i>pallidus</i> Sokolov, 1974, <i>Anthrenus</i>	313
<i>pallidus</i> Sturm, 1845, <i>Cryptophagus</i>	519
<i>pallipediformis</i> Günther, 1958, <i>Scymnus</i>	591
<i>pallipes</i> A. G. Olivier, 1790, <i>Charopus</i>	442
<i>pallipes</i> Brullé, 1832, <i>Cardiophorus</i>	200
<i>pallipes</i> Chevrolat, 1874, <i>Cylidrus</i>	367
<i>pallipes</i> Duftschmid, 1825, <i>Ptinus</i>	337
<i>pallipes</i> Eschscholtz, 1829, <i>Conoderus</i>	104
<i>pallipes</i> Fabricius, 1781, <i>Rhagonycha</i>	265
<i>pallipes</i> Faldermann, 1832, <i>Dasytes</i>	405
<i>pallipes</i> Kraatz, 1879, <i>Ampedus</i>	126
<i>pallipes</i> Küster, 1848, <i>Drasterius</i>	105

<i>pallipes</i> Motschulsky, 1860, <i>Apalochrus</i>	416
<i>pallipes</i> Mulsant, 1850, <i>Scymnus</i>	590
<i>pallipes</i> Murray, 1864, <i>Brachypterus</i>	457
<i>pallipes</i> Panzer, 1793, <i>Danacea</i>	398
<i>pallipes</i> Rey, 1889, <i>Meligethes</i>	484
<i>pallipes</i> Wollaston, 1864, <i>Attalus</i>	423
<i>pallipes</i> Ziegler, 1845, <i>Trogoderma</i>	319
<i>pallitarsis</i> Fairmaire, 1898, <i>Acanthocnemus</i>	384
<i>pallitarsus</i> Fairmaire, 1880, <i>Axinotarsus</i>	440
<i>palmaensis</i> Franz, 1979, <i>Dapsa</i>	563
<i>palmarum</i> Peyerimhoff, 1931, <i>Cybocephalus</i>	490
<i>palmatus</i> Erichson, 1845, <i>Meligethes</i>	485
<i>palmensis</i> Cobos, 1970, <i>Cardiophorus</i>	202
<i>palmensis</i> García & Evers, 1997, <i>Cephaloncus</i>	452
<i>palmensis</i> Har. Lindberg, 1951, <i>Attalus</i>	423
<i>palmensis</i> Palm, 1975, <i>Europs</i>	493
<i>palmi</i> Bowstead, 1999, <i>Clypastraea</i>	633
<i>palmi</i> C. Johnson, 1975, <i>Atomaria</i>	526
<i>palmi</i> John, 1964, <i>Thorictus</i>	305
<i>palmi</i> Olexa, 1963, <i>Microrhagus</i>	83
<i>palmi</i> Sjöberg, 1950, <i>Dermestes</i>	300
<i>palmi</i> Zahradník, 1996, <i>Dorcatoma</i>	344
<i>palmipes</i> Lewis, 1889, <i>Pseudamblyopus</i>	542
<i>palpalis</i> Nakane, 1971, <i>Lyponia</i>	218
<i>palpator</i> Marseul, 1868, <i>Colotes</i>	428
<i>paltatus</i> X.-F. Pang & Huang, 1986, <i>Pseudoscymnus</i>	582
<i>paludosa</i> Fallén, 1807, <i>Cantharis</i>	244
<i>paludosa</i> L. Redtenbacher, 1849, <i>Rhagonycha</i>	263
<i>paludosus</i> Peyron, 1877, <i>Clanoptilus</i>	444
<i>paludum</i> Buysson, 1912, <i>Aeoloderma</i>	103
<i>paludum</i> Kiesenwetter, 1859, <i>Agriotes</i>	116
<i>palustris</i> Fiori, 1906, <i>Dasytes</i>	402
<i>palustris</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>palustris</i> Lewis, 1894, <i>Lanecarus</i>	110
<i>palustris</i> Mulsant, 1846, <i>Cynegetis</i>	625
<i>palustris</i> Nakane & Makino, 1989, <i>Asiopodabrus</i>	236
<i>palustris</i> Sajó, 1881, <i>Propylea</i>	624
<i>palustris</i> Walter, 1882, <i>Anisosticta</i>	600
<i>palustris</i> Wollaston, 1846, <i>Ootypus</i>	530
<i>pamirensis</i> Gurjeva, 1978, <i>Agriotes</i>	116
<i>pamirensis</i> Kirejtshuk, 1979, <i>Meligethes</i>	485
<i>pamirensis</i> Majer, 1996, <i>Mimothrix</i>	393
<i>pamphylica</i> Wittmer, 1971, <i>Cantharis</i>	244
<i>pamphylica</i> Wittmer, 1972, <i>Rhagonycha</i>	266
<i>pamphylicus</i> Wittmer, 1974, <i>Malthinus</i>	281
<i>pamphylicus</i> Wittmer, 1970, <i>Malthodes</i>	292
<i>panachaicus</i> Wittmer, 1974, <i>Malthinus</i>	281
<i>panalpinus</i> Liberti, 1995, <i>Aplocnemus</i>	411
<i>pandellei</i> Buysson, 1896, <i>Ampedus</i>	127
<i>pandellei</i> C. N. F. Brisout de Barneville, 1863, <i>Stephostethus</i>	641

<i>pandellei</i> Pic, 1918, <i>Aplocnemus</i>	412
<i>panellai</i> Platia & Schimmel, 1991, <i>Athous</i>	159
<i>panfilovi</i> Kryzhanovskij, 1960, <i>Eumorphus</i>	564
<i>panfilovi</i> Toskina, 2004, <i>Cacotemnus</i>	339
<i>panfilovi</i> Toskina, 1995, <i>Ptilinus</i>	356
<i>pangi</i> Fürsch, 1989, <i>Scymnus</i>	586
<i>pangi</i> G. Yu & Tian, 1995, <i>Cybocephalus</i>	490
<i>paniceum</i> Linnaeus, 1758, <i>Stegobium</i>	343
<i>pannonica</i> Sajó, 1882, <i>Propylea</i>	624
<i>pannonicus</i> Franz, 1968, <i>Stilbus</i>	512
<i>pannonicus</i> Kaszab, 1947, <i>Anommatus</i>	550
<i>pannonicus</i> Spinola, 1844, <i>Trichodes</i>	376
<i>pannonicus</i> Švihla, 1990, <i>Ebaeus</i>	429
<i>pannus</i> Vats & Kashyap, 1992, <i>Drapetes</i>	208
<i>panormitanus</i> Ragusa, 1871, <i>Attalus</i>	419
<i>panousei</i> Kocher, 1952, <i>Cebrio</i>	89
<i>panousei</i> Pic, 1948, <i>Dignomus</i>	330
<i>panousei</i> Pic, 1950, <i>Attalus</i>	425
<i>panousei</i> Pic, 1953, <i>Troglops</i>	454
<i>pansanus</i> Kishii, 1998, <i>Melanotus</i>	147
<i>pantherina</i> DeGeer, 1775, <i>Adalia</i>	604
<i>pantherina</i> Lewis, 1887, <i>Tritoma</i>	546
<i>pantherina</i> Linnaeus, 1758, <i>Adalia</i>	603
<i>pantherina</i> Sicard, 1930, <i>Harmonia</i>	616
<i>pantherinus</i> Ahrens, 1814, <i>Attagenus</i>	309
<i>pantherinus</i> Reitter, 1879, <i>Glischrochilus</i>	469
<i>pantolamprus</i> Candèze, 1863, <i>Agonischius</i>	131
<i>panurgus</i> Evers, 1991, <i>Attalus</i>	423
<i>panzeri</i> Buysson, 1900, <i>Negastrius</i>	188
<i>panzeri</i> Dufour, 1851, <i>Agriotes</i>	116
<i>papariensis</i> Doi, 1932, <i>Luciola</i>	231
<i>papaveris</i> Grouvelle, 1912, <i>Brachyleptus</i>	456
<i>papii</i> Mikšić, 1969, <i>Luciola</i>	232
<i>papilioformis</i> Wittmer, 1997, <i>Attalus</i>	423
<i>papuana</i> J. Weise, 1902, <i>Harmonia</i>	615
<i>papuensis</i> W. J. MacLeay, 1886, <i>Heterobostrychus</i>	322
<i>papunensis</i> Wittmer, 1984, <i>Maltypus</i>	296
<i>parabile</i> Beal, 1954, <i>Trogoderma</i>	320
<i>parabraeti</i> Jelínek, 1978, <i>Epuraea</i>	465
<i>paracrinitus</i> G.-Y. Yu, 2000, <i>Scymnus</i>	591
<i>paradoxa</i> Hicker, 1960, <i>Cantharis</i>	244
<i>paradoxa</i> Mader, 1947, <i>Macronaemia</i>	601
<i>paradoxa</i> Mulsant & Rey, 1868, <i>Danacea</i>	397
<i>paradoxa</i> Saluk, 1992, <i>Corticarina</i>	646
<i>paradoxus</i> Abeille de Perrin, 1882, <i>Attalus</i>	423
<i>paradoxus</i> Breit, 1913, <i>Anommatus</i>	550
<i>paradoxus</i> Dolin, 1990, <i>Melanotus</i>	147
<i>paradoxus</i> Dolin, 1993, <i>Quasimus</i>	191
<i>paradoxus</i> F. E. Melsheimer, 1844, <i>Melanotus</i>	143
<i>paradoxus</i> Gurjeva, 1963, <i>Denticolloides</i>	168

<i>paradoxus</i> Hicker, 1915, <i>Malthodes</i>	292
<i>paradoxus</i> Koenig, 1887, <i>Selatosomus</i>	183
<i>paradoxus</i> Rosenhauer, 1856, <i>Pseudodryophilus</i>	348
<i>paradoxus</i> Sengupta, 1976, <i>Stephostethus</i>	641
<i>paraheydeni</i> J. Li & Chen, 1993, <i>Podabrus</i>	238
<i>parainsignis</i> X.-F. Pang & Mao, 1979, <i>Epilachna</i>	628
<i>parallela</i> C. G. Thomson, 1870, <i>Monotoma</i>	493
<i>parallela</i> C. Johnson, 1972, <i>Corticarina</i>	646
<i>parallela</i> LeConte, 1855, <i>Monotoma</i>	493
<i>parallela</i> Lesne, 1895, <i>Bostrychopsis</i>	322
<i>parallela</i> Léveillé, 1889, <i>Alindria</i>	364
<i>parallela</i> Mannerheim, 1844, <i>Dienerella</i>	637
<i>parallela</i> Reitter, 1875, <i>Epuraea</i>	459
<i>parallela</i> Zia, 1933, <i>Tetraphala</i>	536
<i>parallelaris</i> Kishii, 1991, <i>Glyphonyx</i>	110
<i>parallelaris</i> Miwa, 1927, <i>Hayekpenthos</i>	136
<i>parallelcollis</i> Aubé, 1850, <i>Denticollis</i>	168
<i>parallelcollis</i> Pic, 1921, <i>Macrohabronychus</i>	255
<i>parallelcollis</i> Platia & Schimmel, 2001, <i>Melanotus</i>	147
<i>parallelipennis</i> Solsky, 1876, <i>Dienerella</i>	637
<i>parallelipeda</i> Waltl, 1838, <i>Atomaria</i>	528
<i>parallelcollis</i> Blackburn, 1888, <i>Lyctus</i>	327
<i>parallelcollis</i> Dolin & Cate, 2002, <i>Hypnoidus</i>	155
<i>parallelcollis</i> Gyllenhal, 1827, <i>Rhizophagus</i>	492
<i>parallelcollis</i> Mannerheim, 1844, <i>Latridius</i>	639
<i>parallelcollis</i> Reitter, 1876, <i>Silvanoprus</i>	500
<i>paralleloides</i> Wittmer, 1997, <i>Micropodabrus</i>	257
<i>parallelopipedum</i> Melsheimer, 1844, <i>Trogoxylon</i>	328
<i>parallelopipedus</i> Brullé, 1832, <i>Athous</i>	163
<i>parallelopipedus</i> Motschulsky, 1863, <i>Tetrisus</i>	465
<i>parallelum</i> Küster, 1849, <i>Gastrallus</i>	340
<i>parallelus</i> Arrow, 1925, <i>Anadastus</i>	533
<i>parallelus</i> C. G. Thomson, 1871, <i>Cryptophagus</i>	516
<i>parallelus</i> C. N. F. Brisout de Barneville, 1863, <i>Cryptophagus</i>	519
<i>parallelus</i> Candèze, 1857, <i>Tetrigus</i>	108
<i>parallelus</i> Champion, 1926, <i>Macrohabronychus</i>	255
<i>parallelus</i> Küster, 1848, <i>Cyrtosus</i>	447
<i>parallelus</i> Lewis, 1894, <i>Lacon</i>	101
<i>parallelus</i> Lewis, 1892, <i>Isoclerus</i>	366
<i>parallelus</i> Motschulsky, 1860, <i>Cidnopus</i>	164
<i>parallelus</i> Reitter, 1871, <i>Meligethes</i>	484
<i>parallelus</i> Schwarz, 1891, <i>Agriotes</i>	117
<i>parallelus</i> Schwarz, 1902, <i>Quasimus</i>	191
<i>parallelus</i> Smith, 1851, <i>Cryptolestes</i>	504
<i>parallelus</i> Walker, 1858, <i>Nausibius</i>	499
<i>parallelus</i> Wittmer, 1993, <i>Micropodabrus</i>	258
<i>parallelus</i> Wittmer, 1983, <i>Micropodabrus</i>	258
<i>parallelus</i> Wittmer, 1973, <i>Themus</i>	272
<i>parallelus</i> Wittmer, 1974, <i>Malthinus</i>	281
<i>parallelus</i> G.-Y. Yu & X.-F. Pang, 1994, <i>Scymnus</i>	584

paramagna X.-F. Pang & Mao, 1979, <i>Epilachna</i>	628
paraminiatus Buysson, 1906, <i>Ampedus</i>	127
parapauperculus X.-F. Pang, 1966, <i>Stethorus</i>	592
paraperdere G. Yu, 1993, <i>Scymnus</i>	587
parasitica Gistel, 1857, <i>Atomaria</i>	529
paratenuis Ren & X.-F. Pang, 1994, <i>Scymnus</i>	587
parcesetosum Sicard, 1929, <i>Serangium</i>	569
parcus Rey, 1889, <i>Meligethes</i>	481
pardalensis Pic, 1908, <i>Rhagonycha</i>	267
pardalensis Pic, 1904, <i>Danacea</i>	397
pardalina Gerstaecker, 1871, <i>Harmonia</i>	616
pardalinus Candèze, 1882, <i>Agrypnus</i>	99
pardalis Billberg, 1808, <i>Dermestes</i>	301
pardalis Boisduval, 1835, <i>Henosepilachna</i>	630
pardoalcaidei Plata Negrache, 1990, <i>Attalus</i>	423
pardoi Escalera, 1933, <i>Attalus</i>	423
pardoi Español, 1962, <i>Ernobius</i>	351
pardoi Majer, 1990, <i>Dasytidius</i>	390
pardoi Peyerimhoff, 1949, <i>Dapsa</i>	563
pardoi Pic, 1953, <i>Dignomus</i>	331
pardoi Wittmer, 1969, <i>Malthinus</i>	282
parduum Candèze, 1859, <i>Aeoloderma</i>	103
parens Fiori, 1914, <i>Cantharis</i>	245
parens Mulsant & Rey, 1863, <i>Ernobius</i>	351
parens Rey, 1889, <i>Telmatophilus</i>	524
parenthesis G.-Y. Yu, 1999, <i>Shirozuella</i>	570
parenthesis J. Weise, 1923, <i>Nephus</i>	581
parfentievi Toskina, 2004, <i>Cacotemnus</i>	339
parietariae Erichson, 1840, <i>Attalus</i>	419
parilis Brancucci, 1983, <i>Tryptherus</i>	298
parilis Erichson, 1840, <i>Clanoptilus</i>	444
parilis Reitter, 1873, <i>Epuraea</i>	461
parilis Rey, 1889, <i>Dienerella</i>	636
parisinus Thunberg, 1792, <i>Drilus</i>	209
parkii Wollaston, 1858, <i>Euxestus</i>	552
parmatum Baudi di Selve, 1874, <i>Synanobium</i>	345
parnassi Kiesenwetter, 1859, <i>Enicopus</i>	407
parnassia Schilsky, 1897, <i>Danacea</i>	398
parnassica Pic, 1903, <i>Cantharis</i>	240
parnassicus Wittmer, 1974, <i>Malthinus</i>	282
parnassus John, 1971, <i>Thorictus</i>	305
parphianus Dolin & Atamuradov, 1989, <i>Melanotus</i>	147
parreysii Steven, 1829, <i>Calais</i>	107
parryanus Gorham, 1877, <i>Tenerus</i>	384
parsonsi C. Johnson, 1972, <i>Henotiderus</i>	522
partepolitus Wittmer, 1986, <i>Laius</i>	418
parthenias Kiesenwetter, 1871, <i>Malthodes</i>	292
parthicum Zhantiev, 1976, <i>Phradonoma</i>	318
parthicus Zhantiev, 1976, <i>Anthrenus</i>	311
particeps Mulsant & Rey, 1868, <i>Danacea</i>	398

<i>particeps</i> Mulsant & Rey, 1861, <i>Olibrus</i>	509
<i>particularicornis</i> Pic, 1926, <i>Micropodabrus</i>	257
<i>particularicornis</i> Pic, 1938, <i>Micropodabrus</i>	258
<i>particularicornis</i> Pic, 1939, <i>Idgia</i>	385
<i>particularipennis</i> Pic, 1935, <i>Danacea</i>	398
<i>particularis</i> Pic, 1928, <i>Dilophotes</i>	212
<i>particularis</i> Pic, 1931, <i>Falsopodabrus</i>	248
<i>particularis</i> Pic, 1929, <i>Themus</i>	272
<i>particularis</i> Pic, 1926, <i>Orthrius</i>	374
<i>particularis</i> Pic, 1922, <i>Trochoideus</i>	567
<i>partipygus</i> Wittmer, 1939, <i>Malthodes</i>	292
<i>partitus</i> Candèze, 1897, <i>Melanthoides</i>	106
<i>parumcostatus</i> Buysson, 1894, <i>Anostirus</i>	174
<i>parumpunctata</i> Sajó, 1882, <i>Propylea</i>	624
<i>parumpunctatus</i> Schilsky, 1897, <i>Aplocnemus</i>	411
<i>parumpunctatus</i> Schwarz, 1892, <i>Melanotus</i>	143
<i>parva</i> C. Johnson, 1972, <i>Melanophthalma</i>	648
<i>parva</i> Watson, 1954, <i>Ceratomegilla</i>	609
<i>parvantai</i> Wittmer, 1956, <i>Ebaeus</i>	432
<i>parviceps</i> Lewis, 1894, <i>Thymalus</i>	366
<i>parviceps</i> Reitter, 1884, <i>Rhizophagus</i>	492
<i>parvicollis</i> Candèze, 1897, <i>Anchastus</i>	139
<i>parvicollis</i> Champion, 1922, <i>Corticaria</i>	644
<i>parvicollis</i> Dieck, 1870, <i>Cebrio</i>	92
<i>parvicollis</i> E. Olivier, 1901, <i>Lampyris</i>	227
<i>parvicollis</i> Mannerheim, 1853, <i>Eanus</i>	177
<i>parvicollis</i> Mannerheim, 1844, <i>Melanophthalma</i>	648
<i>parvicollis</i> Mulsant & Rey, 1863, <i>Ernobius</i>	349
<i>parvicollis</i> Peyerimhoff, 1929, <i>Migneauxia</i>	648
<i>parvicollis</i> Rey, 1889, <i>Atomaria</i>	529
<i>parvicornis</i> Wittmer, 1979, <i>Dodecatoma</i>	225
<i>parvimaculatus</i> Mader, 1938, <i>Sinocymbachus</i>	566
<i>parvinoda</i> Casey, 1900, <i>Cryptophagus</i>	519
<i>parvinotata</i> Dieke, 1947, <i>Henosepilachna</i>	629
<i>parvinotata</i> Miyatake, 1959, <i>Calvia</i>	607
<i>parviocellata</i> Kang & Kim, 2000, <i>Rhagonycha</i>	266
<i>parvipunctata</i> J. R. Sahlberg, 1913, <i>Anisosticta</i>	600
<i>parvipustulata</i> Haworth, 1812, <i>Adalia</i>	604
<i>parvipustulatus</i> Kolbe, 1886, <i>Glischrochilus</i>	469
<i>parvisignatus</i> Escalera, 1914, <i>Axinotarsus</i>	441
<i>parvithorax</i> Champion, 1922, <i>Corticaria</i>	644
<i>parvula</i> Crotch, 1874, <i>Afissula</i>	626
<i>parvula</i> J. Weise, 1879, <i>Adalia</i>	603
<i>parvula</i> Kiesenwetter, 1874, <i>Luciola</i>	231
<i>parvula</i> Mannerheim, 1844, <i>Corticarina</i>	647
<i>parvula</i> Reitter, 1875, <i>Atomaria</i>	526
<i>parvula</i> Schimmel & Platia, 1991, <i>Paracsikia</i>	184
<i>parvula</i> Sturm, 1844, <i>Epuraea</i>	462
<i>parvula</i> T. L. Casey, 1916, <i>Trogoderma</i>	319
<i>parvula</i> Walter, 1882, <i>Ceratomegilla</i>	609

<i>parvulus</i> C. N. F. Brisout de Barneville, 1872, <i>Meligethes</i>	483
<i>parvulus</i> Fabricius, 1792, <i>Scymnus</i>	591
<i>parvulus</i> Fleutiaux, 1928, <i>Xanthopenthes</i>	139
<i>parvulus</i> Herbst, 1806, <i>Orithales</i>	179
<i>parvulus</i> Kishii, 1970, <i>Quasimus</i>	191
<i>parvulus</i> Lesne, 1897, <i>Octodesmus</i>	324
<i>parvulus</i> Lewis, 1894, <i>Ampedus</i>	125
<i>parvulus</i> Panzer, 1799, <i>Nothodes</i>	166
<i>parvulus</i> Paykull, 1800, <i>Rhizophagus</i>	492
<i>parvulus</i> Pic, 1904, <i>Cyrtosus</i>	446
<i>parvulus</i> Platia & Gudenzi, 2000, <i>Cardiophorus</i>	199
<i>parvulus</i> Platia & Schimmel, 1991, <i>Silesis</i>	112
<i>parvulus</i> Rücker, 1983, <i>Derolathrus</i>	362
<i>parvulus</i> Schilsky, 1894, <i>Dasytes</i>	402
<i>parvulus</i> Wiedemann, 1823, <i>Anadastus</i>	533
<i>parvulus</i> Wollaston, 1861, <i>Microstagetus</i>	631
<i>parvum</i> Matthews, 1886, <i>Arthrolips</i>	632
<i>parvum</i> Schenkling, 1916, <i>Isoclerus</i>	366
<i>parvus</i> Han, 2000, <i>Fleutiauxellus</i>	187
<i>parvus</i> Kazantsev, 1995, <i>Malthodes</i>	292
<i>parvus</i> Nakane, 1971, <i>Dihammatus</i>	217
<i>parvus</i> Nakane, 1977, <i>Drilaster</i>	233
<i>parvus</i> Platia & Schimmel, 1997, <i>Lanelater</i>	102
<i>parvus</i> Schönherr, 1817, <i>Adrastus</i>	109
<i>parvus</i> Vats & Chauhan, 1992, <i>Neopristilophus</i>	178
<i>pasangi</i> Platia & Schimmel, 1991, <i>Silesis</i>	112
<i>paschalis</i> Spornraft, 1975, <i>Meligethes</i>	485
<i>pashtun</i> Wittmer, 1989, <i>Laius</i>	418
<i>passerculus</i> Gurjeva, 1988, <i>Melanotus</i>	147
<i>passeriana</i> Gredler, 1854, <i>Ancistronycha</i>	238
<i>passerini</i> Bassi, 1834, <i>Malacogaster</i>	210
<i>passosi</i> Platia & Serrano, 2002, <i>Agriotes</i>	116
<i>pasticus</i> Ménériés, 1832, <i>Selatosomus</i>	182
<i>pasubianus</i> Pace, 1979, <i>Anommatus</i>	550
<i>pasupati</i> Kapur, 1963, <i>Calvia</i>	608
<i>pasynkouensis</i> Wittmer, 1983, <i>Condylops</i>	438
<i>patagiatus</i> Lewis, 1894, <i>Dalopius</i>	119
<i>patagiatus</i> Lewis, 1896, <i>Nephus</i>	581
<i>pathanus</i> Wittmer, 1981, <i>Ebaeus</i>	431
<i>patoni</i> Dolin, 1999, <i>Hypnoidus</i>	155
<i>patoni</i> Dolin & Penev, 2004, <i>Athous</i>	159
<i>patranus</i> John, 1965, <i>Thorictus</i>	305
<i>patrasicus</i> Wittmer, 1980, <i>Malthodes</i>	291
<i>patricia</i> J. Weise, 1879, <i>Vibidia</i>	599
<i>patricia</i> Kiesenwetter, 1866, <i>Rhagonycha</i>	266
<i>patricius</i> Abeille de Perrin, 1900, <i>Ebaeus</i>	431
<i>patricius</i> Gurjeva, 1957, <i>Ampedus</i>	126
<i>patruelis</i> Boisduval, 1835, <i>Coelophora</i>	614
<i>patruelis</i> Bourgeois, 1883, <i>Lycostomus</i>	212
<i>patruelis</i> Fairmaire, 1866, <i>Cebrio</i>	92

<i>patruelis</i> Kleine, 1939, <i>Ponyalis</i>	218
<i>patruelis</i> Sturm, 1845, <i>Cryptophagus</i>	520
<i>patruus</i> Heyden, 1884, <i>Liotrichus</i>	177
<i>pauciseta</i> Wasmann, 1894, <i>Thorictus</i>	305
<i>pauli</i> Pic, 1915, <i>Cantharis</i>	247
<i>paulinoi</i> Bourgeois, 1884, <i>Enicopus</i>	408
<i>paulinoi</i> Candèze, 1893, <i>Agriotes</i>	115
<i>paulinoi</i> Desbrochers des Loges, 1873, <i>Actenicerus</i>	173
<i>paulinoi</i> E. Olivier, 1884, <i>Lamprohiza</i>	230
<i>paulinoi</i> Kiesenwetter, 1870, <i>Cantharis</i>	244
<i>paulocostatus</i> Wittmer, 1983, <i>Condylops</i>	438
<i>paulocrassus</i> Wittmer, 1974, <i>Malthinus</i>	282
<i>pauloimpressus</i> Pic, 1948, <i>Holzschuhus</i>	433
<i>pauloimpressus</i> Wittmer, 1995, <i>Condylops</i>	438
<i>pauloincrassatus</i> Wittmer, 1951, <i>Micropodabrus</i>	258
<i>paulojunctus</i> Pic, 1953, <i>Protapalochrus</i>	418
<i>paulomaculatus</i> Wittmer, 1997, <i>Malthinus</i>	282
<i>paulometallicus</i> Wittmer, 1995, <i>Themus</i>	272
<i>paulonotata</i> Pic, 1903, <i>Cantharis</i>	245
<i>paulonotata</i> Pic, 1908, <i>Phradonoma</i>	318
<i>paulonotatus</i> Pic, 1948, <i>Ebaeus</i>	432
<i>paulosignata</i> Pic, 1902, <i>Armidia</i>	238
<i>paulula</i> Reitter, 1873, <i>Eपुरaea</i>	463
<i>paulusi</i> Platia & Schimmel, 2002, <i>Melanotus</i>	147
<i>pauper</i> Candèze, 1873, <i>Platynychus</i>	207
<i>pauper</i> Gorham, 1876, <i>Gastrocentrum</i>	368
<i>pauper</i> J. Weise, 1889, <i>Scymnus</i>	584
<i>pauper</i> Sharp, 1899, <i>Cryptolestes</i>	504
<i>paupercula</i> Reitter, 1873, <i>Eपुरaea</i>	464
<i>pauperculus</i> J. Weise, 1895, <i>Stethorus</i>	592
<i>pauperculus</i> Laporte, 1840, <i>Dasytes</i>	403
<i>pauperculus</i> Wollaston, 1862, <i>Attalus</i>	423
<i>pauxillus</i> Lewis, 1894, <i>Ampedus</i>	126
<i>pavesii</i> Canepari, 1983, <i>Scymnus</i>	591
<i>pavesii</i> Platia & Gudenzi, 2001, <i>Agriotes</i>	116
<i>pavesii</i> Platia & Gudenzi, 2000, <i>Cardiophorus</i>	199
<i>pavesii</i> Platia & Schimmel, 1992, <i>Elathous</i>	164
<i>paviei</i> Bourgeois, 1890, <i>Lycocerus</i>	253
<i>paykulli</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>paykulli</i> Szombathy, 1910, <i>Adrastus</i>	109
<i>peacockae</i> Majer, 1989, <i>Danacaeomimus</i>	394
<i>peacockae</i> Sengupta, 1976, <i>Latridius</i>	639
<i>pearsoni</i> Crotch, 1874, <i>Megalocaria</i>	619
<i>pearsoni</i> Platia & Schimmel, 2001, <i>Melanotus</i>	147
<i>pecirkai</i> Jagemann, 1944, <i>Agrypnus</i>	99
<i>pecirkai</i> Jagemann, 1945, <i>Heteroderes</i>	106
<i>pecirkanus</i> Reitter, 1910, <i>Selatosomus</i>	182
<i>pecirkanus</i> Reitter, 1908, <i>Sericoderus</i>	633
<i>pecoudi</i> Fleutiaux, 1944, <i>Dima</i>	184
<i>pecten</i> Majer, 1988, <i>Bilyella</i>	400

pectinata Wittmer, 1992, <i>Frostia</i>	284
pectinatus Fabricius, 1792, <i>Xyletinus</i>	360
<i>pectinatus</i> Gyllenhal, 1817, <i>Drilus</i>	209
pectinatus Kiesenwetter, 1866, <i>Malachiomimus</i>	426
pectinatus Küster, 1849, <i>Aplocnemus</i>	411
<i>pectinatus</i> Laicharting, 1781, <i>Ptilinus</i>	356
pectinatus Lewis, 1895, <i>Laemoglyptus</i>	275
<i>pectinatus</i> Peyerimhoff, 1926, <i>Cybocephalus</i>	489
pectinatus Reitter, 1906, <i>Denticollis</i>	168
pectinatus Schilsky, 1894, <i>Meligethes</i>	485
pectinatus Sharp, 1885, <i>Carphuroides</i>	415
pectinicornis Abeille de Perrin, 1893, <i>Tillus</i>	370
pectinicornis Champion, 1924, <i>Asiosilis</i>	274
pectinicornis Erichson, 1840, <i>Dromanthomorphus</i>	416
<i>pectinicornis</i> Geoffroy, 1785, <i>Selatosomus</i>	182
pectinicornis Hisamatsu, 1960, <i>Microrhagus</i>	83
pectinicornis Klug, 1842, <i>Cladiscus</i>	367
<i>pectinicornis</i> Kraatz, 1879, <i>Macrolycus</i>	213
pectinicornis Linnaeus, 1758, <i>Ctenicera</i>	177
pectinicornis Linnaeus, 1758, <i>Ptilinus</i>	356
<i>pectinicornis</i> Motschulsky, 1854, <i>Tetrigus</i>	108
pectinicornis P. H. Lucas, 1846, <i>Aplocnemus</i>	411
<i>pectinifer</i> Kiesenwetter, 1874, <i>Macrolycus</i>	213
pectiniferus Fairmaire, 1879, <i>Xyletinus</i>	359
<i>pectoralis</i> Baudi di Selve, 1873, <i>Dasytes</i>	402
<i>pectoralis</i> C. O. Waterhouse, 1873, <i>Languriomorpha</i>	534
<i>pectoralis</i> Chevrolat, 1875, <i>Cebrio</i>	92
<i>pectoralis</i> E. Olivier, 1883, <i>Pyrocoelia</i>	229
<i>pectoralis</i> Fabricius, 1792, <i>Coccidula</i>	572
<i>pectoralis</i> Fuss, 1863, <i>Thanasimus</i>	375
<i>pectoralis</i> Motschulsky, 1860, <i>Cantharis</i>	244
<i>pectoralis</i> Pic, 1927, <i>Microjulistus</i>	414
<i>pectoralis</i> Rebmann, 1956, <i>Meligethes</i>	485
<i>pectoralis</i> Schenkling, 1912, <i>Omadius</i>	372
<i>pectoralis</i> Schwarz, 1891, <i>Agriotes</i>	118
peculiaris Wittmer, 1993, <i>Frostia</i>	284
pedarius Lyubarsky, 1999, <i>Cryptophagus</i>	519
<i>pedatus</i> Wollaston, 1865, <i>Casapus</i>	329
<i>pedemontana</i> J. Weise, 1879, <i>Ceratomegilla</i>	609
<i>pedemontana</i> Baudi di Selve, 1872, <i>Rhagonycha</i>	266
<i>pedemontana</i> Motschulsky, 1853, <i>Luciola</i>	232
<i>pedemontana</i> Roubal, 1926, <i>Propylea</i>	624
pedemontanus Platia, 1988, <i>Athous</i>	162
<i>pedestris</i> Schilsky, 1897, <i>Danacea</i>	399
<i>pedicata</i> Mulsant, 1853, <i>Propylea</i>	623
pedicularius Gyllenhal, 1808, <i>Meligethes</i>	485
pedicularius Linnaeus, 1758, <i>Ebaeus</i>	431
pedicularius Linnaeus, 1758, <i>Kateretes</i>	458
pediloides Motschulsky, 1853, <i>Porostenus</i>	298
peezi Fürsch, 1976, <i>Hyperaspis</i>	578

peezi Johnson, 2007, <i>Corticaria</i>	644
peguensis Gorham, 1896, <i>Stenotarsus</i>	568
pekarovici Platia & Schimmel, 2002, <i>Melanotus</i>	147
pekinensis Fairmaire, 1889, <i>Anthodromius</i>	386
pekinensis Gorham, 1880, <i>Pyrocoelia</i>	229
pekinensis Lesne, 1902, <i>Calophagus</i>	323
<i>pekinensis</i> Pic, 1895, <i>Trichodes</i>	380
pekinensis Platia & Schimmel, 1991, <i>Silesis</i>	112
pekinensis Švihla, 2002, <i>Rhagonycha</i>	266
pelecoides X.-F. Pang & Huang, 1985, <i>Scymnus</i>	587
pelegrini Pic, 1910, <i>Laius</i>	418
pelissieri Pic, 1905, <i>Cebrio</i>	92
pellax Reitter, 1873, <i>Epuraea</i>	461
pellegrini Pic, 1910, <i>Intybia</i>	417
PELLINGENSIS Wittmer, 1981, <i>Carphuroides</i>	415
pellio Linnaeus, 1758, <i>Attagenus</i>	309
<i>pellio</i> Thunberg, 1815, <i>Anthrenus</i>	313
pellitoides Gurjeva, 1966, <i>Cardiophorus</i>	199
pellitus Chevrolat, 1859, <i>Stagetus</i>	347
pellitus Desbrochers des Loges, 1875, <i>Ptinus</i>	333
pellitus Schwarz, 1892, <i>Cardiophorus</i>	199
<i>pellucens</i> Kiesenwetter, 1866, <i>Aplocnemus</i>	410
<i>pellucida</i> Brahm, 1790, <i>Rhagonycha</i>	267
<i>pellucida</i> Fabricius, 1792, <i>Cantharis</i>	244
<i>pellucida</i> J. Weise, 1879, <i>Adalia</i>	604
pellucidus Barovskij, 1909, <i>Tetrabrachys</i>	574
pellucidus Fairmaire, 1894, <i>Cebrio</i>	92
<i>pellucidus</i> Kiesenwetter, 1852, <i>Malthodes</i>	288
pellucidus Wollaston, 1854, <i>Attalus</i>	423
peloponnesica Wittmer, 1974, <i>Metacantharis</i>	256
peltata Kraatz, 1853, <i>Atomaria</i>	526
<i>peltata</i> Rey, 1891, <i>Lamprohiza</i>	230
peltataeformis Sjöberg, 1947, <i>Atomaria</i>	526
peltatula Reitter, 1888, <i>Atomaria</i>	526
<i>pelusius</i> Gistel, 1857, <i>Brachypterus</i>	457
pembertoni Crotch, 1874, <i>Epilachna</i>	628
pendleburyi Pic, 1936, <i>Methemus</i>	346
pendula Majer, 1997, <i>Amauronia</i>	393
pendulus Platia & Schimmel, 2001, <i>Melanotus</i>	147
<i>penecke</i> Marcu, 1939, <i>Meligethes</i>	483
peneri Wittmer, 1966, <i>Malthodes</i>	292
penevi Dolin, 2003, <i>Zoroachros</i>	194
penevi Platia, 2001, <i>Athous</i>	162
penicillata Marseul, 1868, <i>Lycoperdina</i>	565
penicilliformis G.-Y. Yu, 1999, <i>Scymnus</i>	587
penicillus Reitter, 1921, <i>Trixagus</i>	89
peniculatus Wittmer, 1970, <i>Malthodes</i>	292
peninsularis Abeille de Perrin, 1881, <i>Axinotarsus</i>	440
<i>peninsularis</i> Evers, 1948, <i>Clanoptilus</i>	444
<i>peninsularis</i> Fiori, 1914, <i>Cantharis</i>	245

<i>peninsularis</i> Grouvelle, 1890, <i>Megauchenia</i>	473
<i>pennatus</i> Lewis, 1895, <i>Microichthyurus</i>	297
<i>penninus</i> Baudi di Selve, 1872, <i>Malthodes</i>	292
<i>penninus</i> Binaghi, 1940, <i>Anostirus</i>	175
<i>pentagonalus</i> Vats & Kashyap, 1992, <i>Adelocera</i>	96
<i>pentheri</i> Ganglbauer, 1922, <i>Podistra</i>	259
<i>peragalloi</i> Perris, 1866, <i>Brachemys</i>	451
<i>peragalloi</i> Reiche, 1864, <i>Athous</i>	157
<i>perangustus</i> Lindberg, 1943, <i>Airaphilus</i>	498
<i>perceptus</i> Jelínek & Spornraft, 1979, <i>Meligethes</i>	485
<i>perdere</i> C.-T. Yang, 1978, <i>Scymnus</i>	587
<i>peregrina</i> J. Weise, 1879, <i>Coccinella</i>	613
<i>peregrinus</i> Belon, 1881, <i>Euxestus</i>	552
<i>peregrinus</i> Chevrolat, 1861, <i>Xyletinus</i>	359
<i>peregrinus</i> Erichson, 1847, <i>Amphicerus</i>	321
<i>peregrinus</i> Gurjeva, 1972, <i>Agriotes</i>	116
<i>peregrinus</i> Gurjeva, 1979, <i>Ectinus</i>	120
<i>perexiguus</i> Rey, 1889, <i>Orthoperus</i>	634
<i>perezi</i> Kiesenwetter, 1867, <i>Enicopus</i>	408
<i>perezii</i> Seidlitz, 1867, <i>Dima</i>	183
<i>perferrugineus</i> Buysson, 1928, <i>Calambus</i>	176
<i>perfidus</i> Flach, 1888, <i>Olibrus</i>	509
<i>perforans</i> Schrank, 1789, <i>Sinoxylon</i>	323
<i>perforata</i> Marsham, 1802, <i>Adalia</i>	603
<i>perforatus</i> Abeille de Perrin, 1882, <i>Attalus</i>	423
<i>perforatus</i> Erichson, 1845, <i>Rhizophagus</i>	492
<i>perforatus</i> Lewis, 1883, <i>Microsternus</i>	538
<i>perforatus</i> Schilsky, 1897, <i>Aplocnemus</i>	413
<i>perforatus</i> Wittmer, 1954, <i>Mixis</i>	437
<i>perfusorius</i> Lyubarsky, 2004, <i>Phalacrus</i>	511
<i>pergamonensis</i> Wittmer, 1970, <i>Malthodes</i>	292
<i>pergensis</i> Wittmer, 1993, <i>Malthodes</i>	292
<i>peringueyi</i> Pic, 1896, <i>Ptinus</i>	334
<i>peristericus</i> Roubal, 1943, <i>Meligethes</i>	479
<i>perlata</i> J. Weise, 1879, <i>Propylea</i>	624
<i>perlongus</i> Candèze, 1900, <i>Melanotus</i>	147
<i>permacer</i> Candèze, 1900, <i>Metriaulacus</i>	151
<i>permicans</i> Reitter, 1913, <i>Olibrus</i>	509
<i>perminuta</i> Reitter, 1919, <i>Epuraea</i>	463
<i>perminutus</i> C. Johnson, 1977, <i>Latridius</i>	639
<i>permixtus</i> Buysson, 1912, <i>Dicronychus</i>	205
<i>permodicus</i> Faldermann, 1835, <i>Craspedostethus</i>	203
<i>perniger</i> Reitter, 1896, <i>Hemicrepidius</i>	171
<i>pernix</i> Schenkling, 1915, <i>Callimerus</i>	371
<i>peronatus</i> Buysson, 1913, <i>Cardiophorus</i>	201
<i>peropacus</i> Nakane, 1959, <i>Vuilletus</i>	134
<i>perpendicularis</i> Fleutiaux, 1918, <i>Poemnites</i>	179
<i>perplexa</i> Crotch, 1874, <i>Harmonia</i>	615
<i>perplexa</i> Meier, 1899, <i>Adalia</i>	603
<i>perplexa</i> Rey, 1889, <i>Monotoma</i>	494

perplexum Majer, 1996, <i>Hladilium</i>	392
perplexus Brancucci, 1983, <i>Tryptherus</i>	298
perplexus Mulsant & Rey, 1868, <i>Ptinus</i>	336
<i>perplexus</i> Mulsant & Rey, 1868, <i>Dasytes</i>	403
perplexus Platia & Schimmel, 2001, <i>Melanotus</i>	147
<i>perplexus</i> Rey, 1889, <i>Cryptolestes</i>	503
perpolitum Majer, 1996, <i>Hladilium</i>	392
perpolitus Lyubarsky, 2004, <i>Augasmus</i>	507
<i>perpulchra</i> Reitter, 1892, <i>Corticaria</i>	644
perpulchrus Obenberger, 1917, <i>Ptinomorphus</i>	354
<i>perpunctatus</i> Lesne, 1895, <i>Dinoderus</i>	325
<i>perpusilla</i> Walker, 1858, <i>Cartodere</i>	636
perpusillus Candèze, 1878, <i>Zorochochros</i>	192
perpusillus Coiffait, 1984, <i>Kocherius</i>	548
perrini Jakobson, 1911, <i>Malachius</i>	450
perrini Reitter, 1884, <i>Ptinus</i>	336
perrisi C. N. F. Brisout de Barneville, 1882, <i>Micrambe</i>	522
perrisi Grouvelle, 1876, <i>Leptophloeus</i>	505
<i>perrisi</i> Guillebeau, 1892, <i>Olibrus</i>	508
<i>perrisi</i> Pic, 1893, <i>Cardiophorus</i>	196
perrisii Desbrochers des Loges, 1873, <i>Elathous</i>	164
perroti Fleutiaux, 1941, <i>Sinelater</i>	95
perroti Pic, 1939, <i>Callimerus</i>	371
<i>perroudi</i> Pic, 1937, <i>Lycocerus</i>	251
persianus Cate, 2002, <i>Cardiophorus</i>	199
persica Duverger, 1983, <i>Hyperaspis</i>	578
persica E. Olivier, 1907, <i>Lampyroidea</i>	231
<i>persica</i> Faldermann, 1837, <i>Oenopia</i>	622
persica Paulus, 1981, <i>Analestesa</i>	89
persica Pic, 1933, <i>Rhagonycha</i>	266
persica Pic, 1914, <i>Trogoderma</i>	320
persica Pic, 1922, <i>Danacea</i>	398
persicum Fursov, 1935, <i>Lymexylon</i>	363
persicus Bolívar y Pieltain, 1913, <i>Cydistus</i>	225
persicus Candèze, 1874, <i>Lanelater</i>	102
persicus Champion, 1920, <i>Protapalochrus</i>	418
persicus Chassain, 1991, <i>Calais</i>	107
<i>persicus</i> Faldermann, 1835, <i>Melanotus</i>	147
persicus Faldermann, 1835, <i>Meligethes</i>	485
persicus Gurjeva, 1972, <i>Ampedus</i>	126
persicus Kraatz, 1894, <i>Trichodes</i>	379
persicus Majer, 1990, <i>Jelinekius</i>	415
<i>persicus</i> Ménériés, 1832, <i>Melanotus</i>	144
<i>persicus</i> Motschulsky, 1860, <i>Aeoloides</i>	104
persicus Pic, 1901, <i>Malthinus</i>	282
persicus Pic, 1926, <i>Dasytidius</i>	390
persicus Reitter, 1881, <i>Thorictus</i>	305
persicus Reitter, 1881, <i>Attagenus</i>	309
persicus Schilsky, 1897, <i>Aplocnemus</i>	413
<i>persicus</i> Schwarz, 1892, <i>Cardiophorus</i>	201

persimile Nakane, 1989, <i>Priobium</i>	341
persimilis Dolin, 1982, <i>Selatosomus</i>	183
persimilis Dolin, 1993, <i>Quasimus</i>	191
persimilis Dolin, 1996, <i>Zoroachros</i>	194
persimilis Dolin & Cate, 2001, <i>Hypnoidus</i>	155
persimilis Dolin & Katyukha, 1987, <i>Ampedus</i>	126
persimilis Dolin & Latifi, 1988, <i>Melanotus</i>	147
<i>persimilis</i> Grouvelle, 1913, <i>Epuraea</i>	464
persimilis Lewis, 1894, <i>Ectinus</i>	120
persimilis Pic, 1930, <i>Dasytes</i>	403
<i>persimillis</i> Har. Lindberg, 1951, <i>Scymnus</i>	585
<i>persimplex</i> Reitter, 1908, <i>Cordylepherus</i>	445
<i>personata</i> J. Weise, 1879, <i>Coccinella</i>	612
<i>personata</i> J. Weise, 1910, <i>Coelophora</i>	613
personatus Abeille de Perrin, 1885, <i>Ebaeus</i>	431
<i>personatus</i> Aragona, 1830, <i>Denops</i>	367
personatus Chevrolat, 1874, <i>Cebrio</i>	92
personatus Grouvelle, 1919, <i>Psammoecus</i>	497
personatus Mamaev, 1976, <i>Bioxylus</i>	85
perspectus C. O. Waterhouse, 1879, <i>Lipernes</i>	211
<i>perspicillatus</i> Bremsi-Wolf, 1855, <i>Hypebaeus</i>	434
perstriatus Buysson, 1912, <i>Dicronychus</i>	205
pertica Bocák, 1999, <i>Lyponia</i>	218
pertinax Linnaeus, 1758, <i>Hadrobregmus</i>	341
perturbatus Platia & Schimmel, 2004, <i>Melanotus</i>	147
pertusus Kiesenwetter, 1859, <i>Aplocnemus</i>	411
<i>peruanus</i> Erichson, 1847, <i>Dermestes</i>	300
peruvianus Laporte, 1840, <i>Dermestes</i>	300
<i>perversecoloratus</i> Roubal, 1943, <i>Meligethes</i>	482
perversus Cobos, 1958, <i>Trixagus</i>	89
<i>perviridis</i> Reitter, 1896, <i>Meligethes</i>	487
pescadorensis Miwa, 1934, <i>Lanelater</i>	102
pesruchesi Schilsky, 1897, <i>Danacea</i>	398
pesruchesi Schilsky, 1897, <i>Aplocnemus</i>	411
petalinus G.-Y. Yu, 1995, <i>Scymnus</i>	587
peteri Švihla, 1995, <i>Rhagonycha</i>	266
petila G. Yu, 1993, <i>Sticholotis</i>	571
petiolimaculatus Jing, 1983, <i>Sumnius</i>	575
petiti Pic, 1906, <i>Attalus</i>	423
petraensis Wittmer, 1971, <i>Malthinus</i>	282
petraensis Wittmer, 1986, <i>Attalusinus</i>	451
petranus John, 1965, <i>Thorictus</i>	305
petrenkoi Dolin, 1992, <i>Oedostethus</i>	189
<i>petrequini</i> Mulsant, 1866, <i>Phrynocaria</i>	623
petricola Plata Negrache, 1987, <i>Ifnidius</i>	425
petrimagni Dolin & Latifi, 1997, <i>Quasimus</i>	191
petrowi Pic, 1923, <i>Dasytidius</i>	390
petterssoni Platia & Gudenzi, 2000, <i>Agriotes</i>	116
peucedani Abeille de Perrin, 1885, <i>Nepachys</i>	426
<i>pexicollis</i> Fairmaire, 1868, <i>Korynetes</i>	382

<i>pexus</i> Kiesenwetter, 1871, <i>Dasytidius</i>	390
peyerimhoffi Abeille de Perrin, 1907, <i>Hypebaeus</i>	435
peyerimhoffi Bourgeois, 1900, <i>Malthodes</i>	295
peyerimhoffi Buysson, 1917, <i>Megathous</i>	171
peyerimhoffi Buysson, 1902, <i>Cardiophorus</i>	199
peyerimhoffi Chobaut, 1904, <i>Thorictus</i>	305
peyerimhoffi Cobos, 1950, <i>Airaphilus</i>	498
peyerimhoffi Constantin, 1979, <i>Malthinus</i>	282
peyerimhoffi Escalera, 1925, <i>Triplax</i>	544
<i>peyerimhoffi</i> Falcoz, 1921, <i>Cryptophagus</i>	519
peyerimhoffi Kocher, 1952, <i>Cebrio</i>	92
peyerimhoffi Pardo Alcaide, 1950, <i>Allotarsus</i>	400
<i>peyerimhoffi</i> Paulian, 1950, <i>Teplinus</i>	634
<i>peyerimhoffi</i> Pic, 1903, <i>Tetrabrachys</i>	574
peyerimhoffi Sicard, 1923, <i>Nephus</i>	580
peyroni Abeille de Perrin, 1881, <i>Clanoptilus</i>	444
peyroni Marseul, 1864, <i>Rhagonycha</i>	266
<i>peyroni</i> Pic, 1924, <i>Thorictus</i>	303
peyroni Pic, 1899, <i>Ptinus</i>	335
peyroni Pic, 1902, <i>Danacea</i>	398
peyroni Pic, 1899, <i>Aplocnemus</i>	413
pfefferi Kalík, 1954, <i>Anthrenus</i>	312
pfefferi Roubal, 1932, <i>Athous</i>	159
<i>pfefferi</i> Roubal, 1944, <i>Micrambe</i>	522
<i>pfefferi</i> Švihla, 1977, <i>Rhagonycha</i>	266
<i>phaeogaster</i> Marsham, 1802, <i>Atomaria</i>	527
<i>phaeorrhaea</i> Marsham, 1802, <i>Atomaria</i>	526
phalerata A. Costa, 1849, <i>Tytthaspis</i>	601
pharao Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
pharaonis Motschulsky, 1851, <i>Scymnus</i>	583
pharaonis Motschulsky, 1867, <i>Corticaria</i>	644
pharaonum Buysson, 1911, <i>Cardiophorus</i>	203
pharaonum Kiesenwetter, 1867, <i>Psilothrix</i>	408
pharetra Easton, 1957, <i>Meligethes</i>	485
pharoides Marsuel, 1868, <i>Pharoscymnus</i>	571
<i>phedinus</i> Spinola, 1844, <i>Trichodes</i>	378
phelipaeorum Peyerimhoff, 1926, <i>Lasioderma</i>	357
phellodendri Logvinovskiy, 1979, <i>Ptilinus</i>	356
phereclus Reitter, 1898, <i>Clanoptilus</i>	444
phili Johnson, 2007, <i>Migneauxia</i>	648
<i>philippensis</i> Mulsant, 1850, <i>Harmonia</i>	616
<i>philippi</i> Méquignon, 1925, <i>Rhizophagus</i>	492
philippovi Fursov, 1936, <i>Jenjouristia</i>	372
philoctetes Abeille de Perrin, 1885, <i>Charopus</i>	442
phloeophagus Iablokoff-Khnzorian, 1960, <i>Gastrallus</i>	341
phlomidis Boieldieu, 1854, <i>Ptinus</i>	336
phobos Gottwald, 1971, <i>Ernobius</i>	349
phoeniceus Kazantsev, 2001, <i>Plateros</i>	220
phoeniciensis Wittmer, 1969, <i>Boveycantharis</i>	239
phoenicis Fairmaire, 1859, <i>Metholcus</i>	361

phoenicium Platia, 2001, <i>Ampedus</i>	126
phoenicus Wittmer, 1970, <i>Malthodes</i>	292
<i>phoretica</i> Dajoz, 1970, <i>Corticaria</i>	642
phosphorus Lewis, 1896, <i>Nephus</i>	581
phototropus Logvinovskiy, 1978, <i>Peritheca</i>	346
phragmiteticola Franz, 1967, <i>Melanophthalma</i>	648
phrygius Švihla, 2002, <i>Malthinus</i>	278
phulchokiensis Wittmer, 1995, <i>Lycocerus</i>	253
phungi Pic, 1926, <i>Ancylopus</i>	562
phylloides G.-Y. Yu, 1995, <i>Scymnus</i>	587
<i>physomerus</i> Fairmaire, 1883, <i>Allotarsus</i>	400
<i>picatus</i> Flach, 1888, <i>Stilbus</i>	512
<i>picatus</i> Marsham, 1802, <i>Orthoperus</i>	634
picciolii Ragusa, 1870, <i>Metacantharis</i>	256
picea A. G. Olivier, 1790, <i>Xyloperthella</i>	325
picea Comolli, 1837, <i>Arthrolips</i>	632
picea Mäklin, 1853, <i>Epuraea</i>	460
picea Reitter, 1873, <i>Grouvellia</i>	465
picea Stephens, 1829, <i>Orthoperus</i>	634
piceipennis Platia & Schimmel, 2004, <i>Melanotus</i>	147
piceiventris Fairmaire, 1894, <i>Cebrio</i>	92
<i>piceobinotata</i> Pic, 1922, <i>Ancistronycha</i>	238
piceogeniculata Pic, 1926, <i>Cantharis</i>	245
piceolineata Pic, 1922, <i>Podistra</i>	259
<i>piceolus</i> Küster, 1853, <i>Agriotes</i>	117
piceolus Lesne, 1933, <i>Dinoderus</i>	326
<i>piceonotatus</i> Pic, 1916, <i>Malthinus</i>	276
piceorhaeus Marsham, 1802, <i>Tolyphus</i>	513
<i>piceorhaeus</i> Marsham, 1802, <i>Ephistemus</i>	530
piceoterminatus Pic, 1911, <i>Clanoptilus</i>	444
piceovittatus Kazantsev, 1992, <i>Libnetis</i>	217
<i>picescens</i> Gorham, 1894, <i>Scymnus</i>	584
<i>piceus</i> A. G. Olivier, 1790, <i>Attagenus</i>	310
<i>piceus</i> A. G. Olivier, 1795, <i>Laemophloeus</i>	504
<i>piceus</i> Buysson, 1890, <i>Agriotes</i>	118
<i>piceus</i> Dalla Torre, 1879, <i>Tenebroides</i>	365
<i>piceus</i> J. R. Sahlberg, 1926, <i>Cryptophagus</i>	520
<i>piceus</i> J. Weise, 1885, <i>Scymnus</i>	585
piceus Majer, 1990, <i>Anthodromius</i>	386
<i>piceus</i> Marsham, 1802, <i>Rhyzopertha</i>	326
piceus Ménétrés, 1849, <i>Melanotus</i>	147
<i>piceus</i> Stephens, 1831, <i>Cryptolestes</i>	504
<i>piceus</i> Stephens, 1829, <i>Stilbus</i>	512
<i>piceus</i> Thunberg, 1781, <i>Dermestes</i>	299
pichoni Platia & Schimmel, 2001, <i>Melanotus</i>	147
pici Abeille de Perrin, 1894, <i>Attalus</i>	425
pici Bleuse, 1896, <i>Danacea</i>	398
pici Buysson, 1898, <i>Megathous</i>	171
<i>pici</i> Delkeskamp, 1939, <i>Ichthyurus</i>	297
pici Grandjean, 1895, <i>Dignomus</i>	331

<i>pici</i> Jakobson, 1911, <i>Rhagonycha</i>	268
<i>pici</i> Kalík, 1952, <i>Megatoma</i>	317
<i>pici</i> Lavagne, 1920, <i>Hypocoprus</i>	531
<i>pici</i> Miwa, 1931, <i>Laius</i>	418
<i>pici</i> Mroczkowski, 1963, <i>Dermestes</i>	302
<i>pici</i> Platia & Gudenzi, 2004, <i>Dicronychus</i>	205
<i>pici</i> Wittmer, 1936, <i>Malthinus</i>	282
<i>pici</i> Wittmer, 1940, <i>Malthodes</i>	295
<i>piciana</i> Dahlgren, 1975, <i>Rhagonycha</i>	264
<i>picianus</i> Nakane, 1971, <i>Plateros</i>	220
<i>picicornis</i> Küster, 1850, <i>Danacea</i>	395
<i>picicornis</i> Matthews, 1899, <i>Clypastraea</i>	633
<i>piciella</i> Jing, 1992, <i>Phrynocaria</i>	623
<i>picinus</i> Buysson, 1891, <i>Haterumelater</i>	130
<i>picinus</i> Platia & Gudenzi, 2002, <i>Cardiophorus</i>	199
<i>picipennis</i> Bach, 1896, <i>Agriotes</i>	116
<i>picipennis</i> Bach, 1852, <i>Idolus</i>	140
<i>picipennis</i> Chevrolat, 1874, <i>Cebrio</i>	92
<i>picipennis</i> Fåhraeus, 1871, <i>Heterobostrychus</i>	322
<i>picipennis</i> Grouvelle, 1908, <i>Microlaemus</i>	505
<i>picipennis</i> Mannerheim, 1844, <i>Melanophthalma</i>	647
<i>picipennis</i> Mulsant & Rey, 1863, <i>Meligethes</i>	483
<i>picipennis</i> Pic, 1894, <i>Attagenus</i>	308
<i>picipennis</i> Reitter, 1905, <i>Athous</i>	162
<i>picipennis</i> Westwood, 1849, <i>Tarsostenus</i>	383
<i>picipes</i> A. G. Olivier, 1790, <i>Rhizophagus</i>	492
<i>picipes</i> Champion, 1927, <i>Procerallus</i>	387
<i>picipes</i> Herbst, 1793, <i>Monotoma</i>	494
<i>picipes</i> Panzer, 1795, <i>Drapetes</i>	208
<i>picipes</i> Schilsky, 1908, <i>Cantharis</i>	244
<i>picipes</i> Schilsky, 1897, <i>Danacea</i>	397
<i>picipes</i> Schrank, 1789, <i>Melanotus</i>	143
<i>picipes</i> Stephens, 1829, <i>Phalacrus</i>	511
<i>picipes</i> Sturm, 1845, <i>Meligethes</i>	484
<i>picitarsis</i> Motschulsky, 1860, <i>Ampedus</i>	126
<i>picithoroxa</i> Jing, 1992, <i>Oenopia</i>	621
<i>pickai</i> Nigrin, 1984, <i>Danacea</i>	398
<i>pickai</i> Švihla, 1987, <i>Malachius</i>	449
<i>picta</i> Crotch, 1873, <i>Dacne</i>	538
<i>picta</i> Kiesenwetter, 1859, <i>Mauroania</i>	393
<i>picta</i> Küster, 1851, <i>Globicornis</i>	316
<i>picta</i> Voet, 1806, <i>Coelophora</i>	614
<i>picta</i> W. S. MacLeay, 1825, <i>Phenolia</i>	475
<i>picta</i> Walter, 1882, <i>Propylea</i>	624
<i>pictaviensis</i> Buysson, 1887, <i>Ampedus</i>	122
<i>picticollis</i> Fairmaire, 1891, <i>Paraphotistus</i>	179
<i>picticollis</i> Heyden, 1889, <i>Perisphinctus</i>	393
<i>picticollis</i> Kiesenwetter, 1874, <i>Luciola</i>	232
<i>picticollis</i> Kiesenwetter, 1871, <i>Malthodes</i>	292
<i>picticollis</i> Kiesenwetter, 1874, <i>Hypebaeus</i>	435

<i>picticollis</i> Kraatz, 1882, <i>Cardiophorus</i>	199
<i>picticollis</i> Ragusa, 1894, <i>Metacantharis</i>	256
<i>picticornis</i> Heyden, 1870, <i>Melanotus</i>	150
<i>pictipennis</i> Fairmaire, 1895, <i>Ptilineurus</i>	348
<i>pictipennis</i> Lewis, 1894, <i>Gamepenthès</i>	136
<i>pictipennis</i> Lewis, 1896, <i>Sticholotis</i>	571
<i>pictipennis</i> Pic, 1903, <i>Malthodes</i>	292
<i>picturatus</i> Fairmaire, 1876, <i>Exochomus</i>	594
<i>picturatus</i> Solsky, 1876, <i>Anthrenus</i>	312
<i>pictus</i> Ballion, 1871, <i>Attagenus</i>	309
<i>pictus</i> Bessolitzina & Dolin, 1992, <i>Hypnoidus</i>	155
<i>pictus</i> Candèze, 1892, <i>Zorochros</i>	194
<i>pictus</i> E. C. Rye, 1871, <i>Meligethes</i>	480
<i>pictus</i> Faldermann, 1835, <i>Cardiophorus</i>	200
<i>pictus</i> Ganglbauer, 1899, <i>Nephus</i>	580
<i>pictus</i> Germar, 1813, <i>Anthrenus</i>	314
<i>pictus</i> Gorham, 1883, <i>Conderis</i>	221
<i>pictus</i> Heer, 1841, <i>Carpophilus</i>	466
<i>pictus</i> Jelínek, 1986, <i>Carpophilus</i>	466
<i>pictus</i> Kiesenwetter, 1850, <i>Attalus</i>	419
<i>pictus</i> Kraatz, 1891, <i>Crepidophorus</i>	169
<i>pictus</i> Laporte, 1840, <i>Cardiophorus</i>	195
<i>pictus</i> Lewis, 1892, <i>Isoclerus</i>	366
<i>pictus</i> Motschulsky, 1860, <i>Protapalochrus</i>	418
<i>pictus</i> Wittmer, 1983, <i>Lycocerus</i>	253
<i>pieli</i> Pic, 1937, <i>Lyponia</i>	218
<i>pieli</i> Pic, 1939, <i>Luciola</i>	232
<i>pieli</i> Pic, 1937, <i>Lycocerus</i>	253
<i>pieli</i> Pic, 1937, <i>Micropodabrus</i>	258
<i>pieli</i> Pic, 1924, <i>Ichthyurus</i>	297
<i>pieli</i> Pic, 1936, <i>Orthrius</i>	374
<i>pieli</i> Pic, 1940, <i>Thanasimus</i>	375
<i>pieli</i> Platia & Schimmel, 2001, <i>Melanotus</i>	147
<i>pieli</i> Zia, 1935, <i>Doubledaya</i>	534
<i>pierrei</i> Leseigneur, 1955, <i>Megapenthès</i>	137
<i>pierronii</i> Fairmaire, 1880, <i>Xylion</i>	324
<i>pietschi</i> Ganglbauer, 1899, <i>Corticaria</i>	642
<i>piger</i> Motschulsky, 1854, <i>Melanotus</i>	151
<i>pilgrim</i> Kolibáč, 1998, <i>Emmepus</i>	370
<i>pilicornis</i> Kiesenwetter, 1864, <i>Dasytes</i>	403
<i>pilicrepus</i> Lewis, 1896, <i>Pseudoscymnus</i>	582
<i>pilifer</i> Reitter, 1888, <i>Henoticus</i>	521
<i>pilifer</i> Reitter, 1885, <i>Toramus</i>	532
<i>pilifera</i> Reitter, 1894, <i>Necrobia</i>	382
<i>pilifera</i> Reitter, 1877, <i>Atomaria</i>	529
<i>pilifera</i> Reitter, 1875, <i>Dienerella</i>	637
<i>piliferum</i> Jacquelin du Val, 1858, <i>Sphaerosoma</i>	555
<i>piliferum</i> P. W. J. Müller, 1821, <i>Sphaerosoma</i>	555
<i>pilifrons</i> Fairmaire, 1867, <i>Cebrio</i>	92
<i>pilifrons</i> Lesne, 1895, <i>Dinoderus</i>	326

<i>piliger</i> Schaum, 1858, <i>Thorictus</i>	305
<i>piligera</i> Mannerheim, 1844, <i>Corticaria</i>	644
<i>piligerum</i> P. W. J. Müller, 1824, <i>Sphaerosoma</i>	556
<i>piligerus</i> Champion, 1925, <i>Stenothemus</i>	269
<i>pilipes</i> Pic, 1911, <i>Lycocerus</i>	253
<i>pilipes</i> Reitter, 1889, <i>Chaetomalachius</i>	389
<i>pilitecta</i> Motschulsky, 1867, <i>Corticarina</i>	646
<i>pilosa</i> Burckhardt & Ślipiński, 1995, <i>Ancistria</i>	501
<i>pilosa</i> Motschulsky, 1867, <i>Corticaria</i>	643
<i>pilosa</i> Paykull, 1798, <i>Podistra</i>	259
<i>pilosella</i> Reitter, 1901, <i>Dorcatoma</i>	345
<i>pilosella</i> Reitter, 1875, <i>Atomaria</i>	529
<i>piloselloides</i> Schwarz, 1891, <i>Ectinus</i>	120
<i>pilosellum</i> Gorham, 1878, <i>Stigmatium</i>	375
<i>pilosellum</i> Kiesenwetter, 1879, <i>Stigmatium</i>	375
<i>pilosellum</i> Reitter, 1877, <i>Sphaerosoma</i>	555
<i>pilosellus</i> Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
<i>pilosellus</i> Hisamatsu, 1959, <i>Bioxylus</i>	85
<i>pilosellus</i> Motschulsky, 1858, <i>Carpophilus</i>	467
<i>pilosellus</i> Reitter, 1895, <i>Zoroachros</i>	194
<i>pilosellus</i> Schönherr, 1817, <i>Agriotes</i>	116
<i>pilosicornis</i> Wittmer, 1982, <i>Carphuroides</i>	415
<i>pilosissimum</i> Frivaldszky, 1881, <i>Sphaerosoma</i>	555
<i>pilosissimum</i> Reitter, 1883, <i>Sphaerosoma</i>	556
<i>pilosissimus</i> Roubal, 1932, <i>Attagenus</i>	309
<i>pilosiusculus</i> Jacquelin du Val, 1859, <i>Orthoperus</i>	634
<i>pilosoplicatus</i> Wittmer, 1954, <i>Mixis</i>	437
<i>pilosula</i> Erichson, 1846, <i>Micrambe</i>	522
<i>pilosula</i> Rosenhauer, 1856, <i>Corticaria</i>	644
<i>pilosula</i> Wollaston, 1864, <i>Atomaria</i>	525
<i>pilosulus</i> Herbst, 1806, <i>Ampedus</i>	125
<i>pilosulus</i> Miwa, 1927, <i>Melanotus</i>	151
<i>pilosulus</i> Wittmer, 1999, <i>Malachius</i>	449
<i>pilosum</i> Panzer, 1793, <i>Sphaerosoma</i>	555
<i>pilosus</i> Fursov, 1936, <i>Trichodes</i>	378
<i>pilosus</i> Germar, 1824, <i>Dasytes</i>	403
<i>pilosus</i> Gyllenhal, 1827, <i>Cryptophagus</i>	519
<i>pilosus</i> Herbst, 1797, <i>Scymnus</i>	588
<i>pilosus</i> Leske, 1785, <i>Cidnopus</i>	164
<i>pilosus</i> P. Rossi, 1794, <i>Pocadius</i>	476
<i>pilosus</i> P. W. J. Müller, 1821, <i>Ptinus</i>	337
<i>pilosus</i> Peyron, 1857, <i>Thorictus</i>	305
<i>pilosus</i> Pic, 1923, <i>Anthrenus</i>	314
<i>pilosus</i> Reitter, 1889, <i>Cerallus</i>	386
<i>pilosus</i> Savoyskaya, 1971, <i>Pharoscymnus</i>	571
<i>pilosus</i> Scopoli, 1763, <i>Enicopus</i>	407
<i>pilosus</i> White & Butler, 1846, <i>Ptinus</i>	337
<i>piluchiensis</i> Wittmer, 1995, <i>Micropodabrus</i>	258
<i>piluensis</i> Wittmer, 1987, <i>Prothemus</i>	260
<i>pilula</i> Aubé, 1861, <i>Stagetus</i>	347

<i>pilula</i> Wollaston, 1854, <i>Sphaericus</i>	338
<i>pimpinellae</i> Fabricius, 1775, <i>Anthrenus</i>	312
<i>pinaki</i> Kapur, 1963, <i>Calvia</i>	608
<i>pinastri</i> J. Weise, 1879, <i>Harmonia</i>	616
<i>pindarae</i> Champion, 1926, <i>Themus</i>	272
<i>pindaraemimus</i> Wittmer, 1973, <i>Themus</i>	272
<i>pineti</i> J. Weise, 1879, <i>Oenopia</i>	621
<i>pineti</i> Lohse, 1960, <i>Corticaria</i>	644
<i>pineti</i> Peyerimhoff, 1920, <i>Hadrobregmus</i>	341
<i>pinetorum</i> Wollaston, 1864, <i>Rhizophagus</i>	492
<i>pingbianensis</i> X.-F. Pang & Mao, 1979, <i>Epilachna</i>	628
<i>pingtungensis</i> Wittmer, 1982, <i>Micropodabrus</i>	258
<i>pingtungensis</i> Wittmer, 1984, <i>Laemoglyptus</i>	275
<i>pinguis</i> Aubé, 1866, <i>Corticaria</i>	645
<i>pinguis</i> G.-Y. Yu, 1999, <i>Scymnus</i>	591
<i>pinguis</i> Horn, 1879, <i>Meligethes</i>	482
<i>pinguis</i> Lewis, 1894, <i>Cardiophorus</i>	199
<i>pinguis</i> Wollaston, 1854, <i>Sphaericus</i>	338
<i>pini</i> Brullé, 1838, <i>Temnoscheila</i>	365
<i>pini</i> Evers, 1971, <i>Attalus</i>	423
<i>pini</i> L. Redtenbacher, 1849, <i>Aplocnemus</i>	411
<i>pini</i> Lewis, 1894, <i>Cryptalaus</i>	107
<i>pini</i> Marsham, 1802, <i>Scymnus</i>	588
<i>pini</i> Meier, 1897, <i>Hippodamia</i>	617
<i>pini</i> Motschulsky, 1866, <i>Stephostethus</i>	641
<i>pini</i> Ratzeburg, 1837, <i>Ernobius</i>	351
<i>pini</i> Sturm, 1837, <i>Ernobius</i>	351
<i>pinicola</i> C. N. F. Brisout de Barneville, 1866, <i>Corticaria</i>	644
<i>pinicola</i> Hayashi, 1951, <i>Mizodorcatoma</i>	345
<i>pinicola</i> Kiesenwetter, 1863, <i>Aplocnemus</i>	410
<i>pinicola</i> Lohse, 1959, <i>Corticaria</i>	644
<i>pinicola</i> Stephens, 1830, <i>Malthinus</i>	279
<i>pinicola</i> Wollaston, 1862, <i>Leipaspis</i>	364
<i>pinicolae</i> Hayashi, 1955, <i>Mizodorcatoma</i>	345
<i>pinnatus</i> Kiesenwetter, 1871, <i>Malthodes</i>	292
<i>pinorum</i> Wittmer, 1981, <i>Ebaeus</i>	431
<i>pippingskoeldii</i> Mannerheim, 1852, <i>Pseudanostirus</i>	181
<i>pirazzolii</i> Pic, 1922, <i>Malthodes</i>	292
<i>pirika</i> Kishii, 1985, <i>Ampedus</i>	121
<i>pirika</i> Kishii, 1994, <i>Menoko</i>	188
<i>pirikamenoko</i> Kamiya, 1961, <i>Scymnus</i>	583
<i>pishanensis</i> Kishii, 1989, <i>Melanotus</i>	147
<i>pistaciae</i> Damoiseau, 1968, <i>Paraxylogenes</i>	324
<i>pistaciae</i> Evers, 1995, <i>Troglops</i>	454
<i>pistaciae</i> Pic, 1901, <i>Ptinus</i>	335
<i>pistor</i> T. L. Casey, 1900, <i>Anthrenus</i>	314
<i>pistrinarius</i> Candèze, 1857, <i>Rismethus</i>	103
<i>pithanoides</i> Escalera, 1913, <i>Malthinus</i>	282
<i>pius</i> Kiesenwetter, 1866, <i>Hypebaeus</i>	435
<i>placens</i> Mulsant, 1853, <i>Coelophora</i>	614

<i>placida</i> Mäklin, 1853, <i>Epuraea</i>	462
<i>placidus</i> C. O. Waterhouse, 1879, <i>Lycostomus</i>	212
<i>placidus</i> Easton, 1957, <i>Meligethes</i>	481
<i>placitus</i> Normand, 1950, <i>Attagenus</i>	309
<i>plagiata</i> Candèze, 1891, <i>Penia</i>	185
<i>plagiata</i> Gerhardt, 1910, <i>Coccidula</i>	572
<i>plagiata</i> Heyden, 1889, <i>Cantharis</i>	247
<i>plagiatipennis</i> Motschulsky, 1858, <i>Carpophilus</i>	467
<i>plagiatus</i> Beck, 1817, <i>Scymnus</i>	588
<i>plagiatus</i> Fåhraeus, 1871, <i>Xyloperthodes</i>	323
<i>plagiatus</i> Fairmaire, 1892, <i>Tillodenops</i>	369
<i>plagiatus</i> Gorham, 1887, <i>Endomychus</i>	561
<i>plagiatus</i> Grouvelle, 1894, <i>Meligethinus</i>	488
<i>plagiatus</i> J. Weise, 1878, <i>Nephus</i>	581
<i>plagiatus</i> Kiesenwetter, 1874, <i>Carphuroides</i>	415
<i>plagiatus</i> Poppius, 1900, <i>Cryptophagus</i>	519
<i>plagiatus</i> Reitter, 1884, <i>Cychramus</i>	472
<i>plagiella</i> Marseul, 1864, <i>Rhagonycha</i>	267
<i>plagifer</i> Reitter, 1914, <i>Anostirus</i>	174
<i>plagiocephalus</i> Brancucci, 1983, <i>Tryptherus</i>	298
<i>plagipennis</i> Reitter, 1905, <i>Athous</i>	162
<i>plana</i> Laporte, 1840, <i>Hemiops</i>	186
<i>planatus</i> C. O. Waterhouse, 1879, <i>Plateros</i>	220
<i>planatus</i> Charpentier, 1825, <i>Drapetes</i>	208
<i>planatus</i> Eschscholtz, 1829, <i>Berninelsonius</i>	153
<i>planatus</i> Linnaeus, 1761, <i>Uleiota</i>	497
<i>planatus</i> Mannerheim, 1844, <i>Enicmus</i>	638
<i>planatus</i> Wittmer, 1970, <i>Malthodes</i>	292
<i>planeti</i> Buysson, 1926, <i>Sericus</i>	134
<i>planiceps</i> Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
<i>planiceps</i> Wittmer, 1983, <i>Hypotroglops</i>	436
<i>planicollis</i> Abeille de Perrin, 1885, <i>Callotroglops</i>	451
<i>planicollis</i> Fairmaire, 1869, <i>Anommatus</i>	550
<i>planicollis</i> Kazantsev, 1994, <i>Rhagonycha</i>	267
<i>planicollis</i> Kiesenwetter, 1852, <i>Cratosilis</i>	248
<i>planicollis</i> LeConte, 1858, <i>Lyctus</i>	327
<i>planicollis</i> Lohse, 1957, <i>Xyletinus</i>	361
<i>planicornis</i> Wittmer, 1982, <i>Intybia</i>	417
<i>planidorsis</i> Reitter, 1894, <i>Epuraea</i>	462
<i>planifrons</i> Rey, 1891, <i>Trixagus</i>	88
<i>planipennis</i> A. Strand, 1940, <i>Enicmus</i>	638
<i>planipennis</i> Candèze, 1900, <i>Melanotus</i>	147
<i>planiuscula</i> Reitter, 1875, <i>Atomaria</i>	528
<i>planiusculus</i> Heer, 1841, <i>Meligethes</i>	485
<i>planocorpus</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	99
<i>planta</i> Kirejtshuk, 1986, <i>Aethina</i>	470
<i>plantaferusus</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	99
<i>plantaginis</i> Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
<i>plantaris</i> Curtis, 1838, <i>Globicornis</i>	316
<i>planula</i> Fall, 1899, <i>Corticaria</i>	642

planulus Wittmer, 1969, <i>Malthinus</i>	282
planus Fabricius, 1787, <i>Grynobius</i>	348
<i>planus</i> Herbst, 1797, <i>Silvanus</i>	501
<i>planus</i> LeConte, 1850, <i>Pediacus</i>	502
planus Mroczkowski, 1960, <i>Dermestes</i>	302
planus Platia & Schimmel, 2001, <i>Melanotus</i>	147
planus Vats & Kashyap, 1992, <i>Agrypnus</i>	99
planus Wittmer, 1988, <i>Malthinus</i>	282
platai Cobos, 1979, <i>Cardiophorus</i>	202
platai Santiago, 1987, <i>Attalus</i>	423
plateroides Kazantsev, 2004, <i>Propyropterus</i>	216
platai Chassain, 1985, <i>Cardiophorus</i>	199
platai Mertlik, 1996, <i>Cidnopus</i>	164
platai Schimmel, 1990, <i>Ampedus</i>	126
platycephalus Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
<i>platyceps</i> Hoang, 1982, <i>Anortalia</i>	598
platyptera Fairmaire, 1887, <i>Stenocladus</i>	234
platypterus Bourgeois, 1884, <i>Lycostomus</i>	211
platypus Vats & Chuahan, 1991, <i>Melanotus</i>	147
plazae Audisio & Kirejtshuk, 1989, <i>Xenostrogylus</i>	477
<i>plebeius</i> Sharp, 1885, <i>Attagenus</i>	308
plebeja Kiesenwetter, 1874, <i>Cantharis</i>	245
plebejus Candèze, 1873, <i>Ectamenogonus</i>	136
plecta Lyubarsky, 1995, <i>Atomaria</i>	527
<i>plectrum</i> Casey, 1900, <i>Cryptophagus</i>	519
pleshanovi Toskina, 2002, <i>Xestobium</i>	352
pleshanovi Toskina, 1995, <i>Ptilinus</i>	356
<i>pleuralis</i> Buysson, 1899, <i>Cardiophorus</i>	196
plicata J. Weise, 1889, <i>Epilachna</i>	628
plicata Reitter, 1875, <i>Atomaria</i>	527
plicatipennis Pic, 1912, <i>Protheca</i>	346
plicatoides C. Johnson, 1970, <i>Atomaria</i>	527
plicatoides Kaszab, 1947, <i>Anommatus</i>	550
<i>plicatulus</i> Reitter, 1905, <i>Hemicrepidius</i>	170
plicatus Reitter, 1894, <i>Anommatus</i>	550
plicibasis Reitter, 1896, <i>Atomaria</i>	529
<i>plicicollis</i> Mäklin, 1863, <i>Atomaria</i>	529
<i>pliginskyi</i> Reitter, 1910, <i>Athous</i>	158
plocamae Evers, 1961, <i>Attalus</i>	423
<i>plorator</i> Candèze, 1889, <i>Selatosomus</i>	182
plumbea Desbrochers des Loges, 1889, <i>Danacea</i>	398
<i>plumbea</i> Eschscholtz, 1818, <i>Cantharis</i>	244
plumbea Kiesenwetter, 1878, <i>Parathrix</i>	393
<i>plumbea</i> P. Rossi, 1792, <i>Rhagonycha</i>	262
<i>plumbeocupreus</i> Goeze, 1777, <i>Charopus</i>	441
<i>plumbeonigra</i> Goeze, 1777, <i>Charopus</i>	441
plumbeum Illiger, 1801, <i>Hyperisus</i>	352
<i>plumbeus</i> Abeille de Perrin, 1892, <i>Brachypterolus</i>	456
<i>plumbeus</i> Illiger, 1798, <i>Dasytes</i>	405
plumbeus O. F. Müller, 1776, <i>Dasytes</i>	405

<i>plumbeus</i> Schilsky, 1896, <i>Enicopus</i>	407
<i>pluriarmatus</i> Belon, 1878, <i>Psiloderes</i>	453
<i>pluricostatus</i> Fairmaire, 1887, <i>Lycocerus</i>	253
<i>plurimus</i> Platia & Gudenzi, 2002, <i>Cardiophorus</i>	199
<i>plurivittata</i> Pic, 1906, <i>Cantharis</i>	245
<i>podabriformis</i> Pic, 1917, <i>Cantharis</i>	245
<i>podabroides</i> Champion, 1926, <i>Lycocerus</i>	253
<i>podagrica</i> Guérin-Méneville, 1857, <i>Hylaia</i>	564
<i>podagricus</i> Chevrolat, 1876, <i>Trichodes</i>	377
<i>podagrus</i> Candèze, 1874, <i>Cryptalaus</i>	107
<i>podistroides</i> Švihla, 1992, <i>Cantharis</i>	247
<i>podoides</i> G.-Y. Yu & X.-F. Pang, 1992, <i>Scymnus</i>	587
<i>podolicus</i> Iablokoff-Khnzorian & Karapetyan, 1991, <i>Ptinus</i>	337
<i>podolicus</i> Reitter, 1889, <i>Ampedus</i>	125
<i>podolkai</i> Roubal, 1916, <i>Cryptophagus</i>	515
<i>poecilus</i> Germar, 1839, <i>Attagenus</i>	307
<i>poecilus</i> Iablokoff-Khnzorian, 1978, <i>Ebaeus</i>	431
<i>poggii</i> Liberti, 1985, <i>Danacea</i>	395
<i>pohli</i> Toskina, 2004, <i>Clada</i>	353
<i>pokaliensis</i> Wittmer, 1983, <i>Themus</i>	270
<i>polevodi</i> Tshernyshev, 2001, <i>Cephaloncus</i>	452
<i>polina</i> Kirejtshuk, 1987, <i>Epuraea</i>	462
<i>poliphylloides</i> Escalera, 1914, <i>Xyletinus</i>	359
<i>polishaensis</i> Ôhira, 1977, <i>Agrypnus</i>	99
<i>polita</i> J. Weise, 1885, <i>Hyperaspis</i>	578
<i>polita</i> Matthews, 1899, <i>Clypastraea</i>	633
<i>polita</i> Reitter, 1878, <i>Clypastraea</i>	633
<i>polita</i> Rey, 1892, <i>Dorcatoma</i>	344
<i>politipennis</i> Kaszab, 1947, <i>Anommatus</i>	550
<i>politissimus</i> Reitter, 1898, <i>Cybocephalus</i>	490
<i>politissimus</i> Wollaston, 1867, <i>Placonotus</i>	506
<i>politithorax</i> Wittmer, 1997, <i>Intybia</i>	417
<i>politum</i> Duftschmid, 1825, <i>Hyperisus</i>	352
<i>politus</i> Candèze, 1857, <i>Lanelater</i>	102
<i>politus</i> Candèze, 1863, <i>Ludigenus</i>	132
<i>politus</i> Erichson, 1844, <i>Pastilodes</i>	491
<i>politus</i> Fabricius, 1792, <i>Hypnoidus</i>	155
<i>politus</i> Gyllenhal, 1813, <i>Cybocephalus</i>	490
<i>politus</i> Hellwig, 1792, <i>Rhizophagus</i>	492
<i>politus</i> Kraus, 1911, <i>Lyctus</i>	327
<i>politus</i> L. Redtenbacher, 1849, <i>Ernobius</i>	350
<i>politus</i> Lewis, 1879, <i>Teredolaemus</i>	552
<i>politus</i> Mulsant, 1850, <i>Chilocorus</i>	593
<i>politus</i> Quedenfeldt, 1886, <i>Xyloperthodes</i>	323
<i>politus</i> Reitter, 1898, <i>Corylophus</i>	631
<i>politus</i> Strohecker & M. Chûjô, 1970, <i>Sinocymbachus</i>	566
<i>politus</i> Tournier, 1889, <i>Olibrus</i>	509
<i>politus</i> Wasmann, 1895, <i>Thorictus</i>	305
<i>politus</i> Wittmer, 1988, <i>Clanoptilus</i>	444
<i>polkorabi</i> Roubal, 1932, <i>Tetrabrachys</i>	573

<i>pollinctus</i> Hope, 1834, <i>Dermestes</i>	301
<i>pollux</i> Germar, 1824, <i>Dicronychus</i>	205
<i>polonicus</i> Mroczkowski, 1951, <i>Anthrenus</i>	313
<i>polonicus</i> Reitter, 1905, <i>Athous</i>	159
<i>polonicus</i> Roubal, 1927, <i>Cryptophagus</i>	516
<i>polyglandis</i> Leschen, 1996, <i>Striatocryptus</i>	524
<i>polygramma</i> Flach, 1888, <i>Tinodemus</i>	512
<i>polyguttata</i> Meier, 1899, <i>Adalia</i>	603
<i>polypori</i> Fiori, 1915, <i>Arthrolips</i>	632
<i>polypori</i> Hayashi, 1954, <i>Dorcatoma</i>	345
<i>polypori</i> J. R. Sahlberg, 1900, <i>Corticaria</i>	644
<i>polyporina</i> Gistel, 1857, <i>Epuraea</i>	460
<i>pomboi</i> Platia & Borges, 2002, <i>Athous</i>	162
<i>pomiensis</i> Jing, 1987, <i>Oenopia</i>	621
<i>pomonae</i> Stephens, 1830, <i>Ampedus</i>	126
<i>pomonaeformis</i> Buysson, 1887, <i>Ampedus</i>	126
<i>pomorum</i> Herbst, 1784, <i>Ampedus</i>	126
<i>poneyi</i> Buysson, 1903, <i>Cardiophorus</i>	199
<i>ponderosus</i> Kleine, 1940, <i>Plateros</i>	220
<i>ponferradanus</i> Pic, 1910, <i>Malthodes</i>	288
<i>ponferradanus</i> Pic, 1913, <i>Dasytes</i>	403
<i>pontica</i> Bedel, 1868, <i>Dacne</i>	538
<i>pontica</i> Dobrzanskiy, 1927, <i>Coccinella</i>	612
<i>pontica</i> Motschulsky, 1854, <i>Luciola</i>	232
<i>pontica</i> Pic, 1904, <i>Cordicantharis</i>	248
<i>ponticus</i> Dolin, 1977, <i>Zorochros</i>	193
<i>ponticus</i> Iablokoff-Khnzorian, 1970, <i>Nephus</i>	581
<i>ponticus</i> Jelínek, 1982, <i>Meligethes</i>	485
<i>ponticus</i> Stepanov, 1935, <i>Agriotes</i>	116
<i>pooanus</i> Pic, 1921, <i>Pakabsidia</i>	259
<i>pooti</i> Fürsch, 1999, <i>Nephus</i>	582
<i>pooti</i> Wurst, 1995, <i>Ampedus</i>	126
<i>popei</i> Jelínek, 1975, <i>Glischrochilus</i>	469
<i>popei</i> Nakane, 1978, <i>Ascetoderes</i>	551
<i>popei</i> Ślipiński, 1980, <i>Paracerylon</i>	554
<i>popovi</i> Kryzhanovskij, 1960, <i>Eumorphus</i>	564
<i>popovi</i> Zia, 1959, <i>Anadastus</i>	533
<i>poppiusi</i> Semenov, 1904, <i>Stephostethus</i>	641
<i>populi</i> Motschulsky, 1867, <i>Holoparamecus</i>	558
<i>populi</i> Paykull, 1800, <i>Cryptophagus</i>	519
<i>porcatus</i> Herbst, 1793, <i>Latridius</i>	639
<i>porcatus</i> Sharp, 1885, <i>Thyroderus</i>	554
<i>porioni</i> Platia & Schimmel, 2001, <i>Melanotus</i>	147
<i>porochini</i> Johnson, 2007, <i>Corticaria</i>	644
<i>porosensis</i> Pic, 1929, <i>Dignomus</i>	330
<i>porphyrophorus</i> Solsky, 1871, <i>Lycostomus</i>	212
<i>porrecticollis</i> Lewis, 1894, <i>Scutellathous</i>	172
<i>porrectifrons</i> Gozis, 1882, <i>Adrastus</i>	108
<i>porrectus</i> C. G. Thomson, 1868, <i>Hemicrepidius</i>	170
<i>portae</i> Della Beffa, 1913, <i>Hippodamia</i>	619

<i>portai</i> Pic, 1937, <i>Divales</i>	406
<i>portugalis</i> Fürsch, 1964, <i>Henosepilachna</i>	629
<i>portulacis</i> Vats & Chauhan, 1993, <i>Silesis</i>	112
<i>postpisi</i> Majer, 1989, <i>Haplothrix</i>	392
<i>postangulis</i> Reitter, 1895, <i>Thorictus</i>	305
<i>postarcuata</i> Delkeskamp, 1939, <i>Cantharis</i>	243
<i>posterecta</i> Pic, 1902, <i>Danacea</i>	399
<i>postica</i> J. Weise, 1879, <i>Hippodamia</i>	619
<i>postica</i> Johnson, 1910, <i>Adalia</i>	603
<i>postica</i> Mulsant, 1850, <i>Harmonia</i>	616
<i>posticalis</i> Fairmaire, 1879, <i>Attagenus</i>	309
<i>posticalis</i> Fairmaire, 1893, <i>Cheilomenes</i>	610
<i>posticalis</i> Gorham, 1876, <i>Omadius</i>	372
<i>posticalis</i> Reitter, 1913, <i>Olibrus</i>	509
<i>posticalis</i> Sicard, 1914, <i>Scymnus</i>	587
<i>posticelimbatus</i> Pic, 1926, <i>Lycocerus</i>	253
<i>posticeminiatus</i> Buysson, 1913, <i>Cardiophorus</i>	195
<i>posticepictus</i> Buysson, 1913, <i>Cardiophorus</i>	201
<i>posticus</i> Eschscholtz, 1822, <i>Conoderus</i>	104
<i>posticus</i> Kiesenwetter, 1866, <i>Hypebaeus</i>	434
<i>posticus</i> Mulsant & Rey, 1867, <i>Sphinginus</i>	426
<i>posticus</i> Reitter, 1888, <i>Cryptophagus</i>	515
<i>posticus</i> Schaufuss, 1867, <i>Drilus</i>	210
<i>posticus</i> Solsky, 1868, <i>Dasytes</i>	402
<i>posticus</i> Wollaston, 1862, <i>Fortunatius</i>	425
<i>postinterruptus</i> Pic, 1939, <i>Trichodes</i>	376
<i>postmaculatus</i> Kleine, 1926, <i>Cautires</i>	222
<i>postmaculatus</i> Nakane, 1963, <i>Stigmatium</i>	375
<i>postmedialis</i> Kapur, 1948, <i>Cryptogonus</i>	576
<i>postobscuripes</i> Wittmer, 1995, <i>Lycocerus</i>	253
<i>postobscurus</i> Pic, 1912, <i>Peripontius</i>	111
<i>postplagiata</i> Casey, 1924, <i>Calvia</i>	608
<i>postpositus</i> J. R. Sahlberg, 1903, <i>Cryptophagus</i>	521
<i>postremus</i> Abeille de Perrin, 1882, <i>Attalus</i>	423
<i>potanini</i> Gurjeva, 1972, <i>Vuilletus</i>	134
<i>potanini</i> J. Weise, 1889, <i>Ceratomegilla</i>	609
<i>potanini</i> Kazantsev, 2002, <i>Lycostomus</i>	212
<i>potanini</i> Kirejtshuk, 1979, <i>Meligethes</i>	485
<i>potanini</i> Semenov, 1891, <i>Isorhipis</i>	84
<i>potanini</i> Tshernyshev, 1999, <i>Haplomalachius</i>	447
<i>potanini</i> Wittmer, 1983, <i>Condylops</i>	438
<i>potaninorum</i> Kirejtshuk, 1987, <i>Epuraea</i>	465
<i>pouilloni</i> Pic, 1915, <i>Lycoprogentes</i>	217
<i>pountianus</i> Menier, 1981, <i>Sedlacekius</i>	374
<i>poupillieri</i> Chevrolat, 1874, <i>Cebrio</i>	92
<i>poupillieri</i> Gougelet & H. Brisout de Barneville, 1859, <i>Danacea</i>	399
<i>poweli</i> Pic, 1933, <i>Attalus</i>	425
<i>poweri</i> J. Weise, 1879, <i>Tytthaspis</i>	601
<i>pracuae</i> J. Weise, 1891, <i>Propylea</i>	623
<i>praecelsus</i> Peyerimhoff, 1925, <i>Dasytes</i>	403

<i>praecox</i> Gené, 1836, <i>Cantharis</i>	245
<i>praecox</i> Küster, 1851, <i>Dasytiscus</i>	391
<i>praedicabilis</i> Kleine, 1939, <i>Macrolycus</i>	213
<i>praelongus</i> Champion, 1926, <i>Themus</i>	272
<i>praenobilis</i> Lewis, 1895, <i>Hemicrepidius</i>	171
<i>praenobilis</i> Lewis, 1894, <i>Actenicerus</i>	173
<i>praenobilis</i> Lewis, 1883, <i>Encaustes</i>	539
<i>praeoccupatus</i> Gemminger & Harold, 1869, <i>Ebaeus</i>	431
<i>praepositus</i> Walker, 1859, <i>Amblyopus</i>	541
<i>praestans</i> Kirejtshuk, 1977, <i>Meligethes</i>	482
<i>praetentus</i> S. Zimmermann, 1973, <i>Trichodes</i>	380
<i>praetermissus</i> Bowstead, 1999, <i>Rypobius</i>	635
<i>praetermissus</i> Easton, 1957, <i>Meligethes</i>	485
<i>praetermissus</i> Hubenthal, 1920, <i>Cryptophagus</i>	519
<i>praetermissus</i> Janson, 1873, <i>Anadastus</i>	533
<i>praetermissus</i> Schwarz, 1891, <i>Agriotes</i>	115
<i>praetexta</i> E. Olivier, 1911, <i>Pyrocoelia</i>	229
<i>praetextus</i> Bourgeois, 1899, <i>Malthinus</i>	277
<i>praetinctus</i> Majer, 1996, <i>Achaetomalachius</i>	388
<i>praeusta</i> Germar, 1817, <i>Xylopertha</i>	325
<i>praeusta</i> Kiesenwetter, 1874, <i>Luciola</i>	233
<i>praeustum</i> Bigliani, 1907, <i>Enoplium</i>	381
<i>praeustum</i> Erichson, 1847, <i>Trogoxylon</i>	328
<i>praeustus</i> Crotch, 1873, <i>Anadastus</i>	533
<i>praeustus</i> Fabricius, 1792, <i>Ampedus</i>	126
<i>praeustus</i> Fabricius, 1792, <i>Lycostomus</i>	212
<i>praeustus</i> Fabricius, 1792, <i>Hypebaeus</i>	434
<i>praeustus</i> Gyllenhal, 1808, <i>Ebaeus</i>	431
<i>praeustus</i> Laporte, 1838, <i>Tenerus</i>	384
<i>prasinatus</i> Lewis, 1896, <i>Callimerus</i>	371
<i>pratapi</i> Sengupta & De, 1988, <i>Rhizophagus</i>	492
<i>praticola</i> Waltl, 1835, <i>Graellsinus</i>	408
<i>pratincola</i> Gistel, 1857, <i>Meligethes</i>	487
<i>prattianus</i> Gorham, 1889, <i>Lycocerus</i>	253
<i>prava</i> Heyden, 1892, <i>Anatis</i>	606
<i>prava</i> Heyden, 1897, <i>Hippodamia</i>	617
<i>prealpinus</i> Pace, 1979, <i>Anommatus</i>	549
<i>predispar</i> Pic, 1942, <i>Cantharis</i>	242
<i>preissi</i> Schimmel, 1995, <i>Haterumelater</i>	130
<i>prescutellaris</i> Pic, 1938, <i>Malthodes</i>	293
<i>prescutellaris</i> Pic, 1938, <i>Hypomixis</i>	436
<i>pretzmanni</i> Platia & Gudenzi, 2002, <i>Adelocera</i>	96
<i>priesneri</i> Mader, 1936, <i>Pharoscymnus</i>	571
<i>prijutensis</i> Kazantsev, 1992, <i>Rhagonycha</i>	267
<i>primaria</i> Della Beffa, 1913, <i>Ceratomegilla</i>	608
<i>primita</i> Gabriel, 1905, <i>Tytthaspis</i>	601
<i>primitiva</i> Dobrzanskiy, 1924, <i>Adalia</i>	603
<i>primitiva</i> Kapur, 1951, <i>Chnootriba</i>	626
<i>primoriensis</i> Kirejtshuk, 1987, <i>Meligethes</i>	485
<i>primroseae</i> Donisthorpe, 1942, <i>Cerylon</i>	553

<i>primus</i> Schaller, 1783, <i>Elateroides</i>	362
<i>princeps</i> Abeille de Perrin, 1881, <i>Ebaeus</i>	430
<i>princeps</i> Majer, 1991, <i>Dasytidius</i>	390
<i>principalis</i> J. Weise, 1887, <i>Coccinula</i>	600
<i>principalis</i> Savoyskaya, 1969, <i>Coccinula</i>	600
<i>prioides</i> Reitter, 1875, <i>Meligethinus</i>	488
<i>prior</i> Barovskij, 1926, <i>Aaages</i>	601
<i>pristocerus</i> Kiesenwetter, 1859, <i>Aplocnemus</i>	413
<i>privignus</i> Kiesenwetter, 1867, <i>Enicopus</i>	407
<i>privus</i> Kirejtshuk, 1977, <i>Meligethes</i>	485
<i>problematicus</i> Dolin, 1992, <i>Oedostethus</i>	189
<i>problematicus</i> Dolin & Cate, 2003, <i>Hypnoidus</i>	155
<i>problematicus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	147
<i>proboscideus</i> Fabricius, 1781, <i>Elateroides</i>	362
<i>probosus</i> Buysson, 1901, <i>Stenagostus</i>	172
<i>probsti</i> Platia & Schimmel, 1991, <i>Silesis</i>	112
<i>probsti</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>probsti</i> Schimmel, 2004, <i>Cateanus</i>	135
<i>probsti</i> Schimmel, 1999, <i>Xanthopenthes</i>	139
<i>probsti</i> Schimmel & Platia, 1991, <i>Dima</i>	184
<i>probsti</i> Wittmer, 1993, <i>Themus</i>	270
<i>probsti</i> Zeising & Sieg, 1992, <i>Ampedus</i>	126
<i>procautiroides</i> Kazantsev, 2002, <i>Cautires</i>	222
<i>procera</i> Kraatz, 1858, <i>Seidlitzella</i>	365
<i>procera</i> Majer, 1997, <i>Amauronia</i>	393
<i>procera</i> Reitter, 1875, <i>Merophysia</i>	558
<i>procera</i> T. L. Casey, 1916, <i>Trogoderma</i>	319
<i>procerula</i> Erichson, 1846, <i>Atomaria</i>	529
<i>procerulus</i> Kiesenwetter, 1859, <i>Cardiophorus</i>	199
<i>procerulus</i> Kiesenwetter, 1860, <i>Dichelotarsus</i>	237
<i>procerulus</i> Kiesenwetter, 1852, <i>Malthodes</i>	293
<i>procerulus</i> Mannerheim, 1823, <i>Hylis</i>	84
<i>procerus</i> Illiger, 1807, <i>Athous</i>	160
<i>procerus</i> J. R. Sahlberg, 1908, <i>Malachius</i>	448
<i>procerus</i> John, 1962, <i>Thorictus</i>	305
<i>procerus</i> Platia & Gudenzi, 2002, <i>Cardiophorus</i>	199
<i>procerus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	151
<i>processa</i> Li, 1961, <i>Henosepilachna</i>	629
<i>prochazkae</i> Pic, 1895, <i>Danacea</i>	399
<i>prodicus</i> Hinton, 1944, <i>Urophorus</i>	468
<i>prodigiosus</i> Kiesenwetter, 1852, <i>Malthodes</i>	293
<i>producta</i> Arrow, 1925, <i>Megalanguria</i>	534
<i>producta</i> Wittmer, 1995, <i>Intybia</i>	417
<i>productus</i> A. G. Olivier, 1790, <i>Hypebaeus</i>	434
<i>productus</i> Peyerimhoff, 1931, <i>Conoderus</i>	104
<i>productus</i> Rey, 1891, <i>Agriotes</i>	117
<i>productus</i> Rey, 1889, <i>Cryptophagus</i>	519
<i>productus</i> Rosenhauer, 1856, <i>Stephostethus</i>	641
<i>productus</i> Schilsky, 1894, <i>Dasytes</i>	404
<i>productus</i> Stephens, 1830, <i>Ebaeus</i>	431

<i>productus</i> Toskina, 1998, <i>Microcoelopus</i>	355
<i>profanus</i> Kiesenwetter, 1852, <i>Malthodes</i>	291
<i>profugus</i> Faldermann, 1835, <i>Selatosomus</i>	181
<i>profugus</i> Reitter, 1894, <i>Cordylepherus</i>	445
<i>prolifericornis</i> P. Rossi, 1790, <i>Drapetes</i>	208
<i>prolixa</i> Beal, 1967, <i>Megatoma</i>	317
<i>prolixa</i> Erichson, 1846, <i>Atomaria</i>	529
<i>prolixa</i> Märkel, 1852, <i>Podistra</i>	260
<i>prolixicornis</i> Sengupta & Pal, 1996, <i>Silvanoprus</i>	500
<i>prolongata</i> Jeng & Lai, 1999, <i>Pyrocoelia</i>	229
<i>prolongatus</i> Motschulsky, 1866, <i>Malachius</i>	449
<i>prolongatus</i> Schenkling, 1912, <i>Orthrius</i>	374
<i>promelus</i> Leach, 1824, <i>Cebrio</i>	91
<i>prometheus</i> Jelínek, 1982, <i>Meligethes</i>	485
<i>prominens</i> C. Johnson, 1972, <i>Melanophthalma</i>	647
<i>prominens</i> Casey, 1924, <i>Cryptophagus</i>	515
<i>pronotonigeratus</i> T. Singh & V. K. Singh, 1988, <i>Afissula</i>	626
<i>pronotus</i> X.-F. Pang & Huang, 1986, <i>Pseudoscymnus</i>	582
<i>propexus</i> Candèze, 1860, <i>Melanotus</i>	148
<i>prophetea</i> Reitter, 1899, <i>Egidyella</i>	311
<i>propingua</i> Grouvelle, 1913, <i>Ancistria</i>	501
<i>propinquus</i> Buysson, 1890, <i>Athous</i>	162
<i>propinquus</i> C. O. Waterhouse, 1879, <i>Plateros</i>	220
<i>propinquus</i> Candèze, 1857, <i>Agrypnus</i>	97
<i>propinquus</i> Desbrochers des Loges, 1869, <i>Drasterius</i>	105
<i>propinquus</i> Evers, 1988, <i>Attalus</i>	423
<i>propinquus</i> Obenberger, 1917, <i>Stagetus</i>	347
<i>propinquus</i> Reitter, 1874, <i>Cryptophilus</i>	531
<i>propleuralis</i> Platia & Gudenzi, 1998, <i>Agriotes</i>	117
<i>propria</i> Kirejtshuk, 1998, <i>Epuraea</i>	462
<i>proprius</i> Platia & Gudenzi, 2002, <i>Cardiophorus</i>	199
<i>prosericatus</i> X.-F. Pang, 1988, <i>Scymnus</i>	585
<i>prosperus</i> Majer, 1989, <i>Dasytidius</i>	390
<i>prospykontus</i> X.-F. Pang & Huang, 1985, <i>Scymnus</i>	589
<i>prosternalis</i> Candèze, 1878, <i>Drasterius</i>	106
<i>prosternalis</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>prostomoides</i> Gorham, 1883, <i>Trogoxylon</i>	328
<i>prostomoides</i> Reitter, 1874, <i>Nipponophloeus</i>	505
<i>prostylotus</i> X.-F. Pang & Huang, 1985, <i>Scymnus</i>	587
<i>protensa</i> Gené, 1836, <i>Psilothrix</i>	408
<i>protensicollis</i> Mannerheim, 1843, <i>Latridius</i>	639
<i>protensus</i> Reitter, 1890, <i>Rhizophagus</i>	492
<i>proteus</i> Kraatz, 1858, <i>Anthrenus</i>	312
<i>prothetelie</i> Kemner, 1914, <i>Telmatophilus</i>	524
<i>protoracicus</i> Platia & Schimmel, 1991, <i>Athous</i>	159
<i>protractus</i> Roubal, 1924, <i>Adrastus</i>	109
<i>protrudioculatus</i> Wittmer, 1965, <i>Colotes</i>	428
<i>protuberancis</i> Vats & Chauhan, 1993, <i>Silesis</i>	113
<i>providus</i> Kiesenwetter, 1874, <i>Macrohabronychus</i>	255
<i>provincialis</i> Abeille de Perrin, 1907, <i>Dasytes</i>	401

provisoria Dieke, 1947, <i>Epilachna</i>	628
proxima Schimmel & Platia, 1991, <i>Penia</i>	185
proximoides Platia, 2002, <i>Agriotes</i>	117
proximus Bourgeois, 1902, <i>Plateros</i>	220
<i>proximus</i> Champenois, 1900, <i>Trichodes</i>	378
<i>proximus</i> Fleutiaux, 1895, <i>Babadrasterius</i>	104
proximus Grouvelle, 1914, <i>Mimemodes</i>	493
proximus Grouvelle, 1904, <i>Silvanus</i>	500
proximus Grouvelle, 1908, <i>Placonotus</i>	506
proximus Hampe, 1864, <i>Athous</i>	158
proximus Kirejtshuk, 1989, <i>Brachypterus</i>	457
proximus Pic, 1937, <i>Stagetus</i>	347
<i>proximus</i> Reitter, 1887, <i>Dermestes</i>	300
proximus Reitter, 1908, <i>Metophthalmus</i>	640
proximus Schenkling, 1908, <i>Tenerus</i>	384
proximus Schwarz, 1891, <i>Agriotes</i>	117
proximus Wittmer, 1968, <i>Malthodes</i>	293
prudeki Háva, 2002, <i>Anthrenus</i>	314
prudeki Majer, 1996, <i>Haplothrix</i>	392
prudeki Švihla, 2002, <i>Rhagonycha</i>	267
prudeki Švihla, 2002, <i>Malthinus</i>	282
prudeki Švihla, 2002, <i>Malthodes</i>	293
pruinosis Buysson, 1902, <i>Cardiophorus</i>	199
<i>pruinosis</i> Desbrochers des Loges, 1889, <i>Xyletinus</i>	359
<i>pruinosis</i> Fairmaire, 1849, <i>Lacon</i>	101
pruinosis Motschulsky, 1861, <i>Actenicerus</i>	173
pruinosis Mulsant & Rey, 1863, <i>Ernobius</i>	351
<i>pruinosis</i> Rey, 1889, <i>Meligethes</i>	486
<i>pruni</i> J. Weise, 1879, <i>Adalia</i>	603
prusiensis Marseul, 1864, <i>Cantharis</i>	245
<i>pruthii</i> Kapur, 1958, <i>Oenopia</i>	621
<i>przevalskii</i> Savoyskaya, 1962, <i>Ceratomegilla</i>	609
<i>przewalskii</i> Barovskij, 1929, <i>Rhagonycha</i>	267
<i>przewalskii</i> Barovskij, 1928, <i>Eusilis</i>	274
<i>przewalskii</i> Gurjeva, 1966, <i>Cardiophorus</i>	199
<i>przewalskyi</i> Koenig, 1889, <i>Paraphotistus</i>	179
<i>psallioticola</i> Hinton, 1941, <i>Atomaria</i>	526
psammeticha Motschulsky, 1867, <i>Migneauxia</i>	648
<i>pseudaffinis</i> C. Johnson & A. Strand, 1968, <i>Atomaria</i>	528
<i>pseudambliopoides</i> Nikitsky & Kompantzev, 1995, <i>Triplax</i>	544
<i>pseudatra</i> Reitter, 1888, <i>Atomaria</i>	527
<i>pseudoalburnus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>pseudoarctus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>pseudoassimilis</i> Pic, 1917, <i>Cantharis</i>	244
<i>pseudobesucheti</i> Wittmer, 1970, <i>Malthodes</i>	293
<i>pseudobesus</i> Orlov, 1993, <i>Dicronychus</i>	205
<i>pseudobhutanensis</i> Brancucci, 1984, <i>Frostia</i>	284
<i>pseudobiguttatus</i> Constantin, 1975, <i>Malthinus</i>	282
<i>pseudobimaculatus</i> Pic, 1954, <i>Clanoptilus</i>	442
<i>pseudobipustulatus</i> Evers, 1944, <i>Cordylepherus</i>	446

<i>pseudobiskrensis</i> Buysson, 1912, <i>Drasterius</i>	105
<i>pseudoblongulus</i> Gottwald, 1977, <i>Xyletinus</i>	361
<i>pseudocaucasica</i> Geisthardt, 1982, <i>Nyctophila</i>	228
<i>pseudochunkingensis</i> Wittmer, 1999, <i>Holzschuhus</i>	433
<i>pseudococcineus</i> Wittmer, 1974, <i>Anthocomus</i>	440
<i>pseudoconderoides</i> Kazantsev, 2002, <i>Conderis</i>	221
<i>pseudoconsociata</i> Dahlgren, 1968, <i>Rhagonycha</i>	267
<i>pseudodentatus</i> Bruce, 1934, <i>Cryptophagus</i>	519
<i>pseudodiscalis</i> Nakane, 1961, <i>Tritoma</i>	546
<i>pseudoelongata</i> Dajoz, 1970, <i>Corticaria</i>	642
<i>pseudoexplanata</i> Jelínek, 1999, <i>Physoronia</i>	475
<i>pseudofebriens</i> Buysson, 1912, <i>Dicronychus</i>	205
<i>pseudoflaveolus</i> Wittmer, 1974, <i>Malthinus</i>	282
<i>pseudoflavobasalis</i> Schimmel, 1993, <i>Ampedus</i>	126
<i>pseudofranzi</i> Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
<i>pseudogeniculata</i> Kazantsev & Takahashi, 2001, <i>Rhagonycha</i>	267
<i>pseudogramineus</i> Mardjanian, 1983, <i>Cardiophorus</i>	199
<i>pseudointerruptus</i> Wittmer, 1974, <i>Malthinus</i>	282
<i>pseudolamellatus</i> Wittmer, 1981, <i>Hypebaeus</i>	435
<i>pseudolateralis</i> Schimmel & Platia, 1991, <i>Penia</i>	185
<i>pseudolegatus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>pseudoleistoides</i> Schimmel & Platia, 1991, <i>Dima</i>	184
<i>pseudolictrius</i> Takahashi, 1992, <i>Asiopodabrus</i>	236
<i>pseudolimbatus</i> Binaghi, 1936, <i>Adrastus</i>	108
<i>pseudolobatus</i> Wittmer, 1956, <i>Malthodes</i>	293
<i>pseudolongiceps</i> Wittmer, 1988, <i>Micropodabrus</i>	258
<i>pseudolutescens</i> Tshernyshev, 2000, <i>Clanoptilus</i>	445
<i>pseudomelanorhynchus</i> Tshernyshev, 1999, <i>Haplomalachius</i>	447
<i>pseudominutus</i> A. Strand, 1958, <i>Latridius</i>	638
<i>pseudomolitor</i> Zhantiev, 1963, <i>Attagenus</i>	309
<i>pseudonepalensis</i> Wittmer, 1987, <i>Hypebaeus</i>	435
<i>pseudonipponicus</i> Takahashi, 1996, <i>Malthodes</i>	293
<i>pseudonotatithorax</i> Wittmer, 1988, <i>Micropodabrus</i>	258
<i>pseudoovalis</i> Háva, 2004, <i>Orphinus</i>	317
<i>pseudopacus</i> Lyubarsky, 1991, <i>Cryptophagus</i>	519
<i>pseudoparadoxus</i> Obenberger, 1938, <i>Anommatus</i>	550
<i>pseudoparilis</i> Brancucci, 1983, <i>Tryptherus</i>	298
<i>pseudoparthenias</i> Wittmer, 1980, <i>Malthodes</i>	293
<i>pseudopersicus</i> Wittmer, 1972, <i>Malthinus</i>	282
<i>pseudopilosus</i> Platia & Gudenzi, 1985, <i>Cidnopus</i>	164
<i>pseudoplagiata</i> Schimmel & Platia, 1992, <i>Penia</i>	185
<i>pseudopustulata</i> Mulsant, 1853, <i>Hyperaspis</i>	578
<i>pseudoquadripunctata</i> Vosyka, 1957, <i>Cantharis</i>	245
<i>pseudorapax</i> Kirejtshuk, 1995, <i>Epuraea</i>	462
<i>pseudoreflexus</i> Švihla, 1994, <i>Malthinus</i>	282
<i>pseudoregalis</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>pseudoreitteri</i> Kazantsev, 2001, <i>Rhagonycha</i>	267
<i>pseudorhagonycha</i> Reitter, 1889, <i>Macrocerus</i>	296
<i>pseudorossica</i> Kazantsev, 1992, <i>Rhagonycha</i>	267
<i>pseudosardous</i> Reclaire & van der Wiel, 1932, <i>Clanoptilus</i>	444

<i>pseudosauteri</i> Geisthardt, 2004, <i>Curtos</i>	231
<i>pseudoschmidti</i> Woodroffe, 1970, <i>Cryptophagus</i>	519
<i>pseudoscriptus</i> Wittmer, 1971, <i>Malthinus</i>	282
<i>pseudoserrifer</i> Wittmer, 1994, <i>Clanoptilus</i>	444
<i>pseudosoronia</i> Reitter, 1884, <i>Epuraea</i>	459
<i>pseudospinosus</i> Medvedev, 1964, <i>Clanoptilus</i>	445
<i>pseudostrigata</i> Palm, 1959, <i>Anisosticta</i>	600
<i>pseudosulphuripennis</i> Binaghi, 1940, <i>Anostirus</i>	175
<i>pseudosuturellus</i> Yajima & Nakane, 1969, <i>Lycocerus</i>	249
<i>pseudotestaceus</i> Franz, 1974, <i>Enicmus</i>	638
<i>pseudotetragraphus</i> Binaghi, 1933, <i>Zoroachros</i>	193
<i>pseudothoracicus</i> Wittmer, 1978, <i>Ebaeus</i>	431
<i>pseudoturanicus</i> Wittmer, 1979, <i>Clanoptilus</i>	444
<i>pseudovalis</i> Kishii, 1994, <i>Quasimus</i>	191
<i>pseudovelata</i> Medvedev, 1966, <i>Dictyoptera</i>	214
<i>pseudozenkeri</i> Geisthardt, 1999, <i>Lampyris</i>	227
<i>psi</i> Thunberg, 1781, <i>Coelophora</i>	614
<i>psiloides</i> Bedel, 1918, <i>Episcapha</i>	540
<i>psyllius</i> Herbst, 1784, <i>Meligethes</i>	479
<i>psylloides</i> Czenpinski, 1778, <i>Gibbium</i>	329
<i>ptilinoides</i> Wollaston, 1854, <i>Oligomerus</i>	342
<i>ptilioides</i> Motschulsky, 1849, <i>Sericoderus</i>	633
<i>ptinoides</i> Boieldieu, 1854, <i>Sphaericus</i>	338
<i>ptinoides</i> Marsham, 1802, <i>Ochina</i>	353
<i>pubens</i> Abeille de Perrin, 1897, <i>Dignomus</i>	331
<i>pubens</i> Fairmaire, 1875, <i>Gastrallus</i>	341
<i>pubens</i> Rey, 1889, <i>Meligethes</i>	479
<i>pubens</i> Sharp, 1885, <i>Philothermus</i>	554
<i>puberulus</i> Bourgeois, 1885, <i>Haplothrix</i>	392
<i>puberulus</i> Candèze, 1879, <i>Selatosomus</i>	182
<i>puberulus</i> Chevrolat, 1874, <i>Cebrio</i>	92
<i>puberulus</i> Miwa, 1928, <i>Ectinus</i>	120
<i>pubescens</i> A. G. Olivier, 1790, <i>Hedobia</i>	353
<i>pubescens</i> A. G. Olivier, 1791, <i>Platynaspis</i>	596
<i>pubescens</i> Arrow, 1925, <i>Indalmus</i>	564
<i>pubescens</i> Barovskij, 1929, <i>Macrolycus</i>	213
<i>pubescens</i> Candèze, 1857, <i>Lanelater</i>	102
<i>pubescens</i> Coye, 1870, <i>Thorictus</i>	305
<i>pubescens</i> Duftschmid, 1825, <i>Mesocoelopus</i>	355
<i>pubescens</i> Erichson, 1844, <i>Grynocharis</i>	365
<i>pubescens</i> Erichson, 1843, <i>Brachypterus</i>	457
<i>pubescens</i> Frivaldszky, 1881, <i>Sphaerosoma</i>	555
<i>pubescens</i> Grouvelle, 1908, <i>Phenolia</i>	475
<i>pubescens</i> Grouvelle, 1912, <i>Aphanocephalus</i>	556
<i>pubescens</i> Gyllenhal, 1827, <i>Corticaria</i>	644
<i>pubescens</i> Heller, 1920, <i>Episcaphula</i>	540
<i>pubescens</i> Herbst, 1793, <i>Anobium</i>	339
<i>pubescens</i> Herbst, 1797, <i>Scymnus</i>	591
<i>pubescens</i> Hope, 1831, <i>Henosepilachna</i>	630
<i>pubescens</i> Jelínek, 1982, <i>Glischrochilus</i>	469

<i>pubescens</i> Küster, 1848, <i>Parexochomus</i>	595
<i>pubescens</i> Laporte, 1838, <i>Eucymatodera</i>	368
<i>pubescens</i> Mannerheim, 1827, <i>Hemicrepidius</i>	170
<i>pubescens</i> Motschulsky, 1860, <i>Macropogon</i>	81
<i>pubescens</i> Murray, 1867, <i>Xyloperthella</i>	325
<i>pubescens</i> Murray, 1864, <i>Epuraea</i>	464
<i>pubescens</i> Murray, 1864, <i>Nitops</i>	467
<i>pubescens</i> P. H. Lucas, 1846, <i>Brachypterus</i>	457
<i>pubescens</i> Panzer, 1792, <i>Lyctus</i>	327
<i>pubescens</i> Panzer, 1794, <i>Scymnus</i>	588
<i>pubescens</i> Pic, 1911, <i>Malthinus</i>	284
<i>pubescens</i> Pic, 1894, <i>Attagenus</i>	309
<i>pubescens</i> Pic, 1921, <i>Ernobius</i>	351
<i>pubescens</i> Pic, 1895, <i>Danacaeomimus</i>	394
<i>pubescens</i> Pic, 1894, <i>Cychramus</i>	472
<i>pubescens</i> Stephens, 1830, <i>Stenagostus</i>	172
<i>pubescens</i> Sturm, 1845, <i>Cryptophagus</i>	519
<i>pubescens</i> Wittmer, 1983, <i>Lycocerus</i>	253
<i>pubescens</i> Zetterstedt, 1828, <i>Megatoma</i>	316
<i>pubicollis</i> Buysson, 1918, <i>Cardiophorus</i>	199
<i>pubicollis</i> Heyden, 1889, <i>Lycocerus</i>	253
<i>pubicollis</i> Pic, 1935, <i>Cebrio</i>	92
<i>pubicollis</i> Pic, 1915, <i>Lycocerus</i>	254
<i>pubicollis</i> Van Dyke, 1923, <i>Dinoderus</i>	325
<i>pubicornis</i> Buysson, 1912, <i>Cardiophorus</i>	199
<i>pubicornis</i> Fairmaire, 1869, <i>Cebrio</i>	92
<i>pubifer</i> Reitter, 1899, <i>Anthrenus</i>	314
<i>pucticollis</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>pudica</i> C. Johnson, 1971, <i>Atomaria</i>	527
<i>pudicus</i> Kirejtshuk & Gillerfors, 1987, <i>Brachypeplus</i>	478
<i>pueli</i> Buysson, 1906, <i>Cardiophorus</i>	200
<i>pueli</i> Fagniez, 1946, <i>Dasytes</i>	405
<i>pueli</i> Lavagne, 1914, <i>Ernobius</i>	350
<i>pueli</i> Pic, 1913, <i>Cantharis</i>	239
<i>pueli</i> Pic, 1936, <i>Ptinus</i>	336
<i>puellaris</i> M. Araki, 1964, <i>Scymnus</i>	587
<i>puellaris</i> Majer, 1989, <i>Danacaeomimus</i>	394
<i>puerile</i> E. Olivier, 1902, <i>Lucidina</i>	230
<i>puerilis</i> Candèze, 1879, <i>Dalopius</i>	119
<i>puerilis</i> Candèze, 1873, <i>Selatosomus</i>	182
<i>puerilis</i> Miwa, 1931, <i>Denticollis</i>	168
<i>puetzi</i> Iablokoff-Khnzorian, 1986, <i>Adalia</i>	605
<i>pugio</i> Marseul, 1868, <i>Ebaeus</i>	430
<i>pugnax</i> Lesne, 1904, <i>Sinoxylon</i>	323
<i>pulchella</i> Fabricius, 1798, <i>Tritoma</i>	546
<i>pulchella</i> Heer, 1841, <i>Atomaria</i>	526
<i>pulchella</i> J. Weise, 1879, <i>Adalia</i>	603
<i>pulchella</i> Lea, 1891, <i>Arthrolips</i>	632
<i>pulchelloides</i> Nakane, 1982, <i>Anadastus</i>	533
<i>pulchellus</i> Arrow, 1925, <i>Anadastus</i>	533

<i>pulchellus</i> Boieldieu, 1854, <i>Ptinus</i>	336
<i>pulchellus</i> Denisova, 1948, <i>Anostirus</i>	175
<i>pulchellus</i> Erichson, 1845, <i>Cybocephalus</i>	490
<i>pulchellus</i> Fleutiaux, 1923, <i>Priopus</i>	152
<i>pulchellus</i> Gestro, 1889, <i>Anthrenus</i>	311
<i>pulchellus</i> Herbst, 1797, <i>Nephus</i>	581
<i>pulchellus</i> LeConte, 1863, <i>Toramus</i>	532
<i>pulchellus</i> Linnaeus, 1761, <i>Negastrius</i>	188
<i>pulchellus</i> Marsham, 1802, <i>Ephistemus</i>	530
<i>pulchellus</i> Mulsant & Rey, 1861, <i>Nepachys</i>	426
<i>pulchellus</i> P. H. Lucas, 1846, <i>Malthodes</i>	293
<i>pulchellus</i> Wittmer, 1995, <i>Lycocerus</i>	253
<i>pulcher</i> Baudi di Selve, 1871, <i>Ampedus</i>	126
<i>pulcher</i> Faldermann, 1835, <i>Attagenus</i>	307
<i>pulcher</i> Faldermann, 1835, <i>Attagenus</i>	309
<i>pulcher</i> Jelínek, 1975, <i>Glischrochilus</i>	469
<i>pulcher</i> Majer, 1988, <i>Chaetomalachius</i>	389
<i>pulcher</i> Pic, 1921, <i>Anthocomus</i>	439
<i>pulcherima</i> Sakai, 1979, <i>Mizodorcatoma</i>	345
<i>pulcherrimus</i> Escherich, 1892, <i>Trichodes</i>	379
<i>pulcherrimus</i> Pic, 1912, <i>Clanoptilus</i>	443
<i>pulcherrimus</i> Reitter, 1889, <i>Ampedus</i>	126
<i>pulcherus</i> Miwa, 1933, <i>Abelater</i>	135
<i>pulchoki</i> Wittmer, 1984, <i>Maltypus</i>	296
<i>pulchra</i> Erichson, 1846, <i>Atomaria</i>	529
<i>pulchra</i> Pic, 1903, <i>Trichodesma</i>	342
<i>pulchripes</i> Gerstaecker, 1857, <i>Eumorphus</i>	564
<i>pulex</i> Goeze, 1776, <i>Ptinus</i>	336
<i>pulicaria</i> Fabricius, 1781, <i>Cantharis</i>	245
<i>pulicaria</i> Melsheimer, 1844, <i>Dienerella</i>	637
<i>pulicarius</i> Fabricius, 1777, <i>Axinotarsus</i>	440
<i>pulicarius</i> L. Redtenbacher, 1849, <i>Malthodes</i>	287
<i>pulicarius</i> Linnaeus, 1758, <i>Brachypterolus</i>	456
<i>pulicaroides</i> Depoli, 1921, <i>Cantharis</i>	242
<i>pulinus</i> John, 1967, <i>Aphanocephalus</i>	556
<i>pulla</i> Marsham, 1802, <i>Latridius</i>	639
<i>pullata</i> J. Weise, 1879, <i>Oenopia</i>	622
<i>pullatus</i> Candèze, 1873, <i>Paracardiophorus</i>	206
<i>pullatus</i> Gurjeva, 1989, <i>Anostirus</i>	175
<i>pullatus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>pullus</i> Abeille de Perrin, 1907, <i>Dasytes</i>	405
<i>pullus</i> Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
<i>pullus</i> O. F. Müller, 1776, <i>Drapetes</i>	209
<i>pullus</i> Reitter, 1905, <i>Hemicrepidius</i>	170
<i>pullus</i> Reitter, 1898, <i>Silvanolomus</i>	500
<i>pulsator</i> Schaller, 1783, <i>Xestobium</i>	352
<i>pulsatorium</i> Scriba, 1790, <i>Xestobium</i>	352
<i>pulverosus</i> Hope, 1831, <i>Melanotus</i>	148
<i>pulverulenta</i> Barovskij, 1926, <i>Occathemus</i>	259
<i>pulverulentus</i> Boieldieu, 1854, <i>Dignomus</i>	331

<i>pulverulentus</i> Küster, 1849, <i>Aplocnemus</i>	412
<i>pulverulentus</i> Panzer, 1795, <i>Lacon</i>	101
<i>pulverulentus</i> Reitter, 1877, <i>Pseudomesotheres</i>	355
<i>pulvinata</i> Reitter, 1884, <i>Lycoperdina</i>	565
<i>pulvinatus</i> Gurjeva, 1990, <i>Melanotus</i>	148
<i>pumila</i> Grouvelle, 1897, <i>Epuraea</i>	462
<i>pumila</i> J. Weise, 1892, <i>Rodolia</i>	597
<i>pumila</i> Mulsant, 1850, <i>Hyperaspis</i>	578
<i>pumila</i> Reitter, 1875, <i>Atomaria</i>	529
<i>pumilio</i> Ganglbauer, 1897, <i>Cryptophagus</i>	520
<i>pumilio</i> Heyden, 1885, <i>Cantharis</i>	245
<i>pumilio</i> Kiesenwetter, 1858, <i>Zoroachros</i>	194
<i>pumilio</i> Reitter, 1919, <i>Brachypterolus</i>	456
<i>pumilum</i> LeConte, 1865, <i>Anobium</i>	339
<i>pumilus</i> Brébisson, 1835, <i>Malthodes</i>	293
<i>pumilus</i> Erichson, 1845, <i>Meligethes</i>	481
<i>pumilus</i> Grouvelle, 1913, <i>Silvanus</i>	501
<i>pumilus</i> Motschulsky, 1853, <i>Malthodes</i>	294
<i>pumilus</i> Reitter, 1874, <i>Cryptophagus</i>	519
<i>pumilus</i> Reitter, 1875, <i>Telmatophilus</i>	524
<i>pumilus</i> Reitter, 1884, <i>Gloeosoma</i>	635
<i>pumilus</i> Rey, 1889, <i>Brachypterolus</i>	456
<i>punctata</i> Crotch, 1874, <i>Sticholotis</i>	571
<i>punctata</i> Dajoz, 1970, <i>Corticaria</i>	644
<i>punctata</i> Grouvelle, 1909, <i>Micrambe</i>	522
<i>punctata</i> Harold, 1879, <i>Tetraphala</i>	535
<i>punctata</i> Kirejtshuk, 1992, <i>Epuraea</i>	465
<i>punctata</i> Märkel, 1845, <i>Cholovocera</i>	557
<i>punctata</i> Mulsant, 1853, <i>Calvia</i>	607
<i>punctata</i> Ragusa, 1892, <i>Monotoma</i>	494
<i>punctatellus</i> Heller, 1920, <i>Aulacochilus</i>	539
<i>punctaticollis</i> Aubé, 1843, <i>Monotoma</i>	494
<i>punctatissima</i> Boieldieu, 1859, <i>Cryptarcha</i>	468
<i>punctatissima</i> Illiger, 1794, <i>Soronia</i>	477
<i>punctatissima</i> Motschulsky, 1867, <i>Corticaria</i>	643
<i>punctatissima</i> Reitter, 1877, <i>Atomaria</i>	529
<i>punctatissimus</i> Heller, 1920, <i>Oretylus</i>	541
<i>punctatissimus</i> Mäklin, 1853, <i>Cryptophagus</i>	515
<i>punctatissimus</i> Mannerheim, 1852, <i>Selatosomus</i>	181
<i>punctatissimus</i> Ménériés, 1851, <i>Selatosomus</i>	181
<i>punctatissimus</i> Reitter, 1877, <i>Carpophilus</i>	466
<i>punctatissimus</i> Reitter, 1897, <i>Meligethes</i>	485
<i>punctatithorax</i> Buysson, 1916, <i>Athous</i>	157
<i>punctatocollis</i> C. N. F. Brisout de Barneville, 1862, <i>Melanotus</i>	150
<i>punctatostriatum</i> Faust, 1877, <i>Pseudoptilinus</i>	362
<i>punctatostriatus</i> Kraatz, 1858, <i>Tolyphus</i>	513
<i>punctatostriatus</i> Schwarz, 1892, <i>Melanotus</i>	148
<i>punctatostriatus</i> Waltl, 1839, <i>Phalacrus</i>	511
<i>punctatulus</i> Abeille de Perrin, 1885, <i>Troglops</i>	454
<i>punctatulus</i> Matthews, 1885, <i>Orthoperus</i>	634

punctatum DeGeer, 1774, <i>Anobium</i>	339
punctatum Logvinovskiy, 1977, <i>Xestobium</i>	352
punctatum Reitter, 1878, <i>Sphaerosoma</i>	555
<i>punctatus</i> Blatchley, 1925, <i>Curelius</i>	530
punctatus C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	485
<i>punctatus</i> Candèze, 1857, <i>Lanelater</i>	102
punctatus Champion, 1925, <i>Phalacrus</i>	511
punctatus Erichson, 1840, <i>Colotes</i>	427
punctatus Fischer von Waldheim, 1829, <i>Trichodes</i>	379
<i>punctatus</i> Fleutiaux, 1887, <i>Urophorus</i>	468
<i>punctatus</i> Geoffroy, 1785, <i>Malthinus</i>	279
<i>punctatus</i> Germar, 1824, <i>Aplocnemus</i>	411
<i>punctatus</i> Gorham, 1895, <i>Colotes</i>	427
punctatus Herbst, 1779, <i>Lacon</i>	101
punctatus M. Chûjô, 1967, <i>Anadastus</i>	533
<i>punctatus</i> Miwa, 1927, <i>Yukoana</i>	192
<i>punctatus</i> Pic, 1921, <i>Stagetus</i>	346
punctatus Platia & Schimmel, 1991, <i>Silesis</i>	112
punctatus Schilsky, 1896, <i>Chaetomalachius</i>	389
punctatus Schwarz, 1893, <i>Ampedus</i>	126
punctatus Scopoli, 1772, <i>Attagenus</i>	309
punctatus Sengupta, 1977, <i>Tarunius</i>	495
punctatus Wankowicz, 1865, <i>Orthoperus</i>	634
puncticeps Champion, 1926, <i>Themus</i>	270
<i>puncticeps</i> Gorham, 1886, <i>Tricorynus</i>	356
puncticeps Wittmer, 1980, <i>Tropiebaeus</i>	437
puncticolle Reitter, 1883, <i>Sphaerosoma</i>	555
puncticollis Brenske & Reitter, 1884, <i>Stagetus</i>	347
puncticollis C. G. Thomson, 1868, <i>Atomaria</i>	529
puncticollis C. R. Sahlberg, 1837, <i>Rhizophagus</i>	491
puncticollis Fairmaire, 1891, <i>Passandra</i>	502
<i>puncticollis</i> J. R. Sahlberg, 1913, <i>Aplocnemus</i>	413
<i>puncticollis</i> J. T. Fleischer, 1829, <i>Cryptolestes</i>	503
<i>puncticollis</i> Kiesenwetter, 1858, <i>Athous</i>	157
<i>puncticollis</i> Kiesenwetter, 1877, <i>Micrapate</i>	322
puncticollis Levrat, 1857, <i>Cantharis</i>	245
puncticollis Motschulsky, 1866, <i>Selatosomus</i>	182
puncticollis P. H. Lucas, 1846, <i>Thorictus</i>	305
puncticollis P. H. Lucas, 1846, <i>Cryptophagus</i>	519
<i>puncticollis</i> Reitter, 1888, <i>Dasytes</i>	405
<i>puncticollis</i> Schilsky, 1894, <i>Aplocnemus</i>	413
<i>puncticollis</i> Trella, 1923, <i>Glischrochilus</i>	469
puncticollis Wittmer, 1970, <i>Protapalochrus</i>	418
<i>puncticollis</i> Wollaston, 1862, <i>Attalus</i>	420
punctidorsum Lewis, 1894, <i>Thymalus</i>	366
punctidorsum Nakane & Hisamatsu, 1955, <i>Cyllodes</i>	472
punctifer Abeille de Perrin, 1885, <i>Attalus</i>	423
<i>punctifrons</i> Grouvelle, 1908, <i>Cryptamorpha</i>	497
punctifrons Miyatake, 1966, <i>Sticholotis</i>	572
punctiger Schilsky, 1897, <i>Aplocnemus</i>	412

<i>punctillum</i> J. Weise, 1891, <i>Stethorus</i>	592
<i>punctipenne</i> Reitter, 1898, <i>Gloeosoma</i>	635
<i>punctipennis</i> C. N. F. Brisout de Barneville, 1863, <i>Cryptophagus</i>	519
<i>punctipennis</i> Champion, 1923, <i>Allochotes</i>	381
<i>punctipennis</i> Doderò, 1929, <i>Nepachys</i>	426
<i>punctipennis</i> J. R. Sahlberg, 1913, <i>Phalacrus</i>	511
<i>punctipennis</i> Kiesenwetter, 1852, <i>Cratosilis</i>	248
<i>punctipennis</i> Kiesenwetter, 1859, <i>Colotes</i>	428
<i>punctipennis</i> LeConte, 1858, <i>Amphicerus</i>	321
<i>punctipennis</i> Matthews, 1899, <i>Holopsis</i>	631
<i>punctipennis</i> Reitter, 1905, <i>Athous</i>	161
<i>punctipennis</i> Reitter, 1910, <i>Selatosomus</i>	182
<i>punctipennis</i> Reitter, 1888, <i>Atomaria</i>	529
<i>punctithorax</i> Reitter, 1905, <i>Athous</i>	157
<i>punctithorax</i> Reitter, 1888, <i>Atomaria</i>	529
<i>punctiventris</i> Baudi di Selve, 1870, <i>Rhizophagus</i>	492
<i>punctolineatus</i> Pelerin, 1829, <i>Melanotus</i>	148
<i>punctonotatus</i> Pic, 1912, <i>Clanoptilus</i>	445
<i>punctonotus</i> Pic, 1895, <i>Trichodes</i>	380
<i>punctorotundus</i> Vats & Chauhan, 1991, <i>Melanotus</i>	151
<i>punctosinus</i> Cate, 2002, <i>Melanotus</i>	148
<i>punctosus</i> Walker, 1858, <i>Melanotus</i>	148
<i>punctulata</i> Marsham, 1802, <i>Corticaria</i>	644
<i>punctulata</i> Mulsant & Rey, 1864, <i>Dorcatoma</i>	344
<i>punctulatissimus</i> Wollaston, 1861, <i>Lasioderma</i>	357
<i>punctulatum</i> Normand, 1936, <i>Sphaerosoma</i>	556
<i>punctulatum</i> Reitter, 1886, <i>Nosodendron</i>	299
<i>punctulatum</i> Reitter, 1884, <i>Lasioderma</i>	358
<i>punctulatus</i> Dolin & Katyukha, 1977, <i>Oedostethus</i>	189
<i>punctulatus</i> Guillebeau, 1897, <i>Rhizophagus</i>	492
<i>punctulatus</i> Marsham, 1802, <i>Kateretes</i>	458
<i>punctulatus</i> Reitter, 1908, <i>Holoparamecus</i>	558
<i>punctulatus</i> Reitter, 1876, <i>Orthoperus</i>	634
<i>punctulatus</i> Rosenhauer, 1856, <i>Tolyphus</i>	512
<i>punctulatus</i> Schilsky, 1897, <i>Dasytes</i>	405
<i>punctum</i> Herbst, 1786, <i>Cynegetis</i>	625
<i>punctum</i> Marsham, 1802, <i>Orthoperus</i>	634
<i>punctum</i> Miyatake, 1963, <i>Serangium</i>	569
<i>punica</i> Goodrich & Springer, 1988, <i>Xerasia</i>	547
<i>puniceipennis</i> Semenov, 1900, <i>Priscibrumus</i>	595
<i>puniceus</i> Gorham, 1883, <i>Mesolycus</i>	214
<i>puniceus</i> Lewis, 1879, <i>Ampedus</i>	129
<i>puniceus</i> Mannerheim, 1843, <i>Cucujus</i>	502
<i>punjabae</i> Stibick, 1968, <i>Tropihypnus</i>	167
<i>pupillata</i> Swartz, 1808, <i>Bothrocalvia</i>	607
<i>pupillatus</i> Abeille de Perrin, 1890, <i>Anthocomus</i>	439
<i>pura</i> J. Weise, 1885, <i>Coccinella</i>	613
<i>puriensis</i> Kishii, 1991, <i>Lacon</i>	101
<i>purkynei</i> Obenberger, 1917, <i>Danacea</i>	399
<i>purpurascens</i> Hope, 1831, <i>Micropodabrus</i>	258

<i>purpurascens</i> Pic, 1911, <i>Lycocerus</i>	253
<i>purpurascens</i> Wittmer, 1978, <i>Lycocerus</i>	253
<i>purpuratus</i> Kishii, 1977, <i>Paracardiophorus</i>	206
<i>purpuratus</i> Wittmer, 1983, <i>Themus</i>	272
<i>purpureicollis</i> Pic, 1911, <i>Drilaster</i>	233
<i>purpureipennis</i> Gorham, 1889, <i>Prothemus</i>	260
<i>purpureipennis</i> Miwa, 1927, <i>Limonius</i>	165
<i>purpureivestis</i> Gorham, 1895, <i>Lycostomus</i>	212
<i>purpureoaeneus</i> Nakane, 1988, <i>Themus</i>	271
<i>purpureonotatus</i> Pic, 1952, <i>Clanoptilus</i>	443
<i>purpureus</i> Kazantsev, 2007, <i>Lycocerus</i>	253
<i>purpureus</i> Pic, 1922, <i>Bulenides</i>	222
<i>purpureus</i> Poda von Neuhaus, 1761, <i>Anostirus</i>	175
<i>purpureus</i> Schrank, 1781, <i>Drapetes</i>	209
<i>purpuricollis</i> Reitter, 1901, <i>Xyletinus</i>	360
<i>purpurivestis</i> Gorham, 1883, <i>Plateros</i>	220
<i>purus</i> Gurjeva, 1977, <i>Ampedus</i>	126
<i>purus</i> Kleine, 1926, <i>Plateros</i>	220
<i>pusilla</i> Gmelin, 1790, <i>Platycis</i>	216
<i>pusilla</i> Grouvelle, 1894, <i>Epuraea</i>	464
<i>pusilla</i> Gyllenhal, 1810, <i>Clypastraea</i>	633
<i>pusilla</i> Illiger, 1798, <i>Epuraea</i>	461
<i>pusilla</i> Oberthür, 1883, <i>Helota</i>	496
<i>pusilla</i> Paykull, 1798, <i>Atomaria</i>	527
<i>pusilla</i> Rey, 1889, <i>Corticarina</i>	647
<i>pusilla</i> Schilsky, 1896, <i>Haplothrix</i>	392
<i>pusillanima</i> Mulsant, 1850, <i>Henosepilachna</i>	629
<i>pusilloides</i> Obenberger, 1917, <i>Homophthalmus</i>	348
<i>pusilloides</i> Steel & Howe, 1952, <i>Cryptolestes</i>	503
<i>pusillopygus</i> Wittmer, 1965, <i>Malthodes</i>	293
<i>pusillum</i> Español, 1979, <i>Lasioderma</i>	358
<i>pusillum</i> Fabricius, 1798, <i>Rhyzopertha</i>	326
<i>pusillum</i> LeConte, 1854, <i>Trogoderma</i>	319
<i>pusillus</i> Desbrochers des Loges, 1869, <i>Cardiophorus</i>	196
<i>pusillus</i> Fabricius, 1801, <i>Adrastus</i>	109
<i>pusillus</i> Gyllenhal, 1808, <i>Dryophilus</i>	348
<i>pusillus</i> Heer, 1841, <i>Trixagus</i>	89
<i>pusillus</i> Herbst, 1797, <i>Stethorus</i>	592
<i>pusillus</i> J. R. Sahlberg, 1900, <i>Pheletes</i>	166
<i>pusillus</i> Kazantsev, 2001, <i>Macrolycus</i>	213
<i>pusillus</i> Klug, 1833, <i>Lophocateres</i>	366
<i>pusillus</i> Klug, 1842, <i>Korynetes</i>	382
<i>pusillus</i> Melsheimer, 1844, <i>Brachypterus</i>	457
<i>pusillus</i> Motschulsky, 1858, <i>Latridius</i>	639
<i>pusillus</i> O. F. Müller, 1776, <i>Scymnus</i>	588
<i>pusillus</i> Platia & Schimmel, 1993, <i>Silesis</i>	112
<i>pusillus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>pusillus</i> Rey, 1889, <i>Meligethes</i>	480
<i>pusillus</i> Schaufuss, 1862, <i>Anommatus</i>	549
<i>pusillus</i> Schönherr, 1817, <i>Cryptolestes</i>	503

<i>pusillus</i> Sharp, 1885, <i>Tricorynus</i>	356
<i>pusillus</i> Stephens, 1830, <i>Carpophilus</i>	467
<i>pusillus</i> Sturm, 1837, <i>Ptinus</i>	337
<i>pusillus</i> Thunberg, 1794, <i>Kateretes</i>	458
<i>pustulata</i> Fabricius, 1801, <i>Scobicia</i>	324
<i>pustulata</i> Ritsema, 1893, <i>Helota</i>	496
<i>pustuliferus</i> Pic, 1894, <i>Ptinus</i>	337
<i>pustulosa</i> Kôno, 1937, <i>Henosepilachna</i>	629
<i>putoni</i> Bourgeois, 1902, <i>Malthodes</i>	288
<i>putonis</i> Desbrochers des Loges, 1873, <i>Aplotarsus</i>	175
<i>putris</i> Kleine, 1926, <i>Xylobanus</i>	223
<i>putschkovi</i> Dolin & Penev, 2004, <i>Athous</i>	159
<i>pygialis</i> Abeille de Perrin, 1883, <i>Hypebaeus</i>	435
<i>pygidialis</i> Geisthardt, 1982, <i>Nyctophila</i>	228
<i>pygidialis</i> Nakane, 1968, <i>Propyropterus</i>	216
<i>pygidialis</i> Pic, 1926, <i>Pyrocoelia</i>	229
<i>pygidialis</i> Wittmer, 1982, <i>Attalus</i>	423
<i>pygmaea</i> Gyllenhal, 1808, <i>Epuraea</i>	462
<i>pygmaea</i> Heer, 1841, <i>Atomaria</i>	528
<i>pygmaea</i> Kraatz, 1872, <i>Triplax</i>	544
<i>pygmaea</i> L. Redtenbacher, 1858, <i>Necrobia</i>	382
<i>pygmaea</i> Ménétrés, 1832, <i>Cantharis</i>	247
<i>pygmaea</i> Schaufuss, 1869, <i>Danacea</i>	399
<i>pygmaeus</i> Abeille de Perrin, 1890, <i>Colotes</i>	427
<i>pygmaeus</i> Baudi di Selve, 1871, <i>Adelocera</i>	96
<i>pygmaeus</i> Fabricius, 1792, <i>Microrhagus</i>	83
<i>pygmaeus</i> Geoffroy, 1785, <i>Scymnus</i>	591
<i>pygmaeus</i> Hampe, 1850, <i>Symbiotes</i>	560
<i>pygmaeus</i> Schrank, 1798, <i>Drapetes</i>	209
<i>pygmaeus</i> Stepanov, 1930, <i>Melanotus</i>	148
<i>pygmaeus</i> Sturm, 1807, <i>Olibrus</i>	509
<i>pygomelas</i> Bourgeois, 1902, <i>Malthodes</i>	293
<i>pygorufotinctus</i> Wittmer, 1941, <i>Attalus</i>	423
<i>pyraeneus</i> Charpentier, 1825, <i>Ctenicera</i>	177
<i>pyramidata</i> W. S. MacLeay, 1825, <i>Tetraphala</i>	535
<i>pyrenaea</i> Pic, 1906, <i>Cantharis</i>	245
<i>pyrenaeus</i> Bonvouloir, 1872, <i>Microrhagus</i>	83
<i>pyrenaeus</i> Candèze, 1865, <i>Athous</i>	159
<i>pyrenaeus</i> Constantin, 1971, <i>Malthodes</i>	293
<i>pyrenaeus</i> Fairmaire, 1859, <i>Enicopus</i>	407
<i>pyrenaeus</i> Kraatz, 1873, <i>Parexochomus</i>	595
<i>pyrenaeus</i> Laporte, 1840, <i>Selatosomus</i>	182
<i>pyrenaeus</i> Mařan, 1941, <i>Episernus</i>	349
<i>pyrenaeus</i> Pic, 1897, <i>Ptinus</i>	334
<i>pyrenaeus</i> Tournier, 1889, <i>Olibrus</i>	510
<i>pyrenaeus</i> Zeising, 1981, <i>Ampedus</i>	126
<i>pyrenaicus</i> Laporte, 1840, <i>Meligethes</i>	482
<i>pyriventris</i> Abeille de Perrin, 1885, <i>Troglops</i>	454
<i>pyrocheilus</i> Mulsant, 1853, <i>Scymnus</i>	587
<i>pyrochroides</i> Champion, 1926, <i>Lycocerus</i>	254

<i>pyropterus</i> A. G. Olivier, 1790, <i>Denticollis</i>	168
<i>pyrrhoderus</i> Fairmaire, 1883, <i>Malthinus</i>	282
<i>pyrrhostoma</i> Kolenati, 1846, <i>Dasytes</i>	401
<i>pyrusus</i> Vats & Chauhan, 1991, <i>Zorochros</i>	194
<i>pytharga</i> Dieke, 1947, <i>Henosepilachna</i>	629
<i>pythiae</i> Buysson, 1902, <i>Cardiophorus</i>	200
<i>qatarensis</i> Platia, 2004, <i>Cardiophorus</i>	199
<i>qianjiangensis</i> Xiao, 1993, <i>Cryptogonus</i>	576
<i>qinlinganus</i> Kazantsev, 2000, <i>Mesolycus</i>	214
<i>qinlingensis</i> Háva, 2004, <i>Anthrenus</i>	313
<i>quadra</i> Gorham, 1887, <i>Endomychus</i>	561
<i>quadra</i> Marsham, 1802, <i>Necrobia</i>	382
<i>quadrangula</i> Motschulsky, 1860, <i>Epuraea</i>	462
<i>quadraria</i> Casey, 1916, <i>Monotoma</i>	494
<i>quadraticollis</i> Bourgeois, 1889, <i>Calochromus</i>	224
<i>quadraticollis</i> Chevrolat, 1874, <i>Cebrio</i>	92
<i>quadraticollis</i> Semenov, 1898, <i>Stephostethus</i>	640
<i>quadraticollis</i> Kim & Kang, 2000, <i>Malthinus</i>	282
<i>quadratus</i> Fabricius, 1798, <i>Carpophilus</i>	466
<i>quadratus</i> Herbst, 1793, <i>Stephostethus</i>	641
<i>quadratus</i> Ohta, 1931, <i>Endomychus</i>	561
<i>quadratus</i> Sturm, 1844, <i>Brachyleptus</i>	456
<i>quadratus</i> Wittmer, 1983, <i>Themus</i>	273
<i>quadricollis</i> Abeille de Perrin, 1885, <i>Cordylepherus</i>	446
<i>quadricollis</i> Aubé, 1837, <i>Monotoma</i>	494
<i>quadricollis</i> Desbrochers des Loges, 1870, <i>Athous</i>	159
<i>quadricollis</i> Dieke, 1947, <i>Epilachna</i>	628
<i>quadricollis</i> Fairmaire, 1878, <i>Stephanopachys</i>	326
<i>quadricollis</i> Fowler, 1908, <i>Doubledaya</i>	534
<i>quadricollis</i> Guérin-Méneville, 1844, <i>Cathartus</i>	499
<i>quadricollis</i> Kiesenwetter, 1874, <i>Ponyalis</i>	219
<i>quadricollis</i> Kiesenwetter, 1852, <i>Rhagonycha</i>	267
<i>quadricollis</i> Kirejtshuk, 1987, <i>Meligethinus</i>	488
<i>quadricollis</i> Laporte, 1838, <i>Senodonia</i>	186
<i>quadricollis</i> Mannerheim, 1843, <i>Latridius</i>	639
<i>quadricollis</i> Motschulsky, 1867, <i>Corticaria</i>	645
<i>quadricollis</i> Reitter, 1878, <i>Hypocoprus</i>	531
<i>quadricollis</i> Schilsky, 1896, <i>Dasytidius</i>	390
<i>quadricollis</i> Schilsky, 1897, <i>Danacea</i>	399
<i>quadricollis</i> Wittmer, 1993, <i>Pakabsidia</i>	259
<i>quadricolor</i> G. Yu, 1993, <i>Alloneda</i>	606
<i>quadricolor</i> Heller, 1921, <i>Tilloidea</i>	369
<i>quadricolor</i> Sumakow, 1907, <i>Attagenus</i>	309
<i>quadricornis</i> Pic, 1895, <i>Dignomus</i>	331
<i>quadricostatum</i> Sakai, 1983, <i>Nepalanobium</i>	356
<i>quadridens</i> Chevrolat, 1863, <i>Dignomus</i>	330
<i>quadridens</i> Förster, 1849, <i>Meligethes</i>	486
<i>quadridentata</i> C. G. Thomson, 1870, <i>Monotoma</i>	494
<i>quadridentatus</i> Mannerheim, 1843, <i>Cryptophagus</i>	516
<i>quadrifasciata</i> J. Weise, 1879, <i>Coccinella</i>	610

<i>quadrifasciata</i> J. Weise, 1898, <i>Chnootriba</i>	626
<i>quadrifidus</i> J. Weise, 1887, <i>Malthodes</i>	295
<i>quadriflavonotatus</i> Vats & Chauhan, 1991, <i>Cardiophorus</i>	199
<i>quadrifoveatus</i> Vats & Kashyap, 1995, <i>Drapetes</i>	208
<i>quadrifoveolata</i> Aubé, 1837, <i>Monotoma</i>	494
<i>quadrifoveolata</i> Motschulsky, 1837, <i>Monotoma</i>	494
<i>quadriguttata</i> Brahm, 1790, <i>Platynaspis</i>	596
<i>quadriguttatus</i> A. Fleischer, 1900, <i>Scymniscus</i>	583
<i>quadriguttatus</i> A. Fleischer, 1900, <i>Exochomus</i>	594
<i>quadriguttatus</i> Adams, 1817, <i>Trichodes</i>	379
<i>quadriguttatus</i> Capra, 1924, <i>Scymnus</i>	590
<i>quadriguttatus</i> Fabricius, 1777, <i>Glischrochilus</i>	470
<i>quadriguttatus</i> Fürsch, 1958, <i>Scymnus</i>	590
<i>quadriguttatus</i> Fürsch & Kreissl, 1967, <i>Scymnus</i>	590
<i>quadriguttatus</i> J. Weise, 1895, <i>Cryptogonus</i>	576
<i>quadriguttatus</i> Laporte, 1840, <i>Zorochores</i>	194
<i>quadriguttatus</i> Mader, 1938, <i>Bolbomorphus</i>	560
<i>quadriguttatus</i> Miwa, 1927, <i>Melanoxanthus</i>	137
<i>quadriguttatus</i> Reitter, 1878, <i>Globicornis</i>	316
<i>quadriguttatus</i> Sasaji, 1989, <i>Toramus</i>	532
<i>quadriguttatus</i> Thunberg, 1794, <i>Carpophilus</i>	466
<i>quadriguttatus</i> Escherich, 1892, <i>Trichodes</i>	378
<i>quadrihamatus</i> Mäklin, 1853, <i>Cryptophagus</i>	519
<i>quadriimpressa</i> Motschulsky, 1845, <i>Monotoma</i>	494
<i>quadrilineatus</i> Hope, 1843, <i>Agonischius</i>	131
<i>quadrilineolatus</i> Kraatz, 1894, <i>Trichodes</i>	379
<i>quadrillum</i> Candèze, 1873, <i>Fleutiauxellus</i>	188
<i>quadrillum</i> L. Redtenbacher, 1843, <i>Scymnus</i>	588
<i>quadrillum</i> Motschulsky, 1858, <i>Scymnus</i>	586
<i>quadrilunulatus</i> Buysson, 1900, <i>Negastrius</i>	188
<i>quadrilunulatus</i> Illiger, 1798, <i>Nephus</i>	581
<i>quadrinaculatus</i> Wiedemann, 1823, <i>Episcapha</i>	540
<i>quadrinaculatus</i> G.-Y. Yu, 2000, <i>Shirozuella</i>	570
<i>quadrinaculatus</i> L. Redtenbacher, 1843, <i>Hyperaspis</i>	578
<i>quadrinaculatus</i> Mader, 1939, <i>Rodolia</i>	597
<i>quadrinaculatus</i> Mannerheim, 1844, <i>Corticaria</i>	644
<i>quadrinaculatus</i> Motschulsky, 1863, <i>Prometopia</i>	476
<i>quadrinaculatus</i> Motschulsky, 1858, <i>Triplax</i>	544
<i>quadrinaculatus</i> P. Rossi, 1790, <i>Platynaspis</i>	596
<i>quadrinaculatus</i> Quensel, 1790, <i>Ipidia</i>	473
<i>quadrinaculatus</i> Reitter, 1884, <i>Epuraea</i>	460
<i>quadrinaculatus</i> Schulz, 1899, <i>Hippodamia</i>	617
<i>quadrinaculatus</i> Scopoli, 1763, <i>Adalia</i>	603
<i>quadrinaculatus</i> A. G. Olivier, 1790, <i>Divales</i>	406
<i>quadrinaculatus</i> Corporaal, 1926, <i>Tenerus</i>	384
<i>quadrinaculatus</i> Escherich, 1894, <i>Trichodes</i>	379
<i>quadrinaculatus</i> Fabricius, 1792, <i>Betarmon</i>	140
<i>quadrinaculatus</i> Fleutiaux, 1926, <i>Campsosternus</i>	94
<i>quadrinaculatus</i> Geer, 1775, <i>Endomychus</i>	560
<i>quadrinaculatus</i> Herbst, 1793, <i>Combocerus</i>	537

quadrimaculatus Herbst, 1783, <i>Nephus</i>	581
quadrimaculatus Kraatz, 1858, <i>Attagenus</i>	309
<i>quadrimaculatus</i> Kraatz, 1894, <i>Trichodes</i>	379
<i>quadrimaculatus</i> Kraatz, 1894, <i>Trichodes</i>	380
quadrimaculatus Matsumura & Yokoyama, 1928, <i>Orphinus</i>	317
quadrimaculatus Matthews, 1887, <i>Aphanocephalus</i>	556
<i>quadrimaculatus</i> Miwa, 1927, <i>Campsosternus</i>	94
<i>quadrimaculatus</i> Miwa, 1929, <i>Babadrasterius</i>	104
quadrimaculatus Pic, 1933, <i>Anthocomus</i>	440
quadrimaculatus Pic, 1927, <i>Sinocymbachus</i>	566
<i>quadrimaculatus</i> Ragusa, 1892, <i>Carpophilus</i>	467
quadrimaculatus Reitter, 1874, <i>Psammoecus</i>	497
quadrimaculatus Reitter, 1877, <i>Cryptophagus</i>	519
quadrimaculatus Schaller, 1783, <i>Allonyx</i>	371
quadrimaculatus Vats & Chauhan, 1991, <i>Zoroachros</i>	194
<i>quadrimaculosus</i> Melsheimer, 1844, <i>Glischrochilus</i>	469
quadrinaeva Reitter, 1908, <i>Globicornis</i>	316
quadrinaevus Reitter, 1895, <i>Zoroachros</i>	194
quadrinaevus Reitter, 1891, <i>Dicronychus</i>	205
quadrinodatus Lewis, 1894, <i>Lacon</i>	101
quadrinodosus Champion, 1926, <i>Malthinus</i>	282
quadrinotata Araki, 1943, <i>Triplax</i>	544
<i>quadrinotata</i> Dufour, 1843, <i>Platynaspis</i>	596
<i>quadrinotata</i> Fabricius, 1798, <i>Ipidia</i>	473
<i>quadrinotata</i> Fabricius, 1787, <i>Subcoccinella</i>	631
quadrinotata Kapur, 1946, <i>Jauravia</i>	570
quadrinotata Wittmer, 1935, <i>Lampyroidea</i>	231
<i>quadrinotatithorax</i> Pic, 1914, <i>Cantharis</i>	239
<i>quadrinotatus</i> Boheman, 1859, <i>Scymnus</i>	586
<i>quadrinotatus</i> M. Chûjô, 1938, <i>Sinocymbachus</i>	566
quadrinotatus Pic, 1938, <i>Attagenus</i>	309
<i>quadrinotatus</i> Schilsky, 1897, <i>Divales</i>	406
<i>quadrinotatus</i> Scriba, 1790, <i>Glischrochilus</i>	470
<i>quadriplagiata</i> Biström, 1978, <i>Ipidia</i>	473
<i>quadriplagiata</i> Swartz, 1808, <i>Menochilus</i>	619
quadriplagiata X.-F. Pang & Mao, 1977, <i>Henosepilachna</i>	629
quadriplagiatus Wollaston, 1864, <i>Parexochomus</i>	595
<i>quadripunctata</i> Donovan, 1813, <i>Adalia</i>	603
<i>quadripunctata</i> G. Rossi, 1882, <i>Hippodamia</i>	617
<i>quadripunctata</i> J. Weise, 1892, <i>Phrynocaria</i>	623
quadripunctata Kapur, 1963, <i>Oenopia</i>	622
<i>quadripunctata</i> Linnaeus, 1767, <i>Adalia</i>	604
quadripunctata Mulsant, 1853, <i>Protothea</i>	624
quadripunctata O.F. Müller, 1776, <i>Cantharis</i>	245
quadripunctata Pontoppidan, 1763, <i>Harmonia</i>	616
quadripunctata Reitter, 1884, <i>Atarphia</i>	471
quadripunctata Zhantiev, 1975, <i>Globicornis</i>	316
<i>quadripunctatus</i> A. G. Olivier, 1790, <i>Glischrochilus</i>	469
quadripunctatus Candèze, 1857, <i>Meristhus</i>	103
<i>quadripunctatus</i> Fuessly, 1775, <i>Attagenus</i>	309

<i>quadripunctatus</i> Gebler, 1833, <i>Ptinus</i>	337
<i>quadripunctatus</i> Gorham, 1873, <i>Endomychus</i>	560
<i>quadripunctatus</i> Herbst, 1792, <i>Cychramus</i>	472
<i>quadripunctatus</i> Linnaeus, 1758, <i>Glischrochilus</i>	469
<i>quadripunctatus</i> Ohta, 1931, <i>Indalmus</i>	564
<i>quadripunctatus</i> Spinola, 1844, <i>Trichodes</i>	379
<i>quadripustulata</i> Fabricius, 1792, <i>Nitidula</i>	474
<i>quadripustulata</i> Fabricius, 1792, <i>Lycoperdina</i>	565
<i>quadripustulata</i> Kugelann, 1794, <i>Platynaspis</i>	596
<i>quadripustulatus</i> Brullé, 1832, <i>Trichodes</i>	379
<i>quadripustulatus</i> Fabricius, 1792, <i>Oedostethus</i>	189
<i>quadripustulatus</i> Fabricius, 1798, <i>Divales</i>	406
<i>quadripustulatus</i> Fabricius, 1801, <i>Aulacochilus</i>	539
<i>quadripustulatus</i> Fischer von Waldheim, 1824, <i>Anostirus</i>	174
<i>quadripustulatus</i> Herbst, 1793, <i>Scymnus</i>	589
<i>quadripustulatus</i> Illiger, 1798, <i>Anthocomus</i>	439
<i>quadripustulatus</i> Linnaeus, 1761, <i>Glischrochilus</i>	469
<i>quadripustulatus</i> Linnaeus, 1758, <i>Exochomus</i>	594
<i>quadripustulatus</i> Panzer, 1793, <i>Combocerus</i>	537
<i>quadripustulatus</i> Preyssler, 1792, <i>Zorochros</i>	194
<i>quadrisignata</i> Casey, 1924, <i>Calvia</i>	608
<i>quadrisignata</i> Küster, 1845, <i>Cryptarcha</i>	468
<i>quadrisignata</i> Mannerheim, 1852, <i>Xenoglena</i>	364
<i>quadrisignatus</i> Champion, 1921, <i>Hypebaeus</i>	435
<i>quadrisignatus</i> Erichson, 1843, <i>Carpophilus</i>	466
<i>quadrisignatus</i> Escalera, 1914, <i>Divales</i>	406
<i>quadrisignatus</i> Gyllenhal, 1817, <i>Ampedus</i>	126
<i>quadrisignatus</i> Küster, 1849, <i>Drasterius</i>	105
<i>quadrisignatus</i> Ménériés, 1832, <i>Ptinus</i>	334
<i>quadrisignatus</i> Motschulsky, 1861, <i>Cryptophilus</i>	531
<i>quadrisignatus</i> Reitter, 1894, <i>Idotarmonides</i>	141
<i>quadrisignatus</i> Say, 1835, <i>Glischrochilus</i>	470
<i>quadrisignatus</i> Schilsky, 1894, <i>Divales</i>	406
<i>quadrispinus</i> Kiesenwetter, 1852, <i>Malthodes</i>	293
<i>quadristigmosus</i> Buysson, 1912, <i>Cardiophorus</i>	196
<i>quadristilus</i> Wittmer, 1992, <i>Malthodes</i>	293
<i>quadristriatus</i> Förster, 1849, <i>Meligethes</i>	485
<i>quadritinctus</i> Reitter, 1889, <i>Attagenus</i>	309
<i>quadriundulatus</i> M. Chûjô, 1938, <i>Sinocymbachus</i>	566
<i>quadriverrucatus</i> Fabricius, 1792, <i>Exochomus</i>	594
<i>quadrivittata</i> Miyatake, 1965, <i>Calvia</i>	607
<i>quadrivittatus</i> Ragusa, 1893, <i>Idiotarmon</i>	140
<i>quadrivulneratus</i> Mulsant, 1850, <i>Scymnus</i>	589
<i>quadrum</i> Dufour, 1851, <i>Zorochros</i>	193
<i>quadrum</i> Gyllenhal, 1827, <i>Oedostethus</i>	190
<i>quadulpensis</i> Fleutiaux & Sallé, 1889, <i>Lacon</i>	101
<i>quaesitus</i> Majer, 1991, <i>Dasytidius</i>	390
<i>quasitardatus</i> Corporaal, 1939, <i>Thaneroclerus</i>	367
<i>quaterna</i> Haworth, 1812, <i>Adalia</i>	604
<i>quatordecemstriatus</i> Coiffait, 1984, <i>Anommatus</i>	550

<i>quatuordecimguttata</i> Donndorf, 1799, <i>Coccinula</i>	601
<i>quatuordecimguttata</i> Linnaeus, 1758, <i>Calvia</i>	607
<i>quatuordecimmaculata</i> Fabricius, 1787, <i>Propylea</i>	624
<i>quatuordecimmaculata</i> Poda von Neuhaus, 1761, <i>Coccinula</i>	601
<i>quatuordecimnotata</i> Donovan, 1804, <i>Hippodamia</i>	619
<i>quatuordecimplagiata</i> Ballion, 1871, <i>Oenopia</i>	621
<i>quatuordecimpunctata</i> Linnaeus, 1758, <i>Propylea</i>	624
<i>quatuordecimpustulata</i> Linnaeus, 1758, <i>Coccinula</i>	600
<i>qudrimaculatus</i> Baudi di Selve, 1873, <i>Divales</i>	406
<i>quedenfeldti</i> Pic, 1910, <i>Malthinus</i>	282
<i>quedenfeldti</i> Reitter, 1891, <i>Dignomus</i>	331
<i>quedenfeldti</i> Schilsky, 1897, <i>Danacea</i>	399
<i>quelpartianus</i> Kishii, 2002, <i>Silesis</i>	112
<i>querceti</i> Kiesenwetter, 1866, <i>Rhagonycha</i>	267
<i>quereus</i> Herbst, 1784, <i>Lacon</i>	101
<i>quercicola</i> Buysson, 1887, <i>Ampedus</i>	126
<i>quercicola</i> Champion, 1927, <i>Microlipus</i>	451
<i>quercicola</i> Mulsant & Rey, 1868, <i>Aplocnemus</i>	412
<i>quercicollis</i> Schimmel, 1993, <i>Ampedus</i>	126
<i>quercinus</i> Kraatz, 1852, <i>Cryptophagus</i>	519
<i>quercus</i> A. G. Olivier, 1790, <i>Pheletes</i>	166
<i>quercus</i> Gardner, 1935, <i>Hymaloxylon</i>	363
<i>quercus</i> Gistel, 1857, <i>Rhizophagus</i>	491
<i>quercus</i> Kiesenwetter, 1867, <i>Ptinus</i>	333
<i>quercus</i> Mulsant, 1850, <i>Scymnus</i>	588
<i>quercus</i> Reitter, 1877, <i>Pityophagus</i>	470
<i>quercus</i> Samouelle, 1819, <i>Sphaerosoma</i>	555
<i>quercus</i> Tournier, 1889, <i>Phalacrus</i>	511
<i>quina</i> Haworth, 1812, <i>Adalia</i>	604
<i>quindecemguttata</i> Dieke, 1947, <i>Afidentula</i>	625
<i>quindecimguttata</i> Fabricius, 1777, <i>Calvia</i>	608
<i>quindecimmaculata</i> Hope, 1831, <i>Harmonia</i>	615
<i>quindecimspilota</i> Hope, 1931, <i>Harmonia</i>	615
<i>quinjiangensis</i> Xiao, 1993, <i>Cryptogonus</i>	576
<i>quinquecostata</i> Schilsky, 1898, <i>Clada</i>	353
<i>quinquedecimpunctata</i> Plaza, 1975, <i>Bulaea</i>	600
<i>quinquefasciata</i> Hoang, 1982, <i>Amida</i>	598
<i>quinquefasciata</i> Leesberg, 1906, <i>Trogoderma</i>	319
<i>quinquefasciatum</i> Jacquelin du Val, 1859, <i>Trogoderma</i>	319
<i>quinquemaculata</i> Fabricius, 1787, <i>Hippodamia</i>	619
<i>quinquemaculata</i> Mader, 1941, <i>Tritoma</i>	546
<i>quinquemaculata</i> Schulz, 1899, <i>Hippodamia</i>	617
<i>quinquenotata</i> Haworth, 1912, <i>Coccinella</i>	612
<i>quinquenotata</i> Walter, 1882, <i>Ceratomegilla</i>	609
<i>quinquenotatus</i> Pic, 1917, <i>Trichodes</i>	376
<i>quinqueplagiatus</i> Champion, 1921, <i>Hypebaeus</i>	435
<i>quinquepunctata</i> Fabricius, 1787, <i>Coccidula</i>	572
<i>quinquepunctata</i> J. Edwards, 1914, <i>Coccinella</i>	610
<i>quinquepunctata</i> Linnaeus, 1758, <i>Coccinella</i>	611
<i>quinquepunctata</i> Walter, 1882, <i>Hippodamia</i>	619

quinquepunctatus J. Weise, 1923, <i>Pseudoscymnus</i>	582
quinquepunctatus Miyatake, 1961, <i>Platynaspidius</i>	596
quinquesignata Frivaldszky, 1884, <i>Ceratomegilla</i>	609
quintus Klug, 1842, <i>Korynetes</i>	382
quiquesulcatus John, 1964, <i>Thorictus</i>	305
quisquiliarum Baudi di Selve, 1874, <i>Eurostodes</i>	331
quisquiliarum L. Redtenbacher, 1849, <i>Monotoma</i>	493
quisquiliorum Gistel, 1857, <i>Attagenus</i>	309
quittardi Pic, 1916, <i>Ernobius</i>	350
rabatensis Coiffait, 1984, <i>Abromus</i>	548
rabatensis Pic, 1920, <i>Malthodes</i>	293
rabaticus Smirnof, 1954, <i>Cybocephalus</i>	490
rabinovitchi Wittmer, 1934, <i>Troglops</i>	454
rabinovitchi Wittmer, 1935, <i>Alfieriella</i>	530
rabusculus Dolin & Ôhira, 1976, <i>Ampedus</i>	126
racemosa Germar, 1848, <i>Coccinella</i>	611
rachifer Geoffroy, 1785, <i>Adrastus</i>	109
raddei Faust, 1877, <i>Hemicrepidius</i>	170
raddei Reitter, 1876, <i>Sternodea</i>	514
raddensis Pic, 1904, <i>Erotides</i>	215
raddensis Pic, 1904, <i>Cantharis</i>	247
radhosticola A. Fleischer, 1910, <i>Agriotes</i>	116
radiculosus Gurjeva, 1964, <i>Dalopius</i>	119
radiosus Wollaston, 1862, <i>Casapus</i>	329
radula Candèze, 1900, <i>Ampedus</i>	126
radula Desbrochers des Loges, 1875, <i>Agriotes</i>	117
raduloides Buysson, 1924, <i>Agriotes</i>	117
raeticus Wittmer, 1970, <i>Malthodes</i>	292
rafesi Toskina, 2002, <i>Xestobium</i>	352
raffrai Tournier, 1889, <i>Olibrus</i>	510
raffrayi Belon, 1885, <i>Metopthalmus</i>	640
raffrayi Bourgeois, 1894, <i>Microjulistus</i>	415
raffrayi Desbrochers des Loges, 1873, <i>Megathous</i>	171
raffrayi Grouvelle, 1916, <i>Derodontus</i>	298
raffrayi Grouvelle, 1901, <i>Anister</i>	471
raffrayi Grouvelle, 1909, <i>Pria</i>	488
raffrayi Pic, 1910, <i>Malthinus</i>	283
raffrayi Pic, 1908, <i>Aplocnemus</i>	410
raffrayi Schwarz, 1896, <i>Cardiophorus</i>	196
ragusae Abeille de Perrin, 1882, <i>Attalus</i>	423
ragusae Belon, 1895, <i>Merophysia</i>	557
ragusae Procházka, 1895, <i>Dasytidius</i>	390
ragusae Ragusa, 1911, <i>Cardiophorus</i>	201
ragusae Reitter, 1906, <i>Epuraea</i>	461
ragusae Reitter, 1892, <i>Triplax</i>	544
ragusae Reitter, 1875, <i>Holopamecus</i>	558
ragusae Reitter, 1875, <i>Metopthalmus</i>	640
ragusae Schaufuss, 1871, <i>Attalus</i>	419
ragusae Schilsky, 1894, <i>Dasytes</i>	405
ragusae Schilsky, 1894, <i>Aplocnemus</i>	410

<i>ragusai</i> Fiori, 1904, <i>Malthodes</i>	290
<i>rai</i> Kamiya, 1965, <i>Axinoscymnus</i>	579
<i>raii</i> Platia & Schimmel, 1991, <i>Silesis</i>	112
<i>raii</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>raii</i> Schimmel & Platia, 1991, <i>Penia</i>	185
<i>raineri</i> Wurst, 1997, <i>Dima</i>	184
<i>ramamensis</i> Wittmer, 1978, <i>Malthinus</i>	282
<i>ramatasenseni</i> Miwa, 1934, <i>Lacon</i>	101
<i>rambicus</i> Pal, 1982, <i>Monanus</i>	499
<i>rambouseki</i> Apfelbeck, 1916, <i>Sphaerosoma</i>	556
<i>rambouseki</i> Obenberger, 1917, <i>Hylaia</i>	564
<i>rambouseki</i> Roubal, 1925, <i>Hemicrepidius</i>	170
<i>rambouseki</i> Roubal, 1909, <i>Danacea</i>	399
<i>rambouseki</i> Švihla, 1993, <i>Rhagonycha</i>	267
<i>rameshi</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	99
<i>rameus</i> Lewis, 1879, <i>Platynychus</i>	207
<i>ramicornis</i> Kiesenwetter, 1879, <i>Ptilineurus</i>	348
<i>ramicornis</i> Kiesenwetter, 1863, <i>Aplocnemus</i>	412
<i>ramicornis</i> Pic, 1928, <i>Dumbrellia</i>	224
<i>ramicornis</i> Schilsky, 1900, <i>Trichoceble</i>	414
<i>ramifer</i> Champion, 1926, <i>Laemoglyptus</i>	275
<i>ramirezi</i> Pardo Alcaide, 1958, <i>Hypebaeus</i>	435
<i>ramiroi</i> Dajoz, 1969, <i>Anommatus</i>	550
<i>ramitensis</i> Dolin, 1997, <i>Melanotus</i>	148
<i>ramosa</i> A. G. Olivier, 1808, <i>Propylea</i>	623
<i>ramosa</i> Faldermann, 1833, <i>Myzia</i>	620
<i>ramosus</i> Fleutiaux, 1902, <i>Microrhagus</i>	83
<i>rana</i> Kapur, 1958, <i>Afissula</i>	626
<i>rangonii</i> Fiori, 1912, <i>Malthodes</i>	293
<i>rani</i> Kapur, 1948, <i>Stethorus</i>	592
<i>ranikhetensis</i> Champion, 1924, <i>Ichthyurus</i>	297
<i>ranjana</i> Sengupta, 1988, <i>Malinica</i>	493
<i>rankhensis</i> Champion, 1924, <i>Ichthyurus</i>	297
<i>ranunculi</i> Reitter, 1872, <i>Meligethes</i>	487
<i>ranzanus</i> Kishii, 1970, <i>Quasimus</i>	191
<i>rapax</i> DeGeer, 1774, <i>Ptinus</i>	336
<i>rapax</i> Reitter, 1884, <i>Epuraea</i>	462
<i>raphaelensis</i> Aubé, 1861, <i>Stagetus</i>	346
<i>raphaelensis</i> Mulsant & Rey, 1861, <i>Pseudodryophilus</i>	348
<i>rapillyi</i> Duverger, 1983, <i>Cynegetis</i>	625
<i>raptor</i> Ballion, 1871, <i>Metacantharis</i>	256
<i>raptor</i> Sturm, 1837, <i>Ptinus</i>	333
<i>raripilosus</i> Toskina, 1998, <i>Microcoelopus</i>	355
<i>rarus</i> Miwa, 1927, <i>Cardiotarsus</i>	203
<i>rasariti</i> Ôhira & Becker, 1972, <i>Glyphonyx</i>	110
<i>rasilis</i> Lyubarsky, 2004, <i>Olibrus</i>	510
<i>rasilis</i> Schimmel, 1993, <i>Ampedus</i>	126
<i>rasilus</i> Schimmel, 1994, <i>Campsosternus</i>	94
<i>rassouli</i> Wittmer, 1981, <i>Rhagonycha</i>	267
<i>ratteri</i> Reitter, 1906, <i>Dichelotarsus</i>	236

<i>rattulus</i> Mulsant & Rey, 1868, <i>Dermestes</i>	301
<i>ratus</i> Solsky, 1876, <i>Dermestes</i>	302
<i>rauschi</i> Wittmer, 1978, <i>Malthinus</i>	282
<i>rauschorum</i> Wittmer, 1997, <i>Malthodes</i>	293
<i>rauterbergi</i> Reitter, 1893, <i>Cantharis</i>	244
<i>rauterbergi</i> Reitter, 1908, <i>Anthrenus</i>	312
<i>rauterbergi</i> Reitter, 1911, <i>Stilbus</i>	512
<i>raveli</i> Pic, 1906, <i>Malthinus</i>	283
<i>raveli</i> Pic, 1901, <i>Ptinus</i>	333
<i>ravouxi</i> Pic, 1909, <i>Athous</i>	157
<i>ravouxi</i> Pic, 1903, <i>Trichodes</i>	376
<i>raymondi</i> Kiesenwetter, 1871, <i>Malthodes</i>	293
<i>raymondi</i> Mulsant & Godart, 1859, <i>Metholcus</i>	362
<i>raymondi</i> Mulsant & Rey, 1859, <i>Lampyris</i>	227
<i>raymondi</i> Sainte-Claire Deville, 1908, <i>Aplocnemus</i>	412
<i>raynali</i> Kocher, 1954, <i>Cebrio</i>	92
<i>rebmanni</i> Easton, 1957, <i>Meligethes</i>	486
<i>rebunensis</i> Ôhira & Yasuda, 1994, <i>Hypnoidus</i>	155
<i>recellentus</i> Dolin, 1995, <i>Zorochochros</i>	194
<i>rechmayanus</i> Pic, 1911, <i>Aplocnemus</i>	413
<i>reclairei</i> Scholz, 1933, <i>Meligethes</i>	487
<i>reclinatus</i> Ôhira, 1966, <i>Quasimus</i>	191
<i>recta</i> Mulsant, 1850, <i>Henosepilachna</i>	630
<i>rectangulatus</i> John, 1965, <i>Thorictus</i>	305
<i>recticollis</i> Abeille de Perrin, 1909, <i>Cybocephalus</i>	489
<i>recticollis</i> Graells, 1858, <i>Athous</i>	160
<i>recticollis</i> Majer, 1996, <i>Dasytidius</i>	390
<i>recticollis</i> Motschulsky, 1860, <i>Dichelotarsus</i>	237
<i>recticollis</i> Motschulsky, 1866, <i>Latridius</i>	639
<i>recticollis</i> Reitter, 1876, <i>Silvanus</i>	500
<i>recticollis</i> Schilsky, 1895, <i>Dasytes</i>	403
<i>recticollis</i> Solsky, 1876, <i>Cryptophagus</i>	520
<i>recticornis</i> Schimmel & Platia, 1991, <i>Neoathousius</i>	166
<i>rectifasciatus</i> Champion, 1927, <i>Microlipus</i>	451
<i>rectilinea</i> Reitter, 1894, <i>Trichodes</i>	379
<i>rectispinus</i> Wittmer, 1992, <i>Clanoptilus</i>	444
<i>rectoides</i> Sasaji, 1971, <i>Scymnus</i>	587
<i>rectus</i> Gurjeva, 1990, <i>Melanotus</i>	148
<i>rectus</i> Ohta, 1929, <i>Scymnus</i>	587
<i>rectus</i> Schaufuss, 1867, <i>Drilus</i>	210
<i>rectus</i> Wollaston, 1862, <i>Tenebroides</i>	365
<i>recurrens</i> Arrow, 1925, <i>Tritoma</i>	546
<i>recurva</i> J. Weise, 1881, <i>Adalia</i>	604
<i>recurvus</i> Baudi di Selve, 1872, <i>Malthodes</i>	293
<i>recurvus</i> Wittmer, 1973, <i>Themus</i>	270
<i>recurvus</i> Wittmer, 1982, <i>Nepachys</i>	426
<i>redimita</i> J. Weise, 1885, <i>Coccinula</i>	601
<i>redtenbacheri</i> Bach, 1852, <i>Lasioderma</i>	358
<i>redtenbacheri</i> Capra, 1928, <i>Ceratomegilla</i>	609
<i>redtenbacheri</i> Gistel, 1857, <i>Atomaria</i>	525

<i>redtenbacheri</i> Kaszab, 1955, <i>Rhagonycha</i>	263
<i>redtenbacheri</i> Märkel, 1852, <i>Cratosilis</i>	248
<i>redtenbacheri</i> Mulsant, 1846, <i>Nephus</i>	581
<i>redtenbacheri</i> Peyron, 1857, <i>Attagenus</i>	308
<i>reducta</i> Pic, 1935, <i>Malthodes</i>	295
<i>reductelineatus</i> Pic, 1922, <i>Malthinus</i>	282
<i>reductemaculatus</i> Wittmer, 1956, <i>Ebaeus</i>	431
<i>reductenotatus</i> Pic, 1922, <i>Themus</i>	272
<i>reductesignatus</i> Pic, 1945, <i>Tenerus</i>	384
<i>reducticeps</i> Pic, 1932, <i>Cephaloncus</i>	452
<i>reducticornis</i> Wittmer, 1966, <i>Malachius</i>	449
<i>reductipennis</i> Wittmer, 1966, <i>Cantharis</i>	245
<i>reductipennis</i> Wittmer, 1971, <i>Malthinus</i>	282
<i>reductissimus</i> Pic, 1936, <i>Attalus</i>	423
<i>reductopygus</i> Pic, 1935, <i>Malthodes</i>	293
<i>reductostylus</i> Wittmer, 1980, <i>Malthodes</i>	292
<i>reductum</i> Pic, 1919, <i>Trogoderma</i>	320
<i>reductus</i> Buysson, 1912, <i>Zorochros</i>	192
<i>reductus</i> Pic, 1923, <i>Ctenicera</i>	177
<i>reductus</i> Pic, 1917, <i>Trichodes</i>	376
<i>reductus</i> Pic, 1936, <i>Attalus</i>	423
<i>reductus</i> Rey, 1889, <i>Rhizophagus</i>	491
<i>reductus</i> Wittmer, 1995, <i>Lycocerus</i>	253
<i>reductus</i> Wittmer, 1983, <i>Themus</i>	272
<i>reflexa</i> Wittmer, 1972, <i>Rhagonycha</i>	267
<i>reflexicauda</i> Lesne, 1937, <i>Xylopertha</i>	325
<i>reflexicollis</i> Dolin & Penev, 2004, <i>Athous</i>	159
<i>reflexicollis</i> Gebler, 1843, <i>Simoderus</i>	419
<i>reflexicollis</i> Motschulsky, 1863, <i>Epuraea</i>	463
<i>reflexicollis</i> Motschulsky, 1868, <i>Astilpnus</i>	499
<i>reflexicollis</i> Reitter, 1877, <i>Cryptophagus</i>	520
<i>reflexus</i> Motschulsky, 1838, <i>Agaricophilus</i>	566
<i>reflexus</i> Mulsant & Rey, 1863, <i>Ernobius</i>	351
<i>reflexus</i> Reitter, 1880, <i>Silvanus</i>	501
<i>reflexus</i> Rey, 1891, <i>Ptinus</i>	336
<i>reflexus</i> Rey, 1889, <i>Cryptophagus</i>	520
<i>reflexus</i> Wittmer, 1995, <i>Themus</i>	270
<i>reflexus</i> Wittmer, 1974, <i>Malthinus</i>	282
<i>refossicollis</i> Pic, 1907, <i>Falsopodabrus</i>	248
<i>regalis</i> Candèze, 1860, <i>Melanotus</i>	148
<i>regalis</i> Charpentier, 1818, <i>Anthocomus</i>	439
<i>regalis</i> Duftschmid, 1825, <i>Ptinomorphus</i>	354
<i>regalis</i> Evers, 1966, <i>Attalus</i>	425
<i>regalis</i> Gorham, 1889, <i>Themus</i>	272
<i>regalis</i> Pic, 1900, <i>Trichodesma</i>	342
<i>regalis</i> Schilsky, 1897, <i>Danacea</i>	396
<i>regalis</i> Szombathy, 1911, <i>Ctenicera</i>	177
<i>regalis</i> Zubkov, 1833, <i>Nitidula</i>	474
<i>regificus</i> C. Johnson, 1975, <i>Henoticus</i>	521
<i>regularis</i> Reitter, 1877, <i>Arthrolips</i>	632

regularis Sicard, 1929, <i>Nephus</i>	581
reichardti Bruce, 1936, <i>Cryptophagus</i>	516
reichardti Denisova, 1948, <i>Selatosomus</i>	182
reichardti Iablokoff-Khnzorian, 1970, <i>Xyletinus</i>	361
reichardti Persov, 1964, <i>Ptilinus</i>	356
reichardti Sjöberg, 1939, <i>Epuraea</i>	462
reichei Boieldieu, 1854, <i>Dignomus</i>	331
reichei Fairmaire, 1867, <i>Cebrio</i>	92
reichei Marseul, 1867, <i>Bostrychopsis</i>	322
reichei Mulsant, 1862, <i>Cantharis</i>	245
reichei Mulsant & Rey, 1863, <i>Trichodes</i>	379
reichenspergeri Wittmer, 1956, <i>Clanoptilus</i>	444
reichhardti Barovskij, 1931, <i>Acoccidula</i>	578
reichii Jacquelin du Val, 1859, <i>Nyctophila</i>	228
reinecki Roubal, 1936, <i>Adalia</i>	606
reini Heyden, 1879, <i>Hatchiana</i>	237
reinii Kiesenwetter, 1879, <i>Prothemus</i>	260
reissi Csiki, 1911, <i>Hylaia</i>	564
reissi Reitter, 1914, <i>Anostirus</i>	175
reissi Roubal, 1911, <i>Danacea</i>	399
reiteri Walter, 1882, <i>Adalia</i>	603
reitteri A. Fleischer, 1910, <i>Cephaloncus</i>	452
reitteri A. Fleischer, 1900, <i>Halysia</i>	598
reitteri Abeille de Perrin, 1891, <i>Attalus</i>	420
reitteri Abeille de Perrin, 1890, <i>Cyrtosus</i>	447
reitteri Bellés, 1996, <i>Dignomus</i>	331
reitteri Bourgeois, 1908, <i>Drilus</i>	210
reitteri Bourgeois, 1885, <i>Cydistus</i>	225
reitteri Bourgeois, 1895, <i>Malthodes</i>	293
reitteri Bowstead, 1999, <i>Clypastraea</i>	633
reitteri Buysson, 1896, <i>Adrastus</i>	109
reitteri Casey, 1900, <i>Ephistemus</i>	530
reitteri Champenois, 1900, <i>Trichodes</i>	379
reitteri Dahlgren, 1975, <i>Rhagonycha</i>	267
reitteri Dodge, 1938, <i>Coccidula</i>	572
reitteri Flach, 1888, <i>Olibrus</i>	510
reitteri Flach, 1888, <i>Phalacrus</i>	511
reitteri Flach, 1888, <i>Stilbus</i>	512
reitteri Ganglbauer, 1899, <i>Brachyleptus</i>	456
reitteri Ganglbauer, 1899, <i>Anommatus</i>	550
reitteri Guérin, 1893, <i>Cardiophorus</i>	195
reitteri Gurjeva, 1976, <i>Pheletes</i>	166
reitteri Heyden, 1890, <i>Melyris</i>	387
reitteri Hicker, 1960, <i>Themus</i>	272
reitteri Iablokoff-Khnzorian, 1975, <i>Cryptophilus</i>	531
reitteri J. Weise, 1891, <i>Coccinella</i>	611
reitteri Jakobson, 1915, <i>Triplax</i>	544
reitteri John, 1963, <i>Thorictus</i>	305
reitteri Lewis, 1883, <i>Peltastica</i>	299
reitteri Lövendal, 1893, <i>Atomaria</i>	527

<i>reitteri</i> Mader, 1939, <i>Aulacochilus</i>	539
<i>reitteri</i> Mader, 1939, <i>Neotriplax</i>	542
<i>reitteri</i> Majer, 1988, <i>Chaetomalachius</i>	389
<i>reitteri</i> Matthews, 1890, <i>Corylophus</i>	631
<i>reitteri</i> Mroczkowski, 1968, <i>Attagenus</i>	309
<i>reitteri</i> Ormay, 1888, <i>Sphaerosoma</i>	556
<i>reitteri</i> Pic, 1901, <i>Pseudeuanoma</i>	210
<i>reitteri</i> Pic, 1906, <i>Boveycanthis</i>	239
<i>reitteri</i> Pic, 1895, <i>Niptodes</i>	332
<i>reitteri</i> Pic, 1894, <i>Ptinus</i>	337
<i>reitteri</i> Pic, 1902, <i>Ernobius</i>	351
<i>reitteri</i> Platia & Schimmel, 2002, <i>Melanotus</i>	148
<i>reitteri</i> Procházka, 1894, <i>Danacea</i>	397
<i>reitteri</i> Reitter, 1908, <i>Cydistus</i>	225
<i>reitteri</i> Schilsky, 1899, <i>Stagetus</i>	347
<i>reitteri</i> Schilsky, 1894, <i>Aplocnemus</i>	413
<i>reitteri</i> Schilsky, 1894, <i>Meligethes</i>	486
<i>reitteri</i> Schilsky, 1892, <i>Dacne</i>	538
<i>reitteri</i> Schwarz, 1891, <i>Agriotes</i>	117
<i>reitteri</i> Schwarz, 1891, <i>Cardiophorus</i>	203
<i>reitteri</i> Seidlitz, 1888, <i>Henoticus</i>	522
<i>reitteri</i> Semenov, 1891, <i>Ampedus</i>	126
<i>reitteri</i> W. G. Schneider, 1881, <i>Exochomus</i>	594
<i>reitterianus</i> Hetschko, 1928, <i>Olibrus</i>	509
<i>reitterii</i> Uhagón, 1879, <i>Cybocephalus</i>	490
<i>rejectum</i> Hope, 1845, <i>Sinoxylon</i>	323
<i>rejiciens</i> Walker, 1859, <i>Harmonia</i>	616
<i>relicta</i> C. Johnson, 1977, <i>Corticaria</i>	644
<i>relicta</i> Heyden, 1883, <i>Adalia</i>	604
<i>religatus</i> Champenois, 1900, <i>Trichodes</i>	378
<i>religiosa</i> Lea, 1902, <i>Coelophora</i>	614
<i>religiosae</i> Fairmaire, 1850, <i>Xylothrips</i>	325
<i>remanei</i> Evers, 1986, <i>Attalus</i>	423
<i>remanei</i> Evers, 1995, <i>Callotroglops</i>	451
<i>remissus</i> Gurjeva, 1989, <i>Melanotus</i>	148
<i>remota</i> J. Weise, 1879, <i>Oenopia</i>	622
<i>remotus</i> Brenske & Reitter, 1884, <i>Stagetus</i>	346
<i>remotus</i> Reitter, 1873, <i>Amystrops</i>	459
<i>renardi</i> J. Weise, 1892, <i>Sumnius</i>	575
<i>renati</i> Ritsema, 1905, <i>Helota</i>	496
<i>reniplagiata</i> Mulsant, 1850, <i>Coelophora</i>	614
<i>renipustulatus</i> L.G. Scriba, 1791, <i>Chilocorus</i>	593
<i>renovatus</i> Gozis, 1882, <i>Xyletinus</i>	360
<i>renukae</i> Sengupta, 1983, <i>Stephostethus</i>	641
<i>repanda</i> Thunberg, 1781, <i>Coccinella</i>	611
<i>repercussus</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	99
<i>reppensis</i> Herbst, 1783, <i>Hyperaspis</i>	578
<i>reppensis</i> Thunberg, 1795, <i>Hyperaspis</i>	578
<i>republicana</i> Heyden, 1897, <i>Hippodamia</i>	617
<i>resecatus</i> Wittmer, 1979, <i>Clanomalachius</i>	442

<i>resecta</i> Walker, 1859, <i>Corticicara</i>	647
<i>respondens</i> Walker, 1859, <i>Aethina</i>	471
ressli Platia & Gudenzi, 1999, <i>Ampedus</i>	127
ressli Platia & Gudenzi, 2000, <i>Cardiophorus</i>	200
ressli Wittmer, 1978, <i>Malthinus</i>	282
restitutus Bourgeois, 1885, <i>Lycostomus</i>	212
<i>restrictus</i> Candèze, 1865, <i>Melanotus</i>	151
<i>restrictus</i> Casey, 1924, <i>Cryptophagus</i>	515
<i>retexta</i> Mulsant, 1850, <i>Henosepilachna</i>	629
<i>reticulata</i> Della Beffa, 1912, <i>Subcoccinella</i>	631
<i>reticulata</i> Grouvelle, 1892, <i>Epuraea</i>	465
<i>reticulata</i> Lesne, 1931, <i>Minthea</i>	327
<i>reticulatum</i> Roubal, 1925, <i>Cerylon</i>	553
<i>reticulatus</i> Herbst, 1793, <i>Endecatomus</i>	320
<i>reticulatus</i> Majer, 1990, <i>Anthodromius</i>	386
<i>reticulatus</i> Schilsky, 1894, <i>Dasytes</i>	403
<i>reticulum</i> J. Weise, 1879, <i>Adalia</i>	606
<i>retowskii</i> Heyden, 1882, <i>Procræus</i>	138
<i>retowskii</i> Reitter, 1890, <i>Danacea</i>	399
<i>retowskii</i> Schilsky, 1898, <i>Oligomerus</i>	342
<i>retractus</i> Walker, 1858, <i>Lyctus</i>	327
<i>retrominiatus</i> Buysson, 1911, <i>Cardiophorus</i>	195
<i>retropictus</i> Buysson, 1911, <i>Cardiophorus</i>	196
<i>retusa</i> A. G. Olivier, 1790, <i>Xylopertha</i>	325
<i>retusa</i> Fabricius, 1801, <i>Ancistria</i>	501
<i>retusus</i> Rey, 1889, <i>Cryptophagus</i>	521
<i>reunioni</i> Fürsch, 1974, <i>Nephus</i>	580
<i>revelierei</i> Belon, 1881, <i>Metophthalmus</i>	639
<i>revelierei</i> Mulsant & Rey, 1875, <i>Elathous</i>	164
<i>revelierei</i> Reitter, 1878, <i>Aposericoderus</i>	633
<i>revelieri</i> Mulsant, 1866, <i>Adalia</i>	603
<i>reverenda</i> Lyubarsky, 1995, <i>Micrambe</i>	523
<i>reversus</i> Sharp, 1916, <i>Ernobius</i>	350
<i>reversus</i> Walker, 1858, <i>Atractocerus</i>	363
<i>reyanus</i> Gozis, 1881, <i>Divales</i>	406
<i>reyi</i> C. N. F. Brisout de Barneville, 1867, <i>Oligomerus</i>	342
<i>reyi</i> Chobaut, 1895, <i>Danacea</i>	395
<i>reyi</i> Guillebeau, 1885, <i>Meligethes</i>	486
<i>reyi</i> Guillebeau, 1892, <i>Olibrus</i>	510
<i>reyi</i> Pic, 1894, <i>Danacea</i>	398
<i>reyi</i> Procházka, 1894, <i>Danacea</i>	398
<i>reymondi</i> Bourgeois, 1907, <i>Themus</i>	272
<i>reymondi</i> Kocher, 1952, <i>Cebrio</i>	92
<i>reymondi</i> Kocher, 1952, <i>Cebrio</i>	92
<i>reynosae</i> C. N. F. Brisout de Barneville, 1866, <i>Athous</i>	159
<i>reynosana</i> Pic, 1922, <i>Cantharis</i>	245
<i>rhachiatus</i> X.-F. Pang & Huang, 1985, <i>Scymnus</i>	587
<i>rhadamantys</i> Švihla, 1983, <i>Malthodes</i>	293
<i>rhaetica</i> Stierlin, 1862, <i>Rhagonycha</i>	262
<i>rhagonychiformis</i> Wittmer, 1983, <i>Lycocerus</i>	253

<i>rhamphiatus</i> X.-F. Pang & Huang, 1985, <i>Scymnus</i>	587
<i>rhapidiceps</i> Kiesenwetter, 1852, <i>Malthinus</i>	282
<i>rhapidostylus</i> Pic, 1912, <i>Malthodes</i>	286
<i>rhapontica</i> Motschulsky, 1853, <i>Stephanopachys</i>	326
<i>rhenana</i> Kraatz, 1853, <i>Atomaria</i>	527
<i>rhenanum</i> Reitter, 1877, <i>Arthrolips</i>	632
<i>rhenanus</i> Bach, 1866, <i>Heterhelus</i>	457
<i>rhenanus</i> Reitter, 1872, <i>Meligethes</i>	480
<i>rhenonum</i> Kraatz, 1853, <i>Atomaria</i>	527
<i>rhinoceros</i> Marseul, 1868, <i>Cephaloncus</i>	452
<i>rhizophagoides</i> Wollaston, 1862, <i>Caulonomus</i>	503
<i>rhodeana</i> Casey, 1916, <i>Monotoma</i>	493
<i>rhododendri</i> Canepari, 1997, <i>Scymnus</i>	584
<i>rhododendri</i> Majer, 1996, <i>Mimothrix</i>	393
<i>rhombeus</i> A. G. Olivier, 1790, <i>Stenagostus</i>	172
<i>rhombicus</i> G. Yu, 1993, <i>Scymnus</i>	587
<i>rhombifera</i> Champion, 1922, <i>Corticaria</i>	644
<i>rhombipunctata</i> Haworth, 1912, <i>Adalia</i>	603
<i>rhombotela</i> Gillogly, 1982, <i>Epuraea</i>	463
<i>rhyzophagoides</i> Walker, 1859, <i>Aulonosoma</i>	501
<i>rianganus</i> Pic, 1927, <i>Microtrichalus</i>	223
<i>ribbei</i> Reitter, 1879, <i>Laemophloeus</i>	504
<i>ribis</i> L. G. Scriba, 1791, <i>Coccinella</i>	610
<i>richterae</i> Gurjeva, 1988, <i>Anostirus</i>	175
<i>richteri</i> Mandl, 1974, <i>Paulusiella</i>	93
<i>richteri</i> Wittmer, 1972, <i>Rhagonycha</i>	267
<i>rickmersi</i> J. Weise, 1901, <i>Ceratomegilla</i>	609
<i>rickseckeri</i> Fall, 1910, <i>Urophorus</i>	468
<i>riedeli</i> Kirejtshuk, 1998, <i>Epuraea</i>	462
<i>riedeli</i> Mroczkowski, 1967, <i>Megatoma</i>	316
<i>riedeli</i> Platia & Gudenzi, 2000, <i>Cardiophorus</i>	200
<i>riedeli</i> Wittmer, 1995, <i>Dodecatoma</i>	225
<i>riegeri</i> Geisthardt, 1990, <i>Nyctophila</i>	228
<i>riesei</i> Platia, 2004, <i>Agriotes</i>	117
<i>riesei</i> Platia, 1988, <i>Neoathousius</i>	166
<i>riesei</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>rifensis</i> Audisio, 1983, <i>Epuraea</i>	462
<i>rifensis</i> Cobos, 1969, <i>Megathous</i>	171
<i>rifensis</i> Coiffait, 1984, <i>Abromus</i>	548
<i>rifensis</i> Franz, 1979, <i>Lycoperdina</i>	565
<i>rifensis</i> Iablokoff-Khnzorian, 1974, <i>Tetrabrachys</i>	574
<i>rifensis</i> Kocher, 1963, <i>Cebrio</i>	92
<i>rifensis</i> Kocher, 1961, <i>Cantharis</i>	245
<i>riffensis</i> Escalera, 1933, <i>Sphinginus</i>	426
<i>rimmae</i> Dolin & Chantladze, 1989, <i>Ampedus</i>	127
<i>rimosa</i> Hayashi, 1951, <i>Dorcatoma</i>	345
<i>riparius</i> Fabricius, 1792, <i>Hypnoidus</i>	155
<i>riparius</i> Panzer, 1796, <i>Hypnoidus</i>	155
<i>ripicola</i> Friederichs, 1901, <i>Negastrius</i>	188
<i>ripicola</i> Mulsant, 1866, <i>Hippodamia</i>	619

<i>ripponi</i> Crotch, 1874, <i>Coelophora</i>	614
<i>risillus</i> Gurjeva, 1978, <i>Pseudanostirus</i>	181
<i>risor</i> Abeille de Perrin, 1891, <i>Axinotarsus</i>	440
<i>rita</i> Sengupta, 1988, <i>Renuka</i>	495
<i>ritsemae</i> Olliff, 1884, <i>Cryptarcha</i>	468
<i>ritsemana</i> Heller, 1923, <i>Helota</i>	496
<i>rivalioides</i> Kishii, 1962, <i>Futomigiwa</i>	188
<i>rivalis</i> Lewis, 1894, <i>Hypnoidus</i>	155
<i>rivosa</i> Thunberg, 1781, <i>Cheilomenes</i>	610
<i>rivularius</i> Gyllenhal, 1808, <i>Hypnoidus</i>	155
<i>riyadhensis</i> Chassain, 1979, <i>Drasterius</i>	105
<i>riyadhensis</i> Fürsch, 1979, <i>Nephus</i>	581
<i>roannei</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>roberi</i> Platia & Gudenzi, 2002, <i>Cardiophorus</i>	200
<i>roberti</i> Abeille de Perrin, 1907, <i>Dasytes</i>	404
<i>roberti</i> Pic, 1921, <i>Cebrio</i>	92
<i>robigus</i> Buysson, 1906, <i>Agriotes</i>	115
<i>robini</i> Pic, 1912, <i>Coccinella</i>	610
<i>roborowskyi</i> Koenig, 1889, <i>Selatosomus</i>	182
<i>robusta</i> A. Strand, 1938, <i>Dorcatoma</i>	344
<i>robusta</i> Broun, 1914, <i>Corticaria</i>	644
<i>robusta</i> Ganglbauer, 1899, <i>Corticaria</i>	643
<i>robusta</i> Kapur, 1948, <i>Tetrabrachys</i>	574
<i>robusta</i> Pic, 1922, <i>Ponyalis</i>	218
<i>robusta</i> Pic, 1922, <i>Drilaster</i>	233
<i>robusta</i> Pic, 1923, <i>Amauronia</i>	393
<i>robusta</i> Procházka, 1894, <i>Danacea</i>	399
<i>robustibasalis</i> G.-Y. Yu, 2000, <i>Scymnus</i>	587
<i>robusticeps</i> Pic, 1924, <i>Troglops</i>	454
<i>robusticollis</i> Pic, 1939, <i>Ponyalis</i>	218
<i>robusticollis</i> Pic, 1942, <i>Calochromus</i>	224
<i>robusticornis</i> Mařan, 1941, <i>Ernobius</i>	351
<i>robusticornis</i> Pic, 1924, <i>Dasytes</i>	403
<i>robusticornis</i> Wittmer, 1972, <i>Rhagonycha</i>	267
<i>robusticornis</i> Wittmer, 1993, <i>Malthinus</i>	282
<i>robusticornis</i> Wittmer, 1964, <i>Ebaeus</i>	431
<i>robusticornis</i> Wittmer, 1994, <i>Clanoptilus</i>	444
<i>robustior</i> Fowler, 1913, <i>Anadastus</i>	533
<i>robustior</i> Pic, 1903, <i>Malthodes</i>	289
<i>robustior</i> Pic, 1929, <i>Ptinus</i>	337
<i>robustior</i> Pic, 1928, <i>Aplocnemus</i>	410
<i>robustipygus</i> Wittmer, 1997, <i>Malthodes</i>	293
<i>robustithorax</i> Pic, 1919, <i>Malthodes</i>	293
<i>robustithorax</i> Wittmer, 1981, <i>Carphuroides</i>	415
<i>robustula</i> Motschulsky, 1868, <i>Monotoma</i>	494
<i>robustula</i> Wittmer, 1951, <i>Rhagonycha</i>	267
<i>robustus</i> Bouwer, 1980, <i>Ampedus</i>	126
<i>robustus</i> Bruce, 1959, <i>Cryptophagus</i>	517
<i>robustus</i> C. F. A. Schaeffer, 1911, <i>Rhizophagus</i>	492
<i>robustus</i> Corporaal, 1939, <i>Xenorthrius</i>	380

<i>robustus</i> Erichson, 1841, <i>Melanotus</i>	144
<i>robustus</i> Fleutiaux, 1902, <i>Lacon</i>	101
<i>robustus</i> G.-Y. Yu, 1995, <i>Cryptogonus</i>	576
<i>robustus</i> Grouvelle, 1919, <i>Cryptophagus</i>	520
<i>robustus</i> Guillebeau, 1892, <i>Tolyphus</i>	513
<i>robustus</i> Halstead, 1973, <i>Silvanus</i>	501
<i>robustus</i> Jelinek & Marek, 1966, <i>Meligethes</i>	484
<i>robustus</i> Kishii, 1966, <i>Ectamenogonus</i>	136
<i>robustus</i> Kishii & Jiang, 1996, <i>Chinathous</i>	163
<i>robustus</i> Kofler, 1970, <i>Xyletinus</i>	360
<i>robustus</i> Lyubarsky, 1999, <i>Cryptophagus</i>	518
<i>robustus</i> Majer, 1990, <i>Anthodromius</i>	386
<i>robustus</i> Majer, 1991, <i>Dasytidius</i>	390
<i>robustus</i> Miwa, 1929, <i>Xanthopenthes</i>	139
<i>robustus</i> Motschulsky, 1853, <i>Malthinus</i>	282
<i>robustus</i> Motschulsky, 1845, <i>Macrophagus</i>	536
<i>robustus</i> Pic, 1935, <i>Cebrio</i>	92
<i>robustus</i> Pic, 1899, <i>Attagenus</i>	309
<i>robustus</i> Pic, 1921, <i>Stagetus</i>	346
<i>robustus</i> Pic, 1924, <i>Xyletinus</i>	360
<i>robustus</i> Pic, 1905, <i>Axinotarsus</i>	441
<i>robustus</i> Schenkling, 1902, <i>Tenerus</i>	384
<i>robustus</i> Stierlin, 1863, <i>Stenagostus</i>	172
<i>robustus</i> Stierlin, 1898, <i>Selatosomus</i>	181
<i>robustus</i> Wittmer, 1973, <i>Themus</i>	273
<i>roddi</i> Barovskij, 1909, <i>Tetrabrachys</i>	574
<i>rodiana</i> Semenov, 1904, <i>Dapsa</i>	563
<i>roei</i> Hope, 1834, <i>Dermestes</i>	301
<i>roelofsi</i> Pic, 1913, <i>Cantharis</i>	246
<i>roepkei</i> Fluiter, 1939, <i>Nephus</i>	581
<i>rogalandica</i> Helliesen, 1913, <i>Epuraea</i>	462
<i>rogenhoferi</i> Reitter, 1875, <i>Temnoscheila</i>	365
<i>rogeri</i> Kraatz, 1874, <i>Orthoperus</i>	634
<i>rolciki</i> Švihla, 1998, <i>Malthodes</i>	293
<i>rollei</i> John, 1971, <i>Thorictus</i>	305
<i>rollei</i> Pic, 1911, <i>Drilaster</i>	233
<i>rollei</i> Pic, 1907, <i>Micropodabrus</i>	258
<i>rollei</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>rollei</i> Reitter, 1912, <i>Gastrallus</i>	341
<i>romadinae</i> Kazantsev, 1995, <i>Malthodes</i>	293
<i>romana</i> Pic, 1902, <i>Danacea</i>	395
<i>romani</i> Mulsant, 1866, <i>Phrynocaria</i>	623
<i>romaniensis</i> Pic, 1901, <i>Cyrtosus</i>	447
<i>romanus</i> Pic, 1903, <i>Malthodes</i>	294
<i>ronina</i> Lewis, 1896, <i>Adalia</i>	606
<i>roninus</i> Lewis, 1895, <i>Lycocerus</i>	249
<i>ronkayi</i> Platia & Schimmel, 2002, <i>Melanotus</i>	148
<i>roonwali</i> Kapur, 1967, <i>Nephus</i>	582
<i>roonwali</i> Rai, 1966, <i>Bostrychopsis</i>	322
<i>roralis</i> Gistel, 1857, <i>Athous</i>	163

<i>rorida</i> Kiesenwetter, 1867, <i>Rhagonycha</i>	267
<i>rorulentus</i> Gurjeva, 1966, <i>Cardiophorus</i>	200
<i>rosali</i> Pardo Alcaide, 1958, <i>Ebaeus</i>	431
<i>rosea</i> DeGeer, 1775, <i>Oenopia</i>	621
<i>rosea</i> Kuznecova, 1928, <i>Dermestes</i>	300
<i>rosea</i> Marsham, 1802, <i>Coccidula</i>	572
<i>roseicollis</i> Pic, 1933, <i>Luciola</i>	233
<i>roseipennis</i> Mulsant, 1850, <i>Rodolia</i>	597
<i>roseiventris</i> Laporte, 1840, <i>Dermestes</i>	301
<i>rosenhaueri</i> Evers, 1962, <i>Attalus</i>	423
<i>rosenhaueri</i> Kaszab, 1955, <i>Cantharis</i>	245
<i>rosenhaueri</i> Reitter, 1871, <i>Meligethes</i>	486
<i>rosenhaueri</i> Schilsky, 1894, <i>Divales</i>	406
<i>roseonotata</i> Pic, 1917, <i>Lucidina</i>	230
<i>roshtkalensis</i> Majer, 1995, <i>Mimothrix</i>	393
<i>rosinae</i> Pic, 1904, <i>Hatchiana</i>	237
<i>rosinae</i> Pic, 1902, <i>Metacantharis</i>	256
<i>rosinae</i> Pic, 1900, <i>Malthinus</i>	282
<i>rosinae</i> Pic, 1902, <i>Ebaeus</i>	431
<i>rosinae</i> Reitter, 1899, <i>Athous</i>	163
<i>rosmarini</i> Kiesenwetter, 1866, <i>Malthodes</i>	293
<i>rossi</i> Halstead, 1973, <i>Silvanus</i>	501
<i>rossica</i> Wittmer, 1972, <i>Rhagonycha</i>	267
<i>rossicus</i> Barovskij, 1922, <i>Tryptherus</i>	298
<i>rossii</i> Ganglbauer, 1904, <i>Attagenus</i>	309
<i>rossii</i> Germar, 1844, <i>Aeolosomus</i>	104
<i>rossii</i> J. Weise, 1879, <i>Coccinella</i>	611
<i>rosti</i> J. Weise, 1891, <i>Calvia</i>	608
<i>rosti</i> Majer, 1996, <i>Achaetomalachius</i>	388
<i>rosti</i> Pic, 1900, <i>Rhagonycha</i>	267
<i>rosti</i> Pic, 1900, <i>Macrocerus</i>	296
<i>rosti</i> Pic, 1896, <i>Ptinomorphus</i>	354
<i>rosti</i> Pic, 1902, <i>Carphuroides</i>	415
<i>rosti</i> Pic, 1914, <i>Microlipus</i>	450
<i>rosti</i> Schenkling, 1908, <i>Diplopherusa</i>	368
<i>rosti</i> Schwarz, 1897, <i>Chastanus</i>	140
<i>rosti</i> Schwarz, 1897, <i>Stenagostus</i>	172
<i>rostrata</i> Procházka, 1894, <i>Danacea</i>	399
<i>rostrata</i> Reiche & Saulcy, 1857, <i>Melyris</i>	387
<i>rostratus</i> Wollaston, 1854, <i>Attalus</i>	423
<i>rostriformis</i> E. Olivier, 1911, <i>Pyrocoelia</i>	229
<i>rotroui</i> Easton, 1952, <i>Meligethes</i>	486
<i>rotroui</i> John, 1965, <i>Thorictus</i>	305
<i>rotroui</i> Kocher, 1961, <i>Cebrio</i>	92
<i>rotroui</i> Peyerimhoff, 1935, <i>Attalus</i>	421
<i>rotroui</i> Pic, 1924, <i>Cantharis</i>	241
<i>rotroui</i> Pic, 1927, <i>Attagenus</i>	308
<i>rotroui</i> Pic, 1933, <i>Divales</i>	406
<i>rottrautae</i> Kniephof, 1913, <i>Pocadius</i>	476
<i>rotulicollis</i> Wollaston, 1854, <i>Corticaria</i>	645

<i>rotundangulus</i> Ganglbauer, 1899, <i>Meligethes</i>	479
<i>rotundata</i> Kirejtshuk, 1990, <i>Megauchenia</i>	473
<i>rotundata</i> Reitter, 1881, <i>Parametopia</i>	475
<i>rotundatum</i> Obenberger, 1914, <i>Sphaerosoma</i>	555
<i>rotundatus</i> Coombs & Woodroffe, 1955, <i>Cryptophagus</i>	519
<i>rotundatus</i> Erichson, 1840, <i>Charopus</i>	442
<i>rotundatus</i> Geoffroy, 1785, <i>Charopus</i>	442
<i>rotundatus</i> Wollaston, 1865, <i>Sphaericus</i>	338
<i>rotundicollis</i> C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	486
<i>rotundicollis</i> Casey, 1884, <i>Cryptolestes</i>	503
<i>rotundicollis</i> Dietrich, 1857, <i>Ancistronycha</i>	238
<i>rotundicollis</i> Fleutiaux, 1931, <i>Cardiotarsus</i>	203
<i>rotundicollis</i> I. Frivaldszky, 1845, <i>Cardiophorus</i>	200
<i>rotundicollis</i> Israelson, 1980, <i>Sphaericus</i>	338
<i>rotundicollis</i> Kishii & Jiang, 1994, <i>Lacon</i>	101
<i>rotundicollis</i> Kraatz, 1881, <i>Pleonomus</i>	156
<i>rotundicollis</i> Miwa, 1927, <i>Ampedus</i>	127
<i>rotundicollis</i> Murray, 1864, <i>Brachypterus</i>	457
<i>rotundicollis</i> P. H. Lucas, 1846, <i>Niptodes</i>	332
<i>rotundicollis</i> Pic, 1894, <i>Falsomelyris</i>	387
<i>rotundicollis</i> Reitter, 1885, <i>Dasytiscus</i>	391
<i>rotundicollis</i> Schilsky, 1898, <i>Metholcus</i>	362
<i>rotundimargo</i> Kazantsev, 1996, <i>Podabrus</i>	238
<i>rotundipennis</i> C. Johnson, 1977, <i>Corticaria</i>	644
<i>rotundipennis</i> Pic, 1897, <i>Dignomus</i>	331
<i>rotundipennis</i> Reitter, 1884, <i>Niptodes</i>	332
<i>rotundipennis</i> Wollaston, 1854, <i>Corticarina</i>	647
<i>rotundithorax</i> Escalera, 1942, <i>Thorictus</i>	305
<i>rotundoextremus</i> Vats & Kashyap, 1992, <i>Drapetes</i>	208
<i>rotundula</i> Kirejtshuk, 1998, <i>Epuraea</i>	465
<i>rotundula</i> Wittmer, 1997, <i>Intybia</i>	417
<i>rotundulus</i> Reitter, 1889, <i>Anthrenus</i>	312
<i>rotundum</i> Obenberger, 1913, <i>Sphaerosoma</i>	556
<i>roubali</i> Falcoz, 1929, <i>Cryptophagus</i>	515
<i>roubali</i> Jagemann, 1942, <i>Paraphotistus</i>	179
<i>roubali</i> Kalík, 1951, <i>Dermestes</i>	302
<i>roubali</i> Mader, 1929, <i>Harmonia</i>	615
<i>roubali</i> Roubal, 1936, <i>Thanasimus</i>	375
<i>roubali</i> Švihla, 1977, <i>Rhagonycha</i>	267
<i>roubali</i> Všeťka, 1948, <i>Anommatus</i>	550
<i>rougeatrus</i> Vats & Chuahan, 1992, <i>Tolphorea</i>	113
<i>rougemonti</i> Jelínek, 1988, <i>Epuraea</i>	465
<i>rougemonti</i> Platia & Schimmel, 2002, <i>Melanotus</i>	148
<i>rougemonti</i> Schimmel, 2003, <i>Procrærus</i>	138
<i>rougemonti</i> Schimmel, 2003, <i>Simodactylus</i>	138
<i>rougemonti</i> Schimmel, 1998, <i>Csikia</i>	183
<i>rougeti</i> Fauvel, 1885, <i>Trixagus</i>	89
<i>rougeti</i> J. E. Olivier, 1884, <i>Omalisus</i>	210
<i>rougeti</i> Mulsant, 1866, <i>Synona</i>	625
<i>rouxi</i> Heyden, 1911, <i>Coelophora</i>	614

<i>rouyeri</i> Pic, 1922, <i>Trochoideus</i>	567
<i>rowlandi</i> Crotch, 1874, <i>Rodolia</i>	597
<i>rozasi</i> Cobos, 1985, <i>Cebrio</i>	92
<i>rubea</i> Mulsant, 1850, <i>Rodolia</i>	597
<i>rubella</i> Heer, 1841, <i>Atomaria</i>	527
<i>rubellula</i> J. Weise, 1879, <i>Adalia</i>	604
<i>rubellum</i> Marsham, 1802, <i>Stegobium</i>	343
<i>rubellus</i> Gurjeva, 1977, <i>Ampedus</i>	127
<i>rubens</i> Bocáková, 1997, <i>Plateros</i>	220
<i>rubens</i> Fabricius, 1801, <i>Podabrus</i>	237
<i>rubens</i> Gyllenhal, 1817, <i>Lopheros</i>	216
<i>rubens</i> Hope, 1831, <i>Neotriplax</i>	542
<i>rubens</i> J. J. Hoffmann, 1803, <i>Anitys</i>	343
<i>rubens</i> Marseul, 1864, <i>Metacantharis</i>	255
<i>rubens</i> Piller & Mitterpacher, 1783, <i>Denticollis</i>	168
<i>ruber</i> Escherich, 1897, <i>Trichodes</i>	379
<i>ruber</i> Geoffroy, 1785, <i>Elater</i>	131
<i>ruber</i> Geoffroy, 1785, <i>Bostrichus</i>	321
<i>ruber</i> Reitter, 1897, <i>Hemicoelus</i>	340
<i>ruber</i> Rosenhauer, 1856, <i>Ptinus</i>	337
<i>rubetorum</i> Peyron, 1877, <i>Ebaeus</i>	431
<i>rubi</i> Meier, 1897, <i>Hippodamia</i>	617
<i>rubi</i> Pic, 1900, <i>Ptinus</i>	335
<i>rubiacis</i> C. Cao & Xiao, 1984, <i>Epilachna</i>	628
<i>rubicunda</i> Araki, 1941, <i>Rhodotritoma</i>	542
<i>rubicunda</i> Laicharting, 1781, <i>Peltis</i>	366
<i>rubicundus</i> Heer, 1841, <i>Kateretes</i>	458
<i>rubicundus</i> Jacquelin du Val, 1860, <i>Cebrio</i>	92
<i>rubicundus</i> Kapur, 1951, <i>Scymnus</i>	586
<i>rubida</i> Reitter, 1875, <i>Atomaria</i>	527
<i>rubidicinctus</i> Buysson, 1905, <i>Agriotes</i>	118
<i>rubidiformis</i> Pic, 1899, <i>Malachius</i>	449
<i>rubidiventris</i> Buysson, 1919, <i>Cardiophorus</i>	201
<i>rubidus</i> Candèze, 1859, <i>Ampedus</i>	127
<i>rubidus</i> Candèze, 1863, <i>Sericus</i>	134
<i>rubidus</i> Erichson, 1840, <i>Malachius</i>	449
<i>rubidus</i> Flach, 1889, <i>Tinodemus</i>	512
<i>rubidus</i> Gyllenhal, 1817, <i>Cerallus</i>	386
<i>rubidus</i> Hope, 1831, <i>Chilocorus</i>	593
<i>rubidus</i> Motschulsky, 1837, <i>Diomus</i>	577
<i>rubidus</i> Wimmel, 1894, <i>Calambus</i>	176
<i>rubiginosa</i> J. Weise, 1879, <i>Adalia</i>	603
<i>rubiginosus</i> Buysson, 1906, <i>Athous</i>	157
<i>rubiginosus</i> Candèze, 1863, <i>Agriotes</i>	117
<i>rubiginosus</i> Candèze, 1889, <i>Elater</i>	132
<i>rubiginosus</i> Candèze, 1878, <i>Abelater</i>	135
<i>rubiginosus</i> Erichson, 1843, <i>Heterhelus</i>	457
<i>rubiginosus</i> Gmelin, 1790, <i>Thymalus</i>	366
<i>rubiginosus</i> Kishii, 1991, <i>Glyphonyx</i>	110
<i>rubiginosus</i> Mader, 1950, <i>Scymnus</i>	591

<i>rubiginosus</i> O. F. Müller, 1776, <i>Xestobium</i>	352
<i>rubiginosus</i> Reitter, 1880, <i>Symbiotes</i>	560
<i>rubithorax</i> Pic, 1907, <i>Laius</i>	418
<i>rubra</i> DeGeer, 1775, <i>Triplax</i>	545
<i>rubra</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>rubrica</i> Reitter, 1891, <i>Triplax</i>	544
<i>rubriceps</i> Har. Lindberg, 1951, <i>Cybocephalus</i>	490
<i>rubricollis</i> Abeille de Perrin, 1907, <i>Microjulistus</i>	415
<i>rubricollis</i> Baudi di Selve, 1859, <i>Malthinus</i>	282
<i>rubricollis</i> C. N. F. Brisout de Barneville, 1863, <i>Atomaria</i>	527
<i>rubricollis</i> Charpentier, 1825, <i>Crudosilis</i>	274
<i>rubricollis</i> Germar, 1844, <i>Hylaia</i>	564
<i>rubricollis</i> Guérin-Méneville, 1835, <i>Eucymatodera</i>	368
<i>rubricollis</i> Hope, 1831, <i>Lycocerus</i>	250
<i>rubricollis</i> J. R. Sahlberg, 1913, <i>Anthrenus</i>	313
<i>rubricollis</i> Marsham, 1802, <i>Axinotarsus</i>	440
<i>rubricollis</i> Miwa, 1928, <i>Glyphonyx</i>	110
<i>rubricollis</i> Schwarz, 1893, <i>Cardiophorus</i>	201
<i>rubricollis</i> Wollaston, 1865, <i>Atomaria</i>	526
<i>rubridorsus</i> Lewis, 1879, <i>Ampedus</i>	127
<i>rubrifrons</i> J. R. Sahlberg, 1908, <i>Microlipus</i>	451
<i>rubrifrons</i> J. R. Sahlberg, 1908, <i>Troglops</i>	454
<i>rubripennis</i> Fleutiaux, 1940, <i>Lacon</i>	101
<i>rubripennis</i> Heer, 1841, <i>Urophorus</i>	468
<i>rubripennis</i> Hope, 1831, <i>Lycocerus</i>	253
<i>rubripennis</i> Lewis, 1894, <i>Corymbitodes</i>	176
<i>rubripennis</i> Pic, 1921, <i>Plateros</i>	220
<i>rubripennis</i> Pic, 1906, <i>Lycocerus</i>	253
<i>rubripennis</i> Reitter, 1871, <i>Meligethes</i>	479
<i>rubripes</i> Germar, 1824, <i>Dicronychus</i>	205
<i>rubripes</i> Jacquelin du Val, 1852, <i>Colotes</i>	427
<i>rubripes</i> Mannerheim, 1844, <i>Corticaria</i>	645
<i>rubripes</i> Mulsant & Rey, 1863, <i>Meligethes</i>	482
<i>rubripes</i> P. H. Lucas, 1846, <i>Falsomelyris</i>	387
<i>rubripes</i> Peyerimhoff, 1949, <i>Malacogaster</i>	210
<i>rubripes</i> Pic, 1897, <i>Pyropterus</i>	216
<i>rubripes</i> Zia, 1933, <i>Anadastus</i>	533
<i>rubripunctata</i> Haworth, 1812, <i>Adalia</i>	604
<i>rubripustulata</i> Haworth, 1812, <i>Adalia</i>	605
<i>rubrispinis</i> Kazantsev, 2007, <i>Lycocerus</i>	253
<i>rubrithorax</i> Pic, 1912, <i>Laemoglyptus</i>	275
<i>rubriventris</i> Zoufal, 1894, <i>Bostrichus</i>	321
<i>rubroannulatus</i> Motschulsky, 1860, <i>Carphurus</i>	416
<i>rubroapicalis</i> Pic, 1936, <i>Nepachys</i>	426
<i>rubroapicalis</i> Pic, 1907, <i>Tropiebaeus</i>	437
<i>rubrocallatus</i> Laco, 1936, <i>Hemicrepidius</i>	170
<i>rubrocinctus</i> Chevrolat, 1874, <i>Cebrio</i>	92
<i>rubrocinctus</i> Fairmaire, 1886, <i>Lycostomus</i>	212
<i>rubrocollis</i> Rüschkamp, 1928, <i>Cantharis</i>	246
<i>rubrocostatus</i> Pic, 1921, <i>Xylobanus</i>	223

<i>rubrofasciatus</i> Kolenati, 1846, <i>Opilo</i>	373
<i>rubrofasciatus</i> Pic, 1894, <i>Denops</i>	367
<i>rubrolimbatus</i> Chevrolat, 1876, <i>Trichodes</i>	379
<i>rubromaculatum</i> J. R. Sahlberg, 1913, <i>Orphinus</i>	317
<i>rubromaculatus</i> Goeze, 1777, <i>Scymnus</i>	591
<i>rubromarginata</i> Reitter, 1873, <i>Epuraea</i>	462
<i>rubromarginatus</i> Kleine, 1926, <i>Cautires</i>	222
<i>rubromarginatus</i> Reitter, 1889, <i>Clanoptilus</i>	443
<i>rubroniger</i> Goeze, 1777, <i>Ebaeus</i>	432
<i>rubronotata</i> Reitter, 1873, <i>Epuraea</i>	462
<i>rubronotaticeps</i> Pic, 1914, <i>Prothemus</i>	261
<i>rubronotatus</i> Pic, 1911, <i>Charopus</i>	442
<i>rubropilosus</i> Wittmer, 1995, <i>Lycocerus</i>	253
<i>rubrotestaceus</i> Desbrochers des Loges, 1871, <i>Athous</i>	157
<i>rubrovestitus</i> Nakane & Ohbayashi, 1955, <i>Calochromus</i>	224
<i>rubuginosus</i> Ôhira, 1966, <i>Mulsanteus</i>	133
<i>rudebecki</i> Dajoz, 1970, <i>Corticaria</i>	643
<i>rudeplicatus</i> Pic, 1925, <i>Cladophorus</i>	223
<i>rudis</i> Küster, 1848, <i>Adrastus</i>	108
<i>rudis</i> Reitter, 1888, <i>Triplax</i>	544
<i>rudiventris</i> Mader, 1950, <i>Scymnus</i>	590
<i>rueckeri</i> Johnson, 2007, <i>Enicmus</i>	638
<i>rufa</i> C. Johnson, 1977, <i>Corticaria</i>	645
<i>rufa</i> E. Olivier, 1886, <i>Pyrocoelia</i>	229
<i>rufa</i> Gyllenhal, 1808, <i>Cantharis</i>	244
<i>rufa</i> Haworth, 1812, <i>Subcoccinella</i>	631
<i>rufa</i> Heer, 1841, <i>Atomaria</i>	524
<i>rufa</i> Herbst, 1783, <i>Coccidula</i>	572
<i>rufa</i> Hope, 1845, <i>Rhyzopertha</i>	326
<i>rufa</i> L. Redtenbacher, 1849, <i>Monotoma</i>	494
<i>rufa</i> Linnaeus, 1758, <i>Cantharis</i>	245
<i>rufa</i> Marsham, 1802, <i>Dacne</i>	538
<i>rufa</i> Porta, 1929, <i>Dapsa</i>	563
<i>rufa</i> Walzl, 1838, <i>Atomaria</i>	528
<i>rufangulus</i> Buysson, 1896, <i>Agriotes</i>	118
<i>rufangulus</i> Chevrolat, 1874, <i>Cebrio</i>	92
<i>rufangulus</i> Fairmaire, 1849, <i>Conoderus</i>	104
<i>rufangulus</i> Miwa, 1928, <i>Hemicrepidius</i>	170
<i>rufescens</i> Delahon, 1913, <i>Cartodere</i>	636
<i>rufescens</i> Dietrich, 1857, <i>Cantharis</i>	246
<i>rufescens</i> Escalera, 1914, <i>Jonthadocerus</i>	165
<i>rufescens</i> Escalera, 1914, <i>Attalus</i>	423
<i>rufescens</i> Fallén, 1802, <i>Melanotus</i>	143
<i>rufescens</i> Gebler, 1847, <i>Hypnoidus</i>	155
<i>rufescens</i> J. Weise, 1879, <i>Scymnus</i>	590
<i>rufescens</i> Letzner, 1847, <i>Rhagonycha</i>	268
<i>rufescens</i> Mulsant, 1850, <i>Xanthadalia</i>	625
<i>rufescens</i> Pic, 1901, <i>Malthinus</i>	280
<i>rufescens</i> Pic, 1933, <i>Attagenus</i>	307
<i>rufescens</i> Pic, 1923, <i>Anthrenus</i>	311

<i>rufescens</i> Pic, 1902, <i>Stagetus</i>	346
<i>rufescens</i> Pic, 1921, <i>Dryophilus</i>	348
<i>rufescens</i> Pic, 1916, <i>Ernobius</i>	351
<i>rufescens</i> Pic, 1914, <i>Tolyphus</i>	513
<i>rufescens</i> Pic, 1943, <i>Lycoperdina</i>	565
<i>rufescens</i> Reitter, 1877, <i>Trinodes</i>	306
<i>rufescens</i> Reitter, 1875, <i>Corticaria</i>	644
<i>rufescens</i> Schilsky, 1899, <i>Xyletinus</i>	360
<i>rufescens</i> Trella, 1925, <i>Cantharis</i>	243
<i>ruffoi</i> Guglielmi & Platia, 1985, <i>Athous</i>	162
<i>ruffoi</i> Pardo Alcaide, 1962, <i>Ebaeus</i>	431
<i>ruficauda</i> Gmelin, 1790, <i>Coccinella</i>	613
<i>ruficaudis</i> Gyllenhal, 1808, <i>Athous</i>	156
<i>ruficephalum</i> Miwa, 1928, <i>Ludioschema</i>	132
<i>ruficephalus</i> Ohta, 1931, <i>Avencymon</i>	562
<i>ruficeps</i> C. R. Sahlberg, 1833, <i>Cybocephalus</i>	490
<i>ruficeps</i> Corporaal, 1926, <i>Anthicoclerus</i>	371
<i>ruficeps</i> Crotch, 1873, <i>Anadastus</i>	533
<i>ruficeps</i> Gabriel, 1905, <i>Podabrus</i>	237
<i>ruficeps</i> J. Weise, 1902, <i>Sticholotis</i>	572
<i>ruficeps</i> Kiesenwetter, 1859, <i>Cantharis</i>	246
<i>ruficeps</i> Mulsant, 1850, <i>Chilocorus</i>	593
<i>ruficeps</i> Mulsant & Guillebeau, 1855, <i>Brachygonus</i>	129
<i>ruficeps</i> Ohta, 1929, <i>Scymnus</i>	587
<i>ruficeps</i> Pic, 1915, <i>Lycocerus</i>	251
<i>ruficeps</i> Pic, 1899, <i>Malthinus</i>	280
<i>ruficeps</i> Reitter, 1911, <i>Cantharis</i>	243
<i>ruficepsoides</i> Platia & Gudenzi, 2002, <i>Brachygonus</i>	129
<i>ruficolle</i> Herbst, 1793, <i>Anobium</i>	339
<i>ruficolle</i> Kamiya, 1965, <i>Serangium</i>	569
<i>ruficolle</i> Kurosawa, 1949, <i>Lymexylon</i>	363
<i>ruficollis</i> A. G. Olivier, 1790, <i>Axinotarsus</i>	440
<i>ruficollis</i> A. G. Olivier, 1791, <i>Scymnus</i>	585
<i>ruficollis</i> Brèthes, 1925, <i>Lindorus</i>	573
<i>ruficollis</i> Corporaal, 1926, <i>Anthicoclerus</i>	371
<i>ruficollis</i> Doderò, 1925, <i>Malacogaster</i>	210
<i>ruficollis</i> Fabricius, 1798, <i>Cebrio</i>	92
<i>ruficollis</i> Fabricius, 1775, <i>Crudosilis</i>	274
<i>ruficollis</i> Fabricius, 1775, <i>Necrobia</i>	382
<i>ruficollis</i> Frölich, 1799, <i>Tetrabrachys</i>	573
<i>ruficollis</i> Gebler, 1833, <i>Xyletinus</i>	361
<i>ruficollis</i> Geoffroy, 1785, <i>Cardiophorus</i>	197
<i>ruficollis</i> Guérin-Méneville, 1829, <i>Drilus</i>	209
<i>ruficollis</i> Herbst, 1783, <i>Tillus</i>	369
<i>ruficollis</i> J. Weise, 1885, <i>Brumoides</i>	593
<i>ruficollis</i> J. Weise, 1895, <i>Coelophora</i>	614
<i>ruficollis</i> Jacquelin du Val, 1854, <i>Gloeosoma</i>	635
<i>ruficollis</i> Jeng & Chang, 1998, <i>Curtos</i>	231
<i>ruficollis</i> Kiesenwetter, 1879, <i>Cyphonocerus</i>	226
<i>ruficollis</i> Kraatz, 1900, <i>Doubledaya</i>	534

<i>ruficollis</i> Kraatz, 1900, <i>Tetraphala</i>	535
<i>ruficollis</i> Latreille, 1806, <i>Malthodes</i>	291
<i>ruficollis</i> Linnaeus, 1758, <i>Cardiophorus</i>	200
<i>ruficollis</i> Marsham, 1802, <i>Dienerella</i>	636
<i>ruficollis</i> Miwa, 1934, <i>Gamepenthesis</i>	136
<i>ruficollis</i> Miwa, 1930, <i>Hemicrepidius</i>	170
<i>ruficollis</i> P. Rossi, 1790, <i>Cantharis</i>	243
<i>ruficollis</i> Panzer, 1805, <i>Atomaria</i>	526
<i>ruficollis</i> Pic, 1921, <i>Micropodabrus</i>	256
<i>ruficollis</i> Raffray, 1873, <i>Lobonyx</i>	384
<i>ruficollis</i> Reitter, 1889, <i>Haplothrix</i>	392
<i>ruficollis</i> Stephens, 1830, <i>Triplax</i>	544
<i>ruficollis</i> Uhagón, 1900, <i>Troglops</i>	453
<i>ruficollis</i> Wittmer, 1995, <i>Themus</i>	273
<i>ruficollis</i> Wollaston, 1862, <i>Attalus</i>	423
<i>ruficollis</i> Wollaston, 1864, <i>Atomaria</i>	526
<i>ruficolor</i> Chobaut, 1897, <i>Melyris</i>	387
<i>ruficolor</i> Pic, 1918, <i>Attagenus</i>	309
<i>ruficolor</i> Pic, 1930, <i>Troglops</i>	454
<i>ruficorne</i> Broun, 1880, <i>Anobium</i>	339
<i>ruficorne</i> Rey, 1889, <i>Cerylon</i>	553
<i>ruficornis</i> Aubé, 1866, <i>Megatoma</i>	317
<i>ruficornis</i> Heer, 1841, <i>Meligethes</i>	485
<i>ruficornis</i> Kugelann, 1794, <i>Enicmus</i>	638
<i>ruficornis</i> Latreille, 1807, <i>Trogoderma</i>	319
<i>ruficornis</i> LeConte, 1859, <i>Meligethes</i>	479
<i>ruficornis</i> Lewis, 1887, <i>Pseudotritoma</i>	542
<i>ruficornis</i> Marsham, 1802, <i>Meligethes</i>	486
<i>ruficornis</i> Marsham, 1802, <i>Atomaria</i>	527
<i>ruficornis</i> Schilsky, 1896, <i>Chaetomalachius</i>	389
<i>ruficornis</i> Schilsky, 1897, <i>Danacea</i>	397
<i>ruficornis</i> Stephens, 1830, <i>Cryptophagus</i>	520
<i>ruficornis</i> Sturm, 1837, <i>Korynetes</i>	382
<i>ruficornis</i> Zia, 1934, <i>Caenolanguria</i>	533
<i>ruficorpus</i> Pal & Sengupta, 1977, <i>Silvanus</i>	500
<i>ruficruris</i> Brullé, 1832, <i>Cardiophorus</i>	200
<i>ruficrus</i> Fairmaire, 1883, <i>Falsomelyris</i>	387
<i>ruficrus</i> Gorham, 1895, <i>Aspidimerus</i>	575
<i>rufidens</i> Marseul, 1864, <i>Cantharomorphus</i>	247
<i>rufifrons</i> Abeille de Perrin, 1885, <i>Cyrtosus</i>	446
<i>rufifrons</i> Fabricius, 1775, <i>Dacne</i>	538
<i>rufifrons</i> Graells, 1849, <i>Cebrio</i>	92
<i>rufifrons</i> Marseul, 1864, <i>Cantharis</i>	242
<i>rufifrons</i> Motschulsky, 1860, <i>Malthinus</i>	282
<i>rufifrons</i> Pic, 1921, <i>Carphurus</i>	416
<i>rufifrons</i> Reitter, 1874, <i>Cybocephalus</i>	490
<i>rufifrons</i> Schilsky, 1897, <i>Cerallus</i>	386
<i>rufilabris</i> Latreille, 1807, <i>Kateretes</i>	458
<i>rufilabris</i> Reitter, 1919, <i>Brachypterolus</i>	456
<i>rufimana</i> Eschscholtz, 1818, <i>Platynaspis</i>	596

rufimana Ménériés, 1832, <i>Boveycantharis</i>	239
rufimanoides Wittmer, 1969, <i>Boveycantharis</i>	239
rufimanus Bourgeois, 1885, <i>Dasytidius</i>	390
<i>rufimanus</i> Fiori, 1905, <i>Psilothrix</i>	408
<i>rufimanus</i> J. R. Sahlberg, 1913, <i>Meligethes</i>	484
<i>rufimanus</i> Kocher, 1954, <i>Clanoptilus</i>	442
<i>rufimanus</i> LeConte, 1857, <i>Meligethes</i>	479
<i>rufimargo</i> Reitter, 1884, <i>Physoronia</i>	476
<i>rufimembris</i> Buysson, 1913, <i>Cardiophorus</i>	195
<i>rufimembris</i> Pic, 1951, <i>Dermestes</i>	301
rufinoides Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>rufinus</i> Escalera, 1914, <i>Cebrio</i>	93
<i>rufinus</i> Normand, 1936, <i>Paracoelopterus</i>	568
rufipalpis Brullé, 1832, <i>Agriotes</i>	117
rufipalpis Schrank, 1789, <i>Drapetes</i>	209
rufipedes Escalera, 1914, <i>Aplocnemus</i>	413
<i>rufipennis</i> Buysson, 1893, <i>Agriotes</i>	116
<i>rufipennis</i> Duftschmid, 1825, <i>Hemicoelus</i>	340
<i>rufipennis</i> Kishii, 1958, <i>Athousius</i>	163
<i>rufipennis</i> Lewis, 1894, <i>Limoniscus</i>	165
<i>rufipennis</i> Lewis, 1887, <i>Tritoma</i>	545
<i>rufipennis</i> Majer, 1990, <i>Anthodromius</i>	386
<i>rufipennis</i> Majer, 1996, <i>Dasytiscus</i>	391
<i>rufipennis</i> Motschulsky, 1861, <i>Mycetina</i>	566
<i>rufipennis</i> Mulsant & Rey, 1868, <i>Attagenus</i>	310
<i>rufipennis</i> Munster, 1930, <i>Nephus</i>	581
<i>rufipennis</i> Pic, 1907, <i>Melasis</i>	84
<i>rufipennis</i> Pic, 1929, <i>Ptinus</i>	334
<i>rufipennis</i> Pic, 1932, <i>Ptinus</i>	334
<i>rufipennis</i> Pic, 1919, <i>Brachyleptus</i>	456
<i>rufipennis</i> Pic, 1926, <i>Rodolia</i>	597
<i>rufipennis</i> Roubal, 1931, <i>Sphindus</i>	455
<i>rufipennis</i> Stephens, 1830, <i>Ampedus</i>	127
<i>rufipennis</i> Sturm, 1845, <i>Cryptophagus</i>	520
<i>rufipennis</i> Wollaston, 1864, <i>Scymnus</i>	591
<i>rufipennnis</i> Latreille, 1806, <i>Lygistropterus</i>	224
rufipes A. G. Olivier, 1790, <i>Ptinus</i>	333
rufipes Baudi di Selve, 1871, <i>Drilus</i>	210
<i>rufipes</i> Brahm, 1797, <i>Thanasimus</i>	375
<i>rufipes</i> C. N. F. Brisout de Barneville, 1863, <i>Scymnus</i>	585
rufipes Candèze, 1897, <i>Silesis</i>	112
rufipes Chevrolat, 1861, <i>Cebrio</i>	93
<i>rufipes</i> DeGeer, 1774, <i>Prosternon</i>	180
rufipes DeGeer, 1775, <i>Necrobia</i>	382
rufipes Fabricius, 1792, <i>Cacotemnus</i>	339
<i>rufipes</i> Fabricius, 1775, <i>Meligethes</i>	487
rufipes Fabricius, 1787, <i>Triplax</i>	544
rufipes Fabricius, 1798, <i>Scymnus</i>	591
rufipes Goeze, 1777, <i>Cardiophorus</i>	200
rufipes Grouvelle, 1908, <i>Pediacus</i>	503

<i>rufipes</i> Herbst, 1784, <i>Melanotus</i>	150
<i>rufipes</i> Herbst, 1784, <i>Cantharis</i>	243
<i>rufipes</i> L. Miller, 1862, <i>Aplocnemus</i>	412
<i>rufipes</i> Lewis, 1894, <i>Ampedus</i>	124
<i>rufipes</i> Lewis, 1894, <i>Podeonius</i>	140
<i>rufipes</i> Linnaeus, 1767, <i>Nitidula</i>	474
<i>rufipes</i> Marsham, 1802, <i>Meligethes</i>	479
<i>rufipes</i> Morawitz, 1861, <i>Ebaeus</i>	431
<i>rufipes</i> P. H. Lucas, 1849, <i>Cryptolestes</i>	504
<i>rufipes</i> Schilsky, 1888, <i>Paraphotistus</i>	179
<i>rufipes</i> Stephens, 1829, <i>Stilbus</i>	512
<i>rufipes</i> Stephens, 1830, <i>Atomaria</i>	525
<i>rufipes</i> Stephens, 1832, <i>Parexochomus</i>	595
<i>rufipes</i> Tournier, 1889, <i>Phalacrus</i>	511
<i>rufipes</i> Walker, 1859, <i>Attagenus</i>	307
<i>rufisternis</i> Kocher, 1952, <i>Cebrio</i>	92
<i>rufitarsis</i> Baudi di Selve, 1873, <i>Divales</i>	406
<i>rufitarsis</i> C. R. Sahlberg, 1822, <i>Aplocnemus</i>	412
<i>rufitarsis</i> Chevrolat, 1874, <i>Trichodes</i>	380
<i>rufitarsis</i> Creutzer, 1796, <i>Globicornis</i>	316
<i>rufitarsis</i> Desvignes, 1842, <i>Ampedus</i>	125
<i>rufitarsis</i> Motschulsky, 1854, <i>Chilocorus</i>	594
<i>rufitarsis</i> P. H. Lucas, 1853, <i>Dasytiscus</i>	391
<i>rufitarsis</i> Reitter, 1878, <i>Caenocara</i>	344
<i>rufithorax</i> Baudi di Selve, 1894, <i>Scymnus</i>	589
<i>rufithorax</i> Delkeskamp, 1939, <i>Cantharis</i>	247
<i>rufithorax</i> Falzoni, 1924, <i>Malthodes</i>	288
<i>rufithorax</i> Jacquelin du Val, 1852, <i>Colotes</i>	428
<i>rufithorax</i> Jacquelin du Val, 1859, <i>Arthrolips</i>	632
<i>rufithorax</i> Kiesenwetter, 1859, <i>Axinotarsus</i>	440
<i>rufithorax</i> Kishii, 1991, <i>Glyphonyx</i>	110
<i>rufithorax</i> Lareynie, 1852, <i>Xyletinus</i>	361
<i>rufithorax</i> Miwa, 1930, <i>Athous</i>	163
<i>rufithorax</i> Miwa, 1930, <i>Paracardiophorus</i>	206
<i>rufithorax</i> Pic, 1923, <i>Lycocerus</i>	252
<i>rufithorax</i> Pic, 1903, <i>Malthinus</i>	277
<i>rufithorax</i> Pic, 1927, <i>Microjulistus</i>	414
<i>rufithorax</i> Rey, 1889, <i>Thorictus</i>	304
<i>rufithorax</i> Wittmer, 1995, <i>Stenocladius</i>	233
<i>rufithorax</i> Wittmer, 1995, <i>Drilonius</i>	234
<i>rufithorax</i> Wittmer, 1956, <i>Clanoptilus</i>	444
<i>rufiventris</i> Candèze, 1859, <i>Ampedus</i>	123
<i>rufiventris</i> Eschscholtz, 1822, <i>Crepidophorus</i>	169
<i>rufiventris</i> Gebler, 1833, <i>Drapetes</i>	209
<i>rufiventris</i> Gebler, 1823, <i>Triplax</i>	544
<i>rufiventris</i> Kraatz, 1879, <i>Lycostomus</i>	212
<i>rufiventris</i> Miwa, 1930, <i>Melanotus</i>	148
<i>rufiventris</i> Motschulsky, 1854, <i>Vesta</i>	225
<i>rufiventris</i> Nakane, 1963, <i>Pyrocoelia</i>	229
<i>rufiventris</i> P. H. Lucas, 1843, <i>Apate</i>	320

<i>rufiventris</i> Reitter, 1879, <i>Glischrochilus</i>	470
<i>rufiventris</i> Schilsky, 1894, <i>Divales</i>	406
<i>rufiventris</i> Westwood, 1849, <i>Stigmatium</i>	375
<i>rufoabdominalis</i> Nakane & Kishii, 1958, <i>Hemicrepidius</i>	170
<i>rufoabdominalis</i> Xambeu, 1909, <i>Selatosomus</i>	182
<i>rufoapicalis</i> Pic, 1951, <i>Dermestes</i>	299
<i>rufoapicalis</i> Pic, 1917, <i>Attalus</i>	423
<i>rufoapicalis</i> Pic, 1933, <i>Pardonius</i>	429
<i>rufoapicalis</i> Pic, 1926, <i>Ebaeus</i>	432
<i>rufobasalis</i> Jelínek, 1995, <i>Aethina</i>	470
<i>rufobasalis</i> Reitter, 1884, <i>Pocadites</i>	476
<i>rufobasalis</i> Wurst, 1994, <i>Elathous</i>	164
<i>rufobrunnea</i> Sjöberg, 1939, <i>Epuraea</i>	462
<i>rufocapillata</i> L. Redtenbacher, 1868, <i>Thaumaglossa</i>	318
<i>rufocapitatus</i> Gemminger, 1870, <i>Cantharis</i>	246
<i>rufocapitatus</i> Kazantsev, 1999, <i>Lycocerus</i>	253
<i>rufocapitatus</i> Wittmer, 1995, <i>Themus</i>	273
<i>rufocincta</i> Haworth, 1912, <i>Coccinella</i>	610
<i>rufocincta</i> Lewis, 1896, <i>Rodolia</i>	597
<i>rufocincta</i> Mulsant, 1850, <i>Ceratomegilla</i>	609
<i>rufocinctus</i> Pic, 1924, <i>Thorictus</i>	305
<i>rufocoronata</i> Fairmaire, 1892, <i>Xylomedes</i>	321
<i>rufocostatus</i> Kleine, 1940, <i>Lycostomus</i>	212
<i>rufodorsata</i> Fairmaire, 1888, <i>Dedana</i>	367
<i>rufofasciata</i> J. Weise, 1891, <i>Menochilus</i>	619
<i>rufofasciatus</i> Pic, 1919, <i>Opisthapalochrus</i>	418
<i>rufofasciatus</i> Schaufuss, 1872, <i>Opilo</i>	373
<i>rufofemoratus</i> Pic, 1908, <i>Aplocnemus</i>	413
<i>rufofemoratus</i> Reitter, 1910, <i>Lycostomus</i>	211
<i>rufoguttata</i> Pic, 1899, <i>Globicornis</i>	316
<i>rufoguttatus</i> Champion, 1925, <i>Litochrus</i>	507
<i>rufohumeralis</i> Nakane, 1958, <i>Conderis</i>	221
<i>rufohumeralis</i> Pic, 1926, <i>Lycocerus</i>	254
<i>rufolateralis</i> Pic, 1914, <i>Aplocnemus</i>	411
<i>rufolimbata</i> Canepari, 1997, <i>Synonychomorpha</i>	572
<i>rufolimbaticollis</i> Pic, 1914, <i>Cantharis</i>	246
<i>rufolimbatus</i> Denisova, 1948, <i>Paraphotistus</i>	179
<i>rufolimbatus</i> Pic, 1908, <i>Ptinus</i>	335
<i>rufolimbatus</i> Pic, 1911, <i>Anthodromius</i>	386
<i>rufolimbatus</i> Roubal, 1932, <i>Tetrabrachys</i>	573
<i>rufolineatus</i> Wittmer, 1983, <i>Micropodabrus</i>	258
<i>rufomaculata</i> Kazantsev, 1998, <i>Podistra</i>	259
<i>rufomaculata</i> Pic, 1938, <i>Thaumaglossa</i>	318
<i>rufomaculatus</i> Pic, 1907, <i>Attagenus</i>	309
<i>rufomaculatus</i> Wittmer, 1941, <i>Pardonius</i>	429
<i>rufomaculus</i> Lyubarsky, 2000, <i>Cryptophagus</i>	520
<i>rufomarginata</i> Stephens, 1830, <i>Epuraea</i>	462
<i>rufomarginatum</i> Pic, 1923, <i>Lasioderma</i>	358
<i>rufomarginatus</i> Fleutiaux, 1923, <i>Xylophilus</i>	85
<i>rufomarginatus</i> M. Chûjô & Satô, 1970, <i>Plateros</i>	220

rufomarginatus Perris, 1869, <i>Aplocnemus</i>	412
rufoniger Canepari, 1997, <i>Scymnus</i>	587
rufonoticeps Pic, 1921, <i>Cantharis</i>	246
<i>rufonotatum</i> Pic, 1923, <i>Hyperisus</i>	352
<i>rufonotatus</i> Pic, 1910, <i>Stagetus</i>	347
rufonotatus Pic, 1956, <i>Stagetus</i>	347
rufopallida Wittmer, 1972, <i>Rhagonycha</i>	267
<i>rufopiceus</i> Schenkling, 1899, <i>Teloclerus</i>	368
rufopictus Wollaston, 1874, <i>Biphyllus</i>	548
rufopilosa Mulsant, 1850, <i>Rodolia</i>	597
<i>rufoposticalis</i> Pic, 1950, <i>Pardonius</i>	429
<i>rufopygus</i> Pic, 1932, <i>Attalus</i>	423
rufoscuta Pic, 1922, <i>Cantharis</i>	246
rufoscutellaris Pic, 1935, <i>Melyris</i>	387
<i>rufoscutus</i> Pic, 1926, <i>Themus</i>	271
<i>rufoscutus</i> Pic, 1932, <i>Eucymatodera</i>	368
<i>rufosignata</i> J. Weise, 1885, <i>Sticholotis</i>	572
<i>rufosignatus</i> Champion, 1925, <i>Merobrachys</i>	507
<i>rufosignatus</i> Champion, 1925, <i>Merobrachys</i>	507
rufoterminalis Wollaston, 1865, <i>Ebaeus</i>	432
rufotestacea Letzner, 1845, <i>Podistra</i>	259
rufotestacea Lewis, 1889, <i>Shoguna</i>	495
<i>rufotestaceus</i> Motschulsky, 1860, <i>Anadastus</i>	532
<i>rufotestaceus</i> Reitter, 1889, <i>Dasytes</i>	402
rufotestaceus Schenkling, 1902, <i>Orthrius</i>	374
<i>rufounguiculatus</i> DeGeer, 1774, <i>Prosternon</i>	180
rufovillosum DeGeer, 1774, <i>Xestobium</i>	352
rufovittatus Ôhira, 1963, <i>Limoniscus</i>	165
rufula Matthews, 1899, <i>Arthrolips</i>	632
rufula Matthews, 1899, <i>Clypastraea</i>	633
<i>rufula</i> Mulsant, 1850, <i>Coelophora</i>	613
<i>rufula</i> Schilsky, 1897, <i>Danacea</i>	397
rufulus Candèze, 1891, <i>Priopus</i>	152
rufulus Fleutiaux, 1923, <i>Dromaeolus</i>	86
<i>rufulus</i> J. R. Sahlberg, 1926, <i>Cryptophagus</i>	518
<i>rufulus</i> Lacordaire, 1835, <i>Agriotes</i>	116
<i>rufulus</i> Reitter, 1921, <i>Trixagus</i>	89
<i>rufulus</i> Schilsky, 1894, <i>Divales</i>	406
<i>rufulus</i> Solsky, 1876, <i>Anthrenus</i>	313
<i>rufulus</i> Zetterstedt, 1838, <i>Corticaria</i>	642
rufus A. G. Olivier, 1790, <i>Clanoptilus</i>	444
rufus Arrow, 1925, <i>Asymbius</i>	559
rufus Brullé, 1832, <i>Ptinus</i>	337
<i>rufus</i> C. N. F. Brisout de Barneville, 1863, <i>Cryptophagus</i>	515
rufus Candèze, 1859, <i>Xanthopenthes</i>	139
rufus Candèze, 1860, <i>Elathous</i>	164
rufus DeGeer, 1774, <i>Stenagostus</i>	172
<i>rufus</i> Gmelin, 1790, <i>Hadrobregmus</i>	341
<i>rufus</i> Guillebeau, 1892, <i>Olibrus</i>	508
rufus Herbst, 1784, <i>Anthocomus</i>	439

rufus Illiger, 1807, <i>Ernobius</i>	351
rufus Jiang, 1993, <i>Corymbitodes</i>	176
rufus Lacordaire, 1857, <i>Plectrosternus</i>	186
rufus Marsham, 1802, <i>Cryptophagus</i>	518
rufus P. H. Lucas, 1846, <i>Ptinus</i>	336
rufus Pic, 1935, <i>Phloiocopus</i>	374
rufus Reitter, 1875, <i>Telmatophilus</i>	524
rufus Schilsky, 1899, <i>Xyletinus</i>	360
rufus Schwarz, 1891, <i>Agriotes</i>	118
rufus Tournier, 1899, <i>Olibrus</i>	508
rugecostatus Chevrolat, 1874, <i>Cebrio</i>	93
rugiceps Lewis, 1895, <i>Omethes</i>	234
rugicollis A. G. Olivier, 1790, <i>Stephostethus</i>	641
rugicollis Gebler, 1833, <i>Crudosilis</i>	274
rugicollis Mulsant & Rey, 1853, <i>Homophthalmus</i>	348
rugicollis Rey, 1889, <i>Meligethes</i>	484
rugicollis Rey, 1889, <i>Cryptophagus</i>	516
rugicollis Rey, 1889, <i>Cryptophagus</i>	519
rugicollis Schilsky, 1897, <i>Aplocnemus</i>	412
rugicollis Sharp, 1885, <i>Ectomicrus</i>	553
rugicollis Walker, 1858, <i>Minthea</i>	328
rugifer Reitter, 1894, <i>Anommatus</i>	550
rugiferum Champion, 1923, <i>Nosodendron</i>	299
rugifrons Laporte, 1840, <i>Cantharis</i>	241
rugifrons Wollaston, 1862, <i>Attalus</i>	424
rugimana Kazantsev, 1994, <i>Crudosilis</i>	274
rugipennis Ballion, 1871, <i>Korynetes</i>	382
rugipennis C. G. Thomson, 1870, <i>Dasytes</i>	404
rugipennis Lewis, 1894, <i>Reitterelater</i>	130
rugipennis Mannerheim, 1844, <i>Enicmus</i>	638
rugipennis Matsumura, 1911, <i>Lycostomus</i>	212
rugipennis Reitter, 1881, <i>Corticaria</i>	645
rugipennis Schwarz, 1891, <i>Agriotes</i>	117
rugosa Fiori, 1913, <i>Ceratomegilla</i>	609
rugosa Léveillé, 1888, <i>Anacypta</i>	364
rugosa Matthews, 1899, <i>Clypastraea</i>	633
rugosa Schimmel & Platia, 1991, <i>Penia</i>	185
rugosiceps Pic, 1922, <i>Laius</i>	418
rugosicollis Desbrochers des Loges, 1875, <i>Ptinus</i>	335
rugosicollis Jacquelin du Val, 1860, <i>Enicopus</i>	407
rugosicollis Schimmel, 2002, <i>Dima</i>	184
rugosipennis Fleutiaux, 1933, <i>Melanotus</i>	148
rugosipennis Pic, 1925, <i>Malthodes</i>	293
rugosissimus Tanzer, 1929, <i>Ampedus</i>	121
rugosocyanus Fairmaire, 1889, <i>Themus</i>	270
rugosus Cobos, 1964, <i>Pseudochapianus</i>	87
rugosus Fabricius, 1801, <i>Bostrichus</i>	321
rugosus Fleutiaux, 1918, <i>Priopus</i>	152
rugosus Germar, 1836, <i>Selatosomus</i>	182
rugosus Gmelin, 1790, <i>Hadrobregmus</i>	341

rugosus Gurjeva, 1979, <i>Agriotes</i>	114
rugosus Herbst, 1793, <i>Enicmus</i>	638
<i>rugosus</i> Marsham, 1802, <i>Melanotus</i>	150
<i>rugosus</i> Pic, 1929, <i>Themus</i>	270
rugosus Platia & Schimmel, 1991, <i>Silesis</i>	113
rugosus Schimmel, 1982, <i>Ampedus</i>	127
rugosus Schimmel, 2004, <i>Megapenthes</i>	137
rugosus Schimmel, 2004, <i>Sawadapenthes</i>	138
rugosus Ślipiński, 1982, <i>Gyrelon</i>	553
rugosus Wollaston, 1854, <i>Attalus</i>	424
rugulicollis Fairmaire, 1886, <i>Lycocerus</i>	253
rugulicollis Schenkling, 1906, <i>Opilo</i>	373
<i>rugulosa</i> J. R. Sahlberg, 1889, <i>Epuraea</i>	461
<i>rugulosa</i> LeConte, 1855, <i>Corticaria</i>	642
<i>rugulosus</i> Henschel, 1861, <i>Tillus</i>	369
<i>rugulosus</i> Montrouzier, 1861, <i>Lyctus</i>	327
<i>rugulosus</i> Reitter, 1881, <i>Thorictus</i>	305
rugulosus Rosenhauer, 1856, <i>Aplocnemus</i>	412
ruizi Platia & Gudenzi, 1999, <i>Cardiophorus</i>	200
runcatus G.-Y. Yu & X.-F. Pang, 1995, <i>Scymnus</i>	587
rungbongi Stibick, 1968, <i>Tropihypnus</i>	167
rungsi Kocher, 1952, <i>Cebrio</i>	93
rupestris Zhantiev, 1976, <i>Anthrenus</i>	311
rupicola Kiesenwetter, 1863, <i>Podistra</i>	259
<i>rupimontis</i> Casey, 1924, <i>Cryptophagus</i>	515
<i>ruptivittis</i> Denisova, 1948, <i>Actenicerus</i>	173
ruralis Kiesenwetter, 1871, <i>Malthodes</i>	293
rusicadensis Constantin, 1988, <i>Danacea</i>	399
<i>russatus</i> Fleutiaux, 1933, <i>Priopus</i>	152
<i>russica</i> Herbst, 1783, <i>Harmonia</i>	615
<i>russica</i> Linnaeus, 1758, <i>Triplax</i>	544
<i>russicollis</i> Mulsant, 1850, <i>Parexochomus</i>	595
russicus Gurjeva, 1972, <i>Ectamenogonus</i>	136
russicus Reitter, 1890, <i>Aplocnemus</i>	413
<i>russowi</i> Heyden, 1889, <i>Cardiophorus</i>	201
rustamovi Dolin & Atamuradov, 1987, <i>Melanotus</i>	148
rustica Fallén, 1807, <i>Cantharis</i>	246
<i>rustica</i> J. Weise, 1879, <i>Harmonia</i>	616
rustica Schimmel & Platia, 1991, <i>Penia</i>	185
rustica Schimmel & Platia, 1991, <i>Pseudocsikia</i>	186
rusticoides Mader, 1937, <i>Amblyopus</i>	541
rusticus Schimmel & Platia, 1991, <i>Neoathousius</i>	166
rusticus Schwarz, 1891, <i>Agriotes</i>	117
<i>rutae</i> Bruce, 1940, <i>Cryptophagus</i>	518
<i>rutaneni</i> Fürsch, 1986, <i>Nephus</i>	580
ruteri Chassain, 1979, <i>Heteroderes</i>	106
ruteri Chassain, 1985, <i>Athous</i>	159
<i>ruthenus</i> Solsky, 1866, <i>Airaphilus</i>	498
<i>rutila</i> Motschulsky, 1866, <i>Melanophthalma</i>	648
rutilipennis Candèze, 1859, <i>Megapenthes</i>	137

rutilipennis Illiger, 1807, <i>Peripontius</i>	111
rutilipes Gurjeva, 1966, <i>Cardiophorus</i>	197
rutlanti Alcaide, 1946, <i>Malacogaster</i>	210
ruzenae Laibner, 1977, <i>Cidnopus</i>	164
ruzickai Švihla, 1992, <i>Bactrocantharis</i>	238
ruzickai Švihla, 2002, <i>Rhagonycha</i>	267
ruzickai Švihla, 2002, <i>Malthodes</i>	293
ruzskii Semenov, 1903, <i>Thorictus</i>	305
rybinskii Reitter, 1894, <i>Stephostethus</i>	641
rydhi Platia & Schimmel, 1992, <i>Idotarmonides</i>	141
rydhi Švihla, 1993, <i>Rhagonycha</i>	267
rydhi Švihla, 1994, <i>Malthodes</i>	293
rydhi Wittmer, 1993, <i>Malthinus</i>	282
rydhi Zahradník, 1996, <i>Homophthalmus</i>	348
ryei Lewis, 1879, <i>Ampedus</i>	127
ryei Wollaston, 1871, <i>Meligethes</i>	487
ryszardi Jadwiszczak & Węgrzynowicz, 2003, <i>Epilachna</i>	628
ryuguus Kamiya, 1961, <i>Nephus</i>	581
ryukyuanus Wittmer, 1970, <i>Lycocerus</i>	253
ryukyuanus Wittmer, 1975, <i>Prothemus</i>	260
ryukyuanus Wittmer, 1970, <i>Maltypus</i>	296
ryukyuanus Wittmer, 1982, <i>Nepachys</i>	426
ryukyuense Kamiya, 1965, <i>Serangium</i>	569
ryukyuense Miyatake, 1985, <i>Stigmatium</i>	375
ryukyuensis Hisamatsu, 1985, <i>Cillaeus</i>	478
ryukyuensis Hisamatsu, 1985, <i>Litochrus</i>	507
ryukyuensis Kamiya, 1964, <i>Propalticus</i>	506
ryukyuensis Kishii, 1985, <i>Agrypnus</i>	99
ryukyuensis M. Chûjô & Kiuchi, 1974, <i>Stenotarsus</i>	568
ryukyuensis Miyatake, 1985, <i>Callimerus</i>	371
ryukyuensis Ôhira, 1999, <i>Rismethus</i>	103
ryukyuensis Ôhira, 1968, <i>Podeonius</i>	140
saalensis Buysson, 1902, <i>Dicronychus</i>	205
saalmuelleri Heyden, 1883, <i>Adalia</i>	605
saasensis Pic, 1923, <i>Cratosilis</i>	248
sabatinelli Platia & Schimmel, 1991, <i>Silesis</i>	113
sabatinellii Guglielmi & Platia, 1985, <i>Athous</i>	162
sabatinellii Platia & Schimmel, 2001, <i>Melanotus</i>	148
sabauda Pic, 1914, <i>Rhagonycha</i>	262
sabaudica J. Weise, 1897, <i>Ceratomegilla</i>	609
sabaudus Pic, 1901, <i>Malthinus</i>	278
sabdeensis Wittmer, 1995, <i>Lycocerus</i>	253
sabensis Wurst, 2001, <i>Meristhus</i>	102
sabulicola Boheman, 1854, <i>Negastrius</i>	189
sabulo Han, 2000, <i>Fleutiauxellus</i>	187
sabulosus Motschulsky, 1840, <i>Opetiopalpus</i>	382
saccata Majer, 1988, <i>Bilyella</i>	400
sacchari Matsumura, 1910, <i>Heteroderes</i>	106
sacchari Miwa, 1927, <i>Babadrasterius</i>	104
saccularis Champion, 1927, <i>Ichthyurus</i>	297

sachalinensis Dolin, 1987, <i>Hypnoidus</i>	155
sachalinensis Dolin & Katyukha, 1987, <i>Aplotarsus</i>	175
sachalinensis Dolin & Katyukha, 1977, <i>Oedostethus</i>	190
sachalinensis Matsumura, 1911, <i>Stephanopachys</i>	326
<i>sachalinensis</i> Miwa, 1927, <i>Danosoma</i>	100
sachalinensis Miwa, 1928, <i>Sericus</i>	134
sachalinensis Miwa, 1928, <i>Paraphotistus</i>	179
sachalinensis Ohta, 1928, <i>Coccinella</i>	611
sachalinensis Suzuki & Lucht, 1983, <i>Melasis</i>	84
sacheri Kiesenwetter, 1858, <i>Athous</i>	156
sachtlebeni Dolin & W. Suzuki, 1987, <i>Penia</i>	185
sacium Roubal, 1927, <i>Scymnus</i>	583
sacratu Erichson, 1840, <i>Cardiophorus</i>	200
<i>sado</i> Kishii, 1996, <i>Agrypnus</i>	99
<i>sado</i> Kishii, 1994, <i>Melanotus</i>	144
saetiger Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
safedkoensis Wittmer, 1973, <i>Themus</i>	273
safraneki Švihla, 2004, <i>Lycocerus</i>	253
safraneki Švihla, 2004, <i>Micropodabrus</i>	258
safraneki Švihla, 2002, <i>Rhagonycha</i>	267
sagamiensis Takahashi, 1992, <i>Malthinus</i>	282
saghaliensis Dolin & Ôhira, 1976, <i>Ampedus</i>	127
saginata Kiesenwetter, 1873, <i>Amauronia</i>	393
saginata Mannerheim, 1844, <i>Corticaria</i>	645
<i>saginatus</i> Kiesenwetter, 1852, <i>Charopus</i>	442
<i>saginatus</i> Ménériés, 1832, <i>Selatosomus</i>	182
<i>saginatus</i> Sturm, 1845, <i>Cryptophagus</i>	520
<i>sagittifer</i> Champenois, 1900, <i>Trichodes</i>	376
<i>sagittiformis</i> X.-F. Pang & Mao, 1979, <i>Cryptogonus</i>	576
<i>sagulatus</i> Gorham, 1883, <i>Pristolycus</i>	230
<i>saharae</i> Leseigneur, 1955, <i>Paracardiophorus</i>	206
<i>saharae</i> Sicard, 1929, <i>Parexochomus</i>	595
sahlbergi Bourgeois, 1903, <i>Malthodes</i>	293
<i>sahlbergi</i> Germar, 1846, <i>Denticollis</i>	168
<i>sahlbergi</i> Hellén, 1930, <i>Cryptophagus</i>	520
<i>sahlbergi</i> Korschefsky, 1931, <i>Scymnus</i>	590
<i>sahlbergi</i> Mannerheim, 1823, <i>Rhacopus</i>	83
<i>sahlbergi</i> Mayor, 2007, <i>Aplocnemus</i>	413
<i>sahlbergi</i> Pic, 1909, <i>Malthinus</i>	277
<i>sahlbergi</i> Pic, 1898, <i>Danacaeomimus</i>	394
<i>sahlbergi</i> Reitter, 1883, <i>Laricobius</i>	299
<i>sahlbergi</i> Reitter, 1900, <i>Dapsa</i>	563
<i>sahlbergi</i> Reitter, 1894, <i>Stephostethus</i>	640
<i>sahlbergi</i> Schwarz, 1906, <i>Danosoma</i>	100
<i>sahlbergi</i> Schwarz, 1900, <i>Dicronychus</i>	205
<i>sahlbergi</i> Sjöberg, 1947, <i>Atomaria</i>	528
<i>sahlbergianus</i> Fürsch, 1958, <i>Scymnus</i>	588
<i>sahoroensis</i> Ohta, 1930, <i>Pseudeurostus</i>	333
<i>sailugemensis</i> Wittmer, 1992, <i>Ebaeus</i>	431
saintpierrei Chevrolat, 1874, <i>Cebrio</i>	93

saipalensis Kopetz, 2004, <i>Themus</i>	273
saishutonis Matsumura, 1928, <i>Pyrocoelia</i>	229
saitoanus Kishii, 1987, <i>Ectinus</i>	120
saitorum W. Suzuki, 1984, <i>Melanotus</i>	151
sajanus Bessolitzina & Dolin, 1991, <i>Hypnoidus</i>	155
sajnensis Wittmer, 1969, <i>Clanoptilus</i>	445
sakaguchii Miwa, 1927, <i>Agrypnus</i>	99
sakaguchii Miwa, 1929, <i>Anthracalaus</i>	108
sakagutii C. Johnson, 1976, <i>Melanophthalma</i>	647
sakaii M. Chûjô, 1977, <i>Anadastus</i>	533
sakaii M. Chûjô & Kiuchi, 1974, <i>Ectomychus</i>	568
sakaii Sasaji, 1993, <i>Aspidiphorus</i>	455
sakaii Wittmer, 1982, <i>Asiopodabrus</i>	236
sakishimana Nakane, 1985, <i>Plateros</i>	220
sakishimanus Ôhira, 1967, <i>Agrypnus</i>	99
sakishimensis Ôhira, 1967, <i>Parallelostethus</i>	133
sakishimensis Ôhira, 1982, <i>Melanotus</i>	148
salebrosus Gurjeva, 1989, <i>Selatosomus</i>	182
saliana Faldermann, 1837, <i>Ceratomegilla</i>	609
salicicola Kraatz, 1853, <i>Atomaria</i>	528
salicis J. Weise, 1879, <i>Adalia</i>	605
salina J. Weise, 1879, <i>Bulaea</i>	600
salinus Mulsant & Rey, 1852, <i>Coelopterus</i>	570
salinus Schilling, 1843, <i>Epauloecus</i>	331
salome J. R. Sahlberg, 1908, <i>Cybocephalus</i>	489
salsolae Iablokoff-Khnzorian, 1978, <i>Leptoscyrnus</i>	579
salsolae J. Weise, 1879, <i>Coccinella</i>	613
salsus Kirejtshuk, 1988, <i>Cybocephalus</i>	490
saltatus Vats & Kashyap, 1992, <i>Agrypnus</i>	99
saltinii Cate, 2002, <i>Anostirus</i>	175
saluki Johnson, 2007, <i>Corticarina</i>	647
salvan Audisio, 2003, <i>Meligethes</i>	486
salvatori Pic, 1901, <i>Ptinus</i>	334
samai Guglielmi & Platia, 1985, <i>Athous</i>	162
samai Platia, 2002, <i>Agriotes</i>	117
samai Platia & Gudenzi, 2000, <i>Cardiophorus</i>	200
samai Schimmel & Platia, 1988, <i>Ampedus</i>	127
samarkandensis Pic, 1913, <i>Metacantharis</i>	256
sambuci Erichson, 1843, <i>Heterhelus</i>	457
samchus Bielawski, 1979, <i>Phymatosternus</i>	596
samedovi Dolin & Agajev, 1974, <i>Adrastus</i>	109
samedovi Dolin & Agajev, 1983, <i>Ampedus</i>	127
sameki Mertlik, 2000, <i>Selatosomus</i>	182
sameki Platia, 2003, <i>Agriotes</i>	117
sameki Platia, 2003, <i>Athous</i>	162
samniticus Fiori, 1908, <i>Malthodes</i>	285
samoana Dieke, 1947, <i>Henosepilachna</i>	629
samsunicus Wittmer, 1974, <i>Malthinus</i>	282
sanchezi Oromí & García, 1987, <i>Lycoperdina</i>	565
sanctaealmae Abeille de Perrin, 1895, <i>Arthrolips</i>	632

<i>sanctissimus</i> Roubal, 1927, <i>Oxystrongylus</i>	474
<i>sanctus</i> Pic, 1902, <i>Aplocnemus</i>	413
<i>sandalica</i> Kazantsev, 1998, <i>Crudosilis</i>	274
<i>sangtanabiensis</i> Bielawski, 1959, <i>Scymnus</i>	591
<i>sanguinea</i> Crotch, 1876, <i>Rhodotritoma</i>	543
<i>sanguinea</i> Fleutiaux, 1908, <i>Lacon</i>	101
<i>sanguinea</i> Giorna, 1792, <i>Psoa</i>	328
<i>sanguinea</i> Kazantsev, 1997, <i>Laterialis</i>	215
<i>sanguinea</i> Linnaeus, 1761, <i>Dictyoptera</i>	214
<i>sanguinea</i> Scopoli, 1763, <i>Lopheros</i>	216
<i>sanguineicollis</i> Abeille de Perrin, 1891, <i>Sphinginus</i>	426
<i>sanguineocinctus</i> Fairmaire, 1859, <i>Xyletinus</i>	361
<i>sanguineofasciatus</i> Gemminger & Harold, 1868, <i>Carpophilus</i>	466
<i>sanguineosignatus</i> Escherich, 1894, <i>Trichodes</i>	377
<i>sanguineosignatus</i> Reitter, 1894, <i>Trichodes</i>	379
<i>sanguineus</i> Candèze, 1863, <i>Lacon</i>	102
<i>sanguineus</i> Fleutiaux, 1918, <i>Parathous</i>	166
<i>sanguineus</i> Linnaeus, 1758, <i>Ampedus</i>	127
<i>sanguineus</i> Linnaeus, 1758, <i>Lygistopterus</i>	224
<i>sanguineus</i> Pic, 1911, <i>Cyphonocerus</i>	226
<i>sanguineus</i> Wittmer, 1951, <i>Lycocerus</i>	253
<i>sanguinicolle</i> Miwa, 1928, <i>Ludioschema</i>	133
<i>sanguinicollis</i> Candèze, 1863, <i>Silesis</i>	113
<i>sanguinicollis</i> Duftschmid, 1825, <i>Ochina</i>	352
<i>sanguinicollis</i> Fabricius, 1787, <i>Dermestoides</i>	381
<i>sanguinicollis</i> Fabricius, 1787, <i>Combocerus</i>	537
<i>sanguinicollis</i> Fallén, 1807, <i>Malthodes</i>	291
<i>sanguinicollis</i> J. Frivaldszky, 1892, <i>Hemicrepidius</i>	170
<i>sanguinicollis</i> J. R. Sahlberg, 1913, <i>Cardiophorus</i>	197
<i>sanguinicollis</i> Majer, 1989, <i>Haplothrix</i>	392
<i>sanguinicollis</i> Miwa, 1930, <i>Priopus</i>	152
<i>sanguinicollis</i> Panzer, 1793, <i>Ischnodes</i>	130
<i>sanguinicollis</i> Spinola, 1844, <i>Cladiscus</i>	367
<i>sanguinipennis</i> Laporte, 1840, <i>Omalisus</i>	211
<i>sanguinipennis</i> Nakane & Ohbayashi, 1958, <i>Laterialis</i>	215
<i>sanguinipes</i> Guérin-Méneville, 1858, <i>Eumorphus</i>	564
<i>sanguiniventer</i> E. Olivier, 1911, <i>Pyrocoelia</i>	229
<i>sanguinolenta</i> Reiche, 1878, <i>Rhagonycha</i>	266
<i>sanguinolentoides</i> Platia, 2002, <i>Ampedus</i>	127
<i>sanguinolentus</i> Candèze, 1893, <i>Adelocera</i>	96
<i>sanguinolentus</i> Fabricius, 1787, <i>Anthocomus</i>	439
<i>sanguinolentus</i> Gyllenhal, 1808, <i>Malthodes</i>	291
<i>sanguinolentus</i> Hope, 1831, <i>Cucujus</i>	502
<i>sanguinolentus</i> Kleine, 1940, <i>Cautires</i>	222
<i>sanguinolentus</i> Linnaeus, 1767, <i>Cucujus</i>	502
<i>sanguinolentus</i> Schrank, 1776, <i>Ampedus</i>	127
<i>sanguinosus</i> Chevrolat, 1861, <i>Trichodes</i>	378
<i>sanguinosus</i> Fairmaire, 1900, <i>Prothemus</i>	260
<i>sanguinosus</i> Kleine, 1950, <i>Calochromus</i>	224
<i>sanguisorbae</i> Meier, 1897, <i>Hippodamia</i>	617

sannenensis Pic, 1926, <i>Lycocerus</i>	253
sanninensis Pic, 1911, <i>Ptinus</i>	335
sannio J. Weise, 1883, <i>Nephus</i>	579
sannouanus Nakane & Makino, 1989, <i>Asiopodabrus</i>	236
sanorum Kishii, 2002, <i>Ampedus</i>	127
sanpedroensis Wittmer, 1971, <i>Malthinus</i>	282
sanscrita Crotch, 1874, <i>Afissula</i>	626
sanscrita Mulsant, 1853, <i>Halysia</i>	598
santiago Evers, 1988, <i>Attalus</i>	424
santiago Pardo Alcaide, 1955, <i>Attalus</i>	423
saponariae J. Weise, 1879, <i>Subcoccinella</i>	631
sapporensis Kôno, 1932, <i>Dictyoptera</i>	214
sapporensis Matsumura, 1911, <i>Podabrus</i>	237
sapporensis Ohta, 1929, <i>Scymnus</i>	587
sapporoensis W. Suzuki, 1985, <i>Ampedus</i>	127
sarae Bahillo de la Puebla & López-Colón, 2004, <i>Enicopus</i>	408
sardeus Candèze, 1860, <i>Cardiophorus</i>	195
sardiniae Geisthardt, 1987, <i>Lampyris</i>	227
sardiniensis J. Weise, 1879, <i>Adalia</i>	603
sardiniensis Pic, 1918, <i>Cantharis</i>	242
sardiniensis Reitter, 1914, <i>Stenagostus</i>	172
sardoa Kisenwetter, 1871, <i>Danacea</i>	399
sardoa Reitter, 1911, <i>Cholovocera</i>	557
sardous Erichson, 1840, <i>Clanoptilus</i>	445
sardous Küster, 1846, <i>Dermestes</i>	302
sardous Motschulsky, 1853, <i>Malthodes</i>	293
sardous Perris, 1869, <i>Cebrio</i>	93
sardous Reitter, 1915, <i>Stagetus</i>	347
sardous Rosenhauer, 1856, <i>Dasytes</i>	404
sareptana Marseul, 1868, <i>Rhagonycha</i>	267
sareptanus Desbrochers des Loges, 1869, <i>Agriotes</i>	119
sareptanus Kiesenwetter, 1877, <i>Xyletinus</i>	361
sareptanus Reitter, 1878, <i>Attagenus</i>	309
sarmaticus Motschulsky, 1860, <i>Drasterius</i>	105
sarnicus Mroczkowski, 1963, <i>Anthrenus</i>	311
sarothamni Meier, 1897, <i>Hippodamia</i>	617
saroveci Platia, 2004, <i>Peripontius</i>	111
sarracena Español, 1979, <i>Clada</i>	353
sartorii Schilsky, 1896, <i>Graellsinus</i>	408
sasajii Kishii, 2001, <i>Scutellathous</i>	172
sasajii Narukawa, 2001, <i>Tritoma</i>	546
sasajii Strohecker, 1982, <i>Mycetina</i>	566
sasajii Tomaszewska, 1998, <i>Endomychus</i>	561
sasakii Ôhira, 1970, <i>Liotrichus</i>	178
sassarensis Strassen, 1954, <i>Malthodes</i>	293
satanas Escalera, 1921, <i>Cephalogonia</i>	451
satanas Kocher, 1952, <i>Cebrio</i>	93
satanas Procházka, 1894, <i>Danacea</i>	399
satanulus Reitter, 1902, <i>Megathous</i>	171
satanulus Reitter, 1901, <i>Ptinomorphus</i>	354

satelles Blackburn, 1888, <i>Cartodere</i>	636
satoi Brancucci, 1983, <i>Microichthyurus</i>	297
satoi Geisthardt, 2003, <i>Lampyris</i>	227
satoi Jeng & P.-S. Yang, 2003, <i>Luciola</i>	233
satoi John, 1968, <i>Aphanocephalus</i>	556
satoi Miyatake, 1977, <i>Micraspis</i>	620
satoi Nakane & Kishii, 1956, <i>Priopus</i>	152
<i>satoi</i> Ôhira, 1964, <i>Cryptalaus</i>	107
satoi Ôhira, 1968, <i>Abelater</i>	135
satoi Ôhira, 2003, <i>Agaripenthes</i>	135
satoi Ôhira, 1967, <i>Melanotus</i>	148
satoi Ôhira, 1967, <i>Quasimus</i>	191
satoi Wittmer, 1997, <i>Cantharis</i>	246
satoi Wittmer, 1982, <i>Micropodabrus</i>	258
satoi Wittmer, 1997, <i>Mimopodabrus</i>	258
satoi Wittmer, 1983, <i>Themus</i>	270
satoi Wittmer, 1971, <i>Hypebaeus</i>	435
satoi Wittmer, 1981, <i>Tropiebaeus</i>	437
satouchii Kishii, 1961, <i>Hemicrepidius</i>	171
<i>satrapa</i> Kiesenwetter, 1858, <i>Ampedus</i>	127
satrapoides Zeising & Sieg, 1992, <i>Ampedus</i>	127
<i>satsuma</i> Kishii, 1996, <i>Agrypnus</i>	99
satsumana Nakane, 1984, <i>Mycetina</i>	565
satsumanus Nakane, 1988, <i>Biphyllus</i>	548
satsumanus Yajima & Nakane, 1988, <i>Themus</i>	271
<i>saturata</i> Gorham, 1894, <i>Menochilus</i>	619
<i>saturiator</i> Buysson, 1906, <i>Athous</i>	157
<i>saturipennis</i> Pic, 1909, <i>Rhagonycha</i>	266
saucerottii Mulsant, 1850, <i>Coccinella</i>	611
saucia Mulsant, 1850, <i>Coelophora</i>	614
saudarabicus Chassain, 1983, <i>Lanelater</i>	102
saudarabicus Platia & Schimmel, 1997, <i>Cardiophorus</i>	200
saudianus Chassain, 1979, <i>Craspedostethus</i>	203
saudicus Ślipiński, 1984, <i>Placonotus</i>	506
saudita Español, 1981, <i>Rhamna</i>	355
saulcyi Baudi di Selve, 1870, <i>Holopamecus</i>	558
<i>saulcyi</i> Reitter, 1872, <i>Meligethes</i>	484
saundersi Candèze, 1874, <i>Campsosternus</i>	94
<i>saundersi</i> Crotch, 1874, <i>Harmonia</i>	615
saundersii Crotch, 1874, <i>Phymatosternus</i>	596
<i>saundersii</i> Crotch, 1874, <i>Phrynocaria</i>	623
saurica Kazantsev, 1994, <i>Rhagonycha</i>	267
sausai Dolin, 2001, <i>Quasimus</i>	191
sausai Dolin, 2002, <i>Zorochros</i>	192
sausai Schimmel, 1996, <i>Ampedus</i>	127
sausai Schimmel, 2003, <i>Gamepenthes</i>	136
sausai Schimmel, 1996, <i>Csikia</i>	183
sausai Schimmel, 1996, <i>Penia</i>	185
sausai Wittmer, 1997, <i>Rhagophthalmus</i>	225
sauteranus Fowler, 1913, <i>Anadastus</i>	533

sauteri Corporaal & Pic, 1940, <i>Callimerus</i>	371
sauteri E. Olivier, 1913, <i>Curtos</i>	231
sauteri Fleutiaux, 1929, <i>Raapia</i>	87
sauteri Fowler, 1913, <i>Tetraphala</i>	536
sauteri Gestro, 1911, <i>Trypherus</i>	298
sauteri Grouvelle, 1914, <i>Pocadites</i>	476
sauteri Grouvelle, 1914, <i>Triacanus</i>	477
sauteri Grouvelle, 1914, <i>Ithyphenes</i>	478
<i>sauteri</i> Grouvelle, 1914, <i>Ancistria</i>	501
sauteri Grouvelle, 1914, <i>Biphyllus</i>	548
sauteri Grouvelle, 1914, <i>Ascetoderes</i>	551
sauteri Grouvelle, 1914, <i>Asosylus</i>	551
sauteri J. Weise, 1923, <i>Nephus</i>	581
sauteri J. Weise, 1923, <i>Epilachna</i>	628
sauteri John, 1971, <i>Aphanocephalus</i>	556
sauteri Kazantsev, 1993, <i>Libnetis</i>	217
<i>sauteri</i> M. Chûjô, 1941, <i>Hornerotylus</i>	539
sauteri M. Chûjô, 1938, <i>Endomychus</i>	561
sauteri Miwa, 1931, <i>Glyphonyx</i>	110
sauteri Miwa, 1930, <i>Silesis</i>	113
sauteri Muona, 1991, <i>Galbites</i>	86
sauteri Ôhira, 1970, <i>Agrypnus</i>	99
sauteri Pic, 1925, <i>Plateros</i>	220
<i>sauteri</i> Pic, 1926, <i>Lycocerus</i>	250
sauteri Pic, 1926, <i>Lycocerus</i>	253
sauteri Pic, 1934, <i>Macrohabronychus</i>	255
sauteri Pic, 1912, <i>Themus</i>	271
sauteri Pic, 1911, <i>Laemoglyptus</i>	275
<i>sauteri</i> Pic, 1937, <i>Ichthyurus</i>	297
sauteri Pic, 1914, <i>Myrmecoptinus</i>	332
sauteri Pic, 1914, <i>Falsogastrallus</i>	340
sauteri Pic, 1938, <i>Stigmatium</i>	375
sauteri Schenkling, 1912, <i>Cladiscus</i>	367
sauteri Schenkling, 1912, <i>Allochotes</i>	381
sauteri Schimmel, 1999, <i>Procraerus</i>	138
sauzeti Mulsant, 1866, <i>Oenopia</i>	622
savioi Fleutiaux, 1925, <i>Microrhagus</i>	83
savioi Fleutiaux, 1936, <i>Aeoloderma</i>	103
savioi Pic, 1928, <i>Ichthyurus</i>	297
savioi Pic, 1925, <i>Tenerus</i>	384
savioi Pic, 1927, <i>Laius</i>	418
savioi Pic, 1937, <i>Clanoptilus</i>	444
savioi Platia & Schimmel, 2001, <i>Melanotus</i>	148
savitskiorum Kazantsev, 2001, <i>Podistra</i>	259
sawadai Kishii, 1985, <i>Ampedus</i>	127
sawadai Nakane, 1983, <i>Panamomus</i>	562
sawadai Narukawa, 2003, <i>Spondotriplax</i>	543
sawadai Ôhira, 1963, <i>Homotechnes</i>	153
sawadai Wittmer, 1995, <i>Tropiebaeus</i>	437
saxatilis Audisio, 1988, <i>Meligethes</i>	486

saxatilis Lewis, 1894, <i>Ascoliocerus</i>	152
saxicola Krauss, 1894, <i>Podistra</i>	259
saxicola Peyerimhoff, 1929, <i>Antinea</i>	415
saxonica Gmelin, 1790, <i>Lymexylon</i>	363
sbeitlensis Buysson, 1905, <i>Cardiophorus</i>	200
sbordonii Audisio, 1975, <i>Trichodes</i>	379
sbordonii Guglielmi & Platia, 1985, <i>Adrastus</i>	109
scaber Matthews, 1899, <i>Arthrolips</i>	632
scaber Suffrian, 1843, <i>Dasytes</i>	401
scabra Kunze, 1839, <i>Monotoma</i>	494
scabra Thunberg, 1784, <i>Calitys</i>	364
scabricollis Champion, 1922, <i>Achaetomalachius</i>	388
scabricollis Eschscholtz, 1822, <i>Selatosomus</i>	181
scabripennis E. Olivier, 1907, <i>Nyctophila</i>	228
scabripennis Lewis, 1894, <i>Silesis</i>	113
scabripennis T. L. Casey, 1916, <i>Trogoderma</i>	320
scalaris Gebler, 1843, <i>Hippodamia</i>	616
scalaris Pic, 1893, <i>Attagenus</i>	309
scalaris Timberlake, 1943, <i>Oenopia</i>	622
scalpratus G.-Y. Yu, 1993, <i>Scymnus</i>	587
scanica Fabricius, 1775, <i>Dacne</i>	537
scanicus Linnaeus, 1758, <i>Cryptophagus</i>	520
scapanulus X.-F. Pang & Huang, 1985, <i>Scymnus</i>	591
scapularis Candèze, 1863, <i>Agonischius</i>	131
scapularis L. Redtenbacher, 1858, <i>Cantharis</i>	243
scapularis Marseul, 1878, <i>Malthinus</i>	282
scapulatus Candèze, 1863, <i>Idolus</i>	140
scapulatus Candèze, 1878, <i>Cardiophorus</i>	200
scarabaeoides Scopoli, 1763, <i>Nitidula</i>	474
schaedia P. Rossi, 1790, <i>Opilo</i>	373
schaeferi Méquignon, 1949, <i>Thanasimus</i>	375
schaeferi Pic, 1953, <i>Clanoptilus</i>	445
schaefferi C. R. Sahlberg, 1819, <i>Attagenus</i>	310
schaefferi Herbst, 1792, <i>Attagenus</i>	310
schaefferi J. Weise, 1879, <i>Ceratomegilla</i>	609
schaelkownikowi Pic, 1904, <i>Xyletinus</i>	361
schaitan Lyubarsky, 2000, <i>Cryptophagus</i>	520
schatzmayeri Pic, 1934, <i>Ptinus</i>	333
schatzmayeri Pic, 1909, <i>Trichoceble</i>	414
schatzmayeri Binaghi, 1941, <i>Drasterius</i>	106
schatzmayeri Canepari, 1985, <i>Hyperaspis</i>	578
schatzmayeri Canepari & Tedeschi, 1977, <i>Nephus</i>	581
schatzmayeri John, 1965, <i>Thorictus</i>	305
schatzmayeri Pic, 1951, <i>Malthinus</i>	278
schatzmayeri Wittmer, 1935, <i>Malthodes</i>	293
schatzmayeri Wittmer, 1934, <i>Attalus</i>	424
schaubi Wittmer, 1969, <i>Malthinus</i>	282
schaufussi Walter, 1882, <i>Propylea</i>	624
schaumi Buysson, 1901, <i>Hemicrepidius</i>	170
schaumi Candèze, 1882, <i>Mulsanteus</i>	133

schawalleri Canepari, 1997, <i>Ghanius</i>	569
schawalleri Canepari, 1997, <i>Scymnus</i>	587
schawalleri Canepari, 1997, <i>Epilachna</i>	628
schawalleri Háva, 2002, <i>Ctesias</i>	315
schawalleri Háva & Jelínek, 2000, <i>Laricobius</i>	299
schawalleri Kazantsev, 1993, <i>Plateros</i>	221
schawalleri Kopetz, 2004, <i>Themus</i>	270
schawalleri Platia, 2004, <i>Ludigenoides</i>	132
schawalleri Platia & Schimmel, 1991, <i>Silesis</i>	113
schawalleri Platia & Schimmel, 2001, <i>Melanotus</i>	148
schawalleri Schimmel, 1993, <i>Ampedus</i>	127
schawalleri Schimmel, 2004, <i>Melanoxanthus</i>	137
schawalleri Schimmel & Platia, 1991, <i>Dima</i>	184
schawalleri Wittmer, 1988, <i>Ebaeus</i>	432
scheerpeltzi Mader, 1955, <i>Tritoma</i>	546
scheibe Blair, 1937, <i>Lobonyx</i>	384
scheibe Wittmer, 1956, <i>Ebaeus</i>	432
<i>schelkovnikovi</i> Barovskij, 1930, <i>Benibotarus</i>	214
<i>schelkovnikovi</i> Dobrzanskiy, 1927, <i>Ceratomegilla</i>	609
<i>schelkownikowi</i> Pic, 1911, <i>Clanoptilus</i>	445
schembrii Platia, 1985, <i>Haterumelater</i>	130
schenklingi Fowler, 1908, <i>Doubledaya</i>	534
schenklingi Grouvelle, 1914, <i>Biphyllus</i>	548
schenklingi Reitter, 1921, <i>Trixagus</i>	89
<i>schenklingi</i> Reitter, 1919, <i>Meligethes</i>	481
<i>scherdlini</i> Reitter, 1914, <i>Anostirus</i>	175
scherer Majer, 1988, <i>Dasytiscus</i>	391
scherer Wittmer, 1966, <i>Hypebaeus</i>	435
scherleri Dajoz, 1973, <i>Anommatus</i>	550
scheuerni Chassain, 1979, <i>Cardiophorus</i>	200
<i>schilskyanus</i> Sharp, 1916, <i>Ernobius</i>	351
<i>schilskyi</i> Champion, 1923, <i>Pseudamauronia</i>	394
<i>schilskyi</i> Reitter, 1901, <i>Ernobius</i>	350
<i>schilskyi</i> Reitter, 1896, <i>Cerallus</i>	386
<i>schilskyi</i> Reitter, 1902, <i>Trichoceble</i>	414
<i>schilskyi</i> Reitter, 1897, <i>Meligethes</i>	486
schimmeli Platia, 2003, <i>Athous</i>	160
schimmeli Zeising & Brunne, 2003, <i>Peripontius</i>	111
schioedtei Murray, 1864, <i>Carpophilus</i>	467
schirozui Miyatake, 1965, <i>Calvia</i>	608
schirozui Sasaji, 1968, <i>Chilocorus</i>	594
schiva Kapur, 1963, <i>Calvia</i>	608
schlerethi Reitter, 1884, <i>Ptinus</i>	333
schmalfussi Chassain, 1984, <i>Dicronychus</i>	205
schmidi Wittmer, 1960, <i>Hypebaeus</i>	435
schmidti Fürsch, 1958, <i>Scymnus</i>	591
<i>schmidti</i> Fürsch & Kreissl, 1967, <i>Scymnus</i>	591
schmidti Kopetz, 2004, <i>Themus</i>	270
schmidti Platia & Schimmel, 2004, <i>Melanotus</i>	148
schmidti Schimmel, 1995, <i>Paracsikia</i>	184

<i>schmidtii</i> Sturm, 1845, <i>Cryptophagus</i>	520
<i>schneebergi</i> Roubal, 1932, <i>Ctenicera</i>	177
<i>schneideri</i> Abeille de Perrin, 1890, <i>Cyrtosus</i>	447
<i>schneideri</i> Geisthardt, 1999, <i>Lampyroidea</i>	231
<i>schneideri</i> Gradl, 1882, <i>Coccinella</i>	610
<i>schneideri</i> Háva, 2002, <i>Dermestes</i>	300
<i>schneideri</i> J. Weise, 1878, <i>Ceratomegilla</i>	609
<i>schneideri</i> Jelínek, 1999, <i>Physoronia</i>	475
<i>schneideri</i> Kiesenwetter, 1878, <i>Hemicrepidius</i>	171
<i>schneideri</i> Kiesenwetter, 1878, <i>Erotides</i>	215
<i>schneideri</i> Reitter, 1878, <i>Nicobium</i>	342
<i>schneideri</i> Reitter, 1878, <i>Meligethes</i>	484
<i>schneideri</i> Reitter, 1902, <i>Orthoperus</i>	634
<i>schneideri</i> Schwarz, 1891, <i>Agriotes</i>	118
<i>schneideri</i> Švihla, 2004, <i>Lycocerus</i>	253
<i>schneideri</i> Švihla, 2004, <i>Stenothemus</i>	269
<i>schneideri</i> Švihla, 2004, <i>Themus</i>	270
<i>schoedei</i> Schimmel, 1999, <i>Ectamenogonus</i>	136
<i>schoenherri</i> Dejean, 1836, <i>Podistra</i>	259
<i>schoenherri</i> J. Weise, 1879, <i>Adalia</i>	603
<i>schoeni</i> Švihla, 1992, <i>Cantharis</i>	246
<i>schoeni</i> Švihla, 2002, <i>Malthinus</i>	282
<i>schoenmanni</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>schoettlei</i> Zeising & Brunne, 2003, <i>Ampedus</i>	127
<i>scholzi</i> Easton, 1960, <i>Meligethes</i>	486
<i>schonherrii</i> Gyllenhal, 1808, <i>Telmatophilus</i>	524
<i>schraiki</i> Mader, 1933, <i>Cryptogonus</i>	576
<i>schrammi</i> Pic, 1907, <i>Cantharis</i>	244
<i>schranki</i> Kugelann, 1792, <i>Attagenus</i>	309
<i>schreberi</i> Gerhardt, 1908, <i>Trichodes</i>	377
<i>schreiberi</i> Reitter, 1891, <i>Malthodes</i>	290
<i>schreitteri</i> A. Fleischer, 1886, <i>Coccinella</i>	611
<i>schroetteri</i> Reitter, 1912, <i>Cryptophagus</i>	520
<i>schroetteri</i> Reitter, 1910, <i>Anommatus</i>	550
<i>schuberti</i> Bruce, 1963, <i>Cryptophagus</i>	516
<i>schuberti</i> Platia, 2004, <i>Agriotes</i>	117
<i>schuberti</i> Platia & Gudenzi, 2002, <i>Adelocera</i>	96
<i>schuberti</i> Platia & Gudenzi, 2002, <i>Cardiophorus</i>	200
<i>schuberti</i> Wittmer, 1966, <i>Malthodes</i>	293
<i>schueppeli</i> Reitter, 1881, <i>Dienerella</i>	637
<i>schuetti</i> Park, 1929, <i>Adalia</i>	603
<i>shuhi</i> Platia & Schimmel, 1993, <i>Silesis</i>	113
<i>shuhi</i> Wittmer, 1994, <i>Laius</i>	418
<i>schurmanni</i> Platia & Gudenzi, 1998, <i>Agriotes</i>	117
<i>schurmanni</i> Platia & Gudenzi, 1998, <i>Cidnopus</i>	164
<i>schurmanni</i> Platia & Gudenzi, 2002, <i>Cardiophorus</i>	200
<i>schurmanni</i> Platia & Serrano, 2002, <i>Athous</i>	160
<i>schusteri</i> Buysson, 1912, <i>Cardiophorus</i>	200
<i>schusteri</i> Schwarz, 1897, <i>Craspedostethus</i>	203
<i>schwarzi</i> Buysson, 1893, <i>Agriotes</i>	117

<i>schwarzi</i> Horn, 1878, <i>Tetrapriocera</i>	324
<i>schwarzi</i> Jagemann, 1944, <i>Agrypnus</i>	98
<i>schwarzi</i> Platia & Schimmel, 1991, <i>Silesis</i>	113
<i>schwarzi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>schwarzi</i> Reitter, 1898, <i>Elathous</i>	164
<i>schwarzi</i> Reitter, 1891, <i>Drilus</i>	210
<i>schweigeri</i> Jelínek, 1968, <i>Meligethes</i>	487
<i>scissus</i> Parsons, 1943, <i>Kateretes</i>	458
<i>scissus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>scitula</i> Lewis, 1887, <i>Satelia</i>	539
<i>scitulus</i> Erichson, 1840, <i>Hypebaeus</i>	433
<i>scitulus</i> Wollaston, 1864, <i>Attalus</i>	424
<i>scitus</i> Mannerheim, 1844, <i>Latridius</i>	638
<i>sciurus</i> Candèze, 1882, <i>Melanotus</i>	148
<i>scobinula</i> Candèze, 1857, <i>Rismethus</i>	103
<i>scopini</i> Fursov, 1936, <i>Enneadesmus</i>	324
<i>scopoli</i> Fuessly, 1775, <i>Anostirus</i>	175
<i>scopoli</i> Gredler, 1866, <i>Rhagonycha</i>	263
<i>scoriaceus</i> Gistel, 1857, <i>Rhizophagus</i>	491
<i>scortea</i> Majer, 1995, <i>Mimothrix</i>	393
<i>scorteccii</i> Binaghi, 1941, <i>Lanelater</i>	102
<i>scotias</i> Fabricius, 1781, <i>Gibbium</i>	329
<i>scotica</i> Sharp, 1867, <i>Cantharis</i>	241
<i>scotti</i> Easton, 1954, <i>Meligethes</i>	486
<i>scotti</i> Paulian, 1948, <i>Arthrolips</i>	632
<i>scotti</i> Wittmer, 1954, <i>Mixis</i>	437
<i>scotus</i> Candèze, 1860, <i>Fleutiauxellus</i>	187
<i>scovitzi</i> Faldermann, 1837, <i>Endomychus</i>	560
<i>scribai</i> J. Weise, 1879, <i>Adalia</i>	605
<i>scripta</i> J. Weise, 1879, <i>Oenopia</i>	622
<i>scriptipennis</i> Pic, 1900, <i>Malthinus</i>	282
<i>scriptoides</i> Wittmer, 1971, <i>Malthinus</i>	282
<i>scriptus</i> Kiesenwetter, 1852, <i>Malthinus</i>	282
<i>scrobicollis</i> LeConte, 1853, <i>Melanotus</i>	143
<i>scrobiculatus</i> G.-Y. Yu, 1993, <i>Scymnus</i>	587
<i>scrofa</i> Candèze, 1873, <i>Agrypnus</i>	99
<i>scrofa</i> Germar, 1844, <i>Ampedus</i>	121
<i>scrofilia</i> Ôhira, 1969, <i>Agrypnus</i>	98
<i>scrophulariae</i> Geoffroy, 1785, <i>Anthrenus</i>	312
<i>scrophulariae</i> Linnaeus, 1758, <i>Anthrenus</i>	313
<i>scrutator</i> Herbst, 1806, <i>Hemicrepidius</i>	170
<i>sculpticollis</i> Fairmaire, 1889, <i>Senodonia</i>	186
<i>sculptifrons</i> Abeille de Perrin, 1883, <i>Malachius</i>	449
<i>sculptifrons</i> Reitter, 1889, <i>Cryptomorpha</i>	497
<i>sculptile</i> LeConte, 1855, <i>Cartodere</i>	636
<i>sculptilis</i> Gyllenhal, 1827, <i>Enicmus</i>	638
<i>sculptipennis</i> Faldermann, 1837, <i>Corticaria</i>	643
<i>sculpturata</i> Broun, 1880, <i>Cartodere</i>	636
<i>sculpturatus</i> Bruce, 1941, <i>Cryptophagus</i>	517
<i>sculpturatus</i> Wollaston, 1862, <i>Aplocnemus</i>	412

sculpturatus Wollaston, 1862, <i>Metopthalmus</i>	640
sculptus Westwood, 1848, <i>Cryptalaus</i>	107
scurra Evers, 1986, <i>Cephalogonia</i>	451
scutata Geisthardt, 1983, <i>Nyctophila</i>	228
scutatus Fairmaire, 1897, <i>Lamprigera</i>	229
scutellaris Abeille de Perrin, 1890, <i>Pelochrus</i>	429
scutellaris Candèze, 1895, <i>Agrypnus</i>	99
scutellaris Charpentier, 1825, <i>Triplax</i>	545
<i>scutellaris</i> Della Beffa, 1913, <i>Hippodamia</i>	619
scutellaris Dolin, 2003, <i>Cidnopus</i>	164
scutellaris Erichson, 1840, <i>Malachius</i>	449
scutellaris Fabricius, 1792, <i>Enicopus</i>	408
scutellaris Fairmaire, 1867, <i>Cebrio</i>	93
scutellaris Heer, 1841, <i>Heterhelus</i>	457
<i>scutellaris</i> J. Weise, 1879, <i>Hippodamia</i>	617
scutellaris Jelínek & Kirejtshuk, 1986, <i>Aethina</i>	470
<i>scutellaris</i> Küster, 1849, <i>Enicopus</i>	407
<i>scutellaris</i> Leinberg, 1900, <i>Kateretes</i>	458
scutellaris Lewis, 1894, <i>Ampedus</i>	121
<i>scutellaris</i> Lewis, 1894, <i>Denticollis</i>	168
scutellaris Motschulsky, 1849, <i>Atomaria</i>	527
scutellaris Mulsant, 1851, <i>Melyris</i>	387
<i>scutellaris</i> Mulsant, 1850, <i>Scymnus</i>	584
<i>scutellaris</i> P. H. Lucas, 1846, <i>Rhagonycha</i>	263
scutellaris Panzer, 1797, <i>Opetiopalpus</i>	383
scutellaris Pic, 1926, <i>Pyrocoelia</i>	229
<i>scutellaris</i> Pic, 1899, <i>Macrocerus</i>	296
scutellaris Pic, 1920, <i>Colotes</i>	427
scutellaris Pic, 1908, <i>Ebaeus</i>	432
scutellaris Rosenhauer, 1856, <i>Malthinus</i>	282
<i>scutellaris</i> Schenkling, 1901, <i>Callimerus</i>	371
<i>scutellaris</i> Schilsky, 1899, <i>Xyletinus</i>	361
<i>scutellaris</i> Solsky, 1868, <i>Dasytes</i>	402
<i>scutellata</i> Fairmaire, 1884, <i>Pelania</i>	228
scutellata Herbst, 1783, <i>Coccidula</i>	572
scutellatus Candèze, 1857, <i>Agrypnus</i>	99
scutellatus Crotch, 1876, <i>Anadastus</i>	533
scutellatus Motschulsky, 1854, <i>Rhagophthalmus</i>	225
scutellatus Newman, 1834, <i>Cryptophagus</i>	520
<i>scutellatus</i> Panzer, 1792, <i>Brachypterolus</i>	456
scutellatus Platia & Schimmel, 2004, <i>Melanotus</i>	148
<i>scutellatus</i> Schaufuss, 1882, <i>Agriotes</i>	117
scutellecrista Vats & Chauchan, 1992, <i>Glyphonyx</i>	110
scutellomaculatus Wittmer, 1956, <i>Hypebaeus</i>	435
scuticollis Walker, 1859, <i>Silvanoprus</i>	500
scutigera Arrow, 1925, <i>Tritoma</i>	546
scutopentagonus Vats & Kashyap, 1993, <i>Lanelater</i>	102
<i>scuttelatum</i> Schaufuss, 1862, <i>Opilo</i>	373
<i>scutulata</i> J. Weise, 1879, <i>Calvia</i>	608
scyllea Liberti, 1981, <i>Danacea</i>	399

scymnoides Miyatake, 1978, <i>Telsimia</i>	597
scymnoides Reitter, 1885, <i>Sphaerosoma</i>	556
seabrai Luna de Carvalho, 1951, <i>Airaphilus</i>	498
seawardii Tshernyshev, 2003, <i>Ebaeus</i>	432
seboshii Ohta, 1929, <i>Pseudoscymnus</i>	582
secessus Candèze, 1873, <i>Hemicrepidius</i>	171
sechuana Schimmel, 2003, <i>Pectocera</i>	95
sechuanensis Schimmel, 2004, <i>Megapenthes</i>	137
secretus John, 1957, <i>Aphanocephalus</i>	556
secticollis Strohecker, 1974, <i>Stenotarsus</i>	568
secula C. T. Yang, 1978, <i>Scymnus</i>	584
secunda Sasaji, 1989, <i>Medamatento</i>	570
securiclatus Baudi di Selve, 1873, <i>Malachius</i>	449
securiformis G.-Y. Yu & X.-F. Pang, 1992, <i>Keiscymnus</i>	579
sedakovii Mannerheim, 1852, <i>Megathous</i>	171
sedakovii Mulsant, 1850, <i>Coccinella</i>	611
sedecimguttata Linnaeus, 1758, <i>Halyzia</i>	598
sedecimmaculata Fabricius, 1787, <i>Oenopia</i>	621
sedecimmaculata Thunberg, 1795, <i>Oenopia</i>	621
sedecimnotata Fabricius, 1801, <i>Harmonia</i>	616
sedecimpunctata Fabricius, 1781, <i>Harmonia</i>	616
sedecimpunctata Linnaeus, 1761, <i>Tytthaspis</i>	601
sedecimpustulata Linnaeus, 1758, <i>Coccinella</i>	613
sedileformis Wittmer, 1993, <i>Malthodes</i>	293
sedilloti Bourgeois, 1885, <i>Dasytidius</i>	390
sedilloti Guillebeau, 1892, <i>Tolyphus</i>	513
sedlaceki Winkler, 1978, <i>Emmepus</i>	370
sedlaceki Winkler, 1974, <i>Trichodes</i>	379
sedula J. Weise, 1879, <i>Adalia</i>	605
sefrensis Chobaut, 1896, <i>Cebrio</i>	93
sefrensis Pic, 1894, <i>Dasytes</i>	401
segetalis Naezén, 1792, <i>Hippodamia</i>	617
segetis Bjerkander, 1779, <i>Agriotes</i>	115
segmentatus Chevrolat, 1874, <i>Cebrio</i>	93
segregatus C. O. Waterhouse, 1876, <i>Murmidius</i>	553
seguranus Caminero, 1983, <i>Cebrio</i>	93
segurensis Escalera, 1926, <i>Attalus</i>	424
seiditzi Csiki, 1906, <i>Xylophilus</i>	85
seidlitzii Buysson, 1896, <i>Ampedus</i>	123
seidlitzii Kiesenwetter, 1866, <i>Cantharis</i>	246
seidlitzii Plavilshchikov, 1924, <i>Meligethes</i>	480
seidlitzii Reitter, 1889, <i>Sphaerosoma</i>	556
seidlitzii Schilsky, 1893, <i>Epuraea</i>	462
seidlitzii Flach, 1888, <i>Olibrus</i>	510
seinoi Kishii, 1985, <i>Agrypnus</i>	98
seinoi Kishii, 1976, <i>Silesis</i>	112
seinoi Kishii, 1984, <i>Chatanayus</i>	119
seinoi Kishii, 1987, <i>Orthostethus</i>	133
seinoi Kishii, 2001, <i>Scutellathous</i>	172
sekeræ Reitter, 1910, <i>Adrastus</i>	109

sekerae Reitter, 1908, <i>Merophysia</i>	558
selectus Candèze, 1865, <i>Liotrichus</i>	178
seleucianus Wittmer, 1970, <i>Malthodes</i>	293
seleukos Wittmer, 1972, <i>Malthodes</i>	287
<i>sellata</i> Heer, 1841, <i>Atomaria</i>	525
<i>sellata</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>sellata</i> Marseul, 1868, <i>Dapsa</i>	563
<i>sellatus</i> J. Weise, 1901, <i>Cryptogonus</i>	576
<i>sellatus</i> Solsky, 1866, <i>Anthocomus</i>	439
<i>sellatus</i> Westwood, 1852, <i>Orthrius</i>	374
<i>sellatus</i> Wittmer, 1995, <i>Condylops</i>	438
<i>selvagensis</i> Bellés, 2001, <i>Sphaericus</i>	338
<i>selvei</i> Guillebeau, 1892, <i>Olibrus</i>	510
<i>semelai</i> Schimmel, 2004, <i>Megapenthes</i>	137
<i>semen</i> Peyerimhoff, 1913, <i>Rhamna</i>	355
<i>semenovi</i> Barovskij, 1909, <i>Tetrabrachys</i>	574
<i>semenovi</i> Kirejtshuk, 1979, <i>Meligethes</i>	486
<i>semenovi</i> Koenig, 1889, <i>Paraphotistus</i>	179
<i>semenovi</i> Lesne, 1904, <i>Xylogenes</i>	324
<i>semenovi</i> Zhantiev, 1976, <i>Anthrenus</i>	311
<i>semenowi</i> J. Weise, 1887, <i>Parexochomus</i>	595
<i>semenowi</i> J. Weise, 1889, <i>Coccinella</i>	611
<i>semenowi</i> Poppius, 1903, <i>Stephostethus</i>	640
<i>semenowi</i> Reitter, 1901, <i>Airaphilus</i>	498
<i>semiaeneus</i> Abeille de Perrin, 1891, <i>Malachius</i>	449
<i>semiaeneus</i> Ganglbauer, 1899, <i>Meligethes</i>	479
<i>semiaeneus</i> Pic, 1916, <i>Hypnoidus</i>	155
<i>semiarquatipes</i> Pic, 1927, <i>Lycocerus</i>	253
<i>semiaurantiacus</i> Fairmaire, 1891, <i>Anostirus</i>	175
<i>semiauratus</i> Pic, 1922, <i>Dasytes</i>	401
<i>semibrunnea</i> Pic, 1914, <i>Podabrus</i>	237
<i>semibrunneus</i> Pic, 1910, <i>Agriotes</i>	115
<i>semicaeruleus</i> Pic, 1922, <i>Aplocnemus</i>	412
<i>semicircularis</i> Wittmer, 1995, <i>Pseudopodabrus</i>	261
<i>semicostata</i> J. Thomson, 1858, <i>Apate</i>	320
<i>semicrucjata</i> Gradl, 1880, <i>Adalia</i>	605
<i>semicyaneus</i> Pic, 1913, <i>Themus</i>	273
<i>semicyaneus</i> Wittmer, 1983, <i>Lycocerus</i>	253
<i>semidiscoidalis</i> Pic, 1909, <i>Metacantharis</i>	256
<i>semiellipticus</i> Reitter, 1910, <i>Lycostomus</i>	212
<i>semiextensus</i> Wittmer, 1995, <i>Lycocerus</i>	253
<i>semifasciata</i> Dieke, 1947, <i>Henosepilachna</i>	630
<i>semifasciata</i> J. Weise, 1879, <i>Adalia</i>	605
<i>semifasciatus</i> A. Fleischer, 1887, <i>Thanasimus</i>	375
<i>semiflava</i> Küster, 1854, <i>Rhagonycha</i>	266
<i>semiflava</i> Pic, 1895, <i>Danacea</i>	397
<i>semiflavus</i> A. Fleischer, 1886, <i>Calambus</i>	176
<i>semifumatus</i> Fairmaire, 1889, <i>Micropodabrus</i>	258
<i>semifuscata</i> C. Johnson, 1970, <i>Atomaria</i>	527
<i>semiglobosus</i> Reitter, 1884, <i>Cyllodes</i>	472

<i>semiinermis</i> Wittmer, 1970, <i>Troglops</i>	454
<i>semiinflata</i> Wittmer, 1993, <i>Frostia</i>	284
<i>semiinflatus</i> Wittmer, 1995, <i>Protomaltypus</i>	296
<i>semijunctus</i> Pic, 1926, <i>Pharoscymnus</i>	571
<i>semilaetaneus</i> Grouvelle, 1913, <i>Heterojinus</i>	504
<i>semilateralis</i> Pic, 1938, <i>Ebaeus</i>	432
<i>semilimbata</i> Pic, 1906, <i>Globicornis</i>	316
<i>semilimbatus</i> Champenois, 1900, <i>Trichodes</i>	378
<i>semilimbatus</i> Fairmaire, 1862, <i>Clanoptilus</i>	442
<i>semilimbatus</i> Pic, 1912, <i>Cardiophorus</i>	196
<i>semilimbatus</i> Pic, 1903, <i>Malthodes</i>	285
<i>semilimbatus</i> Pic, 1899, <i>Xyletinus</i>	359
<i>semilimbatus</i> Pic, 1906, <i>Condylops</i>	438
<i>semilimbipennis</i> Pic, 1917, <i>Rhagonycha</i>	264
<i>semilutescens</i> Pic, 1912, <i>Cardiophorus</i>	200
<i>semimarginatus</i> Chevrolat, 1874, <i>Cebrio</i>	93
<i>semimarginatus</i> Fairmaire, 1880, <i>Cyrtosus</i>	446
<i>semimetallica</i> Pic, 1932, <i>Cantharis</i>	246
<i>semimetallicus</i> Pic, 1932, <i>Lycocerus</i>	253
<i>semimetallicus</i> Wittmer, 1997, <i>Macrohabronychus</i>	255
<i>semimetallicus</i> Wittmer, 1993, <i>Prothemus</i>	261
<i>seminalis</i> Arrow, 1925, <i>Stenotarsus</i>	568
<i>seminiger</i> Buysson, 1893, <i>Agriotes</i>	117
<i>seminiger</i> Fairmaire, 1864, <i>Attagenus</i>	310
<i>seminiger</i> Gyllenhal, 1808, <i>Leiestes</i>	562
<i>seminigra</i> C. Johnson, 1975, <i>Corticarina</i>	647
<i>seminigra</i> Reitter, 1879, <i>Triplax</i>	545
<i>seminigrinus</i> G. Yu, 1993, <i>Pseudoscymnus</i>	582
<i>seminivea</i> Motschulsky, 1866, <i>Eufallia</i>	638
<i>seminiveus</i> T. L. Casey, 1916, <i>Anthrenus</i>	312
<i>seminotatus</i> Pic, 1919, <i>Eanus</i>	177
<i>seminulum</i> Baudi di Selve, 1870, <i>Cybocephalus</i>	490
<i>seminulum</i> LeConte, 1857, <i>Meligethes</i>	484
<i>seminulum</i> Schrank, 1781, <i>Gibbium</i>	329
<i>semiobliterata</i> Pic, 1935, <i>Cantharis</i>	243
<i>semiobliteratus</i> Pic, 1902, <i>Cardiophorus</i>	196
<i>semiobscura</i> Pic, 1901, <i>Pseudeuanoma</i>	210
<i>semiobscura</i> Pic, 1901, <i>Cratosilis</i>	248
<i>semiobscurus</i> Pic, 1902, <i>Brachygonus</i>	129
<i>semiobscurus</i> Pic, 1900, <i>Malthinus</i>	281
<i>semiopaca</i> Pic, 1909, <i>Pakabsidia</i>	259
<i>semiornatus</i> Schilsky, 1894, <i>Divales</i>	406
<i>semipalatinus</i> Jakobson, 1913, <i>Aplotarsus</i>	175
<i>semipallens</i> Mulsant & Guillebeau, 1855, <i>Athous</i>	157
<i>semipallens</i> Schilsky, 1900, <i>Brodskyana</i>	388
<i>semipallida</i> Reitter, 1899, <i>Brodskyana</i>	388
<i>semipallidus</i> Pic, 1902, <i>Dryophilus</i>	348
<i>semipolitus</i> Abeille de Perrin, 1882, <i>Anthocomus</i>	439
<i>semireductus</i> Pic, 1915, <i>Colotes</i>	427
<i>semiruber</i> Bedel, 1899, <i>Opetiopalpus</i>	383

semiruber Schimmel & Platia, 1991, <i>Penia</i>	185
<i>semiruber</i> Stephens, 1830, <i>Ampedus</i>	122
<i>semirubra</i> J. Weise, 1879, <i>Adalia</i>	603
<i>semirufa</i> Solsky, 1881, <i>Cantharis</i>	246
<i>semirufescens</i> Pic, 1915, <i>Trichoceble</i>	414
<i>semirufula</i> Reitter, 1897, <i>Dacne</i>	538
<i>semirufulum</i> Reitter, 1897, <i>Lasioderma</i>	358
<i>semirufulus</i> Pic, 1896, <i>Ptinus</i>	335
<i>semirufus</i> Champion, 1922, <i>Sphindus</i>	455
<i>semirufus</i> Desbrochers des Loges, 1873, <i>Hemicrepidius</i>	170
<i>semirufus</i> J. Weise, 1885, <i>Scymniscus</i>	583
<i>semirufus</i> Pic, 1909, <i>Prosternon</i>	180
<i>semirufus</i> Pic, 1930, <i>Episernus</i>	349
<i>semirufus</i> Reitter, 1879, <i>Meligethes</i>	482
<i>semisanguineus</i> Reitter, 1889, <i>Ampedus</i>	127
<i>semisericeum</i> Abeille de Perrin, 1907, <i>Dolichophron</i>	407
<i>semispoliata</i> Barovskij, 1926, <i>Cantharis</i>	241
<i>semistrangulatus</i> Pic, 1917, <i>Themus</i>	273
<i>semistriatus</i> Boheman, 1851, <i>Dermestes</i>	301
<i>semistriatus</i> Chevrolat, 1874, <i>Cebrio</i>	93
<i>semistriatus</i> Coiffait, 1984, <i>Anommatus</i>	550
<i>semistriatus</i> Perris, 1865, <i>Philothermus</i>	554
<i>semisulcatus</i> Wittmer, 1997, <i>Rhagophthalmus</i>	225
<i>semitestacea</i> Pic, 1907, <i>Pseudeuanoma</i>	210
<i>semitestacea</i> Reitter, 1888, <i>Atomaria</i>	525
<i>semitestaceus</i> Pic, 1905, <i>Hypoganus</i>	177
<i>semitogatus</i> Fairmaire, 1864, <i>Attalus</i>	424
<i>semiunicolor</i> Pic, 1911, <i>Ptinus</i>	334
<i>semiviridis</i> Pic, 1940, <i>Cordylepherus</i>	446
<i>semperana</i> Gorham, 1876, <i>Tilloidea</i>	369
<i>semusta</i> C. Johnson, 1969, <i>Atomaria</i>	527
<i>sena</i> Haworth, 1812, <i>Adalia</i>	605
<i>senaci</i> Abeille de Perrin, 1890, <i>Hypebaeus</i>	435
<i>senaci</i> Buysson, 1890, <i>Athous</i>	162
<i>senaci</i> Desbrochers des Loges, 1869, <i>Dicronychus</i>	205
<i>senckenbergi</i> Pic, 1913, <i>Metacantharis</i>	255
<i>sencki</i> Villaret, 1833, <i>Lamprohiza</i>	230
<i>senegalense</i> Karsch, 1881, <i>Sinoxylon</i>	323
<i>senegalensis</i> Laporte, 1840, <i>Lanelater</i>	102
<i>senegalensis</i> Laporte, 1832, <i>Eucymatodera</i>	368
<i>senegalensis</i> Pic, 1915, <i>Attagenus</i>	308
<i>senensis</i> Pic, 1922, <i>Themus</i>	273
<i>senescens</i> Jacquelin du Val, 1860, <i>Allotarsus</i>	400
<i>senex</i> Germar, 1824, <i>Dermestes</i>	301
<i>senex</i> Kraatz, 1858, <i>Anthrenus</i>	313
<i>senex</i> Kraatz, 1876, <i>Ptinomorphus</i>	354
<i>senex</i> Rosenhauer, 1856, <i>Allotarsus</i>	400
<i>sengleti</i> Audisio, 1991, <i>Epuraea</i>	462
<i>senguptai</i> Wittmer, 1974, <i>Microlipus</i>	451
<i>seniculus</i> Candèze, 1873, <i>Melanotus</i>	148

<i>seniculus</i> Erichson, 1845, <i>Meligethes</i>	485
<i>seniculus</i> Solsky, 1876, <i>Attagenus</i>	310
<i>senilis</i> Candèze, 1865, <i>Melanotus</i>	148
<i>senilis</i> Kiesenwetter, 1879, <i>Hanumanus</i>	331
<i>senilis</i> Klug, 1842, <i>Trichodes</i>	379
<i>senkakuanus</i> Ôhira, 2004, <i>Agrypnus</i>	98
<i>sennii</i> De Stefani-Perez, 1911, <i>Apate</i>	320
<i>sensillifer</i> Winkler, 1974, <i>Emmepus</i>	370
<i>senyilia</i> Tshernyshev, 2000, <i>Clanoptilus</i>	444
<i>seoanei</i> Perez Arcas, 1865, <i>Cebrio</i>	93
<i>separanda</i> Reitter, 1887, <i>Dienerella</i>	637
<i>separandus</i> Wittmer, 1975, <i>Themus</i>	271
<i>separata</i> Casey, 1899, <i>Psyllobora</i>	599
<i>separata</i> Dieke, 1947, <i>Epilachna</i>	627
<i>separatus</i> Pic, 1929, <i>Orithales</i>	179
<i>separatus</i> Pic, 1896, <i>Ptinus</i>	337
<i>separatus</i> Wittmer, 1974, <i>Stenothemus</i>	269
<i>sepes</i> Lewis, 1879, <i>Ectinus</i>	120
<i>sepicola</i> P. W. J. Müller, 1821, <i>Lathropus</i>	504
<i>septemmaculata</i> DeGeer, 1775, <i>Hippodamia</i>	616
<i>septemmaculatus</i> J. Weise, 1885, <i>Exochomus</i>	594
<i>septemnotata</i> Bielawski, 1979, <i>Epilachna</i>	628
<i>septemnotata</i> Fabricius, 1792, <i>Hippodamia</i>	619
<i>septemnotatus</i> Pic, 1907, <i>Dichelotarsus</i>	237
<i>septemnotatus</i> Pic, 1907, <i>Macrohabronychus</i>	255
<i>septemocellata</i> T. Singh & V. K. Singh, 1990, <i>Epilachna</i>	628
<i>septempunctata</i> Linnaeus, 1758, <i>Coccinella</i>	612
<i>septempunctata</i> Roubal, 1936, <i>Hippodamia</i>	619
<i>septempustulata</i> Marsham, 1802, <i>Adalia</i>	603
<i>septemstriatus</i> Reitter, 1922, <i>Anommatus</i>	550
<i>septena</i> Haworth, 1812, <i>Adalia</i>	605
<i>septenaria</i> Mulsant, 1866, <i>Calvia</i>	608
<i>septentrionalis</i> Fleutiaux, 1931, <i>Dicronychus</i>	205
<i>septentrionalis</i> Geisthardt, 1983, <i>Nyctophila</i>	228
<i>septentrionalis</i> Kishii, 1976, <i>Fleutiauxellus</i>	187
<i>septentrionalis</i> Kôno, 1932, <i>Lopheros</i>	216
<i>septentrionalis</i> Randall, 1838, <i>Peltis</i>	366
<i>septentrionis</i> Heller, 1920, <i>Episcapha</i>	540
<i>septima</i> Dieke, 1947, <i>Henosepilachna</i>	629
<i>sequens</i> Candèze, 1873, <i>Paracardiophorus</i>	206
<i>sequensi</i> Reitter, 1905, <i>Elathous</i>	164
<i>sequensi</i> Reitter, 1902, <i>Dasytidius</i>	390
<i>sequensi</i> Reitter, 1901, <i>Danacea</i>	399
<i>seraphini</i> Pardo Alcaide, 1966, <i>Cyrtosus</i>	446
<i>serbica</i> Kiesenwetter, 1863, <i>Danacea</i>	399
<i>serbicus</i> Dajoz, 1984, <i>Anommatus</i>	550
<i>serbicus</i> Kiesenwetter, 1863, <i>Aplocnemus</i>	412
<i>serbicus</i> Reitter, 1905, <i>Athous</i>	162
<i>serbotae</i> Petri, 1906, <i>Malthodes</i>	293
<i>serenus</i> Gurjeva, 1977, <i>Ampedus</i>	127

<i>seriata</i> Reitter, 1901, <i>Monotoma</i>	493
seriatopunctatus Schilsky, 1897, <i>Dasytes</i>	401
<i>seriatus</i> Blair, 1942, <i>Trixagus</i>	88
<i>seriatus</i> Mulsant & Rey, 1868, <i>Dasytes</i>	404
<i>seriatus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	148
<i>seriatus</i> Reitter, 1888, <i>Cryptophagus</i>	518
sericans Erichson, 1840, <i>Attalus</i>	420
<i>sericans</i> Lewis, 1879, <i>Ectinus</i>	120
<i>sericans</i> Marseul, 1883, <i>Xylomedes</i>	321
<i>sericans</i> Mulsant & Godart, 1859, <i>Xyletinus</i>	359
<i>sericans</i> Rey, 1891, <i>Agriotes</i>	117
sericapilosus Vats & Chauhan, 1991, <i>Cardiophorus</i>	200
sericarius Motschulsky, 1866, <i>Parabetarmon</i>	141
<i>sericata</i> Reitter, 1873, <i>Epuraea</i>	462
<i>sericatum</i> Laporte, 1840, <i>Gastrallus</i>	340
<i>sericatus</i> Mulsant & Rey, 1868, <i>Dasytes</i>	402
<i>sericatus</i> Schwarz, 1891, <i>Agriotes</i>	117
sericea Arrow, 1925, <i>Danae</i>	567
sericea Mannerheim, 1844, <i>Melanophthalma</i>	648
sericea Mulsant & Rey, 1863, <i>Setariola</i>	536
sericea Schilsky, 1897, <i>Danacea</i>	399
<i>sericea</i> Sturm, 1839, <i>Thalycra</i>	477
<i>sericellus</i> Marseul, 1868, <i>Malthinus</i>	282
<i>sericellus</i> Rottenberg, 1871, <i>Astilpnus</i>	499
<i>sericeum</i> Duftschmid, 1825, <i>Ernobius</i>	350
sericeum Gebler, 1824, <i>Prosternon</i>	180
sericeus Bedel, 1871, <i>Aulacochilus</i>	539
<i>sericeus</i> C. G. Thomson, 1863, <i>Hemicoelus</i>	340
sericeus Candèze, 1859, <i>Heteroderes</i>	106
sericeus Candèze, 1878, <i>Silesis</i>	113
sericeus Candèze, 1878, <i>Ectinus</i>	120
sericeus Candèze, 1892, <i>Zorochochros</i>	194
sericeus Champion, 1920, <i>Lobonyx</i>	385
sericeus Guérin-Méneville, 1844, <i>Attagenus</i>	310
<i>sericeus</i> Kugelann, 1794, <i>Scymnus</i>	591
sericeus Majer, 1989, <i>Danacaeomimus</i>	394
<i>sericeus</i> Morawitz, 1861, <i>Xyletinus</i>	360
<i>sericeus</i> Motschulsky, 1858, <i>Carpophilus</i>	466
<i>sericeus</i> Reitter, 1887, <i>Heteroderes</i>	106
sericeus Toskina, 2001, <i>Ptinomorphus</i>	354
sericeus Wittmer, 1957, <i>Malachiomimus</i>	426
<i>sericollis</i> J. R. Sahlberg, 1887, <i>Micrambe</i>	522
<i>seriehispidum</i> Kiesenwetter, 1879, <i>Lyctoxylon</i>	326
seriepunctatus C. N. F. Brisout de Barneville, 1863, <i>Phalacrus</i>	511
seriepunctatus Kiesenwetter, 1852, <i>Malthinus</i>	283
<i>seriepunctatus</i> Reitter, 1911, <i>Oxystrongylus</i>	474
seriesetosus Fairmaire, 1870, <i>Thorictus</i>	305
<i>serionus</i> Kishii, 1966, <i>Ampedus</i>	128
<i>serosus</i> Buysson, 1902, <i>Nothodes</i>	166
serotinus E. Olivier, 1907, <i>Diaphanes</i>	226

<i>serpentinus</i> Wittmer, 1999, <i>Hypomixis</i>	436
<i>serra</i> Fabricius, 1792, <i>Ctesias</i>	315
<i>serra</i> Panzer, 1795, <i>Dorcatoma</i>	345
<i>serrata</i> Marsham, 1802, <i>Corticaria</i>	645
<i>serrata</i> Paykull, 1798, <i>Corticaria</i>	645
<i>serraticorne</i> A. G. Olivier, 1790, <i>Enoplium</i>	381
<i>serraticornis</i> Kleine, 1928, <i>Calochromus</i>	224
<i>serraticornis</i> Marsham, 1802, <i>Drilus</i>	209
<i>serraticornis</i> Marsham, 1802, <i>Ptilinus</i>	356
<i>serraticornis</i> P. Rossi, 1790, <i>Xyletinus</i>	361
<i>serraticornis</i> Paulus, 1972, <i>Paulusiella</i>	93
<i>serraticornis</i> Paykull, 1800, <i>Orithales</i>	179
<i>serraticornis</i> Scopoli, 1763, <i>Drapetes</i>	209
<i>serraticornis</i> Villers, 1789, <i>Tilloidea</i>	369
<i>serratus</i> Brullé, 1832, <i>Aplocnemus</i>	412
<i>serratus</i> Fabricius, 1798, <i>Xyletinus</i>	360
<i>serratus</i> Gyllenhal, 1808, <i>Henoticus</i>	521
<i>serratus</i> L. Redtenbacher, 1849, <i>Aplocnemus</i>	411
<i>serratus</i> Mukhopadhyay & Chakraborty, 2003, <i>Cardiophorus</i>	200
<i>serricollis</i> Germar, 1824, <i>Amphicerus</i>	321
<i>serricollis</i> Jacquelin du Val, 1859, <i>Migneauxia</i>	648
<i>serricollis</i> Obenberger, 1917, <i>Rhizophagus</i>	492
<i>serricollis</i> Reitter, 1880, <i>Mnionomidius</i>	523
<i>serricorne</i> Duftschmid, 1825, <i>Priobium</i>	341
<i>serricorne</i> Fabricius, 1792, <i>Lasioderma</i>	358
<i>serricornis</i> Ballion, 1871, <i>Clanoptilus</i>	442
<i>serricornis</i> Gorham, 1889, <i>Lycocerus</i>	251
<i>serricornis</i> Herbst, 1806, <i>Orithales</i>	179
<i>serricornis</i> Stephens, 1830, <i>Dasytes</i>	404
<i>serricornis</i> Wittmer, 1988, <i>Clanoptilus</i>	443
<i>serrifer</i> Candèze, 1873, <i>Neopristilophus</i>	178
<i>serrifer</i> Pic, 1911, <i>Clanoptilus</i>	444
<i>serriferum</i> Dalla Torre, 1911, <i>Trogoderma</i>	319
<i>serrifunis</i> Reitter, 1901, <i>Priartobium</i>	342
<i>serriger</i> Lesne, 1923, <i>Dinoderopsis</i>	325
<i>serriger</i> T. L. Casey, 1900, <i>Trogoderma</i>	319
<i>serripennis</i> Broun, 1914, <i>Lithostygnus</i>	639
<i>serripes</i> Gyllenhal, 1827, <i>Meligethes</i>	486
<i>serrula</i> Candèze, 1857, <i>Agrypnus</i>	99
<i>serrulatus</i> Schilsky, 1906, <i>Aplocnemus</i>	411
<i>servilis</i> Pic, 1915, <i>Malthodes</i>	293
<i>servillei</i> Hope, 1840, <i>Helota</i>	496
<i>sesquipunctata</i> Haworth, 1812, <i>Adalia</i>	603
<i>setarius</i> Chevrolat, 1867, <i>Rismethus</i>	103
<i>setifer</i> Baudi di Selve, 1872, <i>Malthodes</i>	293
<i>setiger</i> Bates, 1866, <i>Agrypnus</i>	99
<i>setipennis</i> W. S. MacLeay, 1825, <i>Megauchenia</i>	473
<i>setosa</i> Geisthardt, 1983, <i>Lampyris</i>	227
<i>setosa</i> Motschulsky, 1867, <i>Corticaria</i>	644
<i>setosella</i> Mulsant & Rey, 1864, <i>Dorcatoma</i>	344

<i>setosus</i> Buysson, 1914, <i>Tropihypnus</i>	167
<i>setosus</i> Rücker, 2004, <i>Stephostethus</i>	641
<i>setosus</i> Walzl, 1835, <i>Dasytes</i>	403
<i>settei</i> Guglielmi & Platia, 1985, <i>Athous</i>	159
<i>setulosus</i> Chevrolat, 1861, <i>Pharoscyrnus</i>	571
<i>setulosus</i> Sturm, 1845, <i>Cryptophagus</i>	520
<i>setulosus</i> Wittmer, 1988, <i>Malthinus</i>	283
<i>severa</i> Kiesenwetter, 1859, <i>Psilothrix</i>	408
<i>severini</i> Fowler, 1893, <i>Doubledaya</i>	534
<i>severini</i> J. Weise, 1895, <i>Adalia</i>	605
<i>severini</i> Ritsema, 1893, <i>Helota</i>	496
<i>sexareata</i> Mulsant, 1853, <i>Oenopia</i>	622
<i>sexdentata</i> Mannerheim, 1853, <i>Crudosilis</i>	274
<i>sexdentatum</i> A. G. Olivier, 1790, <i>Sinoxylon</i>	323
<i>sexdentatus</i> Casey, 1900, <i>Salebius</i>	523
<i>sexdentatus</i> Fabricius, 1792, <i>Oryzaephilus</i>	499
<i>sexdentatus</i> Herbst, 1783, <i>Oryzaephilus</i>	499
<i>sexguttata</i> C. N. F. Brisout de Barneville, 1866, <i>Hyperaspis</i>	577
<i>sexguttata</i> J. Weise, 1910, <i>Coelophora</i>	614
<i>sexguttata</i> R. F. Sahlberg, 1834, <i>Ipidia</i>	473
<i>sexguttatus</i> Sturm, 1843, <i>Attagenus</i>	308
<i>seximpressus</i> Pic, 1921, <i>Pakabsidia</i>	259
<i>sexlineata</i> Fabricius, 1781, <i>Anatis</i>	606
<i>sexmaculata</i> Fabricius, 1781, <i>Menochilus</i>	619
<i>sexmaculata</i> Jing, 1986, <i>Oenopia</i>	622
<i>sexmaculata</i> Korschefsky, 1940, <i>Rodolia</i>	597
<i>sexmaculata</i> Ragusa, 1893, <i>Drasterius</i>	105
<i>sexmaculata</i> Thunberg, 1795, <i>Adalia</i>	605
<i>sexmaculatus</i> C. Cao & Xiao, 1984, <i>Platynaspidius</i>	596
<i>sexmaculatus</i> J. R. Sahlberg, 1913, <i>Attagenus</i>	310
<i>sexmaculatus</i> O. F. Müller, 1764, <i>Drapetes</i>	209
<i>sexmaculatus</i> P. H. Lucas, 1846, <i>Cardiophorus</i>	200
<i>sexmaculatus</i> Pic, 1912, <i>Opilo</i>	373
<i>sexmaculatus</i> Pic, 1926, <i>Laius</i>	418
<i>sexmaculatus</i> Pic, 1919, <i>Laius</i>	418
<i>sexmaculatus</i> X.-F. Pang & Mao, 1979, <i>Aspidimerus</i>	575
<i>sexnotata</i> Mulsant, 1850, <i>Rodolia</i>	597
<i>sexnotata</i> Roubal, 1934, <i>Cantharis</i>	247
<i>sexnotata</i> Thunberg, 1784, <i>Aphidecta</i>	607
<i>sexornatus</i> Reitter, 1896, <i>Ptinus</i>	337
<i>sexplagiatus</i> Abeille de Perrin, 1882, <i>Clanoptilus</i>	444
<i>sexpunctata</i> Bielawski, 1979, <i>Epilachna</i>	628
<i>sexpunctata</i> Fabricius, 1781, <i>Hippodamia</i>	619
<i>sexpunctata</i> Linnaeus, 1767, <i>Adalia</i>	605
<i>sexpunctata</i> Miyatake, 1994, <i>Synonychomorpha</i>	572
<i>sexpunctatus</i> Arrow, 1920, <i>Bolbomorphus</i>	560
<i>sexpunctatus</i> Latreille, 1804, <i>Cardiophorus</i>	200
<i>sexpunctatus</i> Miwa, 1927, <i>Babadrasterius</i>	104
<i>sexpunctatus</i> Panzer, 1789, <i>Ptinus</i>	334
<i>sexpunctatus</i> Rey, 1891, <i>Trichodes</i>	379

<i>sexpustulata</i> Bielawski, 1979, <i>Epilachna</i>	628
<i>sexpustulata</i> Linnaeus, 1758, <i>Adalia</i>	603
<i>sexpustulata</i> Motschulsky, 1837, <i>Hyperaspis</i>	577
<i>sexpustulata</i> Mulsant, 1853, <i>Hyperaspis</i>	577
<i>sexpustulata</i> R. H. Johnson, 1910, <i>Adalia</i>	603
<i>sexpustulatus</i> Barros, 1929, <i>Trichodes</i>	379
<i>sexpustulatus</i> Chevrolat, 1874, <i>Trichodes</i>	379
<i>sexpustulatus</i> Fabricius, 1792, <i>Carpophilus</i>	467
<i>sexpustulatus</i> Kraatz, 1873, <i>Exochomus</i>	594
<i>sexpustulatus</i> Reitter, 1873, <i>Glischrochilus</i>	470
<i>sexpustulatus</i> Wittmer, 1995, <i>Malthinus</i>	283
<i>sexsignata</i> Bielawski, 1979, <i>Epilachna</i>	628
<i>sexsignatus</i> Buysson, 1895, <i>Drasterius</i>	105
<i>sexsignatus</i> Faldermann, 1835, <i>Ptinus</i>	334
<i>sexstigmaticus</i> Buysson, 1912, <i>Cardiophorus</i>	196
<i>sexualis</i> Platia, 2004, <i>Agriotes</i>	117
<i>seychellensis</i> Sicard, 1912, <i>Nephus</i>	581
<i>shaanxianus</i> Schimmel, 2003, <i>Podeonius</i>	140
<i>shaanxiensis</i> Kazantsev, 2001, <i>Macrolycus</i>	213
<i>shaanxiensis</i> Kazantsev, 2002, <i>Lyponia</i>	218
<i>shaanxiensis</i> Švihla, 2004, <i>Stenothemus</i>	269
<i>shaanxiensis</i> Wittmer, 1995, <i>Micropodabrus</i>	258
<i>shaanxiensis</i> Wittmer, 1997, <i>Intybia</i>	417
<i>shaanxiensis</i> X.-F. Pang & Mao, 1975, <i>Stethorus</i>	591
<i>shaanxiensis</i> Z. Cao, 1987, <i>Dermestes</i>	302
<i>shakotanensis</i> Miwa, 1927, <i>Ampedus</i>	127
<i>shansiensis</i> Wittmer, 1992, <i>Ebaeus</i>	432
<i>shanskyi</i> Stibick, 1979, <i>Hypnoidus</i>	155
<i>shardaghense</i> Apfelbeck, 1915, <i>Sphaerosoma</i>	556
<i>shardaghensis</i> Apfelbeck, 1918, <i>Danacea</i>	399
<i>sharpi</i> Guillebeau, 1892, <i>Olibrosoma</i>	508
<i>sharpi</i> Guillebeau, 1892, <i>Stilbus</i>	512
<i>sharpi</i> Jakobson, 1915, <i>Atomaria</i>	529
<i>sharpi</i> Nakane, 1967, <i>Cerylon</i>	553
<i>sharpi</i> Pic, 1912, <i>Tricorynus</i>	356
<i>sharpi</i> Ritsema, 1915, <i>Helota</i>	496
<i>shaumariensis</i> Peacock, 1980, <i>Melyris</i>	387
<i>shavrovi</i> Barovskij, 1928, <i>Rhagonycha</i>	261
<i>shaxianensis</i> Jiang, 1999, <i>Quasimus</i>	191
<i>shennongjinensis</i> Bocák, 1999, <i>Lyponia</i>	218
<i>shensanus</i> Wittmer, 1983, <i>Themus</i>	273
<i>shensiensis</i> Timberlake, 1943, <i>Illeis</i>	598
<i>sherpa</i> Kazantsev & P. S. Yang, 1999, <i>Plateros</i>	221
<i>sherpana</i> Ôhira & Becker, 1971, <i>Silesis</i>	113
<i>shestakovi</i> Fursov, 1939, <i>Lyctus</i>	327
<i>shibakawai</i> Ohta, 1930, <i>Byturus</i>	547
<i>shibatai</i> Kishii, 1996, <i>Adelocera</i>	96
<i>shibatai</i> Kishii, 1996, <i>Cryptalaus</i>	107
<i>shibatai</i> Kishii, 1999, <i>Sephilus</i>	131
<i>shibatai</i> Kishii, 1969, <i>Agaripenthes</i>	135

shibatai Kishii, 1968, <i>Eanus</i>	177
shibatai Kishii, 1970, <i>Quasimus</i>	191
shibatai M. Chûjô, 1969, <i>Tritoma</i>	546
shibatai M. Chûjô & John, 1961, <i>Aphanocephalus</i>	556
shibatai Maeda, 1972, <i>Caenolanguria</i>	533
shibatai Miyatake, 1965, <i>Gracilotillus</i>	368
shibatai Nakane, 1961, <i>Plateros</i>	221
shibatai Nakane, 1963, <i>Ancyrona</i>	365
shibatai Nakane, 1963, <i>Diplophorus</i>	368
shibatai Nakane, 1958, <i>Danae</i>	567
shibatai Ôhira, 1968, <i>Glyphonyx</i>	110
shibatai Ôhira, 1968, <i>Haterumelater</i>	130
shibatai Sakai, 1979, <i>Xestobium</i>	352
shibatai Sakai, 1987, <i>Clada</i>	353
shibatai Sasaji, 1983, <i>Afrorylon</i>	553
shibatai Satô, 1968, <i>Drilaster</i>	233
shidouji Ôhira, 1993, <i>Ampedus</i>	129
shigaensis Hayashi, 1951, <i>Dorcatoma</i>	345
shigeii Kinoda & Nakane, 1993, <i>Lycocerus</i>	253
shigensis Hayashi, 1954, <i>Dorcatoma</i>	345
shikokense Miyatake, 1961, <i>Serangiella</i>	569
shikokensis Ishida, 1986, <i>Lycocerus</i>	253
shikokensis Ohbayashi, 1985, <i>Anthrenus</i>	313
shikokensis Ohbayashi & Satô, 1963, <i>Pristolycus</i>	230
shikokuanus Kishii, 2002, <i>Ampedus</i>	126
shikokuanus Kishii, 1985, <i>Scutellathous</i>	172
shikokuanus Nakane, 1969, <i>Lopheros</i>	215
shilliensis T. Singh & V. K. Singh, 1990, <i>Epilachna</i>	628
shimabarensis Kishii, 1979, <i>Quasimus</i>	191
shimashimanus Nakane & Makino, 1989, <i>Asiopodabrus</i>	236
shimomurai Brancucci, 1983, <i>Microichthyurus</i>	297
shimomurai Liberti, 1982, <i>Dasytes</i>	405
shimomurai Wittmer, 1983, <i>Lycocerus</i>	253
shimomurai Wittmer, 1995, <i>Micropodabrus</i>	258
shimomurai Wittmer, 1984, <i>Malthinus</i>	283
shimomurai Wittmer, 1982, <i>Attalus</i>	424
shimomurai Wittmer, 1982, <i>Condylops</i>	438
shimonius Fleutiaux, 1919, <i>Cardiophorus</i>	196
shimotsuke Kishii, 1986, <i>Homotechnes</i>	153
shimoyamai Hisamatsu, 1959, <i>Bioxylus</i>	85
shimoyamai Hisamatsu, 1985, <i>Brachypterolus</i>	456
shimoyamai Hisamatsu, 1964, <i>Meligethes</i>	486
shimoyamai M. Chûjô & Nakane, 1950, <i>Tritoma</i>	546
shimoyamai Ôhira, 1984, <i>Homotechnes</i>	153
shinborii Takahashi, 1992, <i>Micropodabrus</i>	258
shinoharai Kishii, 1977, <i>Ampedus</i>	127
shinoharai Kishii, 1990, <i>Taiyalu</i>	183
shinoharai Kishii & Platia, 1993, <i>Melanotus</i>	151
shinoharai Miwa & M. Chûjô, 1939, <i>Aulacochilus</i>	539
shiobaranus Takahashi, 2002, <i>Asiopodabrus</i>	236

shirahatai Kishii, 1976, <i>Fleutiauxellus</i>	187
<i>shirahatai</i> Nakane, 1963, <i>Podosilis</i>	275
<i>shirahatai</i> Nakane, 1951, <i>Endomychus</i>	561
<i>shirahatai</i> Ohbayashi, 1955, <i>Caccodes</i>	276
<i>shirahatai</i> Wittmer, 1953, <i>Ebaeus</i>	432
<i>shiraisawanus</i> Takahashi & Kiriyama, 2000, <i>Asiopodabrus</i>	236
<i>shirakawanus</i> Takahashi & Kiriyama, 2000, <i>Asiopodabrus</i>	234
<i>shirakii</i> Hisamatsu, 1956, <i>Meligethes</i>	486
<i>shirakii</i> M. Chûjô, 1936, <i>Tritoma</i>	546
<i>shirakii</i> Matsumura, 1910, <i>Agrypnus</i>	99
<i>shirakii</i> Miwa, 1930, <i>Quasimus</i>	191
<i>shirakii</i> Nakane, 1961, <i>Macrolycus</i>	213
<i>shirakii</i> Nakane, 1961, <i>Plateros</i>	221
<i>shirakii</i> Nakane, 1981, <i>Stenocladus</i>	233
<i>shirakomanus</i> Takahashi & Okushima, 1999, <i>Asiopodabrus</i>	236
<i>shirazensis</i> Wittmer, 1988, <i>Haplomalachius</i>	447
<i>shirozuanus</i> Kishii, 1991, <i>Glyphonyx</i>	110
<i>shirozuana</i> Kishii, 1961, <i>Yukoana</i>	192
<i>shirozui</i> Hisamatsu, 1965, <i>Meligethes</i>	486
<i>shirozui</i> Hisamatsu, 1959, <i>Augasmus</i>	507
<i>shirozui</i> John, 1958, <i>Aphanocephalus</i>	556
<i>shirozui</i> Kamiya, 1965, <i>Scymnus</i>	587
<i>shirozui</i> Kishii, 1959, <i>Silesis</i>	113
<i>shirozui</i> Kishii, 1991, <i>Agriotes</i>	117
<i>shirozui</i> Kishii, 1959, <i>Abelater</i>	135
<i>shirozui</i> Kishii, 1958, <i>Gamepenthesis</i>	136
<i>shirozui</i> Kishii, 1959, <i>Megapenthesis</i>	137
<i>shirozui</i> Kishii, 1958, <i>Hemicrepidius</i>	170
<i>shirozui</i> Miyatake, 1965, <i>Neohydnius</i>	370
<i>shirozui</i> Miyatake, 1965, <i>Opilo</i>	373
<i>shirozui</i> Miyatake, 1965, <i>Telsimia</i>	597
<i>shirozui</i> Nakane, 1968, <i>Laterialis</i>	215
<i>shirozui</i> Nakane, 1968, <i>Conderis</i>	221
<i>shirozui</i> Nakane, 1969, <i>Calochromus</i>	224
<i>shirozui</i> Ôhira, 1967, <i>Adelocera</i>	96
<i>shirozui</i> Ôhira, 1966, <i>Agrypnus</i>	97
<i>shirozui</i> Ôhira, 1966, <i>Ampedus</i>	129
<i>shirozui</i> Ôhira, 1966, <i>Mulsanteus</i>	133
<i>shirozui</i> Ôhira, 1966, <i>Athous</i>	163
<i>shirozui</i> Ôhira, 1963, <i>Denticollis</i>	168
<i>shirozui</i> Ôhira, 1968, <i>Allocardiophorus</i>	194
<i>shirozui</i> Sasaji, 1967, <i>Sticholotis</i>	572
<i>shirozui</i> Sasaji, 1982, <i>Halyzia</i>	598
<i>shirozui</i> Sasaji, 1982, <i>Phrynocaria</i>	623
<i>shivae</i> Majer, 1989, <i>Danacaeomimus</i>	394
<i>shixingicus</i> G.-Y. Yu & X.-F. Pang, 1992, <i>Scymnus</i>	587
<i>shixingiensis</i> H. Pang, 1993, <i>Pseudoscymnus</i>	582
<i>shoichii</i> Sasaji, 1988, <i>Harmonia</i>	616
<i>shotakahashii</i> Kishii, 1991, <i>Ampedus</i>	127
<i>shouichii</i> Kishii, 1979, <i>Quasimus</i>	191

shykshanus Kishii, 1989, <i>Agriotes</i>	117
<i>siaelandicus</i> O. F. Müller, 1764, <i>Actenicerus</i>	174
siamensis Dieke, 1947, <i>Afidenta</i>	625
siberiana Kazantsev, 1994, <i>Rhagonycha</i>	265
sibericum Reitter, 1891, <i>Gloeosoma</i>	635
sibilleae Wittmer, 1969, <i>Malthinus</i>	283
sibilleae Wittmer, 1970, <i>Malthodes</i>	293
sibirica Bielawski, 1958, <i>Anisosticta</i>	600
sibirica Crotch, 1876, <i>Triplax</i>	545
<i>sibirica</i> Gebler, 1847, <i>Lampyris</i>	227
<i>sibirica</i> J. R. Sahlberg, 1903, <i>Epuraea</i>	460
<i>sibirica</i> J. Weise, 1879, <i>Adalia</i>	603
<i>sibirica</i> Reitter, 1879, <i>Mizodorcatoma</i>	345
<i>sibirica</i> Reitter, 1879, <i>Ipidia</i>	473
<i>sibirica</i> Reitter, 1889, <i>Caenoscelis</i>	513
<i>sibirica</i> Semenov, 1898, <i>Tritoma</i>	546
<i>sibirica</i> Wittmer, 1971, <i>Rhagonycha</i>	267
sibiricus Bowstead, 2000, <i>Orthoperus</i>	634
sibiricus Cherepanov, 1966, <i>Ischnodes</i>	130
<i>sibiricus</i> Csiki, 1901, <i>Brachypterus</i>	457
sibiricus Erichson, 1846, <i>Dermestes</i>	302
<i>sibiricus</i> Germar, 1824, <i>Liotrichus</i>	178
sibiricus Kiesenwetter, 1879, <i>Cordylepherus</i>	446
<i>sibiricus</i> Mannerheim, 1845, <i>Cucujus</i>	502
sibiricus Motschulsky, 1845, <i>Macropogon</i>	81
<i>sibiricus</i> Motschulsky, 1845, <i>Otho</i>	82
sibiricus Pic, 1933, <i>Orthrius</i>	374
<i>sibiricus</i> Rebmann, 1956, <i>Meligethes</i>	482
sibiricus Reitter, 1879, <i>Carpophilus</i>	467
sibiricus Reitter, 1879, <i>Aulacochilus</i>	539
sicana Liberti, 1985, <i>Danacea</i>	395
sicanus Erichson, 1840, <i>Attalus</i>	424
sicanus Kiesenwetter, 1871, <i>Malthinus</i>	283
<i>sicardi</i> Buysson, 1891, <i>Athous</i>	157
<i>sicardi</i> Guillebeau, 1897, <i>Arthrolips</i>	632
<i>sicardi</i> Mader, 1930, <i>Calvia</i>	608
<i>sicardi</i> Nunenmacher, 1912, <i>Calvia</i>	608
<i>siccana</i> Normand, 1938, <i>Corticaria</i>	643
sichuana Schimmel, 2002, <i>Penia</i>	185
sichuana Wittmer, 1997, <i>Podosilis</i>	275
sichuana Wittmer, 1995, <i>Kuatunia</i>	437
sichuanensis Bocák, 1999, <i>Ponyalis</i>	219
sichuanensis Bocáková, 1997, <i>Plateros</i>	221
sichuanensis Kazantsev, 2000, <i>Cautires</i>	223
sichuanensis Platia & Schimmel, 2001, <i>Melanotus</i>	149
sichuanensis Ren & X.-F. Pang, 1996, <i>Stethorus</i>	592
sichuanensis Schimmel, 1993, <i>Ampedus</i>	127
sichuanensis Schimmel, 2003, <i>Gamepenthes</i>	136
sichuanensis Schimmel & Platia, 1992, <i>Neodima</i>	184
sichuanensis X.-F. Pang & Mao, 1979, <i>Telsimia</i>	597

sichuanica Kovář, 2007, <i>Calvia</i>	608
sichuanicus Háva, 1999, <i>Dermestes</i>	302
sichuanicus Háva, 2004, <i>Anthrenus</i>	314
sichuanus Wittmer, 1995, <i>Lycocerus</i>	253
sichuanus Wittmer, 1997, <i>Themus</i>	273
sichuanus Wittmer, 1993, <i>Malthodes</i>	293
siciliana Vincent, 1990, <i>Dienerella</i>	637
sicilianus John, 1965, <i>Thorictus</i>	305
siciliensis Escalera, 1926, <i>Axinotarsus</i>	440
siciliensis Pic, 1912, <i>Agriotes</i>	117
<i>sicula</i> Baudi di Selve, 1874, <i>Dinoderus</i>	326
<i>sicula</i> Bourgeois, 1893, <i>Cantharis</i>	243
<i>sicula</i> Kiesenwetter, 1872, <i>Merophysia</i>	558
<i>sicula</i> Marseul, 1864, <i>Cratosilis</i>	248
<i>sicula</i> Pic, 1906, <i>Cantharis</i>	246
<i>sicula</i> Pic, 1895, <i>Danacea</i>	399
<i>sicula</i> Reitter, 1881, <i>Globicornis</i>	316
<i>siculum</i> Ragusa, 1891, <i>Nemozoma</i>	365
<i>siculus</i> Binaghi, 1946, <i>Metophthalmus</i>	640
<i>siculus</i> J. Weise, 1879, <i>Nephus</i>	580
<i>siculus</i> Kiesenwetter, 1852, <i>Malthodes</i>	293
<i>siculus</i> Kiesenwetter, 1877, <i>Dignomus</i>	330
<i>siculus</i> Kiesenwetter, 1863, <i>Aplocnemus</i>	411
<i>siculus</i> Pic, 1914, <i>Platycis</i>	216
<i>siculus</i> Ragusa, 1893, <i>Farsus</i>	82
<i>siculus</i> Ragusa, 1896, <i>Adrastus</i>	109
<i>siculus</i> Ragusa, 1896, <i>Dryophilus</i>	348
<i>siculus</i> Ragusa, 1892, <i>Xenostrogylus</i>	477
<i>siculus</i> Reitter, 1880, <i>Airaphilus</i>	498
<i>siculus</i> Stierlin, 1864, <i>Silvanus</i>	501
<i>siculus</i> Tournier, 1894, <i>Cucujus</i>	502
<i>siculus</i> Tournier, 1889, <i>Phalacrus</i>	511
<i>sidonius</i> Pic, 1912, <i>Cardiophorus</i>	195
<i>sidonius</i> Pic, 1911, <i>Malthodes</i>	293
<i>sieboldi</i> Candèze, 1873, <i>Orthostethus</i>	133
<i>sierranus</i> Evers, 1948, <i>Cordylepherus</i>	446
<i>siettii</i> Guillebeau, 1897, <i>Olibrus</i>	508
<i>sieversi</i> Reitter, 1896, <i>Attagenus</i>	310
<i>signata</i> Ahrens, 1814, <i>Armidia</i>	238
<i>signata</i> Faldermann, 1835, <i>Metacantharis</i>	255
<i>signata</i> Faldermann, 1837, <i>Hippodamia</i>	617
<i>signata</i> Gravenhorst, 1807, <i>Coccinella</i>	613
<i>signata</i> Herbst, 1793, <i>Coccinella</i>	611
<i>signata</i> J. Weise, 1892, <i>Phrynocaria</i>	623
<i>signata</i> LeConte, 1859, <i>Cryptamorpha</i>	497
<i>signata</i> Ménétrés, 1832, <i>Hippodamia</i>	617
<i>signatella</i> Mulsant, 1866, <i>Oenopia</i>	622
<i>signaticollis</i> Barovskij, 1929, <i>Malthodes</i>	287
<i>signaticollis</i> E. Olivier, 1886, <i>Pyrocoelia</i>	229
<i>signaticollis</i> Laporte, 1838, <i>Tenerus</i>	384

<i>signaticollis</i> Mulsant, 1862, <i>Cantharis</i>	247
<i>signaticollis</i> Reitter, 1879, <i>Triplax</i>	545
<i>signatipennis</i> Pic, 1899, <i>Globicornis</i>	316
<i>signatipennis</i> Pic, 1938, <i>Colotes</i>	428
<i>signatulus</i> Herbst, 1806, <i>Drapetes</i>	209
<i>signatus</i> A. G. Olivier, 1790, <i>Cardiophorus</i>	200
<i>signatus</i> Chevrolat, 1861, <i>Malthodes</i>	294
<i>signatus</i> Erichson, 1846, <i>Anthrenus</i>	314
<i>signatus</i> Frauenfeld, 1867, <i>Monanus</i>	499
<i>signatus</i> Grouvelle, 1908, <i>Carpophilus</i>	467
<i>signatus</i> H. Brisout de Barneville, 1862, <i>Cryptophagus</i>	517
<i>signatus</i> Panzer, 1800, <i>Ctenicera</i>	177
<i>signatus</i> Reitter, 1881, <i>Anthrenus</i>	313
<i>signatus</i> Schilsky, 1897, <i>Divales</i>	406
<i>signatus</i> Wollaston, 1874, <i>Holoparamecus</i>	558
<i>signicollis</i> Everts, 1920, <i>Crudosilis</i>	274
<i>signicollis</i> Kirsch, 1875, <i>Conderis</i>	221
<i>signicollis</i> Mulsant & Rey, 1867, <i>Cyrtosus</i>	447
<i>signicollis</i> Rey, 1891, <i>Rhagonycha</i>	266
<i>signifer</i> Gorham, 1875, <i>Ohtaius</i>	566
<i>signifera</i> J. Weise, 1879, <i>Psyllobora</i>	599
<i>significans</i> Walker, 1858, <i>Epuraea</i>	464
<i>significata</i> Schimmel, 1998, <i>Parapenia</i>	184
<i>signum</i> Reitter, 1894, <i>Trichodes</i>	379
<i>sihotana</i> Kazantsev, 1994, <i>Rhagonycha</i>	267
<i>sii</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>sikkima</i> Pal, 1996, <i>Aphanocephalus</i>	556
<i>sikkimanus</i> Kleine, 1928, <i>Plateros</i>	219
<i>sikkimense</i> Champion, 1923, <i>Nosodendron</i>	299
<i>sikkimensis</i> Cate, 2007, <i>Meristhus</i>	102
<i>sikkimensis</i> Español, 1983, <i>Neoxyletinus</i>	359
<i>sikkimensis</i> Garg, 1997, <i>Cardiophorus</i>	200
<i>sikkimensis</i> Háva & Herrmann, 2004, <i>Orphinus</i>	317
<i>sikkimensis</i> Pic, 1924, <i>Micropodabrus</i>	256
<i>sikkimensis</i> Pic, 1911, <i>Themus</i>	273
<i>sikkimensis</i> Pic, 1924, <i>Malthinus</i>	283
<i>sikkimensis</i> Pic, 1942, <i>Attagenus</i>	310
<i>sikkimensis</i> Pic, 1914, <i>Laius</i>	418
<i>sikkimensis</i> Pic, 1907, <i>Clanoptilus</i>	444
<i>sikkimensis</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>sikkimensis</i> Schimmel, 1994, <i>Pectocera</i>	95
<i>sikkimensis</i> Schimmel, 1993, <i>Ampedus</i>	127
<i>sikkimensis</i> Strohecker, 1971, <i>Gerstaeckerus</i>	564
<i>sikkimensis</i> Tomaszewska, 2002, <i>Beccariola</i>	562
<i>sikkimensis</i> Wittmer, 1989, <i>Micropodabrus</i>	258
<i>sikkimensis</i> Wittmer, 1997, <i>Pakabsidia</i>	259
<i>sikkimensis</i> Wittmer, 1981, <i>Carphuroides</i>	416
<i>sikkimica</i> Kapur, 1963, <i>Henosepilachna</i>	630
<i>silacea</i> Herbst, 1783, <i>Epuraea</i>	462
<i>silaceus</i> Herbst, 1792, <i>Antherophagus</i>	514

<i>silesiaca</i> Reitter, 1873, <i>Epuraea</i>	462
<i>silesiaca</i> W. G. Schneider, 1881, <i>Adalia</i>	605
<i>silesiacus</i> Ganglbauer, 1899, <i>Cryptophagus</i>	518
<i>silesiacus</i> J. Weise, 1902, <i>Scymnus</i>	587
<i>silesioides</i> Escalera, 1914, <i>Cardiophorus</i>	200
<i>silferbergi</i> Platia & Schimmel, 1997, <i>Cardiophorus</i>	200
<i>silicensis</i> Laibner, 1975, <i>Athous</i>	162
<i>sillemi</i> Fleutiaux, 1935, <i>Aeoloderma</i>	103
<i>sillemi</i> Hicker, 1935, <i>Ebaeus</i>	432
<i>silo</i> Erichson, 1840, <i>Troglops</i>	454
<i>silvanoides</i> Reitter, 1878, <i>Micrambe</i>	522
<i>silvaticus</i> Gurjeva, 1977, <i>Ampedus</i>	127
<i>silvaticus</i> Zhantiev, 1976, <i>Attagenus</i>	310
<i>silvestrii</i> Escalera, 1923, <i>Thorictus</i>	303
<i>silvestrii</i> Gridelli, 1927, <i>Merophysia</i>	558
<i>silvestrii</i> Schatzmayr, 1939, <i>Tetrabrachys</i>	574
<i>silvicola</i> Bourgeois, 1903, <i>Malthodes</i>	293
<i>silvicola</i> J. Weise, 1879, <i>Myrrha</i>	620
<i>simbruinica</i> Luigioni, 1920, <i>Malthodes</i>	289
<i>similaris</i> Dolin & Latifi, 1989, <i>Melanotus</i>	149
<i>similaris</i> Mulsant & Rey, 1868, <i>Attagenus</i>	310
<i>similaris</i> Nakane, 1969, <i>Macrolycus</i>	213
<i>similaris</i> Reitter, 1876, <i>Rhizophagus</i>	492
<i>similaris</i> Tournier, 1889, <i>Olibrus</i>	508
<i>similarius</i> Dolin & Medvedev, 2002, <i>Oedostethus</i>	190
<i>similata</i> Dahlgren, 1976, <i>Rhagonycha</i>	267
<i>similata</i> Gabriel, 1905, <i>Adalia</i>	603
<i>similata</i> Gyllenhal, 1827, <i>Corticarina</i>	647
<i>similata</i> Pascoe, 1866, <i>Minthea</i>	328
<i>similata</i> Thunberg, 1795, <i>Adalia</i>	605
<i>simile</i> Brullé, 1832, <i>Dolichosoma</i>	407
<i>similiceps</i> Jacquelin du Val, 1858, <i>Cybocephalus</i>	490
<i>similicornis</i> Wittmer, 1999, <i>Anthocomus</i>	440
<i>similis</i> Arrow, 1925, <i>Scelidopetalon</i>	543
<i>similis</i> Barovskij, 1927, <i>Macrocerus</i>	296
<i>similis</i> Baudi di Selve, 1870, <i>Trixagus</i>	88
<i>similis</i> Belon, 1885, <i>Holoparamecus</i>	559
<i>similis</i> Brancucci, 1983, <i>Tryptherus</i>	298
<i>similis</i> Curtis, 1835, <i>Antherophagus</i>	514
<i>similis</i> Erichson, 1846, <i>Silvanoprus</i>	500
<i>similis</i> Hope, 1831, <i>Lycostomus</i>	212
<i>similis</i> Kleine, 1928, <i>Libnetis</i>	217
<i>similis</i> Kraatz, 1894, <i>Trichodes</i>	379
<i>similis</i> Lewis, 1894, <i>Gamepenthes</i>	136
<i>similis</i> Lewis, 1887, <i>Pseudamblyopus</i>	542
<i>similis</i> M. Chûjô, 1938, <i>Mycetina</i>	566
<i>similis</i> Majer, 1990, <i>Cerallus</i>	386
<i>similis</i> Marsham, 1802, <i>Ptinus</i>	335
<i>similis</i> Marsham, 1802, <i>Kateretes</i>	458
<i>similis</i> Melsheimer, 1844, <i>Glischrochilus</i>	470

similis Mika, 2000, <i>Melanophthalma</i>	648
similis Nikitsky, 1996, <i>Himascelis</i>	514
similis P. Rossi, 1790, <i>Chilocorus</i>	594
<i>similis</i> Randall, 1838, <i>Calvia</i>	608
similis Reitter, 1873, <i>Epuraea</i>	462
similis Schilsky, 1896, <i>Dasytidius</i>	390
similis Schilsky, 1895, <i>Dasytes</i>	403
<i>similis</i> Schilsky, 1894, <i>Divales</i>	406
similis Schilsky, 1906, <i>Aplocnemus</i>	412
similis Schimmel & Platia, 1991, <i>Penia</i>	185
<i>similis</i> Schrank, 1781, <i>Hippodamia</i>	619
similis Švihla, 1999, <i>Cordicantharis</i>	248
similis Thunberg, 1781, <i>Chnootriba</i>	626
<i>similis</i> Tournier, 1889, <i>Olibrus</i>	510
similis Wittmer, 1951, <i>Micropodabrus</i>	258
<i>similis</i> Wollaston, 1862, <i>Fortunatius</i>	425
similis Zhantiev, 1976, <i>Anthrenus</i>	315
similithorax Pic, 1922, <i>Prothemus</i>	261
simillimus Escalera, 1914, <i>Thorictus</i>	305
simillimus Kirejtshuk, 1984, <i>Meligethes</i>	486
<i>simillimus</i> Kraatz, 1879, <i>Ampedus</i>	126
simillimus Nakane & Makino, 1989, <i>Asiopodabrus</i>	236
simillimus Sakai, 2002, <i>Ernobius</i>	351
simillimus Wittmer, 1956, <i>Hypebaeus</i>	435
similus Švec, 1992, <i>Tinodemus</i>	512
simlaensis Wittmer, 1977, <i>Colotes</i>	428
simlanus Pic, 1924, <i>Themus</i>	270
simmondsi Ahmad, 1970, <i>Pharoscymnus</i>	571
simmondsi E. A. Chapin & Ahmad, 1966, <i>Pseudoscymnus</i>	582
<i>simmondsi</i> Kapur & Sudha Rao, 1962, <i>Adalia</i>	605
simonae Olexa, 1970, <i>Hylis</i>	84
<i>simoni</i> Flach, 1888, <i>Tolyphus</i>	513
simoni Grouvelle, 1892, <i>Silvanopsis</i>	500
simoni Guillebeau, 1893, <i>Megistopalpus</i>	507
<i>simoni</i> J. Weise, 1879, <i>Adalia</i>	603
simoni John, 1965, <i>Thorictus</i>	305
<i>simoni</i> Pic, 1922, <i>Cantharis</i>	239
<i>simoni</i> Pic, 1913, <i>Malthinus</i>	277
<i>simoni</i> Pic, 1916, <i>Attagenus</i>	307
<i>simoni</i> Reitter, 1885, <i>Arthrolips</i>	632
simoni Stierlin, 1879, <i>Pittonotus</i>	133
simonis Reitter, 1881, <i>Attagenus</i>	310
simonis Reitter, 1881, <i>Anthrenus</i>	313
simplex Arrow, 1920, <i>Eumorphus</i>	564
<i>simplex</i> Dieke, 1947, <i>Afidenta</i>	625
simplex Fowler, 1913, <i>Tetraphala</i>	536
simplex Hicker, 1959, <i>Haplomalachius</i>	447
<i>simplex</i> J. Weise, 1879, <i>Coccinella</i>	611
<i>simplex</i> J. Weise, 1879, <i>Hippodamia</i>	619
simplex Kiesenwetter, 1872, <i>Malthodes</i>	294

simplex Kraatz, 1858, <i>Meligethes</i>	486
simplex L. Miller, 1858, <i>Cryptophagus</i>	520
simplex Majer, 1988, <i>Bilyella</i>	400
<i>simplex</i> Méquignon, 1930, <i>Stenagostus</i>	172
<i>simplex</i> Mulsant, 1866, <i>Illeis</i>	598
simplex Reitter, 1881, <i>Attagenus</i>	310
simplex Reitter, 1879, <i>Lyctus</i>	327
simplex Reitter, 1884, <i>Rhizophagus</i>	492
<i>simplex</i> Rey, 1892, <i>Dorcatoma</i>	344
<i>simplex</i> Rey, 1892, <i>Xyletinus</i>	360
simplex Schenkling, 1903, <i>Xenorthrius</i>	381
<i>simplex</i> Schenkling, 1912, <i>Xenorthrius</i>	381
<i>simplex</i> Thunberg, 1820, <i>Micraspis</i>	620
simplex Wollaston, 1862, <i>Sphaericus</i>	338
<i>simplex</i> Wollaston, 1857, <i>Cryptophilus</i>	531
simplicicornis Pic, 1938, <i>Lycocerus</i>	253
simplicicornis Wittmer, 1993, <i>Micropodabrus</i>	258
<i>simplicifrons</i> Reitter, 1902, <i>Hylis</i>	84
<i>simplicifrons</i> Reitter, 1921, <i>Trixagus</i>	88
<i>simplicipes</i> Jacquelin du Val, 1860, <i>Enicopus</i>	408
<i>simplicipes</i> Pic, 1899, <i>Malthinus</i>	283
<i>simplicipunctatus</i> Cherepanov, 1956, <i>Oedostethus</i>	190
<i>simplicissimus</i> Escalera, 1933, <i>Attalus</i>	424
<i>simplicitarsis</i> Champion, 1925, <i>Cyrdothrix</i>	394
<i>simplicithorax</i> Pic, 1909, <i>Danacea</i>	396
<i>simplicitus</i> Heyden, 1884, <i>Diacanthous</i>	169
<i>simpliciventris</i> Pic, 1909, <i>Malthodes</i>	294
<i>simplipygus</i> Wittmer, 1954, <i>Malthodes</i>	294
<i>simplissima</i> Kirejtshuk, 1998, <i>Epuraea</i>	462
<i>simplocarioides</i> Fürsch, 1958, <i>Scymnus</i>	590
<i>simplonicus</i> Stierlin, 1884, <i>Selatosomus</i>	181
<i>simulans</i> Solsky, 1876, <i>Attagenus</i>	310
<i>simulator</i> Brancucci, 1983, <i>Tryptherus</i>	298
<i>simulator</i> Buysson, 1893, <i>Agriotes</i>	116
<i>simulator</i> Candèze, 1897, <i>Ludioschema</i>	132
<i>simulator</i> Grouvelle, 1916, <i>Cryptophagus</i>	520
<i>simulator</i> Majer, 1988, <i>Dasytiscus</i>	391
<i>simulator</i> Wittmer, 1997, <i>Lycocerus</i>	253
<i>simulatrix</i> Dobrzanskiy, 1927, <i>Adalia</i>	603
<i>simulatrix</i> J. Weise, 1879, <i>Coccinella</i>	611
<i>simulatrix</i> Roubal, 1941, <i>Denticollis</i>	168
<i>simulatrix</i> Schilsky, 1897, <i>Danacea</i>	397
<i>simulatus</i> Candèze, 1863, <i>Silesis</i>	113
<i>sinae</i> Chapin, 1927, <i>Clerus</i>	372
<i>sinae</i> Chevrolat, 1874, <i>Trichodes</i>	379
<i>sinaita</i> J. Weise, 1903, <i>Oenopia</i>	622
<i>sinaita</i> Pic, 1912, <i>Melyris</i>	387
<i>sinaiticus</i> Wittmer, 1935, <i>Psiloderes</i>	453
<i>sinaitus</i> Pic, 1919, <i>Cardiophorus</i>	203
<i>sinaitus</i> Pic, 1939, <i>Ptilinus</i>	356

sinaitus Pic, 1921, <i>Malachiomimus</i>	426
sinanoensis Ôhira, 1974, <i>Ampedus</i>	127
sincerus Gurjeva, 1975, <i>Oedostethus</i>	190
sincerus Kleine, 1928, <i>Plateros</i>	221
sindicola Lesne, 1936, <i>Xylogenes</i>	324
sinense Candèze, 1859, <i>Aeoloderma</i>	103
sinense Pic, 1927, <i>Trogoderma</i>	319
sinensis Abeille de Perrin, 1900, <i>Clanoptilus</i>	444
sinensis Arrow, 1915, <i>Anthrenus</i>	315
sinensis Bruce, 1943, <i>Henoticus</i>	522
sinensis Candèze, 1857, <i>Agrypnus</i>	99
sinensis Candèze, 1882, <i>Orthostethus</i>	133
sinensis Candèze, 1859, <i>Anchastus</i>	139
<i>sinensis</i> Candèze, 1863, <i>Pleonomus</i>	156
sinensis Candèze, 1882, <i>Hemiops</i>	186
sinensis Candèze, 1860, <i>Cardiotarsus</i>	203
sinensis Crotch, 1874, <i>Hyperaspis</i>	578
sinensis Dolin & Cate, 1999, <i>Denticolloides</i>	168
sinensis Fairmaire, 1886, <i>Trinodes</i>	306
sinensis Fleutiaux, 1934, <i>Lanecarus</i>	110
sinensis Fleutiaux, 1936, <i>Zorochochros</i>	194
<i>sinensis</i> Gorham, 1889, <i>Lycocerus</i>	250
sinensis Gorham, 1876, <i>Orthrius</i>	374
<i>sinensis</i> Grouvelle, 1910, <i>Micrambe</i>	523
sinensis Háva, 2004, <i>Dermestes</i>	300
sinensis J. Weise, 1889, <i>Coccinula</i>	601
<i>sinensis</i> Jagemann, 1934, <i>Silesis</i>	112
<i>sinensis</i> Jagemann, 1943, <i>Senodonia</i>	186
sinensis Lesne, 1911, <i>Lyctus</i>	327
sinensis Lucht, 1982, <i>Melasis</i>	84
sinensis Olliff, 1883, <i>Helota</i>	496
sinensis Pic, 1925, <i>Cladophorus</i>	223
sinensis Pic, 1906, <i>Podosilis</i>	275
sinensis Pic, 1910, <i>Malthinus</i>	283
sinensis Pic, 1932, <i>Malthodes</i>	294
sinensis Pic, 1927, <i>Attagenus</i>	310
<i>sinensis</i> Pic, 1951, <i>Thaumaglossa</i>	318
sinensis Pic, 1954, <i>Neohydnius</i>	370
<i>sinensis</i> Pic, 1931, <i>Clerus</i>	372
sinensis Pic, 1926, <i>Opilo</i>	373
sinensis Pic, 1907, <i>Sinolistrus</i>	409
sinensis Pic, 1910, <i>Intybia</i>	417
sinensis Pic, 1903, <i>Condylops</i>	438
sinensis Platia & Schimmel, 2001, <i>Melanotus</i>	149
sinensis Schimmel, 2004, <i>Abelater</i>	135
sinensis Schimmel, 1999, <i>Procrærus</i>	138
sinensis Schimmel, 1999, <i>Xanthopenthes</i>	139
sinensis Schimmel, 2004, <i>Astanchus</i>	139
sinensis Schimmel & Platia, 1994, <i>Neoathousius</i>	166
sinensis Strohecker, 1982, <i>Asymbius</i>	559

sinensis Strohecker, 1979, <i>Indalmus</i>	564
sinensis Strohecker, 1971, <i>Parindalmus</i>	566
sinensis Wittmer, 1988, <i>Micropodabrus</i>	258
sinensis Zia, 1933, <i>Caenolanguria</i>	533
singalensis Csiki, 1901, <i>Episcaphula</i>	540
singaporensis Pic, 1925, <i>Calochromus</i>	224
singeri Brancsik, 1914, <i>Dalopius</i>	119
<i>singularicollis</i> Pic, 1925, <i>Cautires</i>	222
<i>singularicollis</i> Pic, 1933, <i>Lycocerus</i>	253
<i>singularicornis</i> Pic, 1924, <i>Asiosilis</i>	274
<i>singularis</i> Beck, 1817, <i>Holopamecus</i>	558
<i>singularis</i> Gurjeva, 1986, <i>Liotrichus</i>	178
<i>singularis</i> Hetschko, 1928, <i>Laemophloeus</i>	504
<i>singularis</i> Lewis, 1894, <i>Harminius</i>	169
<i>singularis</i> Mader, 1955, <i>Scymnus</i>	587
<i>singularis</i> Mannerheim, 1852, <i>Eanus</i>	177
<i>singularis</i> Platia & Schimmel, 1991, <i>Silesis</i>	113
<i>singularis</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>singularis</i> Rebmann, 1944, <i>Aethina</i>	470
<i>singularis</i> Reitter, 1905, <i>Athous</i>	162
<i>singularis</i> Reitter, 1888, <i>Atomaria</i>	525
<i>singularis</i> Schimmel & Platia, 1991, <i>Neoathousius</i>	166
<i>singularis</i> Schimmel & Platia, 1991, <i>Penia</i>	185
<i>singularis</i> Sengupta & De, 1988, <i>Rhizophagus</i>	492
<i>singularis</i> Tournier, 1889, <i>Olibrus</i>	510
<i>singularis</i> Wittmer, 1997, <i>Mimopodabrus</i>	258
<i>singularis</i> Hetschko, 1930, <i>Laemophloeus</i>	504
<i>siniaevi</i> Platia & Schimmel, 2002, <i>Melanotus</i>	149
<i>sinica</i> C. Johnson, 1972, <i>Melanophthalma</i>	648
<i>sinica</i> Kazantsev, 1998, <i>Crudosilis</i>	274
<i>sinica</i> Kazantsev & Yang, 1999, <i>Libnetis</i>	217
<i>sinica</i> M. Chûjô, 1968, <i>Triplax</i>	545
<i>sinicola</i> Jelínek, 1980, <i>Epuraea</i>	462
<i>sinister</i> Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
<i>sinoconstrictus</i> Vats & Chauhan, 1991, <i>Cardiophorus</i>	200
<i>sintanana</i> Pic, 1938, <i>Pakabsidia</i>	259
<i>sintrensis</i> Coiffait, 1984, <i>Abromus</i>	548
<i>sinuanodulus</i> G. Yu & Yao, 1997, <i>Scymnus</i>	584
<i>sinuans</i> Rey, 1889, <i>Meligethes</i>	485
<i>sinuans</i> Rey, 1889, <i>Anommatus</i>	549
<i>sinuata</i> C. G. Thomson, 1863, <i>Dorcatoma</i>	344
<i>sinuata</i> Fabricius, 1792, <i>Xylopertha</i>	325
<i>sinuata</i> Naezén, 1792, <i>Coccinella</i>	610
<i>sinuata</i> Stephens, 1830, <i>Xylothrips</i>	325
<i>sinuatevittatus</i> Pic, 1928, <i>Cardiophorus</i>	196
<i>sinuaticolle</i> Guillebeau, 1892, <i>Olibrosoma</i>	507
<i>sinuaticollis</i> Pic, 1913, <i>Cyrtosus</i>	446
<i>sinuatipennis</i> Fairmaire, 1880, <i>Phenolia</i>	475
<i>sinuatipes</i> Pic, 1908, <i>Malthinus</i>	277
<i>sinuatocollis</i> Desbrochers des Loges, 1869, <i>Athous</i>	162

<i>sinuatocollis</i> E. Olivier, 1886, <i>Pyrocoelia</i>	229
<i>sinuatocollis</i> Faldermann, 1837, <i>Stephostethus</i>	641
<i>sinuatocollis</i> Kiesenwetter, 1852, <i>Macrocerus</i>	296
<i>sinuatomaculatus</i> J. R. Sahlberg, 1913, <i>Nephus</i>	580
<i>sinuatomarginata</i> Faldermann, 1837, <i>Coccinula</i>	601
<i>sinuatus</i> E. Olivier, 1908, <i>Diaphanes</i>	226
<i>sinuatus</i> Germar, 1844, <i>Ampedus</i>	127
<i>sinuatus</i> Jelínek, 1976, <i>Anamartus</i>	455
<i>sinuatus</i> Lewis, 1894, <i>Hemicrepidius</i>	171
<i>sinuatus</i> Motschulsky, 1858, <i>Augasmus</i>	507
<i>sinuosa</i> Marsham, 1802, <i>Coccinella</i>	610
<i>siphodenticulata</i> Hoang, 1878, <i>Epilachna</i>	628
<i>siphonechinulata</i> Zeng & L.-F. Yang, 1996, <i>Epilachna</i>	628
<i>siphonulus</i> Kapur, 1948, <i>Stethorus</i>	592
<i>sipylus</i> Fabricius, 1775, <i>Trichodes</i>	376
<i>sipylus</i> Linnaeus, 1758, <i>Trichodes</i>	380
<i>siskai</i> Platia & Schimmel, 2002, <i>Melanotus</i>	149
<i>sitkhoensis</i> Krivolutskaya, 1992, <i>Silvanoprus</i>	500
<i>sivalikensis</i> Wittmer, 1981, <i>Carphurus</i>	416
<i>sjaelandicus</i> O. F. Müller, 1764, <i>Actenicerus</i>	173
<i>sjobergi</i> Palm, 1949, <i>Atomaria</i>	529
<i>sjoebergi</i> Jelínek, 1978, <i>Ipidia</i>	473
<i>sjoestedti</i> J. Weise, 1910, <i>Parexochomus</i>	595
<i>sjoestedti</i> Pic, 1926, <i>Rhagonycha</i>	262
<i>skalitzkyi</i> Reitter, 1875, <i>Epuraea</i>	463
<i>skalitzkyi</i> Reitter, 1875, <i>Cryptophagus</i>	521
<i>skopini</i> Dolin, 1971, <i>Melanotus</i>	149
<i>skopini</i> Español & Bellés, 1984, <i>Falsogastrallus</i>	340
<i>skulei</i> Platia & Schimmel, 1997, <i>Cardiophorus</i>	200
<i>sladkovi</i> Dolin & Atamuradov, 1986, <i>Melanotus</i>	149
<i>sladkovi</i> Dolin & Katyukha, 1987, <i>Aplotarsus</i>	175
<i>slavonica</i> C. Johnson, 1971, <i>Atomaria</i>	527
<i>slipinskii</i> Burakowski & Buchholz, 1991, <i>Hylis</i>	84
<i>slipinskyi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>slovenicus</i> Olexa, 1954, <i>Pleganophorus</i>	567
<i>smaragdifrons</i> Reitter, 1885, <i>Cybocephalus</i>	489
<i>smaragdina</i> P. H. Lucas, 1846, <i>Psilothrix</i>	408
<i>smaragdinus</i> Abeille de Perrin, 1894, <i>Attalus</i>	424
<i>smaragdinus</i> Reitter, 1896, <i>Anthodromius</i>	386
<i>smarti</i> Iablokoff-Khnzorian, 1974, <i>Tetrabrachys</i>	574
<i>smetaceki</i> Wittmer, 1981, <i>Carphuroides</i>	416
<i>smetanai</i> C. Johnson & Bowstead, 2003, <i>Caenoscelis</i>	513
<i>smetanai</i> Canepari, 1997, <i>Scymnus</i>	584
<i>smetanai</i> Canepari, 1997, <i>Oenopia</i>	622
<i>smetanai</i> Háva, 2003, <i>Nosodendron</i>	299
<i>smetanai</i> Jelínek, 1999, <i>Omosita</i>	474
<i>smetanai</i> Kazantsev, 2001, <i>Plateros</i>	221
<i>smetanai</i> Platia & Schimmel, 1993, <i>Silesis</i>	113
<i>smetanai</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>smetanai</i> Schimmel & Platia, 1991, <i>Dima</i>	184

<i>smirnovi</i> Barovskij, 1908, <i>Rhagonycha</i>	268
<i>smirnovi</i> Dobrzhanskiy, 1927, <i>Pharoscymnus</i>	571
<i>smirnovi</i> Nikitsky & Belov, 1979, <i>Pediacus</i>	503
<i>smirnovi</i> Zhantiev, 1973, <i>Attagenus</i>	310
<i>smithi</i> Fuente, 1920, <i>Cardiophorus</i>	196
<i>smyrnensis</i> Marseul, 1864, <i>Cantharis</i>	246
<i>smyrnensis</i> Pic, 1915, <i>Malthinus</i>	283
<i>smyrnensis</i> Pic, 1901, <i>Aplocnemus</i>	412
<i>smyrnensis</i> Schwarz, 1903, <i>Elathous</i>	164
<i>smyrnensis</i> Spinola, 1884, <i>Trichodes</i>	378
<i>smyrnensis</i> Wittmer, 1971, <i>Anthocomus</i>	440
<i>snizeki</i> Platia, 2004, <i>Athous</i>	162
<i>soboensis</i> Ôhira, 1963, <i>Ampedus</i>	129
<i>sobosanus</i> Kishii, 1970, <i>Quasimus</i>	190
<i>sobosanus</i> Satô & Ishida, 1982, <i>Themus</i>	273
<i>sobrina</i> Lewis, 1887, <i>Tritoma</i>	546
<i>sobrinus</i> Candêze, 1874, <i>Campsosternus</i>	94
<i>sobrinus</i> Casey, 1916, <i>Placonotus</i>	506
<i>sobrinus</i> Kiesenwetter, 1858, <i>Agriotes</i>	114
<i>sobrinus</i> Laporte, 1840, <i>Phorocardius</i>	206
<i>sobrinus</i> LeConte, 1854, <i>Dermestes</i>	300
<i>sobrinus</i> Mannerheim, 1852, <i>Latridius</i>	639
<i>sobrinus</i> Ménétrés, 1832, <i>Melanotus</i>	149
<i>sobrinus</i> Motschulsky, 1860, <i>Ampedus</i>	127
<i>sociale</i> C. O. Waterhouse, 1876, <i>Passandra</i>	502
<i>socialis</i> Linnaeus, 1767, <i>Drapetes</i>	209
<i>sociolamina</i> Li, 1961, <i>Epilachna</i>	628
<i>socius</i> Kleine, 1926, <i>Procautires</i>	223
<i>socors</i> Mulsant, 1850, <i>Henosepilachna</i>	630
<i>sodalis</i> C. O. Waterhouse, 1875, <i>Languriomorpha</i>	534
<i>sodalis</i> J. Weise, 1923, <i>Scymnus</i>	587
<i>sodermani</i> Sjöberg, 1947, <i>Atomaria</i>	527
<i>soederbomi</i> Fleutiaux, 1936, <i>Agriotes</i>	117
<i>soederbomi</i> Pic, 1933, <i>Attagenus</i>	309
<i>soeulensis</i> Pic, 1922, <i>Cantharis</i>	246
<i>sogdiana</i> Zhantiev, 1975, <i>Ctesias</i>	315
<i>sogdianus</i> Dolin & Latifi, 1988, <i>Melanotus</i>	146
<i>sogdianus</i> Gurjeva, 1966, <i>Cardiophorus</i>	202
<i>sogdianus</i> Zhantiev, 1976, <i>Anthrenus</i>	315
<i>soguksuensis</i> Brancucci, 1980, <i>Macrocerus</i>	296
<i>sohnsteini</i> Kazantsev, 1998, <i>Bactrocantharis</i>	238
<i>solai</i> Platia, 2004, <i>Agriotes</i>	117
<i>solai</i> Platia & Gudenzi, 2000, <i>Lacon</i>	102
<i>solanensis</i> Pic, 1955, <i>Lycocerus</i>	250
<i>solanensis</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	99
<i>solani</i> Heer, 1841, <i>Heterhelus</i>	457
<i>solarii</i> Binaghi, 1946, <i>Metophthalmus</i>	640
<i>solarii</i> Buysson, 1902, <i>Pheletes</i>	166
<i>solarii</i> Pic, 1912, <i>Malthodes</i>	294
<i>solarii</i> Pic, 1895, <i>Danacea</i>	396

<i>solarii</i> Reitter, 1904, <i>Sphaerosoma</i>	556
<i>solarii</i> Reitter, 1904, <i>Aclemmysa</i>	559
<i>solarii</i> Reitter, 1904, <i>Corticaria</i>	642
<i>solaris</i> Gistel, 1857, <i>Brachypterus</i>	457
<i>solidus</i> Kiesenwetter, 1877, <i>Calymmaderus</i>	343
<i>solidus</i> Kugelann, 1794, <i>Meligethes</i>	486
<i>solidus</i> Rey, 1889, <i>Cryptophagus</i>	520
<i>solitarius</i> Reitter, 1872, <i>Meligethes</i>	483
<i>solitarius</i> Rosenhauer, 1856, <i>Ptinus</i>	336
<i>solivaga</i> Lewis, 1887, <i>Pseudotritoma</i>	542
<i>solskianus</i> Sokolov, 1974, <i>Anthrenus</i>	313
<i>solskyi</i> Dalla Torre, 1911, <i>Dermestes</i>	302
<i>solskyi</i> Kirejtshuk, 1984, <i>Platamartus</i>	458
<i>solskyi</i> Kirejtshuk, 1980, <i>Meligethes</i>	481
<i>solskyi</i> Reitter, 1881, <i>Globicornis</i>	316
<i>solus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>soluta</i> Majer, 1989, <i>Haplothrix</i>	392
<i>somcheticus</i> Schwarz, 1896, <i>Cardiophorus</i>	200
<i>somnambulus</i> Wurst, 2001, <i>Buffeventius</i>	187
<i>sonami</i> Miwa, 1929, <i>Procraerus</i>	138
<i>sonani</i> Miwa, 1934, <i>Melanoxanthus</i>	137
<i>sonani</i> Miwa, 1930, <i>Cardiohypnus</i>	187
<i>sonani</i> Miwa, 1930, <i>Cardiophorus</i>	200
<i>sonani</i> Ohta, 1929, <i>Helota</i>	496
<i>sonanis</i> Miwa, 1928, <i>Ectinus</i>	120
<i>sondaicus</i> Candèze, 1857, <i>Lanelater</i>	102
<i>songoricus</i> Kraatz, 1879, <i>Selatosomus</i>	182
<i>songpanensis</i> Majer, 1996, <i>Danacaeomimus</i>	394
<i>sonyae</i> Wittmer, 1982, <i>Troglops</i>	454
<i>sordida</i> Fabricius, 1792, <i>Omosita</i>	474
<i>sordida</i> J. Weise, 1879, <i>Harmonia</i>	616
<i>sordidatus</i> Gurjeva, 1989, <i>Melanotus</i>	149
<i>sordidulus</i> Reitter, 1889, <i>Anthrenus</i>	313
<i>sordidus</i> Candèze, 1857, <i>Agrypnus</i>	98
<i>sordidus</i> Fairmaire, 1889, <i>Plateros</i>	221
<i>sordidus</i> Heer, 1841, <i>Attagenus</i>	308
<i>sordidus</i> Illiger, 1807, <i>Agriotes</i>	117
<i>sordidus</i> Kiesenwetter, 1871, <i>Malthinus</i>	283
<i>sordidus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>sordidus</i> Westwood, 1848, <i>Cryptalaus</i>	107
<i>sordidus</i> Westwood, 1852, <i>Opilo</i>	373
<i>sorneri</i> Roubal, 1925, <i>Anommatus</i>	549
<i>soror</i> Ganglbauer, 1899, <i>Atomaria</i>	529
<i>soror</i> Kiesenwetter, 1860, <i>Rhagonycha</i>	268
<i>soror</i> Schaum, 1862, <i>Lampyris</i>	227
<i>soror</i> Schenkling, 1902, <i>Tillicera</i>	376
<i>sororcula</i> Rucker, 1980, <i>Corticarina</i>	646
<i>sorsakoskii</i> Hellén, 1934, <i>Ampedus</i>	124
<i>sosybius</i> Reitter, 1905, <i>Athous</i>	159
<i>sotschienesis</i> Wittmer, 1970, <i>Malthodes</i>	294

<i>soubironi</i> Pic, 1895, <i>Dignomus</i>	331
<i>souliei</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>souslapis</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	99
<i>spaceki</i> Roubal, 1935, <i>Antherophagus</i>	514
<i>spadiceus</i> Falcoz, 1925, <i>Cryptophagus</i>	521
<i>spadix</i> Easton, 1954, <i>Meligethes</i>	486
<i>spalatrensis</i> J. Weise, 1893, <i>Malthodes</i>	294
<i>spalatrensis</i> Reitter, 1894, <i>Athous</i>	159
<i>sparganii</i> Ahrens, 1812, <i>Telmatophilus</i>	524
<i>sparreschneideri</i> Munster, 1928, <i>Atomaria</i>	529
<i>sparsa</i> Herbst, 1786, <i>Henosepilachna</i>	630
<i>sparsehirsuta</i> Pic, 1907, <i>Mimothrix</i>	393
<i>sparsepubens</i> Pic, 1924, <i>Dasytidius</i>	390
<i>sparsepubens</i> Wittmer, 1940, <i>Fortunatius</i>	425
<i>sparsepunctata</i> Pic, 1921, <i>Trichocele</i>	414
<i>sparsula</i> Reitter, 1888, <i>Atomaria</i>	527
<i>sparsum</i> Reitter, 1909, <i>Sphaerosoma</i>	556
<i>sparsus</i> Rey, 1889, <i>Cryptophagus</i>	519
<i>sparsus</i> T. L. Casey, 1916, <i>Attagenus</i>	310
<i>sparsutula</i> Reitter, 1888, <i>Atomaria</i>	528
<i>sparsutus</i> Reitter, 1881, <i>Attagenus</i>	307
<i>spartii</i> Curtis, 1834, <i>Cryptolestes</i>	504
<i>spathifer</i> Kiesenwetter, 1852, <i>Malthodes</i>	294
<i>spatulata</i> C. Cao & Xiao, 1984, <i>Afissula</i>	626
<i>spatulatus</i> Chassain, 1984, <i>Cardiophorus</i>	199
<i>spatulatus</i> Vats & Chauhan, 1993, <i>Drapetes</i>	208
<i>spatulifer</i> Wittmer, 1996, <i>Holzschuhus</i>	433
<i>spatulistilus</i> Wittmer, 1970, <i>Malthodes</i>	294
<i>specialis</i> Kirejtshuk, 1998, <i>Epuraea</i>	465
<i>specialis</i> Nikitsky, 1985, <i>Monotoma</i>	494
<i>specialithorax</i> Pic, 1916, <i>Micropodabrus</i>	258
<i>speciosa</i> Ohbayashi, 1954, <i>Dictyoptera</i>	214
<i>speciosus</i> Iablokoff-Khnzorian, 1959, <i>Ebaeus</i>	432
<i>speciosus</i> Miwa, 1928, <i>Corymbitodes</i>	176
<i>spectabilis</i> Dajoz, 1970, <i>Corticaria</i>	642
<i>spectabilis</i> Evers, 1962, <i>Macrotrichopherus</i>	425
<i>spectabilis</i> Faldermann, 1837, <i>Platynaspis</i>	596
<i>spectabilis</i> Faldermann, 1835, <i>Harmonia</i>	615
<i>spectabilis</i> Hampe, 1864, <i>Athous</i>	158
<i>spectabilis</i> Kiesenwetter, 1871, <i>Malthodes</i>	294
<i>spectabilis</i> Kraatz, 1858, <i>Thorictus</i>	305
<i>spectabilis</i> Kraatz, 1883, <i>Trichodes</i>	380
<i>spectabilis</i> Lewis, 1895, <i>Semijulistus</i>	415
<i>spectabilis</i> Perris, 1869, <i>Revelieria</i>	640
<i>spectabilis</i> Sasaji, 1984, <i>Dexialia</i>	559
<i>specularis</i> Bonelli, 1812, <i>Oenopia</i>	621
<i>speculifer</i> Candèze, 1889, <i>Poemnites</i>	180
<i>speculifer</i> Fairmaire, 1889, <i>Agonischius</i>	131
<i>speculifer</i> Lesne, 1895, <i>Dinoderus</i>	325
<i>speculiferum</i> Champion, 1922, <i>Hladilium</i>	392

<i>spelaeus</i> Falcoz, 1922, <i>Cryptophagus</i>	516
<i>spernendus</i> Candèze, 1873, <i>Melanotus</i>	149
<i>spevari</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>sphaerotherax</i> Reitter, 1890, <i>Pseudanostirus</i>	180
<i>sphaerula</i> Wollaston, 1854, <i>Cybocephalus</i>	490
<i>sphondyloides</i> Germar, 1818, <i>Otho</i>	82
<i>spicata</i> Schimmel, 1998, <i>Dima</i>	184
<i>spiculimaculata</i> Jing, 1986, <i>Ceratomegilla</i>	609
<i>spillmani</i> Stibick, 1980, <i>Hypnoidus</i>	154
<i>spilotus</i> Arrow, 1925, <i>Cymbachus</i>	562
<i>spilotus</i> J. Weise, 1901, <i>Scymniscus</i>	583
<i>spineus</i> Chen & Yin, 2003, <i>Apoleon</i>	326
<i>spinicollis</i> Aubé, 1837, <i>Monotoma</i>	494
<i>spinicollis</i> Charpentier, 1825, <i>Silis</i>	276
<i>spinicollis</i> Fairmaire, 1891, <i>Macrolycus</i>	213
<i>spinicollis</i> Fairmaire, 1868, <i>Dapsa</i>	563
<i>spinicollis</i> Faldermann, 1835, <i>Pleonomus</i>	156
<i>spinicollis</i> Guérin-Méneville, 1831, <i>Macrohyliota</i>	496
<i>spinicollis</i> Schilsky, 1900, <i>Danacea</i>	399
<i>spinicollis</i> Schwarz, 1894, <i>Odontoderus</i>	168
<i>spinicornis</i> Champion, 1921, <i>Hypebaeus</i>	435
<i>spinicoxis</i> Kiesenwetter, 1874, <i>Benibotarus</i>	214
<i>spinifer</i> Pic, 1923, <i>Lampyris</i>	227
<i>spinifer</i> Wittmer, 1970, <i>Ebaeus</i>	432
<i>spinifera</i> Pic, 1903, <i>Rhagonycha</i>	264
<i>spinifera</i> Wollaston, 1857, <i>Monotoma</i>	494
<i>spiniformis</i> Platia & Schimmel, 1991, <i>Silesis</i>	113
<i>spinifrons</i> Abeille de Perrin, 1894, <i>Troglops</i>	454
<i>spiniger</i> Candèze, 1860, <i>Harminius</i>	169
<i>spiniger</i> Jacquelin du Val, 1860, <i>Enicopus</i>	408
<i>spinimargo</i> Wittmer, 1970, <i>Ebaeus</i>	432
<i>spinipennis</i> Germar, 1824, <i>Clanoptilus</i>	444
<i>spinipes</i> Reitter, 1871, <i>Meligethes</i>	484
<i>spinolae</i> Guérin-Méneville, 1838, <i>Phyllocerus</i>	81
<i>spinolai</i> Kolbe, 1886, <i>Trichodes</i>	380
<i>spinolai</i> Ragusa, 1896, <i>Denops</i>	367
<i>spinosa</i> Majer, 1988, <i>Bilyella</i>	400
<i>spinosa</i> Wittmer, 1997, <i>Rhagonycha</i>	267
<i>spinostylus</i> Pic, 1915, <i>Malthodes</i>	288
<i>spinosus</i> Brullé, 1832, <i>Clanoptilus</i>	445
<i>spinosus</i> Erichson, 1840, <i>Clanoptilus</i>	445
<i>spinosus</i> Grouvelle, 1892, <i>Passandrophloeus</i>	505
<i>spinosus</i> Schilsky, 1896, <i>Enicopus</i>	408
<i>spinosus</i> Wittmer, 1984, <i>Nepachys</i>	426
<i>spinosus</i> Wittmer, 1995, <i>Indiebaeus</i>	436
<i>spinulosa</i> C. G. Thomson, 1871, <i>Corticaria</i>	645
<i>spiraloides</i> C. Cao & Xiao, 1984, <i>Epilachna</i>	628
<i>spireae</i> Märkel, 1857, <i>Heterhelus</i>	457
<i>spireae</i> Stephens, 1835, <i>Kateretes</i>	458
<i>spirosiphonicus</i> Ren & X.-F. Pang, 1995, <i>Scymnus</i>	587

<i>spissa</i> J. Weise, 1879, <i>Hippodamia</i>	618
<i>spissicornis</i> Abeille de Perrin, 1894, <i>Ptinus</i>	335
<i>spissicornis</i> Champion, 1926, <i>Malthinus</i>	276
<i>spissicornis</i> Fairmaire, 1877, <i>Philothermus</i>	554
<i>spissus</i> Candèze, 1889, <i>Aeoloides</i>	104
<i>spissus</i> Vats & Chauhan, 1993, <i>Drapetes</i>	208
<i>spitzyi</i> A. Villa & G. B. Villa, 1838, <i>Ptinus</i>	337
<i>splendens</i> C. Johnson, 1971, <i>Ephistemus</i>	530
<i>splendens</i> Gurjeva, 1974, <i>Elater</i>	132
<i>splendens</i> Motschulsky, 1860, <i>Tetraphala</i>	535
<i>splendida</i> Crotch, 1876, <i>Tetraphala</i>	535
<i>splendida</i> Pic, 1903, <i>Danacea</i>	399
<i>splendidula</i> Linnaeus, 1767, <i>Lamprohiza</i>	230
<i>splendidulus</i> Stenius, 1952, <i>Scymniscus</i>	583
<i>splendidum</i> Schaufuss, 1867, <i>Psilothrix</i>	408
<i>splendidum</i> Toskina, 1998, <i>Lasioderma</i>	358
<i>splendidus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>splichali</i> E. Olivier, 1912, <i>Diaphanes</i>	226
<i>splichali</i> Platia & Schimmel, 2002, <i>Melanotus</i>	149
<i>spoliata</i> Barovskij, 1926, <i>Cantharis</i>	241
<i>sponsus</i> Abeille de Perrin, 1883, <i>Cordylepherus</i>	446
<i>sporadicus</i> Wittmer, 1980, <i>Malthodes</i>	294
<i>sporadum</i> Bruce, 1934, <i>Cryptophagus</i>	521
<i>spornrafti</i> Audisio, 1977, <i>Meligethes</i>	486
<i>spretus</i> Kiesenwetter, 1852, <i>Malthodes</i>	294
<i>spretus</i> Mannerheim, 1852, <i>Selatosomus</i>	181
<i>spurcaticollis</i> Fairmaire, 1871, <i>Cebrio</i>	93
<i>sputator</i> Linnaeus, 1758, <i>Agriotes</i>	117
<i>squalidum</i> LeConte, 1874, <i>Xestobium</i>	352
<i>squalidus</i> Fairmaire, 1849, <i>Lacon</i>	101
<i>squalidus</i> Schwarz, 1891, <i>Agriotes</i>	117
<i>squamafraxineus</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	99
<i>squamatus</i> Kiesenwetter, 1871, <i>Dasytidius</i>	390
<i>squamigera</i> Pascoe, 1866, <i>Minthea</i>	328
<i>squamosum</i> Hinton, 1943, <i>Stethomezium</i>	329
<i>squamosus</i> Jelínek & Marek, 1966, <i>Meligethes</i>	486
<i>squamulata</i> Gebler, 1830, <i>Leperina</i>	364
<i>srinagarensis</i> Wittmer, 1981, <i>Ebaeus</i>	432
<i>ssulingensis</i> Wittmer, 1995, <i>Micropodabrus</i>	258
<i>ssulingensis</i> Wittmer, 1993, <i>Malthinus</i>	283
<i>stabilis</i> Motschulsky, 1966, <i>Scymnus</i>	590
<i>stackelbergi</i> Kryzhanovskij, 1977, <i>Mycetina</i>	566
<i>staehlini</i> Wittmer, 1977, <i>Asiosilis</i>	274
<i>stangei</i> Reitter, 1910, <i>Mariouta</i>	302
<i>stanislavi</i> Švihla, 2002, <i>Rhagonycha</i>	267
<i>stanislavi</i> Švihla, 2004, <i>Malthinus</i>	283
<i>stanislavi</i> Švihla, 2004, <i>Malthodes</i>	294
<i>starcki</i> Ganglbauer, 1922, <i>Podistra</i>	259
<i>starcki</i> Reitter, 1889, <i>Euanoma</i>	210
<i>starcki</i> Schwarz, 1891, <i>Agriotes</i>	118

<i>statuaria</i> Gistel, 1857, <i>Atomaria</i>	528
status Kirejtshuk, 1994, <i>Cybocephalus</i>	490
staudingeri Schilsky, 1900, <i>Chaetomalachius</i>	389
staudingeri Schilsky, 1897, <i>Dasytes</i>	403
stegnus Gurjeva, 1990, <i>Melanotus</i>	149
steinbergi Zhantiev, 1963, <i>Attagenus</i>	310
steineri Walter, 1882, <i>Propylea</i>	624
stellatus Reitter, 1905, <i>Athous</i>	158
stemmleri Español, 1977, <i>Falsogastrallus</i>	340
stemmleri Wittmer, 1974, <i>Malthinus</i>	283
stenoides Wollaston, 1854, <i>Leptophloeus</i>	505
stepanovi Denisova, 1948, <i>Hypoganus</i>	177
stepanovi Iablokoff-Khnzorian, 1959, <i>Procraerus</i>	138
stepanovororum Orlov, 1997, <i>Agriotes</i>	118
stepari Platia & Schimmel, 2002, <i>Melanotus</i>	149
stepensis Motschulsky, 1845, <i>Placonotus</i>	506
stephensi Buysson, 1891, <i>Athous</i>	157
stephensi Fleutiaux, 1928, <i>Cardiohypnus</i>	187
stephensi J. Weise, 1879, <i>Adalia</i>	603
stephensi Mulsant, 1850, <i>Afidentula</i>	625
stephensii Hope, 1831, <i>Campsosternus</i>	94
stephensii Stephens, 1829, <i>Olibrus</i>	508
stepposum Toskina, 1999, <i>Lasioderma</i>	358
stercoreum Fabricius, 1792, <i>Olibrus</i>	509
sternalis X.-F. Pang & R. D. Gordon, 1986, <i>Clitostethus</i>	579
sternimaculatus Marcu, 1957, <i>Dermestes</i>	301
sternitus X.-F. Pang & R. D. Gordon, 1986, <i>Keiscymnus</i>	579
sternodeoides Reitter, 1883, <i>Atomaria</i>	524
sternoviridis Vats & Kashyap, 1992, <i>Agrypnus</i>	99
steveni Motschulsky, 1849, <i>Enicopus</i>	407
stevensi Champion, 1926, <i>Themus</i>	273
stevensi Champion, 1922, <i>Hypebaeus</i>	435
stevensi Corporaal, 1926, <i>Orthrius</i>	374
stevensi Fleutiaux, 1928, <i>Cardiohypnus</i>	187
stevensi Kleine, 1928, <i>Lycostomus</i>	212
stibicki Dolin & Bessolitzina, 1992, <i>Hypnoidus</i>	155
stibicki Leseigneur, 1970, <i>Zoroachros</i>	194
stichothrix Reitter, 1879, <i>Minthea</i>	328
stictica Mulsant, 1850, <i>Adalia</i>	603
sticticus Panzer, 1800, <i>Dalopius</i>	119
stictus Lyubarsky, 1993, <i>Olibrus</i>	510
stierlini Flach, 1888, <i>Olibrus</i>	510
stierlini Reitter, 1872, <i>Meligethes</i>	482
stiglundbergi Fürsch, 1969, <i>Scymnus</i>	587
stigma A. G. Olivier, 1808, <i>Hyperaspis</i>	578
stigmatias Kiesenwetter, 1866, <i>Malthinus</i>	283
stigmaticollis Fairmaire, 1887, <i>Luciola</i>	233
stigmaticum Candèze, 1895, <i>Aeoloderma</i>	103
stigmaticus Fairmaire, 1888, <i>Themus</i>	273
stigmatopterus Faldermann, 1837, <i>Scymnus</i>	591

<i>stigmosa</i> Motschulsky, 1867, <i>Corticaria</i>	644
<i>stigmatulus</i> Buysson, 1912, <i>Cardiophorus</i>	196
<i>stilet</i> Majer, 1988, <i>Bilyella</i>	400
<i>stilleri</i> Kaszab, 1947, <i>Anommatus</i>	550
<i>stilpnithorax</i> Buysson, 1912, <i>Paracardiophorus</i>	206
<i>stoetznerei</i> Kleine, 1936, <i>Lycostomus</i>	212
<i>stoimenovae</i> Platia, 2001, <i>Athous</i>	162
<i>stolatus</i> Mulsant & Godart, 1855, <i>Malachius</i>	448
<i>stolida</i> Mulsant, 1850, <i>Henosepilachna</i>	630
<i>stoliger</i> Buysson, 1902, <i>Cardiophorus</i>	203
<i>stoltzi</i> Hicker, 1915, <i>Malthodes</i>	294
<i>stotzneri</i> Pic, 1926, <i>Lycocerus</i>	249
<i>stotzneri</i> Pic, 1926, <i>Attalus</i>	424
<i>stotzneri</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>stoutii</i> LeConte, 1853, <i>Polycaon</i>	328
<i>stramenti</i> Donisthorpe, 1935, <i>Cryptophagus</i>	516
<i>straminea</i> Hope, 1831, <i>Halysia</i>	598
<i>straminea</i> Kiesenwetter, 1859, <i>Rhagonycha</i>	267
<i>stramineipennis</i> Binaghi, 1940, <i>Anostirus</i>	175
<i>stramineus</i> Candèze, 1892, <i>Ctenicera</i>	177
<i>stramineus</i> Capra, 1929, <i>Nephus</i>	581
<i>straminipennis</i> Heyden, 1880, <i>Ampedus</i>	128
<i>strandi</i> C. Johnson, 1967, <i>Atomaria</i>	529
<i>strandi</i> C. Johnson, 1972, <i>Corticarina</i>	647
<i>strandi</i> Marcu, 1936, <i>Aplocnemus</i>	412
<i>strandi</i> Palm, 1949, <i>Corticaria</i>	642
<i>strandi</i> Roubal, 1934, <i>Corticaria</i>	641
<i>strandi</i> Saluk, 1992, <i>Corticarina</i>	647
<i>strangulata</i> Kiesenwetter, 1879, <i>Cladiscus</i>	367
<i>strangulata</i> Pic, 1922, <i>Danacea</i>	399
<i>strangulaticollis</i> Pic, 1937, <i>Danacea</i>	395
<i>strangulatus</i> Abeille de Perrin, 1885, <i>Clanoptilus</i>	445
<i>strangulatus</i> Wittmer, 1974, <i>Malthinus</i>	283
<i>straussi</i> Ganglbauer, 1897, <i>Cryptophagus</i>	521
<i>straussi</i> Ganglbauer, 1899, <i>Atomaria</i>	525
<i>strejceki</i> Jelínek, 1982, <i>Meligethes</i>	486
<i>strejceki</i> Švihla, 1993, <i>Rhagonycha</i>	263
<i>strejceki</i> Švihla, 1990, <i>Malthodes</i>	294
<i>strejceki</i> Švihla, 1980, <i>Ebaeus</i>	432
<i>strejcekorum</i> Majer, 1996, <i>Dasytiscus</i>	391
<i>strepens</i> W. Redtenbacher, 1842, <i>Isorhipis</i>	84
<i>striata</i> Schimmel, 1993, <i>Penia</i>	185
<i>striatella</i> Reitter, 1890, <i>Merophysia</i>	558
<i>striatellum</i> Beck, 1817, <i>Dryophilus</i>	348
<i>striatellus</i> C. N. F. Brisout de Barneville, 1863, <i>Episernus</i>	349
<i>striatellus</i> Reitter, 1908, <i>Dermestes</i>	302
<i>striatifrons</i> Fairmaire, 1876, <i>Cebrio</i>	93
<i>striatipennis</i> Fairmaire, 1857, <i>Xyletinus</i>	359
<i>striatipennis</i> P. H. Lucas, 1849, <i>Tolyphus</i>	513
<i>striatipennis</i> Wittmer, 1995, <i>Lycocerus</i>	253

striatissimus Reitter, 1899, <i>Olibrus</i>	510
striatofrons Dahlgren, 1972, <i>Rhagonycha</i>	267
<i>striatopunctata</i> K. Papp, 1943, <i>Cynegetis</i>	625
<i>striatopunctata</i> Steinheil, 1873, <i>Stegobium</i>	343
<i>striatopunctatus</i> Laporte, 1840, <i>Aspidiphorus</i>	455
<i>striatopunctatus</i> Schenkling, 1901, <i>Orthrius</i>	374
<i>striatopunctatus</i> Tournier, 1889, <i>Phalacrus</i>	511
<i>striatulus</i> Bourgeois, 1896, <i>Cebriorhipis</i>	93
<i>striatulus</i> Brullé, 1832, <i>Dasytes</i>	403
<i>striatulus</i> Kiesenwetter, 1874, <i>Drilonius</i>	234
<i>striatulus</i> Leinberg, 1904, <i>Episernus</i>	349
<i>striatulus</i> Motschulsky, 1860, <i>Orthrius</i>	374
<i>striatulus</i> Mulsant, 1862, <i>Malthinus</i>	277
<i>striatulus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>striatulus</i> Schilsky, 1899, <i>Stagetus</i>	347
<i>striatulus</i> Tournier, 1868, <i>Phalacrus</i>	511
<i>striatum</i> A. G. Olivier, 1790, <i>Anobium</i>	339
<i>striatus</i> A. G. Olivier, 1790, <i>Pocadius</i>	476
<i>striatus</i> Arrow, 1925, <i>Euxestoxenus</i>	552
<i>striatus</i> Fabricius, 1775, <i>Agriotes</i>	115
<i>striatus</i> Fabricius, 1787, <i>Ptinus</i>	336
<i>striatus</i> Fabricius, 1787, <i>Hadrobregmus</i>	341
<i>striatus</i> Fleutiaux, 1918, <i>Vuilletus</i>	134
<i>striatus</i> Geoffroy, 1785, <i>Tenebroides</i>	365
<i>striatus</i> Kazantsev, 1994, <i>Lycocerus</i>	253
<i>striatus</i> Kugelann, 1792, <i>Dorcatoma</i>	344
<i>striatus</i> Kugelann, 1792, <i>Xyletinus</i>	360
<i>striatus</i> Melsheimer, 1844, <i>Lyctus</i>	327
<i>striatus</i> Pic, 1922, <i>Neoxyletinus</i>	359
<i>striatus</i> Reitter, 1889, <i>Thorictus</i>	305
<i>striatus</i> Rouget, 1877, <i>Ahasverus</i>	498
<i>striatus</i> Stephens, 1835, <i>Tolyphus</i>	513
<i>striatus</i> Zoufal, 1897, <i>Gastrallus</i>	341
<i>stricticollis</i> Kraatz, 1859, <i>Thorictus</i>	305
<i>stricticollis</i> Rey, 1889, <i>Stephostethus</i>	640
<i>strictus</i> Candèze, 1863, <i>Athous</i>	160
<i>strictus</i> Fischer von Waldheim, 1824, <i>Athous</i>	163
<i>strictus</i> Gené, 1836, <i>Cebrion</i>	93
<i>strictus</i> Reiche, 1863, <i>Athous</i>	162
<i>strigata</i> Fabricius, 1787, <i>Cryptarcha</i>	468
<i>strigata</i> Thunberg, 1795, <i>Anisosticta</i>	600
<i>strigatus</i> Fabricius, 1798, <i>Chilocorus</i>	593
<i>strigatus</i> Gerhardt, 1897, <i>Actenicerus</i>	174
<i>strigicollis</i> Motschulsky, 1854, <i>Haplomalachius</i>	447
<i>strigicrus</i> Fairmaire, 1889, <i>Haplomalachius</i>	447
<i>strigipennis</i> Buysson, 1902, <i>Cardiophorus</i>	197
<i>strigipennis</i> Motschulsky, 1858, <i>Carpophilus</i>	466
<i>strigosus</i> Kiesenwetter, 1858, <i>Agriotes</i>	118
<i>strigosus</i> Reitter, 1899, <i>Litochrus</i>	507
<i>striola</i> Rey, 1892, <i>Lasioderma</i>	358

<i>striolatus</i> Fabricius, 1803, <i>Agriotes</i>	115
<i>striolatus</i> Grouvelle, 1914, <i>Sosylus</i>	552
<i>striolatus</i> Reitter, 1907, <i>Rhizophagus</i>	492
<i>strnadi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>strobli</i> Reitter, 1885, <i>Anamartus</i>	455
<i>strupii</i> Hölzel, 1944, <i>Dienerella</i>	637
<i>studti</i> John, 1971, <i>Thorictus</i>	305
<i>stultus</i> Grouvelle, 1912, <i>Psammoecus</i>	497
<i>sturanyi</i> Apfelbeck, 1909, <i>Sphaerosoma</i>	556
<i>stusaki</i> Švihla, 1992, <i>Rhagonycha</i>	267
<i>stussineri</i> Buysson, 1913, <i>Cardiophorus</i>	200
<i>stygalis</i> Mulsant & Rey, 1868, <i>Attagenus</i>	310
<i>stygianum</i> Gorham, 1889, <i>Sphaerarthrum</i>	276
<i>stylifer</i> Kiesenwetter, 1866, <i>Malthodes</i>	294
<i>stylifer</i> Sahlberg, 1908, <i>Malachius</i>	449
<i>stylopygus</i> Pic, 1912, <i>Malthodes</i>	294
<i>styriaca</i> Baudi di Selve, 1872, <i>Rhagonycha</i>	266
<i>styriacus</i> L. Redtenbacher, 1858, <i>Idolus</i>	140
<i>suarezi</i> Pardo Alcaide, 1958, <i>Ebaeus</i>	432
<i>suarezi</i> Pardo Alcaide, 1956, <i>Cordylepherus</i>	446
<i>subabbreviata</i> Rey, 1891, <i>Rhagonycha</i>	265
<i>subacuminata</i> Mannerheim, 1844, <i>Corticaria</i>	643
<i>subacuminatus</i> Pic, 1938, <i>Dasytes</i>	403
<i>subacuminatus</i> Pic, 1934, <i>Aplocnemus</i>	413
<i>subacuta</i> Dieke, 1947, <i>Epilachna</i>	628
<i>subacutipennis</i> Pic, 1914, <i>Danacea</i>	395
<i>subaenea</i> Westwood, 1839, <i>Amauronia</i>	393
<i>subaeneipennis</i> Pic, 1917, <i>Lycocerus</i>	253
<i>subaenescens</i> Escalera, 1921, <i>Attalus</i>	424
<i>subaenescens</i> Wollaston, 1862, <i>Dasytes</i>	405
<i>subaeneum</i> Reitter, 1897, <i>Hyperisus</i>	352
<i>subaeneus</i> Brenske & Reitter, 1884, <i>Ptinus</i>	335
<i>subaeneus</i> C. G. Thomson, 1864, <i>Dasytes</i>	404
<i>subaeneus</i> Fleutiaux, 1902, <i>Paracardiophorus</i>	206
<i>subaeneus</i> Reitter, 1876, <i>Agaricophilus</i>	566
<i>subaeneus</i> Schönherr, 1817, <i>Dasytes</i>	401
<i>subaeneus</i> Sturm, 1845, <i>Meligethes</i>	486
<i>subaeneus</i> W. Redtenbacher, 1842, <i>Sericus</i>	134
<i>subaereus</i> Wollaston, 1864, <i>Olibrus</i>	510
<i>subalpina</i> Bonelli, 1812, <i>Caenocara</i>	344
<i>subalpinus</i> Baudi di Selve, 1873, <i>Dasytes</i>	404
<i>subalpinus</i> Dolin & Penev, 2004, <i>Athous</i>	158
<i>subalpinus</i> Gurjeva, 1979, <i>Paraphotistus</i>	179
<i>subalpinus</i> Reitter, 1878, <i>Meligethes</i>	483
<i>subamurensis</i> Saluk, 1992, <i>Corticaria</i>	645
<i>subangulata</i> J. R. Sahlberg, 1926, <i>Atomaria</i>	529
<i>subangulata</i> Motschulsky, 1860, <i>Epuraea</i>	463
<i>subangustatus</i> Pic, 1910, <i>Malachius</i>	450
<i>subannulicornis</i> Pic, 1915, <i>Themus</i>	271
<i>subapicalis</i> Chevrolat, 1874, <i>Trichodes</i>	376

subapicalis Reitter, 1888, <i>Atomaria</i>	527
subaptera Pic, 1909, <i>Rhagonycha</i>	261
subarcuatipes Pic, 1916, <i>Lycocerus</i>	252
subargillus Vats & Kashyap, 1992, <i>Agrypnus</i>	99
subarmatus Rey, 1889, <i>Cryptophagus</i>	515
subater Kirejtshuk, 1980, <i>Meligethes</i>	486
subattenuatus Pic, 1905, <i>Cebrio</i>	93
subattenuatus Pic, 1954, <i>Callimerus</i>	371
subbasalis Pic, 1916, <i>Ampedus</i>	121
subbasalis Reitter, 1896, <i>Tritoma</i>	546
subbrevis Motschulsky, 1866, <i>Stephostethus</i>	641
subcaeruleiformis Wittmer, 1983, <i>Themus</i>	271
subcaeruleus Pic, 1911, <i>Themus</i>	271
subcalvus Kirejtshuk, 1984, <i>Carpophilus</i>	466
subcalvus Wollaston, 1862, <i>Casapus</i>	329
subcantharoides Buysson, 1906, <i>Denticollis</i>	168
subcarinatus Germar, 1844, <i>Prokraerus</i>	138
subcarinatus Mannerheim, 1852, <i>Pediacus</i>	502
subcarinatus Pic, 1900, <i>Ptinus</i>	335
subcarinatus Platia & Schimmel, 1996, <i>Silesis</i>	113
subcarinatus Platia & Schimmel, 2001, <i>Melanotus</i>	149
subcastaneus Chobaut, 1898, <i>Thorictus</i>	305
subcincticollis Pic, 1913, <i>Cantharis</i>	246
subclaviger Reitter, 1881, <i>Anthrenus</i>	311
subcoerulea Pic, 1921, <i>Trichocele</i>	414
subcoeruleus Pic, 1908, <i>Aplocnemus</i>	412
subcognata C. Johnson, 1979, <i>Corticarina</i>	647
subconcolor J. Weise, 1879, <i>Hyperaspis</i>	578
subconvexus Rey, 1889, <i>Cryptophagus</i>	519
subcordata Rey, 1889, <i>Corticaria</i>	645
subcoriacea Reitter, 1902, <i>Trichocele</i>	414
subcostatus Kolbe, 1886, <i>Ampedus</i>	129
subcostatus Murray, 1867, <i>Dermestes</i>	299
subcostatus Schilsky, 1894, <i>Aplocnemus</i>	413
subcostella Reitter, 1915, <i>Dienerella</i>	637
subcrucifer Pic, 1904, <i>Clanoptilus</i>	442
subcrucifera Roubal, 1936, <i>Adalia</i>	606
subcyaneus Kiesenwetter, 1858, <i>Podeonius</i>	140
subcyaneus Motschulsky, 1866, <i>Hemicrepidius</i>	171
subcyaneus Pic, 1948, <i>Condylops</i>	438
subcylindrica Reitter, 1895, <i>Triplax</i>	545
subcylindricus Pic, 1904, <i>Cyrtosus</i>	447
subcylindricus Reitter, 1884, <i>Glischrochilus</i>	470
subcylindricus Rey, 1889, <i>Cryptophagus</i>	515
subdelectus Pic, 1903, <i>Opilo</i>	373
subdensatum Mulsant & Rey, 1868, <i>Dolichosoma</i>	407
subdentatus Rey, 1889, <i>Cryptophagus</i>	520
subdeplanata C. N. F. Brisout de Barneville, 1882, <i>Caenoscelis</i>	513
subdepressa Rey, 1889, <i>Epuraea</i>	461
subdepressus Denisova, 1948, <i>Aplotarsus</i>	175

<i>subdepressus</i> Gyllenhal, 1827, <i>Cryptophagus</i>	521
<i>subdepressus</i> Rey, 1887, <i>Ampedus</i>	126
<i>subdepressus</i> Schilsky, 1895, <i>Dasytes</i>	403
<i>subdepressus</i> Seidlitz, 1872, <i>Rhyzobius</i>	573
<i>subdilatus</i> Pic, 1923, <i>Clanoptilus</i>	444
<i>subdisjunctus</i> Pic, 1927, <i>Attalus</i>	420
<i>subdiurnus</i> Gistel, 1857, <i>Attagenus</i>	309
<i>subdiversus</i> Pic, 1903, <i>Malthodes</i>	294
<i>subdola</i> C. Johnson, 1977, <i>Migneauxia</i>	648
<i>subductus</i> Kiesenwetter, 1863, <i>Malthodes</i>	294
<i>subellipticus</i> Wollaston, 1862, <i>Biphylus</i>	548
<i>subelongata</i> Pic, 1901, <i>Danacea</i>	399
<i>subelongatus</i> Pic, 1901, <i>Macrocerus</i>	296
<i>subelongatus</i> Pic, 1929, <i>Attagenus</i>	309
<i>subelongatus</i> Pic, 1950, <i>Pseudeurostus</i>	333
<i>subelongatus</i> Pic, 1901, <i>Ptinus</i>	333
<i>subelongatus</i> Pic, 1914, <i>Ernobius</i>	350
<i>subelongatus</i> Pic, 1910, <i>Aplocnemus</i>	412
<i>subelongatus</i> Pic, 1911, <i>Clanoptilus</i>	445
<i>subelongatus</i> Rey, 1889, <i>Cryptophagus</i>	519
<i>subelongtipennis</i> Pic, 1921, <i>Lycocerus</i>	252
<i>submarginatus</i> Pic, 1932, <i>Dasytes</i>	403
<i>suberis</i> P. H. Lucas, 1849, <i>Placonotus</i>	506
<i>subextinctus</i> Evers, 1990, <i>Fortunatius</i>	425
<i>subfaenum</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	99
<i>subfasciata</i> Dalla Torre, 1911, <i>Globicornis</i>	316
<i>subfasciata</i> J. Weise, 1879, <i>Anatis</i>	606
<i>subfasciata</i> J. Weise, 1923, <i>Henosepilachna</i>	630
<i>subfasciata</i> Miyatake, 1972, <i>Singhikalia</i>	599
<i>subfasciata</i> Reitter, 1888, <i>Atomaria</i>	529
<i>subfasciatum</i> Chevrolat, 1864, <i>Attagenus</i>	308
<i>subfasciatus</i> Grouvelle, 1896, <i>Cryptophagus</i>	515
<i>subfasciatus</i> Gyllenhal, 1808, <i>Trogoderma</i>	319
<i>subfasciatus</i> Kiesenwetter, 1867, <i>Dasytes</i>	404
<i>subfasciatus</i> Kraatz, 1873, <i>Trichodes</i>	380
<i>subfasciatus</i> Pic, 1945, <i>Tenerus</i>	384
<i>subfasciatus</i> Pic, 1920, <i>Colotes</i>	428
<i>subfasciatus</i> Spinola, 1844, <i>Opilo</i>	373
<i>subfasciatus</i> Spinola, 1844, <i>Trichodes</i>	376
<i>subferrugineus</i> Reitter, 1884, <i>Airaphilus</i>	498
<i>subflavus</i> Lyubarsky, 2004, <i>Augasmus</i>	507
<i>subfractus</i> J. R. Sahlberg, 1908, <i>Hypebaeus</i>	435
<i>subfumatus</i> Ganglbauer, 1899, <i>Meligethes</i>	486
<i>subfumatus</i> Kraatz, 1856, <i>Cryptophagus</i>	521
<i>subfusca</i> Pic, 1906, <i>Malthinus</i>	279
<i>subfusca</i> Sharp, 1902, <i>Corticarina</i>	646
<i>subfuscus</i> O. F. Müller, 1764, <i>Athous</i>	159
<i>subgemina</i> Rey, 1891, <i>Cantharis</i>	239
<i>subgeniculatus</i> Pic, 1930, <i>Malthinus</i>	283
<i>subgibbosa</i> C. Johnson, 1972, <i>Corticarina</i>	647

<i>subglaber</i> LeConte, 1854, <i>Pediacus</i>	502
<i>subglabratus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>subglabratus</i> Schimmel, 1993, <i>Ampedus</i>	128
<i>subglabrum</i> Peyerimhoff, 1917, <i>Sphaerosoma</i>	556
<i>subglobosum</i> Mulsant & Rey, 1864, <i>Caenocara</i>	344
<i>subgracilis</i> Kocher, 1961, <i>Cebrio</i>	93
<i>subguttata</i> Pic, 1938, <i>Malthodes</i>	290
<i>subhirtus</i> Rey, 1889, <i>Cryptophagus</i>	516
<i>subhirtus</i> Rey, 1889, <i>Cryptophagus</i>	519
<i>subhumeralis</i> Pic, 1911, <i>Malachius</i>	450
<i>subimpressa</i> Pic, 1901, <i>Pseudeuanoma</i>	210
<i>subimpressum</i> Pic, 1921, <i>Dryophilus</i>	348
<i>subimpressus</i> Pic, 1932, <i>Dasytes</i>	403
<i>subimpressus</i> Wittmer, 1992, <i>Nepachys</i>	426
<i>subimpunctata</i> Heyden, 1863, <i>Coccinella</i>	611
<i>subincanum</i> Reitter, 1878, <i>Xestobium</i>	352
<i>subincisicollis</i> Pic, 1915, <i>Malthodes</i>	294
<i>subincisus</i> Wittmer, 1995, <i>Lycocerus</i>	251
<i>subinermis</i> Grouvelle, 1919, <i>Cryptophagus</i>	516
<i>subinermis</i> Rey, 1889, <i>Cryptophagus</i>	516
<i>subinermis</i> Rey, 1889, <i>Cryptophagus</i>	519
<i>subinteger</i> Pic, 1902, <i>Aplocnemus</i>	412
<i>subinterruptus</i> Pic, 1917, <i>Glischrochilus</i>	470
<i>subita</i> Kirejtshuk, 1992, <i>Epuraea</i>	465
<i>sublaeve</i> Reitter, 1883, <i>Sphaerosoma</i>	556
<i>sublaevicollis</i> Rey, 1891, <i>Melanotus</i>	143
<i>sublaevipennis</i> Jacquelin du Val, 1859, <i>Corylophus</i>	631
<i>sublaevis</i> Fleutiaux, 1918, <i>Priopus</i>	152
<i>sublaevis</i> Kaszab, 1947, <i>Anommatus</i>	550
<i>sublaevis</i> Lindberg, 1953, <i>Attalus</i>	424
<i>sublaevis</i> Mulsant & Rey, 1868, <i>Dasytes</i>	404
<i>sublapideus</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	99
<i>sublateralis</i> Pic, 1912, <i>Malachius</i>	449
<i>sublineata</i> J. Weise, 1879, <i>Aphidecta</i>	607
<i>sublineatus</i> Pic, 1937, <i>Lycostomus</i>	211
<i>sublineolatus</i> Wittmer, 1983, <i>Micropodabrus</i>	258
<i>sublivida</i> Pic, 1904, <i>Cantharis</i>	246
<i>sublucens</i> Abeille de Perrin, 1872, <i>Melanotus</i>	144
<i>sublucidus</i> Plavilshchikov, 1935, <i>Cybocephalus</i>	490
<i>sublunata</i> J. Weise, 1879, <i>Adalia</i>	603
<i>submaculata</i> Walker, 1859, <i>Epuraea</i>	464
<i>submaculatus</i> Laporte, 1840, <i>Cardiophorus</i>	195
<i>submaculatus</i> Reitter, 1895, <i>Zoroachros</i>	193
<i>submarginalis</i> Ballion, 1871, <i>Metacantharis</i>	256
<i>submarginatus</i> Motschulsky, 1854, <i>Malachius</i>	449
<i>submetallicus</i> Fairmaire, 1862, <i>Pseudeurostus</i>	333
<i>submetallicus</i> Sainte-Claire Deville, 1908, <i>Meligethes</i>	486
<i>submicaceum</i> Mulsant & Rey, 1868, <i>Dolichosoma</i>	407
<i>submicurula</i> Reitter, 1884, <i>Epuraea</i>	465
<i>submissus</i> Normand, 1948, <i>Dasytes</i>	403

submonilis Reitter, 1889, <i>Laemophloeus</i>	504
submontanus Dolin & Bessolitzina, 1982, <i>Oedostethus</i>	190
submontanus Nakane, 1994, <i>Macrolycus</i>	213
submontanus Vats, 1984, <i>Dicronychus</i>	205
submontanus Vats & Kashyap, 1992, <i>Tetrigus</i>	108
<i>submucronata</i> Rey, 1891, <i>Lampyris</i>	227
<i>submutabilis</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>subniger</i> Guillebeau, 1892, <i>Olibrus</i>	508
<i>subniger</i> Wittmer, 1972, <i>Micropodabrus</i>	258
<i>subnigra</i> Motschulsky, 1868, <i>Monotoma</i>	494
<i>subnigrofemoralis</i> Pic, 1914, <i>Rhagonycha</i>	265
subnitida Kirejtshuk, 1998, <i>Epuraea</i>	462
<i>subnitida</i> Pic, 1906, <i>Lycocerus</i>	252
subnivosus Vats & Chauhan, 1992, <i>Drapetes</i>	208
<i>subnodosum</i> Mulsant & Rey, 1868, <i>Dolichosoma</i>	407
<i>subnoticeps</i> Pic, 1935, <i>Rhagonycha</i>	268
<i>subnotatus</i> Reitter, 1895, <i>Zorochros</i>	193
<i>subnotatus</i> Westwood, 1852, <i>Teloclerus</i>	369
<i>subnudus</i> Grouvelle, 1916, <i>Cryptophagus</i>	515
subnudus Majer, 1991, <i>Dasytidius</i>	390
<i>subnudus</i> Reitter, 1889, <i>Stephostethus</i>	641
<i>subobliteratus</i> J. R. Sahlberg, 1913, <i>Tetrabrachys</i>	575
<i>subobliteratus</i> Pic, 1920, <i>Trichodes</i>	380
<i>subobliteratus</i> Pic, 1937, <i>Divales</i>	406
<i>suboblonga</i> Rey, 1889, <i>Atomaria</i>	529
<i>subobscuripes</i> Pic, 1933, <i>Aplotarsus</i>	175
<i>subobscuripes</i> Pic, 1914, <i>Malthodes</i>	288
subobscurus Pic, 1906, <i>Prothemus</i>	261
subobscurus Pic, 1901, <i>Tetrabrachys</i>	574
<i>subobtusus</i> Rey, 1889, <i>Cryptophagus</i>	515
<i>subochracea</i> Grouvelle, 1903, <i>Epuraea</i>	464
<i>subopaciceps</i> Pic, 1915, <i>Malthinus</i>	278
subopacipennis Pic, 1910, <i>Themus</i>	273
<i>subopacus</i> J. R. Sahlberg, 1913, <i>Tolyphus</i>	513
subopacus Kishii, 1982, <i>Liotrichus</i>	178
subopacus Kishii & Jiang, 1996, <i>Hemicrepidius</i>	171
<i>subopacus</i> Nakane, 1959, <i>Vuilletus</i>	134
<i>subopacus</i> Pic, 1900, <i>Malthinus</i>	283
subopacus Pic, 1904, <i>Ernobius</i>	351
<i>subopacus</i> Reitter, 1884, <i>Cychramus</i>	472
<i>subopacus</i> Reitter, 1874, <i>Meligethes</i>	485
<i>subopacus</i> Reitter, 1891, <i>Meligethes</i>	488
<i>subopacus</i> Wollaston, 1862, <i>Attalus</i>	423
subopacus Wollaston, 1862, <i>Attalus</i>	424
<i>subopacus</i> Wollaston, 1864, <i>Rhizophagus</i>	491
subovalis Fleutiaux, 1930, <i>Quasimus</i>	191
subovatus Pic, 1925, <i>Eucteanus</i>	561
<i>subparallela</i> Fairmaire, 1875, <i>Corticaria</i>	643
subparallela Grouvelle, 1896, <i>Epuraea</i>	462
subparallela Pic, 1920, <i>Idgia</i>	385

<i>subparalleleus</i> Pic, 1934, <i>Drilus</i>	209
<i>subparallelum</i> Saraiva, 1957, <i>Nicobium</i>	342
<i>subparallelus</i> Pic, 1908, <i>Drapetes</i>	207
<i>subparallelus</i> Pic, 1925, <i>Calochromus</i>	224
<i>subpectinata</i> Nakane, 1969, <i>Lyponia</i>	218
<i>subpedicata</i> Kapur, 1958, <i>Propylea</i>	623
<i>subpicea</i> Motschulsky, 1867, <i>Corticaria</i>	644
<i>subpillosus</i> Sturm, 1837, <i>Ptinus</i>	337
<i>subpilosula</i> Reitter, 1898, <i>Corticaria</i>	645
<i>subpuberulus</i> Reitter, 1910, <i>Selatosomus</i>	181
<i>subpubescens</i> Reitter, 1884, <i>Lycoperdina</i>	565
<i>subpunctata</i> Marseul, 1868, <i>Dapsa</i>	562
<i>subpunctata</i> Schrank, 1781, <i>Adalia</i>	605
<i>subpusillus</i> John, 1965, <i>Thorictus</i>	305
<i>subquadrata</i> Reitter, 1877, <i>Epuraea</i>	464
<i>subquadrifoveolata</i> G. R. Waterhouse, 1858, <i>Monotoma</i>	494
<i>subrectus</i> Rey, 1891, <i>Agriotes</i>	118
<i>subregularis</i> Rey, 1889, <i>Meligethes</i>	486
<i>subreptus</i> Tournier, 1889, <i>Olibrus</i>	510
<i>subretusa</i> Ancey, 1881, <i>Calopertha</i>	322
<i>subrobusta</i> Pic, 1923, <i>Rhagonycha</i>	262
<i>subrobusta</i> Pic, 1903, <i>Danacea</i>	397
<i>subroseus</i> Reitter, 1888, <i>Ptinus</i>	334
<i>subrotundatus</i> Lareynie, 1852, <i>Xyletinus</i>	361
<i>subrotundatus</i> W. S. MacLeay, 1825, <i>Aulacochilus</i>	539
<i>subrubicundus</i> Reitter, 1871, <i>Meligethes</i>	480
<i>subrubiginosus</i> Buysson, 1906, <i>Athous</i>	157
<i>subrubricus</i> Reitter, 1905, <i>Athous</i>	158
<i>subrubripes</i> Pic, 1909, <i>Selatosomus</i>	182
<i>subrufa</i> J. Weise, 1879, <i>Coccidula</i>	572
<i>subrufescens</i> Pic, 1914, <i>Mizodorcatoma</i>	345
<i>subrufofemoralis</i> Pic, 1921, <i>Lycocerus</i>	252
<i>subrufofemoralis</i> Wittmer, 1995, <i>Themus</i>	273
<i>subrufus</i> Schwarz, 1892, <i>Melanotus</i>	150
<i>subrugatus</i> Rey, 1891, <i>Melanotus</i>	143
<i>subrugosa</i> Grouvelle, 1894, <i>Aethina</i>	471
<i>subrugosa</i> Motschulsky, 1867, <i>Migneauxia</i>	648
<i>subrugosicollis</i> Rey, 1891, <i>Selatosomus</i>	181
<i>subrugosus</i> Gyllenhal, 1808, <i>Meligethes</i>	486
<i>subrugosus</i> Platia & Schimmel, 1993, <i>Silesis</i>	113
<i>subrugosus</i> Stephens, 1830, <i>Meligethes</i>	484
<i>subrugosus</i> Tournier, 1889, <i>Olibrus</i>	510
<i>subscalaris</i> Pic, 1954, <i>Orthrius</i>	374
<i>subscutellaris</i> Pic, 1924, <i>Anthocomus</i>	439
<i>subscutellaris</i> Westwood, 1852, <i>Thanasimus</i>	375
<i>subseriatus</i> J. R. Sahlberg, 1913, <i>Metholcus</i>	362
<i>subseriatus</i> Reitter, 1883, <i>Tetrabrachys</i>	574
<i>subseriatus</i> Rey, 1889, <i>Phalacrus</i>	511
<i>subsericeus</i> Baudi di Selve, 1872, <i>Malthodes</i>	294
<i>subsericeus</i> Kiesenwetter, 1852, <i>Malthodes</i>	294

subsericeus Kolbe, 1886, <i>Agonischius</i>	131
subserratum Israelson, 1974, <i>Megorama</i>	358
<i>subsignata</i> Pic, 1911, <i>Cheilomenes</i>	610
<i>subsimilis</i> Rey, 1889, <i>Meligethes</i>	484
subspinosus Pic, 1910, <i>Laemoglyptus</i>	275
subspinosus Platia & Schimmel, 2001, <i>Melanotus</i>	149
substramentum Vats & Kashyap, 1992, <i>Agrypnus</i>	99
substriata Crotch, 1874, <i>Sticholotis</i>	572
substriata Fleutiaux, 1903, <i>Hemiops</i>	186
substriata Gorham, 1880, <i>Luciola</i>	233
substriata Hummel, 1829, <i>Dorcatoma</i>	345
<i>substriata</i> Reitter, 1898, <i>Micrambe</i>	522
substriatus Gebler, 1833, <i>Limonius</i>	165
substriatus Gebler, 1832, <i>Thanasimus</i>	376
substriatus Gorham, 1896, <i>Amblyopus</i>	541
substriatus Gyllenhal, 1813, <i>Phalacrus</i>	511
substriatus Israelson, 1974, <i>Metholcus</i>	361
substriatus Paykull, 1800, <i>Stephanopachys</i>	326
substriatus Pic, 1938, <i>Mesotheres</i>	355
<i>substriatus</i> Rey, 1889, <i>Cryptophagus</i>	519
substriatus Schilsky, 1900, <i>Mesocoelopus</i>	355
<i>substriatus</i> Stephens, 1830, <i>Dinoderus</i>	326
<i>substriatus</i> T. L. Casey, 1900, <i>Anthrenus</i>	314
<i>substrigosus</i> Erichson, 1845, <i>Meligethes</i>	487
<i>substriola</i> Rey, 1889, <i>Telmatophilus</i>	524
<i>subsulcatus</i> Ballion, 1878, <i>Dermestes</i>	299
<i>subsulcatus</i> Fairmaire, 1860, <i>Tolyphus</i>	513
<i>subsulcatus</i> Pic, 1913, <i>Agriotes</i>	118
<i>subsulcatus</i> Rey, 1889, <i>Olibrus</i>	509
subsyriacus Majer, 1991, <i>Dasytidius</i>	391
subterranea Fabricius, 1801, <i>Mycetaea</i>	567
<i>subterranea</i> Motschulsky, 1845, <i>Cholovocera</i>	557
<i>subterraneus</i> Chevrolat, 1876, <i>Necrobinus</i>	382
<i>subterraneus</i> Gistel, 1857, <i>Enicmus</i>	637
<i>subtestaceus</i> Belon, 1881, <i>Latridius</i>	639
subtestaceus Grouvelle, 1883, <i>Placonotus</i>	506
<i>subtilis</i> C. G. Thomson, 1873, <i>Cryptophagus</i>	515
<i>subtilis</i> C. N. F. Brisout de Barneville, 1866, <i>Meligethes</i>	483
<i>subtilis</i> Grouvelle, 1894, <i>Epuraea</i>	465
<i>subtilis</i> Mannerheim, 1844, <i>Corticarina</i>	647
<i>subtilis</i> Reitter, 1889, <i>Thymalus</i>	366
<i>subtilis</i> Reitter, 1885, <i>Haplothrix</i>	392
<i>subtilis</i> Rey, 1889, <i>Laemophloeus</i>	504
<i>subtilis</i> Schwarz, 1892, <i>Melanotus</i>	147
<i>subtilis</i> Toskina, 1998, <i>Gastrallus</i>	341
<i>subtilis</i> Waltl, 1838, <i>Meligethes</i>	479
<i>subtilis</i> Wittmer, 1982, <i>Nepachys</i>	426
subtilissima Reitter, 1901, <i>Triplax</i>	545
subtriangularis Zia, 1959, <i>Anadastus</i>	533
<i>subtrifasciatus</i> Klug, 1842, <i>Trichodes</i>	376

subtristis Easton, 1957, <i>Meligethes</i>	487
subtruncatus Mulsant & Guillebeau, 1856, <i>Athous</i>	162
subtuberculatus Pic, 1948, <i>Gastrallus</i>	341
subulipennis Faldermann, 1835, <i>Dicronychus</i>	205
subunicolor Pic, 1902, <i>Cardiophorus</i>	197
subunicolor Pic, 1911, <i>Malthodes</i>	287
subunicolor Pic, 1911, <i>Ptinus</i>	334
subunicolor Pic, 1948, <i>Malachiomimus</i>	426
subustulata Gorham, 1891, <i>Coelophora</i>	613
subvestitus Brullé, 1832, <i>Melanotus</i>	142
subvillosa C. Johnson, 1972, <i>Melanophthalma</i>	648
subvillosus Goeze, 1777, <i>Scymnus</i>	587
subvillosus Reitter, 1884, <i>Rhizophagus</i>	492
subviolaceus Pic, 1922, <i>Aplocnemus</i>	410
subvirgatus Daniel, 1904, <i>Athous</i>	162
subviridipennis Pic, 1916, <i>Themus</i>	273
subvittatus Champion, 1900, <i>Trichodes</i>	380
subvittatus Fairmaire, 1859, <i>Enicopus</i>	407
subvittatus Heller, 1923, <i>Amphicrossus</i>	459
subvittatus Motschulsky, 1860, <i>Agriotes</i>	118
subvittatus Reitter, 1888, <i>Cryptophagus</i>	517
succincta Linnaeus, 1767, <i>Lycoperdina</i>	565
succinctus Chevrolat, 1861, <i>Pseudodryophilus</i>	348
succinea Hope, 1843, <i>Harmonia</i>	615
succinta Spinola, 1844, <i>Tillus</i>	370
succintus Chevrolat, 1842, <i>Tarsostenus</i>	383
succisum Lesne, 1895, <i>Sinoxylon</i>	323
succisus Erichson, 1843, <i>Carpophilus</i>	466
sudanensis C. Johnson, 1976, <i>Migneauxia</i>	648
sudanicum Lesne, 1895, <i>Sinoxylon</i>	323
sudanicus Gredler, 1878, <i>Dermestes</i>	301
sudanicus J. Weise, 1926, <i>Nephus</i>	580
sudanicus Pic, 1931, <i>Nudopectinus</i>	418
sudetica Letzner, 1847, <i>Cantharis</i>	246
suecica J. Weise, 1879, <i>Hippodamia</i>	617
suecicus Gmelin, 1790, <i>Agriotes</i>	115
suecicus Gmelin, 1790, <i>Agriotes</i>	115
suecicus Lundberg, 1972, <i>Xyletinus</i>	361
suecicus Palm, 1976, <i>Ampedus</i>	128
suecicus Palm, 1940, <i>Anthrenus</i>	313
suecicus Palm, 1947, <i>Phalacrus</i>	510
sufflava Lewis, 1887, <i>Rhodotritoma</i>	542
sufflavus Canepari, 1997, <i>Scymnus</i>	591
suffriani J. Weise, 1879, <i>Scymnus</i>	589
suffrianioides J. R. Sahlberg, 1913, <i>Scymnus</i>	591
suffusa C. Johnson, 1971, <i>Atomaria</i>	527
suffusa Crotch, 1874, <i>Megalocaria</i>	619
suffusa Gorham, 1894, <i>Menochilus</i>	619
suffuscus Wollaston, 1871, <i>Cryptolestes</i>	504
suffusum Miyatake, 1961, <i>Serangium</i>	569

suffusus Champion, 1922, <i>Hypebaeus</i>	435
suffusus Matthews, 1887, <i>Arthrolips</i>	632
suffusus Wollaston, 1874, <i>Biphyllus</i>	548
suggara Peyerimhoff, 1929, <i>Aplocnemus</i>	413
sugiurai Kishii, 1993, <i>Fleutiauxellus</i>	188
sugonjaevi Gurjeva, 1990, <i>Melanotus</i>	149
sukenagai Kishii, 1986, <i>Melanotus</i>	149
<i>sulcata</i> Bourgeois, 1903, <i>Malthodes</i>	290
<i>sulcata</i> C. N. F. Brisout de Barneville, 1866, <i>Globicornis</i>	316
<i>sulcata</i> Fischer von Waldheim, 1844, <i>Pastilodes</i>	491
<i>sulcata</i> Mulsant, 1862, <i>Rhagonycha</i>	262
<i>sulcatithorax</i> Pic, 1925, <i>Plateros</i>	220
<i>sulcator</i> Wurst, 2001, <i>Madadicus</i>	188
<i>sulcatulus</i> Candèze, 1859, <i>Drasterius</i>	106
<i>sulcatulus</i> Mulsant & Rey, 1863, <i>Ernobius</i>	350
<i>sulcatum</i> Fabricius, 1781, <i>Mezium</i>	329
<i>sulcatus</i> C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	487
<i>sulcatus</i> Candèze, 1860, <i>Melanotus</i>	151
<i>sulcatus</i> Candèze, 1882, <i>Selatosomus</i>	182
<i>sulcatus</i> Fabricius, 1792, <i>Silvanus</i>	500
<i>sulcatus</i> Gerhardt, 1909, <i>Stilbus</i>	512
<i>sulcatus</i> Leinberg, 1904, <i>Episernus</i>	349
<i>sulcatus</i> Pic, 1925, <i>Rhagophthalmus</i>	225
<i>sulcatus</i> Pic, 1937, <i>Ptilinus</i>	356
<i>sulcatus</i> Pic, 1926, <i>Orthrius</i>	374
<i>sulcatus</i> Razoumowsky, 1789, <i>Anostirus</i>	175
<i>sulcatus</i> Rost, 1892, <i>Drapetes</i>	208
<i>sulcatus</i> Tournier, 1889, <i>Olibrus</i>	509
<i>sulcicauda</i> Champion, 1921, <i>Hypebaeus</i>	435
<i>sulcicolle</i> Candèze, 1878, <i>Ludioschema</i>	132
<i>sulcicolle</i> Chevrolat, 1860, <i>Priobium</i>	341
<i>sulcicollis</i> Brullé, 1832, <i>Rhagonycha</i>	266
<i>sulcicollis</i> Chevrolat, 1874, <i>Cebrio</i>	93
<i>sulcicollis</i> E. Olivier, 1911, <i>Rhagophthalmus</i>	225
<i>sulcicollis</i> Gahan, 1900, <i>Calais</i>	107
<i>sulcicollis</i> Kiesenwetter, 1879, <i>Malthodes</i>	294
<i>sulcicollis</i> Majer, 1996, <i>Euthrix</i>	391
<i>sulcicollis</i> Marseul, 1878, <i>Malthinus</i>	283
<i>sulcicollis</i> Miwa, 1928, <i>Parathous</i>	166
<i>sulcicollis</i> Mulsant & Guillebeau, 1855, <i>Melanotus</i>	151
<i>sulcicollis</i> Perez Arcas, 1868, <i>Thorictus</i>	305
<i>sulcicollis</i> Schilsky, 1898, <i>Episernus</i>	349
<i>sulcicollis</i> Schilsky, 1897, <i>Divales</i>	406
<i>sulcicollis</i> Trella, 1923, <i>Monotoma</i>	493
<i>sulcicornis</i> Reitter, 1911, <i>Cantharis</i>	243
<i>sulcifrons</i> Broun, 1895, <i>Latridius</i>	638
<i>sulcifrons</i> Märkel, 1852, <i>Podistra</i>	260
<i>sulcifrons</i> Rey, 1891, <i>Trixagus</i>	88
<i>sulcipennis</i> Buysson, 1893, <i>Sericus</i>	134
<i>sulcipennis</i> Guillebeau, 1892, <i>Olibrus</i>	509

<i>sulcitana</i> Liberti, 1985, <i>Danacea</i>	395
<i>sulcithorax</i> Pic, 1904, <i>Asiopodabrus</i>	235
<i>sulcithorax</i> Pic, 1899, <i>Cyphoniptus</i>	330
<i>sulcithorax</i> Pic, 1914, <i>Troglocollops</i>	419
<i>sulphurea</i> Schimmel, 2002, <i>Paracsikia</i>	184
<i>sulphuribasis</i> Reitter, 1888, <i>Malthodes</i>	294
<i>sulphuricollis</i> Reitter, 1888, <i>Triplax</i>	544
<i>sulphuriguttatus</i> Motschulsky, 1853, <i>Malthodes</i>	294
<i>sulphuripennis</i> Germar, 1843, <i>Anostirus</i>	175
<i>sulpuri</i> Geisthardt, 1999, <i>Lampyris</i>	227
<i>sultani</i> Pic, 1912, <i>Malachius</i>	449
<i>sumakovi</i> Barovskij, 1909, <i>Tetrabrachys</i>	574
<i>sumatrana</i> Pic, 1951, <i>Thaumaglossa</i>	318
<i>sumatrensis</i> Gorham, 1901, <i>Ortitma</i>	542
<i>sumatrensis</i> Iablokoff-Khnzorian, 1985, <i>Ballida</i>	569
<i>sumovica</i> Roubal, 1913, <i>Cantharis</i>	245
<i>sungkangensis</i> Nakane, 1969, <i>Calochromus</i>	224
<i>sungkangensis</i> Nakane, 1966, <i>Tritoma</i>	546
<i>sunica</i> Iablokoff-Khnzorian, 1961, <i>Globicornis</i>	316
<i>superba</i> Mader, 1941, <i>Mycetina</i>	566
<i>superba</i> Motschulsky, 1860, <i>Dictyoptera</i>	214
<i>superba</i> Mulsant, 1853, <i>Callicaria</i>	607
<i>superbus</i> Abeille de Perrin, 1897, <i>Ptinus</i>	334
<i>superbus</i> Daniel, 1903, <i>Selatosomus</i>	181
<i>superbus</i> Fleutiaux, 1895, <i>Priopus</i>	152
<i>superbus</i> Jacquelin du Val, 1860, <i>Cebrio</i>	93
<i>superbus</i> Jelínek, 1975, <i>Glischrochilus</i>	469
<i>superbus</i> Pal, 1996, <i>Aphanocephalus</i>	556
<i>superbus</i> Pic, 1914, <i>Microlipus</i>	451
<i>superbus</i> Roubal, 1942, <i>Xyletinus</i>	360
<i>supernumeraria</i> Heyden, 1897, <i>Hippodamia</i>	617
<i>superpunctata</i> Gradl, 1880, <i>Adalia</i>	605
<i>supersedens</i> Peyerimhoff, 1925, <i>Malthodes</i>	295
<i>supramontana</i> Liberti, 1985, <i>Danacea</i>	395
<i>sureilica</i> Kapur, 1963, <i>Epilachna</i>	628
<i>surinamensis</i> Linnaeus, 1758, <i>Oryzaephilus</i>	499
<i>susamirensis</i> Wittmer, 1992, <i>Collops</i>	416
<i>sushila</i> Kapur, 1848, <i>Cryptogonus</i>	576
<i>susicola</i> Evers, 1962, <i>Attalus</i>	424
<i>susicus</i> Escalera, 1940, <i>Attalus</i>	424
<i>susicus</i> Evers, 1962, <i>Troglops</i>	454
<i>susicus</i> Kocher, 1961, <i>Cebrio</i>	91
<i>suspecta</i> C. Johnson, 1989, <i>Corticaria</i>	645
<i>suspecta</i> Rey, 1892, <i>Dorcatoma</i>	345
<i>suspectus</i> Escherich, 1892, <i>Trichodes</i>	380
<i>suspectus</i> Fall, 1899, <i>Latridius</i>	639
<i>suspectus</i> Rey, 1889, <i>Leptophloeus</i>	505
<i>suspiciosa</i> J. Weise, 1901, <i>Epilachna</i>	628
<i>suspiciosus</i> Solsky, 1876, <i>Attagenus</i>	310
<i>sustenans</i> Dieke, 1947, <i>Epilachna</i>	627

<i>sutschaensis</i> Kleine, 1933, <i>Xylobanus</i>	223
<i>suturale</i> Candèze, 1863, <i>Ludioschema</i>	132
<i>suturalis</i> A. G. Olivier, 1790, <i>Omalisus</i>	210
<i>suturalis</i> Boisduval, 1835, <i>Cebrio</i>	93
<i>suturalis</i> Candèze, 1892, <i>Silesis</i>	113
<i>suturalis</i> Candèze, 1873, <i>Megathous</i>	171
<i>suturalis</i> Dufour, 1851, <i>Denticollis</i>	168
<i>suturalis</i> Eschscholtz, 1829, <i>Dicronychus</i>	204
<i>suturalis</i> Fabricius, 1798, <i>Brumoides</i>	592
<i>suturalis</i> Faldermann, 1837, <i>Lyctus</i>	327
<i>suturalis</i> Gebler, 1844, <i>Limoniscus</i>	165
<i>suturalis</i> Haworth, 1812, <i>Adalia</i>	605
<i>suturalis</i> J. Weise, 1879, <i>Propylea</i>	624
<i>suturalis</i> Jelínek, 1965, <i>Rhizophagus</i>	492
<i>suturalis</i> L. Redtenbacher, 1848, <i>Lycostomus</i>	212
<i>suturalis</i> Mannerheim, 1844, <i>Melanophthalma</i>	648
<i>suturalis</i> Marsham, 1802, <i>Dalopius</i>	119
<i>suturalis</i> Matsumura, 1910, <i>Procrærus</i>	138
<i>suturalis</i> Motschulsky, 1854, <i>Luciola</i>	232
<i>suturalis</i> Motschulsky, 1854, <i>Colotes</i>	428
<i>suturalis</i> Motschulsky, 1854, <i>Malachius</i>	448
<i>suturalis</i> Motschulsky, 1858, <i>Scymnus</i>	590
<i>suturalis</i> Murray, 1864, <i>Kateretes</i>	458
<i>suturalis</i> Panzer, 1795, <i>Athous</i>	160
<i>suturalis</i> Pic, 1919, <i>Plateros</i>	221
<i>suturalis</i> Pic, 1908, <i>Lycocerus</i>	253
<i>suturalis</i> Reitter, 1873, <i>Epuraea</i>	462
<i>suturalis</i> Reitter, 1884, <i>Aethina</i>	471
<i>suturalis</i> Reitter, 1897, <i>Coccidula</i>	572
<i>suturalis</i> Rey, 1889, <i>Cryptophagus</i>	518
<i>suturalis</i> Rey, 1889, <i>Cryptophagus</i>	520
<i>suturalis</i> Schilsky, 1890, <i>Cantharis</i>	243
<i>suturalis</i> Schwarz, 1891, <i>Agriotes</i>	117
<i>suturalis</i> Seidlitz, 1889, <i>Trichodes</i>	380
<i>suturalis</i> Thunberg, 1795, <i>Scymnus</i>	588
<i>suturaloides</i> Canepari, 1997, <i>Scymnus</i>	588
<i>suturangulus</i> Reitter, 1893, <i>Trichodes</i>	379
<i>suturanigra</i> Chevrolat, 1840, <i>Campylomorphus</i>	131
<i>suturata</i> Goeze, 1777, <i>Tytthaspis</i>	601
<i>suturatus</i> Buysson, 1902, <i>Cardiophorus</i>	195
<i>suturella</i> J. Weise, 1879, <i>Bulæa</i>	600
<i>suturella</i> J. Weise, 1913, <i>Coelophora</i>	614
<i>suturellus</i> Kiesenwetter, 1859, <i>Malachius</i>	448
<i>suturellus</i> Motschulsky, 1861, <i>Lycocerus</i>	254
<i>suturellus</i> Wittmer, 1935, <i>Colotes</i>	428
<i>suturifer</i> Champenois, 1900, <i>Trichodes</i>	379
<i>suvorovi</i> Reitter, 1910, <i>Anostirus</i>	175
<i>suwonensis</i> Lee, 1998, <i>Melanotus</i>	149
<i>suzukii</i> Miwa, 1928, <i>Actenicerus</i>	173
<i>suzukii</i> Ôhira, 1995, <i>Zoroachros</i>	194

suzukii Schimmel & Platia, 1991, <i>Penia</i>	185
suzukii Wittmer, 1995, <i>Lycocerus</i>	254
<i>suzuyamanus</i> Matsumura, 1911, <i>Hypoganomorphus</i>	178
sveci Háva, 2004, <i>Anthrenus</i>	313
sveci Švihla, 1997, <i>Malthodes</i>	294
<i>svihlai</i> Majer, 1991, <i>Dasytidius</i>	390
<i>svihlai</i> Platia & Gudenzi, 1998, <i>Athous</i>	162
<i>svihlai</i> Platia & Schimmel, 2002, <i>Melanotus</i>	149
<i>svihlai</i> Wittmer, 1995, <i>Malthodes</i>	294
swampingana Pic, 1916, <i>Cantharis</i>	246
<i>swanetica</i> Reitter, 1892, <i>Triplax</i>	544
<i>swaneticus</i> Reitter, 1906, <i>Ptinus</i>	337
<i>swaneticus</i> Wittmer, 1974, <i>Malthinus</i>	283
<i>swatensis</i> Wittmer, 1972, <i>Pakabsidia</i>	259
<i>swatensis</i> Wittmer, 1987, <i>Malthinus</i>	283
<i>swatensis</i> Wittmer, 1984, <i>Nepachys</i>	426
<i>swatensis</i> Wittmer, 1986, <i>Anthocomus</i>	440
<i>swatowensis</i> Wittmer, 1956, <i>Intybia</i>	417
<i>swinhoii</i> Crotch, 1874, <i>Coelophora</i>	614
<i>sybaris</i> Kugelann, 1792, <i>Ernobius</i>	350
<i>sybarita</i> Gerstaecker, 1857, <i>Eumorphus</i>	564
<i>sycophanta</i> Fairmaire, 1889, <i>Plateros</i>	219
<i>sycophanta</i> Illiger, 1807, <i>Ptinus</i>	333
<i>sydowi</i> Reitter, 1913, <i>Stagetus</i>	347
<i>sydowi</i> Schilsky, 1910, <i>Brachypterus</i>	457
<i>sykesii</i> Crotch, 1874, <i>Calvia</i>	608
<i>sylvaticus</i> Lewis, 1896, <i>Pseudoscymnus</i>	582
<i>sylvaticus</i> Mulsant & Guillebeau, 1855, <i>Athous</i>	159
<i>sylviae</i> Cate & Platia, 1997, <i>Agriotes</i>	118
<i>sylvicola</i> C. N. F. Brisout de Barneville, 1863, <i>Corticaria</i>	645
<i>symbolica</i> Mulsant, 1856, <i>Coelophora</i>	614
<i>symphyti</i> Heer, 1841, <i>Meligethes</i>	487
<i>synaptoides</i> Reitter, 1906, <i>Agriotes</i>	115
<i>syoitii</i> Sasaji, 1971, <i>Scymnus</i>	588
<i>syozoi</i> Nakane & Makino, 1989, <i>Asiopodabrus</i>	236
<i>syrensis</i> Pic, 1910, <i>Danacea</i>	399
<i>syriaca</i> A. Costa, 1875, <i>Lampyroidea</i>	231
<i>syriaca</i> Baudi di Selve, 1871, <i>Nyctophila</i>	228
<i>syriaca</i> Dahlgren, 1968, <i>Rhagonycha</i>	267
<i>syriaca</i> Escalera, 1925, <i>Triplax</i>	543
<i>syriaca</i> Ganglbauer, 1904, <i>Ctesias</i>	315
<i>syriaca</i> J. Weise, 1885, <i>Hyperaspis</i>	578
<i>syriaca</i> Mader, 1958, <i>Cynegetis</i>	625
<i>syriaca</i> Pic, 1908, <i>Triplax</i>	545
<i>syriaca</i> Pic, 1902, <i>Dapsa</i>	563
<i>syriaca</i> Schilsky, 1897, <i>Danacea</i>	399
<i>syriacoides</i> Platia & Cate, 2001, <i>Cardiophorus</i>	200
<i>syriacum</i> Buysson, 1891, <i>Prosternon</i>	180
<i>syriacum</i> Dalla Torre, 1911, <i>Ctesias</i>	315
<i>syriacum</i> Pic, 1897, <i>Hyperisus</i>	352

<i>syriacum</i> Pic, 1901, <i>Nemozoma</i>	365
<i>syriacus</i> C. N. F. Brisout de Barneville, 1872, <i>Meligethes</i>	487
<i>syriacus</i> Grouvelle, 1874, <i>Airaphilus</i>	498
<i>syriacus</i> Linnaeus, 1758, <i>Cardiophorus</i>	200
<i>syriacus</i> Marseul, 1868, <i>Malthinus</i>	283
<i>syriacus</i> Marsuel, 1868, <i>Scymnus</i>	588
<i>syriacus</i> Pic, 1904, <i>Haterumelater</i>	130
<i>syriacus</i> Pic, 1896, <i>Ptinus</i>	333
<i>syriacus</i> Pic, 1899, <i>Ernobius</i>	351
<i>syriacus</i> Pic, 1904, <i>Cyrtosus</i>	447
<i>syriacus</i> Platia & Gudenzi, 1997, <i>Agriotes</i>	118
<i>syriacus</i> Reitter, 1921, <i>Trixagus</i>	89
<i>syriacus</i> Reitter, 1885, <i>Dasytidius</i>	391
<i>syriacus</i> Reitter, 1878, <i>Cybocephalus</i>	489
<i>syriacus</i> Reitter, 1884, <i>Tolyphus</i>	513
<i>syriacus</i> Reitter, 1884, <i>Metophthalmus</i>	640
<i>syriacus</i> Schilsky, 1894, <i>Aplocnemus</i>	413
<i>syriacus</i> Schwarz, 1903, <i>Elathous</i>	164
<i>syriacus</i> Spinola, 1844, <i>Opilo</i>	373
<i>syriacus</i> Spinola, 1844, <i>Trichodes</i>	380
<i>syriacus</i> Tournier, 1889, <i>Olibrus</i>	508
<i>syriacus</i> Wittmer, 1999, <i>Haplomalachius</i>	448
<i>syrticus</i> Bourgeois, 1885, <i>Dasytidius</i>	391
<i>systems</i> Candèze, 1860, <i>Phorocardius</i>	206
<i>systemus</i> Candèze, 1860, <i>Platynychus</i>	207
<i>szechuana</i> Dieke, 1947, <i>Epilachna</i>	628
<i>szechuanensis</i> Wittmer, 1954, <i>Ebaeus</i>	432
<i>szechwanus</i> Wittmer, 1988, <i>Macrohabronychus</i>	255
<i>szechwanus</i> Wittmer, 1987, <i>Prothemus</i>	261
<i>szegediensis</i> Stiller, 1942, <i>Cantharis</i>	242
<i>szekessyi</i> Bruce, 1938, <i>Cryptophagus</i>	517
<i>szekessyi</i> Kalík, 1950, <i>Dermestes</i>	302
<i>szekessyi</i> Wittmer, 1970, <i>Malthodes</i>	294
<i>szeschwanensis</i> Wittmer, 1973, <i>Themus</i>	270
<i>szombathyi</i> Schenkling, 1927, <i>Athous</i>	162
<i>tabacci</i> Matsumura, 1935, <i>Thaneroclerus</i>	367
<i>tabaci</i> Guérin-Méneville, 1850, <i>Tricorynus</i>	356
<i>tabellatus</i> Wollaston, 1864, <i>Pediacus</i>	503
<i>tabida</i> Kiesenwetter, 1874, <i>Lucidina</i>	230
<i>tabida</i> Mulsant, 1866, <i>Micraspis</i>	620
<i>tabidus</i> Kiesenwetter, 1877, <i>Ernobius</i>	349
<i>tabularis</i> Vats & Chauhan, 1993, <i>Heteroderes</i>	106
<i>tabulatus</i> Wittmer, 1973, <i>Themus</i>	273
<i>tachengicus</i> G.-Y. Yu, 1998, <i>Scymnus</i>	584
<i>tachikawai</i> Ôhira, 1968, <i>Homotechnes</i>	153
<i>tachulanensis</i> Wittmer, 1988, <i>Micropodabrus</i>	258
<i>taciturnus</i> Candèze, 1874, <i>Agrypnus</i>	99
<i>tadjikus</i> Wittmer, 1999, <i>Ebaeus</i>	432
<i>tadzhica</i> Nikitsky & Kompantzev, 1997, <i>Triplax</i>	545
<i>tadzhicus</i> Mroczkowski, 1961, <i>Anthrenus</i>	315

tadzhicus Zhantiev, 1975, <i>Orphinus</i>	317
tadhika Iablokoff-Khnzorian, 1978, <i>Xyletinus</i>	359
tadhika Zahradník, 1997, <i>Lasioderma</i>	358
tadzhikistanicus Gurjeva, 1967, <i>Agriotes</i>	118
tadzhikistanicus Gurjeva, 1966, <i>Cardiophorus</i>	200
tadzhikistanicus Švihla, 1980, <i>Malthinus</i>	283
<i>taedata</i> LeConte, 1860, <i>Psyllobora</i>	599
<i>taeniata</i> Panzer, 1795, <i>Drapetes</i>	209
<i>taeniatus</i> Bourgeois, 1903, <i>Malthodes</i>	294
<i>taeniatus</i> Klug, 1842, <i>Opilo</i>	373
<i>taeniatus</i> Mulsant & Rey, 1867, <i>Ebaeus</i>	430
<i>taeniolata</i> J. Weise, 1879, <i>Coccinula</i>	601
<i>taforaltensis</i> Wittmer, 1969, <i>Malthinus</i>	283
<i>tafraoutensis</i> Wittmer, 1985, <i>Troglops</i>	454
<i>tagiapatus</i> Kamiya, 1965, <i>Nephus</i>	582
<i>taguchii</i> Nakane, 1981, <i>Dasytes</i>	403
<i>taichangi</i> Ôhira, 1967, <i>Ampedus</i>	128
<i>taichii</i> Kishii, 1975, <i>Megapenthes</i>	137
<i>taichii</i> Nakane, 1963, <i>Homotechnes</i>	153
<i>taichuensis</i> Matsumura, 1910, <i>Silesis</i>	112
<i>taihokuensis</i> Wittmer, 1954, <i>Lycocerus</i>	249
<i>taihorinensis</i> Brancucci, 1983, <i>Trypherus</i>	298
<i>taihorinensis</i> Wittmer, 1984, <i>Laemoglyptus</i>	275
<i>taikozanum</i> Miwa, 1928, <i>Ludioschema</i>	133
<i>tainanensis</i> Ohta, 1929, <i>Pseudoscymnus</i>	582
<i>taipehanus</i> Wittmer, 1956, <i>Malthodes</i>	294
<i>taipeianus</i> Wittmer, 1982, <i>Micropodabrus</i>	258
<i>taishoensis</i> Lewis, 1874, <i>Episcapha</i>	540
<i>taishu</i> Kishii, 1994, <i>Melanotus</i>	144
<i>taishu</i> Kishii, 2001, <i>Hemicrepidius</i>	170
<i>taishu</i> Kishii, 1996, <i>Actenicerus</i>	173
<i>taishuensis</i> Sasaji, 1971, <i>Scymnus</i>	584
<i>taitensis</i> Boheman, 1858, <i>Conoderus</i>	104
<i>taitoensis</i> Ohta, 1931, <i>Eumorphus</i>	564
<i>taiwan</i> Kishii, 1991, <i>Glyphonyx</i>	110
<i>taiwana</i> Araki, 1941, <i>Micrencaustes</i>	539
<i>taiwana</i> Kazantsev, 1999, <i>Walteriella</i>	273
<i>taiwana</i> M. Chûjô, 1976, <i>Dacne</i>	538
<i>taiwana</i> M. Chûjô, 1936, <i>Tritoma</i>	546
<i>taiwana</i> M. Chûjô, 1938, <i>Danae</i>	567
<i>taiwana</i> M. Chûjô, 1938, <i>Saula</i>	568
<i>taiwana</i> Miwa, 1930, <i>Parapenia</i>	184
<i>taiwana</i> Ôhira, 1968, <i>Yukoana</i>	192
<i>taiwana</i> Ohta, 1929, <i>Helota</i>	496
<i>taiwana</i> Wittmer, 1997, <i>Intybia</i>	417
<i>taiwanensis</i> Brancucci, 1983, <i>Trypherus</i>	298
<i>taiwanensis</i> C.-T. Yang & R.-H. Wu, 1972, <i>Keiscymnus</i>	579
<i>taiwanensis</i> G.-Y. Yu, 2001, <i>Micraspis</i>	620
<i>taiwanensis</i> Heinze, 1943, <i>Asosylus</i>	551
<i>taiwanensis</i> Jeng & P.-S. Yang, 2002, <i>Cautires</i>	222

taiwanensis Liberti, 1982, <i>Dasytes</i>	405
taiwanensis Miyatake, 1982, <i>Sticholotis</i>	572
<i>taiwanensis</i> Miyatake, 1965, <i>Epilachna</i>	626
taiwanensis Sasaji, 1970, <i>Bystodes</i>	559
taiwanensis Tian & Pang, 1994, <i>Cybocephalus</i>	490
taiwanicus Nakane, 1966, <i>Microsternus</i>	538
taiwanohirsutus Wittmer, 1982, <i>Attalus</i>	424
taiwanoniger Wittmer, 1979, <i>Malthinus</i>	283
taiwanonigra Wittmer, 1982, <i>Rhagonycha</i>	267
taiwanus John, 1967, <i>Aphanocephalus</i>	556
taiwanus Kazantsev, 2002, <i>Libnetis</i>	217
taiwanus Kishii, 1996, <i>Drasterius</i>	105
taiwanus Kishii, 1996, <i>Tetrigus</i>	108
taiwanus Kishii, 1991, <i>Glyphonyx</i>	110
taiwanus Kishii, 1989, <i>Orthostethus</i>	133
taiwanus Kishii, 1989, <i>Abelater</i>	135
taiwanus Kishii, 1989, <i>Melanotus</i>	149
taiwanus Kishii, 1994, <i>Cardiotarsus</i>	203
taiwanus Kishii, 1991, <i>Platynychus</i>	207
taiwanus Kôno, 1932, <i>Erotides</i>	215
taiwanus M. Chûjô, 1976, <i>Microsternus</i>	538
taiwanus Matsuda, 1992, <i>Eropterus</i>	215
taiwanus Miwa, 1927, <i>Agrypnus</i>	99
taiwanus Miyatake, 1965, <i>Callimerus</i>	371
taiwanus Nakane, 1967, <i>Macrolycus</i>	213
taiwanus Nakane, 1967, <i>Cyphonocerus</i>	226
taiwanus Ôhira, 1972, <i>Podeonius</i>	140
<i>taiwanus</i> Ohta, 1929, <i>Scymnus</i>	586
taiwanus Okushima & Satô, 1997, <i>Stenothemus</i>	269
taiwanus Wittmer, 1982, <i>Asiopodabrus</i>	236
<i>taiwanus</i> Wittmer, 1982, <i>Micropodabrus</i>	257
taiwanus Wittmer, 1979, <i>Micropodabrus</i>	258
taiwanus Wittmer, 1983, <i>Themus</i>	273
taiwanus Wittmer, 1984, <i>Malthinus</i>	283
taiwanus Wittmer, 1984, <i>Malthodes</i>	294
taiwanus Wittmer, 1982, <i>Telocarphurus</i>	416
taiyarui Miwa, 1934, <i>Chatanayus</i>	119
tajikistanus Majer, 1991, <i>Dasytidius</i>	391
tajimensis Nakane & Makino, 1990, <i>Asiopodabrus</i>	236
takabai Kishii, 1997, <i>Limoniscus</i>	165
takabai Kishii, 2004, <i>Corymbitodes</i>	176
takabayashii Ohta, 1929, <i>Scymnus</i>	588
takahachi Kishii, 1985, <i>Ampedus</i>	128
takahashii Kishii, 1974, <i>Glyphonyx</i>	109
takahashii Kishii, 1974, <i>Melanotus</i>	149
<i>takahashii</i> Lai, 1998, <i>Drilaster</i>	233
takahashii Miwa, 1934, <i>Quasimus</i>	191
takahashii Nakane, 1966, <i>Tritoma</i>	546
<i>takahashii</i> Nakane, 1958, <i>Mycetina</i>	565
takaii Nakane & Makino, 1990, <i>Asiopodabrus</i>	236

takakurai Kishii, 1976, <i>Quasimus</i>	191
takakurai Nakane, 1981, <i>Cautires</i>	223
takakurai Nakane, 1980, <i>Tritoma</i>	546
<i>takanoi</i> Miwa, 1930, <i>Priopus</i>	152
<i>takanonis</i> Ohta, 1929, <i>Coelophora</i>	614
takaoanus Kishii, 1989, <i>Melanotus</i>	149
takaoensis Ôhira, 1973, <i>Ampedus</i>	128
takaosanus Nakane, 1992, <i>Lycocerus</i>	251
takaosanus Nakane & Makino, 1990, <i>Asiopodabrus</i>	236
takara Nakane, 1967, <i>Cerylon</i>	553
takara Nakane & M. Araki, 1959, <i>Chilocorus</i>	594
takaraensis Nakane, 1955, <i>Intybia</i>	417
takaraensis Nakane & M. Araki, 1959, <i>Scymnus</i>	588
takarana Nakane, 1959, <i>Microlanguria</i>	535
takasago Kamiya, 1965, <i>Scymnus</i>	588
takasago Kishii, 1996, <i>Adelocera</i>	96
takasago Kishii, 1990, <i>Agrypnus</i>	99
takasago Kishii, 1989, <i>Glyphonyx</i>	110
takasago Kishii, 1989, <i>Agriotes</i>	118
takasago Kishii, 1990, <i>Neopsephus</i>	130
takasago Kishii, 1989, <i>Melanotus</i>	149
<i>takasago</i> Kishii, 1991, <i>Athous</i>	163
takasago Kishii, 1997, <i>Penia</i>	185
takasago Kishii, 1994, <i>Arhaphes</i>	187
takasago Kishii, 1994, <i>Yukoana</i>	192
takasago Sasaji, 1983, <i>Afrorylon</i>	553
takasago Sasaji, 1982, <i>Oenopia</i>	622
takasagona M. Chûjô, 1941, <i>Episcapha</i>	540
takasagona M. Chûjô, 1941, <i>Tritoma</i>	546
takashii Nakane, 1977, <i>Drilaster</i>	233
takashii Nakane, 1966, <i>Triplax</i>	545
takei John, 1963, <i>Aphanocephalus</i>	556
takeii Nakane, 1968, <i>Ascetoderes</i>	551
takeshii Arimoto, 1992, <i>Actenicerus</i>	173
takeuchii Kishii, 1955, <i>Ampedus</i>	128
takizawai Kazantsev & Takahashi, 2001, <i>Rhagonycha</i>	267
talamellii Platia & Gudenzi, 2000, <i>Ampedus</i>	128
talamellii Platia & Gudenzi, 1998, <i>Athous</i>	159
talassicus Sokolov, 1980, <i>Anthrenus</i>	315
talhouki Platia & Schimmel, 1997, <i>Dicronychus</i>	205
talhouki Toskina, 1998, <i>Microcoelopus</i>	355
talhouki Wittmer, 1984, <i>Carphuroides</i>	416
talianus Pic, 1917, <i>Themus</i>	270
taliensis Achard, 1923, <i>Aulacochilus</i>	539
taliensis Bocák, 1999, <i>Lyponia</i>	218
talpa Kraatz, 1862, <i>Airaphilus</i>	498
<i>talyschensis</i> Fursov, 1935, <i>Laemophloeus</i>	504
<i>talyschensis</i> Iablokoff-Khnzorian, 1959, <i>Rhagonycha</i>	267
<i>talyschensis</i> Olexa, 1969, <i>Xylophilus</i>	85
<i>talyschensis</i> Pic, 1900, <i>Cordicantharis</i>	248

<i>talyschensis</i> Reitter, 1889, <i>Ampedus</i>	122
<i>talyschensis</i> Reitter, 1888, <i>Atomaria</i>	529
<i>talyschensis</i> Dolin & Agajev, 1985, <i>Drapetes</i>	208
<i>talyschensis</i> Wittmer, 1972, <i>Malthodes</i>	294
<i>talyschensis</i> Zaitzev, 1915, <i>Trichodes</i>	380
<i>tamadabanus</i> John, 1964, <i>Thorictus</i>	305
<i>tamaii</i> John, 1968, <i>Aphanocephalus</i>	556
<i>tamaricis</i> Capra, 1929, <i>Nephus</i>	581
<i>tamaricis</i> J. Weise, 1879, <i>Coccinella</i>	613
<i>tamaricis</i> Pic, 1894, <i>Phradonoma</i>	318
<i>tamaricis</i> Rey, 1889, <i>Cryptophagus</i>	519
<i>tamarisci</i> Pic, 1900, <i>Malthinus</i>	279
<i>tamba</i> Kishii, 1976, <i>Ampedus</i>	128
<i>tamdaoensis</i> Hoang, 1977, <i>Henosepilachna</i>	630
<i>tamerlan</i> Kazantsev, 2001, <i>Bactronycha</i>	239
<i>tamnaensis</i> Kishii, 2002, <i>Ectinus</i>	120
<i>tamriensis</i> Evers, 1962, <i>Attalus</i>	424
<i>tamsuyensis</i> Bates, 1866, <i>Melanotus</i>	149
<i>tamui</i> Kishii, 1957, <i>Dalopius</i>	119
<i>tamui</i> Kishii, 1959, <i>Yukoana</i>	192
<i>tamurai</i> Kishii, 1985, <i>Agrypnus</i>	99
<i>tamurai</i> Kishii, 1985, <i>Glyphonyx</i>	110
<i>tamurai</i> Kishii, 1974, <i>Platynychus</i>	206
<i>tanagami</i> Kishii, 1985, <i>Menoko</i>	188
<i>tanakai</i> Hisamatsu, 1985, <i>Dienerella</i>	637
<i>tanakai</i> Kishii, 1992, <i>Sephilus</i>	131
<i>tanakai</i> Ohbayashi, 1985, <i>Anthrenus</i>	313
<i>tanakai</i> Sasaji, 1984, <i>Dernostea</i>	513
<i>tanawasanoatamanus</i> Takahashi, 1992, <i>Asiopodabrus</i>	236
<i>tanchamelis</i> Ôhira, 1967, <i>Melanotus</i>	151
<i>tangeriana</i> Pic, 1903, <i>Rhagonycha</i>	267
<i>tangerianus</i> Escalera, 1914, <i>Drilus</i>	209
<i>tangerianus</i> Escalera, 1933, <i>Sphinginus</i>	426
<i>tangerianus</i> Pic, 1902, <i>Malthinus</i>	284
<i>tangerianus</i> Tournier, 1889, <i>Olibrus</i>	510
<i>tanidai</i> Kishii, 1994, <i>Taiwanostethus</i>	134
<i>tanigutii</i> M. Chûjô, 1940, <i>Triplax</i>	545
<i>tanoi</i> Sasaji, 1982, <i>Coelophora</i>	614
<i>tantilla</i> Mannerheim, 1844, <i>Dienerella</i>	637
<i>tantricus</i> Brancucci, 1978, <i>Malthinus</i>	276
<i>tanurensis</i> Švihla, 1994, <i>Malthodes</i>	294
<i>taoi</i> Sasaji, 1967, <i>Pharoscymnus</i>	571
<i>taoi</i> Takahashi, 1992, <i>Asiopodabrus</i>	236
<i>taoyuanus</i> Wittmer, 1983, <i>Lycocerus</i>	254
<i>taoyuanus</i> Wittmer, 1995, <i>Micropodabrus</i>	258
<i>taoyuanus</i> Wittmer, 1984, <i>Malthodes</i>	292
<i>tapanus</i> Pic, 1933, <i>Xyletinus</i>	361
<i>tapferi</i> Mader, 1936, <i>Episcapha</i>	540
<i>tapjungana</i> Wittmer, 1997, <i>Hypebaeina</i>	433
<i>tapovanensis</i> Vats & Chauhan, 1992, <i>Conoderus</i>	104

<i>tappana</i> Matsumura, 1918, <i>Pyrocoelia</i>	229
<i>tappanus</i> Ohta, 1931, <i>Ectomychus</i>	568
<i>tarbagataicus</i> Jakobson, 1913, <i>Pseudanostirus</i>	180
<i>tarbinskyi</i> Dolin, 1998, <i>Zoroachros</i>	194
<i>tarbinskyi</i> Dolin, 1998, <i>Cardiophorus</i>	201
<i>tarda</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>tardus</i> Schaufuss, 1876, <i>Dasytes</i>	403
<i>tarfayensis</i> Evers, 1966, <i>Attalus</i>	424
<i>tarifensis</i> Dieck, 1870, <i>Cebrio</i>	93
<i>tarnensis</i> Sicard, 1891, <i>Vibidia</i>	599
<i>tarragonensis</i> Dajoz, 1970, <i>Corticaria</i>	645
<i>tarsale</i> Melsheimer, 1844, <i>Trogoderma</i>	319
<i>tarsalis</i> C. R. Sahlberg, 1822, <i>Aplocnemus</i>	412
<i>tarsalis</i> Casey, 1900, <i>Salebius</i>	523
<i>tarsalis</i> Mulsant, 1862, <i>Occathemus</i>	258
<i>tarsalis</i> Nakane & Hisamatsu, 1963, <i>Serratomaria</i>	523
<i>tarsalis</i> Perris, 1864, <i>Attalus</i>	420
<i>tarsalis</i> Reitter, 1884, <i>Ptinus</i>	337
<i>tarsalis</i> Zetterstedt, 1838, <i>Dasytes</i>	403
<i>tarsatus</i> Kraatz, 1881, <i>Ernobius</i>	350
<i>tarsicola</i> J. R. Sahlberg, 1913, <i>Aplocnemus</i>	412
<i>tartarus</i> Candèze, 1860, <i>Hemicrepidius</i>	171
<i>tartusensis</i> Wittmer, 1981, <i>Malthodes</i>	294
<i>tarunus</i> Sengupta, 1983, <i>Stephostethus</i>	641
<i>tarvisianus</i> Pace, 1979, <i>Anommatus</i>	549
<i>tataricus</i> Baudi di Selve, 1874, <i>Cerallus</i>	386
<i>tatarinovae</i> Toskina & Nikitsky, 2003, <i>Episernus</i>	349
<i>tatjanae</i> Kirejtshuk, 1982, <i>Meligethes</i>	487
<i>tatjanae</i> Logvinovskiy, 1978, <i>Ptinomorphus</i>	354
<i>tatjanae</i> Nikitsky & Kompantzev, 1995, <i>Triplax</i>	545
<i>tatricum</i> Reitter, 1897, <i>Sphaerosoma</i>	555
<i>tatsumii</i> Ôhira, 1992, <i>Ampedus</i>	128
<i>tattakensis</i> Miwa, 1928, <i>Paradima</i>	166
<i>tattakensis</i> Ôhira, 1966, <i>Ampedus</i>	128
<i>tattakensis</i> Ôhira, 1966, <i>Megapenthes</i>	137
<i>tatvanensis</i> Wittmer, 1997, <i>Boveycantharis</i>	239
<i>tauri</i> Pic, 1907, <i>Malthinus</i>	283
<i>tauri</i> Pic, 1907, <i>Ernobius</i>	351
<i>taurica</i> Baudi di Selve, 1873, <i>Danacea</i>	399
<i>taurica</i> Mannerheim, 1844, <i>Melanophthalma</i>	648
<i>tauricola</i> Dolin, 1980, <i>Melanotus</i>	149
<i>tauricola</i> Gurjeva, 1957, <i>Haterumelater</i>	130
<i>tauricola</i> Pic, 1906, <i>Ptinomorphus</i>	354
<i>tauricola</i> Pic, 1904, <i>Danacea</i>	399
<i>tauricola</i> Pic, 1911, <i>Hypebaeus</i>	435
<i>tauricola</i> Reitter, 1905, <i>Athous</i>	159
<i>tauricola</i> Švihla, 1999, <i>Boveycantharis</i>	239
<i>tauricus</i> Brenske & Reitter, 1884, <i>Ptinus</i>	335
<i>tauricus</i> Candèze, 1860, <i>Athous</i>	159
<i>tauricus</i> Dolin, 1975, <i>Selatosomus</i>	182

<i>tauricus</i> Heyden, 1882, <i>Agriotes</i>	118
<i>tauricus</i> Istomina, 1969, <i>Malthodes</i>	291
<i>tauricus</i> Jelínek & Spornraft, 1979, <i>Meligethes</i>	487
<i>tauricus</i> Pic, 1917, <i>Malthodes</i>	294
<i>tauricus</i> Reitter, 1889, <i>Ampedus</i>	126
<i>tauricus</i> S. Zimmermann, 1971, <i>Trichodes</i>	378
<i>tauricus</i> Schwarz, 1897, <i>Elater</i>	132
<i>tauricus</i> Semenov, 1902, <i>Tetrabrachys</i>	574
<i>tauricus</i> Toskina, 2002, <i>Ernobius</i>	351
<i>tauricus</i> Wittmer, 1988, <i>Cephaloncus</i>	452
<i>taurigrada</i> Bourgeois, 1900, <i>Metacantharis</i>	256
<i>taurinensis</i> Baudi di Selve, 1872, <i>Omalisus</i>	211
<i>taurinensis</i> Pic, 1905, <i>Rhagonycha</i>	268
<i>taurulus</i> Abeille de Perrin, 1900, <i>Troglops</i>	454
<i>taygetana</i> Pic, 1902, <i>Ancistronycha</i>	238
<i>taygetana</i> Pic, 1902, <i>Danacea</i>	399
<i>taygetana</i> Pic, 1908, <i>Aplocnemus</i>	412
<i>taygetanus</i> Hintz, 1902, <i>Trichodes</i>	376
<i>taygetanus</i> Mařan, 1941, <i>Episernus</i>	349
<i>taygetanus</i> Pic, 1905, <i>Selatosomus</i>	182
<i>taygetanus</i> Pic, 1905, <i>Benibotarus</i>	214
<i>taygetanus</i> Pic, 1902, <i>Malthinus</i>	277
<i>taygetanus</i> Reitter, 1887, <i>Mulsanteus</i>	133
<i>taygetanus</i> Švihla, 1983, <i>Malthodes</i>	294
<i>taylori</i> Cobos, 1970, <i>Cardiophorus</i>	202
<i>tbilisiana</i> Švihla, 1977, <i>Rhagonycha</i>	262
<i>tcheonanus</i> Pic, 1922, <i>Lycocerus</i>	254
<i>tcheouensis</i> Pic, 1925, <i>Condylops</i>	438
<i>tchernyshevi</i> Kazantsev, 1998, <i>Crudosilis</i>	274
<i>teberdaensis</i> Gottwald, 1977, <i>Xyletinus</i>	360
<i>tebessensis</i> Pic, 1912, <i>Cardiophorus</i>	195
<i>tectiformis</i> Wollaston, 1854, <i>Corylophus</i>	631
<i>tectosagum</i> Pic, 1909, <i>Malthodes</i>	294
<i>tectus</i> Boieldieu, 1856, <i>Ptinus</i>	337
<i>tedjenensis</i> Wittmer, 1970, <i>Colotes</i>	428
<i>tedschenensis</i> Evers, 1985, <i>Anthocomus</i>	439
<i>tedschensis</i> Pic, 1914, <i>Dicronychus</i>	205
<i>tegminalis</i> Hoang, 1985, <i>Scymnus</i>	591
<i>teheranus</i> Binaghi, 1940, <i>Anostirus</i>	175
<i>teinturieri</i> Mulsant & Godart, 1866, <i>Cantharis</i>	246
<i>teinturieri</i> Mulsant & Godart, 1869, <i>Hyperaspis</i>	578
<i>tejedanus</i> John, 1969, <i>Thorictus</i>	305
<i>tejedanus</i> John & Andreae, 1967, <i>Thorictus</i>	305
<i>tekkensis</i> Koenig, 1889, <i>Melambia</i>	364
<i>tekkirazicus</i> Platia, 2003, <i>Athous</i>	162
<i>telephoroides</i> Abeille de Perrin, 1869, <i>Macrocerus</i>	296
<i>telephoroides</i> Pic, 1913, <i>Silis</i>	276
<i>tellini</i> J. Weise, 1905, <i>Chnootriba</i>	626
<i>telluris</i> Lewis, 1879, <i>Oedostethus</i>	190
<i>telonensis</i> Pic, 1914, <i>Metacantharis</i>	256

telum Candèze, 1895, <i>Melanotus</i>	151
temperatus Miwa, 1930, <i>Athous</i>	163
temperei Constantin, 1975, <i>Malthinus</i>	283
temperei Leseigneur, 1974, <i>Adrastus</i>	109
temporalis Harold, 1878, <i>Asiopodabrus</i>	236
temporalis Schilsky, 1897, <i>Danacea</i>	399
temporis Reitter, 1884, <i>Europs</i>	493
tenax Kiesenwetter, 1871, <i>Malthodes</i>	294
<i>tenebrans</i> Kleine, 1950, <i>Libnetis</i>	217
<i>tenebricans</i> Buysson, 1890, <i>Calambus</i>	176
<i>tenebricosus</i> Solsky, 1868, <i>Xyletinus</i>	360
<i>tenebricum</i> Toskina, 1998, <i>Lasioderma</i>	358
<i>tenebrio</i> Gistel, 1857, <i>Cyllodes</i>	472
<i>tenebrio</i> Gistel, 1857, <i>Cyllodes</i>	472
<i>tenebrioides</i> Motschulsky, 1858, <i>Aulonosoma</i>	501
<i>tenebrosa</i> J. Weise, 1903, <i>Oenopia</i>	622
<i>tenebrosus</i> Erichson, 1841, <i>Melanotus</i>	149
<i>tenebrosus</i> Förster, 1849, <i>Meligethes</i>	485
<i>tenebrosus</i> J. Weise, 1910, <i>Tetrabrachys</i>	575
<i>tenebrosus</i> Toskina, 1998, <i>Microcoelopus</i>	355
<i>tenella</i> Wollaston, 1864, <i>Corticarina</i>	646
<i>tenelloides</i> Dolin, 1960, <i>Cardiophorus</i>	201
<i>tenellus</i> Bourgeois, 1885, <i>Coloberos</i>	217
<i>tenellus</i> Kraatz, 1862, <i>Malachius</i>	449
<i>tenellus</i> Reiche & Saulcy, 1857, <i>Cardiophorus</i>	201
<i>tenenbaumi</i> Pic, 1928, <i>Lampyroidea</i>	231
<i>tenenbaumi</i> Roubal, 1926, <i>Carpophilus</i>	466
<i>tenenbaumi</i> Sjöberg, 1939, <i>Epuraea</i>	462
<i>tener</i> Dohrn, 1873, <i>Ebaeus</i>	432
<i>tener</i> Reitter, 1873, <i>Meligethes</i>	487
<i>tenerifae</i> Franz, 1982, <i>Aulonthroscus</i>	88
<i>tenerifanus</i> John, 1965, <i>Thorictus</i>	305
<i>tenerifensis</i> C. Johnson & Bowstead, 2003, <i>Caenoscelis</i>	513
<i>tenerifensis</i> Fürsch, 1987, <i>Stethorus</i>	592
<i>tenerifensis</i> Pic, 1922, <i>Aplocnemus</i>	412
<i>tengjiensis</i> Kazantsev, 2002, <i>Cautires</i>	223
<i>tengu</i> Miwa, 1934, <i>Liotrichus</i>	178
<i>tenietensis</i> Abeille de Perrin, 1882, <i>Attalus</i>	420
<i>tenietensis</i> Pic, 1900, <i>Malthinus</i>	282
<i>tenietensis</i> Pic, 1903, <i>Malthodes</i>	294
<i>tenorioi</i> Plata-Negrache & Prendes-Ayala, 1980, <i>Amphotis</i>	471
<i>tenuepunctatus</i> Iablokoff-Khnzorian, 1974, <i>Tetrabrachys</i>	575
<i>tenueseriatus</i> Cobos, 1958, <i>Cardiophorus</i>	197
<i>tenuestriatum</i> Say, 1825, <i>Stegobium</i>	343
<i>tenuevittatus</i> Reitter, 1905, <i>Athous</i>	157
<i>tenuicollis</i> Abeille de Perrin, 1882, <i>Microlipus</i>	451
<i>tenuicollis</i> Champion, 1926, <i>Micropodabrus</i>	258
<i>tenuicollis</i> Leinberg, 1904, <i>Episernus</i>	349
<i>tenuicollis</i> Spinola, 1844, <i>Denops</i>	367
<i>tenuicorne</i> Iablokoff-Khnzorian, 1964, <i>Lasioderma</i>	358

<i>tenuicorne</i> Marsham, 1802, <i>Stegobium</i>	343
<i>tenuicornis</i> Champion, 1922, <i>Ebaeus</i>	432
<i>tenuicornis</i> Champion, 1925, <i>Phalacrus</i>	511
<i>tenuicornis</i> Fowler, 1908, <i>Epilanguria</i>	534
<i>tenuicornis</i> Germar, 1824, <i>Oedostethus</i>	190
<i>tenuicornis</i> Grouvelle, 1914, <i>Passandra</i>	502
<i>tenuicornis</i> Majer, 1996, <i>Achaetomalachius</i>	388
<i>tenuicornis</i> Motschulsky, 1867, <i>Corticaria</i>	645
<i>tenuilimbatus</i> Ballion, 1871, <i>Cantharis</i>	246
<i>tenuilimbatus</i> Wittmer, 1973, <i>Themus</i>	271
<i>tenuipes</i> Rey, 1891, <i>Cantharis</i>	246
<i>tenuipubens</i> Wittmer, 1986, <i>Brachyattalus</i>	451
<i>tenuis</i> Belon, 1885, <i>Cartodere</i>	636
<i>tenuis</i> C. N. F. Brisout de Barneville, 1866, <i>Athous</i>	160
<i>tenuis</i> C.-T. Yang, 1978, <i>Scymnus</i>	588
<i>tenuis</i> Casey, 1916, <i>Hypocoprus</i>	531
<i>tenuis</i> Gurjeva, 1963, <i>Oedostethus</i>	190
<i>tenuis</i> Jelínek, 1978, <i>Epuraea</i>	462
<i>tenuis</i> Kishii, 1994, <i>Quasimus</i>	190
<i>tenuis</i> Kôno, 1932, <i>Xylobanellus</i>	222
<i>tenuis</i> Murray, 1864, <i>Taenioncus</i>	465
<i>tenuis</i> Wittmer, 1986, <i>Ebaeus</i>	432
<i>tenuissimus</i> Corporaal, 1926, <i>Callimerus</i>	371
<i>tenuistriatus</i> Lewis, 1894, <i>Ampedus</i>	128
<i>tenuithorax</i> Kishii & Ôhira, 1956, <i>Corymbitodes</i>	176
<i>terebrans</i> Pallas, 1772, <i>Apate</i>	320
<i>terebrans</i> Stephens, 1839, <i>Rhizophagus</i>	492
<i>tereta</i> Ohta, 1929, <i>Phrynocaria</i>	623
<i>tereticollis</i> Ménétríés, 1849, <i>Pleonomus</i>	156
<i>tereticollis</i> Sturm, 1826, <i>Prionocerus</i>	386
<i>tergalis</i> Wittmer, 1992, <i>Ebaeus</i>	432
<i>tergestana</i> Reitter, 1881, <i>Triplax</i>	545
<i>terminalis</i> E. Olivier, 1883, <i>Luciola</i>	233
<i>terminalis</i> Escalera, 1940, <i>Attalus</i>	425
<i>terminalis</i> Jacquelin du Val, 1863, <i>Dasytes</i>	401
<i>terminalis</i> L. Redtenbacher, 1849, <i>Rhagonycha</i>	263
<i>terminalis</i> Mannerheim, 1843, <i>Epuraea</i>	462
<i>terminalis</i> Schenkling, 1912, <i>Cladiscus</i>	367
<i>terminassianae</i> Bielawski, 1959, <i>Anisosticta</i>	600
<i>terminata</i> Comolli, 1837, <i>Atomaria</i>	527
<i>terminata</i> Faldermann, 1835, <i>Cantharis</i>	246
<i>terminatus</i> Erichson, 1841, <i>Peripontius</i>	111
<i>terminatus</i> Ménétríés, 1832, <i>Cerapheles</i>	441
<i>termitophilus</i> Kieseritzky & Reichardt, 1936, <i>Spaniophaenus</i>	523
<i>termitophilus</i> Roepke, 1919, <i>Trochoideus</i>	567
<i>terna</i> Haworth, 1912, <i>Adalia</i>	605
<i>terrea</i> Zaslavskij, 1964, <i>Hyperaspis</i>	578
<i>terrestris</i> Pic, 1905, <i>Malthinus</i>	283
<i>terricola</i> Champion, 1926, <i>Lycocerus</i>	254
<i>terricola</i> Wesmael, 1835, <i>Anommatus</i>	549

<i>terricola</i> Fall, 1899, <i>Corticarina</i>	646
<i>territa</i> Mulsant, 1850, <i>Henosepilachna</i>	630
<i>terskeyensis</i> Dolin, 1998, <i>Cardiophorus</i>	201
<i>tersus</i> Wollaston, 1865, <i>Carpophilus</i>	466
<i>tertia</i> Dieke, 1947, <i>Henosepilachna</i>	629
<i>teruhisai</i> Okushima, 1991, <i>Lycocerus</i>	254
<i>terukoanus</i> Kishii, 1961, <i>Hemicrepidius</i>	171
<i>terukoe</i> Kishii, 1961, <i>Yukoana</i>	192
<i>tesselatum</i> Villers, 1789, <i>Xestobium</i>	352
<i>tessellata</i> Candèze, 1895, <i>Lacon</i>	101
<i>tessellata</i> J. Weise, 1892, <i>Propylea</i>	623
<i>tessellatocollis</i> Motschulsky, 1860, <i>Dermestes</i>	302
<i>tessellatum</i> A. G. Olivier, 1790, <i>Xestobium</i>	352
<i>tessellatum</i> Linnaeus, 1758, <i>Prosternon</i>	180
<i>tessellatum</i> Motschulsky, 1860, <i>Aeoloderma</i>	103
<i>tessellatus</i> A. G. Olivier, 1790, <i>Dermestes</i>	301
<i>tessellatus</i> Erichson, 1846, <i>Dermestes</i>	300
<i>tessellatus</i> Illiger, 1801, <i>Dermestes</i>	302
<i>tessellatus</i> Reitter, 1887, <i>Attagenus</i>	310
<i>tessulata</i> Scopoli, 1763, <i>Propylea</i>	624
<i>testacea</i> A. Costa, 1882, <i>Dapsa</i>	563
<i>testacea</i> A. G. Olivier, 1790, <i>Epuraea</i>	459
<i>testacea</i> Dalla Torre, 1879, <i>Trinodes</i>	306
<i>testacea</i> Dalla Torre, 1879, <i>Corticaria</i>	644
<i>testacea</i> Gyllenhal, 1808, <i>Rhagonycha</i>	266
<i>testacea</i> Jelinek & Kirejtshuk, 1986, <i>Aethina</i>	470
<i>testacea</i> Kapur, 1958, <i>Oenopia</i>	621
<i>testacea</i> Leach, 1824, <i>Analestesa</i>	89
<i>testacea</i> Linnaeus, 1758, <i>Rhagonycha</i>	267
<i>testacea</i> Motschulsky, 1845, <i>Monotoma</i>	494
<i>testacea</i> Mulsant, 1853, <i>Harmonia</i>	615
<i>testacea</i> Murray, 1864, <i>Epuraea</i>	464
<i>testacea</i> Reitter, 1900, <i>Cyrtengis</i>	537
<i>testacea</i> Rey, 1889, <i>Epuraea</i>	462
<i>testacea</i> Scopoli, 1763, <i>Metacantharis</i>	255
<i>testacea</i> Stephens, 1830, <i>Atomaria</i>	527
<i>testacea</i> Tournier, 1889, <i>Olibrosoma</i>	507
<i>testacecollis</i> Kapur, 1963, <i>Scymnus</i>	588
<i>testaceicollis</i> Wittmer, 1951, <i>Micropodabrus</i>	257
<i>testaceicollis</i> Wittmer, 1983, <i>Themus</i>	273
<i>testaceicolor</i> Pic, 1906, <i>Athous</i>	157
<i>testaceicolor</i> Roubal, 1927, <i>Scymnus</i>	588
<i>testaceicorne</i> Perris, 1862, <i>Trogoderma</i>	320
<i>testaceicornis</i> J. Weise, 1879, <i>Hyperaspis</i>	578
<i>testaceicornis</i> Pic, 1922, <i>Gastrallus</i>	341
<i>testaceicornis</i> Pic, 1917, <i>Condylops</i>	438
<i>testaceidorsis</i> Roubal, 1936, <i>Epuraea</i>	463
<i>testaceilabris</i> Pic, 1926, <i>Lycocerus</i>	254
<i>testaceilabris</i> Pic, 1914, <i>Laius</i>	418
<i>testaceimembris</i> Pic, 1919, <i>Anamartus</i>	455

testaceimembris Wittmer, 1954, <i>Attalus</i>	424
<i>testaceipennis</i> Miwa, 1928, <i>Yukara</i>	172
<i>testaceipennis</i> Motschulsky, 1860, <i>Anostirus</i>	174
<i>testaceipennis</i> Pic, 1905, <i>Xyletinus</i>	359
<i>testaceipennis</i> Pic, 1927, <i>Opilo</i>	373
<i>testaceipes</i> Pic, 1933, <i>Drilus</i>	210
<i>testaceipes</i> Pic, 1932, <i>Lycocerus</i>	254
<i>testaceipes</i> Pic, 1937, <i>Lycocerus</i>	254
<i>testaceipes</i> Pic, 1916, <i>Attagenus</i>	307
<i>testaceipes</i> Pic, 1908, <i>Idgia</i>	385
<i>testaceipes</i> Pic, 1897, <i>Danacea</i>	396
<i>testaceipes</i> Pic, 1924, <i>Dasytes</i>	403
<i>testaceipes</i> Pic, 1932, <i>Aplocnemus</i>	413
<i>testaceipes</i> Pic, 1921, <i>Trichoceble</i>	414
<i>testaceipes</i> Pic, 1903, <i>Attalus</i>	424
<i>testaceipes</i> Pic, 1928, <i>Centrocolotes</i>	427
<i>testaceipes</i> Stephens, 1830, <i>Cantharis</i>	246
<i>testaceipes</i> Wittmer, 1981, <i>Ebaeus</i>	432
<i>testaceipes</i> Wittmer, 1960, <i>Malachius</i>	450
<i>testaceithorax</i> Pic, 1938, <i>Themus</i>	271
<i>testaceitincta</i> Wittmer, 1979, <i>Pakabsidia</i>	259
<i>testaceoapicalis</i> Pic, 1947, <i>Danacea</i>	396
<i>testaceocinctus</i> Pic, 1938, <i>Calochromus</i>	224
<i>testaceofemoralis</i> Pic, 1917, <i>Aplocnemus</i>	411
<i>testaceohumeralis</i> Pic, 1936, <i>Lycocerus</i>	252
<i>testaceopallida</i> Wittmer, 1997, <i>Rhagonycha</i>	268
<i>testaceoterminalis</i> Wittmer, 1995, <i>Anthocomus</i>	440
<i>testaceum</i> Duftschmid, 1825, <i>Lasioderma</i>	358
<i>testaceum</i> Stephens, 1835, <i>Lasioderma</i>	358
<i>testaceus</i> A. G. Olivier, 1790, <i>Ptinus</i>	336
<i>testaceus</i> Fabricius, 1792, <i>Dicronychus</i>	204
<i>testaceus</i> Fabricius, 1787, <i>Placonotus</i>	506
<i>testaceus</i> Fabricius, 1794, <i>Rhyzobius</i>	573
<i>testaceus</i> Frölich, 1792, <i>Stenagostus</i>	172
<i>testaceus</i> Herbst, 1806, <i>Xylophilus</i>	85
<i>testaceus</i> Kugelann, 1792, <i>Ernobius</i>	350
<i>testaceus</i> Laporte, 1840, <i>Cebrio</i>	93
<i>testaceus</i> Motschulsky, 1837, <i>Scymnus</i>	584
<i>testaceus</i> Murray, 1864, <i>Kateretes</i>	458
<i>testaceus</i> Panzer, 1797, <i>Stilbus</i>	512
<i>testaceus</i> Paykull, 1799, <i>Cryptolestes</i>	503
<i>testaceus</i> Pic, 1930, <i>Thorictus</i>	305
<i>testaceus</i> Pic, 1937, <i>Pseudeurostus</i>	333
<i>testaceus</i> Pic, 1912, <i>Episernus</i>	349
<i>testaceus</i> Schilsky, 1888, <i>Pheletes</i>	166
<i>testaceus</i> Stephens, 1831, <i>Cryptolestes</i>	504
<i>testaceus</i> Stephens, 1830, <i>Enicmus</i>	638
<i>testaceus</i> Thunberg, 1784, <i>Stegobium</i>	343
<i>testaceus</i> W. S. MacLeay, 1825, <i>Anadastus</i>	532
<i>testaceus</i> Wittmer, 1979, <i>Colotrema</i>	428

<i>testicolor</i> Mulsant, 1853, <i>Rodolia</i>	597
<i>testudinaria</i> Reitter, 1873, <i>Phenolia</i>	475
<i>testudinaria</i> Geoffroy, 1785, <i>Parexochomus</i>	595
<i>testudinea</i> Wollaston, 1854, <i>Adalia</i>	605
<i>testudo</i> Florencourt Chassot, 1796, <i>Chilocorus</i>	593
<i>teter</i> Rey, 1889, <i>Meligethes</i>	480
<i>tetra</i> Fiori, 1908, <i>Malthodes</i>	294
<i>tetracanthus</i> Kiesenwetter, 1871, <i>Malthodes</i>	289
<i>tetradymus</i> Fairmaire, 1867, <i>Parexochomus</i>	595
<i>tetraglyphis</i> Hicker, 1953, <i>Malthodes</i>	294
<i>tetragona</i> Murray, 1864, <i>Epuraea</i>	464
<i>tetragonata</i> Laicharting, 1781, <i>Propylea</i>	624
<i>tetragonius</i> G. Yu, 1995, <i>Cybocephalus</i>	490
<i>tetragraphus</i> Germar, 1844, <i>Zoroachros</i>	194
<i>tetraspilota</i> Hope, 1831, <i>Adalia</i>	605
<i>tetraspilota</i> Hope, 1843, <i>Propylea</i>	623
<i>tetraspilota</i> Hope, 1831, <i>Drapetes</i>	209
<i>tetrastictus</i> J. Weise, 1929, <i>Scymniscus</i>	583
<i>tetratoma</i> Rosenhauer, 1856, <i>Zoroachros</i>	194
<i>tetricus</i> Candèze, 1859, <i>Megapenthes</i>	137
<i>tetsuyai</i> Sakai, 1995, <i>Stagetodes</i>	346
<i>teukton</i> Beal, 1956, <i>Trogoderma</i>	319
<i>teutonica</i> Pic, 1913, <i>Cantharis</i>	242
<i>tewfiki</i> Pic, 1930, <i>Dignomus</i>	331
<i>texana</i> Crotch, 1874, <i>Epuraea</i>	464
<i>texanus</i> Candèze, 1860, <i>Melanotus</i>	143
<i>texanus</i> Horn, 1871, <i>Rismethus</i>	103
<i>thalassinus</i> Abeille de Perrin, 1883, <i>Anthocomus</i>	439
<i>thalensis</i> Pic, 1930, <i>Aplocnemus</i>	412
<i>thanasimoides</i> Chevrolat, 1874, <i>Clerus</i>	372
<i>thanhhoaensis</i> Hoang, 1980, <i>Sumnius</i>	575
<i>thea</i> Reitter, 1894, <i>Corticaria</i>	645
<i>theanus</i> Reitter, 1901, <i>Xyletinus</i>	359
<i>thebaicus</i> Candèze, 1860, <i>Cardiophorus</i>	201
<i>thecacontus</i> Ren & X.-F. Pang, 1993, <i>Scymnus</i>	584
<i>theophilei</i> Chevrolat, 1876, <i>Trichodes</i>	377
<i>theresae</i> Pic, 1900, <i>Cantharis</i>	243
<i>theresae</i> Pic, 1901, <i>Cratosilis</i>	248
<i>theresae</i> Pic, 1899, <i>Malthinus</i>	283
<i>theresae</i> Pic, 1933, <i>Ptinomorphus</i>	354
<i>theresae</i> Pic, 1951, <i>Opilo</i>	373
<i>theresae</i> Pic, 1902, <i>Trichodes</i>	376
<i>theresae</i> Pic, 1896, <i>Dasytidius</i>	390
<i>theresae</i> Pic, 1914, <i>Aplocnemus</i>	409
<i>theresae</i> Pic, 1944, <i>Laius</i>	418
<i>theresae</i> Pic, 1944, <i>Perrisina</i>	568
<i>theresae</i> Reitter, 1908, <i>Drapetes</i>	207
<i>theresae</i> Tarnawski, 1995, <i>Selatosomus</i>	183
<i>therondi</i> Chobaut, 1924, <i>Thorictus</i>	303
<i>therondi</i> Easton, 1957, <i>Meligethes</i>	480

<i>theryi</i> Buysson, 1918, <i>Jonthadocerus</i>	165
<i>theryi</i> Chobaut, 1924, <i>Thorictus</i>	305
<i>theryi</i> Falcoz, 1921, <i>Atomaria</i>	527
<i>theryi</i> Gorham, 1897, <i>Bolbomorphus</i>	560
<i>theryi</i> Guillebeau, 1894, <i>Meligethes</i>	487
<i>theryi</i> Pic, 1935, <i>Cebrio</i>	93
<i>theryi</i> Pic, 1935, <i>Rhagonycha</i>	268
<i>theryi</i> Pic, 1920, <i>Malthinus</i>	283
<i>theryi</i> Pic, 1918, <i>Malthodes</i>	294
<i>theryi</i> Pic, 1894, <i>Dignomus</i>	331
<i>theryi</i> Pic, 1902, <i>Ernobius</i>	351
<i>theryi</i> Pic, 1912, <i>Opilo</i>	372
<i>theryi</i> Pic, 1935, <i>Aplocnemus</i>	410
<i>theryi</i> Pic, 1920, <i>Attalus</i>	424
<i>theryi</i> Pic, 1917, <i>Troglops</i>	454
<i>theryi</i> Pic, 1894, <i>Meligethes</i>	487
<i>theseus</i> Germar, 1817, <i>Pittonotus</i>	133
<i>thessalicus</i> Pic, 1908, <i>Aplocnemus</i>	413
<i>thessalonicensis</i> Apfelbeck, 1911, <i>Danacea</i>	399
<i>thessalonicus</i> Reiche, 1869, <i>Athous</i>	160
<i>thibetana</i> E. Olivier, 1886, <i>Pyrocoelia</i>	229
<i>thibetana</i> Gorham, 1889, <i>Cantharis</i>	246
<i>thibetana</i> Pic, 1916, <i>Podosilis</i>	275
<i>thibetana</i> Westwood, 1842, <i>Helota</i>	496
<i>thibetanomima</i> Wittmer, 1997, <i>Cantharis</i>	246
<i>thibetanus</i> Kraatz, 1894, <i>Trichodes</i>	380
<i>thibetanus</i> Obenberger, 1918, <i>Idgia</i>	385
<i>thibetanus</i> Pic, 1916, <i>Calochromus</i>	224
<i>thibetanus</i> Pic, 1916, <i>Prothemus</i>	261
<i>thibetanus</i> Pic, 1916, <i>Cyphoniptus</i>	330
<i>thibetanus</i> Reitter, 1913, <i>Agrypnus</i>	99
<i>thibeticus</i> Candèze, 1900, <i>Poemnites</i>	180
<i>thibetina</i> Mulsant, 1853, <i>Propylea</i>	623
<i>thiemei</i> Reitter, 1873, <i>Epuraea</i>	464
<i>thomasi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>thomasi</i> Wittmer, 1981, <i>Pakabsidia</i>	259
<i>thomsoni</i> Kraatz, 1881, <i>Cacotemnus</i>	339
<i>thomsoni</i> Reitter, 1891, <i>Monotoma</i>	493
<i>thomsoni</i> Reitter, 1875, <i>Cryptophagus</i>	519
<i>thomsoni</i> Reitter, 1881, <i>Corticaria</i>	645
<i>thomsoni</i> Schilsky, 1906, <i>Xyletinus</i>	360
<i>thoracica</i> A. G. Olivier, 1790, <i>Cantharis</i>	243
<i>thoracica</i> J. Weise, 1879, <i>Anisosticta</i>	600
<i>thoracica</i> J. Weise, 1889, <i>Hippodamia</i>	619
<i>thoracica</i> J. Weise, 1891, <i>Propylea</i>	623
<i>thoracica</i> J. Weise, 1895, <i>Propylea</i>	623
<i>thoracica</i> L. Redtenbacher, 1858, <i>Cantharis</i>	241
<i>thoracica</i> Motschulsky, 1854, <i>Lampyris</i>	227
<i>thoracica</i> Ritsema, 1895, <i>Helota</i>	496
<i>thoracica</i> Schilsky, 1897, <i>Danacea</i>	397

<i>thoracica</i> Stephens, 1830, <i>Atomaria</i>	527
<i>thoracica</i> Tournier, 1872, <i>Epuraea</i>	462
<i>thoracica</i> W. G. Schneider, 1881, <i>Adalia</i>	605
<i>thoracicum</i> Fleutiaux, 1895, <i>Ludioschema</i>	132
<i>thoracicum</i> Morawitz, 1861, <i>Lasioderma</i>	358
<i>thoracicum</i> P. Rossi, 1790, <i>Hyperisus</i>	352
<i>thoracicus</i> C. O. Waterhouse, 1879, <i>Lycostomus</i>	212
<i>thoracicus</i> Charpentier, 1825, <i>Endomychus</i>	561
<i>thoracicus</i> Depoli, 1917, <i>Anommatus</i>	550
<i>thoracicus</i> Fabricius, 1775, <i>Cardiophorus</i>	197
<i>thoracicus</i> Fleutiaux, 1918, <i>Parallelostethus</i>	133
<i>thoracicus</i> Frivaldszky von Frivald, 1835, <i>Xyletinus</i>	361
<i>thoracicus</i> Géné, 1836, <i>Dermestes</i>	301
<i>thoracicus</i> Geoffroy, 1785, <i>Ebaeus</i>	432
<i>thoracicus</i> J. R. Sahlberg, 1903, <i>Malthodes</i>	286
<i>thoracicus</i> J. R. Sahlberg, 1903, <i>Cryptophagus</i>	519
<i>thoracicus</i> Klug, 1842, <i>Opilo</i>	373
<i>thoracicus</i> L. Redtenbacher, 1858, <i>Malacogaster</i>	210
<i>thoracicus</i> Majer, 1990, <i>Lobonyx</i>	385
<i>thoracicus</i> Morawitz, 1861, <i>Charopus</i>	442
<i>thoracicus</i> Mulsant & Rey, 1868, <i>Dasytes</i>	403
<i>thoracicus</i> Reitter, 1888, <i>Pocadius</i>	476
<i>thoracicus</i> Scopoli, 1763, <i>Drapetes</i>	209
<i>thoracicus</i> Stephens, 1829, <i>Sericoderus</i>	633
<i>thorictoides</i> Reitter, 1875, <i>Atomaria</i>	525
<i>throscoides</i> Wollaston, 1864, <i>Xestus</i>	538
<i>throscoides</i> Wollaston, 1874, <i>Biphyllus</i>	548
<i>thudamensis</i> Wittmer, 1981, <i>Themus</i>	273
<i>thuligadensis</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	99
<i>thuloensis</i> Wittmer, 1977, <i>Colotes</i>	428
<i>thunbergi</i> Gmelin, 1790, <i>Adalia</i>	605
<i>thunbergi</i> J. Weise, 1879, <i>Adalia</i>	603
<i>thurepalmi</i> Israelson, 1971, <i>Stagetus</i>	347
<i>thurepalmi</i> Leiler, 1984, <i>Sphaericus</i>	338
<i>thuriferae</i> Sicard, 1923, <i>Myrrha</i>	620
<i>thymi</i> Liberti & Schembri, 2002, <i>Danacea</i>	395
<i>tianpingiensis</i> X.-F. Pang & Mao, 1979, <i>Epilachna</i>	628
<i>tianschanica</i> Sokolov, 1972, <i>Megatoma</i>	317
<i>tianshanensis</i> Wittmer, 1970, <i>Ebaeus</i>	431
<i>tianshanica</i> Dobrzanskiy, 1927, <i>Coccinella</i>	611
<i>tianshanicus</i> Denisova, 1948, <i>Selatosomus</i>	181
<i>tianshanicus</i> Dolin, 1978, <i>Oedostethus</i>	189
<i>tianshanicus</i> Kazantsev, 1995, <i>Malthodes</i>	294
<i>tiaretensis</i> Pic, 1921, <i>Ernobius</i>	351
<i>tibetana</i> Švihla, 2002, <i>Rhagonycha</i>	268
<i>tibetanus</i> Champion, 1925, <i>Charopus</i>	442
<i>tibetanus</i> Dolin & Cate, 1998, <i>Hypnoidus</i>	155
<i>tibetanus</i> Evers, 1985, <i>Haplomalachius</i>	448
<i>tibetanus</i> Gottwald, 1977, <i>Neoxyletinus</i>	359
<i>tibetanus</i> Kazantsev, 2000, <i>Mesolycus</i>	214

<i>tibetanus</i> Pic, 1921, <i>Lycocerus</i>	254
<i>tibetanus</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>tibetanus</i> Schimmel, 1993, <i>Ampedus</i>	128
<i>tibetensis</i> Champion, 1925, <i>Achaetomalachius</i>	388
<i>tibetina</i> Kapur, 1963, <i>Coccinella</i>	612
<i>tibetis</i> Čechovský & Kubáň, 1997, <i>Hypoganus</i>	177
<i>tibiaemaculatus</i> Wittmer, 1956, <i>Ebaeus</i>	432
<i>tibialis</i> Abeille de Perrin, 1900, <i>Cyrtosus</i>	446
<i>tibialis</i> Boheman, 1851, <i>Phenolia</i>	475
<i>tibialis</i> Brullé, 1832, <i>Rhagonycha</i>	266
<i>tibialis</i> Chevrolat, 1874, <i>Cebrio</i>	93
<i>tibialis</i> Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
<i>tibialis</i> Erichson, 1840, <i>Cardiophorus</i>	200
<i>tibialis</i> Iablokoff-Khznorian, 1966, <i>Achaetomalachius</i>	388
<i>tibialis</i> Lacordaire, 1835, <i>Prokraerus</i>	138
<i>tibialis</i> Laporte, 1840, <i>Sericus</i>	134
<i>tibialis</i> Lucht, 1982, <i>Melasis</i>	84
<i>tibialis</i> Mulsant & Revelière, 1861, <i>Divales</i>	406
<i>tibialis</i> Pic, 1894, <i>Danacea</i>	395
<i>tibialis</i> Procházka, 1894, <i>Danacea</i>	398
<i>tibialis</i> Reitter, 1889, <i>Leperina</i>	364
<i>tibialis</i> Rey, 1892, <i>Xyletinus</i>	361
<i>tibialis</i> Ritsema, 1893, <i>Helota</i>	496
<i>tibialis</i> Say, 1824, <i>Hippodamia</i>	618
<i>tibialis</i> Schilsky, 1899, <i>Xyletinus</i>	361
<i>tibialis</i> Schilsky, 1894, <i>Aplocnemus</i>	412
<i>tibialis</i> Schwarz, 1900, <i>Aplotarsus</i>	175
<i>tibialis</i> Zetterstedt, 1828, <i>Dasytes</i>	405
<i>tibialoides</i> Buysson, 1913, <i>Cardiophorus</i>	195
<i>tibiellus</i> Abeille de Perrin, 1885, <i>Cyrtosus</i>	446
<i>tibiellus</i> Chevrolat, 1865, <i>Aplotarsus</i>	175
<i>tibiellus</i> Mulsant & Rey, 1868, <i>Dasytes</i>	405
<i>tibiellus</i> Pic, 1918, <i>Malthinus</i>	278
<i>tibiellus</i> Rosenhauer, 1856, <i>Trochantodon</i>	409
<i>tibiellus</i> Schilsky, 1897, <i>Aplocnemus</i>	412
<i>tibiellus</i> Wittmer, 1979, <i>Hypebaeus</i>	435
<i>tiburtina</i> Baudi di Selve, 1893, <i>Malthinus</i>	278
<i>ticinensis</i> Dajoz, 1973, <i>Anommatus</i>	550
<i>tienmuensis</i> Zia, 1959, <i>Tetraphala</i>	536
<i>tienmushanensis</i> Wittmer, 1994, <i>Rhagophthalmus</i>	225
<i>tienmushanus</i> Wittmer, 1995, <i>Lycocerus</i>	254
<i>tiesenhauseni</i> J. Weise, 1881, <i>Anisosticta</i>	600
<i>tigerensis</i> Wittmer, 1987, <i>Themus</i>	270
<i>tigerhillensis</i> Wittmer, 1995, <i>Micropodabrus</i>	258
<i>tignarium</i> Lesne, 1902, <i>Sinoxylon</i>	323
<i>tigrina</i> Linnaeus, 1758, <i>Sospita</i>	624
<i>tigrinus</i> Fabricius, 1792, <i>Attagenus</i>	307
<i>tigrinus</i> Grouvelle, 1914, <i>Cyllodes</i>	472
<i>tigrinus</i> Reitter, 1889, <i>Anthrenus</i>	311
<i>tigurina</i> Dietrich, 1857, <i>Ancistronycha</i>	238

tilloae Stibick, 1980, <i>Hypnoidus</i>	155
tilloides Chevrolat, 1876, <i>Opilo</i>	373
tilloides Wollastone, 1864, <i>Malacogaster</i>	210
tilmani Easton, 1968, <i>Meligethes</i>	487
<i>timberlakei</i> Capra, 1931, <i>Hippodamia</i>	618
timidus Baudi di Selve, 1873, <i>Dasytes</i>	403
timidus C. N. F. Brisout de Barneville, 1866, <i>Ptinus</i>	337
<i>tincta</i> Mannerheim, 1844, <i>Corticaria</i>	644
tincticollis Champion, 1921, <i>Hypebaeus</i>	435
tincticornis Wittmer, 1997, <i>Themus</i>	269
tinctoapicalis Wittmer, 1994, <i>Hypomixis</i>	436
tinerfensis Hodgson Torres, 1987, <i>Tetrabrachys</i>	575
tingitanum Peyerimhoff, 1917, <i>Sphaerosoma</i>	556
tingitanus Baudi di Selve, 1873, <i>Aplocnemus</i>	413
<i>tingitanus</i> Buysson, 1903, <i>Cardiophorus</i>	199
tingitanus Pic, 1912, <i>Malthodes</i>	294
tingitanus Wurst, 1995, <i>Ampedus</i>	128
titana Kirejtshuk, 1998, <i>Epuraea</i>	462
titanus Audisio, 1986, <i>Xenostrogylus</i>	477
<i>titanus</i> Mulsant & Guillebeau, 1856, <i>Athous</i>	158
<i>titanus</i> Reitter, 1918, <i>Ampedus</i>	122
<i>titanus</i> Reitter, 1884, <i>Carpophilus</i>	467
titanus Reitter, 1901, <i>Anommatus</i>	550
tiziifrensis Cobos, 1961, <i>Cebrio</i>	93
tizintestus Evers, 1995, <i>Troglops</i>	454
tizritensis Evers, 1995, <i>Attalus</i>	424
tobiranus Okushima & Imasaka, 2000, <i>Lycocerus</i>	254
tochigiensis Takahashi, 2002, <i>Asiopodabrus</i>	236
<i>todo</i> Kôno, 1940, <i>Europs</i>	493
<i>togoensis</i> Fürsch, 1960, <i>Scymnus</i>	590
tokachi Kishii, 1991, <i>Ampedus</i>	128
tokara Nakane & Kishii, 1955, <i>Paracardiophorus</i>	206
<i>tokara</i> Satô, 1986, <i>Attalus</i>	424
<i>tokarana</i> Nakane & M. Araki, 1959, <i>Henosepilachna</i>	629
<i>tokaranum</i> Nakane & M. Araki, 1959, <i>Serangium</i>	569
tokarensis Kishii, 1976, <i>Ryukyucardiophorus</i>	207
tokarensis Nakane, 1959, <i>Pria</i>	488
tokarensis Ôhira, 1997, <i>Melanotus</i>	151
<i>tokatensis</i> Abeille de Perrin, 1900, <i>Clanoptilus</i>	443
<i>tokatensis</i> Pic, 1913, <i>Cardiophorus</i>	200
<i>tokatensis</i> Pic, 1898, <i>Boveycantharis</i>	239
<i>tokatensis</i> Pic, 1911, <i>Malthodes</i>	295
<i>tokatensis</i> Pic, 1903, <i>Macrocerus</i>	296
<i>tokatensis</i> Pic, 1901, <i>Ptinus</i>	334
<i>tokatensis</i> Pic, 1901, <i>Danacea</i>	399
tokgajevi Dolin, 1977, <i>Cardiophorus</i>	201
tokioensis Nakane, 1961, <i>Microsternus</i>	538
tokmakensis Evers, 1969, <i>Malachius</i>	450
tokoro Kishii, 1998, <i>Ampedus</i>	121
tokugoanus Nakane & Makino, 1989, <i>Asiopodabrus</i>	236

tokugoensis W. Suzuki, 1985, <i>Ampedus</i>	128
tokui Satô, 1989, <i>Asiopodabrus</i>	236
tokunoshimanus Nakane, 1985, <i>Hypebaeus</i>	435
tokunoshimensis Kishii, 1979, <i>Hayekpenthès</i>	136
<i>toleranda</i> Pic, 1908, <i>Anthrenus</i>	312
tolli Barovskij, 1928, <i>Crudosilis</i>	274
<i>tomentifer</i> Pic, 1896, <i>Dignomus</i>	331
<i>tomentiventris</i> Reitter, 1896, <i>Brachyleptus</i>	456
tomentosa Candèze, 1863, <i>Penia</i>	186
tomentosa Montrouzier, 1855, <i>Galbites</i>	86
tomentosa Panzer, 1797, <i>Danacea</i>	398
tomentosum Mulsant & Rey, 1863, <i>Nicobium</i>	342
tomentosus DeGeer, 1774, <i>Byturus</i>	547
tomentosus Fabricius, 1775, <i>Byturus</i>	547
tomentosus Mulsant & Guillebeau, 1855, <i>Athous</i>	162
tomentosus Sakai, 1975, <i>Xyletinus</i>	361
tomentosus Thunberg, 1815, <i>Anthrenus</i>	314
tomishimai Nakane, 1994, <i>Endomychus</i>	561
tomokoae Satô, 1989, <i>Asiopodabrus</i>	236
tomokunii Sakai, 1996, <i>Byrrhodes</i>	344
tomokunii Satô, 1986, <i>Dasytes</i>	403
tondui Pic, 1930, <i>Dignomus</i>	331
tondui Pic, 1925, <i>Dasytes</i>	403
tongataboae Boisduval, 1835, <i>Coccinella</i>	611
tongluensis Champion, 1926, <i>Rhagonycha</i>	268
tongsae Wittmer, 1975, <i>Maltypus</i>	296
tonkinea Pic, 1917, <i>Lucidina</i>	230
tonkinensis Fleutiaux, 1918, <i>Pectocera</i>	95
tonkinensis Fleutiaux, 1895, <i>Conoderus</i>	105
tonkinensis Fleutiaux, 1895, <i>Agriotes</i>	118
tonkinensis Fleutiaux, 1928, <i>Xanthopenthès</i>	139
tonkinensis Fleutiaux, 1933, <i>Priopus</i>	152
tonkinensis Fleutiaux, 1918, <i>Poemnites</i>	179
tonkinensis Fleutiaux, 1918, <i>Parapenia</i>	184
tonkinensis Fleutiaux, 1931, <i>Cardiotarsus</i>	203
tonkinensis Heller, 1920, <i>Episcaphula</i>	540
tonkinensis Jagemann, 1944, <i>Agrypnus</i>	99
tonkinensis John, 1956, <i>Aphanocephalus</i>	557
tonkinensis Ritsema, 1905, <i>Helota</i>	496
tonkinensis Villiers, 1945, <i>Anadastus</i>	533
tonkineus Achard, 1922, <i>Parindalmus</i>	566
tonkineus Pic, 1923, <i>Lycostomus</i>	212
toowoombae T. Blackburn, 1892, <i>Lindorus</i>	573
topali Dolin & Cate, 2001, <i>Hypnoidus</i>	155
topali Kirejtshuk, 1988, <i>Meligethes</i>	487
topali Ôhira, 1973, <i>Ctenoplus</i>	109
topali Rûcker, 1978, <i>Corticaria</i>	645
topali Wittmer, 1978, <i>Carphurus</i>	416
tordi Wittmer, 1970, <i>Malthodes</i>	295
torigaii Nakane, 1985, <i>Drapetes</i>	208

torosensis Švihla, 1999, <i>Metacantharis</i>	256
<i>torosus</i> Erichson, 1841, <i>Melanotus</i>	144
<i>torquata</i> Gyllenhal, 1827, <i>Crudosilis</i>	274
<i>torquatum</i> Chevrolat, 1859, <i>Lasioderma</i>	358
<i>torquatus</i> Jelínek, 1997, <i>Meligethes</i>	487
<i>torretassoi</i> Pic, 1934, <i>Malthinus</i>	283
<i>torretassoi</i> Pic, 1934, <i>Ptinus</i>	333
<i>torretassoi</i> Pic, 1934, <i>Dasytes</i>	403
<i>torretassoi</i> Wittmer, 1935, <i>Cantharis</i>	246
<i>torretassoi</i> Wittmer, 1935, <i>Malthodes</i>	295
<i>torretassoi</i> Wittmer, 1935, <i>Opilo</i>	373
<i>torretassoi</i> Wittmer, 1935, <i>Trichoceble</i>	414
<i>torretassoi</i> Wittmer, 1935, <i>Hypebaeina</i>	433
<i>torretassoi</i> Wittmer, 1936, <i>Cephaloncus</i>	452
<i>torrida</i> C. Johnson, 1971, <i>Atomaria</i>	527
<i>torsae</i> Wittmer, 1975, <i>Maltypus</i>	296
<i>tortiscelis</i> Pic, 1898, <i>Malthinus</i>	284
<i>torulentus</i> Westwood, 1855, <i>Stigmatium</i>	375
<i>torvus</i> Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
<i>tosa</i> Kishii, 1996, <i>Agrypnus</i>	98
<i>tosaensis</i> Sasaji, 1971, <i>Keiscymnus</i>	579
<i>tostus</i> Candèze, 1857, <i>Agrypnus</i>	99
<i>touffus</i> Vats & Chauhan, 1992, <i>Aphanobius</i>	131
<i>tourneri</i> Pic, 1910, <i>Hypnoidus</i>	155
<i>tourneri</i> Pic, 1895, <i>Niptodes</i>	332
<i>tourneri</i> Pic, 1896, <i>Aplocnemus</i>	412
<i>tourneri</i> Pic, 1914, <i>Attalus</i>	422
<i>tournoueri</i> Pic, 1917, <i>Trigonogenius</i>	339
<i>towadanus</i> Takahashi & Okushima, 1999, <i>Asiopodabrus</i>	236
<i>towadensis</i> Hisamatsu, 1960, <i>Microrhagus</i>	83
<i>towadensis</i> Kishii, 1987, <i>Ampedus</i>	128
<i>towadensis</i> M. Chûjô, 1952, <i>Tritoma</i>	546
<i>towadensis</i> Nakane, 1987, <i>Luciola</i>	232
<i>towadensis</i> Nakane, 1985, <i>Hypebaeus</i>	435
<i>toxosiphonius</i> X.-F. Pang & Huang, 1986, <i>Scymnus</i>	588
<i>toyoshimai</i> Arimoto & Watanabe, 1993, <i>Actenicerus</i>	173
<i>trabeata</i> Fairmaire, 1896, <i>Cantharis</i>	246
<i>transadriaticus</i> Evers, 1969, <i>Clanoptilus</i>	445
<i>transbaicalicus</i> Pic, 1929, <i>Ptinus</i>	333
<i>transbaicalicus</i> Wittmer, 1954, <i>Carphuroides</i>	416
<i>transbaikalensis</i> Tshernyshev, 1999, <i>Haplomalachius</i>	447
<i>transbaikalica</i> Pic, 1906, <i>Rhagonycha</i>	268
<i>transbaikalicus</i> Pic, 1912, <i>Ebaeus</i>	432
<i>transcaspicus</i> Bourgeois, 1885, <i>Chaetomalachius</i>	389
<i>transcaspicus</i> Mroczkowski, 1960, <i>Anthrenus</i>	314
<i>transcaspicus</i> Pic, 1907, <i>Axinotarsus</i>	440
<i>transcaspicus</i> Reitter, 1913, <i>Tolyphus</i>	513
<i>transcaucasicus</i> Dolin, 2003, <i>Agriotes</i>	118
<i>transcaucasicus</i> Schilsky, 1896, <i>Enicopus</i>	408
<i>transcaucasicus</i> Stierlin, 1875, <i>Procraterus</i>	138

<i>transeuropaeus</i> Wittmer, 1970, <i>Malthodes</i>	295
<i>transfuga</i> Kiesenwetter, 1859, <i>Attalus</i>	423
<i>transgrediens</i> Rebmann, 1940, <i>Meligethes</i>	482
<i>transgressa</i> Mulsant, 1853, <i>Oenopia</i>	621
<i>transita</i> Wittmer, 1971, <i>Rhagonycha</i>	268
<i>transitoria</i> Kirejtshuk, 1979, <i>Pria</i>	488
<i>transitus</i> Fürsch, 1958, <i>Scymnus</i>	588
<i>translata</i> Grouvelle, 1916, <i>Micrambe</i>	522
<i>translucida</i> Krynicki, 1832, <i>Rhagonycha</i>	268
<i>transmissus</i> Kirejtshuk, 1988, <i>Meligethes</i>	487
<i>transmutata</i> Heyden, 1904, <i>Adalia</i>	605
<i>transmutatus</i> Grouvelle, 1913, <i>Meligethes</i>	488
<i>transpictus</i> Buysson, 1896, <i>Idolus</i>	141
<i>transsilvanicus</i> Ganglbauer, 1899, <i>Cryptophagus</i>	518
<i>transsylvanicus</i> Petri, 1912, <i>Meligethes</i>	487
<i>transsylvanicus</i> Platia, 2001, <i>Athous</i>	159
<i>transsylvanicus</i> Szombathy, 1910, <i>Ctenicera</i>	177
<i>transversalis</i> Casey, 1899, <i>Adalia</i>	603
<i>transversalis</i> Charpentier, 1825, <i>Tilloidea</i>	369
<i>transversalis</i> Chevrolat, 1874, <i>Cebrio</i>	93
<i>transversalis</i> Fabricius, 1781, <i>Coccinella</i>	611
<i>transversalis</i> Gyllenhal, 1827, <i>Melanophthalma</i>	648
<i>transversecollis</i> Jelínek, 1978, <i>Eपुरaea</i>	464
<i>transversefasciatus</i> Reitter, 1896, <i>Dasytes</i>	401
<i>transversepustulatus</i> Mulsant, 1850, <i>Scymnus</i>	588
<i>transversicollis</i> Motschulsky, 1867, <i>Corticaria</i>	644
<i>transversoguttata</i> Faldermann, 1835, <i>Coccinella</i>	612
<i>transversoguttata</i> J. Weise, 1878, <i>Hyperaspis</i>	578
<i>transversoguttatus</i> Boerner, 1776, <i>Chilocorus</i>	593
<i>transversoplagiatus</i> Motschulsky, 1858, <i>Scymnus</i>	586
<i>transversus</i> A. G. Olivier, 1790, <i>Enicmus</i>	638
<i>transversus</i> Abeille de Perrin, 1891, <i>Malachiomimus</i>	426
<i>transversus</i> Candèze, 1857, <i>Agrypnus</i>	99
<i>transversus</i> Majer, 1991, <i>Dasytidius</i>	391
<i>transversus</i> Wittmer, 1994, <i>Hypomixis</i>	436
<i>transylvanica</i> Penecke, 1901, <i>Hippodamia</i>	619
<i>trapezicollis</i> Chaudoir, 1845, <i>Monotoma</i>	494
<i>trapezicollis</i> Kaszab, 1947, <i>Anommatus</i>	550
<i>trapezicollis</i> Majer, 1995, <i>Mimothrix</i>	393
<i>trapezicollis</i> Motschulsky, 1860, <i>Eपुरaea</i>	463
<i>trapeziformis</i> C. Johnson, 1970, <i>Atomaria</i>	529
<i>trapezoidalis</i> Bourgeois, 1903, <i>Malthodes</i>	295
<i>trapezoidalis</i> J. R. Sahlberg, 1912, <i>Cryptophagus</i>	519
<i>trappi</i> Walter, 1882, <i>Propylea</i>	624
<i>trebinjensis</i> Roubal, 1919, <i>Cryptophagus</i>	520
<i>tredecimmaculata</i> Forster, 1771, <i>Adalia</i>	605
<i>tredecimnotata</i> Thunberg, 1784, <i>Adalia</i>	605
<i>tredecimpunctata</i> Geoffroy, 1785, <i>Hippodamia</i>	619
<i>tredecimpunctata</i> Linnaeus, 1758, <i>Hippodamia</i>	617
<i>tredecimpunctatus</i> Kuwert, 1893, <i>Callimerus</i>	371

<i>trellai</i> Corporaal, 1931, <i>Trichodes</i>	376
<i>tremulae</i> C. G. Thomson, 1868, <i>Stephostethus</i>	641
<i>tremulicola</i> Kangas, 1958, <i>Xyletinus</i>	361
<i>triangularis</i> Champion, 1922, <i>Hypebaeus</i>	435
<i>triangularis</i> Eschscholtz, 1822, <i>Babadrasterius</i>	104
<i>triangularis</i> Hope, 1831, <i>Lycostomus</i>	212
<i>triangularis</i> J. R. Sahlberg, 1914, <i>Scymnus</i>	590
<i>triangularis</i> J. Weise, 1879, <i>Adalia</i>	605
<i>triangularis</i> Thunberg, 1795, <i>Coccinella</i>	613
<i>triangularis</i> Vats & Chauhan, 1991, <i>Cardiophorus</i>	201
<i>triangularis</i> Villiers, 1945, <i>Anadastus</i>	533
<i>triangulatus</i> Wittmer, 1977, <i>Colotes</i>	428
<i>triangulatus</i> Wittmer, 1996, <i>Condylops</i>	438
<i>triangulifer</i> A. Fleischer, 1900, <i>Scymnus</i>	589
<i>triangulimaculata</i> Wittmer, 1995, <i>Hypomixis</i>	436
<i>triangulum</i> Dorn, 1924, <i>Ampedus</i>	128
<i>triangulus</i> Bouwer, 1980, <i>Ampedus</i>	128
<i>triangulus</i> Reitter, 1894, <i>Trichodes</i>	379
<i>triangulus</i> Reitter, 1876, <i>Silvanoprus</i>	500
<i>triangulus</i> Schenkling, 1902, <i>Opilo</i>	373
<i>tribertii</i> Guglielmi & Platia, 1985, <i>Athous</i>	163
<i>triblulus</i> Ren & X.-F. Pang, 1994, <i>Nephus</i>	580
<i>tricarinatus</i> Brown, 1934, <i>Thes</i>	641
<i>tricarinatus</i> G. Yu, 1995, <i>Cybocephalus</i>	490
<i>trichomelas</i> Pardo Alcaide, 1966, <i>Trochantodon</i>	409
<i>trichopus</i> Waltl, 1835, <i>Phalacrus</i>	511
<i>tricincta</i> Fabricius, 1787, <i>Coccinella</i>	611
<i>tricincta</i> Sicard, 1931, <i>Psyllobora</i>	599
<i>tricinctus</i> Gorham, 1892, <i>Omadius</i>	372
<i>tricolor</i> A. G. Olivier, 1790, <i>Grynobius</i>	348
<i>tricolor</i> Arrow, 1915, <i>Phradonoma</i>	318
<i>tricolor</i> Ballion, 1871, <i>Ebaeus</i>	430
<i>tricolor</i> Baudi di Selve, 1873, <i>Clanoptilus</i>	445
<i>tricolor</i> Corporaal, 1926, <i>Elasmocylidrus</i>	368
<i>tricolor</i> Gmelin, 1790, <i>Athous</i>	159
<i>tricolor</i> Graells, 1858, <i>Cebrio</i>	93
<i>tricolor</i> Guérin-Ménéville, 1835, <i>Phloiocopus</i>	374
<i>tricolor</i> Harald, 1878, <i>Amida</i>	598
<i>tricolor</i> Herbst, 1797, <i>Anthrenus</i>	314
<i>tricolor</i> Hoang, 1983, <i>Phymatosternus</i>	596
<i>tricolor</i> J. Weise, 1879, <i>Anatis</i>	606
<i>tricolor</i> Kazantsev, 2000, <i>Helcophorus</i>	215
<i>tricolor</i> Kiesenwetter, 1859, <i>Protapalochrus</i>	418
<i>tricolor</i> Kishii & Jiang, 1996, <i>Hemicrepidius</i>	170
<i>tricolor</i> Lewis, 1887, <i>Microsternus</i>	538
<i>tricolor</i> Pic, 1928, <i>Pristolycus</i>	230
<i>tricolor</i> Reitter, 1896, <i>Cardiophorus</i>	201
<i>tricolor</i> Roubal, 1931, <i>Trichodes</i>	376
<i>tricolor</i> Spinola, 1844, <i>Tilloidea</i>	369
<i>tricoloratus</i> Wittmer, 1956, <i>Ebaeus</i>	432

tricoloripennis Evers, 1948, <i>Anthocomus</i>	439
tricostata Baudi di Selve, 1874, <i>Clada</i>	353
<i>tricrucciata</i> W. G. Schneider, 1881, <i>Adalia</i>	606
<i>tricrucciataeformis</i> Roubal, 1936, <i>Adalia</i>	606
tricuspidatus Wittmer, 1965, <i>Malthodes</i>	295
<i>tricuspis</i> Thunberg, 1795, <i>Adalia</i>	605
tridecimmaculosa X.-F. Pang & Mao, 1977, <i>Epilachna</i>	628
tridens Champion, 1924, <i>Ichthyurus</i>	297
<i>tridens</i> Easton, 1955, <i>Meligethes</i>	483
tridentata Wittmer, 1972, <i>Rhagonycha</i>	268
<i>tridentatus</i> Roubal, 1936, <i>Cryptophagus</i>	518
tridiformis Wittmer, 1988, <i>Micropodabrus</i>	258
triemarginata Wittmer, 1999, <i>Hypebaeina</i>	433
trifasciata Linnaeus, 1758, <i>Coccinella</i>	612
trifasciatus Fabricius, 1787, <i>Attagenus</i>	310
trifasciatus L. Redtenbacher, 1850, <i>Dasytes</i>	403
<i>trifasciatus</i> Panzer, 1792, <i>Diacanthous</i>	169
<i>trifoveolata</i> L. Redtenbacher, 1849, <i>Corticarina</i>	646
trifurcatus Kiesenwetter, 1852, <i>Malthodes</i>	295
trifurcatus X.-F. Pang & Mao, 1979, <i>Cryptogonus</i>	576
<i>trigaria</i> J. Weise, 1879, <i>Sospita</i>	624
<i>trigemina</i> J. Weise, 1879, <i>Adalia</i>	605
<i>trigemina</i> Newman, 1839, <i>Passandra</i>	502
triggiber Marseul, 1878, <i>Malthinus</i>	277
trigonochirus Binaghi, 1933, <i>Zoroachros</i>	194
triguttatus Champion, 1921, <i>Hypebaeus</i>	435
triguttatus Kleine, 1928, <i>Calochromus</i>	224
triguttatus Reitter, 1874, <i>Psammoecus</i>	497
triimpresa Pic, 1926, <i>Silis</i>	276
trijunctus Kapur, 1973, <i>Priscibrumus</i>	595
<i>trilineata</i> Herbst, 1783, <i>Coccinella</i>	611
<i>trilineata</i> J. Weise, 1889, <i>Coccinella</i>	611
<i>trilineatus</i> Pic, 1921, <i>Lycocerus</i>	250
<i>triloba</i> J. Weise, 1879, <i>Hippodamia</i>	618
<i>trilobata</i> A. Fleischer, 1900, <i>Coccinula</i>	601
<i>trilochana</i> Kapur, 1963, <i>Calvia</i>	608
<i>trilochana</i> Pal, 1985, <i>Psammoecus</i>	497
trilucida Jeng & Lai, 2003, <i>Luciola</i>	233
<i>trilunata</i> Gradl, 1880, <i>Adalia</i>	605
trimaculata J. Weise, 1910, <i>Platynaspis</i>	596
trimaculata M. Chûjô, 1941, <i>Triplax</i>	545
trimaculata Motschulsky, 1835, <i>Dapsa</i>	563
trimaculata Satô, 2002, <i>Iwawakia</i>	381
<i>trimaculatithorax</i> Pic, 1914, <i>Cantharis</i>	246
<i>trimaculatus</i> Fabricius, 1792, <i>Negastrius</i>	188
trimaculatus G.-Y. Yu & X.-F. Pang, 1994, <i>Scymnus</i>	588
trimaculatus Gebler, 1830, <i>Ebaeus</i>	432
trimaculatus Hope, 1831, <i>Priopus</i>	152
trimaculatus Hope, 1831, <i>Lycocerus</i>	254
trimaculatus Motschulsky, 1858, <i>Psammoecus</i>	497

trimaculatus Reitter, 1883, <i>Tetrabrachys</i>	575
trimaculatus Schwarz, 1894, <i>Cardiophorus</i>	201
trinacriae Liberti, 1979, <i>Danacea</i>	399
trinacriensis Ragusa, 1872, <i>Aplocnemus</i>	412
<i>trinacris</i> Geoffroy, 1785, <i>Hippodamia</i>	618
<i>trinominatus</i> Pic, 1895, <i>Trichodes</i>	380
<i>trinotata</i> J. R. Sahlberg, 1926, <i>Corticarina</i>	646
trinotaticeps Pic, 1951, <i>Malthinus</i>	283
trinotaticollis Pic, 1937, <i>Lucidina</i>	230
trinotaticollis Pic, 1933, <i>Troglops</i>	454
<i>trinotatithorax</i> Pic, 1914, <i>Cantharis</i>	239
<i>trinotatithorax</i> Pic, 1921, <i>Lycocerus</i>	252
<i>trinotatus</i> Erichson, 1840, <i>Colotes</i>	428
trioblitus Gorham, 1895, <i>Cryptogonus</i>	576
<i>triornatus</i> Tanzer, 1934, <i>Diacanthous</i>	169
tripartaria Lewis, 1887, <i>Tritoma</i>	546
tripartitus Marseul, 1868, <i>Hypebaeus</i>	435
triphylloides Reitter, 1878, <i>Henoticonus</i>	536
tripictus Abeille de Perrin, 1890, <i>Ebaeus</i>	432
triplacoides Gorham, 1895, <i>Amblyopus</i>	541
<i>triplagiata</i> Kraatz, 1900, <i>Tetraphala</i>	535
<i>triplagiatus</i> Reitter, 1897, <i>Tetrabrachys</i>	573
tripolitana Schilsky, 1897, <i>Danacea</i>	399
tripolitanus Escalera, 1942, <i>Thorictus</i>	305
tripubescens Pic, 1925, <i>Dasytes</i>	403
<i>tripunctata</i> Haworth, 1812, <i>Hippodamia</i>	619
<i>tripunctata</i> J. J. Roemer, 1789, <i>Adalia</i>	603
<i>tripunctata</i> Kraatz, 1900, <i>Tetraphala</i>	535
<i>tripunctata</i> Linnaeus, 1758, <i>Coccinella</i>	612
<i>tripunctata</i> P. Rossi, 1790, <i>Coccinella</i>	611
<i>tripunctata</i> Reiche & Saulcy, 1857, <i>Rhagonycha</i>	268
<i>tripunctata</i> V. N. Nefedov & N. I. Nefedov, 1959, <i>Coccinella</i>	612
<i>tripunctata</i> Wiedemann, 1823, <i>Tetraphala</i>	535
<i>tripunctata</i> Wittmer, 1984, <i>Cantharis</i>	247
<i>tripunctatus</i> Illiger, 1798, <i>Kateretes</i>	458
<i>tripustulata</i> Gmelin, 1790, <i>Adalia</i>	603
<i>trisignaticollis</i> Delkeskamp, 1939, <i>Cantharis</i>	241
<i>trisignatus</i> Chobaut, 1897, <i>Drasterius</i>	105
trispinosus A. G. Olivier, 1795, <i>Enneadesmus</i>	324
triste Roubal, 1919, <i>Lasioderma</i>	358
tristiculus J. Weise, 1929, <i>Scymniscus</i>	583
tristiculus Kiesenwetter, 1866, <i>Axinotarsus</i>	440
tristiculus Mulsant & Rey, 1868, <i>Dasytes</i>	404
tristiculus Reitter, 1906, <i>Agriotes</i>	118
tristiculus Sicard, 1907, <i>Pharoscymnus</i>	571
tristigmaticus Gorham, 1895, <i>Scymnus</i>	591
tristis C. Johnson, 1971, <i>Atomaria</i>	527
<i>tristis</i> Corporaal, 1926, <i>Teneropsis</i>	383
<i>tristis</i> Fabricius, 1798, <i>Cantharis</i>	246
<i>tristis</i> Faldermann, 1835, <i>Chilocorus</i>	594

<i>tristis</i> Fleutiaux, 1911, <i>Aeolus</i>	104
<i>tristis</i> Har. Lindberg, 1951, <i>Attalus</i>	422
<i>tristis</i> J. Weise, 1885, <i>Scymniscus</i>	583
<i>tristis</i> J. Weise, 1880, <i>Propylea</i>	623
<i>tristis</i> Kiesenwetter, 1872, <i>Malthodes</i>	294
<i>tristis</i> Kraatz, 1882, <i>Lacon</i>	101
<i>tristis</i> Küster, 1851, <i>Melanotus</i>	143
<i>tristis</i> Linnaeus, 1758, <i>Ampedus</i>	128
<i>tristis</i> Majer, 1996, <i>Parathrix</i>	393
<i>tristis</i> Mulsant & Rey, 1853, <i>Temnoscheila</i>	365
<i>tristis</i> P. H. Lucas, 1846, <i>Attalus</i>	424
<i>tristis</i> Perris, 1864, <i>Axinotarsus</i>	441
<i>tristis</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>tristis</i> Reitter, 1881, <i>Globicornis</i>	316
<i>tristis</i> Schenkling, 1899, <i>Tilloidea</i>	369
<i>tristis</i> Schilsky, 1888, <i>Agriotes</i>	118
<i>tristis</i> Schilsky, 1900, <i>Danacea</i>	399
<i>tristis</i> Schwarz, 1891, <i>Agriotes</i>	118
<i>tristis</i> Sturm, 1845, <i>Meligethes</i>	487
<i>tristoides</i> Easton, 1957, <i>Meligethes</i>	487
<i>trisulcata</i> Champion, 1924, <i>Mizodorcatoma</i>	345
<i>trisulcatus</i> Reitter, 1881, <i>Thorictus</i>	306
<i>trisulcatus</i> Canepari, 1997, <i>Scymnus</i>	591
<i>triticumunis</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	99
<i>tritinctus</i> Wittmer, 1956, <i>Ebaeus</i>	432
<i>tritomentosus</i> John, 1965, <i>Thorictus</i>	305
<i>triton</i> Murray, 1864, <i>Carpophilus</i>	467
<i>trivialis</i> Gurjeva, 1988, <i>Anostirus</i>	175
<i>trivittatus</i> Schwarz, 1901, <i>Abelater</i>	135
<i>trizonatum</i> Fairmaire, 1883, <i>Phradonoma</i>	318
<i>troberti</i> Mulsant, 1850, <i>Parexochomus</i>	595
<i>trochantinus</i> Wittmer, 1982, <i>Attalus</i>	424
<i>troegneri</i> Walter, 1882, <i>Adalia</i>	605
<i>troglavensis</i> Apfelbeck, 1911, <i>Dasytes</i>	403
<i>troglogytes</i> Dufour, 1851, <i>Zoroachros</i>	193
<i>troglogytes</i> Hampe, 1850, <i>Clemmus</i>	559
<i>trojanus</i> Mulsant & Godart, 1875, <i>Scymnus</i>	591
<i>truncatus</i> Zia, 1934, <i>Anadastus</i>	533
<i>tropicus</i> Kirsch, 1889, <i>Trigonogenius</i>	339
<i>tropicus</i> Klug, 1842, <i>Thanasimodes</i>	375
<i>tropicus</i> Reitter, 1871, <i>Meligethes</i>	484
<i>tropicus</i> Rey, 1889, <i>Meligethes</i>	484
<i>tropidipygus</i> Pic, 1912, <i>Malthodes</i>	295
<i>trossulus</i> Gurjeva, 1979, <i>Ampedus</i>	128
<i>trubetzkoii</i> Barovskij, 1927, <i>Priscibrumus</i>	595
<i>truncata</i> Stephens, 1830, <i>Epuraea</i>	465
<i>truncatella</i> Mannerheim, 1846, <i>Epuraea</i>	461
<i>truncatella</i> Mannerheim, 1844, <i>Corticarina</i>	647
<i>truncatella</i> Marsham, 1802, <i>Pria</i>	488
<i>truncatellus</i> Fallén, 1807, <i>Axinotarsus</i>	440

truncaticornis Abeille de Perrin, 1890, <i>Malachius</i>	450
truncatithorax Pic, 1955, <i>Lucidina</i>	230
truncatopygus Pic, 1935, <i>Malthodes</i>	295
truncatula Ancey, 1881, <i>Calopertha</i>	322
truncatulus G.-Y. Yu, 1997, <i>Pseudoscymnus</i>	582
<i>truncatus</i> Casey, 1884, <i>Cryptolestes</i>	504
<i>truncatus</i> Erber & Hinterseher, 2002, <i>Sphaericus</i>	338
<i>truncatus</i> Fabricius, 1792, <i>Kateretes</i>	458
<i>truncatus</i> Fairmaire, 1859, <i>Enicopus</i>	407
<i>truncatus</i> Han, 2000, <i>Zorochros</i>	194
<i>truncatus</i> Herbst, 1806, <i>Agrypnus</i>	99
<i>truncatus</i> Horn, 1878, <i>Prostephanus</i>	326
<i>truncatus</i> Kapur, 1948, <i>Stethorus</i>	592
<i>truncatus</i> Kiesenwetter, 1870, <i>Xenostrogylus</i>	477
<i>truncatus</i> Murray, 1864, <i>Carpophilus</i>	467
<i>truncatus</i> Stephens, 1829, <i>Orthoperus</i>	634
<i>truncatus</i> Švec, 1992, <i>Stilbus</i>	512
<i>truncatus</i> T. L. Casey, 1916, <i>Dermestes</i>	301
<i>truncatus</i> Vats & Chauhan, 1993, <i>Drapetes</i>	208
truquii Baudi di Selve, 1871, <i>Drilus</i>	210
truquii Baudi di Selve, 1874, <i>Acanthocnemus</i>	384
truquii Baudi di Selve, 1861, <i>Holoparamecus</i>	558
tryapitzini Kirejtshuk, 1984, <i>Cybocephalus</i>	490
tryznai Bocák, 1999, <i>Ponyalis</i>	219
tryznai Bocáková, 1997, <i>Plateros</i>	221
tryznai Háva, 2001, <i>Anthrenus</i>	314
tryznai Platia & Schimmel, 2002, <i>Melanotus</i>	149
tryznai Švihla, 2004, <i>Asiopodabrus</i>	236
tryznai Švihla, 2004, <i>Lycocerus</i>	254
tryznai Švihla, 2002, <i>Rhagonycha</i>	268
tryznai Švihla, 2004, <i>Stenothemus</i>	269
tryznai Švihla, 2004, <i>Themus</i>	273
tschatkalensis Dolin, 1971, <i>Zorochros</i>	194
tscherepanovi Stibick, 1979, <i>Hypnoidus</i>	155
<i>tschistyakovae</i> Kirejtshuk, 1990, <i>Meligethes</i>	481
<i>tschitscherini</i> Semenov, 1895, <i>Pleonomus</i>	156
<i>tschitscherini</i> Semenov, 1895, <i>Halyzia</i>	598
tschuiiensis Sokolov, 1972, <i>Ctesias</i>	315
tschukini Reitter, 1910, <i>Athous</i>	159
tschungi G.-Y. Yu, 1995, <i>Scymnus</i>	588
tschungseni Kirejtshuk, 1987, <i>Meligethinus</i>	488
tseiana Kazantsev, 1992, <i>Rhagonycha</i>	268
tsharinensis Savoyskaya, 1965, <i>Pharoscymnus</i>	571
tshemerisi Tshernyshev, 1994, <i>Troglocollops</i>	419
tshernyshevi Wittmer, 1995, <i>Ebaeus</i>	432
tshistyakovae Kirejtshuk, 1987, <i>Epuraea</i>	465
tsilingensis Kazantsev, 2002, <i>Lycostomus</i>	212
tsinensis Pic, 1926, <i>Plateros</i>	221
tsubonae Takahashi & Kiriyama, 2000, <i>Asiopodabrus</i>	236
tsuchiguri Sakai, 1984, <i>Caenocara</i>	344

tsuchikawai Takahashi, 1999, <i>Asiopodabrus</i>	236
tsugae G.-Y. Yu & Yao, 2000, <i>Scymnus</i>	584
<i>tsugae</i> Matsumura, 1915, <i>Dinoderus</i>	325
tsugae Sasaji & McClure, 1997, <i>Pseudoscymnus</i>	582
tsugaru Kishii, 1992, <i>Ampedus</i>	128
tsugaru Kishii, 1978, <i>Actenicerus</i>	173
tsugaru Ôhira, 1994, <i>Fleutiauxellus</i>	187
tsuifengensis Wittmer, 1983, <i>Lycocerus</i>	254
tsukadai Kishii, 1987, <i>Fleutiauxellus</i>	187
tsukamotoi Kishii, 1956, <i>Agrypnus</i>	99
tsukamotoi Kishii, 1966, <i>Liotrichus</i>	178
tsunekii Sasaji, 1967, <i>Sticholotis</i>	572
tsuneoi Ôhira, 1998, <i>Ampedus</i>	129
tsurugi Kishii, 1976, <i>Quasimus</i>	191
tsurugi Ôhira, 1963, <i>Homotechnes</i>	153
tsushimaensis Sasaji, 1970, <i>Scymnus</i>	591
tsushimana M. Chûjô, 1969, <i>Pseudotritoma</i>	542
<i>tsushimana</i> Matsumura, 1928, <i>Pyrocoelia</i>	229
<i>tsushimana</i> Nakane, 1970, <i>Luciola</i>	231
<i>tsushimana</i> Nakane & M. Araki, 1960, <i>Epilachna</i>	627
tsushmanus John, 1961, <i>Aphanocephalus</i>	557
tsushmanus Nakane, 1981, <i>Nepachys</i>	426
tsushimensis Kishii, 1976, <i>Silesis</i>	112
tsushimensis Kishii, 1986, <i>Melanotus</i>	146
tsushimensis Kishii, 1976, <i>Fleutiauxellus</i>	187
tsushimensis Kishii, 1970, <i>Quasimus</i>	191
tsushimensis Kishii, 1976, <i>Zoroachros</i>	192
tsushimensis Kishii, 1977, <i>Paracardiophorus</i>	206
tsushimensis Ôhira, 1986, <i>Agrypnus</i>	99
tsushimensis Ôhira, 1997, <i>Orthostethus</i>	133
tsushimensis Satô & Ishida, 1982, <i>Themus</i>	273
tsushimensis Satô & Ohbayashi, 1968, <i>Intybia</i>	417
tsutsui Nakane & Kishii, 1955, <i>Agaripenthes</i>	135
tsutsui Nakane & M. Araki, 1959, <i>Stethorus</i>	592
tsuyukii Takahashi, 1992, <i>Asiopodabrus</i>	236
tsuyukii Takahashi, 1992, <i>Lycocerus</i>	254
tuberculata Dajoz, 1970, <i>Corticaria</i>	645
tuberculata L. Redtenbacher, 1868, <i>Galbites</i>	86
tuberculata Zia, 1959, <i>Paederolanguria</i>	535
<i>tuberculatus</i> Pic, 1921, <i>Plateros</i>	220
<i>tuberculatus</i> Pic, 1914, <i>Gastrallus</i>	341
<i>tuberculatus</i> Wittmer, 1965, <i>Penhedybius</i>	438
<i>tuberculatus</i> Wollaston, 1862, <i>Attalus</i>	424
<i>tuberculicollis</i> Schenkling, 1902, <i>Orthrius</i>	374
<i>tuberculifer</i> Motschulsky, 1850, <i>Aplocnemus</i>	412
<i>tuberculifera</i> Jelínek, 1964, <i>Cryptarcha</i>	468
<i>tuberculifera</i> Reitter, 1873, <i>Phenolia</i>	475
<i>tuberculifrons</i> Lewis, 1887, <i>Eutriplax</i>	541
<i>tuberculipennis</i> Miwa, 1929, <i>Agrypnus</i>	99
<i>tuberculosus</i> Mäklin, 1852, <i>Cryptophagus</i>	521

tuberculosis Vats & Kashyap, 1992, <i>Agrypnus</i>	99
<i>tuberculum</i> Motschulsky, 1867, <i>Holoparamecus</i>	558
tuberosus Hisamatsu & Sakai, 1985, <i>Derodontus</i>	298
tuberosus Reitter, 1881, <i>Thorictus</i>	306
tuberosus Vats & Kashyap, 1992, <i>Agrypnus</i>	99
<i>tumaaka</i> Ohta, 1929, <i>Helota</i>	495
tumefactus G.-Y. Yu, 1996, <i>Diomus</i>	577
tumens Candèze, 1873, <i>Adelocera</i>	96
tumescens LeConte, 1853, <i>Neohypdonus</i>	189
tumida Murray, 1867, <i>Aethina</i>	471
tumidicollis Kraatz, 1900, <i>Tetraphala</i>	536
tumidicollis Redtenbacher, 1867, <i>Serrifornax</i>	87
tumidus Kiesenwetter, 1863, <i>Aplocnemus</i>	412
tumlonganus Pic, 1916, <i>Themus</i>	273
tumulorum A. Villa & G. B. Villa, 1835, <i>Atomaria</i>	529
<i>tunetanus</i> Doderò, 1926, <i>Axinotarsus</i>	441
tunezinus Escalera, 1926, <i>Axinotarsus</i>	441
tungluanus Wittmer, 1956, <i>Malthodes</i>	295
tunicatus Kiesenwetter, 1863, <i>Macrocerus</i>	296
tunisea Pic, 1900, <i>Cantharis</i>	247
<i>tunisea</i> Pic, 1922, <i>Danacea</i>	399
<i>tuniseum</i> Pic, 1900, <i>Nemozoma</i>	365
tuniseus Fairmaire, 1875, <i>Malthinus</i>	283
tuniseus Pic, 1897, <i>Dignomus</i>	331
<i>tuniseus</i> Pic, 1921, <i>Ernobius</i>	351
tuniseus Pic, 1906, <i>Opetiopalpus</i>	383
tuniseus Pic, 1925, <i>Dasytes</i>	403
tuniseus Pic, 1908, <i>Aplocnemus</i>	412
tuniseus Wittmer, 1985, <i>Psiloderes</i>	453
<i>tunisiana</i> Dajoz, 1981, <i>Laemophloeus</i>	504
tunisiensis H. Brisout de Barneville, 1884, <i>Corticaria</i>	645
tunisiensis Pic, 1953, <i>Cantharis</i>	247
tunisius Chobaut, 1924, <i>Thorictus</i>	303
<i>tunisius</i> John, 1965, <i>Thorictus</i>	303
turanica Iablokoff-Khnzorian, 1971, <i>Hyperaspis</i>	578
<i>turanica</i> Lusi, 1973, <i>Adalia</i>	602
<i>turanicus</i> Audisio & Kirejtshuk, 1989, <i>Urophorus</i>	468
turanicus Endrödy-Younga, 1968, <i>Cybocephalus</i>	490
turanicus Evers, 1966, <i>Troglocollops</i>	419
turanicus Majer, 1997, <i>Perisphinctus</i>	394
turanicus Reitter, 1887, <i>Mulsanteus</i>	133
turanicus Reitter, 1889, <i>Clanoptilus</i>	445
turanus Semenov, 1891, <i>Ampedus</i>	128
<i>turbidescens</i> Easton, 1957, <i>Meligethes</i>	487
<i>turcica</i> J. Weise, 1879, <i>Coccinella</i>	612
<i>turcica</i> Lesne, 1941, <i>Xylomedes</i>	321
<i>turcica</i> Marseul, 1864, <i>Metacantharis</i>	256
<i>turcica</i> Platia & Gudenzi, 2000, <i>Tolphorea</i>	113
<i>turcica</i> Wittmer, 1972, <i>Rhagonycha</i>	268
turcicus Candèze, 1863, <i>Agriotes</i>	118

turcicus Dajoz, 1973, <i>Dastarcus</i>	551
turcicus Gillerfors & Otero, 1993, <i>Cryptophagus</i>	521
turcicus Grouvelle, 1876, <i>Cryptolestes</i>	504
turcicus Jelínek, 1982, <i>Meligethes</i>	487
turcicus Kiesenwetter, 1872, <i>Malthodes</i>	295
turcicus Pic, 1899, <i>Malthinus</i>	284
<i>turcicus</i> Pic, 1895, <i>Ptinus</i>	337
turcicus Platia, 2004, <i>Cidnopus</i>	164
turcicus Platia & Gudenzi, 2002, <i>Melanotus</i>	149
turcicus Platia & Gudenzi, 2004, <i>Dicronychus</i>	205
turcicus Platia & Mertlik, 1996, <i>Anostirus</i>	175
turcicus Platia & Tarnawski, 1998, <i>Peripontius</i>	111
turcicus Reitter, 1905, <i>Athous</i>	159
<i>turcicus</i> Roubal, 1932, <i>Tetrabrachys</i>	574
turcicus Schilsky, 1897, <i>Aplocnemus</i>	413
<i>turcicus</i> Stierlin, 1861, <i>Adrastus</i>	108
turcicus Švec & Ponel, 1999, <i>Olibrus</i>	510
<i>turcicus</i> Winkler & Žirovnický, 1980, <i>Trichodes</i>	377
turcicus Wittmer, 1968, <i>Ebaeus</i>	432
turcicus Wittmer, 1964, <i>Embrocercus</i>	452
turcicus Zahradník, 1998, <i>Episernus</i>	349
<i>turcicus</i> Abeille de Perrin, 1890, <i>Clanoptilus</i>	445
<i>turcicus</i> Dolin, 1977, <i>Ampedus</i>	128
turcicus Švihla, 1980, <i>Malthinus</i>	284
turcicus Wittmer, 1995, <i>Ebaeus</i>	432
turcomanicum Mroczkowski, 1960, <i>Phradonoma</i>	318
turcomanus Zhantiev, 1963, <i>Attagenus</i>	310
<i>turdus</i> Candèze, 1860, <i>Aplotarsus</i>	175
<i>turgescens</i> Buysson, 1891, <i>Cardiophorus</i>	200
turgida Erichson, 1846, <i>Atomaria</i>	527
turgidus Erichson, 1840, <i>Cardiophorus</i>	201
turgidus Lyubarsky, 1999, <i>Himascelis</i>	514
<i>turkestanica</i> A. Fleischer, 1900, <i>Coccinula</i>	600
<i>turkestanica</i> Heyden, 1881, <i>Lampyris</i>	227
<i>turkestanica</i> Kazantsev, 1998, <i>Crudosilis</i>	274
<i>turkestanica</i> Pic, 1913, <i>Cantharis</i>	246
<i>turkestanica</i> Semenov & Dobrzanskiy, 1923, <i>Coccinella</i>	612
<i>turkestanicum</i> Pic, 1914, <i>Trogoderma</i>	320
<i>turkestanicum</i> Reitter, 1901, <i>Lasioderma</i>	358
<i>turkestanicus</i> Abeille de Perrin, 1885, <i>Ebaeus</i>	432
<i>turkestanicus</i> Ballion, 1871, <i>Tenebroides</i>	365
<i>turkestanicus</i> Fursov, 1939, <i>Lyctus</i>	327
<i>turkestanicus</i> Heyden, 1886, <i>Anthodromius</i>	386
<i>turkestanicus</i> Kraatz, 1882, <i>Trichodes</i>	380
<i>turkestanicus</i> Kraatz, 1882, <i>Lobonyx</i>	385
<i>turkestanicus</i> Lesne, 1935, <i>Lyctus</i>	327
<i>turkestanicus</i> Pic, 1907, <i>Apalochrus</i>	416
<i>turkestanicus</i> Schilsky, 1897, <i>Danacaeomimus</i>	394
<i>turkestanicus</i> Schilsky, 1896, <i>Enicopus</i>	407
<i>turkestanicus</i> Schwarz, 1902, <i>Agrypnus</i>	100

turkestanicus Schwarz, 1892, <i>Melanotus</i>	149
turkestanicus Stepanov, 1935, <i>Anostirus</i>	175
turkestanicus Tarnawski, 1995, <i>Selatosomus</i>	183
turkestanus Reitter, 1921, <i>Trixagus</i>	89
<i>turkmenica</i> Zubkov, 1833, <i>Hippodamia</i>	619
turkmenicum Toskina, 1999, <i>Lasioderma</i>	358
turkmenicus Dolin, 1977, <i>Ampedus</i>	128
turkmenicus Dolin & Atamuradov, 1986, <i>Melanotus</i>	149
turkmenicus Dolin & Atamuradov, 1994, <i>Zorochros</i>	194
turkmenicus Platia & Gudenzi, 1999, <i>Agriotes</i>	118
turkmenicus Wittmer, 1970, <i>Condylops</i>	438
<i>turkomanus</i> Candèze, 1889, <i>Aeoloides</i>	104
turnai Háva, 2004, <i>Anthrenus</i>	314
turnai Majer, 1996, <i>Dasytidius</i>	391
turnai Platia & Schimmel, 2001, <i>Melanotus</i>	149
turnai Schimmel, 2003, <i>Penia</i>	186
turulosus Kirejtshuk, 1994, <i>Neopallodes</i>	473
tutus Lewis, 1894, <i>Fleutiauxellus</i>	188
tuvensis Dolin & Bessolitzina, 1992, <i>Hypnoidus</i>	155
tuvensis Zhantiev, 1976, <i>Anthrenus</i>	313
tympanizans Arrow, 1943, <i>Chondria</i>	567
tympanus G.-Y. Yu & X.-F. Pang, 1992, <i>Scymnus</i>	588
typhae Fallén, 1802, <i>Telmatophilus</i>	524
typhaeoides Wollaston, 1862, <i>Biphyllus</i>	548
<i>tyrolensis</i> J. Weise, 1879, <i>Ceratomegilla</i>	609
<i>tyrolensis</i> Procházka, 1894, <i>Danacea</i>	395
<i>tyrrhena</i> Audisio, 1983, <i>Dapsa</i>	563
tzkheniensis Orlov, 1997, <i>Cardiophorus</i>	201
uchigadaninus Takahashi & Kiriyaama, 2000, <i>Asiopodabrus</i>	236
udoensis Nakane, 1985, <i>Plateros</i>	221
uedai Kishii, 1977, <i>Glyphonyx</i>	110
uedai Nakane & Makino, 1989, <i>Asiopodabrus</i>	236
ueharaensis Okushima, 1996, <i>Lycocerus</i>	254
<i>uenoi</i> Nakane, 1959, <i>Epuraea</i>	464
<i>uenoi</i> Sakai, 1983, <i>Mizodorcatoma</i>	345
<i>uenoi</i> Sakai, 1995, <i>Stagetus</i>	347
<i>uenoi</i> Sasaji, 1989, <i>Toramus</i>	532
<i>uenoi</i> Sasaji, 1990, <i>Idiophyes</i>	559
<i>uenoi</i> Wittmer, 1995, <i>Micropodabrus</i>	257
<i>uenoi</i> Wittmer, 1982, <i>Micropodabrus</i>	258
<i>uenoi</i> Wittmer, 1983, <i>Hypotroglops</i>	436
ugamicus Majer, 1991, <i>Dasytidius</i>	391
ugandae Steel & Howe, 1955, <i>Cryptolestes</i>	504
ugo Kishii, 1992, <i>Oedostethus</i>	190
uguriensis Kishii, 1970, <i>Quasimus</i>	191
uhagoni Abeille de Perrin, 1890, <i>Colotes</i>	427
uhagoni Abeille de Perrin, 1894, <i>Cyrtosus</i>	447
<i>uhagoni</i> Buysson, 1904, <i>Athous</i>	163
<i>uhagoni</i> Escalera, 1926, <i>Axinotarsus</i>	441
<i>uhagoni</i> Escalera, 1913, <i>Microlipus</i>	450

uhagoni Reitter, 1876, <i>Atomaria</i>	529
uhagoni Schilsky, 1897, <i>Aplocnemus</i>	409
uhligi Fürsch, 1985, <i>Hyperaspis</i>	578
uhligi Majer, 1984, <i>Divales</i>	406
ulaensis Kazantsev, 1994, <i>Rhagonycha</i>	268
ulbrichi Fürsch, 1977, <i>Nephus</i>	581
ulcerosus Gené, 1836, <i>Cardiophorus</i>	201
ulicis Erichson, 1840, <i>Attalus</i>	419
ulicis Gyllenhal, 1813, <i>Olibrus</i>	509
ulicis Stephens, 1830, <i>Micrambe</i>	522
uliginosus Gistel, 1857, <i>Kateretes</i>	458
ulkei Crotch, 1873, <i>Ceratomegilla</i>	609
ullmanni Kirchsberg, 1898, <i>Phyllocerus</i>	81
ulmi A. G. Olivier, 1791, <i>Adalia</i>	605
ultramarina Schaufuss, 1867, <i>Psilothrix</i>	408
uma Pal & Sengupta, 2003, <i>Aspidiphorus</i>	455
umasakanus Takahashi, 2002, <i>Asiopodabrus</i>	236
umbellatarum A. G. Olivier, 1795, <i>Trichodes</i>	380
umbellatarum Chobaut, 1898, <i>Anthrenus</i>	311
umbellatarum Spinola, 1844, <i>Trichodes</i>	380
umber Bates, 1866, <i>Ectamenogonus</i>	136
umbilicata Beck, 1817, <i>Corticaria</i>	645
umbilicatus J. R. Sahlberg, 1908, <i>Hypebaeus</i>	435
umbilicatus Platia & Schimmel, 1991, <i>Silesis</i>	113
umbilicifera Mannerheim, 1844, <i>Corticaria</i>	645
umbonata X.-F. Pang & Mao, 1979, <i>Henosepilachna</i>	630
umbratilis Lewis, 1894, <i>Stenagostus</i>	172
umbratilis Reitter, 1873, <i>Pallodes</i>	475
umbratus Erichson, 1846, <i>Cryptophagus</i>	516
umbratus Schenkling, 1912, <i>Xenorthrius</i>	381
umbratus Semenov, 1900, <i>Clon</i>	156
umbrina Gyllenhal, 1827, <i>Atomaria</i>	529
umbrinus Germar, 1824, <i>Agriotes</i>	116
umbrinus Wollaston, 1862, <i>Attalus</i>	420
umbripennis Reitter, 1888, <i>Micrambe</i>	522
umbrosa E. Olivier, 1902, <i>Pyrocoelia</i>	229
umbrosus Kiesenwetter, 1871, <i>Malthodes</i>	295
umbrosus Platia & Schimmel, 2001, <i>Melanotus</i>	149
umbrosus Sturm, 1845, <i>Meligethes</i>	487
uncatus Champion, 1921, <i>Hypebaeus</i>	435
uncicollis Perris, 1864, <i>Athous</i>	163
uncicornis Solsky, 1881, <i>Clanoptilus</i>	443
uncifer Abeille de Perrin, 1903, <i>Colotes</i>	428
unciformis G.-Y. Yu, 2000, <i>Scymnus</i>	591
uncinata Karsch, 1881, <i>Phonapate</i>	321
uncinata Lesne, 1902, <i>Phonapate</i>	321
uncinatus Eschscholtz, 1829, <i>Prosternon</i>	180
uncinatus Platia & Gudenzi, 2002, <i>Cardiophorus</i>	201
uncinatus Stephens, 1830, <i>Cryptophagus</i>	521
uncinatus Wittmer, 1983, <i>Themus</i>	271

<i>uncipennis</i> Lesne, 1895, <i>Heterobostrychus</i>	322
<i>undata</i> A. G. Olivier, 1790, <i>Cryptarcha</i>	468
<i>undata</i> Linnaeus, 1758, <i>Megatoma</i>	317
<i>undatus</i> Gmelin, 1790, <i>Diacanthous</i>	169
<i>undatus</i> Tian & Yu, 1994, <i>Cybocephalus</i>	490
<i>undecimmaculata</i> D. H. Schneider, 1792, <i>Ceratomegilla</i>	609
<i>undecimmaculata</i> Fabricius, 1787, <i>Henosepilachna</i>	629
<i>undecimmaculata</i> G. A. Harrer, 1784, <i>Hippodamia</i>	618
<i>undecimmaculata</i> Walter, 1882, <i>Adalia</i>	605
<i>undecimnotata</i> D. H. Schneider, 1792, <i>Ceratomegilla</i>	609
<i>undecimnotata</i> Marsham, 1802, <i>Adalia</i>	605
<i>undecimpunctata</i> A. G. Olivier, 1808, <i>Coccinella</i>	612
<i>undecimpunctata</i> Gmelin, 1790, <i>Tytthaspis</i>	601
<i>undecimpunctata</i> Linnaeus, 1758, <i>Coccinella</i>	612
<i>undecimpunctata</i> Miyatake, 1982, <i>Sticholotis</i>	572
<i>undecimpunctata</i> Schrank, 1781, <i>Hippodamia</i>	619
<i>undecimpunctatoides</i> Munster, 1923, <i>Coccinella</i>	611
<i>undecimspilota</i> Hope, 1831, <i>Epilachna</i>	629
<i>undinarum</i> Gistel, 1857, <i>Cardiophorus</i>	203
<i>undosus</i> Lewis, 1894, <i>Diacanthous</i>	169
<i>undulata</i> Schaller, 1783, <i>Menochilus</i>	619
<i>undulatus</i> Brahm, 1790, <i>Dermestes</i>	302
<i>undulatus</i> DeGeer, 1774, <i>Diacanthous</i>	169
<i>undulatus</i> J. C. Schaeffer, 1766, <i>Prosternon</i>	180
<i>undulatus</i> J. Weise, 1878, <i>Exochomus</i>	594
<i>undulatus</i> Linnaeus, 1761, <i>Megatoma</i>	317
<i>undulatus</i> Motschulsky, 1858, <i>Attagenus</i>	307
<i>undulatus</i> Motschulsky, 1866, <i>Stephostethus</i>	640
<i>undulatus</i> Pic, 1925, <i>Bolbomorphus</i>	560
<i>unguicularis</i> Fleutiaux, 1918, <i>Phorocardius</i>	206
<i>unguicularis</i> Reitter, 1902, <i>Trichoceble</i>	414
<i>unguiculata</i> Baudi di Selve, 1872, <i>Boveycantharis</i>	239
<i>ungulata</i> Champion, 1919, <i>Idgia</i>	385
<i>ungulata</i> Herbst, 1793, <i>Harmonia</i>	616
<i>unguliserris</i> Gyllenhal, 1817, <i>Synaptus</i>	113
<i>ungulopygus</i> Pic, 1911, <i>Malthodes</i>	295
<i>unicarinulata</i> Motschulsky, 1867, <i>Corticaria</i>	643
<i>unicolor</i> A. Costa, 1857, <i>Omalisus</i>	211
<i>unicolor</i> A. G. Olivier, 1790, <i>Epuraea</i>	463
<i>unicolor</i> A. G. Olivier, 1790, <i>Cychramus</i>	472
<i>unicolor</i> Alfieri, 1976, <i>Attagenus</i>	307
<i>unicolor</i> Brahm, 1790, <i>Attagenus</i>	310
<i>unicolor</i> Candèze, 1874, <i>Lacon</i>	102
<i>unicolor</i> Chevrolat, 1876, <i>Korynetes</i>	381
<i>unicolor</i> Crotch, 1874, <i>Cheilomenes</i>	610
<i>unicolor</i> Doderò, 1922, <i>Cyrtosus</i>	447
<i>unicolor</i> Dufour, 1851, <i>Armidia</i>	238
<i>unicolor</i> Dufour, 1851, <i>Malthodes</i>	291
<i>unicolor</i> Fabricius, 1792, <i>Phrynocaria</i>	623
<i>unicolor</i> Faldermann, 1835, <i>Podistra</i>	260

<i>unicolor</i> Flach, 1888, <i>Stilbus</i>	512
<i>unicolor</i> Fleutiaux, 1900, <i>Orthostethus</i>	133
<i>unicolor</i> Fleutiaux, 1930, <i>Melanotus</i>	149
<i>unicolor</i> Gorham, 1903, <i>Helcophorus</i>	215
<i>unicolor</i> Gurjeva, 1987, <i>Tropihypnus</i>	167
<i>unicolor</i> Hisamatsu, 1960, <i>Rhacopus</i>	83
<i>unicolor</i> J. Weise, 1879, <i>Nephus</i>	581
<i>unicolor</i> Koenig, 1889, <i>Agriotes</i>	118
<i>unicolor</i> Kolbe, 1910, <i>Orphinus</i>	317
<i>unicolor</i> Küster, 1849, <i>Brachypterus</i>	457
<i>unicolor</i> Latreille, 1834, <i>Farsus</i>	82
<i>unicolor</i> Lapesme, 1950, <i>Dermestes</i>	300
<i>unicolor</i> Lewis, 1895, <i>Drilaster</i>	233
<i>unicolor</i> Marsham, 1802, <i>Athous</i>	160
<i>unicolor</i> Marsham, 1802, <i>Kateretes</i>	458
<i>unicolor</i> Motschulsky, 1853, <i>Malthodes</i>	295
<i>unicolor</i> Motschulsky, 1866, <i>Languriomorpha</i>	534
<i>unicolor</i> P. H. Lucas, 1849, <i>Rhizophagus</i>	492
<i>unicolor</i> Peyron, 1877, <i>Troglocollops</i>	419
<i>unicolor</i> Pic, 1897, <i>Hedobia</i>	353
<i>unicolor</i> Pic, 1932, <i>Trichoceble</i>	414
<i>unicolor</i> Pic, 1895, <i>Colotes</i>	427
<i>unicolor</i> Piller & Mitterpacher, 1783, <i>Epauloecus</i>	331
<i>unicolor</i> Reitter, 1898, <i>Hedobia</i>	353
<i>unicolor</i> Reitter, 1884, <i>Physoronia</i>	476
<i>unicolor</i> Reitter, 1890, <i>Coccidula</i>	572
<i>unicolor</i> Reitter, 1883, <i>Tetrabrachys</i>	574
<i>unicolor</i> Schaufuss, 1862, <i>Exochomus</i>	594
<i>unicolor</i> Schilsky, 1899, <i>Lasioderma</i>	357
<i>unicolor</i> Schilsky, 1894, <i>Dasytes</i>	402
<i>unicolor</i> Smirnoff, 1953, <i>Pharoscymnus</i>	571
<i>unicolor</i> Tournier, 1889, <i>Olibrus</i>	509
<i>unicolor</i> White, 1849, <i>Gastrocentrum</i>	368
<i>unicolor</i> Wollaston, 1854, <i>Cybocephalus</i>	490
<i>unicoloriceps</i> Kaszab, 1955, <i>Cantharis</i>	243
<i>unicoloripes</i> Kaszab, 1955, <i>Cantharis</i>	244
<i>unicolorithorax</i> Pic, 1938, <i>Rhagonycha</i>	265
<i>unicostata</i> Belon, 1887, <i>Eufallia</i>	638
<i>unicus</i> Fleutiaux, 1936, <i>Lanecarus</i>	110
<i>unicus</i> Platia & Gudenzi, 2000, <i>Nepalinus</i>	111
<i>unicus</i> Vats & Chauhan, 1991, <i>Cardiophorus</i>	201
<i>unidentata</i> Hisamatsu, 1959, <i>Prometopia</i>	476
<i>unidentatum</i> Fabricius, 1801, <i>Sinoxylon</i>	323
<i>unidentatus</i> A. G. Olivier, 1790, <i>Silvanus</i>	501
<i>unidentatus</i> Schilsky, 1894, <i>Meligethes</i>	482
<i>unifasciata</i> Erichson, 1846, <i>Atomaria</i>	527
<i>unifasciata</i> Fabricius, 1787, <i>Tilloidea</i>	369
<i>unifasciata</i> Fabricius, 1777, <i>Adalia</i>	603
<i>unifasciata</i> Ganglbauer, 1904, <i>Megatoma</i>	317
<i>unifasciata</i> J. Weise, 1891, <i>Menochilus</i>	619

<i>unifasciata</i> L. G. Scriba, 1791, <i>Adalia</i>	605
<i>unifasciata</i> Motschulsky, 1858, <i>Triplax</i>	545
<i>unifasciata</i> Pic, 1908, <i>Globicornis</i>	316
<i>unifasciatus</i> Fairmaire, 1860, <i>Attagenus</i>	308
<i>unifasciatus</i> Klug, 1842, <i>Trichodes</i>	377
<i>unifasciatus</i> Latreille, 1804, <i>Notolaemus</i>	505
<i>unifasciatus</i> Motschulsky, 1859, <i>Diacanthous</i>	169
<i>unifasciatus</i> Pic, 1908, <i>Globicornis</i>	316
<i>uniformis</i> Abeille de Perrin, 1891, <i>Attalus</i>	425
<i>uniformis</i> Casey, 1924, <i>Calvia</i>	608
<i>uniformis</i> Fairmaire, 1887, <i>Cebriorhipis</i>	93
<i>uniformis</i> Fairmaire, 1860, <i>Attagenus</i>	310
<i>uniformis</i> Flach, 1888, <i>Stilbus</i>	512
<i>uniformis</i> Schilsky, 1897, <i>Danacea</i>	396
<i>uniformis</i> Wittmer, 1983, <i>Themus</i>	271
<i>uniformis</i> Wittmer, 1997, <i>Malthinus</i>	284
<i>uniformis</i> X.-F. Pang & Mao, 1979, <i>Afissula</i>	626
<i>uniguttatus</i> Pic, 1929, <i>Eanus</i>	177
<i>unilamellata</i> Champion, 1926, <i>Asiosilis</i>	274
<i>unimaculata</i> Korschevsky, 1934, <i>Scymnus</i>	588
<i>unimaculata</i> Pic, 1920, <i>Lycocerus</i>	252
<i>unimaculata</i> Trella, 1930, <i>Dapsa</i>	563
<i>uninodulatus</i> Wittmer, 1997, <i>Micropodabrus</i>	258
<i>uninotata</i> Pic, 1954, <i>Thaumaglossa</i>	318
<i>uninotatus</i> Pic, 1932, <i>Divales</i>	406
<i>unionis</i> Pic, 1909, <i>Malthinus</i>	277
<i>uniplagiata</i> Nakane, 1983, <i>Tritoma</i>	546
<i>uniplagiata</i> Pic, 1914, <i>Cantharis</i>	240
<i>uniplicata</i> Reitter, 1884, <i>Merophysia</i>	558
<i>unipunctatus</i> Herbst, 1783, <i>Lyctus</i>	327
<i>uniramosa</i> Hope, 1831, <i>Calvia</i>	608
<i>unispina</i> Majer, 1988, <i>Bilyella</i>	400
<i>unistigmata</i> Pic, 1900, <i>Rhagonycha</i>	268
<i>unistriatus</i> Zoufal, 1897, <i>Falsogastrallus</i>	340
<i>univestre</i> Reitter, 1877, <i>Paramecosoma</i>	523
<i>univittata</i> Hope, 1831, <i>Micraspis</i>	620
<i>univittatus</i> P. Rossi, 1792, <i>Tarsostenus</i>	383
<i>unmunsana</i> Doi, 1931, <i>Luciola</i>	233
<i>unquicularis</i> J. Weise, 1922, <i>Lindorus</i>	573
<i>upadhyai</i> Vats & Kashyap, 1992, <i>Agrypnus</i>	100
<i>upepesankensis</i> Kazantsev & Takahashi, 2001, <i>Rhagonycha</i>	268
<i>upsaliensis</i> Gmelin, 1790, <i>Stegobium</i>	343
<i>upsilon</i> Blackburn, 1903, <i>Psammoeucus</i>	498
<i>urabensis</i> Ôhira, 1994, <i>Babadrasterius</i>	104
<i>uraiensis</i> Miwa, 1929, <i>Agrypnus</i>	100
<i>uralensis</i> Bruce, 1963, <i>Cryptophagus</i>	517
<i>uralensis</i> Dahlgren, 1972, <i>Rhagonycha</i>	268
<i>uralensis</i> Gurjeva, 1954, <i>Ampedus</i>	128
<i>uralensis</i> Pic, 1920, <i>Cacotemnus</i>	339
<i>uralicus</i> Kazantsev, 1995, <i>Malthodes</i>	295

<i>urbana</i> Lindemann, 1865, <i>Byturus</i>	547
<i>urbani</i> Mader, 1933, <i>Cryptogonus</i>	576
<i>urbanus</i> Borowski, 1999, <i>Dignomus</i>	331
<i>urbicola</i> Gistel, 1857, <i>Attagenus</i>	310
<i>urgensis</i> Jakobson, 1915, <i>Scymnus</i>	588
<i>urgensis</i> Schwarz, 1900, <i>Megathous</i>	171
<i>urianchaicus</i> Tshernyshev, 1994, <i>Troglocollops</i>	419
<i>urjanhaica</i> Kazantsev, 1997, <i>Silis</i>	276
<i>uropygialis</i> Mulsant, 1853, <i>Priscibrumus</i>	595
<i>ursicolor</i> Fabricius, 1787, <i>Synonycha</i>	625
<i>ursus</i> Majer, 1988, <i>Bilyella</i>	400
<i>urticae</i> Fabricius, 1792, <i>Brachypterus</i>	457
<i>urticae</i> Stephens, 1830, <i>Meligethes</i>	479
<i>uruma</i> Sakai, 1985, <i>Trichodesma</i>	342
<i>usambarica</i> J. Weise, 1900, <i>Hippodamia</i>	619
<i>usbekistanicus</i> Evers, 1988, <i>Microlipus</i>	451
<i>ushae</i> Pal, 1996, <i>Indoleptipsius</i>	493
<i>ussurica</i> Lyubarsky, 1987, <i>Atomaroides</i>	530
<i>ussurica</i> Wittmer, 1979, <i>Podistra</i>	260
<i>ussuricus</i> Brancsik, 1914, <i>Melanotus</i>	143
<i>ussuricus</i> Kazantsev, 1993, <i>Macrolycus</i>	213
<i>ussuricus</i> Saluk, 1992, <i>Enicmus</i>	637
<i>ussuricus</i> Saluk, 1992, <i>Enicmus</i>	638
<i>ussuricus</i> Zhantiev, 1988, <i>Anthrenus</i>	313
<i>ussuriensis</i> Barovskij, 1931, <i>Plateros</i>	221
<i>ussuriensis</i> Denisova, 1948, <i>Calambus</i>	176
<i>ussuriensis</i> Gurjeva, 1975, <i>Astanchus</i>	139
<i>ussuriensis</i> Iablokoff-Khnzorian, 1977, <i>Notolaemus</i>	505
<i>ussuriensis</i> Karapetyan, 1980, <i>Hemicoelus</i>	340
<i>ussuriensis</i> Krivolutskaya, 1992, <i>Pseudotritoma</i>	542
<i>ussuriensis</i> L. N. Medvedev, 1970, <i>Euryptychus</i>	86
<i>ussuriensis</i> Mamaev, 1976, <i>Xylophilus</i>	85
<i>ussuriensis</i> Mroczkowski, 1967, <i>Megatoma</i>	317
<i>ussuriensis</i> Nikitsky, 1984, <i>Rhizophagus</i>	492
<i>ussuriensis</i> Nikitsky, 1983, <i>Biphyllus</i>	548
<i>ussuriensis</i> Nikitsky, 2001, <i>Dapsa</i>	563
<i>ussuriensis</i> Zahradník, 1997, <i>Pseudomesothes</i>	355
<i>usta</i> Gemminger, 1870, <i>Rhagonycha</i>	263
<i>ustulata</i> Arrow, 1925, <i>Doubledaya</i>	534
<i>ustulata</i> J. Weise, 1879, <i>Hippodamia</i>	619
<i>ustulata</i> Kiesenwetter, 1852, <i>Cantharis</i>	244
<i>ustulatus</i> Motschulsky, 1853, <i>Malthodes</i>	295
<i>ustulatus</i> Paykull, 1800, <i>Drapetes</i>	209
<i>ustulatus</i> Schaller, 1783, <i>Agriotes</i>	118
<i>ustulus</i> Schönherr, 1817, <i>Agriotes</i>	118
<i>utebensis</i> Hodgson Torres & Plata Negrache, 1987, <i>Cerapheles</i>	441
<i>utschderensis</i> Reitter, 1890, <i>Athous</i>	159
<i>uzbek</i> Dolin, 2003, <i>Cardiophorus</i>	201
<i>uzbekus</i> Wittmer, 1999, <i>Ebaeus</i>	432
<i>vacaresiense</i> Chobaut, 1924, <i>Lasioderma</i>	358

<i>vaccinii</i> Gistel, 1857, <i>Epuraea</i>	459
<i>vaederoeensis</i> Lundberg, 1969, <i>Xyletinus</i>	361
<i>vafer</i> Erichson, 1841, <i>Priopus</i>	152
<i>vagepictus</i> Fairmaire, 1889, <i>Attagenus</i>	310
<i>vagepictus</i> Lewis, 1894, <i>Selatosomus</i>	181
<i>vaginata</i> Majer, 1988, <i>Bilyella</i>	400
<i>vagus</i> Bruce, 1938, <i>Cryptophagus</i>	517
<i>vagus</i> Candèze, 1895, <i>Heteroderes</i>	106
<i>vagus</i> Gmelin, 1790, <i>Anthrenus</i>	313
<i>vagus</i> Majer, 1996, <i>Achaetomalachius</i>	388
<i>vagus</i> Schimmel, 1999, <i>Xanthopenthes</i>	139
<i>vaillanti</i> Pic, 1923, <i>Hypebaeus</i>	435
<i>vaillanti</i> Pic, 1923, <i>Cordylepherus</i>	446
<i>vaillanti</i> Platia & Schimmel, 2001, <i>Melanotus</i>	149
<i>valentinae</i> Tshernyshev, 1999, <i>Clanoptilus</i>	445
<i>valentini</i> Gurjeva, 1989, <i>Melanotus</i>	150
<i>valentini</i> Gurjeva, 1978, <i>Cardiophorus</i>	202
<i>valesiacus</i> Pic, 1910, <i>Dasytes</i>	404
<i>valesiacus</i> Pic, 1929, <i>Malachius</i>	449
<i>valesiacus</i> Stierlin, 1879, <i>Hypnoidus</i>	154
<i>valgus</i> Strohecker, 1951, <i>Encymon</i>	563
<i>valichanovi</i> Dolin, 2003, <i>Cardiophorus</i>	201
<i>valida</i> Heyden, 1878, <i>Danacea</i>	399
<i>valida</i> Lesne, 1899, <i>Bostrychopsis</i>	322
<i>valida</i> Lewis, 1894, <i>Peltis</i>	366
<i>valida</i> Reitter, 1884, <i>Pseudotritoma</i>	542
<i>validiceps</i> Pic, 1928, <i>Malthinus</i>	284
<i>validicornis</i> Gerstaecker, 1858, <i>Lycoperdina</i>	565
<i>validicornis</i> Reitter, 1884, <i>Ptinus</i>	335
<i>validicornis</i> Suffrian, 1851, <i>Malthodes</i>	295
<i>validipes</i> Motschulsky, 1867, <i>Corticaria</i>	643
<i>validus</i> Kraatz, 1856, <i>Cryptophagus</i>	518
<i>validus</i> Schwarz, 1892, <i>Melanotus</i>	150
<i>vallombrosae</i> Reitter, 1885, <i>Sphaerosoma</i>	556
<i>valombrosae</i> Dieck, 1870, <i>Anommatus</i>	550
<i>valonense</i> Apfelbeck, 1915, <i>Sphaerosoma</i>	555
<i>valonensis</i> Apfelbeck, 1911, <i>Danacea</i>	399
<i>vana</i> Majer, 1989, <i>Haplothrix</i>	392
<i>vancouveri</i> Casey, 1924, <i>Calvia</i>	608
<i>vandalitae</i> Lohse, 1976, <i>Ampedus</i>	128
<i>vandalitiae</i> J. Weise, 1879, <i>Oenopia</i>	621
<i>vandepolli</i> Gestro, 1892, <i>Ichthyurus</i>	297
<i>vandykei</i> Nakane, 1970, <i>Dilophotes</i>	212
<i>vandykei</i> Wittmer, 1956, <i>Malthinus</i>	284
<i>vandykei</i> Wittmer, 1956, <i>Microlipus</i>	451
<i>vanharteni</i> Wurst, 2001, <i>Anchastus</i>	139
<i>varendorffi</i> Reitter, 1904, <i>Cantharis</i>	243
<i>varendorffi</i> Reitter, 1903, <i>Enicmus</i>	638
<i>varensis</i> Reitter, 1905, <i>Athous</i>	163
<i>varia</i> A. G. Olivier, 1790, <i>Omosita</i>	474

<i>varia</i> Fabricius, 1781, <i>Soronia</i>	477
<i>varia</i> Schrank, 1798, <i>Adalia</i>	603
<i>variabile</i> Ballion, 1878, <i>Trogoderma</i>	320
<i>variabilis</i> DeGeer, 1774, <i>Denticollis</i>	168
<i>variabilis</i> Eschscholtz, 1829, <i>Denticollis</i>	168
<i>variabilis</i> Fabricius, 1792, <i>Agriotes</i>	116
<i>variabilis</i> Fabricius, 1777, <i>Adalia</i>	605
<i>variabilis</i> Fleutiaux, 1918, <i>Hemicrepidius</i>	171
<i>variabilis</i> Herbst, 1783, <i>Adalia</i>	605
<i>variabilis</i> Illiger, 1798, <i>Adalia</i>	605
<i>variabilis</i> L. Redtenbacher, 1850, <i>Anthodromius</i>	386
<i>variabilis</i> Platia & Schimmel, 2001, <i>Melanotus</i>	150
<i>variabilis</i> Reitter, 1894, <i>Epuraea</i>	463
<i>variabilis</i> Spinola, 1844, <i>Trichodes</i>	379
<i>variabilis</i> Vats & Chauhan, 1992, <i>Xanthopenthes</i>	139
<i>varians</i> A. G. Olivier, 1791, <i>Adalia</i>	605
<i>varians</i> Fabricius, 1798, <i>Coccinella</i>	611
<i>varians</i> Fowler, 1886, <i>Doubledaya</i>	534
<i>varians</i> Germar, 1846, <i>Denticollis</i>	168
<i>varians</i> Grouvelle, 1919, <i>Cryptophagus</i>	516
<i>varians</i> Gurjeva, 1968, <i>Oedostethus</i>	190
<i>varians</i> Morawitz, 1862, <i>Cerallus</i>	386
<i>varians</i> Rosenhauer, 1856, <i>Rhagonycha</i>	268
<i>variata</i> Geisthardt, 1982, <i>Nyctophila</i>	228
<i>variata</i> Stephens, 1830, <i>Nitidula</i>	474
<i>variatus</i> Desbrochers des Loges, 1875, <i>Dicronychus</i>	205
<i>varicollis</i> Wollaston, 1854, <i>Meligethes</i>	487
<i>varicolor</i> Perris, 1869, <i>Cebrio</i>	93
<i>varicolor</i> Wittmer, 1969, <i>Boveycantharis</i>	239
<i>varicolor</i> Wittmer, 1954, <i>Prothemus</i>	261
<i>varicolor</i> Wittmer, 1983, <i>Carphurus</i>	416
<i>variegata</i> Fabricius, 1781, <i>Psyllobora</i>	599
<i>variegata</i> Geoffroy, 1785, <i>Soronia</i>	477
<i>variegata</i> Goeze, 1777, <i>Hippodamia</i>	618
<i>variegata</i> Herbst, 1793, <i>Epuraea</i>	463
<i>variegata</i> J. Weise, 1879, <i>Coccinella</i>	613
<i>variegata</i> Küster, 1851, <i>Globicornis</i>	316
<i>variegata</i> Lewis, 1895, <i>Xerasia</i>	547
<i>variegatulus</i> Buysson, 1912, <i>Drasterius</i>	105
<i>variegatus</i> Brullé, 1832, <i>Dermestes</i>	302
<i>variegatus</i> Candèze, 1878, <i>Prokraerus</i>	138
<i>variegatus</i> Crotch, 1874, <i>Platynaspidius</i>	596
<i>variegatus</i> Erichson, 1840, <i>Protapalochrus</i>	418
<i>variegatus</i> Fairmaire, 1891, <i>Xenostrongylus</i>	477
<i>variegatus</i> Herbst, 1792, <i>Cychramus</i>	472
<i>variegatus</i> Küster, 1851, <i>Drasterius</i>	105
<i>variegatus</i> Motschulsky, 1854, <i>Saudilacon</i>	103
<i>variegatus</i> P. H. Lucas, 1846, <i>Divales</i>	406
<i>variegatus</i> P. Rossi, 1792, <i>Ptinus</i>	334
<i>variegatus</i> Paulian, 1950, <i>Aposericoderus</i>	633

variegatus Peyron, 1877, <i>Embrocerus</i>	452
variegatus Scopoli, 1763, <i>Anthrenus</i>	313
variepubens Pic, 1903, <i>Danacea</i>	399
varifasciatus Kraatz, 1894, <i>Trichodes</i>	379
variicollis Abeille de Perrin, 1891, <i>Cyrtosus</i>	447
variicollis Abeille de Perrin, 1894, <i>Cyrtosus</i>	447
variicollis Pic, 1912, <i>Malthodes</i>	292
variicornis Arrow, 1925, <i>Mycetina</i>	566
variicornis Schilsky, 1894, <i>Dasytes</i>	404
variipennis Nakane, 1996, <i>Opilo</i>	373
variipennis Schwarz, 1900, <i>Cardiophorus</i>	197
variipes Champion, 1926, <i>Lycocerus</i>	250
varimaculatus Jiang, 1999, <i>Parapenthes</i>	138
variolatus A. Costa, 1882, <i>Aplocnemus</i>	411
variolosa Reitter, 1879, <i>Ipidia</i>	473
variolosicollis Mader, 1937, <i>Episcaphula</i>	540
variolosus Baudi di Selve, 1873, <i>Dasytes</i>	405
variolosus Dufour, 1843, <i>Oxylaemus</i>	552
variolosus E. Olivier, 1902, <i>Cyphonocerus</i>	226
variolosus Easton, 1964, <i>Meligethes</i>	487
variolosus Mannerheim, 1844, <i>Stephostethus</i>	641
varipennis Escalera, 1914, <i>Cebrio</i>	89
varipes Baudi di Selve, 1872, <i>Charopus</i>	442
varipes Schilsky, 1894, <i>Lobonyx</i>	385
varipes Schilsky, 1897, <i>Danacea</i>	397
varipes Schilsky, 1894, <i>Dasytes</i>	405
varipubens Wittmer, 1978, <i>Lycocerus</i>	254
varitarsis Kraatz, 1862, <i>Attalus</i>	420
varithorax Wittmer, 1997, <i>Lycocerus</i>	254
varium Matsumura & Yokoyama, 1928, <i>Trogoderma</i>	320
varius A. G. Olivier, 1790, <i>Lacon</i>	101
varius Cate, 2002, <i>Cardiophorus</i>	201
varius Fabricius, 1775, <i>Anthrenus</i>	314
varius Illiger, 1801, <i>Lichenophanes</i>	322
varius Kirch, 1871, <i>Pharoscymnus</i>	571
varius Schrank, 1798, <i>Exochomus</i>	594
varius Stephens, 1830, <i>Anthrenus</i>	313
varius Uhagón, 1901, <i>Axinotarsus</i>	441
variventris Kraatz, 1900, <i>Tetraphala</i>	536
vartiani Platia & Gudenzi, 2002, <i>Melanotus</i>	150
vartiani Švihla, 1993, <i>Rhagonycha</i>	268
vartiani Wittmer, 1966, <i>Malthinus</i>	284
vartianorum Platia & Gudenzi, 2000, <i>Gurjevelater</i>	156
varus Bourgeois, 1900, <i>Malthinus</i>	284
varus Woodroffe & Coombs, 1961, <i>Cryptophagus</i>	521
vasquezi Cobos, 1969, <i>Elathous</i>	164
vassilevi Gurjeva & Penev, 1983, <i>Ectamenogonus</i>	136
vastator Kugelann, 1792, <i>Triaxus</i>	88
vastiorum Wittmer, 1983, <i>Themus</i>	273
vastiorum Wittmer, 1995, <i>Urodactylus</i>	437

vastus Gurjeva, 1972, <i>Agriotes</i>	118
vatsai Vats & Kashyap, 1992, <i>Agrypnus</i>	100
vatsi Garg, 1998, <i>Silesis</i>	113
vaucheri Abeille de Perrin, 1896, <i>Malthodes</i>	295
vaucheri Bourgeois, 1905, <i>Lycostomus</i>	212
vaucheri Buysson, 1919, <i>Cardiophorus</i>	198
vaucheri Chobaut, 1924, <i>Thorictus</i>	306
vaucheri Pic, 1911, <i>Cantharis</i>	243
vaucheri Pic, 1901, <i>Malthinus</i>	284
vaulogeri Abeille de Perrin, 1898, <i>Protapalochrus</i>	419
vaulogeri Abeille de Perrin, 1900, <i>Cyrtosus</i>	447
vaulogeri Bourgeois, 1905, <i>Podistra</i>	260
vaulogeri Buysson, 1905, <i>Peripontius</i>	111
vaulogeri Escalera, 1923, <i>Thorictus</i>	306
vaulogeri Grouvelle, 1913, <i>Airaphilus</i>	498
vaulogeri Grouvelle, 1912, <i>Cryptophagus</i>	519
vaulogeri Pic, 1905, <i>Cebrio</i>	93
vaulogeri Pic, 1915, <i>Malthinus</i>	284
vaulogeri Pic, 1900, <i>Globicornis</i>	316
vaulogeri Pic, 1894, <i>Ptinus</i>	334
vaulogeri Pic, 1927, <i>Dorcatoma</i>	345
vaulogeri Pic, 1921, <i>Clada</i>	353
vaulogeri Pic, 1906, <i>Flabellotilloidea</i>	368
vaulogeri Pic, 1927, <i>Axinotarsus</i>	440
vavrai Roubal, 1929, <i>Lopheros</i>	216
vavrai Švihla, 1998, <i>Malthodes</i>	295
velata Gorham, 1883, <i>Dictyoptera</i>	214
velatum Wollaston, 1854, <i>Nicobium</i>	342
velatus Grouvelle, 1908, <i>Pseudobothrideres</i>	552
velatus Mulsant & Rey, 1861, <i>Teplinus</i>	634
velatus Peyron, 1877, <i>Ebaeus</i>	432
velatus Wollaston, 1863, <i>Brachypterus</i>	457
velazquezi Pardo Alcaide, 1952, <i>Ebaeus</i>	432
velhocabrali Israelson, 1984, <i>Sphaericus</i>	339
velox J. Weise, 1879, <i>Hippodamia</i>	619
velox Wollaston, 1854, <i>Gloeosoma</i>	635
velutinum Mulsant & Rey, 1863, <i>Hyperisus</i>	351
velutinus C. O. Waterhouse, 1878, <i>Conderis</i>	221
venalis Candèze, 1860, <i>Melanotus</i>	150
venatrix Kiesenwetter, 1874, <i>Themus</i>	271
vencoxus Kamiya, 1965, <i>Scymnus</i>	588
venetus Pace, 1975, <i>Anommatus</i>	550
venezuelensis Pic, 1927, <i>Tricorynus</i>	356
venningi Champion, 1926, <i>Themus</i>	273
ventralis Abeille de Perrin, 1883, <i>Attalus</i>	424
ventralis Baudi di Selve, 1870, <i>Meligethes</i>	481
ventralis Candèze, 1860, <i>Melanotus</i>	150
ventralis Chevrolat, 1874, <i>Cebrio</i>	93
ventralis Gorham, 1896, <i>Anadastus</i>	533
ventralis Motschulsky, 1853, <i>Malthodes</i>	295

ventriculus Erber & Hinterseher, 2002, <i>Sphaericus</i>	339
ventriosus Peyerimhoff, 1929, <i>Enicmus</i>	638
ventrosus Baudi di Selve, 1870, <i>Curelius</i>	530
venusta J. Weise, 1879, <i>Coccinella</i>	610
venusta Wollaston, 1865, <i>Atomaria</i>	528
venustula Iablokoff-Khnzorian, 1982, <i>Coccinella</i>	610
venustulus Schilsky, 1897, <i>Aplocnemus</i>	412
venustus Erichson, 1840, <i>Laius</i>	418
venustus Guérin-Méneville, 1829, <i>Drilus</i>	209
venustus Guérin-Méneville, 1844, <i>Cerapheles</i>	441
venustus Gurjeva, 1988, <i>Anostirus</i>	175
venustus Wittmer, 1997, <i>Prothemus</i>	261
verae Gurjeva, 1977, <i>Ampedus</i>	128
veranioides T. Blackburn, 1894, <i>Coelophora</i>	614
verbasci Fabricius, 1775, <i>Anthrenus</i>	313
verbasci Herbst, 1797, <i>Anthrenus</i>	313
verbasci Linnaeus, 1767, <i>Anthrenus</i>	314
verbasci Thunberg, 1794, <i>Cryptarcha</i>	468
vermiculatum Lesne, 1906, <i>Sinoxylon</i>	323
vermiculatus Candèze, 1860, <i>Melanotus</i>	148
vermiculatus Wollaston, 1854, <i>Cryptolestes</i>	503
vermionensis Fürsch, 1958, <i>Scymnus</i>	585
vermivorus Gistel, 1857, <i>Thanasimus</i>	375
verna Meier, 1897, <i>Hippodamia</i>	617
vernalis Normand, 1935, <i>Dasytes</i>	403
veronensis Pace, 1975, <i>Anommatus</i>	550
verriculata X.-F. Pang & Mao, 1979, <i>Henosepilachna</i>	630
verris P. Rossi, 1790, <i>Cychramus</i>	472
verrucicollis Jelínek, 1978, <i>Meligethes</i>	482
verrucifer Rey, 1889, <i>Cryptophagus</i>	516
verrucifer Rey, 1889, <i>Cryptophagus</i>	519
versatilis Delkeskamp, 1939, <i>Malthinus</i>	284
versicolor Baudi di Selve, 1872, <i>Cantharis</i>	247
versicolor Chevrolat, 1844, <i>Melyris</i>	387
versicolor Creutzer, 1799, <i>Trogoderma</i>	320
versicolor Erichson, 1846, <i>Atomaria</i>	528
versicolor Fabricius, 1792, <i>Synonycha</i>	625
versicolor Faldermann, 1835, <i>Clanoptilus</i>	445
versicolor Har. Lindberg, 1951, <i>Cryptophagus</i>	521
versicolor Illiger, 1801, <i>Trogoderma</i>	319
versicolor Laporte, 1840, <i>Dermestes</i>	300
versicolor Lewis, 1894, <i>Denticollis</i>	168
versicolor Lewis, 1896, <i>Plotina</i>	569
versicolor Mulsant & Guillebeau, 1856, <i>Dicronychus</i>	205
versicolor Mutchler & Weiss, 1927, <i>Trogoderma</i>	319
versicolor Reitter, 1887, <i>Anthrenus</i>	314
versicolor Schilsky, 1897, <i>Danacea</i>	396
versipellis Lewis, 1894, <i>Gamepentes</i>	136
vertens Walker, 1859, <i>Dinoderus</i>	326
verticalis Erichson, 1840, <i>Troglops</i>	453

<i>verticalis</i> Fürsch, 1958, <i>Adalia</i>	603
<i>verticalis</i> J. R. Sahlberg, 1903, <i>Dasytiscus</i>	391
<i>verticalis</i> J. R. Sahlberg, 1903, <i>Dasytes</i>	402
<i>verticalis</i> Pic, 1930, <i>Malthinus</i>	284
<i>vescoi</i> Fairmaire, 1849, <i>Cylidrus</i>	367
<i>vesiculiger</i> Marseul, 1868, <i>Hypebaeus</i>	435
<i>vesperalis</i> Gurjeva, 1972, <i>Agriotes</i>	117
<i>vesperatus</i> Gurjeva, 1989, <i>Melanotus</i>	150
<i>vespertina</i> Fabricius, 1801, <i>Luciola</i>	232
<i>vespertina</i> Mäklin, 1853, <i>Atomaria</i>	529
<i>vespertinus</i> Dolin & Atamuradov, 1989, <i>Cardiophorus</i>	201
<i>vespulae</i> Milliron, 1939, <i>Reesa</i>	318
<i>vestalis</i> Abeille de Perrin, 1900, <i>Clanoptilus</i>	443
<i>vesticornis</i> Kishii, 1957, <i>Kometsukia</i>	130
<i>vestigialis</i> Erichson, 1840, <i>Cardiophorus</i>	201
<i>vestita</i> Wollaston, 1862, <i>Casapus</i>	330
<i>vestitum</i> Schilsky, 1899, <i>Lasioderma</i>	357
<i>vestitus</i> Abeille de Perrin, 1898, <i>Troglops</i>	454
<i>vestitus</i> Har. Lindberg, 1951, <i>Cardiophorus</i>	202
<i>vestitus</i> Kiesenwetter, 1863, <i>Dasytidius</i>	391
<i>vestitus</i> Kiesenwetter, 1850, <i>Brachypterolus</i>	456
<i>vestitus</i> Lewis, 1894, <i>Ampedus</i>	128
<i>vestitus</i> Mulsant, 1850, <i>Sumnius</i>	575
<i>vestitus</i> Mulsant & Guillebeau, 1856, <i>Athous</i>	157
<i>vestitus</i> Rey, 1889, <i>Cryptophagus</i>	516
<i>vestitus</i> Schilsky, 1896, <i>Enicopus</i>	408
<i>vestitus</i> Wollaston, 1864, <i>Thorictus</i>	306
<i>vestitus</i> Wollaston, 1862, <i>Aplocnemus</i>	412
<i>vesubiella</i> Bourgeois, 1893, <i>Cantharis</i>	246
<i>vesubiensis</i> Pic, 1916, <i>Agriotes</i>	116
<i>vesubiensis</i> Pic, 1922, <i>Cantharis</i>	246
<i>vesubiensis</i> Pic, 1946, <i>Dasytes</i>	404
<i>vesulanus</i> Binaghi, 1941, <i>Anommatus</i>	550
<i>vetustus</i> Schwarz, 1894, <i>Melanotus</i>	150
<i>vexillarius</i> Candèze, 1889, <i>Cardiophorus</i>	201
<i>v-flavum</i> Champion, 1924, <i>Stilbomimus</i>	511
<i>viadri</i> J. Weise, 1879, <i>Hippodamia</i>	617
<i>viana</i> Gistel, 1857, <i>Omosita</i>	474
<i>viaticus</i> Lewis, 1895, <i>Micropodabrus</i>	258
<i>viator</i> Gorham, 1889, <i>Lycocerus</i>	250
<i>viator</i> White, 1850, <i>Doubledaya</i>	534
<i>viberti</i> Buysson, 1912, <i>Cardiophorus</i>	201
<i>viberti</i> Pic, 1922, <i>Dasytes</i>	405
<i>viberti</i> Pic, 1922, <i>Aplocnemus</i>	413
<i>vicaria</i> Kirejtshuk & Kvamme, 2001, <i>Epuraea</i>	463
<i>vicaria</i> Zaslavskij, 1964, <i>Hyperaspis</i>	577
<i>vicarius</i> Corporaal, 1935, <i>Tillus</i>	370
<i>vicentinus</i> Pace, 1979, <i>Anommatus</i>	550
<i>vicina</i> Baudi di Selve, 1872, <i>Rhagonycha</i>	268
<i>vicina</i> Candèze, 1891, <i>Lacon</i>	101

<i>vicina</i> Dahlgren, 1968, <i>Rhagonycha</i>	262
<i>vicina</i> Grouvelle, 1894, <i>Aethina</i>	471
<i>vicina</i> J. Weise, 1879, <i>Coccinella</i>	613
<i>vicina</i> Mulsant, 1850, <i>Cheilomenes</i>	610
<i>vicinus</i> Arrow, 1925, <i>Anadastus</i>	533
<i>vicinus</i> Coiffait, 1984, <i>Abromus</i>	548
<i>vicinus</i> Desbrochers des Loges, 1873, <i>Athous</i>	163
<i>vicinus</i> Fleutiaux, 1923, <i>Euryptychus</i>	86
<i>vicinus</i> Fleutiaux, 1889, <i>Xanthopenthes</i>	139
<i>vicinus</i> Grouvelle, 1892, <i>Neopallodes</i>	473
<i>vicinus</i> Grouvelle, 1916, <i>Cryptophagus</i>	515
<i>vicinus</i> Gurjeva, 1989, <i>Melanotus</i>	150
<i>vicinus</i> Gurjeva, 1984, <i>Pseudanostirus</i>	181
<i>vicinus</i> Kollar, 1848, <i>Phorocardius</i>	206
<i>vicinus</i> Peyron, 1877, <i>Hypebaeus</i>	435
<i>vicinus</i> Pic, 1921, <i>Laemoglyptus</i>	275
<i>vicinus</i> Pic, 1897, <i>Ptinus</i>	333
<i>vicinus</i> Pic, 1921, <i>Stagetus</i>	347
<i>vicinus</i> Spinola, 1844, <i>Trichodes</i>	379
<i>vicinus</i> Wittmer, 1973, <i>Themus</i>	273
<i>victor</i> Fleutiaux, 1923, <i>Fornax</i>	87
<i>victor</i> Gurjeva, 1982, <i>Selatosomus</i>	183
<i>victoriae</i> Mulsant, 1866, <i>Propylea</i>	623
<i>victoriana</i> Casey, 1899, <i>Calvia</i>	608
<i>victoriensis</i> Wittmer, 1982, <i>Attalus</i>	424
<i>victoris</i> Crotch, 1874, <i>Scymnus</i>	588
<i>victoris</i> Mulsant, 1852, <i>Omalisus</i>	211
<i>victus</i> Kessel, 1926, <i>Placonotus</i>	506
<i>videns</i> Otto, 1979, <i>Melanophthalma</i>	648
<i>vidua</i> A. G. Olivier, 1808, <i>Oenopia</i>	622
<i>vidua</i> Mulsant, 1850, <i>Phrynocaria</i>	623
<i>vidualis</i> Escalera, 1927, <i>Allotarsus</i>	400
<i>vidualis</i> Gurjeva, 1988, <i>Melanotus</i>	150
<i>vidualis</i> Pardo Alcaide, 1968, <i>Attalus</i>	424
<i>viduata</i> Küster, 1854, <i>Rhagonycha</i>	268
<i>viduatus</i> Heer, 1841, <i>Meligethes</i>	485
<i>viduus</i> Abeille de Perrin, 1881, <i>Hypebaeina</i>	433
<i>viduus</i> Nakane, 1971, <i>Plateros</i>	221
<i>viensis</i> Coiffait, 1984, <i>Anommatus</i>	551
<i>viennensis</i> Guillebeau, 1892, <i>Olibrus</i>	508
<i>viennensis</i> Herbst, 1797, <i>Ctesias</i>	315
<i>viennensis</i> Herbst, 1797, <i>Psoa</i>	328
<i>viennensis</i> Reitter, 1875, <i>Atomaria</i>	527
<i>viertli</i> Schilsky, 1897, <i>Dasytes</i>	401
<i>viertli</i> Schilsky, 1897, <i>Aplocnemus</i>	411
<i>vieta</i> Mulsant, 1850, <i>Henosepilachna</i>	630
<i>vietnamensis</i> Rucker, 1979, <i>Cartodere</i>	636
<i>vietnamica</i> Hoang, 1982, <i>Amida</i>	598
<i>vietnamicus</i> Hoang, 1979, <i>Stethorus</i>	592
<i>vietnamicus</i> Kirejtshuk, 1987, <i>Neopallodes</i>	473

vigens Kazantsev, 2000, <i>Cautires</i>	223
vigintiduopunctata Haworth, 1812, <i>Subcoccinella</i>	631
vigintiduopunctata Haworth, 1812, <i>Subcoccinella</i>	631
vigintiduopunctata Linnaeus, 1758, <i>Psyllobora</i>	599
vigintiguttata Linnaeus, 1758, <i>Sospita</i>	624
vigintiguttatus Fabricius, 1775, <i>Attagenus</i>	309
vigintimaculata Say, 1824, <i>Psyllobora</i>	599
vigintioctomaculata Motschulsky, 1858, <i>Henosepilachna</i>	630
vigintioctopunctata Fabricius, 1775, <i>Henosepilachna</i>	630
vigintioctopunctata Montrouzier, 1855, <i>Henosepilachna</i>	630
vigintipunctata Fabricius, 1775, <i>Psyllobora</i>	599
vigintipunctata Haworth, 1812, <i>Subcoccinella</i>	631
vigintipunctatus Habermelner, 1889, <i>Attagenus</i>	309
vigintiquatuormaculata Fabricius, 1792, <i>Henosepilachna</i>	630
vigintiquatuorpunctata Linnaeus, 1758, <i>Subcoccinella</i>	630
vigintiquinquepuncta Linnaeus, 1758, <i>Subcoccinella</i>	631
vigintiseptempunctata Motschulsky, 1849, <i>Psyllobora</i>	599
vignai Guglielmi & Platia, 1985, <i>Ampedus</i>	128
vignai Platia & Schimmel, 1991, <i>Silesis</i>	113
vignai Platia & Schimmel, 2001, <i>Melanotus</i>	150
vilis Gurjeva, 1989, <i>Melanotus</i>	150
vilis Herbst, 1806, <i>Drapetes</i>	209
vilis Illiger, 1807, <i>Agriotes</i>	117
villae Aubé, 1843, <i>Holoparamecus</i>	558
villardi Bourgeois, 1893, <i>Malthodes</i>	295
villardi Carret, 1904, <i>Athous</i>	158
villiersi Dajoz, 1972, <i>Ancylopus</i>	562
villiersi Dajoz, 1970, <i>Corticaria</i>	642
villiersi Pic, 1950, <i>Clada</i>	353
villiger Mulsant & Guillebeau, 1855, <i>Athous</i>	160
villiger Pic, 1895, <i>Dasytes</i>	403
villiger Reitter, 1884, <i>Ptinus</i>	337
villiger Reitter, 1885, <i>Brachypterolus</i>	456
villiger Solsky, 1881, <i>Solskyana</i>	166
villigera Motschulsky, 1867, <i>Migneauxia</i>	648
villigeroides Reitter, 1905, <i>Athous</i>	159
villis J. Weise, 1923, <i>Scymnus</i>	588
villosa Geoffroy, 1785, <i>Platynaspis</i>	596
villosa Heer, 1841, <i>Micrambe</i>	523
villosa Motschulsky, 1867, <i>Corticaria</i>	643
villosa Thunberg, 1794, <i>Epuraea</i>	459
villosior Buysson, 1911, <i>Cardiophorus</i>	199
villosissimus Escalera, 1923, <i>Thorictus</i>	306
villosula J. R. Sahlberg, 1926, <i>Micrambe</i>	523
villosulum Duftschmid, 1825, <i>Phradonoma</i>	318
villosulus Desbrochers des Loges, 1875, <i>Athous</i>	160
villosulus J. Weise, 1883, <i>Pharoscygnus</i>	571
villosum Brullé, 1838, <i>Nicobium</i>	342
villosum Laporte, 1840, <i>Lasioderma</i>	357
villosum Melsheimer, 1846, <i>Stegobium</i>	343

<i>villosus</i> A. G. Olivier, 1790, <i>Dasytes</i>	403
<i>villosus</i> Brullé, 1832, <i>Melanotus</i>	144
<i>villosus</i> C. N. F. Brisout de Barneville, 1863, <i>Meligethes</i>	487
<i>villosus</i> Contarini, 1847, <i>Scymnus</i>	588
<i>villosus</i> DeGeer, 1774, <i>Lygistopterus</i>	224
<i>villosus</i> Faldermann, 1835, <i>Tetrabrachys</i>	575
<i>villosus</i> Geoffroy, 1785, <i>Melanotus</i>	150
<i>villosus</i> Geoffroy, 1785, <i>Stenagostus</i>	172
<i>villosus</i> Kleine, 1940, <i>Lycostomus</i>	212
<i>villosus</i> Schilsky, 1907, <i>Danacaeina</i>	409
<i>vincens</i> Gredler, 1870, <i>Malthodes</i>	295
<i>vincenti</i> Johnson, 2007, <i>Dienerella</i>	637
<i>vinciguerrae</i> Capra, 1929, <i>Hyperaspis</i>	578
<i>vincta</i> Gorham, 1895, <i>Micraspis</i>	620
<i>vinculatus</i> Wittmer, 1981, <i>Ebaeus</i>	432
<i>vinhphuensis</i> Hoang, 1982, <i>Scymnus</i>	588
<i>vini</i> Panzer, 1797, <i>Micrambe</i>	522
<i>violasi</i> Novoa & Baselga, 2000, <i>Ernobius</i>	351
<i>violacea</i> Abeille de Perrin, 1894, <i>Pseudamauronia</i>	394
<i>violacea</i> Dietrich, 1857, <i>Ancistronycha</i>	238
<i>violacea</i> Linnaeus, 1758, <i>Necrobia</i>	382
<i>violacea</i> Paykull, 1798, <i>Ancistronycha</i>	238
<i>violaceicollis</i> Chobaut, 1895, <i>Danacea</i>	398
<i>violaceipennis</i> Gorham, 1889, <i>Themus</i>	271
<i>violaceipennis</i> Mader, 1941, <i>Endomychus</i>	560
<i>violaceipennis</i> Pic, 1908, <i>Psilothrix</i>	408
<i>violaceipennis</i> Schenkling, 1912, <i>Allochotes</i>	381
<i>violaceus</i> Abeille de Perrin, 1890, <i>Axinotarsus</i>	441
<i>violaceus</i> Candèze, 1889, <i>Selatosomus</i>	182
<i>violaceus</i> Germar, 1824, <i>Aulacochilus</i>	539
<i>violaceus</i> Gerstaecker, 1857, <i>Encymon</i>	563
<i>violaceus</i> Heyden, 1892, <i>Trichodes</i>	377
<i>violaceus</i> Linnaeus, 1758, <i>Korynetes</i>	381
<i>violaceus</i> P. W. J. Müller, 1821, <i>Limoniscus</i>	165
<i>violaceus</i> Reitter, 1873, <i>Meligethes</i>	487
<i>violaceus</i> Scopoli, 1763, <i>Korynetes</i>	382
<i>violatipennis</i> S. Wang & J. Yang, 1993, <i>Themus</i>	270
<i>virens</i> Candèze, 1873, <i>Hemicrepidius</i>	170
<i>virens</i> Marsham, 1802, <i>Dasytes</i>	405
<i>virens</i> Schrank, 1781, <i>Ctenicera</i>	177
<i>virens</i> Suffrian, 1843, <i>Aplocnemus</i>	412
<i>virescens</i> Baudi di Selve, 1873, <i>Dasytidius</i>	391
<i>virescens</i> C. G. Thomson, 1862, <i>Meligethes</i>	487
<i>virescens</i> Champion, 1919, <i>Idgia</i>	385
<i>virescens</i> Gmelin, 1790, <i>Ctenicera</i>	177
<i>virescens</i> Léveillé, 1907, <i>Alindria</i>	364
<i>virescens</i> Westhoff, 1881, <i>Dasytes</i>	405
<i>virescens</i> Wollaston, 1864, <i>Meligethes</i>	488
<i>virgatus</i> Candèze, 1891, <i>Ganoxanthus</i>	136
<i>virgatus</i> Fowler, 1893, <i>Anadastus</i>	532

<i>virgatus</i> Reiche, 1863, <i>Athous</i>	162
<i>virginalis</i> J. Weise, 1892, <i>Propylea</i>	623
<i>virgineus</i> Abeille de Perrin, 1885, <i>Hypebaeus</i>	435
<i>viridanus</i> Kraatz, 1894, <i>Trichodes</i>	379
<i>viridanus</i> Mulsant & Wachanru, 1852, <i>Clanoptilus</i>	445
<i>viridescens</i> Depoli, 1928, <i>Selatosomus</i>	181
<i>viridescens</i> Fabricius, 1787, <i>Meligethes</i>	487
<i>viridescens</i> Gorham, 1895, <i>Idgia</i>	385
<i>viridescens</i> Pic, 1894, <i>Mauroania</i>	393
<i>viridescens</i> Pic, 1894, <i>Danacea</i>	396
<i>viridescens</i> Pic, 1935, <i>Aplocnemus</i>	412
<i>viridescens</i> Pic, 1932, <i>Attalus</i>	424
<i>viridescens</i> Pic, 1936, <i>Cyrtosus</i>	447
<i>viridiaeneus</i> Reitter, 1885, <i>Cybocephalus</i>	489
<i>viridiaureus</i> Abeille de Perrin, 1881, <i>Trichodes</i>	380
<i>viridibasis</i> Reitter, 1890, <i>Clanoptilus</i>	445
<i>viridiceps</i> Pic, 1929, <i>Psiloderes</i>	453
<i>viridicoerulea</i> Geoffroy, 1785, <i>Psilothrix</i>	408
<i>viridifasciatus</i> Chevrolat, 1843, <i>Trichodes</i>	379
<i>viridifrons</i> Schaufuss, 1869, <i>Attalus</i>	424
<i>viridimetallica</i> Wittmer, 1994, <i>Hypebaeina</i>	433
<i>viridimetallicus</i> Pic, 1927, <i>Protapalochrus</i>	419
<i>viridinitens</i> Har. Lindberg, 1951, <i>Brachypterus</i>	457
<i>viridinitidus</i> Pic, 1906, <i>Lycocerus</i>	254
<i>viridipennis</i> Arrow, 1925, <i>Tritoma</i>	546
<i>viridipennis</i> J. Thomson, 1860, <i>Tenerus</i>	384
<i>viridipennis</i> Kiesenwetter, 1874, <i>Themus</i>	273
<i>viridipennis</i> Kiesenwetter, 1874, <i>Themus</i>	271
<i>viridipennis</i> Kishii, 1994, <i>Ampedus</i>	129
<i>viridipennis</i> Motschulsky, 1860, <i>Meligethes</i>	479
<i>viridipennis</i> Pic, 1908, <i>Ebaeus</i>	431
<i>viridis</i> Fabricius, 1787, <i>Cordylepherus</i>	446
<i>viridis</i> Lewis, 1894, <i>Vuilletus</i>	134
<i>viridis</i> P. Rossi, 1792, <i>Psilothrix</i>	408
<i>viridis</i> Rey, 1891, <i>Trichodes</i>	378
<i>viridis</i> Say, 1825, <i>Actenicerus</i>	174
<i>viridissimus</i> Pic, 1906, <i>Themus</i>	273
<i>viridistriatus</i> Bourgeois, 1900, <i>Malachius</i>	448
<i>viridithorax</i> Pic, 1921, <i>Intybia</i>	417
<i>viridiventris</i> Motschulsky, 1853, <i>Malthodes</i>	295
<i>viridula</i> Hampe, 1880, <i>Oenopia</i>	622
<i>viridus</i> Miwa, 1934, <i>Corymbitodes</i>	176
<i>vishnu</i> Crotch, 1874, <i>Calvia</i>	608
<i>vishvai</i> Vats & Kashyap, 1993, <i>Lanelater</i>	102
<i>visnagae</i> Spinola, 1844, <i>Trichodes</i>	378
<i>visnyae</i> Csiki, 1940, <i>Sericoderus</i>	633
<i>vitalei</i> Pic, 1916, <i>Malthinus</i>	280
<i>vitalisi</i> Arrow, 1922, <i>Episcaphula</i>	540
<i>vitalisi</i> Fleutiaux, 1918, <i>Rostricephalus</i>	95
<i>vitalisi</i> Pic, 1917, <i>Lucidina</i>	230

vitellinus Kiesenwetter, 1874, <i>Lycocerus</i>	254
vitellinus Kiesenwetter, 1866, <i>Malthinus</i>	284
vittiosa Heyden, 1897, <i>Hippodamia</i>	617
vitreus Matthews, 1887, <i>Aphanocephalus</i>	557
vitreus Winkler, 1987, <i>Ekisius</i>	372
vittata Gebler, 1844, <i>Hyperaspis</i>	578
vittata Goeze, 1777, <i>Hippodamia</i>	618
vittatithorax Pic, 1902, <i>Cardiophorus</i>	202
vittatocollis Reiche, 1861, <i>Cantharis</i>	245
vittatoides Reitter, 1905, <i>Athous</i>	157
vittatum Matsumura, 1910, <i>Aeoloderma</i>	103
vittatus A. G. Olivier, 1807, <i>Amblyopus</i>	541
vittatus Candèze, 1880, <i>Idolus</i>	141
vittatus Candèze, 1873, <i>Limoniscus</i>	165
vittatus Fabricius, 1792, <i>Athous</i>	157
vittatus Fischer von Waldheim, 1844, <i>Dichelotarsus</i>	237
vittatus Fuente, 1910, <i>Exochomus</i>	594
vittatus Guillebeau, 1897, <i>Arthrolips</i>	632
vittatus Har. Lindberg, 1953, <i>Cardiophorus</i>	202
vittatus Kiesenwetter, 1859, <i>Enicopus</i>	408
vittatus Leoni, 1906, <i>Opilo</i>	373
vittatus Ménériés, 1832, <i>Malachius</i>	450
vittatus Morawitz, 1861, <i>Protapalochrus</i>	418
vittatus Sharp, 1885, <i>Leptoglyphus</i>	551
vitticolle Miwa, 1927, <i>Ludioschema</i>	133
vitticollis Abeille de Perrin, 1881, <i>Hypebaeus</i>	433
vitticollis J. Weise, 1898, <i>Chnootriba</i>	626
vitticollis Kiesenwetter, 1874, <i>Luciola</i>	232
vitticollis Kiesenwetter, 1874, <i>Cyrtosus</i>	447
vitticollis Ménériés, 1832, <i>Rhagonycha</i>	268
vitticollis Schilsky, 1897, <i>Danacea</i>	399
vittifera Mulsant, 1850, <i>Hyperaspis</i>	578
vittiger Heyden, 1887, <i>Ludioschema</i>	133
vittiger Murray, 1864, <i>Carpophilus</i>	467
vittiger Reitter, 1896, <i>Dasytes</i>	403
vittigera Baudi di Selve, 1872, <i>Cantharis</i>	244
vittipennis Boheman, 1859, <i>Scymnus</i>	584
vittula J. Weise, 1903, <i>Coccinula</i>	601
vittula Sakai, 1987, <i>Clada</i>	353
vitulus Grouvelle, 1883, <i>Silvanus</i>	501
viturati Pic, 1910, <i>Selatosomus</i>	181
viturati Pic, 1910, <i>Zoroachros</i>	193
viturati Pic, 1902, <i>Malthodes</i>	295
viturati Pic, 1900, <i>Opilo</i>	373
vivax Arrow, 1925, <i>Dromodacne</i>	538
vixlimbatus Wittmer, 1984, <i>Malthinus</i>	284
vladimiri Menier & Villemant, 1993, <i>Anthrenus</i>	314
vlascana Pic, 1922, <i>Malthodes</i>	291
voeltzkowi J. Weise, 1910, <i>Nephus</i>	581
vogeli Schaufuss, 1862, <i>Myzia</i>	621

volans Gurjeva, 1983, <i>Tolphorea</i>	113
volaticomimus Wittmer, 1974, <i>Stenothemus</i>	269
volaticus Champion, 1925, <i>Stenothemus</i>	269
volcanius Bellés, 1995, <i>Stereocaulophilus</i>	339
volgensis Fischer von Waldheim, 1824, <i>Cardiophorus</i>	196
volgensis Kiesenwetter, 1872, <i>Malthodes</i>	287
volgensis Mannerheim, 1844, <i>Stephostethus</i>	641
volhyniensis Fischer von Waldheim, 1824, <i>Ectinus</i>	120
volkonskyi Peyerimhoff, 1943, <i>Tetrabrachys</i>	575
volxemi Candèze, 1878, <i>Prokraerus</i>	138
vomer Kirejtshuk, 1978, <i>Meligethes</i>	487
vomeri Platia, 1988, <i>Athous</i>	163
vonhayeka Stibick, 1980, <i>Hypnoidus</i>	155
vonoertzeni John, 1971, <i>Thorictus</i>	306
vonschulthessi Wittmer, 1974, <i>Malthinus</i>	284
vorax J. Weise, 1879, <i>Hippodamia</i>	617
vorax Mielzinsky, 1824, <i>Drilus</i>	209
vorax Motschulsky, 1860, <i>Dermestes</i>	300
vorax T. L. Casey, 1900, <i>Anthrenus</i>	314
vorax Waterhouse, 1883, <i>Anthrenus</i>	312
voriseki Švihla, 1992, <i>Cantharis</i>	247
voriseki Švihla, 1977, <i>Rhagonycha</i>	268
vosykai Wittmer, 1964, <i>Malthodes</i>	287
vrianatangus Pic, 1921, <i>Prothemus</i>	261
vseteckai Reška, 1977, <i>Cryptophagus</i>	521
villetti Fleutiaux, 1933, <i>Melanotus</i>	141
villetti Pic, 1914, <i>Prothemus</i>	261
vulcana Lewis, 1895, <i>Cantharis</i>	247
vulgaris Haworth, 1812, <i>Psyllobora</i>	599
vulgaris Haworth, 1812, <i>Adalia</i>	603
vulgaris Haworth, 1812, <i>Adalia</i>	605
vulgaris Haworth, 1812, <i>Coccinella</i>	612
vulgaris Haworth, 1812, <i>Hippodamia</i>	618
vulgaris Haworth, 1812, <i>Subcoccinella</i>	631
vulgaris Herbst, 1784, <i>Sericus</i>	134
vulgaris J. Weise, 1879, <i>Anatis</i>	606
vulgaris Motschulsky, 1860, <i>Cardiophorus</i>	201
vulgaris Nakane, 1963, <i>Dasytes</i>	405
vulgaris Sasaji, 1984, <i>Serratomaria</i>	523
vulnerata Hope, 1831, <i>Calvia</i>	608
vulnerata Kiesenwetter, 1874, <i>Lucidina</i>	230
vulneratus Abeille de Perrin, 1891, <i>Clanoptilus</i>	445
vulpecula Herbst, 1792, <i>Dermestes</i>	302
vulpecula L. Redtenbacher, 1868, <i>Epuraea</i>	464
vulpeculus Reitter, 1890, <i>Hemicrepidius</i>	171
vulpes Solsky, 1876, <i>Meligethes</i>	488
vulpina Apfelbeck, 1911, <i>Danacea</i>	396
vulpina Kirejtshuk, 1998, <i>Epuraea</i>	465
vulpinus Fabricius, 1781, <i>Dermestes</i>	301
vulpinus Herbst, 1792, <i>Dermestes</i>	301

vulpinus L. Redtenbacher, 1843, <i>Dasytes</i>	401
<i>vulpinus</i> Reitter, 1888, <i>Cryptophagus</i>	520
vulsus Reichardt & Toskina, 1973, <i>Hadrobregmus</i>	341
vunun Kishii, 1991, <i>Glyphonyx</i>	110
vunun Kishii, 1991, <i>Melanotus</i>	151
vunun Kishii, 1994, <i>Quasimus</i>	191
<i>wachanrui</i> Mulsant & Rey, 1868, <i>Attagenus</i>	307
<i>wachsmanni</i> Reitter, 1905, <i>Drasterius</i>	105
wachtangi Dolin, 1970, <i>Ampedus</i>	128
<i>wagae</i> Wankowicz, 1865, <i>Rhizophagus</i>	491
wagneri Pečírka, 1926, <i>Dicronychus</i>	205
wagneri Rebmann, 1956, <i>Meligethes</i>	488
wagneri Schenkling, 1926, <i>Opetiopalpus</i>	383
wahrmani Wittmer, 1966, <i>Ebaeus</i>	432
wajdelota Wankowicz, 1869, <i>Physoronia</i>	476
wajjensis Wittmer, 1980, <i>Colotrema</i>	428
walanganus John, 1964, <i>Thorictus</i>	306
<i>walkeri</i> Matthews, 1886, <i>Teplinus</i>	634
wallacei Perroud & Montrousier, 1864, <i>Galbites</i>	86
walteri Evers, 1961, <i>Cordylepherus</i>	446
walteri Satô, 1986, <i>Attalus</i>	424
walteri Švihla, 2004, <i>Lycocerus</i>	254
walteri Švihla, 1999, <i>Metacantharis</i>	255
walteri Švihla, 1993, <i>Rhagonycha</i>	268
walteri Švihla, 1992, <i>Silicantharis</i>	269
walteri Švihla, 2004, <i>Themus</i>	273
walteri Švihla, 2002, <i>Malthinus</i>	284
walteri Švihla, 2002, <i>Malthodes</i>	295
<i>walteri</i> Walter, 1882, <i>Propylea</i>	624
waltersi Platia & Schimmel, 2001, <i>Melanotus</i>	150
walterwittmeri Santiago, 1987, <i>Attalus</i>	424
waltlii Candèze, 1859, <i>Aeoloides</i>	104
wangdiensis Schimmel, 1996, <i>Penia</i>	186
wangi C. Johnson & Bowestead, 2003, <i>Caenoscelis</i>	513
wangi Švihla, 2004, <i>Lycocerus</i>	254
<i>wankae</i> Reitter, 1919, <i>Meligethes</i>	480
<i>wankowiczi</i> Bourgeois, 1879, <i>Xylobanellus</i>	222
<i>wankowiczi</i> Hochhut, 1872, <i>Cyllodes</i>	472
warchalowskii Platia & Tarnawski, 1998, <i>Athous</i>	163
wartmanni Reitter, 1897, <i>Dasytidius</i>	391
wasmanni Arrow, 1929, <i>Rhopalosilpha</i>	302
wasmanni Reitter, 1895, <i>Thorictus</i>	306
watanabei Hisamatsu, 1963, <i>Nematodes</i>	87
watanabei Ishida & Satô, 1993, <i>Lycocerus</i>	254
watanabei Kishii, 1979, <i>Ampedus</i>	128
<i>watanabei</i> Matsumura, 1918, <i>Diaphanes</i>	226
watanabei Miwa, 1929, <i>Campsosternus</i>	94
watanabei Ôhira, 1960, <i>Agaripenthes</i>	135
watanabei Ôhira, 2002, <i>Melanotus</i>	150
watanabei Okushima & Satô, 2002, <i>Prothemus</i>	261

watanabei Sakai, 2002, <i>Ernobius</i>	351
watarii Satô, 1991, <i>Cyphonocerus</i>	226
waterhousei Bourgeois, 1885, <i>Conderis</i>	222
<i>waterhousei</i> E. C. Rye, 1866, <i>Cryptophagus</i>	515
<i>waterhousei</i> Gorham, 1890, <i>Ponyalis</i>	218
<i>waterhousei</i> Grouvelle, 1908, <i>Epuraea</i>	463
<i>waterhousei</i> Grouvelle, 1908, <i>Ecnomaeus</i>	472
<i>waterhousii</i> Crotch, 1876, <i>Languriomorpha</i>	534
watsoni Wollaston, 1871, <i>Adistemia</i>	635
waygalensis Wittmer, 1999, <i>Hypebaeina</i>	433
weberi Fabricius, 1798, <i>Dermestoides</i>	381
weberi Walzl, 1838, <i>Dicronychus</i>	204
wegeneri Pic, 1899, <i>Attagenus</i>	307
wegeneri Pic, 1899, <i>Microjulistus</i>	415
weibaoshanensis Bocák & Bocáková, 1999, <i>Chinotaphes</i>	214
weibaoshanensis Bocáková, 1997, <i>Plateros</i>	221
weichowensis Wittmer, 1997, <i>Rhagonycha</i>	268
weigeli Platia & Schimmel, 2002, <i>Melanotus</i>	150
weigeli Schimmel, 1998, <i>Athous</i>	163
weigeli Švihla, 2004, <i>Malthodes</i>	295
weiperti Platia & Schimmel, 2004, <i>Melanotus</i>	150
weiratheri Roubal, 1934, <i>Anommatus</i>	551
weisei Frivaldszky, 1892, <i>Ceratomegilla</i>	609
<i>weisei</i> G. Rossi, 1882, <i>Anisosticta</i>	600
<i>weisei</i> Gradl, 1881, <i>Coccinella</i>	612
<i>weisei</i> Grouvelle, 1909, <i>Epuraea</i>	463
<i>weisei</i> Iablokoff-Khnzorian, 1971, <i>Hyperaspis</i>	578
<i>weisei</i> Miwa, 1931, <i>Propylea</i>	623
<i>weisei</i> Reitter, 1880, <i>Cryptolestes</i>	504
<i>weisei</i> Reitter, 1875, <i>Sternodea</i>	514
<i>weisei</i> Reitter, 1880, <i>Tetrabrachys</i>	575
<i>weisei</i> Reitter, 1875, <i>Corticaria</i>	645
<i>weisei</i> Rybakow, 1889, <i>Coccinella</i>	612
<i>weisei</i> Sajó, 1880, <i>Adalia</i>	605
<i>weisei</i> Schilsky, 1894, <i>Divales</i>	406
<i>weisei</i> Sicard, 1891, <i>Oenopia</i>	622
wellschmiedi Fürsch, 1987, <i>Hyperaspis</i>	578
wenbishanus G.-Y. Yu, 2000, <i>Clitostethus</i>	579
wenzelorum Schimmel, 2004, <i>Melanoxanthus</i>	137
weneri Platia, 2003, <i>Agriotes</i>	118
weneri Platia & Schimmel, 2001, <i>Melanotus</i>	151
weneri Schimmel, 1999, <i>Girardelater</i>	132
weneri Schimmel, 1999, <i>Xanthopenthes</i>	139
<i>westerhauseri</i> Gistel, 1857, <i>Silvanus</i>	500
<i>westermanni</i> Gerstaecker, 1857, <i>Parindalmus</i>	566
<i>westermanni</i> Mulsant, 1850, <i>Coelophora</i>	614
<i>westhoffi</i> G. Rossi, 1882, <i>Anisosticta</i>	600
<i>westi</i> Bruce, 1943, <i>Cryptophagus</i>	517
<i>westmani</i> J. Weise, 1879, <i>Adalia</i>	603
westwoodi Champion, 1922, <i>Indamauronia</i>	393

westwoodi Wollaston, 1854, <i>Thorictus</i>	304
westwoodii Ritsema, 1907, <i>Helota</i>	496
wewalkai Gottwald, 1977, <i>Xyletinus</i>	361
wewalkai Platia, 1989, <i>Athous</i>	163
wewalkai Platia & Schimmel, 1991, <i>Silesis</i>	113
wewalkai Wittmer, 1980, <i>Malthinus</i>	284
wewalkai Wittmer, 1970, <i>Malthodes</i>	295
whitii Candèze, 1863, <i>Selatosomus</i>	182
<i>whitii</i> Crotch, 1876, <i>Doubledaya</i>	534
<i>whitii</i> Mulsant, 1850, <i>Coccinella</i>	611
<i>wichmanni</i> Fürsch, 1960, <i>Scymnus</i>	585
widenfalki Leiler, 1967, <i>Cardiophorus</i>	201
wiedemanni Gorham, 1896, <i>Anadastus</i>	533
wifaqi Pardo Alcaide, 1971, <i>Axinotarsus</i>	441
wilkinsoni Leschen, 1996, <i>Striatocryptus</i>	524
<i>wimmeli</i> Meier, 1897, <i>Hippodamia</i>	617
<i>wingelmuelleri</i> Ganglbauer, 1899, <i>Ceratomegilla</i>	609
<i>winkleri</i> Pic, 1912, <i>Malthodes</i>	288
<i>winkleri</i> Platia & Gudenzi, 2002, <i>Cardiophorus</i>	201
<i>winkleri</i> Žirovnický, 1976, <i>Trichodes</i>	380
winneguthi Apfelbeck, 1911, <i>Danacea</i>	399
winneguthi Apfelbeck, 1915, <i>Sphaerosoma</i>	556
wittmeri Bielawski, 1979, <i>Phymatosternus</i>	596
wittmeri Bocák, 1997, <i>Atelius</i>	221
wittmeri Chassain, 1983, <i>Lanelater</i>	102
wittmeri Chassain, 1979, <i>Octocryptus</i>	103
wittmeri Chassain, 1983, <i>Calais</i>	107
wittmeri Chassain, 1998, <i>Limoniscus</i>	165
<i>wittmeri</i> Chassain, 1979, <i>Craspedostethus</i>	203
wittmeri Constantin, 1971, <i>Malthodes</i>	295
<i>wittmeri</i> Dahlgren, 1968, <i>Rhagonycha</i>	261
wittmeri Dolin, 1992, <i>Cardiohypnus</i>	187
wittmeri Dolin, 1993, <i>Quasimus</i>	191
wittmeri Español, 1977, <i>Gastrallus</i>	341
wittmeri Español, 1977, <i>Ernobius</i>	351
wittmeri Fürsch, 1979, <i>Nephus</i>	580
wittmeri Hicker, 1959, <i>Clanoptilus</i>	445
wittmeri Jelínek, 1978, <i>Epuraea</i>	465
wittmeri Jelínek, 1982, <i>Thalycra</i>	477
wittmeri Jelínek & Audisio, 1977, <i>Meligethes</i>	488
wittmeri Kaszab, 1955, <i>Hypebaeus</i>	436
wittmeri Kazantsev, 1992, <i>Dihammatus</i>	217
wittmeri Kazantsev, 1999, <i>Lycocerus</i>	254
wittmeri Kazantsev, 1992, <i>Podistra</i>	260
wittmeri Kazantsev, 1998, <i>Crudosilis</i>	274
wittmeri Liberti, 1985, <i>Danacea</i>	395
wittmeri M. Chûjô, 1975, <i>Tritoma</i>	546
wittmeri Majer, 1989, <i>Chaetomalachius</i>	389
wittmeri Majer, 1991, <i>Dasytidius</i>	391
wittmeri Majer, 1988, <i>Kubanius</i>	413

wittmeri Mroczkowski, 1980, <i>Anthrenus</i>	311
wittmeri Nakane, 1963, <i>Yukikoa</i>	274
wittmeri Okushima & Satô, 1999, <i>Stenothemus</i>	269
wittmeri Otto, 1978, <i>Melanophthalma</i>	648
wittmeri Pal & Sengupta, 1979, <i>Psammoecus</i>	498
wittmeri Pardo Alcaide, 1962, <i>Ebaeus</i>	432
wittmeri Platia & Schimmel, 1991, <i>Silesis</i>	113
wittmeri Platia & Schimmel, 2001, <i>Melanotus</i>	150
wittmeri Platia & Schimmel, 1997, <i>Dicronychus</i>	205
wittmeri Schimmel, 1993, <i>Ampedus</i>	128
wittmeri Schimmel, 1999, <i>Procraerus</i>	138
wittmeri Schimmel, 1999, <i>Xanthopenthes</i>	139
wittmeri Schimmel & Platia, 1991, <i>Neoathousius</i>	166
wittmeri Sengupta, 1978, <i>Byturus</i>	547
wittmeri Ślipiński, 1981, <i>Spinocerylon</i>	554
wittmeri Švihla, 1999, <i>Cordicantharis</i>	248
wittmeri Švihla, 2004, <i>Lycocerus</i>	254
wittmeri Švihla, 1992, <i>Metacantharis</i>	256
wittmeri Švihla, 1998, <i>Malthinus</i>	284
wittmeri Tshernyshev, 1994, <i>Troglocollops</i>	419
wittmeri W. Suzuki & Dolin, 1984, <i>Penia</i>	186
wittmerianus Kazantsev, 1991, <i>Plateros</i>	221
wittmerorum Kazantsev, 2007, <i>Lycocerus</i>	254
wittmerorum Švihla, 1980, <i>Ebaeus</i>	432
witzgalli Platia & Gudenzi, 2002, <i>Cardiophorus</i>	201
witzgalli Platia & Schimmel, 1993, <i>Agriotes</i>	118
wohlberedti Pic, 1935, <i>Cebrio</i>	93
wolastoni Pic, 1954, <i>Attalus</i>	423
wollastoni Bruce, 1941, <i>Micrambe</i>	522
wollastoni Cobos, 1970, <i>Cardiophorus</i>	202
wollastoni E. C. Rye, 1873, <i>Aphanocephalus</i>	557
wollastoni Easton, 1950, <i>Meligethes</i>	488
wollastoni Español, 1969, <i>Stagetus</i>	347
wollastoni Franz, 1982, <i>Aulonothroscus</i>	88
wollastoni G. R. Waterhouse, 1859, <i>Melanophthalma</i>	648
wollastoni Gottwald, 1977, <i>Xyletinus</i>	359
wollastoni Har. Lindberg, 1951, <i>Cybocephalus</i>	490
wollastoni John, 1963, <i>Thorictus</i>	306
wollastoni Kapur, 1948, <i>Stethorus</i>	592
wollastoni Mroczkowski, 1964, <i>Attagenus</i>	310
wollastoni Sharp, 1867, <i>Atomaria</i>	529
wollastoni Uyttenboogaart, 1935, <i>Casapus</i>	329
wolongensis Kazantsev, 2002, <i>Conderis</i>	222
woodroffeii Halstead & Green, 1979, <i>Attagenus</i>	310
woodroffeii Johnson, 2007, <i>Micrambe</i>	522
woonhahi Lee & Woo, 1999, <i>Melanotus</i>	150
wraniki Fürsch, 1989, <i>Parexochomus</i>	595
wrasei Dolin, 1999, <i>Zorochochros</i>	194
wrasei Kazantsev, 2002, <i>Macrolycus</i>	213
wrasei Platia & Schimmel, 2002, <i>Melanotus</i>	150

wrasei Pütz & Kusnetzov, 1995, <i>Nephus</i>	580
wudangana Kishii & Jiang, 1996, <i>Penia</i>	186
wudanganus Kishii & Jiang, 1996, <i>Athousius</i>	163
wuermlii Español, 1977, <i>Xyletinus</i>	361
wuermlii Wittmer, 1977, <i>Asiosilis</i>	274
wui Platia & Schimmel, 2001, <i>Melanotus</i>	150
wulaianus Wittmer, 1983, <i>Lycocerus</i>	254
wulingicus Xiao, 1993, <i>Stethorus</i>	592
wuorentausi Sjöberg, 1939, <i>Epuraea</i>	460
wushanus G.-Y. Yu, 1997, <i>Nephus</i>	580
wuzhishanus X.-F. Pang & Mao, 1979, <i>Cryptogonus</i>	576
xambeui Pic, 1910, <i>Athous</i>	163
xanthocephala Quensel, 1790, <i>Hyperaspis</i>	578
xanthoceros Champenois, 1900, <i>Trichodes</i>	378
xanthoceros Gebler, 1830, <i>Dasytes</i>	403
xanthocerus Stephens, 1830, <i>Meligethes</i>	485
xanthochroina Fairmaire, 1884, <i>Rhagonycha</i>	268
xanthocnemus Kolenati, 1846, <i>Dasytes</i>	403
xanthoderus Fairmaire, 1866, <i>Cebrio</i>	93
xanthoderus Fairmaire, 1864, <i>Parexochomus</i>	595
xanthoderus Solsky, 1881, <i>Crudosilis</i>	274
xanthodon Märkel, 1847, <i>Sericus</i>	134
xanthogaster Champion, 1926, <i>Lycocerus</i>	254
xanthogenus E. Olivier, 1911, <i>Rhagophthalmus</i>	225
xanthognathus Chevrolat, 1874, <i>Cebrio</i>	93
xantholoma Gebler, 1833, <i>Cantharis</i>	247
xantholoma Kiesenwetter, 1852, <i>Cantharis</i>	247
xantholoma Kiesenwetter, 1874, <i>Cordylepherus</i>	446
xanthomerus Germar, 1844, <i>Cebrio</i>	90
xanthopa Kiesenwetter, 1859, <i>Rhagonycha</i>	268
xanthoporpa Kiesenwetter, 1860, <i>Cantharis</i>	247
xanthoptera Mulsant, 1850, <i>Hippodamia</i>	618
xanthopus Fairmaire, 1866, <i>Cebrio</i>	93
xanthopus Kiesenwetter, 1871, <i>Aplocnemus</i>	411
xanthopus Kiesenwetter, 1879, <i>Attalus</i>	424
xanthopus Solsky, 1876, <i>Meligethes</i>	488
xanthopustulata Gorham, 1890, <i>Episcapha</i>	540
xanthostethus X.-F. Pang & Pu, 1990, <i>Scymnus</i>	586
xanthostethus X.-F. Pang & Pu, 1990, <i>Scymnus</i>	589
xauensis Escalera, 1933, <i>Attalus</i>	424
xauensis Escalera, 1937, <i>Troglops</i>	454
xeniella Reitter, 1888, <i>Atomaria</i>	525
xianfengensis Xiao, 1993, <i>Rodolia</i>	597
xichangiensis X.-F. Pang & Mao, 1979, <i>Vibidia</i>	599
xilingensis Kazantsev, 2000, <i>Libnetis</i>	217
xiushanensis Xiao, 1993, <i>Cryptogonus</i>	576
x-littera Chevrolat, 1874, <i>Trichodes</i>	377
x-notatus Grouvelle, 1912, <i>Psammoecus</i>	498
x-notatus Pic, 1914, <i>Malthodes</i>	295
x-notatus Pic, 1942, <i>Ptinomorphus</i>	354

<i>x-rubrum</i> J. R. Sahlberg, 1911, <i>Epuraea</i>	463
<i>x-rubrum</i> Reitter, 1884, <i>Parametopia</i>	475
<i>x-signum</i> Reitter, 1881, <i>Anthrenus</i>	313
<i>xunyanbanensis</i> Bocáková, 2003, <i>Dihammatus</i>	217
<i>xunyanbanensis</i> Bocáková, 2003, <i>Libnetis</i>	217
<i>xunyanbanensis</i> Bocáková, 2004, <i>Libnetisia</i>	218
<i>xyletinus</i> Reitter, 1889, <i>Stagetus</i>	347
<i>xylopertha</i> Boieldieu, 1856, <i>Dignomus</i>	331
<i>xyloperthoides</i> Jacquelin du Val, 1859, <i>Micrapate</i>	322
<i>yachiensis</i> Takeuchi, 1940, <i>Tritoma</i>	546
<i>yaeyamana</i> Sakai, 1993, <i>Rhamna</i>	355
<i>yaeyamana</i> W. Suzuki, 1976, <i>Pectocera</i>	95
<i>yaeyamanus</i> Okushima, 1996, <i>Lycocerus</i>	254
<i>yaeyamensis</i> Kishii, 1972, <i>Neodrasterius</i>	107
<i>yaeyamensis</i> Sasaji, 1990, <i>Bystodes</i>	559
<i>yagianus</i> Kishii, 1990, <i>Melanotus</i>	150
<i>yagianus</i> Kishii, 1993, <i>Priopus</i>	152
<i>yagii</i> Kishii, 1990, <i>Ampedus</i>	128
<i>yagii</i> Kishii, 1992, <i>Vuilletus</i>	134
<i>yagii</i> Kishii, 1994, <i>Procraerus</i>	138
<i>yagii</i> Kishii, 1982, <i>Paraphotistus</i>	179
<i>yagii</i> Kishii, 1992, <i>Cardiotarsus</i>	203
<i>yagishiriensis</i> Ôhira, 1986, <i>Ampedus</i>	128
<i>yahikoanus</i> Kishii, 1986, <i>Homotechnes</i>	154
<i>yaku</i> Kishii, 1996, <i>Agrypnus</i>	98
<i>yaku</i> Kishii, 1976, <i>Glyphonyx</i>	109
<i>yaku</i> Kishii, 1976, <i>Silesis</i>	113
<i>yaku</i> Kishii, 1969, <i>Ampedus</i>	128
<i>yaku</i> Kishii, 1976, <i>Haterumelater</i>	130
<i>yaku</i> Nakane, 1969, <i>Plateros</i>	221
<i>yaku</i> Nakane & Kishii, 1958, <i>Actenicerus</i>	173
<i>yakuana</i> Kishii, 1993, <i>Pectocera</i>	95
<i>yakuanus</i> Kishii, 2001, <i>Hemicrepidius</i>	171
<i>yakuanus</i> Kishii, 1982, <i>Neopristilophus</i>	178
<i>yakuensis</i> Kishii, 1975, <i>Dalopius</i>	119
<i>yakuensis</i> Kishii, 1979, <i>Ampedus</i>	128
<i>yakuensis</i> Kishii, 1976, <i>Ampedus</i>	128
<i>yakuensis</i> Kishii, 1983, <i>Mulsanteus</i>	133
<i>yakuensis</i> Kishii, 1969, <i>Hemicrepidius</i>	170
<i>yakuensis</i> Kishii, 1959, <i>Quasimus</i>	191
<i>yakuensis</i> Kishii, 1976, <i>Zoroachros</i>	192
<i>yakuensis</i> Nakane & Kishii, 1958, <i>Scutellathous</i>	172
<i>yakuensis</i> Ôhira, 1970, <i>Ectamenogonus</i>	136
<i>yakuensis</i> Ôhira, 1970, <i>Paracardiophorus</i>	206
<i>yakuinsulanus</i> Kishii, 1983, <i>Ampedus</i>	128
<i>yakuinsulanus</i> Kishii, 1986, <i>Melanotus</i>	148
<i>yakushenkoi</i> Audisio & Kirejtshuk, 1989, <i>Urophorus</i>	468
<i>yakushenkoi</i> Kirejtshuk, 1992, <i>Meligethes</i>	481
<i>yakushimaensis</i> Ohbayashi, 1954, <i>Eropterus</i>	215
<i>yakushimana</i> Nakane, 1959, <i>Triplax</i>	545

yakushmanensis Nakane, 1969, <i>Cautires</i>	222
<i>yakushmanus</i> Yajima & Nakane, 1969, <i>Lycocerus</i>	254
yakushimensis Araki, 1941, <i>Episcapha</i>	539
yakushimensis Kishii, 1983, <i>Ampedus</i>	124
yaling G.-Y. Yu, 1999, <i>Scymnus</i>	589
yama Nakane & Makino, 1990, <i>Asiopodabrus</i>	236
yamadai M. Chûjô & Shibata, 1963, <i>Microsternus</i>	538
<i>yamadai</i> Ôhira, 1976, <i>Agriotes</i>	118
yamamotoi Kishii, 1976, <i>Oedostethus</i>	190
yamamotoi Miwa & M. Chûjô, 1937, <i>Languriomorpha</i>	534
<i>yamamotoi</i> Nakane & Kishii, 1955, <i>Mulsanteus</i>	133
yamamotoi Ôhira, 1996, <i>Podeonius</i>	140
yamamotoi Ôhira, 1995, <i>Elathous</i>	164
yamanei Nakane, 1984, <i>Nepachys</i>	426
yamashiro Kishii, 1998, <i>Actenicerus</i>	173
yamashitai Arimoto, 1992, <i>Scutellathous</i>	172
yamashitai Nakane, 1989, <i>Priobium</i>	341
<i>yamashitai</i> Ôhira, 1968, <i>Actenicerus</i>	173
yamato Kamiya, 1961, <i>Scymnus</i>	584
yamato Kishii, 1988, <i>Ampedus</i>	128
yamato Kishii, 1998, <i>Limoniscus</i>	165
yamato Nakane, 1957, <i>Cryptalaus</i>	107
yamatonus Takahashi & Kiriyama, 2000, <i>Asiopodabrus</i>	236
yamawakii Nakane, 1985, <i>Ebaeus</i>	432
<i>yamawakii</i> Ôhira, 1987, <i>Medakathous</i>	171
yamayai Kishii, 1986, <i>Glyphonyx</i>	110
yamayai Kishii, 1987, <i>Ampedus</i>	125
yamayai Kishii, 1985, <i>Melanotus</i>	150
yamayai Kishii, 1985, <i>Quasimus</i>	191
yamazakii Ôhira, 1987, <i>Vuilletus</i>	134
yamazakii Ôhira, 1968, <i>Cardiotarsus</i>	203
yamazii M. Chûjô, 1941, <i>Tritoma</i>	546
yambarus Kishii, 1986, <i>Glyphonyx</i>	110
yambarus Kishii, 1985, <i>Melanotus</i>	150
yamianus Ôhira, 1970, <i>Simodactylus</i>	138
yamizo Kishii, 1989, <i>Homotechnes</i>	153
yanagiharae Miwa, 1927, <i>Phorocardius</i>	206
<i>yangi</i> G.-Y. Yu & X.-F. Pang, 1993, <i>Scymnus</i>	589
<i>yangi</i> Platia & Schimmel, 2001, <i>Melanotus</i>	150
yangmingensis Wittmer, 1984, <i>Malthinus</i>	284
yanoi Hisamatsu, 1955, <i>Hylis</i>	84
<i>yanoi</i> Nakane, 1989, <i>Asiopodabrus</i>	235
yasuakii W. Suzuki, 2002, <i>Campsosternus</i>	94
yasudai Ôhira, 1995, <i>Menoko</i>	188
yasudai Ôhira, 1986, <i>Paracardiophorus</i>	206
yasuii Kishii, 1970, <i>Quasimus</i>	191
yasumatsui Hisamatsu, 1960, <i>Rhacopus</i>	83
<i>yasumatsui</i> Miwa, 1933, <i>Agriotes</i>	114
<i>yasumatsui</i> Nakane, 1948, <i>Pseudotritoma</i>	542
<i>yasumatsui</i> Sasaji, 1967, <i>Serangium</i>	569

yasumii Ôhira, 1993, <i>Denticollis</i>	168
yasutomii Katakura, 1981, <i>Henosepilachna</i>	630
yato Takahashi, 1992, <i>Lycocerus</i>	254
yatoi Nakane, 1956, <i>Triplax</i>	545
yatsuensis Kishii, 1966, <i>Orithales</i>	179
yatsuensis Nakane, 1956, <i>Triplax</i>	544
yayeyamacola Kishii, 1974, <i>Melanotus</i>	150
yayeyamana Matsumura, 1918, <i>Luciola</i>	232
yayeyamanus M. Chûjô & Satô, 1970, <i>Plateros</i>	221
yayeyamanus Miwa, 1934, <i>Lacon</i>	102
yayeyamanus Satô, 1986, <i>Micropodabrus</i>	258
yayeyamensis Satô, 1976, <i>Cyphonocerus</i>	226
yedoensis Takizawa, 1917, <i>Harmonia</i>	616
yeiei Nakane, 1966, <i>Tritoma</i>	546
yemenensis Easton, 1954, <i>Meligethes</i>	488
yemenensis Fürsch, 1989, <i>Cheilomenes</i>	610
yemenensis Kapur, 1948, <i>Tetrabrachys</i>	575
yemenensis Kapur, 1959, <i>Scymnus</i>	589
yemenensis Lesne, 1935, <i>Bostrychoplites</i>	321
yemenita Platia & Schimmel, 1997, <i>Adelocera</i>	96
yemenitus Wittmer, 1982, <i>Attalus</i>	424
yemenitus Wittmer, 1988, <i>Cephaloncus</i>	452
yengi Kazantsev, 2000, <i>Cautires</i>	222
yeti Háva, 2003, <i>Thaumaglossa</i>	318
yeti Ślipiński, 1982, <i>Paracerylon</i>	554
yezo Kishii, 1968, <i>Ampedus</i>	128
yezo Kishii, 1976, <i>Fleutiauxellus</i>	188
yezoana Kôno, 1939, <i>Helota</i>	496
yezoense Miyatake, 1963, <i>Serangium</i>	569
yezoensis Hisamatsu, 1985, <i>Stilbus</i>	512
yezoensis Miwa, 1934, <i>Orithales</i>	179
yezoensis Miyatake, 1966, <i>Stethorus</i>	592
yezoensis Ôhira, 1992, <i>Melanotus</i>	144
yezoensis Ôhira, 1973, <i>Fleutiauxellus</i>	187
yezoensis Ohta, 1930, <i>Pseudeurostus</i>	333
yingjiangensis C. Cao & Xiao, 1984, <i>Stethorus</i>	592
yokonensis Takahashi, 2002, <i>Asiopodabrus</i>	236
yokozekii Kishii, 2001, <i>Homotechnes</i>	153
yona Kishii, 1996, <i>Glyphonyx</i>	110
yonaensis Satô & Okushima, 1992, <i>Lycocerus</i>	254
yonaguni Kishii, 1974, <i>Glyphonyx</i>	110
yonaguni Kishii, 1982, <i>Priopus</i>	152
yonaguni Satô, 1986, <i>Attalus</i>	424
yonaha Kishii, 1996, <i>Pectocera</i>	95
yongshanensis C. Cao & Xiao, 1984, <i>Epilachna</i>	629
yoronensis Nakane, 1985, <i>Hypebaeus</i>	436
yoshidai Kishii, 1998, <i>Kinokunia</i>	110
yoshidai Kiuchi, 1972, <i>Panamomus</i>	562
yoshidai Nakane, 1987, <i>Hylis</i>	84
yoshidai Nakane, 1989, <i>Asiopodabrus</i>	236

<i>yoshidai</i> Ôhira, 1974, <i>Ampedus</i>	124
<i>yoshidai</i> Ôhira, 1995, <i>Gamepenthos</i>	136
<i>yoshikawai</i> Nakane, 1981, <i>Stenocladius</i>	233
<i>yoshimasai</i> Kawashima, 1999, <i>Stenocladius</i>	233
<i>yoshimotoi</i> Ôhira, 1971, <i>Glyphonyx</i>	110
<i>yoshionis</i> M. Chûjô, 1938, <i>Stenotarsus</i>	568
<i>yoshizawai</i> Ôhira, 1996, <i>Homotechnes</i>	154
<i>yosiii</i> Nakane, 1966, <i>Negastrius</i>	189
<i>yotsuboshi</i> Kishii, 1976, <i>Fleutiauxellus</i>	188
<i>yotsumon</i> Kamiya, 1961, <i>Nephus</i>	581
<i>yosukei</i> Arimoto, 2004, <i>Ampedus</i>	128
<i>ysernii</i> Graells, 1858, <i>Cebrio</i>	93
<i>yuasai</i> Nakane, 1969, <i>Cautires</i>	223
<i>yuasai</i> Nakane, 1954, <i>Calvia</i>	608
<i>yuasai</i> Nakane, 1963, <i>Clypastraea</i>	633
<i>yukara</i> Kishii, 1997, <i>Ampedus</i>	128
<i>yukihiko</i> i Sasaji, 1995, <i>Ectomychus</i>	568
<i>yukihiko</i> i Takahashi, 1996, <i>Malthodes</i>	295
<i>yukihoe</i> Satô, 1976, <i>Microichthyurus</i>	297
<i>yukikoa</i> Ôhira, 1976, <i>Athousius</i>	163
<i>yukikoe</i> Hisamatsu, 1976, <i>Brachypterus</i>	457
<i>yukikoe</i> Satô, 1976, <i>Microichthyurus</i>	297
<i>yukoanus</i> Kishii, 1962, <i>Ampedus</i>	128
<i>yulongshanus</i> Schimmel, 1993, <i>Ampedus</i>	129
<i>yunanus</i> Fleutiaux, 1940, <i>Zoroachros</i>	194
<i>yungshanpingensis</i> G.-Y. Yu, 1997, <i>Scymnus</i>	589
<i>yunishigawanus</i> Takahashi, 2002, <i>Asiopodabrus</i>	236
<i>yunlongensis</i> C. Cao & Xiao, 1984, <i>Chilocorus</i>	594
<i>yunlongensis</i> Jing, 1992, <i>Oenopia</i>	622
<i>yunlongensis</i> Jing, 1992, <i>Oenopia</i>	622
<i>yunnana</i> Fairmaire, 1897, <i>Lamprigera</i>	229
<i>yunnana</i> Fairmaire, 1887, <i>Tetraphala</i>	535
<i>yunnana</i> Fleutiaux, 1916, <i>Dima</i>	184
<i>yunnana</i> Schimmel, 1993, <i>Parapenia</i>	185
<i>yunnana</i> Schimmel, 1993, <i>Penia</i>	186
<i>yunnana</i> Wittmer, 1997, <i>Rhagonycha</i>	268
<i>yunnana</i> Wittmer, 1997, <i>Podosilis</i>	275
<i>yunnanensis</i> Bocáková, 2000, <i>Libnetis</i>	217
<i>yunnanensis</i> Bocáková, 2004, <i>Libnetisia</i>	218
<i>yunnanensis</i> Bocáková, 1997, <i>Plateros</i>	221
<i>yunnanensis</i> C. Cao & Xiao, 1984, <i>Cryptogonus</i>	576
<i>yunnanensis</i> Grouvelle, 1910, <i>Pocadius</i>	476
<i>yunnanensis</i> Grouvelle, 1916, <i>Pharaxonotha</i>	536
<i>yunnanensis</i> Jing, 1985, <i>Micraspis</i>	620
<i>yunnanensis</i> Kryzhanovskij, 1960, <i>Cacodaemon</i>	562
<i>yunnanensis</i> Léveillé, 1907, <i>Xenoglena</i>	364
<i>yunnanensis</i> Platia & Schimmel, 1996, <i>Silesis</i>	113
<i>yunnanensis</i> Platia & Schimmel, 2001, <i>Melanotus</i>	150
<i>yunnanensis</i> X.-F. Pang & Mao, 1975, <i>Stethorus</i>	592
<i>yunnanensis</i> X.-F. Pang & Mao, 1979, <i>Ortalia</i>	598

yunnanensis Zia, 1959, <i>Anadastus</i>	533
yunnaneunsis Liu & Zhang, 1986, <i>Trogoderma</i>	320
<i>yunnaneunsis</i> Zhang, 1999, <i>Trogoderma</i>	320
yunnani Tomaszewska, 1997, <i>Endomychus</i>	561
yunnanica C. Cao & H. Wang, 1992, <i>Afissula</i>	626
yunnanus Corporaal & van der Wiel, 1949, <i>Cladiscus</i>	367
yunnanus Fairmaire, 1886, <i>Lycocerus</i>	254
yunnanus Fleutiaux, 1940, <i>Lacon</i>	102
yunnanus Fleutiaux, 1940, <i>Zorochochros</i>	194
yunnanus Háva, 2004, <i>Orphinus</i>	317
yunnanus Kazantsev, 2001, <i>Macrolycus</i>	213
yunnanus Lesne, 1913, <i>Dolichobostrychus</i>	322
yunnanus Mader, 1937, <i>Cyrtomorphus</i>	541
yunnanus Mader, 1955, <i>Sumnius</i>	575
yunnanus Pic, 1911, <i>Stagetus</i>	347
yunnanus Pic, 1926, <i>Malachius</i>	450
yunnanus Schimmel, 1993, <i>Ampedus</i>	129
yunnanus Schimmel, 2004, <i>Megapenthes</i>	137
yunnanus Švihla, 2004, <i>Stenothemus</i>	269
yunnanus Wittmer, 1988, <i>Micropodabrus</i>	258
yunnanus Wittmer, 1993, <i>Mimopodabrus</i>	258
yunnanus Wittmer, 1987, <i>Prothemus</i>	261
yunnanus Wittmer, 1983, <i>Themus</i>	273
yunnanus Wittmer, 1995, <i>Malthinus</i>	284
yunnanus Wittmer, 1993, <i>Malthodes</i>	295
yunnanus Wittmer, 1995, <i>Epiebaeus</i>	432
yunnensis Schenkling, 1908, <i>Allochotes</i>	381
yuppe Kishii, 1964, <i>Agrypnus</i>	100
yushihanus Kishii, 1989, <i>Agriotes</i>	118
yushinensis Takahashi, 1992, <i>Asiopodabrus</i>	236
yushiroy W. Suzuki, 1999, <i>Ectinus</i>	120
yushiroy W. Suzuki, 1985, <i>Ampedus</i>	129
yushiroy W. Suzuki, 1999, <i>Ludioschema</i>	133
yushiroy W. Suzuki, 1999, <i>Melanoxanthus</i>	137
yushiroy W. Suzuki, 1985, <i>Mucromorphus</i>	172
yusi Pardo Alcaide, 1975, <i>Troglops</i>	454
yuwancola Ôhira, 1971, <i>Glyphonyx</i>	110
yuwanensis Yajima & Nakane, 1969, <i>Allochotes</i>	381
zacynthius Wittmer, 1980, <i>Malthodes</i>	295
zaerensis Coiffait, 1984, <i>Abromus</i>	549
zaerensis Kocher, 1952, <i>Cebrio</i>	91
zagrosensis Háva, 2004, <i>Anthrenus</i>	311
zagrosensis Wittmer, 1978, <i>Malthodes</i>	287
zaharae Chevrolat, 1861, <i>Trichodes</i>	380
zahravniki Háva, 2003, <i>Anthrenus</i>	314
zahravniki J. R. Winkler, 1953, <i>Cautires</i>	223
zahravniki Nigrin, 1986, <i>Danacea</i>	399
zahravniki Švihla, 2002, <i>Malthinus</i>	284
zahravniki Švihla, 1998, <i>Malthodes</i>	295
zaisanensis Dobrzhanskiy, 1928, <i>Scymniscus</i>	583

zaitzevi Mamaev, 1976, <i>Eucnemis</i>	85
zanettii Guglielmi & Platia, 1985, <i>Athous</i>	163
zangherii Hicker, 1958, <i>Malthodes</i>	295
zanzibaricus Belon, 1887, <i>Euchionellus</i>	638
zanzii Lacordaire, 1857, <i>Anelastidius</i>	86
zapluta J. Weise, 1879, <i>Coccinella</i>	612
zapparolii Audisio, 1989, <i>Meligethes</i>	488
zappiorum Platia, 1985, <i>Athous</i>	163
zarcoi Pardo Alcaide, 1958, <i>Attalus</i>	423
zariquieyi Doderò, 1916, <i>Abromus</i>	549
zariquieyi Pardo Alcaide, 1956, <i>Psiloderes</i>	453
zarudnyi Barovskij, 1928, <i>Metacantharis</i>	256
zarudnyi Barovskij, 1909, <i>Tetrabrachys</i>	575
zarudnyi Kirejtshuk, 1984, <i>Meligethes</i>	488
zavadskii Toskina, 2004, <i>Cacotemnus</i>	339
zavattarii Pic, 1952, <i>Ptinus</i>	334
zdeneki Švihla, 2004, <i>Lycocerus</i>	254
zeaphilus Dobson, 1969, <i>Carpophilus</i>	467
zebei Bach, 1852, <i>Athous</i>	160
zebra Faldermann, 1835, <i>Trichodes</i>	380
zebra Reitter, 1889, <i>Anthrenus</i>	311
zebratus Westwood, 1852, <i>Omadius</i>	372
zeisingi Platia, 2004, <i>Cardiophorus</i>	201
zeisingi Schimmel, 2002, <i>Penia</i>	186
zencheri Brullé, 1832, <i>Nyctophila</i>	228
zenii Rosenhauer, 1856, <i>Anostirus</i>	175
zenkeri Germar, 1817, <i>Lampyris</i>	227
zenkeri Schaum, 1862, <i>Lampyris</i>	227
zenobia Jelínek, 1997, <i>Pria</i>	488
zephirinae Mulsant, 1866, <i>Harmonia</i>	615
zeravshanicus Sokolov, 1979, <i>Anthrenus</i>	314
zerchei Platia & Schimmel, 2001, <i>Melanotus</i>	150
zethneri Platia & Schimmel, 2001, <i>Melanotus</i>	150
zetterstedti J. Weise, 1879, <i>Hippodamia</i>	617
zetterstedti Zetterstedt, 1838, <i>Atomaria</i>	528
zhantievi Dolin, 1969, <i>Melanotus</i>	150
zhelochovtsevi Fursov & Rikhter, 1958, <i>Trichodes</i>	380
zherichini Dolin, 1985, <i>Oedostethus</i>	190
zhilongensis Platia & Schimmel, 2001, <i>Melanotus</i>	150
zhongdianensis Jing, 1992, <i>Vibidia</i>	599
zianii Platia & Gudenzi, 2002, <i>Cardiophorus</i>	201
zickeli Marseul, 1867, <i>Bostrychoplites</i>	322
ziczac Schaufuss, 1869, <i>Danacea</i>	399
ziegleri Fürsch, 2001, <i>Nephus</i>	581
ziegleri Zeising & Sieg, 1983, <i>Ampedus</i>	129
ziganadagensis Wittmer, 1971, <i>Cantharis</i>	247
ziguiensis G.-Y. Yu, 1997, <i>Nephus</i>	580
zigzag A. Costa, 1883, <i>Nephus</i>	580
zillae Peyerimhoff, 1929, <i>Attalus</i>	424
zimmermanni LeConte, 1854, <i>Placonotus</i>	506

zingara Liberti & Baviera, 2004, <i>Danacea</i>	399
zinovjevi Gurjeva, 1967, <i>Agriotes</i>	118
zoelleri Flach, 1895, <i>Cerapheles</i>	441
zotarewi Pic, 1910, <i>Danacea</i>	398
zotikhini Kazantsev, 1994, <i>Cantharis</i>	247
zoltani Wittmer, 1969, <i>Ebaeus</i>	432
zonaria Lewis, 1887, <i>Dacne</i>	538
zonata Heyden, 1883, <i>Subcoccinella</i>	631
zonata J. Weise, 1885, <i>Calvia</i>	608
zonatus G.-Y. Yu, 2000, <i>Oenopia</i>	622
zonatus Lyubarsky, 1995, <i>Cryptophagus</i>	521
zoufali Reitter, 1915, <i>Anommatus</i>	551
zozu Sakai, 1995, <i>Stagetodes</i>	346
zuercheri Reitter, 1909, <i>Stenagostus</i>	172
zurcheri Bourgeois, 1908, <i>Cydistus</i>	225
zurcheri Pic, 1911, <i>Malthodes</i>	295
zurstrasseni Kirejtshuk, 1987, <i>Epuraea</i>	460
zwicki Wittmer, 1972, <i>Rhagonycha</i>	268