

Type specimens of some Palaearctic Pentatomomorpha described by E. Wagner (Heteroptera: Rhopalidae, Cydnidae, Scutelleridae and Pentatomidae)

B. Aukema & I.M. Kerzhner

Aukema, B. & Kerzhner, I.M. 2005. Type specimens of some Palaearctic Pentatomomorpha described by E. Wagner (Heteroptera: Rhopalidae, Cydnidae, Scutelleridae and Pentatomidae). *Zoosystematica Rossica*, 14(1): 69-72.

Type specimens of some Palaearctic Rhopalidae, Cydnidae, Scutelleridae and Pentatomidae described by E. Wagner and kept in the museums in Hamburg (57 taxa) and Vienna (2) are listed. Lectotypes are designated for 10 nominal species-group taxa.

B. Aukema, Zoölogisch Museum, Afdeling Entomologie, Plantage Middenlaan 64, 1018 DH Amsterdam, The Netherlands. E-mail: b.aukema@freelernl

I.M. Kerzhner, Zoological Institute, Russian Academy of Sciences, Universitetskaya nab. 1, St.Petersburg 199034, Russia. E-mail: kim@ik3599.spb.edu.

Introduction

In the forthcoming fifth volume of the Catalogue of the Heteroptera of the Palaearctic Region, information about type material of Coreoidea and Pentatomoidea is included in detail. Dr E. Wagner described a large number of species, subspecies and varieties, but in his descriptions in many cases he did not designate a holotype or only indicated the depository of the holotype/holotypus (type/typus) without a clue to sex and/or type locality. As a rule, however, Wagner correctly labelled the type specimens of the species he described. Holotypes of taxa described by Wagner and kept at the Zoologisches Museum in Hamburg (ZMUH) are listed, as are two holotypes kept at the Naturhistorisches Museum in Wien (NHMW). Lectotypes are designated for 10 nominal species-group taxa.

Abbreviations used: HT: holotype; LT: lectotype; STS: syntypes. Abbreviations for countries are those used in the Catalogue of Palaearctic Heteroptera.

Collection of the Zoological Museum in Hamburg (ZMUH)

Holotypes

absinthii Wagner, 1952b: 309 (*Carpocoris (Antheminia)*). HT: male, FR, Camargue, Sts. Maries, 11-13.ix.1951, leg. H.H. Weber [HT data not given in the original description].

angustus Wagner, 1949: 192 (*Maccevethus*). HT: male, SP, Murcia, Totana, leg. Balaguer [HT sex not given in the original description].

bimaculata Wagner, 1951c: 25, 40 (*Eurygaster schreiberi* var.). HT: female, HU, "Monci", 9.vi.1936.

brevicornis Wagner, 1964a: 79 (*Byrsinus*). HT: female, EG, Gebel Asfar, NÖ von Kairo, 11.iv.1933, leg. H. Priesner [HT sex not indicated in the original description].

brunnipennis Wagner, 1953b: 466 (*Geotomus*). HT: male, CR, Dalmatia, leg. J. Sahlberg [HT data not given in the original description].

calligera Wagner, 1951c: 21, 40 (*Eurygaster austriaca* var.). HT: female, AU, Wien, 17.vii.1930, leg. Feige.

decolor Wagner, 1962a: 15 (*Rhopalus maculatus* ssp.). HT: male, AT, Elázid, Sivrice, 23.vii.1961, leg. G. Kar-el [HT sex not given in the original description].

conspersa Wagner, 1951c: 18, 39 (*Eurygaster integriceps* var.). HT: female, IS, Palästina, Dagania am Genezareth See, 1938, leg. J. Palmoni.

dubia Wagner, 1957b: 125 (*Odontoscelis*). HT: male, CI, Gomera, Valle Hermigua, 18.iii.1950, leg. H. Lindberg [HT data not given in the original description].

franzi Wagner, 1961: 298 (*Tsadocydnus*). HT: male, Chad, Tchimba nr Deressia, Lai district, 7.iv.1957, leg. H. Franz [HT sex not given in the original description].

granulata Wagner, 1951c: 17, 40 (*Eurygaster integriceps* var.). HT: female, IS, Palästina, Dagania am Genezareth See, 1938, leg. J. Palmoni.

hispanica Wagner, 1949: 194 (*Tarisa*). HT: male, SP, Murcia, Totana, leg. Balaguer [HT sex not given in the original description].

hoberlandti Wagner, 1954: 241 (*Sciocoris*). HT: male, LE, leg. U. Sahlberg [HT data not given in the original description].

intrusus Wagner, 1953b: 467 (*Geotomus*). HT: male, EG, Pyramids, 15.x.1933, leg. H. Priesner [HT not given in the original description].

- kerzhneri* Wagner, 1965a: 113 (*Sciocoris (Sciocoris)*). HT: male, IN, Schachkuh [= Shahkuh]-Poion, 5.vii.1914, leg. Kiritshenko [HT data not given in the original description].
- kiritshenkoi* Wagner, 1965a: 133 (*Sciocoris (Neosciocoris)*). HT: male, TD, Pendzhikent, Fl. Zerawschan, 25.xi.1943, leg. Kiritshenko [HT data not given in the original description].
- ovatus* Wagner, 1965a: 111 (*Sciocoris (Sciocoris)*). HT: male, KI, Togus Tjurae [= Toguz Torau], Kogard Tau, 30.iii.1902, leg. R. Tancré.
- laevis* Wagner, 1951a: 63 (*Aethus (Stilbocydinus)*). HT: female, MO, Spanische Sahara, Tuisgui, Remtz-Dráa, 4.v.1944, leg. Mateu [HT data not given in the original description].
- lindbergi* Wagner, 1954a: 3 (*Mecidea*). HT: female, CI, Tenerife, Puerto de la Cruz, 2-4.ii.1949, leg. H. Lindberg [HT data not given in the original description].
- longispinis* Wagner, 1952a: 41 (*Aethus flavicornis* ssp.). HT: male, Caucasus, leg. Ahnger [HT data not given in the original description].
- lutheri* Wagner, 1953a: 388 (*Macevethus*). HT: male, RU (ST), Novorossiysk, leg. Luther [HT sex not given in the original description].
- macrophthalmus* Wagner, 1951b: 163 (*Aethus*). HT: male, EG, Fayed, leg. H. Priesner [HT data not given in the original description].
- marginella* Wagner, 1951c: 25, 41 (*Eurygaster schreiberi* var.). HT: female, AL, Pashtrik, 14.vii.1918.
- mavromoustakisi* Wagner, 1967a: 61 (*Rhopalus*). HT: male, CY, Kalopanyiotis, 3000 ft, 8.viii, leg. Mavromoustakis [HT data not given in the original description].
- nasuta* Wagner, 1960b: 171 (*Aelia*). HT: male, CH (NE), Heilongjiang, Charbin [= Harbin], 2.vi.1953, leg. Alin [HT sex not given in the original description].
- nigripes* Wagner, 1938b: 9 (*Aelia acuminata* f.; no types mentioned). HT: male, GE, Mecklenburg, Neubrandenburg, 11.viii.1936, leg. E. Wagner (description based on a single specimen).
- penicillatus* Wagner, 1964a: 81 (*Byrsinus*). HT: female, TM, Buchara occ., Farab, 2.iv.1911, leg. A. Holbeck [HT data not given in the original description].
- persimilis* Wagner, 1965b: 332 (*Sciocoris (Neosciocoris)*). HT: male, AT, between Ankara & Cheshme-Keupri, on R. Kyzyl-Yrmak, 17.viii.1931, leg. B.P. Uvarov.
- petiti* Wagner, 1954b: 197 (*Geotomus*). HT: male, FR, Pyrénées, Banyuls s. m., 30.v-8.vi.1953, leg. E. Wagner [HT data not given in the original description].
- pictus* Wagner, 1959b: 111 (*Sciocoris*). HT: male, AT, Azen Ciflik, Vil. Diyarbakir, ix.1957 [HT sex not given in the original description].
- poppiusi* Wagner, 1965a: 125 (*Sciocoris (Aposciocoris microphthalmus* ssp.). HT: male, BU, Witosch-Gebirge [= Mt. Vitosha], 28.vii.1957, leg. H. Eckerlein [HT data not given in the original description].
- punctata* Wagner, 1951c: 11, 39 (*Eurygaster maura* var.). HT: female, GE, Mecklenburg, Waren-Müritz, Müritz-Ufer, 7.viii.1938.
- remanei* Wagner, 1965a: 138 (*Sciocoris (Neosciocoris)*). HT: male, Sudan, Prov. Kassala, Svakin, 29.vi.1962, leg. R. Remane [HT data not given in the original description].
- ribauti* Wagner, 1953d: 39 (*Sciocoris*). HT: male, FR, La Siagne, Umgebung Cannes, 16-18.ix.1951, leg. H.H. Weber [HT data not given in the original description].
- sahlbergi* Wagner, 1952c: 78 (*Sciocoris*). HT: male, LE, "Conv. Liban." [HT data not given in the original description].
- saulii* Wagner, 1951c: 24, 39 (*Eurygaster schreiberi* var.). HT: female, IT/SL, Triest, Basovizza-Lipizza, 5.vii.1925, leg. L. Sauli (according to the original description, the HT is a male).
- similis* Wagner, 1960a: 127 (*Legnotus*). HT: male, FR, Pyrénées, Vallé de la Massané nr Argelès, 28.viii.1953, leg. H. Franz [HT sex not given in the original description].
- singeri* Wagner, 1939: 93 (*Rhopalus parumpunctatus* f.). HT: male, GE, Hamburg, Boberg, 8.viii.1934 [HT data not given in the original description].
- seminitens* Wagner, 1953c: 1 (*Odontoscelis*). HT: male, CY, Kyrenia, Ammos, 7.vii.1939, leg. H. Lindberg [HT data not given in the original description].
- valenciana* Wagner, 1960c: 57 (*Neottiglossa leporina* ssp.). HT: male, SP, Umg. Valencia, Albufera, 18.vii.1959, leg. E. Wagner [HT sex not given in the original description].
- weberi* Wagner, 1964b: 56 (*Holcogaster*). HT: male, SP, Menorca, Son Bou, 5.x.1962, leg. E. Wagner [HT data not given in the original description].

Lectotypes

For 10 species-group taxa listed below, Wagner did not use the words "holotype" or "type" in the text of his papers, but labelled as HT of each taxon a specimen in the ZMUH collection. These specimens are designated here as lectotypes of respective taxa. An exception is made for *Acrosternum arabicum* (see below).

- aequalis* Wagner, 1938a: 23 (*Eurygaster maurus* f.; no types mentioned). LT: male, GE, Hannover, Lüneburg, 10.v.1936.
- brevipennis* Wagner, 1955a: 59 (*Singeria*; no types mentioned). LT: male, GR, Kephallinia, leg. Paganetti-Hummeler.
- denticeps* Wagner, 1965a: 148 (*Sciocoris (Parasciocoris)*; no types mentioned). LT: male, TD, Churm [= Khurmi], right bank of Seravshan River, 3.xii.1943, leg. Kiritshenko.
- espanoli* Wagner, 1965a: 105 (*Sciocoris (Sciocoris)*; no types mentioned). LT: male, SP, Umg. Barcelona, Castelldefels, 28.ix.1962, leg. E. Wagner.
- granulosus* Wagner, 1938a: 22, 24 (*Eurygaster maurus* f.; no types mentioned). LT: female, GE, Umg. Mainz, Lorch a. Rh., Nollig, 21.vii.1937, leg. E. Wagner.
- obscursus* Wagner, 1938a: 23 (*Eurygaster testudinarius* f.; no types mentioned). LT: male, AU, Tirol, Innsbruck, Zillermündung, Jenbach, 523 m, leg. W. Steiner.
- pallidus* Wagner, 1938a: 23, 24 (*Eurygaster maurus* f.; no types mentioned). LT: male, GE, Ober-Hessen, Wisselsheim, 2.viii.1935.
- sahariana* Wagner, 1949: 190 (*Mecidea*; no types mentioned). LT: male, Spanish Sahara, Sebka Um Seikira, 8.iv.1945, leg. Mateu.
- triguttatus* Wagner, 1938a: 23 (*Eurygaster testudinarius* f.; no types mentioned). LT: female, GE, Mecklenburg, Waren-Müritz, Müritzufner, 10.viii.1937, leg. E. Wagner.
- virescens* Wagner, 1954a: 5 (*Mecidea lindbergi* var.; no types mentioned). LT: female, CI, Tenerife, Puerto de la Cruz, 2-4.ii.1949, leg. H. Lindberg.

Syntypes

- arabicum* Wagner, 1959a: 415 (*Acrosternum*; no types mentioned). STS: males, females, SA, El Riyadh. Specimen labelled as HT in ZMUH: female, SA, El Riyadh, vi.1958, leg. E. Diehl. We refrain from designation of

this specimen as lectotype because it is desirable to designate as LT a male. Some STS are in the Museum d'Histoire Naturelle in Geneva (Eckerlein's collection). *pseudodilutus* Wagner, 1965b: 329 (*Sciocoris (Sciocoris)*; no types mentioned). STS: males, females, KI (Ak-Terek, N of [Uzbek-]Gava; Kyzylungur; Sarybel pass in Fergana Range; Togus Tjurae [= Toguz-Torau] and UZ (Hissar Range: Maidanak Mt.). *rutilus* Wagner, 1938a: 23, 24 (*Eurygaster maurus* var.; no types mentioned). STS: male, female, GE, Mecklenburg (Waren) and Hamburg. *tuberculatus* Wagner, 1938a: 22, 24 (*Eurygaster testudinarius* f.; no types mentioned). STS: male, female, GE, Lübeck (Campow), Mecklenburg (Waren, Feldberg, Schönberg, Sternberg).

Problematic cases

For 3 varietal and 3 specific names, the specimen labelled as HT in ZMUH is not the specimen indicated as HT in the original publication. Such specimens cannot be considered holotypes or designated as lectotypes. If the true holotype will be not found and exceptional need will exist (Code, Art. 75), such a specimen can be designated as neotype.

carayoni Wagner, 1965a: 136 (*Sciocoris (Neosciocoris)*). HT: male, SP, Umg. Barcelona, Llobregat, 14.vii.1959, leg. E. Wagner (the specimen labelled as HT is not the specimen indicated as HT in the original description: Barcelona, Farola). *discreta* Wagner, 1951c: 23, 41 (*Eurygaster schreiberi* var.). HT: male, IT, Ven. Giulia, Fernetti, vi.1940, leg. Sauli (the specimen labelled as HT is not the specimen indicated as HT in the original description: female, "Basovizza-Lipizza (Triest)"). *lindbergi* Wagner, 1957a: 1 (*Aethus*). HT: male, Cape Verde Is, [São] Nicolau, Rib. Recanto, 10-13.xii.1953, leg. H. Lindberg (the specimen labelled as HT is not the specimen indicated as HT in the original description: São Nicolao, Chã de Preguisa). *longicornis* Wagner, 1955b: 82 (*Holcogaster*). HT: CI, Hierro, Cumbre El Bresal, 1300 m, 27-29.iii.1950, leg. H. Lindberg (the specimen labelled as HT is not the specimen indicated as HT in the original description: Teneriffe, Fuente Fria, 1300 m, 19.iv.1950, leg. H. Lindberg). *nigrofusca* Wagner, 1951c: 40 (*Eurygaster schreiberi* var.). HT: female, HU, "Monci", 9.vi.1939, leg. H. Gebien (the specimen labelled as HT is not the specimen indicated as HT in the original description: female, SL, Mt Auremiano [= Vienš ēica], vii.1940, "in coll. L. Sauli, Triest").

purpurascens Wagner, 1951c: 21, 40 (*Eurygaster austriaca* var.). HT: female, Fr. Jura, Hahnenkam, 1.ix.1947, leg. G. Seidenstücker (the specimen labelled as HT is not the specimen indicated as HT in the original description: female, PL, Schlesien, Warmbrunn [= Cieplice]).

Types suspected to be present in ZMUH, but not found

extensa Wagner, 1951c: 22, 41 (*Eurygaster austriaca* var.; typus in coll. mihi). *ornata* Wagner, 1951c: 19, 41 (*Eurygaster austriaca* var.; typus in coll. mihi). *punctigera* Wagner, 1951c: 28, 40 (*Eurygaster hottentotta* var.; typus in coll. mihi).

punctulata Wagner, 1951c: 15, 39 (*Eurygaster testudinaria* var.; typus in coll. mihi). *rufobrunnea* Wagner, 1951c: 24, 40 (*Eurygaster schreiberi* var.; typus in coll. mihi).

Collection of the Natural History Museum in Vienna (NHMW)

Holotypes

balcanicus Wagner, 1940: 104 (*Ochetostethus*). HT: male, GR, Kephal [= Kefallinia Is.], Aenos [= Enos], 1000-1600 m, 10-13.v.29, leg. Beier [HT data not given in the original description].

longicornis Wagner, 1953b: 468 (*Geotomus*). HT: male, SP, Andalusia, Umg. Carmona, Hof Alamaja, Tierra Negra, 21.ii.1951, leg. H. Franz [HT data not given in the original description].

Acknowledgements

Thanks are due to Ph. Magnien, Paris, H. Strümpel (ZMUH) and H. Zettel (NHMW), for their support. A visit to ZMUH by the first author was financially supported by the Uttenboogaart-Eliassen Stichting, Amsterdam.

References

- Wagner, E. 1938a. Die Abarten von *Eurygaster maurus* L. und *testudinarius* Geoffr. *Verhandl. Ver. naturwiss. Heimatforsch. Hamburg*, **26**: 21-24.
- Wagner, E. 1938b. 40. (Hem. Pentatomidae). *Aelia acuminata* L. f. *nigripes* f. nov. *Bombus*, **1**: 9.
- Wagner, E. 1939. *Rhopalus rufus* Schill. *Verhandl. Ver. naturwiss. Heimatforsch. Hamburg*, **27** (1938): 90-94.
- Wagner, E. 1940. *Ochetostethus balcanicus* n. sp. (Heter. Cydnidae), eine neue Ochetostethusart aus Südeuropa. *Verhandl. Ver. naturwiss. Heimatforsch. Hamburg*, **28** (1941, sep. 1940): 104-109.
- Wagner, E. 1949. Neue Hemipteren aus Spanien und Spanisch Sahara. *Eos*, **25**: 187-198.
- Wagner, E. 1951a. Zwei neue Pentatomiden-Arten aus der Spanischen Sahara (Hem. Het.). *Eos*, **27**: 63-67.
- Wagner, E. 1951b. *Aethus macrophthalmus* nov. spec., eine neue Cydnidenaart aus Ägypten (Hemiptera-Heteroptera). *Bull. Soc. Fouad Ier Entomol.*, **35**: 163-165.
- Wagner, E. 1951c. Über die Variationen bei *Eurygaster*-Arten (Hemipt. Het. Scutelleridae). *Comment. biol.*, **12**(11): 1-43.
- Wagner, E. 1952a. Beitrag zur Systematik der Cydnidae (Hem. Heteropt.). *Acta entomol. Mus. nat. Pragae*, **27** (1951): 35-46.
- Wagner, E. 1952b. *Carpocoris (Anthemisia* [sic] *absinthii* nov. sp. (Hém. Hét. Pentatomidae) du Sud de la France. *Vie et Milieu*, **3**: 306-310.
- Wagner, E. 1952c. *Sciocoris sahlbergi* nov. spec., eine neue Pentatomidenart aus dem nahen Orient (Hem. Heteropt.). *Nachr. naturwiss. Mus. Stadt Aschaffenburg*, **36**: 77-80.
- Wagner, E. 1953a. Über einige osteuropäische und innerasiatische Heteropteren. *Beitr. Entomol.*, **3**: 388-394.
- Wagner, E. 1953b. Beitrag zur Systematik der Gattung *Geotomus* Muls.-Rey (Hemiptera Heteroptera: Cydnidae). *Bull. Soc. Fouad Ier Entomol.*, **37**: 459-476.
- Wagner, E. 1953c. On the insect fauna of Cyprus. Results of the expedition of 1939 by Harald, Håkan and P.H. Lindberg. X. Nachtrag zur Heteropterenfauna von Zypern. *Comment. biol.*, **13**(14): 1-17.

- Wagner, E.** 1953d. Eine neue Pentatomidenart aus Südfrankreich [Hem. Heteropt.]. *Rev. Franç. Entomol.*, **20**: 39-42.
- Wagner, E.** 1954a. Neue Heteropteren von den Kanarischen Inseln. *Comment. biol.*, **14**(2): 1-28.
- Wagner, E.** 1954b. *Geotomus petitii* nov. spec. Eine neue Cydniden-Art aus Südfrankreich (Hem. Heterop.). *Vie et Milieu*, **4**: 197-200.
- Wagner, E.** 1954c. Beitrag zur Systematik der Gattung *Sciocoris* Fieb. (Hem. Het.). *Entomol. Ber.*, Amsterdam, **15**: 239-244.
- Wagner, E.** 1955a. Eine neue Cydnidengattung aus dem Mittelmeergebiet. *Nachr. naturwiss. Mus. Stadt Aschaffenburg*, **46**: 57-60.
- Wagner, E.** 1955b. Zur Systematik der Gattung *Holcogaster* Fieb. (Hemiptera: Pentatomidae). *Beitr. Entomol.*, **5**: 81-84.
- Wagner, E.** 1957a. *Aethus lindbergi* nov. spec., eine neue Cydniden-Art von den Kap Verde-Inseln (Hemipt. Heteropt.). *Comment. biol.*, **16**(11): 1-5.
- Wagner, E.** 1957b. *Odontoscelis dubia* nov. spec., eine neue Scutelleride aus dem Mittelmeergebiet (Hem. Het. Scutelleridae). *Boll. Soc. entomol. Ital.*, **87**: 122-125.
- Wagner, E.** 1959a. Zur Systematik der Gattung *Acrosternum* Fieber (Hemiptera-Heteroptera: Pentatomidae). *Bull. Soc. entomol. Egypte*, **43**: 413-418.
- Wagner, E.** 1959b. Beitrag zur Heteropterenfauna Anatoliens. *Z. angew. Entomol.*, **44**: 102-113.
- Wagner, E.** 1960a. Deux espèces nouvelles d'Hétéroptères des Pyrénées-Orientales. *Vie et Milieu*, **11**: 127-130.
- Wagner, E.** 1960b. Die paläarktischen Arten der Gattung *Aelia* Fabricius 1803 (Hem. Het. Pentatomidae). *Z. angew. Entomol.*, **47**: 149-195.
- Wagner, E.** 1960c. Bemerkungen zu zwei spanischen Arten aus der Familie der Pentatomidae Leach (Hem. Het.). *Misc. zool.*, **1**(3): 57-60.
- Wagner, E.** 1961. Eine neue Cydnidengattung aus dem Tschadsee-Gebiet (Hemiptera-Heteroptera: Cydnidae). *Bull. Soc. entomol. Egypte*, **45**: 297-299.
- Wagner, E.** 1962a. *Rhopalus maculatus decolor* nov. subsp. (Hem. Het. Rhopalidae). *İstanbul Üniv. Fak. Mecmuası* (B), **27**(1-2): 15-16.
- Wagner, E.** 1964a. Die Gattung *Byrsinus* Fieber, 1860 und einige verwandte Gattungen (Heteroptera, Cydnidae). *Reichenbachia*, **3**(3): 75-96.
- Wagner, E.** 1964b. 2. Beitrag zur Systematik der Gattung *Holcogaster* Fieber, 1860 (Hem. Het. Pent.). *Mitt. Deut. entomol. Ges.*, **23**: 56-60.
- Wagner, E.** 1965a. Die taxonomische Bedeutung des Baues der Genitalien des Männchens bei der Gattung *Sciocoris* Fallén 1829 (Hem. Het. Pentatomidae). *Acta entomol. Mus. nat. Pragae*, **36**: 91-167.
- Wagner, E.** 1965b. Neuer Beitrag zur Systematik der Gattung *Sciocoris* Fallén, 1829 (Hem. Het. Pentatomidae). *Deut. entomol. Z.*, **12** (1964): 329-335.
- Wagner, E.** 1967a. Eine neue *Rhopalus*-Art von der Insel Zypern (Heteroptera, Corizidae). *Notulae entomol.*, **47**(2): 61-63.

Received 6 September 2005