

LITERATURE CITED

- Ahmed ZI & Ahmed RF.** 1988. The effect of prey (strawberry mite) densities *Tetranychus turkestanii* Ugarov & Nikolski (Acarina: Tetranychidae) on the functional and numerical efficiency of *Stethorus gilvifrons* Mulsant (Coleoptera: Coccinellidae) in the laboratory. *Journal of Agriculture and Water Resources Research*, **7: 1**, 111-122.
- Ahmed ZI & Ahmed RF.** 1989. Biological studies of the predator *Stethorus gilvifrons* Mulsant. (Coleoptera: Coccinellidae) on strawberry mites *Tetranychus turkestanii* Ugarov and Nikolski (Acarina: Tetranychidae). *Journal of Biological Science Research* **20: 1**, 22-23.
- Albuquerque GS, Tauber CA & Tauber MJ.** 1994. *Chrysoperla externa* (Neuroptera: Chrysopidae) life history and potential for biological control in Central and South America. *Biological Control* **4**, 8-13.
- Allen DC, Knight FB & Foltz JL.** 1970. Invertebrate predators of the jack-pine budworm *Choristoneura pinus* in Michigan. *Annals of the Entomological Society of America* **63**, 59-64.
- Anderson TE & Leppla NC.** 1992. Advances in Insect Rearing for Research and Pest Management 519pp. Westview Press Oxford.
- Anonymous.** 1984. Observations on the hibernation site of *Stethorus punctillum* Weise. *Insect-Knowledge-Kuncgong-Zhishi* **19 1**, 22-23. CAB International. Oxon, UK.
- Arnold CY** 1959. The determination and significance of the base temperature in linear heat unit systems. *Journal of American Society for Horticulture Science* **74: 4**, 430-445.
- Atanasov N.** 1983. Mites on fruit crops. *Rastitelna Zashchita* **31**, 7-9. CAB International. Oxon, UK.

Aydemir M & Toros S. 1990. Natural enemies of *Tetranychus urticae* Koch (Acarina: Tetranychidae) on bean plants in Erincan. *Proceedings of the Second Turkish National Congress of Biological control* 261-271. CAB International. Oxon, UK.

Bailey P & Caon G. 1986. Predation on twospotted mite, *Tetranychus urticae* Koch (Acarina:Tetranychidae) by *Haplothrips victoriensis* Bahnall (Thysanoptera: Phlaeothripidae) and *Stethorus nigripes* Kapur (Coleoptera: Coccinellidae) on seed lucerne crops in South Australia. *Australian Journal of Zoology* **34**, 515-525.

Bailey P, Madge PE, Maelzer DA & Pinnock DE. 1982. Integrated control of twospotted mite *T. urticae*, Koch on irrigated seed lucerne at Keith, South Australia. *Proceedings of the 3rd Australian Conference on Grassland Invertebrate Ecology*. 371-375.

Banks CJ. 1957. The behaviour of individual coccinellid larvae on plants. *British Journal of Animal Behaviour*. **5**, 12-24.

Berker J. 1958. Die natürlichen Feinde der Tetranychiden. *Zeitschrift für angewandte Entomologie*. **43**, 115-172. CAB International, Oxon, UK.

Blackburn T. 1892. Further notes on Australian Coleoptera, with description of new genera and species. *Part XII Transactions of the Royal Society of South Australia*. **15**: 207-261.

Bower CC & Thwaite WG. 1995. The mite management manual. A practical guide to integrated mite control. Agricultural Research and Veterinary Centre, Orange NSW Agriculture 45pp.

Bravenboer L. 1959. De chemische en biologische bestrijding van de spintmijt *Tetranychus urticae*. Publikatie van het proefstation voor de groeten-en fruitteelt onder glas te naaldwijk. *Dis. Landbouwhogeschool, Wageningen* 85 p. In world crop pest: Spider Mites: Their Biology, Natural Enemies and Control Vol. 1B. (eds. W Helle and MW Sabelis 1985). Elsevier Science Publisher Amsterdam, The Netherlands.

Britton EB & Lee B. 1972. *S. loxtoni* sp. (Coleoptera: Coccinellidae) a newly discovered predator of the two-spotted mite. *Journal of the Australian Entomological Society* **11**, 55-60.

Broadley R & Thomas M. 1995. The Good Bug Book 53pp. Australian Biological Control Inc, QDPI, RIRDC, Australia.

Brodeur J. & Cloutier C. 1999. Seasonal abundance of spider mites and their predators on red raspberry in Quebec, Canada. *Environmental Entomology* **28(4)** :735-747.

Canard M. 1990. Effect of photoperiod on first instar development in the lacewing *Nineta pallida*. *Physiological Entomology* **15: 2**, 137-140.

Charles JG, Collyer E & White V. 1985. Integrated control of *Tetranychus urticae* with *Phytoseiulus persimilis* and *Stethorus bifidus* in commercial raspberry gardens. *New Zealand Journal of Experimental Agriculture* **13:4** 385-393.

Chazeau J. 1974. Evaluation of the predatory action of *S. madecassus* (Coleoptera: Coccinellidae) on *Tetranychus neocaledonicus* (Acarina: Tetranychidae). *Entomophaga* **19: 2**, 183-193.

Chen WL. 1994. Study on sampling technique of *Stethorus chengi* Sasaji II. Preliminary study on the sampling technique for mixed populations of *Stethorus chengi* Sasaji and *Panonychus citri* McGregor populations. *Journal of Shanghai Agricultural College* **12: 2**, 113-118. CAB International, Oxon, UK.

Chen WL, Li LS, Zai ZM & Zhu WB 1993. Predation behaviour of *Stethorus chengi* Sasaji on patchily distributed prey. *Journal of Shanghai Agricultural College* **11: 3**, 209-213. CAB International, Oxon, UK.

Chen WL, Zhao ZM, Li LS & Wei QC. 1994. Predation of three natural enemies in a citrus orchard on citrus red mite (*Panonychus citri* McGregor). *Journal of Shanghai Agricultural College* **12**, 9-15. CAB International, Oxon, UK.

Clancy DW & Pollard HNC. 1952. The effect of DDT on mite and predator populations in apple orchards. *Journal of Economic Entomology* **45**, 108-114.

Colburn RB. 1971. The predator *S. punctum* (Coleoptera: Coccinellidae) and its relationship to *Panonychus ulmi* (Acarina: Tetranychidae). *Ph.D Dissertation Abstract International* Vol. 41. No. 1.

Colburn R & Asquith D. 1970. A cage used to study the finding of a host by the ladybird beetle *S. punctum*. *Journal of Economic Entomology* **63**, 1376-1377.

Colburn R & Asquith D. 1971. Observations on the morphology of the ladybird *S. punctum*. *Annals of the Entomological Society of America* **64**, 1217-1221.

Collyer E. 1953. The biology of some predatory insects and mites associated with the fruit tree red spider mite (*Metatetranychus ulmi* Koch) in Southeastern England II. Some important predators of the mites. *Journal of Horticultural Science* **28**, 85-97.

Collyer E. 1964. Phytophagous mites and their predators in New Zealand orchards. *New Zealand Journal of Agricultural Research* **7**, 551-568.

Congdon BD, Shanks-Jr & Antennule AL. 1993. Population interactions between *Stethorus punctum pictipes* (Coleoptera: Coccinellidae) and *Tetranychus urticae* (Acarina: Tetranychidae) in red raspberries at low predator and prey densities. *Environmental Entomology* **22**, 1302-1307.

Costello RA, Elliot DP & Gillespie DR. 1992. Integrated Control of Greenhouse Pests. Ministry of Agriculture, Fisheries and Food, British Columbia 19pp.

Courteix M & Pierre J 1999. *Typhlodromus pyri* in orchards in Limousin. *Arboriculture Fruitiere*. **524** 25-30.

Crawley MJ. 1975. The numerical response of insect predators to changes in prey density. *Journal of Animal Ecology* **44**, 877-892.

Croft BA, Pratt P, Kaskela G & Kaufman D. 1998 . Predation, reproduction and impact of phytoseiid mites (Acari: Phytoseiidae) on cyclamen mite (Acari: Tarsonemidae) on strawberry. *Journal of Economic Entomology* **91:6**, 1307-14.

Daly HV, Doyen JT & Purcell III AH. 1998. Introduction to Insect Biology and Diversity. Oxford University Press, New York.

Daniel M. 1976. Biology and predatory habits of the ladybird beetle *S. keralicus* Kapur (Coleoptera: Coccinellidae) predatory on palm mite. *Journal of Plantation Crops* **4**: 1, 7-9.

Darr S, Olkowski H & Olkowski W. 1996. Directory of biological control producers. *The IPM Practitioner*. **18:11-12**, 3-40.

DeBach P. & Rosen D. 1991. Biological Control by Natural Enemies 440 pp, 2nd ed, Cambridge University Press, Cambridge.

Deng GR, Yang HH & Jin MX. 1990. Experiment on integrated control of citrus red mite. *Journal of Guangxi Agricultural College* **9: 4**, 10-18. CAB International, Oxon, UK.

Dhooria MS. 1981. Feeding behaviour of predatory mites, thrips and beetles of the citrus mite *Eutetranychus orientalis*, *Acarology Newsletter* **10**, 4-6

Dicke M & Groeneveld A. 1986. Heirarchical structure in kairomone preference of the predatory mite *Amblyseius potentillae*: dietary component indispensable for diapause induction affects prey location behaviour. *Ecological Entomology* **11:2**, 131-138.

Dixon AFG. 1959. An experimental study of the searching behaviour of the predator Coccinellid beetle *Adalia decempunctata*. *Journal of Animal Ecology* **28**, 259-281.

Dobzhansky T. 1924. Die weiblichen generation sorgane de coccinellidaen als artmerkmal betrachtat (Coleop.). *Entomologische Miteilungen* **13**, 18-27. In: Gordon & Anderson 1979. The genus *Stethorus* (Coleoptera: Coccinellidae) in Chile. *The Coleopterists Bulletin* **33**: 1, 61-67.

Dong HQ & Chant DA. 1986. The olfactory response of three species of predacious phytoseiid mites (Acarina: Gamasina) to a prey tetranychid species. *International Journal of Acarology* **12:1**, 51-55.

Dyar HG. 1890. The number of moults of the lepidopterous larvae. *Psyche* **5**, 420-422. In: Singh, S. 1997 Biology of the rice leafroller *Cnaphalocrocis (Marasmia) exigua* (Butler) (Lepidoptera: Pyralidae: Pauristinae) in Fiji. *Ph.D Thesis submitted to the University of Western Sydney, Hawkesbury, Richmond, NSW, Australia.*

Elhag ELT & Zaitoon AA. 1996. Biological parameters for four coccinellid species in central Saudi Arabia. *Biological Control* **7**, 316-319.

Elliott NC, Kickhefer RW & Walgenbach DD. 1988. Effect of constant and fluctuating temperatures on developmental rates and demographic statistics for the corn-leaf aphid (Homoptera: Aphididae). *Journal of Economic Entomology* **81:5**, 1383-1389.

Erez A, Wysoki M, Yablowitz Z, Korchinski R & Jackson JE. 1993. High density plantings for protected cultivation of fruit crops; netted to protect against insects. *Proceedings of the Fifth International Symposium on Orchard and Plantation Systems*, Tel Aviv, Israel, 21-26 June 1992. *Acta-Horticulturae* **349**, 89-93. CAB International, Oxon, UK.

Espinha IG & Torres LM. 1995. Study of the role of *Stethorus punctillum* in the control of *Panonychus ulmi* (Koch) on apple, in the region of Vila Real (Northeast of Portugal). *Boletin-de-Sanidad-Vegetal, -Plagas* **21: 3**, 337-347. CAB International, Oxon, UK.

Fan F, Groden E & Drummond FA. 1992. Temperature dependent development of Mexican bean beetle (Coleoptera: Coccinellidae) under constant and variable temperatures. *Journal of Economic Entomology* **85: 5**, 1762-1770.

Fatemi H. 1983a. The fauna of Coccinellidae in Esfahan Province. *Entomologie-et-Phytopathologie -Appliquée* **50:1-2**, 21-25. CAB International, Oxon, UK.

Fatemi H. 1983b. Population fluctuation of *Tetranychus (Tetranychus turkestanii)* (Ugarov and Nikolski) in Esfahan. *Entomologie-et-Phytopathologie-Appliquée* **50:1-2**, 27-37. CAB International, Oxon, UK.

Feland CM, Biddinger DJ & Hull LA. 1995. Overwintering emergence and trapping of adult *Stethorus punctum punctum* (Coleoptera: Coccinellidae) in Pennsylvania apple orchards. *Environmental Entomology* **24:** 1, 110-115.

Field RP. 1979. Integrated pest control in Victorian peach orchards: The role of *Stethorus* spp. (Coleoptera: Coccinellidae). *Journal of the Australian Entomological Society* **18**, 315-322.

Fleschner CA. 1960. Studies on searching capacity of three predators of the citrus red mite. *Hilgardia* **20: 13**, 232-265.

Garcia-Mari F. & Gonzalez-Zamora JE. 1999. Biological control of *Tetranychus urticae* (Acari : Tetranychidae) with naturally occurring predators in strawberry plantings in Valenica, Spain. *Experimental & Applied Acarology*. **23 (6)**, 487-495.

Gikorashvili GS. 1983. Against the red fruit mite. *Zaschita-Rastenii* (No.8) 28. CAB International, Oxon, UK

Gillespie DR, Quiring DJM & Greenwood M. 1997. Collection and selection of the natural enemies of twospotted spider mites for biological control. *Journal of the Entomological Society of British Columbia* **94**, 7-11.

Gordon RD. 1982. New species and new synonyms in the Neotropical *Stethorus* Weise (Coleoptera: Coccinellidae) *The Coleopterists Bulletin* **36:** 1,121-126.

Gordon RD. 1993. *Stethorus nigripes* Kapur new to North America and a new synonym in *Stethorus* Weise (Coleoptera: Coccinellidae). *Southwestern Entomologist* **18: 1**, 67-68.

Gordon RD & Anderson DM. 1979. The genus *Stethorus* Weise (Coleoptera: Coccinellidae). *The Coleopterists Bulletin* **33:** 1, 61-67.

Gordon RD & Chapin EA. 1983. A revision of the New World species of *Stethorus* Weise (Coleoptera: Coccinellidae). *Transactions of the American Entomological Society* **109: 3**, 229-276.

- Gough N.** 1992. Prospects for IPM in Greenhouse Ornamentals in Australia. Entomology Branch, Department of Primary Industry Queensland 21pp.
- Greenslade PJ.** 1972. Evolution in the staphylinid genus *Priochirus* (Coleoptera). *Evolution*. **26**, 203-20.
- Guoyue YU.** 1996. A list on *Stethorus* Weise (Coleoptera: Coccinellidae) from China with description of a new species. *Entomotaxonomia* **18:1**, 32-36.
- Gupta SK.** 1985. Feeding habits. In: Handbook: Plant mites of India 21-22. Sir Aurobindo Press, Calcutta, India.
- Gurr GM. Thwaite WG. & Nicol HI.** 1999. Field evaluation of the effects of the insect growth regulator tebufenozide on entomophagous arthropods and pests of apples. *Australian Journal of Entomology*. **38** (2):135-142.
- Gutierrez J & Chazeau J.** 1972. Development cycles and life tables of *Tetranychus neocaledonicus* Andre (Acarina: Tetranychidae) and one of its principal predators in Madagascar *S. madecaeus* Chazeau (Coleoptera: Coccinellidae). *Entomophaga* **17: 3**, 275-295.
- Hanula JL, Debarr GL & Berisford CW.** 1987. Threshold temperature and degree-day estimates for development of immature southern pine cornworm (Lepidoptera: Pyralidae) at constant and fluctuating temperatures. *Journal of Economic Entomology* **80**, 62-64.
- Hardman J, Rogers M, Gaul S & Bent E.** 1997. Insectary rearing and initial testing of an organophosphate/pyrethroid resistant strain of the predatory mite *Typhlodromus pyri* (Acarina: Phytoseiidae) from New Zealand. *Environmental Entomology* **26:6**, 1424-1436.
- Hawkeswood T.** 1987. Beetles of Australia. Angus and Robertson: North Ryde, NSW Australia.
- Helle W & Sabelis MW.** 1985a. Spider mites: Their Biology, Natural Enemies and Control Vol. 1B.211-245 Elsevier Science Publishers, Amsterdam, The Netherlands.

Helle W & Sabelis MW. 1985b. Spider mites: Their Biology, Natural Enemies and Control Vol. 1B.211-245 Elsevier Science Publishers, Amsterdam, The Netherlands.

Higley LG, Pedigo LP & Ostlie KR. 1986. DEGDAY: A program for calculating degree-days, and assumptions behind the degree-day approach. *Environmental Entomology* **15**, 999-1016.

Hill DS. 1987. Agricultural insect pests of temperate regions and their control. 625pp. *Cambridge University Press*, Cambridge.

Hodek I. 1973 Biology of the Coccinellidae. 260 pp. (ed Dr. W. Junk.) Academia Press, Prague.

Holling CS. 1959. Some characteristics of simple types of predation and parasitism. *Canadian Entomologist* **91**, 385-398.

Holling CS. 1965. The functional response of predators to prey density and its role in mimicry and population regulation. *Memoirs of the Entomological Society of Canada* **45**, 60pp.

Holling CS. 1966. The functional response of invertebrate predators to prey density. *Memoirs of the Entomological Society of Canada* **48**, 86.

Houck MA. 1980. Predatory behaviour of *Stethorus punctum* (Coleoptera: Coccinellidae) to the prey *Panonychus ulmi* and *Tetranychus urticae* (Acarina: Tetranychidae). *Ph.D Dissertation*. 169pp, The Pennsylvania State University, Pennsylvania, USA.

Houck MA. 1986. Prey preference in *Stethorus punctum* (Coleoptera: Coccinellidae). *Environmental Entomology* **15: 4**, 967-970.

Houck MA. 1991. Time and resource partitioning in *Stethorus punctum* (Coleoptera: Coccinellidae). *Environmental Entomology* **20: 2**, 494 - 497.

Houston KJ. 1980. A revision of the Australian species of *Stethorus* Weise (Coleoptera: Coccinellidae). *Journal of the Australian Entomological Society* **19:** 2, 81-91.

Houston KJ. 1983. Redescription of *S. obscuripennis* (Lee) (Coleoptera: Coccinellidae) from Norfolk Island. *Journal of the Australian Entomological Society* **22**, 185-187.

Houston KJ. 1990. The New Zealand species of *Stethorus* Weise (Coleoptera: Coccinellidae). *New Zealand Journal of Zoology* **17:** 2, 271-278.

Hoy MA & Smith KB. 1982. Evaluation of *Stethorus nigripes* (Coleoptera: Coccinellidae) for biological control of spider mites in California almond orchards. *Entomophaga* **27:** 3, 301-310.

Hoy MA, Roush RT, Smith KB & Barclay LW. 1979. Spider mites and predators in San Joaquin valley almond orchards. *California Agriculture* **33:** 11, 11-13.

Huang PK, Luo XN & Song SL. 1988. Control of *Panonychus citri* using *Stethorus siphonulus* Kapur in Southeastern China. *Acta-Phytophylactica-Sinica* **15:** 1, 1-6. CAB International, Oxon, UK.

Huffaker CB. 1948. An improved cage for work with small insects. *Journal of Economic Entomology* **41**, 648-649.

Huffaker CB, van de Vrie M & McMurtry JA. 1969. The ecology of tetranychid mites and their natural control. *Annual Review of Entomology* **14**, 125-174.

Hull LA, Asquith D & Mowery PD. 1976. Distribution of *S. punctum* in relation to densities of European red mite. *Environmental Entomology* **5:** 2, 337-342.

Hull LA, Asquith D & Mowery PD. 1977a. The mite searching ability of *S. punctum* within an apple orchard. *Environmental Entomology* **6:** 5, 684-688.

Hull LA, Asquith D & Mowery PD. 1977b. The functional responses of *S. punctum* to densities of the European red mite. *Environmental Entomology* **6:** 1, 85-90.

Hull LA, Beers EH & Meagher RL 1985. Impact of selected use of the synthetic pyrethroid fenvalerate on apple pests and their natural enemies in large orchard trials. *Journal of Economic Entomology* **78:1**, 163-8.

Hussey NW & Huffaker CB. 1976. Spider mites. In *Studies in Biological Control* 179-228. (eds VL. Delucchi). Cambridge University Press, London.

Hutchison F. 1992. What Pest is That? 93pp, Bay Books Harper Collins, Sydney, Australia.

Injac M & Dulic K. 1992. Populations of phytophagous mites and occurrence of predators in apple orchards. *Acta-Phytopathologica-et-Entomologica-Hungarica* **27: 1-4**, 299-304. CAB International, Oxon, UK.

James DG & Whitney J. 1993. Cumbungi pollen as a laboratory diet for *Amblyseius victoriensis* (Womersley) and *Typhlodromus doreenae* Schicha (Acarina: Phytoseiidae). *Journal of the Australian Entomological Society* **32**, 5-6.

Jeppson LR, Keifer HH & Baker EW 1975. *Mites Injurious to Economic Plants*, 614pp. University of California Press, Berkeley, California.

Jervis, MJJ, van Alphen P & Kidd N. 1996. Foraging behaviour. In: *Insect Natural Enemies* (eds Jervis MJJ & Kidd N), Chapman and Hall, London.

Jiang TR, Zhang LB & Wei XT. 1982. Biology of *Stethorus punctillum* Weise (Coleoptera: Coccinellidae) and its utilisation. *Natural Enemies of Insects* **4: 4**, 34-36.

Kamiya H. 1966. On the Coccinellidae attacking scale insects and mites in Japan and Ryukyus. *Mushi* **39**, 65-93. CAB International, Oxon, UK.

Kapur AP. 1948. On the Old World species of the genus *Stethorus* Weise (Coleoptera: Coccinellidae). *Bulletin of Entomological Research* **39**, 293-320.

Kareiva P & Perry R. 1989. Leaf overlap and the ability of ladybird beetles to search among plants. *Ecological Entomology* **14**, 127-129.

Kaylani S. 1967. Biology and life history of *S. gilvifrons* in Lebanon. *Magon Institute of Research Agron Lebanon* 1-9.

Kehat M. 1967. Survey and distribution of common ladybeetles (Coleoptera: Coccinellidae) on date palm trees in Israel. *Entomophaga* **12**, 119-125.

Kesten U. 1969. Zur morphologie and biologie von *Anatis ocellata* (L) (Coleoptera: Coccinellidae). *Zeitschrift fuer Angewandte Entomologie*. **63**, 412-445. In: Ladybird 92-97. (ed MEN Majerus, 1994). *Harper-Collins Publisher*, London.

Korschefsky R. 1931. Coleopterorum catalogus. Pars 120. Coccinellidae. I. Berlin.

Kumar MVS & Chakraborty N. 1997. Biology of *Scymnus nubilus* Mulsant (Coleoptera: Coccinellidae), a native predator of pink mealy-bug *Maconellicoccus hirsutus* (Hemiptera: Pseudococcidae). *Journal of Entomological Research* **21: 4**, 329-334.

Laing JE. 1968. Predator-prey interaction between the twospotted mite, *T. urticae* Koch (Acarina: Tetranychidae), and two phytoseiids, *Phytoseiulus perimilis* Athias-Henriot and *Typhlodromus occidentalis* Nesbitt (Acarina: Phytoseiidae). *Ph.D Thesis* submitted to The University of California, Berkeley USA.

Lamacraft LB. 1972. Ecology of *Bryobia arborea* (M & A) and *Tetranychus urticae* (Koch) in South Australian apple orchards. *Ph.D Thesis* submitted to the University of Adelaide, South Australia, Australia.

Lie WQ, Yang HH, Deng GR & Jin MX. 1990. Study on bionomics of *Stethorus guangxiensis* and *S. aptus*. *Journal of Guangxi Agricultural College* **9: 4**, 19-25. CAB International, Oxon, UK.

Lorenzato D. 1988. Biological control of phytophagous mites in apple orchards in Farroupilha. *Agronomia-Sulriograndense* **23 2**, 167-183. CAB International, Oxon, UK.

Luck RF. 1984. Evaluation of natural enemies for biological control: A behavioural approach. *Trends in Ecology and Evolution* **7**, 39-48.

Lui Z & Lui NZ. 1986. A preliminary report on *Tetranychus pierce McGregor*. *Insect Knowledge* **23:1**, 18-19.

Lyoussoffi A, Armand E, Rieux R & Arcier FF. 1992. Population dynamics of the pear psylla *Psylla pyri* (L.), (Homoptera: Psyllidae) and beneficials in a treated orchard in southeast France. *Acta-Phytopathologica-et-Entomologica-Hungarica* **27**, 1-4, 413-417. CAB International, Oxon, UK.

MacArthur, RH & Wilson EO. 1967. The Theory of Island Biogeography. Princeton University Press, Princeton, NJ.

Majerus MEN. 1994. Ladybirds 359pp. Harper Collins, London.

Malais M & Ravensberg WJ. 1992. Knowing and Recognising: the biology of glasshouse pests and their natural enemies 109pp. Koppert BV. Berkel en Rodenrijs, the Netherlands.

Markov-FI & Isakulova DI. 1982. The condition of a mass outbreak of the spider mite on sugar-beet. *Zaschita-Rastenii* (10), 26-28. CAB International, Oxon, UK.

Mathur LML. 1969. Bionomics of *S. gilvifrons* (Coleoptera: Coccinellidae). *Madras Agriculture Journal* **56**: 7-11.

Matthews EG. 1976. Insect Ecology. 226pp. University of Queensland Press, St Lucia, Qld.

McMaugh J. 1998. What Garden Pest or Disease is That? 206pp. Life Time Distributors, Sydney.

McMurtry JA & Johnson HG. 1966. An ecological study of the spider mite *Oligonychus punicae* (Hirst) and its natural enemies. *Hilgardia* **37**, 360-402.

McMurtry JA, Huffaker CB & van de Vrie M. 1970. Ecology of *Tehranychus* mites and their natural enemies: their biological characters and the impact of spray particles. *Hilgardia* **40: 1**, 331-339.

McMurtry JA, Johnson HG & Scriven GT. 1969. Experiments to determine the effects of mass release of *S. picipes* on the level of infestation of avocado brown mite. *Journal of Economic Entomology* **62**, 1216-1221.

McMurtry JA, Scriven GT & Malone BS. 1974. Factors affecting oviposition of *S. picipes* (Coleoptera: Coccinellidae) with special reference to photoperiod. *Environmental Entomology* **3**, 123-127.

Michels Jr GJ & Behle RW. 1988. Reproduction and development of *Diuraphis noxia* (Homoptera: Aphididae) at constant temperature. *Journal of Economic Entomology* **81: 4**, 1097-1101.

Michels Jr GJ & Behle RW. 1991. Effect of two prey species on the development of *Hippodamia sinuata* (Coleoptera: Coccinellidae) larvae at two constant temperatures. *Journal of Economic Entomology* **84: 5**, 1480-1484.

Michels Jr GJ & Behle RW. 1992. Evaluation of sampling methods for lady beetles (Coleoptera: Coccinellidae) in grain sorghum. *Journal of Economic Entomology* **85**, 2251-2257.

Moreton BD. 1969. Ladybirds and spider mites. In: *Beneficial Insects and Mites*. Her Majesty's Stationery Office London. Ministry of Agriculture, Fisheries and Food. Bulletin **20**, 15-20.

Mowery PD, Asquith D & Bode WM. 1975. Computer simulation for predicting the number of *S. punctum* needed to control the European red mite in Pennsylvania apple trees. *Journal of Economic Entomology* **68: 2**, 250-254.

Munger F. 1942. A method of rearing thrips in the laboratory. *Journal of Economic Entomology* **35**, 373-375.

Munyaneza J. & Obrycki JJ. 1997. Functional response of *Coleomegilla maculata* (Coleoptera: Coccinellidae) to Colorado potato beetle eggs (Coleoptera: Chrysomelidae). *Biological Control* **8**, 215-224.

Nageshchandra BK & ChannaBasavanna GP. 1983. *Stethorus keralicus* (Coleoptera: Coccinellidae) feeding on *Raoiella macfarlanei* infesting roseapple. *Acarology Newsletter* **13**, 3.

Nakamuta K. 1984. Area-concentrated search in the ladybeetle, *Coccinella septempunctata*: eliciting cues and giving-up time. *Ecology of Aphidophaga 2* (Ed.Hodek, I.) Academia Press, Prague.

Neal JW Jr & Haldemann RL. 1992. Regulation of seasonal egg hatch by plant phenology in *Stethoconus japonicus* (Heteroptera: Miridae), a specialist predator of *Stephanitis pyrooides* (Heteroptera: Tingidae). *Environmental Entomology* **21**, 793-798.

Neal JW Jr, Haldemann RH & Henry TJ. 1991 Biological control potential of a Japanese plant bug *Stethoconus japonicus* (Heteroptera: Miridae), an adventive predator of the azalea lace bug (Heteroptera: Tingidae). *Annals of the Entomological Society of America* **84**, 287-293.

Nicholas AH. 2000. The pest status and management of wooly aphid in an Auatralian apple orchard IPM program. PhD thesis submitted to University of Western Sydney, Hawkesbury, Richmond NSW.

Nikolov N, Nhinkin S & Straka F. 1983. Spider mites as pests of maize. *Rasteniev "dni-Nauki* **20 5**, 31-38. CAB International, Oxon, UK.

Nordin GL & O'canna D. 1985. Developmental threshold temperatures and thermal constants for two types of fall worms, *Hyphantria cunea* (Drury) (Lepidoptera: Arctiidae) occurring in central Kentucky. *Journal of Kansas Entomological Society* **80: 1**, 62-64.

Oaten A. & Murdoch WW. 1975. Functional response and stability in predator-prey systems. *American Naturalist* **109**, 289-298.

Oatman ER, Sances FV, LaPre LF, Toscano NC & Voth V. 1982. Effects of different infestation levels of the two-spotted spider mite on strawberry yields in winter plantings in Southern California. *Journal of Economic Entomology* **75: 2**, 94-96.

Okuda T & Hodek I. 1994. Diapause and photoperiodic response in *Coccinella septempunctata* (Coleoptera: Coccinellidae) in Hokkaido, Japan. *Applied Entomology and Zoology* **29: 4**, 549-554.

Olay AC, Schulthesis F, Shanower TG & Bosque-Perez NA. 1997. Factors influencing the developmental rate and reproductive potential of *Telenomus busseolae* (Hymenoptera: Scelionidae), an egg parasitoid of *Sesamia calamistis* (Lepidoptera: Noctuidae). *Biological Control* **8**, 15-21.

O'Neil RJ. 1989. Comparison of laboratory and field measurements of the functional response of *Podisus maculiventris* (Heteroptera: Pentatomidae). *Journal of the Kansas Entomological Society* **62**, 148-155.

Orman T & Bakanligi K. 1989. Studies on the interaction between damage to apple by the buckthorn red spider mite, *Tetranychus viennensis* Zacher (Acarina: Tetranychidae) and its predator *Stethorus punctillum* Weise (Coleoptera: Coccinellidae). *Arastirma-Yayinlari-Serisi-Yayin* **62**, 92 p. CAB International, Oxon, UK.

Orr CJ, Obrycki JJ & Flanders RV. 1992. Host acceptance behaviour of *Dinocampus coccinellae* (Hymenoptera: Braconidae). *Annals of the Entomological Society of America* **85**, 722-730.

Parker R. 1991. The widespread use of integrated mite control (IMC) in flower crops S.E. Queensland. Entomology Branch, Department of Primary Industries Queensland. Proceedings of 1st National Conference Australia Society of Horticulture Sciences 345-350. Macquarie University, Sydney, September 30-October 3, 1991.

Parrella MP, McCaffrey JP & Horsburgh RL. 1980. Compatibility of *Leptothrips mali* with *S. punctum* and *Orius insidiosus*: predators of *Panonychus ulmi*. *Environmental Entomology* **9**, 694-696.

Pavlova GA. 1975. *Stethorus-* a predator of the spider mite. *Zashchita Rastenii* 23-24. CAB International, Oxon, UK.

Penrose LJ, Thwaite WG & Slack JM. 1999. Avoiding resistance to pesticides. Orchard Plant Protection Guide. NSW Agriculture 25-26.

Peterson PG, McGregor PG, Springett BP & Poppy AJ. 1994. Development of *Stethorus bifidus* in relation to temperature: implication for regulation of gorse spider mite populations. *Proceedings of the Forty-Seventh New Zealand Plant Protection Conference*, New Zealand, 9-11 August 1994 103-106.

Peterson PG. McGregor PG. & Springett BP. 1999 Density dependent prey-feeding time of *Stethorus bifidus* (Coleoptera : Coccinellidae) on *Tetranychus lintearius* (Acari:Tetranychidae). *New Zealand Journal of Zoology*. **27**(1):41-44.

Pianka ER. 1972. *r* and *K* selection or *b* and *d* selection? *American Naturalist* **106**:581-8

Price PW. 1997. Insect Ecology, 868pp. John Wiley and Sons, Inc. New York.

Pritchard AE & Baker EW. 1952. A guide to the spider mites in deciduous fruit trees. *Hilgardia* **21**, 253-287.

Putman WL. 1955a. The bionomics of *S. punctillum* Weise. (Coleoptera: Coccinellidae). *Canadian Entomologist* **87**, 9-33.

Putman WL. 1955b. Immature stages of *S. punctillum* Weise. (Coleoptera: Coccinellidae). *Canadian Entomologist* **87**, 506-508.

Puttaswamy & ChannaBasavanna GP. 1977. Biology of *S. pauperculus* Weise (Coleoptera: Coccinellidae) a predator of mites. *Mysore Journal of Agricultural Sciences* 11: 1, 81-89.

Puttaswamy & Rangaswamy RH 1976. *S. keralicus* Kapur (Coleoptera: Coccinellidae) a predator of aeronaut palm mite. *Current Research* 5: 2, 27-29.

Raros ES & Haramoto FH. 1974. Biology of *S. siphonulus*, Kapur (Coleoptera: Coccinellidae) a predator of spider mites in Hawaii. *Proceedings of The Hawaiian Entomological Society* 21: 3,457-465.

Rather AQ. 1983. Controlling mites of maize in Jammu and Kashmir. *Indian Farming*. 33: 5, 13-29.

Raworth DA. 1986. An economic threshold function for the twospotted spider mite, *Tetranychus urticae* (Acari: Tetranychidae), on strawberries. *Canadian Entomologist* 118: 1, 9-16.

Raworth DA. 1990. Predators associated with the twospotted spider mite, *Tetranychus urticae*, on strawberry at Abbotsford, BC, and development of non-chemical mite control. *Journal of the Entomological Society of British Columbia*. 87, 59-67.

Readshaw JL. 1971. An ecological approach to the control of mites in Australian orchards. *Journal of the Australian Institute of Agricultural Science* 37: 3, 226-230.

Readshaw JL. 1973. The numerical response of the predators to prey density: quantitative evaluation of natural enemy effectiveness. *Journal of Applied Ecology* 10, 342-351.

Readshaw JL. 1975. The ecology of tetranychid mites in Australian orchards. *Journal of Applied Ecology* 12: 2, 473-495.

Richardson NL. 1972. The ecology of oriental moth (*Cydia molesta*) in relation to other pests of canning peaches in South Australia. *M.Sc Thesis*. University of Adelaide, Australia.

Richardson NL. 1977. The biology of *S. loxtoni* Britton and Lee (Coleoptera: Coccinellidae) and its potential as predator of *T. urticae* (Acarina: Tetranychidae) in California. *Ph.D Thesis* submitted to The University of California, Berkeley USA.

Robinson AG. 1953. Notes on *S. punctum* a predator of tetranychid mites in Manitoba. 83rd Annual Report of Entomological Society of Ontario **1952**, 24-26.

Rott AS & Ponsonby DJ. 2000a Improving the control of *Tetranychus urticae* Koch on edible glasshouse crops using a specialist coccinellid (*Stethorus punctillum* Weise) and a generalist mite (*Amblyseius californicus* McGregor) as biocontrol agents. *Biocontrol Science & Technology*. 10(4):487-498.

Rott AS & Ponsonby DJ. 2000b. The effects of temperature, relative humidity and host plant on the behaviour of *Stethorus punctillum* as a predator of the two-spotted spider mite, *Tetranychus urticae*. *Biocontrol* 45(2):155-164.

Roy M. Brodeur J. & Cloutier 1999 Seasonal abundance of spider mites and their predators on red raspberry in Quebec, Canada. *Environmental Entomology*. 28(4):735-747.

Rustamova MR. 1981. Entomophagous insects on cotton. *Zashchita Rastenii* (No. 3). CAB International, Oxon, UK.

Sabelis MW & van de Baan HE. 1983. Location of distant spider mite colonies by phytoseiid predators: demonstration of specific kairomones emitted by *T. urticae* and *Panonychus ulmi*. *Entomologia Experimentalis et Applicata* **33**, 303-314. In World Crop Pest: Spider Mites: Their Biology, Natural Enemies and Control Vol. 1B 211-245. (eds. W. Helle and M. W. Sabelis 1985). Elsevier Science Publisher Amsterdam, The Netherlands.

Sacco M, Girolami V. 1988. Effects of different control methods against insect pests of apple on the populations of *Typhlodromus pyri* Scheuten and *Panonychus ulmi* Koch. *Redia* **71: 2**, 411-438. CAB International, Oxon, UK.

Sanderson JP, Barnes MM & Youngman MM. 1989. Developmental rate of navel orange-worm (Lepidoptera: Pyralidae) at various constant temperatures. *Journal of Economic Entomology* **82:** 4, 1096-1100.

Sandness JN & McMurtry JA. 1970. Functional response of three species of Phytoseiidae (Acarina) to prey density. *Canadian Entomologist* **102**, 692-704.

Sasaji H. 1968. Phylogeny of the family Coccinellidae (Coleoptera). *Etizenia* **35**, 1-35. In: **Ladybirds** (ed. MEN. Majerus. 1994). N N Harper Collins London.

Savopoulou-sultani M. 1997. Laboratory rearing of euonymus scale (Homoptera: Diaspididae) at different temperatures. *Journal of Economic Entomology* **90:** 4, 955-960.

Scriven GT & Fleschner AC. 1960. Insectary production of *Stethorus* spp. *Journal of Economic Entomology* **53**, 982-985.

Shih CIT, Lin PJ & Chang TW. 1991. Biology, predation, life table and intrinsic rate of increase of *Stethorus loi* Sasaji. *Plant Protection Bulletin Taipei* **33:** 3, 290-300.

Singh J & Ray R. 1977. *Stethorus* sp. (Coleoptera: Coccinellidae), a predator of *Tetranychus neocaledonicus* Andre on okra at Varanasi. *Acarology News letter* (No.4) 5-6.

Singh P. 1977. Artificial Diets for Insects, Mites and Spiders. Plenum New York. Elsevier Press, Oxford.

Singh P. & Moore RF. 1985. Handbook of Insect Rearing, Vols. I & II. *Elsevier Oxford*, Oxford.

Smith D, Beattie GAC & Broadley R. 1997. Citrus Pests and their Natural Enemies 272 pp. QDPI, Brisbane, Qld, Australia.

Smith SK & Krischik VA. 1999. Effects of systemic imidacloprid on *Colleomegilla maculata* (Coleoptera:Coccinellidae). *Environmental Entomology* **26:8** 1189-1195.

Sokal RR & Rohlf FJ. 1995. Biometry. W. H. Freeman and Company, New York 451-541 or 887pp

Solomon ME. 1949. The natural control of animal populations. *Journal of Animal Ecology* **18:** 1-35.

Spooner-Hart RN. 1990. The use of the predatory mite *Phytoseiulus persimilis* for the control of twospotted mite *T. urticae* in horticultural crops. Proceeding of 1st National Conference Australia Society of Horticulture Sciences 325-329. Macquarie University, Sydney September 30-October 3, 1991.

Stubbs M. 1980. Another look at prey detection by coccinellids. *Ecological Entomology* **5**, 179-182.

Sullivan DJ, Castillo JA & Bellotti AC. 1991. Comparative biology of six species of coccinellid beetles (Coleoptera: Coccinellidae) predacious on the mealybug, *Phenacoccus herreni* (Homoptera: Pseudococcidae), a pest of cassava in Colombia, South America. *Environmental Entomology* **20**, 685-689.

Swift FS. 1987. Diapause induction in *Amblyseius fallacis* (Acari: Phytoseiidae). *Environmental Entomology* **16**, 72-76.

Tanigoshi LK & McMurtry JA. 1977. The dynamics of predation of *S. picipes* (Coleoptera: Coccinellidae) and *Typhlodromus floridanus* on the prey *Oligonychus punicae* (Acarina: Phytoseiidae). I Comparative life history and life table studies. *Hilgardia* **45: 8**, 237-261.

Tedders WL. 1983. Insect management in deciduous orchard ecosystems: habitat manipulation. *Environmental Management* **7: 1**, 29-34.

Thompson WR. 1951. The specificity of host relation in predaceous insects. *Canadian Entomologist* **83**, 262-269.

Thwaite G. 1993. Pome fruit entomology review. Report of a meeting held at Agricultural Research and Veterinary Centre Orange, NSW, Australia.

Tian LX, Qi LZ, Qui H & Shao ZR. 1984. A preliminary study on the common coccinellid larvae of Jiangsu province. *Journal-of-Nanjing-Agricultural-College* 3, 39-55. CAB International, Oxon, UK.

Toffolon RB. 1987. Pests of Cucurbit Vegetables. Department of Agriculture NSW. Agdex 263/620 3pp.

Tolley MP & Neimczyk HD 1988. Upper and lower threshold temperatures and degree-day estimates for development of fruit fly (Diptera: Chloropidae) at constant temperatures. *Journal of Economic Entomology* 81: 5, 1346-1351.

Tostowaryke W. 1972. The effect of prey defense on the functional response of *Podisus modestus* (Hemiptera: Pentatomidae) to densities of the Sawflies *Neodiprion swainie* and *N. pratti banksiana* (Hymenoptera: Neodipionidae). *Canadian Entomologist* 104, 61-69.

van de Vrie M, McMurtry JA & Huffaker CB. 1972. The ecology of tetranychid mites and their natural enemies: review III. Biology, ecology and pest status and host-plant relations of tetranychids. *Hilgardia* 41, 343-432.

Venkata-Ram CS & Daniel M. 1983. Survey of the indigenous predators of arecanut phytophagous mites. Proceeding of the Second Annual Symposiums on Plantation Crops. *Plant Protection (entomology, microbiology, nematology, plant pathology and rodontology)* PLACROSYM 11 1979, 227-236. CAB International, Oxon, UK.

Waage JK, Carl KP, Mills NJ & Greathead DJ. 1985. Rearing entomophagous insects. Handbook of Insect Rearing Vol.1 (eds P. Singh & RF. Moore) Elsevier Oxford 45-97.

Waite GK. 1988. Control of *Tetranychus urticae* Koch by *Phytoseiulus persimilis* Athias-Henriot in low-chill stonefruit. *Queensland Journal of Agricultural and Animal Sciences* 45: 2, 185-188.

Waldner W. 1985. Integrated control of red spider mite in south Tyrol fruit growing. *Bessers-Obst* 30: 1 2, 8-12. CAB International, Oxon, UK.

Walter PJ. 1974. A method for culturing *Stethorus* spp.(Coleoptera: Coccinellidae) on *T. urticae* (Acarina: Tetranychidae). *Journal of the Australian Entomological Society* **13:** 3, 245-246.

Wang NY & Guo YT. 1995. Effect of sublethal concentrations of pesticides on the reproduction and settlement of *Amblyseius pseudolongispinosus* (Acarina: Phytoseiidae). *Chinese Journal of Biological Control* **11:2**. 64-7.

Wiedenmann RN & O'Neil RJ. 1991. Laboratory measurement of the functional response of *Podisus maculiventris* (say) (Heteroptera: Pentatomidae). *Environmental Entomology* **20**, 610-614.

Wright DJ & Verkerk VA. 1995. Integration of chemical and biological control systems for arthropods:evaluation in a multitrophic context. *Pesticide Science* **44:3** 207-218.

Yang XL, Shen MQ, Guo ZZ & Xiong JW. 1997. Predation of the ladybeetle *Chilocorus kuwanae* on the scale *Unaspis yanonensis*. *Entomologia Sinica* **4:3**, 249-258. CAB International, Oxon, UK.

Yigit A & Uygun N. 1982. Investigations on the population dynamics of hawthorn mite, *Tetranychus viennensis* Zacher (Acarina: Tetranychidae) and its predators in apple orchards. *Chkurova-universitesi-Ziraat-Fakultesi-Yilligi* **13: 2**, 64-69. CAB International, Oxon, UK.

Yinon U. 1969. Food consumption of the armoured scale lady-beetle *Chilocorus bipustulatus* (Coleoptera: Coccinellidae). *Entomologia Experimentalis et Applicata*. **12**, 139-146. CAB International, Oxon, UK.

Zadeh- Haji J, Kamali K and Assadi HB. 1995. Studies on functional response and population dynamics of *Stethorus gilvifrons* (Mulsant) to *Panonchus ulmi* in Karaj vicinity. *Applied Entomology and Phytopathology* **61: 1&2**, 32-34, 117-131.

Zhao YF & Hou JW. 1993. Investigation and feeding of natural enemies of *Acaphylla theae* Watt. *Journal of Tea* **19: 3**, 35-37.

Zhou CA, Zou JJ, Peng JC, Ouyang ZY, Hu LC, Yang ZL & Wang XB. 1991. Predation of the major natural enemies on *Panonychus citri* and its comprehensive evaluation in citrus orchards in Hunan, China. *Acta-Phytophylacica* 18: 3, 225-229. CAB International, Oxon, UK.