

Это цифровая коиия книги, хранящейся для иотомков на библиотечных иолках, ирежде чем ее отсканировали сотрудники комиании Google в рамках ироекта, цель которого - сделать книги со всего мира достуиными через Интернет.

Прошло достаточно много времени для того, чтобы срок действия авторских ирав на эту книгу истек, и она иерешла в свободный достуи. Книга иереходит в свободный достуи, если на нее не были иоданы авторские ирава или срок действия авторских ирав истек. Переход книги в свободный достуи в разных странах осуществляется ио-разному. Книги, иерешедшие в свободный достуи, это наш ключ к ирошлому, к богатствам истории и культуры, а также к знаниям, которые часто трудно найти.

В этом файле сохранятся все иометки, иримечания и другие заииси, существующие в оригинальном издании, как наиоминание о том долгом иути, который книга ирошла от издателя до библиотеки и в конечном итоге до Вас.

Правила использования

Комиания Google гордится тем, что сотрудничает с библиотеками, чтобы иеревести книги, иерешедшие в свободный достуи, в цифровой формат и сделать их широкодостуиными. Книги, иерешедшие в свободный достуи, иринадлежат обществу, а мы лишь хранители этого достояния. Тем не менее, эти книги достаточно дорого стоят, иоэтому, чтобы и в дальнейшем иредоставлять этот ресурс, мы иредириняли некоторые действия, иредотвращающие коммерческое исиользование книг, в том числе установив технические ограничения на автоматические заиросы.

Мы также иросим Вас о следующем.

- Не исиользуйте файлы в коммерческих целях. Мы разработали ирограмму Поиск книг Google для всех иользователей, иоэтому исиользуйте эти файлы только в личных, некоммерческих целях.
- Не отиравляйте автоматические заиросы.
 - Не отиравляйте в систему Google автоматические заиросы любого вида. Если Вы занимаетесь изучением систем машинного иеревода, оитического расиознавания символов или других областей, где достуи к большому количеству текста может оказаться иолезным, свяжитесь с нами. Для этих целей мы рекомендуем исиользовать материалы, иерешедшие в свободный достуи.
- Не удаляйте атрибуты Google.

 В каждом файле есть "водяной знак" Google. Он иозволяет иользователям узнать об этом ироекте и иомогает им найти доиолнительные материалы ири иомощи ирограммы Поиск книг Google. Не удаляйте его.
- Делайте это законно.
 - Независимо от того, что Вы исиользуйте, не забудьте ироверить законность своих действий, за которые Вы несете иолную ответственность. Не думайте, что если книга иерешла в свободный достуи в США, то ее на этом основании могут исиользовать читатели из других стран. Условия для иерехода книги в свободный достуи в разных странах различны, иоэтому нет единых иравил, иозволяющих оиределить, можно ли в оиределенном случае исиользовать оиределенную книгу. Не думайте, что если книга иоявилась в Поиске книг Google, то ее можно исиользовать как угодно и где угодно. Наказание за нарушение авторских ирав может быть очень серьезным.

О программе Поиск кпиг Google

Миссия Google состоит в том, чтобы организовать мировую информацию и сделать ее всесторонне достуиной и иолезной. Программа Поиск книг Google иомогает иользователям найти книги со всего мира, а авторам и издателям - новых читателей. Полнотекстовый иоиск ио этой книге можно выиолнить на странице http://books.google.com/



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search


Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/



46.65.12

15. Sept. 1854. 2576M1 KF27852 The gift of The Smithsonian Institution, Washington, D.é. Res. Dec. 27, 1853.

by Google



$C\ A\ T\ A\ L\ O\ G\ U\ E$

COLEOPTERA.

CATALOGUE

OF THE DESCRIBED

COLEOPTERA

OF THE

UNITED STATES.

BY

FRIEDRICH ERNST MELSHEIMER, M.D.

Samuel State AND J. L. LE CONTE.



5 WASHINGTON: SMITHSONIAN INSTITUTION. JULY, 1853. Z57.6M1: KF27852

South Late the contain

The present Catalogue of the Coleoptera of the United States, as prepared by Dr. F. E. Melsheimer, was referred to a commission of examination, consisting of Prof. S. S. Haldeman and Dr. John L. Le Conte. These gentlemen reported in favor of publication, and kindly offered to correct and extend it up to the end of 1851, as well as to superintend its passage through the press. This they have accordingly done, at the expense of much time and great labor, and have thereby added materially to the usefulness of the Catalogue.

· JOSEPH HENRY,

Sec. S. I.

PREFACE.

In the year 1842 the Entomological Society of Pennsylvania* was formed, for the purpose of giving an impulse to the study of Entomology, by bringing together the cultivators of the science, and preparing a catalogue of the Coleoptera of this country. At that time many coleopterous species in the cabinets of American collectors were without fixed names, either because they could not be identified from accessible descriptions, or because they were undescribed; and before the catalogue could be prepared it was found necessary to dispose of them in some manner. It was at length determined that the unknown species should be described, and although it was foreseen that the result would be likely to add a list of synonyms, the necessity of the case seemed to offer a sufficient apology.

Some knowledge of our Coleoptera, as known in Europe, has been attained by an interchange of observations and specimens with entomologists of competent authority there; and it is proper to mention, on the present occasion, the liberality with which Knoch, Gyllenhal, Germar, Schaum, Doubleday, Dejean, and Gory have responded to the calls of American entomologists. This method is, however, inconvenient, and frequently impracticable. That Dr. T. W. Harris, a working naturalist, has experienced the difficulties which it was the object of the Society to diminish, is proved by the following remarks, which he has appended to his catalogue of the insects of Massachusetts: "Should any of the sons of New England have the inclination to turn their attention to this interesting branch of Natural History, they must, for want of the necessary books on the subject, remain

^{*} Of this Society Dr. Melsheimer was elected President.—Eds.

in ignorance of the labors of their European contemporaries; and although they may have discovered many curious and valuable facts respecting our native insects, they must resign to foreigners the honor of making known the objects of their investigation."

Entomology has been retarded in America by the want of the names of American species. That traditional knowledge is wanted which prevails to such an extent in Europe that it is necessary for but few to consult the works of Linnæus or Fabricius for a native species. This traditional acquaintance makes that a certainty in Europe which is extremely doubtful in America. Many of the Fabrician species must stand upon no better authority than common consent, with the results of which Americans have not been made acquainted; so that they are in the condition that European entomologists would occupy, if their collections of named specimens had been transferred to foreign countries before the present knowledge of them had been acquired, or the extended descriptions and iconographies prepared.

The descriptions of new species which were referred directly to the Society, were published in the most liberal manner by the Academy of Natural Sciences of Philadelphia, whose facilities for distribution are greater than those of the Society.

Texas, California, and even the older parts of the United States, have furnished species still undescribed, which, of course, could not be included. No great disadvantage will, however, result from this, because, the great mass of the species being once catalogued, it will be very easy to make future accessions to the list.

To render the Catalogue as useful as possible, references have been made to descriptions of the species, which, with the list of works cited, will go far toward supplying the place of a general work upon the subject. The synonymy, and in some cases the genera, are to be regarded as indications requiring the revision of the monographist, rather than as a final determination.

F. E. M.

[The delay in publication, from necessary causes, having rendered the original manuscript somewhat imperfect, additions have been made, which, so far as known to us, include all species published up to January, 1852. In cases where a synopsis or monograph of any particular group has been since published, it was thought useful to call attention to the fact in a marginal note. In cases of special interest, a few species, published during 1852, have been added.

Being intended for a reference, rather than for a synonymical catalogue, some species have been allowed to stand in distinct genera, to facilitate research; and for the same reason, the additions have mostly been allowed to remain in the genera where they stand in the original description.

With regard to the scientific arrangement, in some of the groups the original text has been remodelled from more recent materials; but from want of time, and a sufficient familiarity with the subject, in other groups (as the Buprestidæ) the arrangement used by the author has not been altered.

Occasionally we have not altered the position of genera, as we believe improperly placed, because we did not wish to interfere with those portions in which the author followed the arrangement given by Westwood in the Synopsis, at the end of his *Modern Classification of Insects*.

In a few instances, later names are placed as having authority over earlier ones, the opinions of the author not being in accordance with ours upon this point.

It may be proper to remark, that the introduction of Mexican species (as *Megaderus bifasciatus* and *Cebrio femoralis*) was not with a view of swelling the Catalogue by the addition of interesting species to our fauna, but because such species were collected in Texas by Lieut. Haldeman.

S. S. H. J. L. Le C.]



AUTHORITIES.

- [placed after a name, denotes that it is preoccupied.
- 4 placed after a name, denotes that the genus or species is unpublished.
- ‡ indicates an error, or an erroneous citation.
- Acr. Holm.—Kongl. Svensk. Vetenskaps Academies Handlingar.
- AHR.—Ahrens. Beiträge Zür Monographie der Rohrkäfer. Halle, 1817, 8vo.
- Am. Ent.—American Entomology, &c., by Thomas Say. Philad. 1817-1828. 3 vols. 8vo.
- Am. Phil. Tr.—Transactions of the American Philosophical Society, Philadelphia. New Series.
- Ann. Lyc.—Annals of the Lyceum of Natural History. New York, 1824, 1852. 8vo.
- Ann. Sc. Nat.—Annales des Sciences Naturelles. Paris.
- Ann. Soc. Ent.—Annales de la Société Entomologique de France. Paris, 1882, &c. 8vo.
- Aubé Hydr.—Spécies Géneral des Hydrocanthares.
 - " Psel.—Monographia Pselaphorum, in Guérin, Magazin de Zoologie, 1836.
- Beauv. Ins.—Palisot de Beauvois. Insectes recueillis en Afrique et en Amérique. Paris, 1805. Fol.
- Bon. Obs.—Bonelli. Observations Entomologiques; in Memorie dell' Accademia Reale di Scienzi, &c. Torino. 1809-1813. 4to.
- BHN.—Boheman. Novae Coleopterorum Species. N. Mém. Natur. Mosc. 1, p. 101.
 - " Mon. Cass.-Monographia Cassididarum, vol. 1.
- Blanch. Cat. Mus.—Blanchard. Catalogue de la Collection Entomologique; Museum d'Histoire Naturelle de Paris. Paris, 1850.
- Br. et Er.—Brandt et Erichson. Monographia Generis Meloes, in Nov. Acta Acad. C. L. C. Natur. Curios. Breslau, vol. 17.
- CHAUD.—Chaudoir, in Bull. Mosc.
- Bost. J.—Boston Journal of Natural History.
- Bull. Mosc.—Bulletin de la Société Impériale des Naturalistes de Moscou.

Burm. Handb.—Burmeister. Handbuch der Entomologie. Berlin.

Chevr. Col. Mex.—Chevrolat. Coléoptères du Mexique. Strasbourg, 1834-5.

COQUEB. ILL. INS.—Coquebert. Illustratio Iconographica Insectorum. Paris, 1814. Fol.

Dalm. Gen.—Dalman. Insectorum Nova Genera. Holm. [Stockholm], 1819.

DALM. An.—Dalman. Analecta Entomologica. Holm. 1823, 4to.

DALM. EPH.—Dalman. Ephemerides Entomologicae. Holm. 1824. 8vo.

DE GEER INS. or GEER.—De Geer. Mémoires pour servir à l'Histoire des Insectes. 7 tom. 1752-1778. 4to.

Dej. Sp.—Dejean. Species Géneral des Coléoptères, &c. Paris, 1825-1831.

Dej. C.—Catalogue des Coléoptères de la Collection de M. Le Comte Dejean. Troisième Edition. Paris, 1836. 8vo.

DRURY INS.—Illustrations of Natural History. 3 vols. 1770. 4to.

Dum. — Duméril. Considerations Générales sur la Classe des Insectes. Paris, 1823. 8vo.

Dum. Zool.-Duméril. Zoologie Analytique. Paris, 1806. 8vo.

Dup.-Dupont, in Guérin, Magazin de Zoologie.

Ent. Heft.—Entomologische Hefte enhaltend Beiträge zur weitern Kenntniss und Aufklärung der Insectengeschichte. Frankfurt am Main, 1803.

Ent. Mag.—The Entomological Magazine, by Edward Newman. London, 1833. 8vo.

Ent. Zeit.—Entomologische Zeitung, herausg. vom Ent. Verein. Stettin.

ER. GEN. DYT.—Erichson. Genera Dyticeorum, 1832.

EB.—Col. March.—Käfer der Mark Brandenburg. Berlin, 1837-1839. 8vo.

En.—Erichson. Genera et Species Staphylinorum. Berol. 1840. 8vo.

ER. ENTOM.—Entomographien, 1840. 8vo.

ER. Bericht.—Berichte über die Leistungun in der Gebiete der Entomologie, in Wiegman Archiv.

Enc. Meth.—Encyclopédie Méthodique. Paris, 4-10. 1789-1825. 4to.

Eschs.—Eschscholtz. Zoologischer Atlas. Berlin, 1829. Fol.

" Entom.—Entomographien.

"THON ARCH.—Eschscholtz in Thon's Archiv.

F. or Fabr.—Fabricius. Species Insectorum. Hamb. 1781. 2 tom. 8vo.

F. or. Fabr. Ent. Syst.—Fabricius. Entomologia Systematica Emendata. Hafniae, 1798. 4 tom. 8vo.

F. or Fabr. El.—Fabricius. Systema Eleutheratorum. Kiliae, 1701. 2 tom.

Fisch. Entom.—Fischer (Gotth.) Entomographia Imperii Rossici. Moscou, 1820-1828. 8vo.

FORST. CENT. INS.—Forster. Novae Species Insectorum Centuria Prima. Londini, 1771. 8vo.

Germ. Mag.—Germar. Magazin der Entomologie. Halle, 4 Bänd. 1818-1821. 8vo.

Germ. Sp. Nov.—Germar. Insectorum Species Novae aut minus cognitae, &c. Halae, 1824. 8vo.

- GERM. ZEITSCHR.—Zeitschrift für Entomologie.
- GISTL, FAUNUS.—Zeitschrift für Zoologie und vergleichende Anatomie.
- GRIFFITH, An. KINGD .- Griffith's edition of Cuvier's Animal Kingdom.
- Gor. et Perch. Mon.—Gory et Percheron. Monographie des Cétoines et Genres Voisins. Paris, 1833.
- GEV. MICE.—Gravenhorst. Coleoptera Microptera Brunsvicensia. Brunsvicae, 1802.
- GRV. Mon.—Gravenhorst. Monographia Coleopteorum Micropterorum. Gottingae, 1806.
- Guán. Icon.—Guérin. Iconographie du Règne Animal de M. le Baron Cuvier. Paris, 1830.
 - " Mag. Zool.—Guérin. Magazin de Zoölogie, 1833.
 - "An. Art.—Species et Iconographie Générique des Animaux Articulés, etc. Paris, 1843, et seq.
 - " REV. ZOOL .- Revue Zoologique.
 - 4 REV. ET MAG. ZOOL.—Ib.
- GYLLH. INS.—Gyllenhal. Insecta Suecia. Scaris, 1808–1813. Lipsiae, 1827. HALD.—Haldeman, in various places.
- HARR. CAT.—Harris. Catalogue of Insects of Massachusetts, 1835. 8vo.
- HARR. HARTF. TR.—Harris. Transactions of the Natural History Society of Hartford, 1836, No. 1.
- HARR. INS.—Harris. A Treatise of some of the Insects of New England, which are injurious to vegetation. Cambridge, Mass. 1842-1852.
- HARR. N. E. FARMER.—Harris, in New England Farmer, 1828-29.
- Hbst. Col.—Herbst. Natursystem aller bekannten in- und ausländischen Insecten, u. s. w. Käfer. Berlin, 1785–1806. 10 Bänd. 4ta.
- Hoffgg.—Hoffmansegg, in Illiger's Magazin.
- HOPE, MAN.—Hope. The Coleopterist's Manual, &c. London, 1837-1838.
- ILLIG. Mag. Illiger. Magazin für Insectenkunde, &c. Braunschweig, 1802–1807. 6 Bände, 8vo.
- J. ACAD. or J. Ac.—Journal of the Academy of Natural Sciences of Philadelphia, 1817, &c. 8vo.
- J. Acad. 2d, or J. Ac. 2d.—Journal, &c. New Series. Philad. 1849, &c. 4to.
- Kieb. N. Z.—Kirby. Fauna Boreali-Americana, or the Zoology of the Northern Parts of British America, by John Richardson. Norwich, 4th vol. 1837. 4to.
- Kn. N. Beitr.-Knoch. Neue Beiträge zur Insectenkunde. Leipzig, 1801.
- KL. Mon.-Klug. Entomologische Monographien. Berlin, 1824. 8vo.
- KL. JAHRB.—Klug. Jahrbücher der Insectenkunde. Berlin, 1834. 8vo.
- KL. CLER.—Klug. Versuch einer systematischen Bestimmung u. s. w. der Clerii. (Abhandlungen Acad. Berlin, 1842.)
- LAC. Mon. Erot.—Lacordaire. Monographie des Erotyliens, &c. Paris, 1842. 8vo.
- LAC. CHRYS.—Monographie des Coléoptères Subpentamères, vol. 1 et 2. Liége.

L. Sup.—Lake Superior, its Physical Character, its Vegetation, and its Animals, by L. Agassiz. Boston, 1850.

LAP. Icon.—Laporte et Gory. Histoire Naturelle et Iconographie des Insectes. Paris, 1837. Cited for Clytus and Buprestis.

LAP. ÉT. ENT.-Laporte. Études Entomologiques.

LATR. GEN.—P. A. Latreille. Précis des Charactères des Insectes. Brive, 1796.

LATE. GEN. CR.—Latreille. Genera Crustaceorum et Insectorum. Paris, 1806-1809. 4 tom. 8vo.

LEC.—LeConte, in various works.

LEACH, Z. MISC.—Leach. Zoological Miscellany, &c. London, 1814-1817.

"Zool. Mag.—Leach, in Zoological Magazine.

L. or Linn.—Caroli a Linné Systema Naturae. Holmiae, 1766. 8vo. Mus. Ulr.

LINN. ENT.—Linnaea Entomologica. Berlin, 1846, &c. 8vo.

LINN. TR.-Linnaean Transactions. London.

Long's Exp.—Narrative of an Expedition to the Source of St. Peter's River, &c. 1824. Appendix.

Macl. Hob. Ent.—MacLeay. Horae Entomologicae, 2 vols. London, 1819.

Mag. Nat. Hist.—Charlesworth's Magazine of Natural History. London.

Mann. Br.—Mannerheim. Précis d'un Nouvel Arrangement de la Famille des Brachélytres, &c. Petropoli, 1830.

Mann. Euc. Mon.—Mannerheim. Eucnemis Insectorum Genus Monographice Tractatum Iconibusque Illustratum. Petropoli, 1823.

Mann. Beitra.—Beitrag zur Kaefer-fauna der aleutischen Inseln, der Insel Sitkha, und Neu-californiens. Bull. (Soc. Imp.) Mosc. No. 2, 1843.

MANN. NACHTBAG.—Nachtrag dazu, Bull. Mosc. 1846.

Motsch.—Motschulsky, in Bull. de la Soc. Imp. des Naturalistes de Moscou.

Muls. Cocc.—Mulsant. Species des Coléoptères trimères Sécuripalpes, par M. E. Mulsant. Paris, 1850.

Muls. Ann. Soc. Nat. Phys.—Mulsant, in Annales de la Société de Sciences Naturelles et Physiques de Lyon.

Mels.—Melsheimer, in Proceedings of Academy of Natural Sciences.

M. C.—Fred. Valentine Melsheimer's Catalogue of Insects of Penn. 1806.

NEWM. MAG.—Newman, in Entomological Magazine, vol. 5.

NEWM. ENTOM.—Newman, in Entomologist. London.

Nordm. Symbolae ad Monographiam Staphylinorum. Petropoli, 1837. 4to.

Ol. of Oliv. Ent.—Olivier. Entomologie ou Histoire Naturelle des Insectes Coléoptères. Paris, 4 tom. 1789–1808.

Pz. or Panz. Prod.—Panzer. Faunae Insectorum Americes Borealis Prodromus. Norimbergae, 1794. 4to.

PAYK. Fn.—Paykull. Fauna Suecica Insecta. Upsaliae, 3 tom. 1798-1800.

PAYK. Mon.—Paykull. Monographia Histeroidum. Upsaliae, 1811. 8vo.

Pr. Acad.—Proceedings of the Academy of Natural Sciences of Philadelphia.

Pr. Bost. Soc.—Proceedings of the Boston Society of Natural History.

Pr. Am. Ph. Soc.—Proceedings of the American Philosophical Society, vol. 4.

Putz.—Putzeys. Monographie des Clivina et Genres Voisins. Liége, 1846. (Extr. des Mém. Soc. Sci. de Liége.)

RAND.—Randall, in the Boston Journal of Natural History.

REDT.-Redtenbacher.

R. A. Ins.—Le Règne Animal, Insectes. Edit. Crochard.

REV. ZOOL.—Revue Zoologique par La Société Cuvierienne. 1841.

SAY, AM. ENT .- Vid. Am. Ent.

SAY, CUR.—Say. Descriptions of North American Curculionides. New Harmony, 1831.

SAY, N. INS. OF LOUISIANA.—Descriptions of New Species of North American Insects found by Joseph Barabino, 1832.

Sch. Syn. Ins.—Schönherr. Synonymia Insectorum, &c. Stockholm, 1808, &c. 8 Bände.

Sch. Prod.—Schönherr. Curculionidum Dispositio Methodica—seu Prodromus ad Synonymiae Insectorum, pars 4. Lipsiae, 1826.

Sch. Cub.—Schönherr. Genera et Species Curculionidum. Paris.

SCHAUM. - Analecta Entomologica, 1841.

SERV.—Serville in Annales de la Soc. Entom. de France.

SILB. REV. ENT.—Revue Entomologique, par G. Silbermann. Strasbourg.

Sol.—Solier, in Annales de la Soc. Entom. de France.

Spin. Mon.—Spinola. Essai Monographique sur les Clerites.

STANSBURY'S EXP.—Exploration of the Valley of the Great Salt Lake of Utah. Philadelphia, 1852.

Steff.—Steffahny.

St. Cat.—Sturm. Catalog meiner Insecten Sammlung Käfer. Nürenberg.

SUFFR.—Suffrian, in Linnaea Entomologica.

Swederus, in Acta Holm.

TRANS. ENT. Soc.—Transactions of the Entomological Society of London.

WEB. OBS. ENT.—Observationes Entomologicae. Kiliae, 1801.

WESTW.-Westwood, in various works.

Zeitsche, or Z.—Zeitschrift für die Entomologie u. s. f. von E. F. Germar. Leipzig, 1839-1844. 5 Bände, 8vo.

Ziegl. Pr. Acad.—Rev. Daniel Ziegler, in Proceedings of Academy of Natural Sciences.

ERRATA.

Page 25, for Bradicellus read Bradycellus.

" 49, in BYRRHIDAE, add

Amphicyrta Er.

dentipes Er. Germ. Zeitschr. 4, 40. chrysomelina Er. ib.

- " 81, in Dasytes, for trivittatus read trivittis.
- " 100, for Spondylus read Spondylis.
- " 107, after **Tessaropa** dele (||).
- " 113, in Acmaeops for strigilatu read strigilatus.
- ' 119, after **Hispa** dele Newm.
- " 127, after Monachus dele (1).
 - · 134,

Eleodes add

? cylindrica Herbst (Blaps), Col. 8, 185, tab. 128, f. 4.

The following genus is usually placed at the commencement of the Cerambycidae (p. 100), but was accidentally omitted.

Parandra Latr.

brunnea Fabr. (Tenebrio), Ent. Syst. Suppl. 49; El. 1, 148. polita Say, Bost. J. 1, 192.

CATALOGUE

OF

NORTH AMERICAN COLEOPTERA.

CICINDELIDAE.

Megacephala Latr.

carolina Linn., Fabr. El. 1, 283. Dej. Sp. 1, 8. Guér. Icon. tab. 3, fig. 2. **virginica** Linn., ib. ib. 10.

Omus Esch.

Audovinii Reiche, Ann. Ent. Fr. 7, 297, tab. 10.

Dejeanii Reiche, ib.
californicus Esch. Zool. Atlas, p. 4, tab. 4, fig. 1. Mannh. Beitrag, p. 182.

Amblycheila Say.

cylindriformis Say (Manticora), J. Acad. 3, 189. *Picolominii* Reiche, Ann. Ent. France, 8, 560, tab. 19. Mannh. Beitrag, p. 11.

Cicindela Linn.

generosa Dej. Sp. 5, 231. Gould, Bost. J. 2, tab. 3. Lec. Ann. Lyc. 4, 179. [obliquata] Kirby, N. Z. 4, p. 10. latesignata Lec. Ann. Lyc. 5, 172. ascendens Lec. ib. serpens Lec. 178. ib. pulchra Say, J. Acad. 3, 142. Dej. Sp. 2, 421. Leo. Ann. Lyc. 4, tab. 13, purpurea Oliv. Ins. Say, Am. Tr. 1, 419. Lec. Ann. Lyc. 4, 175. marginalis Fabr. El. 1, 240. Dej. Sp. 1, 55, ib. 5, 210. formosa Say, J. Acad. 1, 19. Am. Ent. tab. 18. Dej. Sp. 2, 424. Lec. Ann. [Lyc. 4, 180. venusta Lec. Ann. Lyc. 4, 179, tab. 13, fig. 6. fulgida Say, J. Acad. 3, 141. Lec. Ann. Lyc. 4, tab. 18, fig. 5. splendida Hentz, Am. Tr. 8, 254. Lec. Ann. Lyc. 4, 176. Audubonii Lec. Bost. Journ. 5, tab. 18. Ann. Lyc. 4, 176. purpurea, var.? scutellaris Say, J. Acad. 3, 140. Lec. Ann. Lyc. 4, 176, tab. 13, fig. 2. gratiosa Guérin, Rev. Zool. 1840, p. 37. 1

Digitized by Google

```
limbalis Klug, Jahrb. 1, 29. Lec. Ann. Lyc. 4, 177.
amoena Lec. Ann. Lyc. 4, 177, tab. 13, fig. 3.
sexguttata Fabr. El. 1, 241. Say, Am. Tr. 1, tab. 18. Dej. Sp. 1, 58. Lec.
       Ann. Lyc. 4, 176. violacea Fabr. El. 1, 282.
spreta Lec. Ann. Lyc. 4, 177, tab. 18, fig. 7.
patruela Dej. Sp. 1, 62. Gould, Bost. J. 1, 44, tab. 3, fig. 4. Lec. Ann.
       Lyc. 4, 178. consentanca Dej. Sp. 1, 68 teste Lec.
modesta Dej. 1, 52. Lec. Ann. Lyc. 4, 175. obscura || Say, Am. Tr. 1, 418.
       var. rugifrons Dej. 1, 51; 5, 209. unicolor Dej. 1, 52; 5, 210. den-
       ticulata Hentz, Am. Tr. 8, tab. 2.
marginata Fabr. El. 1, 241. Say, Am. Tr. 1, tab. 13. variegata Dej. Sp. 1,
       84. Lec. Ann. Lyc. 4, 180.
                                                     [Gould, Bost. J. 1, 49.
repanda Dej. 1, 74. Lec. Ann. Lyc. 4, 180. hirticollis || Say, J. Acad. 1, 20.
hirticollis Say, Am. Tr. 1, tab. 13. Lec. Ann. Lyc. 4, 180. albohirta Dej.
       Sp. 2, 425. unita Kollar, Ann. Wien. Mus. 1, 328, fid. Schaum.
blanda Dej. 2, 228. Lec. Ann. Lyc. 4, 180.
cuprascens Lec. Pr. Acad. 6, 65.
                                                                [N. Z. p. 9.
duodecimguttata Dej. Sp. 1, 73. Lec. Ann. Lyc. 4, 181. proteus Kirby,
trifasciata Fabr. El. 1, 242. Lec. Ann. Lyc. 4, 181. tortuosa Dej. Sp. 1, 87.
sigmoidea Lec. Ann. Lyc. 5, 172.
                                                                 [Sp. 1, 72.
vulgaris Say, Am. Phil. Tr. 1, 409. Lec. Ann. Lyc. 4, 179. obliquata Dej.
unipunctata Fabr. El. 1, 288. Say, Am. Phil. Tr. 1, tab. 18. Lec. Ann.
       Lyc. 4, 175. Dej. Sp. 1, 50.
obsoleta Say, J. Acad. 8, 143. Lec. Ann. Lyc. 4, 178, tab. 13, fig. 4.
longilabris Say, Long's Exp. (App.).p. 268. Lec. Ann. Lyc. 4, 178. albi-
severa Ferté, Rev. Zool. 1848.
                                                    [labris Kirb. N. Z. 4, 12.
dorsalis Say, J. Acad. 1, 20. Ej. Am. Phil. Tr. 1, tab. 18. Lec. Ann. Lyc. 4,
       181. signata Dej. Sp. 1, 124.
lepida Dej. Sp. 5, 255. Lec. Ann. Lyc. 4, 181, tab. 14, fig. 8.
nigrocoerulea Lec. Ann. Lyc. 4, 181, tab. 4, fig. 9.
punctulata Oliv. Ent. 2, 27. Fabr. El. 1, 241. Say, Am. Phil. Tr. 1, 420,
       tab. 18. Dej. Sp. 1, 101. Lec. Ann. Lyc. 4, 182. micans Fabr. El.
circumpicta Ferté, Rev. Zool. 1841.
togata Ferté,
marginipennis Dej. Sp. 5, 260. Lec. Ann. Lyc. 5, 182, tab. 14, fig. 11.
 Hentzii Dej. Sp. 5, 248. Lec. Ann. Lyc. 4, 182. hæmorrhoidalis Hentz, Am.
hemorrhagica Lec. Ann. Lyc. 5, 171.
                                                           [Phil. Tr. 8, 254.
 cinctipennis Lec. Ann. Lyc. 4, 182, tab. 14, fig. 12.
 pusilla Say, J. Acad. 1, 21. Am. Phil. Tr. 1, tab. 13. Lec. Ann. Lyc. 4, 183.
 imperfecta Lec. 1852, Ann. Lyc. 5, 171.
 tenuisignata Lec.
 celeripes Lec. Ann. Lyc. 4, 188, tab. 14, fig. 14.
 abdominalis Fabr. El. 1, 237. Dej. Sp. 1, 140, tab. 14, fig. 13.
 rufiventris Dej. Sp. 1, 102.
 cumatilis Lec. Ann. Lyc. 5, 178. Guexiana Chevr. Mag. et Rev. Zool. 1852.
 Saulcyi Guérin, Rev. Zool. 1840, p. 37. venusta Ferté, Rev. Zool. 1841.
 gravida Lec. Ann. Lyc. 5, 170.
 terricola Say, Long's Exp. 2, 268.
 limbata Say, J. Acad. 3, 141.
```

tarsalis Lec. Pr. Acad. 6, 66.
decemnotata Say, J. Acad. 1, 19. Ej. Am. Ent. 1, tab. 18.
venosa Kollar, Ann. Wien. Mus. 1, 331.
californica Ménétries, 1844. Bull. Acad. St. Petersburg, p. 51.
tortuosa Dej. 1, 87. Lec. Ann. Lyc. 5, 175, tab. 14, fig. 10.

Dromochorus Guér.

Pilatei Guérin, Mag. Zool. 1845, tab. 162.

CARABIDAE.

Casnonia Latr.

pensylvanica Linn. (Attelabus) Fabr. El. 2, 418. Say, (Odacantha) Am.
 Phil. Tr. 2, 16. Dej. Sp. 1, 171. Kirb. N. Z. 4, 18.
 ludoviciana Sallé, Ann. Ent. Soc. 1849, 297, tab. 8, fig. 1.
 picta Chaud. Bull. Mosc. 1848.

Apiodera Chaud.

rufipes Dej. (Casnonia) Sp. 1, 172. Chaudoir, Bull. Mosc. 1848.

Leptotrachelus Latr.

SPHERACRA Say.

dorsalis Fabr. (Odacantha) El. 1, 229. Say, Am. Phil. Tr. 2, 17. Dej. Sp. 1, 177; 5, 284.

Ega Laporte.

Sallei Chevr. Revue Zool. 1839, 308. laetula Lec. Ann. Lyc. 5, 173.

Lachnophorus Dej.

pubescens Dej. 5, p. 30. [St. Pet. elegantulus Man. Beitr. 215. Tachypus? mediosignatus Ménétr. 2, 62. Bull.

Galerita Fabr.

janus Fabr. Ent. Syst. 1, 186. Klug, Jahrb. 1, 68; 12. Lec. Ann. Lyc. 4, 185. americana Fabr. El. 1, 214. Say, Am. Phil. Tr. 2, 15. cyanipennie Dej. Sp. 5, 298. dubia Lec. Pr. Acad. 11, 48 teste Lec. cordicollis et longicollis Chaudoir, Bull. Mosc. 1848, teste Lec. Ann. Lyc. 4, 185. [Klug, Jahrb. 1, 63; 12. bicolor Drury, Ins. 1, 94, tab. 42, fig. 2. americana Dej. Sp. 1, 187 teste Lecontei Dej. Sp. 5, 294. Klug, ut supra. Lec. Ann. Lyc. 4, 185. californica Mann. Beitrag, p. 11.

Zuphium Latr.

americanum Dej. Sp. 5, 298.

Diaphorus Dej.

Lecontei Dej. 5, 301. var.? dorealis Brullé, Suites à Buffon. tenuicollis Lec. Ann. Lyc. 5, 173.

Enaphorus Lec.

rufulus Lec. Ann. Lyc. 5, 174 (vid. Thalpius).

Apenes Lec.

opaca Lec. Ann. Lyc. 5, 174.

Philotecnus Lec.

nigricollis Lec. Ann. Lyc. 5, 176. ruficollis Lec. ib.

Cymindis Latr.

TARUS Clairy.

venator Dej. Sp. 5, 311; 1118 Melsh. Cat. americana Dej. Sp. 2, 446. [1, 215; 2, 446. pilosa Say, Am. Phil. Tr. 2, 10. Lec. Ann. Lyc. 4, 186. pubescens Dej. Sp. cribricollis Dej. Sp. 5, 311. Lec. Ann. Lyc. 4, 186. marginata Kirb. N. Z. elegans Lec. Ann. Lyc. 4, 186. [4, 18? sinuata Say, Am. Phil. Tr. 2, 8. pustulata Dej. Sp. 5, 816. neglecta Hald. Pr. Acad. 1, 298. Lec. Ann. Lyc. 4, 187. amoena Lec. Ann. Lyc. 4, 188. viridicollis Lec. ib. purpurea Say, Am. Phil. Tr. 2, 10; 4, 414. Lec. Ann. Lyc. 4, 188. lucidula Dej. Sp. 5, 820. Lec. Ann. Lyc. 4, 187. limbata Dej. Sp. 321. 189. 1144 M. C. ib. fuscata Dej. ib. ib. ib. morio Dej. Sp. 1, 219. [complanata Dej. Sp. 2, 448. 1143 M. C. platicollis Say (Lebia), Am. Phil. Tr. 2, 14; 4, 413. Lec. Ann. Lyc. 4, 189. laticollis Say, Am. Phil. Tr. 4, 413. unicolor Kirby, N. Z. 4, 14. reflexa Lec. Agass. L. Sup. p. 203. punctigera Lec. Ann. Lyc. 5, 178.

Calleida Dej.

viridipennis Say, Am. Phil. Tr. 2, 9. marginata Dej. Sp. 1, 122; 2, 450. fulgida Dej. Sp. 5, 830. smaragdina Dej. Sp. 1, 225. decora Fabr. El. 1, 181. Say, Am. Phil. Tr. 2, 8; 4, 414. Dej. Sp. 1, 224. rubricollis Dej. Sp. 1, 225. punctata Lec. Ann. Lyc. 4, 189. cyanipennis Chaudoir, Bull. Mosc. 1844.

Dromius Bonelli.

piceus Dej. Sp. 5, 858. Lec. Ann. Lyc. 4, 189 (Cymindis). geminatus Hald. Pr. Acad. 1, 298.

Apristus Chaud.

americanus Dej. (Dromius) Sp. 5, 361. subsulcatus Dej. (Dromius) Sp. 2, 451. cordicollis Lec. (Dromius) Ann. Lyc. 4, 190. laticollis Lec. Ann. Lyc. 5, 176.

Metabletus Schmidt.

Bomius Lec.

angustus Lec. (Dromius) Ann. Lyc. 4, 190. latens Lec. ib. nigrinus Mann. (Dromius) Beitrag in Bull. Mosc. 1848, p. 184. lucidus Lec. Ann. Lyc. 5, 177.

Axinopalpus Lec.

biplagiatus Dej. Sp. 1, 244. Lec. Ann. Lyc. 4, 190. californicus Motsch. (Dromius) Bull. Mosc. 1845, p. 336, tab. 5, fig. 1. fusciceps Lec. Ann. Lyc. 5, 175.

Plochionus Dej.

timidus Hald. Pr. Acad. 1, 298. Bonfilsii Dej. Sp. 1, 251. Lec. Ann. Lyc. 4, 192. amandus Newman, Entomologist, p. 2. vittatus Lec. Pr. Acad. 2, 48.

Lebia Latr.

grandis Hentz, Am. Phil. Tr. 8, 53. 2, 18. Dej. Sp. 2, 454. 1181 M. C. atriventris Say, ib. divisa Lec. Ann. Lyc. 4, 192 (concinna||). Lec. L. Sup. 203. tricolor Say, Am. Phil. Tr. 2, 11. Dej. Sp. 2, 453. [conjungens Lec. Ann. Lyc. 4, 194. pleuritica Lec. Ann. Lyc. 4, 193. vittata Fabr. El. 1, 202. Dej. Sp. 1, 267. Say, Am. Phil. Tr. 2, 12. var. viridipennis Dej. Sp. 1, 266. borea Hentz, Am. Phil. Tr. 3, 256. cyanipennis Dej. Sp. 5, 885. furcata Lec. Ann. Lyc. 4, 198. pulchella Dej. Sp. 2, 457. 1127 M. C. ornata Say, Am. Phil. Tr. 2, 13. analis Dej. Sp. 1, 256. 1129 M. C. fuscata Dej. Sp. 1, 270. Lec. Ann. Lyc. 4, 194. axillaris Dej. Sp. 5, 872. Lec. Ann. Lyc. 4, 194. apicalis et brunnea Hald. marginella Dej. Sp. 5, 373. [Pr. Acad. 1, 298. scapularis Dej. Sp. 5, 377. Lec. Ann. Lyc. 4, 194. collaris Dej. Sp. 2, 456. solea Hentz, Am. Phil. Tr. 8, 255. nigripennis Dej. Sp. 5, 873.

viridis Say, Am. Phil. Tr. 2, 14. Dej. Sp. 1, 271.
affinis Dej. Sp. 5, 387.
marginicollis Dej. Sp. 1, 270.
maculicornis Lec. Ann. Lyc. 4, 195.
smaragdula Dej. Sp. 5, 887.
bivittata Fabr. El. 1, 203, 179, 4. vittata Dej. Sp. 1, 268.
pumila Dej. Sp. 5, 888. Lec. Ann. Lyc. 4, 195. floricola Harris.
abdominalis Chaudoir, Bull. Mosc. 1848. Lec. Ann. Lyc. 4, 195.
russata Newman, Entomologist, 81.
moesta Lec. Agass. L. Sup. p. 203.
guttula Lec. Ann. Lyc. 5, 178.
ruficollis Lec. ib.

Coptodera Dej.

ærata Dej. Sp. 1, 277. 1148 M. C. viridipennis Lec. Ann. Lyc. 4, 196. signata Dej. Sp. 1, 275. micans Lec. Ann. Lyc. 4, 196. collaris Lec. ib. 197.

Aptinus Bonelli.

janthinipennis Dej. Sp. 5, 412.

Brachinus Weber.

fumans Linn. Fabr. El. 1, 219. Dej. Sp. 1, 317. Say, Am. Phil. Tr. 2, 7. Lec. Ann. Lyc. 4, 203. cyanopterus Lec. Pr. Acad. 2, 49. alternans Dej. Sp. 1, 316. Lec. Ann. Lyc. 4, 198. ballistarius Lec. Ann. Lyc. 4, 199. tenuicollis Lec. Pr. Acad. 11, 49. Ann. Lyc. 4, 199. similis Lec. Ann. Lyc. 4, 199. librator Dej. strenuus Lec. Pr. Acad. 2, 48. ib. Ann. Lyc. 4, 200. Deyrollii Ferté, Rev. Zool. 1841. Lec. Ann. Lyc. 4, 200. tormentarius Lec. Ann. Lyc. 4, 200. quadripennis Dej. Sp. 1, 316. Lec. Ann. Lyc. 4, 200. neglectus Lec. Pr. lateralis Dej. Sp. 5, 426. Lec. Ann. Lyc. 4, 202. [Acad. 2, 49. patruelis Lec. Pr. Acad. 2, 50. Ej. Ann. Lyc. 4, 202. Lecontei Dej. Cat. Lec. Pr. Acad. 2, 49. ib. viridis Lec., Pr. Acad. 2, 49. Ej. Ann. Lyc. 4, 205. perplexus Dej. Sp. 5, 426. Lec. Ann. Lyc. 4, 203. stygicornis Say, Am. Phil. Tr. 4, 415. sufflans Lec. Ann. Lyc. 4, 204. affinis Lec. ib. americanus Lec. (Aptinus) Pr. Acad. 2, 48. Ann. Lyc. 4, 298. viridipennis Dej. Sp. 4, 426. Lec. Ann. Lyc. 4, 205. cephalotes Dej. Sp. 1, 317. Lec. Ann. Lyc. 4, 205. velox Lec. Ann. Lyc. 4, 206. var. conformist Lec. cordicollis Dej. Sp. 2, 466. Lec. Ann. Lyc. 4, 206. oxygonus Chaud. Bull. Mosc. 1843. librator Dej. Sp. 5, 425.

conformis Dej. Sp. 427. Lec. Ann. Lyc. 4, 207. medius Lec. Ann. Lyc. 4, 207. pumilio Lec. ib. 208.

Tschernikhii Man. Beitrag, p. 184.

Thalpius Lec.

pygmæus Dej. (Helluo.) Sp. 2, 461. rufulus Lec. (Enaphorus) Ann. Lyc. 5, 173.

Helluomorpha Laporte.

præusta Dej. (Helluo.) Sp. 1, 289. Clairvillei Dej. Sp. 5, 406. laticornis Dej. ib. 407. nigripennis Dej. ib. 408.

Psydrus Lec.

piceus Lec. Ann. Lyc. 4, 208.

Haplochile Lec.

pygmæa Dej. (Morio) Sp. 5, 512. Lec. Ann. Lyc. 4, 209.

Aretharea Say.

helluonis Say, Am. Phil. Tr. 4, 411.

Drepanus Illig.

Lecontel Dej. Sp. 5, 435. excrucians Kirb. (Heteromorphus) Lin. Tr. 14, 101, tab. 3, fig. 3.

Scarites Fabr.

subterraneus Fabr. El. 1, 124. Say, Am. Phil. Tr. 2, 17. Dej. Sp. 1, 864. Scheenh. Syn. Ins. 1, 127; 10.

quadriceps Chaud. Bull. Mosc. 1843. substriatus Hald. Pr. Acad. 2, 54.

Lec. Bost. Journ. 5, 205. distinctus Hald. Pr. Acad. 2, 54.

intermedius Lec. Bost. Journ. 5, 205. ephialtes Lec. B. J. 5, 205. vicinus Chaud. Bull. Mosc. 1843.

affinis Lec. Bost. Journ. 5, 207.

patruelis Lec. Bost. Journ. 5, 207.

denticollis Chaud. Bull. Mosc. 1843. patruelis?

subterreus Bonelli, Obs. Ent. gagates Bonelli, ib.

Pasimachus Bon.

depressus Fabr. El. 1, 123. Say, Am. Phil. Tr. 2, 19. Dej. Sp. 1, 406.

Lec. Ann. Lyc. 4, 145. *lævis* Lec. Ann. Lyc. 4, 146.

morio Lec. Ann. Lyc. 4, 145.

californicus Chaud. Bull. Mosc. 1850.

punctulatus Hald. Pr. Acad. 1, 298. Lec. Ann. Lyc. 4, 146.

elongatus Lec. Ann. Lyc. 4, 147, tab. 7, fig. 5.
obsoletus Lec. ib. 148, tab. 7, fig. 7.
substriatus Hald. Pr. Acad. 1, 318. Lec. Ann. Lyc. 4, 147, tab. 7, fig. 6.
rugosus Lec. Ann. Lyc. 4, 149, tab. 8, fig. 1.
assimilis Lec. ib. 148, tab. 7, fig. 8.
sublaevis Beauv. 107, tab. 15, fig. 4. Lec. Ann. Lyc. 4, 149, tab. 8, fig. 2.
subsulcatus Say, Am. Phil. Tr. 2, 19. Lec. Ann. Lyc. 4, 150.
marginatus Fabr. El. 1, 123. Dej. Sp. 1, 407. Lec. Ann. Lyc. 4, 151.

Clivina Latr.

bipustulata Fabr. El. 1, 125. Illig. Mag. 1, 885, No. 14. Dej. Sp. 1, 417. 4-maculata Beauv. p. 107, tab. 15, fig. 7. Say, Am. Phil. Tr. 4, 415. Harris, Hartf. Tr. 1, 65. marginipennis Putz. Mon. p. 101. picea Putz. Mon. p. 103. bisignata Putz. Mon. p. 102. postica Lec. Ann. Lyc. 4, 213. stigmula Putz. Mon. p. 104. convexa Lec. Pr. Acad. 2, 50; Ann. Lyc. 4, 218. impressifrons Lec. ib. americana Dej. Sp. 5, 503. Putz. p. 79. striatopunctata Dej. Sp. 5, 505. Putz. p. 99. postica Lec. Ann. Lyc. 4, 213. dentipes Dej. Sp. 1, 415. Putz. p. 92. corvina Putz. Mon. p. 92. fissipes Putz. p. 89. confusa Lec. Ann. Lyc. 5, morio Dej. Sp. 5, 506. Putz. p. 104. [198, teste Lec. pallida Say, Am. Phil. Tr. 2, 22. rufescens Dej. Sp. 5, 504. 1212 M. C. acuducta Hald. 1843, Pr. Acad. 1, 299. cordata Putz. Mon. p. 86. elongata Randall, Bost. J. 2, 84. analis Putz. Mon. p. 81. picipes Bonelli, Obs. Ent. Dej. 1, 416. Putz. 105. elongata|| Chaud. Bull. Mosc. 1843, 734. punctulata Lec. Ann. Lyc. 5, 198.

Schizogenius Putzeys.

crenulatus Lec. Ann. Lyc. 5, 197.
lineolatus Say (Clivina), Am. Tr. 2, 22. sulcifrons Putz. 134.
ferrugineus Putz. p. 185. sulcata Lec. (Cliv.) Ann. Lyc. 4, 214.
amphibius Hald. (Cliv.) Pr. Acad. 1, 299. frontalis Lec. Ann. Lyc. 4, 215.
depressus Lec. Ann. Lyc. 5, 197.
pluripunctatus Lec. ib. var. simplex Lec. id.

Ardistomis Putz.

obliquata Putz. Mon. p. 118. viridis Say (Cliv.), Am. Tr. 2, 21. rostrata Dej. 1, 419; 2, 478. Putz. 129. puncticollis Dej. Sp. 5, 508. Putzeys' Monogr. 129.

Aspidoglossa Putz.

subangulata Chaud. (Dyschirius) Bull. Mosc. 1848. humeralis Chaud. ib. fide Lec. vicina et fraterna Putz. 114, fide Lec. crenata[†] Dej. Cliv. 1, 408.* bipustulata[†] Say, Am. Tr. 4, 415.

Acephorus Lec.

marinus Lec. Ann. Lyc. 5, 195.

Dyschirius Bon.

sphæricollis Say, Am. Tr. 2, 23. Harr. Hartf. Tr. 1, 66. Putz. p. 17. globulosus Say, Am. Phil. Tr. 2, 23. Dej. 2, 480. Putz. 20. pallipennis Say, ib. 24. hæmorrhoidalis Dej. Sp. 5, 511. Putz. 32. pumilus Dej. Sp. 1, 425. Putz. p. 26. zeneolus Lec. Agass. L. Sup. p. 204. parvus Lec. ib. longulus Lec. ib. tridentatus Lec. Ann. Lyc. 5, 195. convexus Lec. ib. patruelis Lec. ib. 196. integer Lec. ib. nigripes Lec. (apicalis|| Lec.) Agass. L. Sup. p. 204. Dejeanii Putz. 25. terminatus Lec. Ann. Lyc. 4, 212. analis Lec. ib. 5, 196. consobrinus Lec. ib. edentulus Putz. 51. curvispinus Putz. 41. sublaevis Putz. 42. aratus Lec. Ann. Lyc. 5, 196.

Promecognathus Chaud.

laevissimus Dej. (Eripus) Sp. 4, 11. Chaud. Bull. Mosc. 1846.

Cychrus Fabr.

viduus Dej. Sp. 2, 12. unicolor Kn. Neue Beitr. 1, 187, tab. 8, fig. 1. Say,
Am. Phil. Tr. 2, 71; Am. Ent. 8, tab. 45. Newm. (Irichroa) Ent.
Leonardi Harris, Bost. J. 2, 195. [Mag. 4, 385.
Andrewsii Harris, Bost. J. 2, 195. [Mosc. 1844.
ventricosus Esch. Z. Atl. p. 21, tab. 25, fig. 1. striatopunctatus Chaud. Bull.
angusticollis Fisch. Ent. Russ. 2, 46; tab. 46, fig. 2. Dej. 5, 526.
marginatus Fisch. ib.
velutinus Mén. Bull. St. Pet. 1844, 2, 54.

^{*} Dejean's Otivina crenata is an inhabitant of Cayenne and Venezuela. See Putzeys' Monog. p. 112.—Eds.

interruptus Mén. Bull. St. Pet. 1844, p. 54. ventricosus Chaud. Bull. tuberculatus Harris, Bost. J. 2, 200. Mosc. 1844. angulatus Harris. cristatus Harris. ib.

Scaphinotus Latr.

unicolor Fabr. El. 1, 166. Oliv. Ent. 3, 47, tab. 6, fig. 62. heros Harris, Bost. J.; 2, 194. elevatus Fabr. El. 1, 166. Kn. Neue Beitr. 1, 188, tab. 8, fig. 12. Oliv. Ins. 3, 46. Dej. Sp. 2, 17. Say, Ent. 3, tab. 45. Ej. Am. Tr. 2, 71. flammeus Hald. Pr. Acad. 2, 54. Lec. Ann. Lyc. 4, 440.

Sphæroderus Dej.

stenostomus Kn. Neue Beitr. 1, 190, tab. 8, fig. 13. Weber, Obs. Ent. p. 43. Dej. Sp. 2, 15. Say, Am. Ent. tab. 45. Ej. Am. Phil. Tr. 2, 72. Lecontei Dej. Sp. 2, 15. Harris, Bost. J. 2, 198. Lec. Ann. Lyc. 4, 442. niagarensis Lap. Ann. Ent. 1, 890. Harr. Bost. J. 2, 199. Lec. bilobus Say, Am. Phil. Tr. 2, 73; Am. Ent. 3, tab. 45. Dej. Sp. 2, 16. Harris, Bost. J. 2, 299. Lec. Agass. L. Sup. 208, tab. 8, fig. 6. nitidicollis Chevr. Guérin, Icon. Règne An. tab. 7. Brevoortii Lec. Ann. Lyc. 4, 443.

Carabus Linn.

Beauvoisi Dej. Sp. 2, 67. serratus Say, Am. Phil. Tr. 2, 75. lineatopunctatus Dej. Sp. 2, 77. ligatus Germ. Sp. Nov. p. 6. Lec. Ann. Lyc. 4, 144. carinatus Dej. 2, 80. canadensis Lec. ligatus Kirby, N. Z. 18. limbatus Say, Am. Phil. Tr. 2, 77. Goryi Dej. Sp. 5, 644. vinctus Web. Obs. Ent. p. 62. Dej. 2, 79. interruptus Say, Am. Tr. 2, 76. baccivorus Fisch. Ent. 1, 87, tab. 7, fig. 11. Dej. 2, 167. Man. Beitr. p. 186. silvosus Say, Am. Phil. Tr. 2, 75. Dej. Sp. 2, 151. finitimus Hald. Stansb. Exp. 373. tædatus Fabr. El. 1, 174. Oliv. Ent. Meth. 5, 828; 24. Agassii Lec. Agass. L. Sup. p. 209. Vietinghovii Adams, teste Kirby N. Z. p. 17, tab. 1, fig. 3. Lapilayi Lap. Etudes Ent. 89. [Beitrag, 186. Chamissonis Fisch. Ent. 1, 88, tab. 7, fig. 12; 3, 220. Dej. 2, 161. Mann.

Callisthenes Fisch.

luxatus Say, (Calos.) J. Acad. 3, 149. Lec. (Car.) Ann. Lyc. 4, 445; 5, 200. Zimmermani Lec. (Carabus), Ann. Lyc. 4, 445. Wilkesii Lec. Ann. Lyc. 5, 200. moniliatus Lec.

Calosoma Weber.

scrutator Fabr. El. 1, 213. Oliv. Ent. 3, 41, tab. 8, fig. 32, a. b. Leach Z. Misc. 2, 93, tab. 93. Say, Am. Phil. Tr. 2, 73. Dej. Sp. 2, 194.

Wilcoxi Lec. Ann. Lyc. 4, 446.

tepidum Lec. ib. 5, 199.

frigidum Kirb. N. Z. 4, 19.

Sayl Dej. Sp. 2, 198; 5, 558.

calidum Fabr. El. 1, 211. Oliv. Ent. 3, 30, tab. 4, fig. 45. Say, Am. Phil.

Tr. 2, 74. Dej. Sp. 2, 197. Kirb. N. Z. 4, 19.

lepidum Lec. Pr. Bost. Soc. 1, 201. Bost. J. 5, 208, tab. 18, fig. 8.

obsoletum Say, J. Acad. 8, 149. luxatum Dej. Sp. 2, 196.

triste Lec. Pr. Bost. Soc. 1, 201. Bost. J. 5, 208, tab. 18, fig. 9.

externum Say (Carabus), J. Acad. 3, 150. longipenne Dej. Sp. 5, 568.

cancellatum Esch. Z. Atl. p. 23. Mann. Beitr. p. 187.

semilaeve Lec. Ann. Lyc. 5, 199.

prominens Lec. (angulatum || Lec.) Ann. Lyc. 5, 199.

Leistus Fröhlich.

ferruginosus Mann. Beitrag, p. 187. ferrugineus || Dej. 5, 569. Esch. Zool. Atl. No. 5, p. 24, tab. 25, fig. 4.

Nebria Latr.

pallipes Say, Am. Phil. Tr. 2, 78. Dej. Sp. 2, 228.
castanipes Kirb. (Helobia) N. Z. 4, 20.
moesta Lec. Agass. L. Sup. p. 209.
suturalis Lec.
ib.
metallica Fisch. Ent. Russ. 1, 71, tab. 6, fig. 1. Dej. 2, 229.
Gebleri Dej. (1881) 5, 573. Esch. (1833) Atl. 5, p. 23, tab. 25, fig. 3.
gregaria Fisch. Ent. 1, 72, tab. 6, fig. 2. Dej. 2, 232.
Mannerheimif Fisch. Ent. 3, 253, tab. 14, fig. 5. Dej. 5, 573.
Sahlbergii Fisch. Ent. 8, 254. Esch. Atl. No. 5, p. 23. Dej. 5, 576.

Pelophila Dej.

Eschscholtzii Mann. Humm. Ess. Ent. 3, 40; Beitrag, 190.

Opisthius Kirby.

Richardsonii Kirb. N. Z. p. 61, tab. 1, fig. 9.

Omophron Latr.

 labiatum Fabr. El. 1, 248 (Scolytus).
 Say, Am. Phil. Tr. 2, 79. Dej. Sp. 2, 261.

 tessellatum Say, J. Ac. 8, 152.
 Lec. Ann. Lyc. 4, 447.
 Lecontei Dej. 5, 582.

 americanum Dej. Sp. 5, 583.
 Sayi Kirb. N. Z. 4, 65.

 nitidum Lec. Ann. Lyc. 4, 447.
 dentatum Lec. ib. 5, 200.

 Gilae Lec. ib. 5, 201.

Blethisa Bon.

quadricollis Hald. Pr. Acad. 3, 149.

Elaphrus Fabr.

ruscarius Say, Am. Phil. Tr. 4, 417. riparius Say, 2, 80. americanus Dej. intermedius Kirb. N. Z. 4, 62. Lec. Ann. Lyc. 4, 448. [Sp. 5, 558? fuliginosus Say, Am. Phil. Tr. 4, 417. Clairvillet Kirb. N. Z. 4, 61. cicatricosus Lec. Ann. Lyc. 4, 448. similis Lec. ib. 4, 449. obscurior Kirb. N. Z. 4, 63. politus Lec. Agass. L. Sup. p. 209. punctatissimus Lec. ib. 210. sinuatus Lec. ib. 210. sinuatus Lec. ib. californicus Mann. Beitrag, 190. lavigatus Lec. Ann. Lyc. 5, 200.

Notiophilus Dumeril.

confusus Lec. Ann. Lyo. 4, 449.

semistriatus Say, Am. Phil. Tr. 2, 81. Lec. Ann. Lyc. 4, 450.

9-striatus Lec. Ann. Lyc. 4, 450.

porrectus Say, Am. Phil. Tr. 4, 418. ib. (semistriatus var.) 2, 81. Lec. Ann. Lyc. 4, 450. eneus Hbst. Col. 10, 235?

punctatus Lec. Agass. L. Sup. p. 210.

semiopacus Esch. Z. Atl. 5, 25, tab. 25, fig. 6. Mann. Beitrag, 191.

sylvatlcus Esch. ib. fig. 5. ib. 190.

Metrius Esch.

contractus Esch. Zool. Atl. 1, 8, tab. 1, 4. Dej. 5, 591. Mann. Beitrag, 191.

Panagæus Latr.

fasciatus Say, Am. Phil. Tr. 2, 70. Dej. Sp. 2, 289. crucigerus Say, ib. 2, 69. distinctus Hald. Stansb. Exp. 373.

Loricera Latr.

pilicornis Fabr. El. 1, 198. teste Lec. Ann. Lyc. 4, 161 et 439. semipunctata Esch. Z. Atl. 5, p. 25. Mann. Beitrag, 191. decempunctata Esch. ib. tab. 25, fig. 7. ib. 192. foveata Lec. Ann. Lyc. 5, 180.

Atranus Lec.

pubescens Dej. (Anchomenus) Sp. 3, 122. obconicus Hald. Pr. Acad. 1, 299.

Chlænius Bon.

erythropus Germ. Sp. Nov. p. 11. rufilabris Dej. Sp. 2, 829.
fuscicornis Dej. Sp. 5, 64. Lec. Ann. Lyc. 4, 432.
brevicollis Lec. Ann. Lyc. 4, 432.
laticollis Say, Am. Ph. Tr. 2, 64. Dej. Sp. 2, 330. Lec. Ann. Lyc. 4, 438.

```
rufipes Dej. Sp. 2, 881. Lec. Ann. Lyc. 4, 488.
augustus Newm. Ent. Mag. 5, 490. Lecontei Hald. Pr. Acad. 1, 304.
lithophilus Say, Am. Phil. Tr. 2, 62. viridanus Dej. Sp. 5, 660.
sericeus Forst. Cent. Ins. 58. Say, Am. Phil. Tr. 2, 61. Dej. Sp. 2, 847.
perviridis Lec. Ann. Lyc. 4, 434.
                                                  [Oliv. Enc. Méth. 5, 341.
cestivus Say, Am. Phil. Tr. 2, 62. cobaltinus Dej. Sp. 2, 881.
congener Lec. Pr. Acad. 2, 51; Ann. Lyc. 4, 485; prec. var. teste Lec.
patruelis Lec.
                     ib.
                                          ib.
prasinus Dej. Sp. 2, 345. emaragdinus Chaud. Bull. Mosc. 1843.
amcenus Dej. Sp. 5, 648.
solitarius Say, Am. Phil. Tr. 2, 65.
chlorophanus Dej. Sp. 5, 662.
cordicollis Kirb. N. Z. 4, 22.
nemorallis Say, Am. Tr. 2, 65. Dej. Sp. 2, 366. Lec. Ann. Lyc. 4, 436.
pensylvanicus Say,
                       ib.
                                 66. Lec. Ann. Lyc. 4, 436. fulgiceps Newm.
      Ent. Mag. 5, 490. longicollis Chaud. Bull. Mosc. 1843.
vicinus Dej. Sp. 5, 659. Lec. Ann. Lyc. 4, 436. Mann. Beitrag, 193. pu-
tricolor Dej. Sp. 2, 884.
                                       [bescens Harris, N. E. Farmer, 1828.
atripennis Lec. Ann. Lyc. 4, 436.
oxygonus Chaud. Bull. Soc. Imp. Mosc. 1843.
consimilis Lec. Ann. Lyc. 4, 437.
brevilabris Lec.
                       ib.
                                 impunctifrons | Kirby.
impunctifrons Say, Am. Phil. Tr. 2, 64. emarginatus Kirb. N. Z. 23.
                                     65. Dej. Sp. 2, 366.
emarginatus Say,
                           ib.
quadricollis Kirb. N. Z. 4, 22.
tomentosus Say, Am. Phil. Tr. 2, 60. Dej. Sp. 2, 357. luctuosus Germ. Sp.
niger Randall, Bost. J. 2, 34. 1112 M. C.
pusillus Say, Am. Phil. Tr. 2, 63. elegantulus Dej. Sp. 2, 367.
circumcinctus Say, Am. Phil. Tr. 4, 418. virens Chaud. Bull. Mosc. 1843.
viridifrons Esch. Z. Atl. 5, 27. Mann. Beitrag, 192.
variabilipes Esch.
                       ib.
                                 Mann.
                                            ib.
harpalinus Esch.
                       ib.
                                 Mann.
                                            ib. 193.
posticus Lec. (apicalis|| Lec.) Ann. Lyc. 5, 179.
regularis Lec. Ann. Lyc. 5, 179.
cumatilis Lec.
                    ib.
                            179.
                            180.
monachus Lec.
                    ib.
obscurus Lec.
                    ib.
                            179.
obsoletus Lec.
                    ib.
                            180.
asperulus Ménétr. Bull. Ac. St. Pet. 2, 55.
```

Dinodes Bon.

rotundicollis Dej. 2, 373. purpuricollis Randall (Chlaenius), Bost. J. 2, 35.

Oodes Bon.

americanus Dej. Sp. 2, 377. amaroides Dej. Sp. 5, 674. picipes Lec. Pr. Acad. 2, 52; Ann. Lyc. 4, 481. 14-striatus Chaud. Bull. Moso. 1843. Lec. Ann. Lyc. 4, 431. cupræus Chaud. ib. ib. 432. minutus Dej. Sp. 5, 677. exaratus Dej. ib. 676. leucodactylus Ferté, Ann. Ent. 2d, 9, 278. stenocephalus Ferté, Ann. Ent. ; parallelus Say, Am. Tr. 4, 420. elegans Lec. Ann. Lyc. 5, 180.

major Lec. Ann. Lyc. 4, 418. laticollis Lec. ib. 419.

obtusus Lec.

assimilis Lec. Ann. Lyc. 4, 420.

reflexus Lec. Ann. Lyc. 4, 430.

teter Bon. Dej. Sp. 5, 689. **politus** Dej. 2, 391.

ib.

Diplocheila Brullé.

impressicollis Dej. Sp. 5, 682. striatopunctatus Lec. Pr. Acad. 2, 50.

REMBUS | Latr.

Dicælus Bon. purpuratus Bon. Say, Am. Phil. Tr. 2, 67. cyaneus Dej. Sp. 5, 686. violaceus Bon. Say, Am. Phil. Tr. 2, 67; Am. Ent. 2, tab. 24. chalybeus Dej. Sp. 5, 682. Lec. Ann. Lyc. 4, 424. laevipennis Lec. Ann. Lyc. 4, 421. quadratus Lec. ib. 422. Lecontei Ferté, 1851. Ann. Ent. 2d, 9, 277. 423. decoloratus Lec. ib. splendidus Say, Am. Tr. 2, 69; Am. Ent. 2, 24. Lec. Ann. Lyc. 4, 423. confusus Lec. Ann. Lyc. 4, 424. iricolor Lec. 426. ib. sculptilis Say, Am. Phil. Tr. 2, 68. Lec. Ann. Lyc. 4, 426. Dejeanii Dej. Sp. 5, 687. Lec. Ann. Lyc. 4, 426. dilatatus Say, Am. Phil. Tr. 2, 68; Am. Ent. 2, tab. 24. Lec. Ann. Lyc. 4, 427. quadratus Ferté, Ann. Ent. 2d, 9, 277. planicollis Lec. Ann. Lyc. 4, 427. carinatus Dej. Sp. 5, 689. alternans Dej. Sp. 2, 887. ovalis Lec. Ann. Lyc. 4, 427. ambiguus Ferté, Rev. Zool. 1841. Ann. Ent. 2d, 9, 277. Lec. Ann. Lyc. opacus Ferté, Rev. Zool. 1841. Lec. Ann. Lyc. 4, 429. [4, 428. obscurus Lec. Ann. Lyc. 4, 429. simplex Dej. Sp. 2, 389. Lec. Ann. Lyc. 4, 430. furvus Dej. Sp. 2, 388.

Badister Clairv.

elongatus Bon. Say, Am. Phil. Tr. 2, 68. Dej. Sp. 2, 290. Lec. Ann.

notatus Hald. Pr. Acad. 1, 299. terminalis Lec. Ann. Lyc. 4, 417.

[Lyc. 4, 430.

micans Lec. Pr. Acad. 2, 51. Ann. Lyc. 4, 418.
pulchellus Lec. Ann. Lyc. 4, 418.
ferrugineus Esch. Z. Atl. No. 5, p. 28. Dej. 5, 90. Mann. Beitrag, 194.

Pogonus Ziegl.

minutus Dej. Sp. 8, 15.

Morio Latr.

georgiæ Beauv. Ins, tab. 15, fig. 5. Say, Am. Phil. Tr. 2, 25. monilicor-[nis Latr. Dej. Sp. 1, 429.

Patrobus Dej.

longicornis Say, Am. Tr. 2, 40. americanus Dej. 8, 34. Kirb. N. Z. 51. angicollis Randall, Bost. J. 2, 1. [Dej. 3, 30. Mann. 194. foveicollis Esch. Mém. Mosc. 6, 105. Fisch. Ent. 2, 129, tab. 19, fig. 5. fossifrons Esch. ib. 104. ib. 128, tab. 19, fig. 4. aterrimus Dej. 3, 32. Mann. Beitrag, 194. [Dej. 3, 31. tenuis Lec. (Pterostichus) L. Sup. 207, teste Lec.

Calathus Bon.

gregarius Say, Am. Phil. Tr. 2, 47. Dej. Sp. 3, 76. Kirb. N. Z. 4, 29. distinguendus Lec. Ann. Lyc. 4, 216. ruficollis Dej. 3, 78. Mann. Beitr. 195. Behrensii Mann. Beitrag, 195.

Pristodactyla Dej.

impunctata Say, Am. Phil. Tr. 2, 45. americana Dej. Sp. 3, 83. corvina Lec. Ann. Lyc. 4, 217. americanus|| Lec. (Pristonychus) Pr. Ac. 2, 52. advena Lec. ib.

Rhadine Lec.

larvalis Lec. Ann. Lyc. 4, 219.

Platynus Bon.

erythropus Dej. Sp. 3, 97. Lec. Ann. Lyc. 4, 220.
angustatus Dej. ib. 98. ib.
atratus Lec. Agass. L. Sup. p. 205.
carbo Lec. ib.
ruficornis Lec. ib.
quadripunctatus Geer. (Carab.) Dej. (Agonum.) 3, 170.
variolatus Lec. Ann. Lyc. 5, 178.

Scaphiodactylus Chaud.

micans Ménétries, 1844, Bull. St. P. 2, 58.

Digitized by Google

Tanystoma Motsch.

striatum Dej. (Anchomenus) 8, 182. sulcatum Dej. ib. 131.

Anchomenus Bon.

decentis Say, Am. Phil. Tr. 2, 58; 4, 421. gagates Dej. Sp. 8, 107. var. depressus Hald. Pr. Acad. 1, 299. Lec. Ann. Lyc. 4, 221. coracinus Lec. Ann. Lyc. 4, 220. sinuatus Dej. Sp. 3, 108. Lec. Ann. Lyc. 4, 220. cincticollis Say, Am. Phil. Tr. 2, 52; 4, 421. blandus Germ. (Platynus) Sp. Nov. p. 12. corvinus Dej. Sp. 8, 102. Lec. 4, 221. deplanatus Chaud. Lec. Ann. Lyc. 4, 221. marginalis Hald. Pr. Acad. 1, marginatus Lec. Ann. Lyc. 4, 221. angusticollist Kirby. Γ299. tenuicollis Lec. ib. 222. [B. Mosc. 1843. elongatulus Dej. Sp. 3, 112. Lec. Ann. Lyc. 4, 222. obscuratus Chaudoir, extensicollis Say, Am. Phil. Tr. 2, 52. Lecontei Dej. Cat. var. proximus viridis Lec. Ann. Lyc. 4, 222. [Harr. N. E. Farmer, 7, 132. decorus Say, Am. Phil. Tr. 2, 58. Dej. Sp. 8, 115. Lec. Ann. Lyc. 4, 228. obscurus Lec. Ann. Lyc. 4, 128. [thoracicus Dej. Sp. 8, 114. ovipennis Mann. Beitrag, 196. rotundipennis Motsch. rugiceps Mann. ib. 196. brunneomarginatus Mann. ib. 196. californicus Dej. 3, 127. Mann. ib. 197. ferruginosus Dej. 3, 128. mollis Esch. Mém. Mosc. 6, 102. Fisch. Ent. 2, 125. Dej. 3, 129. maculicollis Dej. 3, 175. Mann. Beitrag, 199. fossiger Dej. 3, 160. ib. brevicollis Dej. 3, 159. ib. maurus Motsch. Bull. Mosc. 1845, pars 2, p. 339.

Agonum Bon.

8-punctatum Fabr. El. 1, 186. Say, Am. Phil. Tr. 2, 51. Dej. Sp. 3, 136. cupripenne Say, Am. Phil. Tr. 2, 50. Dej. Sp. 3, 139. errans Say, J. Acad. 3, 147; Am. Phil. Tr. 4, 423. erythropum Kirb. N. Z. 4, 28. chalceum Lec. Ann. Lyc. 4, 224. nitidulum Dej. Sp. 8, 143. cupreum Dej. Sp. 5, 785. ocreatum Hald. Pr. Acad. 1, 299. ferreum Hald. ib. Lec. Ann. Lyc. 4, 228. excavatum Dej. Sp. 8, 169. 1163 M. C. nutans Say, Am. Phil. Tr. 2, 52; 4, 423. striatopunctatum Dej. Sp. 8, 167. basale Lec. Ann. Lyc. 4, 227. aeruginosum Dej. Sp. 3, 168. femoratum Dej ib. 146. Lec. Ann. Lyc. 4, 225. collare Say, Am. Phil. melanarium Dej. ib. 152. moerens Dej. Sp. 3, 153. [Tr. 4, 424. maurum H. Pr. Acad. 301. Harrisii Lec. Ann. Lyc. 4, 225.

morosum Dej. Sp. 3, 145. piceum Lec. Ann. Lyc. 4, 226. placidum Say, Am. Phil. Tr. 2, 43. Lec. Ann. Lyc. 4, 227. maculifrons Say, J. Acad. 3, 146. bembidioides Kirb. (Sericoda) N. Z. 4, 15. Lec. Ann. Lyc. 4, 227. retractum Lec. Ann. Lyc. 4, 228. decipiens Lec. ib. lenum Dej. Sp. 3, 166. elongatulum Hald. Pr. Acad. 1, 300. picipenne Kirb. N. Z. 4, 24. foveicolle Chaud. Bull. Mosc. 1843. sordens Kirb. N. Z. 4, 25. nigriceps Lec. Ann. Lyc. 4, 229. luctuosum Dej. Sp. 3, 172. punctiforme Say, Am. Phil. Tr. 2, 58; 4, 428. rufipes Dej. Sp. 3, 178. limbatum Say, 47. palliatum Dej. Sp. 8, 174. ib. albicrus Dej. Sp. 3, 158. scutellare Say, J. Acad. 3, 146. anchomenoides Randall, Bost. J. 2, 2. simile Kirb. N. Z. 4, 27. affine Kirb. ib. seminitidum Kirb. ib. 26. deplanatum Mén. 1844, Bull. St. Pet. 2, 58. famelicum Ménétries.

Olisthopus Dej.

parmatus Say, Am. Phil. Tr. 2, 49. Dej. Sp. 3, 181. cinctus Say, ib. 4, 424. micans Lec. Ann. Lyc. 4, 280.

Poecilus* Bon.

chalcites Say, Am. Phil. Tr. 2, 56. Dej. Sp. 3, 211.

cyaneus Lec. Ann. Lyc. 4, 231.

lucublandus Say, Am. Tr. 2, 55. Dej. Sp. 3, 212. Lec. Ann. Lyc. 4, 231.

dilatatus Lec. Ann. Lyc. 4, 232.

castanipes Kirb. N. Z. 4, 87. Lec. Ann. Lyc. 4, 232.

bicolor Lec. Ann. Lyc. 4, 232.

convexicollis Say, Am. Phil. Tr. 2, 50; 4, 424. Lec. Ann. Lyc. 4, 238.

scitulus Lec. Ann. Lyc. 4, 334.

fraternus Say, Long's Exp. 2, 270.

cursitor Lec. J. Acad. 2d, 2, 254. cursorius|| Lec. Ann. Lyc. 5, 181.

subcordatus Lec. Ann. Lyc. 5, 181.

occidentalis Dej. (Feronia) 3, 231.

Loxandrus Lec.

MEGALOSTYLUS || Chaud.

celer Dej. Sp. 8, 246. 1175 M. C.

* For a synopsis, by Dr. Leconte, of the species of Pterostichus, Poecilus, and allied genera inhabiting the United States, vide Journ. Acad. Nat. Sc., New Ser., Vol. 2.—Eds.

piciventris Lec. Ann. Lyc. 4, 387.

rectus Say, Am. Phil. Tr. 2, 58; 4, 421 (Pogonus).

agilis Dej. Sp. 8, 244.

brevicollis Lec. Ann. Lyc. 4, 388.

minor Chaud. Bull. Mosc. 1848. Lec. Ann. Lyc. 4, 388.

erraticus Dej. Sp. 8, 240. ib. 389.

nitidulus Lec. 4, 289.

lucidulus Dej. Sp. 3, 289. ib. 840.

laticollis Chaud. Bull. Mosc. 1848. ib. ib.

saphyrinus Chaud. Bull. Mosc. 1848.

velox Dej. 8, 245. rectus Lec. Ann. Lyc. 4, 388.

Pterostichus Bon. Er.

Feronia Latr. Dej.

erythropus Dej. Sp. 3, 243. Platyderus nitidus Kirb. N. Z. 4, 29. orinomum Leach. Kirb. N. Z. 4, 32. tenebrosus Chaud. (Omaseus) Bull. Mosc. 1837. mutus Say, Am. Phil. Tr. 2, 44. morosus Dej. Sp. 3, 283. Lec. Ann. Lyc. 4, 835. picicornis Kirb. N. Z. 4, 23. carbonarius Dej. Sp. 8, 288. Luczotii Dej. 3, 321. oblongonotatus Say, Am. Tr. 4, 425. caudicalis Say, Am. Phil. Tr. 2, 56. corvinus Dej. Sp. 3, 281. subpunctatus Harris, N. E. Farmer, 1828, 128. grandiceps Lec. Ann. Lyc. 4, 386. similis Kirb. (Stereocerus) N. Z. 4, 34. luctuosus Dej. Sp. 3, 284. nigritat Kirby, N. Z. 32. caudicalist Lec. Ann. hamatus Harr. N. E. Farmer, 1828, 128. [Lyc. 4, 336. patruelis Dej. Sp. 5, 759. bicolor Kirb. N. Z. 4, 80. femoralis Kirb. N. Z. 4, 31. mandibularis Kirb. N. Z. 4, 81. brevicornis Kirb. ib. honestus Say, Am. Phil. Tr. 2, 51. monedula Germ. Ins. Nov. 18. submarginatus Say, Am. Phil. Tr. 2, 45. Haldemani Lec. Ann. Lyc. 4, 841. [Dej. Sp. 8, 809. tartaricus Say, Am. Phil. Tr. 2, 44. complanatus Dej. Sp. 8, 281. scrutator Lec. Ann. Lyc. 4, 342. acutangulus Chaud. (Lyperus) Bull. Mosc. 1843. ebeninus Dej. Sp. 3, 307. monedula|| Newm. Ent. Mag. 5, 386. moerens Newm. ib. 887. picipes Newm. ib. ib. rostratus Newm. ib. ib. hypolithus Say, Am. Phil. Tr. 2, 57. rostratus Newm. Ent. Mag. 5, 387. atratus Newm. ib. 386. moerens Newm. ib. 887.

```
Mann. Beitr. 201.
amethystinus Mén. Bull. St. Pet. 2, 58.
castanipes Mén. 1844.
                           ib.
                                     59.
congestus Ménétr.
                           ib.
                                     59.
ater Dej. 3, 339. lama Ménétr. ib.
                                     ib.
carbonarius Dej. 3, 283.
fallax Dej. Sp. 3, 821.
sculptus Lec. J. Acad. 2d, 2, 248. striata | Dej. Sp. 8, 890.
permundus Say, Am. Phil. Tr. 4, 426.
quadricollis Lec. Ann. Lyc. 4, 248. (haud Am. Bor.; parallelus teste Lec.)
americanus Dej. Sp. 8, 892.
heros Say, J. Acad. 3, 145.
colossus Lec. Ann. Lyc. 4, 343.
substriatus Lec. ib.
                           844.
constrictus Say, J. Acad. 3, 147; Am. Tr. 4, 427. Lec. Ann. Lyc. 4, 244.
ovipennis Lec. Ann. Lyc. 4, 345.
incisus Lec.
                   ib.
                             346.
lixa Lec.
                    ib.
abdominalis Lec.
                   ib.
                             347.
corax Lec.
                    iЪ.
orbatus Newm. Ent. Mag. 5, 386. Lec. Ann. Lyc. 4, 348. sodalis Lec. Ann.
vagans Lec. Ann. Lyc. 4, 249.
                                                              [Lyc. 4, 349.
sigillatus Say, Am. Phil. Tr. 2, 42. vidua Dej. Sp. 8, 278.
seximpressus Lec. Ann. Lyc. 4, 350.
stygicus Say, Am. Phil. Tr. 2, 41. Dej. Sp. 3, 279. bisigillata Harris,
      N. E. Farmer, 1828, p. 123. rugicollis Hald. Pr. Acad. 1, 300.
coracinus Newm. Ent. Mag. 5, 386.
adoxus Say, Am. Phil. Tr. 2, 46. tristis Dej. Sp. 3, 324.
fastiditus Dej. Sp. 8, 822.
lachrymosus Newm. Ent. Mag. 5, 887.
interfector Newm.
                             ib.
moestus Say, Am. Phil. Tr. 2, 42. superciliosa Say, J. Acad. 3, 144. re-
unicolor Say, Am. Phil. Tr. 2, 40.
                                             [licta Newm. Ent. Mag. 5, 387.
Brevoorti Lec. Ann. Lyc. 4, 352.
obscurus Say, Am. Phil. Tr. 4, 425.
punctatissimus Randall, Bost. J. 2, 3. Lec. L. Sup. tab. 8, fig. 4.
tenuis Lec. Agass. L. Sup. p. 207. (v. Patrobus).
lustrans Lec. Ann. Lyc. 5, 181.
simplex Lec.
                    ib.
illustris Lec.
                    ib.
                            182.
contractus Lec.
                    ib.
Isabellae Lec.
                    ib.
megas 1Chaud. (Brachystylus). ater 1 Mann. Beitrag, 206.
californicus Dej. 8, 222.
vicinus Mann. Beitrag, 200.
herculeanus Mann. ib.
validus Dej. 3, 325. ib. 201.
castaneus Dej. 8, 326. Mann. Beitrag. 202.
brunneus Dej. 8, 327.
                                 ib.
angustus Dej. 3, 328.
                                 ib.
                                         208.
```

adstrictus Esch. Mém. Mosc. 6, 108. Germ. Col. Sp. 17. Dej. 8, 819. Fisch. Ent. Russ. 2, 120, tab. 19, fig. 8. Mann. Beitr. 208. seriepunctatus Mann. Beitrag, 204.

ventricosus Esch. Mém. Mosc. 6, 106. Fisch. Ent. Russ. 2, 132, tab. 19, fig. 6. Mann. Beitrag, 204. Dej. 3, 329.

pinguedineus Esch. Mém. Mosc. 6, 106. Fisch. Ent. Russ. 2, 133, tab. 19, fig. 7. Mann. Beitr. 205. Dej. 3, 380.

empetricola Dej. 3, 331. Mann. Beitrag, 205.

riparius Dej. 8, 832. ib. 26

fuscoaeneus Mann. Beitrag, 203.

faber Germar, Sp. Nov. p. 23. tenebricosus Dej. Sp. 3, 301. spoliatus Newm. ventralis Say, Am. Tr. 2, 46. [Ent. Mag. 5, 386.

obsoletus Say, Am. Phil. Tr. 4, 424. Lec. Ann. Lyc. 4, 854.

approximatus Lec. (Broscus) Ann. Lyc. 4, 854.

laevipennis Lec.

morio Dej. Sp. 3, 802.

obscurus Say, Am. Phil. Tr. 4, 425.

Stenomorphus Dej.

Agaosoma Ménétr.

californicus Ménétries, Bull. St. Pet. 2, 68.

Myas Ziegl.

coracina Say (Abax.), Am. Tr. 2, 59; 4, 26. cyanescens Dej. Sp. 3, 424. foveatus Lec. Ann. Lyc. 4, 355.

Stom is Clairv.

americanus* Laporte. Lec. Ann. Lyc. 4, 356. Platynus pusillus | Harris.

Isopleurus Kirb.

hyperboreus Lec. Ann. Lyc. 4, 357. septentrionalis Lec. ib. 358. terrestris Lec. ib. nitidus Kirb. N. Z. 4, 50.

Percosia Zimm.

obesa Say, Am. Phil. Tr. 2, 37 (Feronia). Lec. Ann. Lyc. 4, 859. diffinis Lec. Ann. Lyc. 4, 359.

Amara Bon.

punctulata Dej. Lec. Ann. Lyc. 4, 361. vulgaris Linn. Fabr. El. 1, 195, teste Kirb. N. Z. 4, 38. confusa Lec. Ann. Lyc. 4, 361. patruelis Dej. Sp. 5, 793.

^{*} Laporte's species, as stated by Chaudoir, is Ftronia fastidita Dej That described by Leconte is an altogether different insect, allied to Flatynus.—Eds.

communis Illig. Fabr. El. 1, 195. impuncticollis Say, Am. Phil. Tr. 2, 86. Kirb. N. Z. 4, 39. trivialis Dej. anthracina Hald. Pr. Acad. 1, 300. [Sp. 3, 464. familiaris Duftschm. Dej. Sp. 8, 496. impunctata Say, Am. Phil. Tr. 2, 45; [4, 428. teste Dejean. similata Gyll. teste Dej. Sp. 3, 461. difficilis Lec. Ann. Lyc. 4, 862. fallax Lec. ib. 368. convexa Lec. ib. 364. polita Lec. ib. basillaris Say, Am. Phil. Tr. 2, 85. lucidula Dej. Sp. 3, 477. chalcea Dej. Sp. 3, 476. pallipes Kirb. N. Z. 4, 39. laevipennis Kirb. N. Z. 4, 40. discors Kirb. ib. ? grossa Say, Am. Phil. Tr. 4, 480. insignis Dej. 5, 796. Ménétr. Bull. St. Pet. 2, 59. littoralis Zimm. Gistl, Faunus, 1, 85. Silb. Rev. 2, 227. Mann. Beitr. 207. punctulata † Dej. 8, 472. scitula Zimm. Gistl, Faunus, 1, 32. Mann. Beitr. 207. [2, 216. remotestriata Dej. 3, 478. Celia remota Zimm. Faunus, 1, 27. Silb. Rev. californica Dej. 8, 474. Zimm. (Celia) Faunus, 1, 25, et Silb. 215. aurata Dej. 3, 475. Zimm. (Celia) Faunus, 1, 28, et Silb. 218. inaequalis Kirb. N. Z. 4, 39. Lec. Ann. Lyc. 4, 360. splendida Hald. Pr. Acad. 1, 300. gibba Lec. Ann. Lyc. 4, 860. punctata Dej. 8, 472. melanogastrica Dej. 3, 519. Zimm. (Leirus) Faunus, 88, et Silb. 2, 229. rubrica Hald. Pr. Acad. 1, 301. musculis Say, Am. Phil. Tr. 2, 85. Dej. Sp. 3, 477. Lec. Ann. Lyc. 4, 366. contempta Lec. (Acrodon) Ann. Lyc. 4, 867. subaenea Lec. Agass. L. Sup. 208. (ib.)

Triaena Lec.

angustata Say, Am. Phil. Tr. 2, 36. indistincta Hald. Pr. Acad. 1, 300. Lec. Ann. Lyc. 4, 365. depressa Lec. Ann. Lyc. 4, 265.

Bradytus Steph.

exaratus Dej. 3, 509. Lec. Ann. Lyc. 4, 367. brevilabris Kirb. N. Z. 4, 35. furtivus Say, Am. Phil. Tr. 4, 429. avidus Say, J. Acad. 3, 148. Lec. Ann. Lyc. 4, 367. confinis Dej. Sp. 3, 510.

Curtonotus Steph.

laticollis Lec. Ann. Lyc. 4, 368. carinatus Lec. ib. rufimanus Kirb. N. Z. 35. latior Kirb. N. Z. 36. elongatus Lec. Agass. L. Sup. p. 207.

Nothopus Lec.

EURYDERUS || Lec.

zabroides Lec. Ann. Lyc. 4, 152, tab. 2, fig. 5, a, b, c, d.

Geopinus Lec.

incrassatus Dej. (Daptus) Sp. 4, 21. Lec. Ann. Lyc. 4, 871.

Cratacanthus Dej.

dubiús Beauv. Ins. p. 108, tab. 15, fig. 7. pensylvanicus Dej. Sp. 4, 41.

Piosoma Lec.

setosum Lec. Ann. Lyc. 4, 875.

Agonoderus Dej.

lineola Fabr. El. 1, 197. Oliv. Ent. 3, 78. Say, Am. Phil. Tr. 2, 37. Dej. Sp. 4, 51. furcatus F. El. 1, 206, teste Illiger. comma F. El. 1, 207.
 pallipes Fabr. El. 1, 200. Say, Am. Phil. Tr. 2, 38. Dej. 4, 58.
 dorsalis Lec. Ann. Lyc. 4, 373.
 infuscatus Dej. Sp. 4, 54. suturalis Lec. Ann. Lyc. 4, 373.

Amphasia Newm.,

femoratus Dej. (Ophonus) Sp. 4, 224. sericeus Harr. N. E. F. 1828, 117. interstitialis Say, (Feronia) Am. Phil. Tr. 2, 57; 4, 432. obscurtpennis Dej. [Sp. 4, 248. fulvicollis Newm. Ent. Mag. 5, 388.

Spongopus Lec.

verticalis Lec. Ann. Lyc. 4, 378.

Dicheirus Mann.

dilatatus Dej. (Harpalus) 4, 241. Mann. Beitrag, p. 211. brunneus Dej. ib. 239. ib. piceus Mén. (Diplocheirus) Bull. St. Pet. 2, 62. hirsutus Mén. ib. villosus Motsch. Bull. Mosc. 1845, pars 2, 344. irregularis Motsch. ib. 345. parallelus Lec. Ann. Lyc. 5, 184. obtusus Lec. ib. 185.

Anisodactylus Dej.

discoideus Dej. Sp. 5, 831.
baltimoriensis Say, Am. Phil. Tr. 2, 33. Dej. Sp. 4, 152. Car. St. crucis?
nigrita Dej. Sp. 4, 149. Lec. Ann. Lyc. 4, 379. [Fabr. 1, 198.

agricola Say, Am. Phil. Tr. 2, 33. Dej. 4, 151. paradoxus Hald. Pr. Acad. 1, 802. striatus Lec. Ann. Lyc. 4, 380. carbonarius Say, Am. Phil. Tr. 2, 82. Kirb. N. Z. 4, 44. luctuosus Dej. Sp.

4, 151. var. rufipennis Lec. Ann. Lyc. 4, 881.

rusticus Say, Am. Phil. Tr. 2, 32. Dej. Sp. 4, 157.

merula Germ. Sp. Nov. p. 24. Dej. Sp. 4, 155. pinguis Lec. Ann. Lyc. 4, 382. crassus Lec. Ann. Lyc. 4, 382. et gravidus Lec. Ann. Lyc. 882-3, fide Lec.

interpunctatus Kirb. N. Z. 4, 42. Lec. Ann. Lyc. 4, 879.

nigerrimus Dej. Sp. 5, 842. laticollis Kirb. N. Z. 4, 48.

melanopus Hald. Pr. Acad. 1, 302. agricolat Lec. Ann. Lyc. 4, 379. interellipticus Lec. 384. [punctatus? Kb. N. Z. 42, tab. 7, fig. 8. ib. coenus Say, Am. Phil. Tr. 2, 24. Dej. Sp. 4, 158. Lec. Ann. Lyc. 4, 385. 386. [var. subaeneus Lec. Ann. Lyc. 4, 385. obscurus Lec. ib.

laetus Dej. Sp. 4, 154. Say, Am. Phil. Tr. 4, 432.

tristis Dej. ib. 158.

californicus Dej. 4, 148. Mann. Beitr. 211. Lec. Ann. Lyc. 5, 182.

confusus Lec. Ann. Lyc. 5, 183.

brevicollis Lec. ib.

consobrinus Lec. ib.

similis Lec. ib.

alternans Lec. ib. 184.

amaroides Lec.

Gynandrotarsus Ferté.

harpaloides Ferté, Ann. Soc. Ent. 1841, 203.

ib.

Eurytrichus Lec.

terminatus Say, Am. Phil. Tr. 2, 48. Dej. Sp. 4, 855. testaceus Hald. Pr. Acad. 1, 301. similis Say, Am. Phil. Tr. 2, 29. agilis Dej. Sp. 4, 357. nitidipennis Lec. Ann. Lyc. 4, 388. piceus Lec. ib. dichrous Dej. Sp. 4, 258. iricolor Say, Am. Phil. Tr. 4, 432.

Selenophorus Dej.

palliatus Fabr. El. 1, 199. stigmosus Germ. Sp. Nov. p. 25. impressus Dej. [Sp. 4, 82. iripennis Lec. Ann. Lyc. 4, 389. Beauvoisii Dej. Sp. 4, 98. gagatinus Dej. Sp. 112. Lec. Ann. Lyc. 4, 890. maurus Hald. Pr. Acad. 1, parallelus Hald. Pr. Acad. 1, 301. Lec. Ann. Lyc. 4, 390. **[306.** tenebrosus Lec. Ann. Lyc. 4, 391. varicolor Lec. ib. viridescens Lec. ib. pedicularius Dej. Sp. 4, 100. ib. 101. Lec. Ann. Lyc. 4, 398. troglodytes Dej. aereus Lec. Ann. Lyc. 4, 898. planipennis Lec. ib.

ovalis Dej. Sp. 4, 106. ellipticus Dej. ib. 108. pulicarius Dej. ib. 109. granarius Dej. ib. 109. fossulatus Dej. ib. 88.

Pangus Ziegl.

caliginosus Fabr. El. 1, 188. Say, Am. Phil. Tr. 2, 26. Dej. Sp. 4, 115. lugubris Dej. Sp. 4, 118.

Harpalus Latr.

pensylvanicus De Geer, Ins. 4, 108. Oliv. Ent. 3, 72. Say, Am. Tr. 2, 28. bicolor Fabr. El. 1, 193. Oliv. Ent. 3, 57. Say, Am. Phil. Tr. 2, 26. compar Lec. Ann. Lyc. 4, 895. erythropus Dej. Sp. 4, 258. Lec. Ann. Lyc. 4, 396. faunus Say, Am. Phil. Tr. Lec. Ann. Lyc. 4, 396. badius Dej. Sp. 4, 254. longicollis Lec. Ann. Lyc. 4, 896. spadiceus Dej. Sp. 4, 336. mutabilis Hald. (Ophon.) Pr. Acad. 1, 301. erraticus Say, Am. Phil. Tr. 2, 27. Dej. Sp. 4, 256. viridaeneus Beauv. Ins. p. 108, tab. 7, fig. 8, 9? viridis Say, Am. Phil. Tr. 2, 31. assimilis Dej. Sp. 4, 272. vulpeculus Say, Am. Phil. Tr. 2, 30; 4, 32. nigripennis Dej. Sp. 4, 260. rotundicollis Kirb. N. Z. 4, 44. amputatus Say, Am. Phil. Tr. 4, 482. Stephensii Kirb. N. Z. 4, 45. megacephalus Lec. Ann. Lyc. 4, 397. herbivagus Say, Am. Phil. Tr. 2, 29. Dej. Sp. 4, 834. proximus Lec. Ann. Lyc. 4, 398. pleuriticus Kirb. N. Z. 4, 41. Lec. Ann. Lyc. 4, 399. foveicollis Lec. Ann. Lyc. 4, 399. ventralis Lec. ib. ellipsis Lec. 400. ib. nitidulus Chaud. Bull. Mosc. 1843. Lec. Ann. Lyc. 4, 401. rufimanus Lec. Ann. Lyc. 4, 402. funestus Lec. ib. comis Hald. Pr. Acad. 1, 301. opacipennis Hald. (Ophonus) Pr. Acad. 1, 301. ochropus Kirb. N. Z. 4, 42. basilaris Kirb. ib. 41. longior Kirb. ib. 43. laticeps Lec. Agass. L. Sup. p. 208. hirsutus Ménétr. 1844, Bull. St. Pet. 2, 62. obesulus Lec. Ann. Lyc. 5, 185. advena Lec. ib. fraternus Lec. ib. somnulentus Dej. 4, 117. Mann. Beitrag, 212. 213. cautus Dej. 4, 367. albionicus Mann. Beitrag, 218. nigrinus Dej. 4, 399.

dulcicollis Ferté. Rev. Zool. 1841. alternans Motsch. Bull. Mosc. 1845, pars 2, 343. porosus Motsch. (Ophonus). ib. 844.

Gynandropus Dej.

hylacis Say, Am. Phil. Tr. 2, 81. americanus Dej. Sp. 5, 817. elongatus Lec. Ann. Lyc. 4, 408.

Stenolophus Dej.

convexicollis Lec. Ann. Lyc. 4, 409.
ochropezus Say, Am. Phil. Tr. 2, 54. Dej. Sp. 4, 424.
carbonarius Dej. (Harpalus) Sp. 4, 398. Lec. Ann. Lyc. 4, 409.
dissimilis Dej. Sp. 4, 424.
plebejus Dej. ib.
fuscatus Dej. ib. 426. 1185 M. C.
fuliginosus Dej. ib. 423. Lec. Ann. Lyc. 4, 410. versicolor Kb. N. Z. 46.
fuscipennis Lec. Ann. Lyc. 4, 410.
conjunctus Say (Trechus), Am. Phil. Tr. 2, 90. Lec. Ann. Lyc. 4, 410. missellus Dej. (Acupalpus) Sp. 4, 467. rotundicollis Hald. Pr. Acad. 1, 302.
spretus Dej. Sp. 5, 845.
unicolor Dej. Sp. 4, 411. Mann. Beitrag, 214.
testaceus Lec. (Badister) Pr. Acad. 2. (Aëpus) Ann. Lyc. 4, 418.

Bradicellus Er.

GEOBAENUS‡ Lec.

nitidus Dej. (Acupalpus) 4, 474. Mann. Beitr. 214. immunis Kirb. (Trechus) N. Z. 4, 48. autumnalis Say, Am. Phil. Tr. 2, 48. arenarius Lec. Ann. Lyc. 4, 408. [Lyc. 4, 404. atrimedius Say, Am. Phil. Tr. 2, 39. similis Kirb. N. Z. 4, 48. Lec. Ann. ruficrus Kirb. N. Z. 4, 47. Lec. Ann. Lyc. 4, 405. badipennis Hald. (Stenol.) Pr. Acad. 1, 802. lugubris Lec. Ann. Lyc. 4, 405. tibialis Kirb. N. Z. 4, 46. Lec. Ann. Lyc. 4, 405. quadricollis Lec. Ann. Lyc. 4, 405. cordicollis Lec. ib. rupestris Say, Am. Phil. Tr. 2, 91. Lec. Ann. Lyc. 4, 406. elongatulus Dej. Sp. 4, 457. flavipes Kirb. N. Z. 4, 47. cinctus Say, Am. Tr. 4, 434. congener Lec. Ann. Lyc. 4, 407. neglectus Lec. ib.

Acupalpus Dej.

nebulosus Lec. (suturalis||) Ann. Lyc. 4, 411. testaceus Dej. Sp. 4, 460. micros Lec. Ann. Lyc. 4, 412. humilis Dej. Sp. 4, 465. Lec. Ann. Lyc. 4, 412. partiarius Say, Am. Tr. 2, 90. Lec. Ann. Lyc. 4, 412. pauperculus Dej. difficilis Dej. Sp. 4, 435. [Sp. 4, 465. consimilis Dej. Sp. 4, 485. debilipes Say, Am. Phil. Tr. 4, 435. longulus Dej. Sp. 4, 459. indistinctus Dej. Sp. 5, 846. lugubris Hald. Pr. Acad. 1, 302.

Epaphius Leach.

micans Lec. Ann. Lyc. 4, 314. fulvus Lec. ib. 415.

Trechus Clairy.

californicus Motsch. Bull. Mosc. 1845, pars 2, 347. ovipennis Motsch. ib. 348. chalybeus Dej. 5, 17. Mann. Beitr. 215.

Anophthalmus Sturm.

Tellkampfii Erichs. Müll. Archiv. 1844, p. 384.

Bembidium Illig.

impressum Fabr. El. 1, 246. Dej. Sp. 5, 81. Kirb. N. Z. 4, 59. inaequale Say, J. Acad. 3, 151. Lec. Ann. Lyc. 4, 452. arenarium Dej. sigillare Say, Am. Phil. Tr. 4, 487. stigmaticum Dej. Sp. 5, 88. [Sp. 5, 80. paludosum Pz. Lec. Ann. Lyc. 4, 451. lacustre Lec. ib. punctatostriatum Say, Am. Phil. Tr. 2, 88; 4, 486. intersectum Germ. Sp. Nov. p. 28. (v. Tetragonoderus).

Hydrium Lec.

laevigatum Say, Am. Tr. 2, 84; 4, 436. Dej. 5, 150. Lec. Ann. Lyc. 4, 458.

Ochthedromus Lec.*

coxendix Say, J. Acad. 8, 151. Lec. (Odontium) Ann. Lyc. 4, 52. nitidulus Dej. Sp. 5, 84. coxendix Say, Am. Phil. Tr. 4, 436. carinatus Lec. (Odontium) Ann. Lyc. 5, 186. americanus Dej. Sp. 5, 84. salebratus Lec. Ann. Lyc. 4, 453. purpurascens Lec. ib. 454. honestus Say, Am. Phil. Tr. 2, 82. basalis Lec. Ann. Lyc. 4, 455. dilatatus Lec. Ann. Lyc. 4, 455. antiquus Dej. Sp. 5, 88. chalceus Dej. ib. 89. Lec. Ann. Lyc. 4, 455. planatus Lec. Ann. Lyc. 4, 456. longulus Lec. ib. subaeneus Lec. ib. 457.

^{*} The species under this genus, except those described by Leconte, must be sought for under Bembidium, Peryphus, Notaphus, &c.—Eds.

```
planipennis Lec. Agass. L. Sup. p. 211.
axillaris Lec.
                         ib.
bifossulatus Lec. Ann. Lyc. 5, 186.
sexpunctatus Lec.
                         ib.
insulatus Lec.
                         ib.
laticollis Lec.
                         ib.
                                187.
approximatus Lec.
                         ib.
consentaneus Lec.
                         ib.
indistinctus Lec.
                         ib.
tesselatus Lec.
                         ib.
                                188.
ephippiger Lec.
                         ib.
connivens Lec.
                         ib.
angulifer Lec.
                         ib.
                                189.
aratus Lec.
                         ib.
grandicollis Lec.
                         ib.
vilis Lec.
                         ib.
dubitans Lec.
                         ib.
                         ib.
cruralis Lec.
mundus Lec.
                         ib.
                                190.
striola Lec.
                         ib.
Mannerheimii Lec.
                         ib.
                                    transversalist Mann. Beitrag, 216.
trechiformis Lec.
                         ib.
iridescens Lec.
                         ib.
semistriatus Hald. Pr. Acad. 1, 308.
cordatus Lec. Ann. Lyc. 4, 457.
dorsalis Say, Am. Phil. Tr. 2, 84; 4, 437. Dej. Sp. 5, 71. Lec. Ann. Lyc.
umbratus Lec. Ann. Lyc. 4, 458.
viridicollis Ferté, Rev. Zool. 1841. Lec. Ann. Lyc. 4, 459.
patruelis Dej. Sp. 5, 69. Lec. Ann. Lyc. 4, 459. intermedius Kirb. N. Z. 4, 58?
variegatus Say, Am. Phil. Tr. 2, 89. Lec. Ann. Lyc, 4, 459. posticum Hald.
aeneicollis Lec. Ann. Lyc. 4, 459.
                                                          [Pr. Acad. 1, 303.
nigripes Kirb. N. Z. 57.
rapidus Lec. Ann. Lyc. 4, 460.
timidus Lec.
                     ih.
pictus Lec.
                     ib.
                            461.
versicolor Lec.
                    ib.
                            462. variegatus Kirb. N. Z. 4, 58.
contractus Say, Am. Phil. Tr. 2, 85. Lec. Ann. Lyc. 4, 462.
constrictus Lec. Ann. Lyc. 4, 462. contractum Dej. Sp. 5, 128.
quadrimaculatus Linn. Fabr. El. 1, 207. Dej. Sp. 5, 187. Kirb. N. Z.
       4, 54. oppositum Say, Am. Phil. Tr. 2, 86; 4, 438.
frontalis Lec. Ann. Lyc. 4, 462.
affinis Say, Am. Phil. Tr. 2, 86. decipiens Dej. Sp. 5; 159.
sulcatus Lec. Ann. Lyc. 4, 463.
trepidus Lec.
fallax Dej. Sp. 5, 189.
cautus Lec. Ann. Lyc. 4, 464.
gelidus Lec.
                     ib.
picipes Kirb. N. Z. 54. Lec. Ann. Lyc. 4, 465.
```

tetracolus Say, Am. Phil. Tr. 2, 89. Lec. Ann. Lyc. 4, 465. rupestris Dej. Sp. 5, 3. rupicola Kirb. N. Z. 4, 53. substriatus Lec. Ann. Lyc. 4, 465. lucidus Lec. ib. 466. postremus Say, Am. Phil. Tr. 4, 487. scopulinus Kirb. N. Z. 4, 58. bimaculatus Kirb. N. Z. 52. perspicuus Lec. Ann. Lyc. 4, 466. transversalis Dej. Sp. 5, 110. Lec. Ann. Lyc. 4, 466. planus Hald. Pr. Acad. 1, 803. Lec. ib. fugax Lec. Ann. Lyc. 4, 467. sordidus Kirb. N. Z. 4, 52. concolor Kirb. ib. 54. nitidus Kirb. (Eudromus) N. Z. 55, tab. 1, fig. 7. niger Say, Am. Phil. Tr. 2, 85; 4, 487. Dej. Sp. 5, 153. indistinctus Dej. 5, 67. Mann. Beitr. 215. planiusculus Mann. Beitr. 215. Kuprianovii Mann. ib. 217. biimpressus Mann. ib. 4-foveolatus Mann. ib. 218.

Tachys Meg.

vivax Lec. Ann. Lyc. 4, 468. tripunctatus Say, Am. Phil. Tr. 4, 489. Lec. Ann. Lyc. 4, 469. mendax Lec. Ann. Lyc. 4, 469. manthopus Dej. Sp. 5, 60. Lec. Ann. Lyc. 4, 469. incurvus Say, Am. Phil. Tr. 4, 440. pulchellus Ferté, Rev. Zool. 1841. Lec. ib. dolosus Lec. Ann. Lyc. 4, 470. anceps Lec. granarius? Dej. Sp. 5, 61. ib. occultus Lec. Ann. Lyc. 4, 470. nigriceps Dej. Sp. 5, 44. misellus Ferté, Rev. Zool. 1841. ferrugineus Dej. Sp. 5, 59. pumilus Dej. ib. 43. inornatus Say, Am. Phil. Tr. 2, 88. Dej. Sp. 5, 52. picipes Kirb. N. Z. 56, [tab. 8, fig. 6. flavicaudus Say, ib. 87. ib. 53. obesulus Lec. Ann. Lyc. 5, 192. 1852. anthrax Lec. ib. rapax Lec. ib. audax Lec. ib. 198. marginellus Lec. ib. vittiger Lec. ib. mordax Lec. ib. 194. virgo Lec. ib. edax Lec. ib. corax Lec. ib. vorax Lec. scitulus Lec. Ann. Lyc. 4, 471.

proximus Say, Am. Phil. Tr. 88. Lec. Ann. Lyc. 4, 471.
corruscus Lec. Ann. Lyc. 4, 472.
sequax Lec. ib. [5, 44.
laevus Say, Am. Phil. Tr. 2, 87. Lec. Ann. Lyc. 4, 472. troglodytes Dej. Sp.

Blemus Ziegl.

aenescens Lec. Ann. Lyc. 4, 478.

Pericompsus Lec.

ephippiatus Say, Am. Tr. 4, 439. elegantulus Ferté (Tachys), Rev. Zool. sellatus Lec. Ann. Lyc. 5, 191. [1841. laetulus Lec. ib.

DYTISCIDAE.

Dytiscus Linn.

confluens Say, Am. Phil. Tr. 4, 440. Ooligbukii Kirb. N. Z. 75.

Harrisii Kirb. N. Z. 76.
Cordieri Aubé, Hydr. p. 108.
anxius Mann. Beitrag, 218.
fasciventris Say, Long's Exp. 2, 270. carolinus Aubé, Hydr. p. 498:/16
diffinis Lec. Agass. L. Sup. p. 212.
Franklinii Kirb. N. Z. 4, 76, tab. 2, fig. 1.
verticalis Say, Am. Phil. Tr. 2, 92. Aubé, Hydr. p. 122.
hybridus Aubé, Hydr. p. 116. compar Mels. Pr. Acad. 2, 26.
marginicollis Lec. Pr. Bost. Soc. 1, 201. Bost. J. 5, 209, tab. 18, fig. 10.

, Cybister Curtis.

costalis Fabr. El. 1, 259. Aubé, Hydr. p. 50. fimbriolatus Say, Am. Phil. Tr. 2, 91. dissimilis Aubé, Hydr. p. 69. ellipticus Lec. Ann. Lyc. 5, 202. explanatus Lec. ib.

Acilius Leach.

basillaris Harr. (Dyt.) N. E. Farmer, 1829; 8, 1. incisus Aubé, 147, fide Lec. nimbatus Mels. (Thermonectus) Pr. Acad. 2, 26. fraternus Harris, N. E. Farmer, Dec. 1828, 7, 156. semisulcatus Aubé, 132. ornaticellis Aubé, Hydr. p. 140. irroratus Mels. (Therm.) Pr. Acad. 2, 26. mediatus Say, Am. Tr. 2, 93. Maccullochii Kirb. (Colymbetes) N. Z. 74. simplex Lec. Ann. Lyc. 5, 202. lateoinotus Lec. ib. 203. abbreviatus Mann. Beitrag, 229.

Eunectes Er.

sticticus Lin. Fabr. El. 1, 263. griseus Fabr. El. 1, 263.

Hydaticus Leach.

bimarginatus Say, Am. Phil. Tr. 4, 442. *fulvicollis* Aubé, Hydr. p. 184. cinctipennis Aubé, Hydr. p. 191.

sonatus Fabr. El. 1, 262. fascicollis Harris (Dyt.), N. E. Farm. 1828, 7, 156. liberus Say, J. Acad. 5, 160. rugicollis Kirb. N. Z. 4, 78. brunnipennis Aubé, Hydr. p. 203. thoracicus Harr. N. E. Farmer, 1828, 7, 156; 8, 1.

Colymbetes Clairy.

calidus Fabr. El. 1, 265. Aubé, Hydr. p. 262. meridionalis (Hydaticus) strigatus Lec. Ann. Lyc. 5, 208. [Mels. Pr. Acad. 2, 27. divisus Aubé, Hydr. 248. sculptilis Harr. N. E. Farmer, 1829, 8, 1. triseriatus Kirb. 78. Aubé, 227.

sculptilis Harr. N. E. Farmer, 1829, 8, 1. triseriatus Kirb. 78. Aubé, 227. agilis Fabr. Aubé, Hydr. p. 254. suturellus Harr. N. E. Farm. 7, 164. binotatus Harr. 1828, N. E. Farmer, 7, 164. maculicollis Aubé, 245.

Hybius Erichs.

fenestralis Say, 1823, Am. Phil. Tr. 2, 95. biguttulus Germ. 1824, Sp. Nov. confusus Aubé, Hydr. p. 280. [p. 29. Aubé, Hydr. p. 276. quadrimaculatus Aubé, 274. Mann. Beitr. 220. pleuriticus Lec. Agass. L. Sup. p. 218. picipes Kirb. N. Z. 71. Lec. Agass. L. Sup. p. 213. regularis Lec. Ann. Lyc. 5, 208.

Agabus Leach.

taeniolis Say (Colymbetes), Am. Phil. Tr. 2, 94. taeniolatus Harr. (Colymb.) N. E. Farmer, 7, 164. *taeniatus Aubé, Hydr. p. 811. stagninus Say, Am. Phil. Tr. 2, 100. Harr. Hartf. Tr. 1, 67. striola Aubé, terminalis Melsh. Pr. Acad. 2, 27. [Hydr. p. 808. bifarius Kirb. N. Z. 71. seriatus Say, Am. Phil. Tr. 2, 97. 1066 M. C. striatus Aubé, Hydr. p. 305. nitidus Say, Am. Phil. Tr. 2, 98. arctus Melsh. Pr. Acad. 2, 27. bicolor Kirb. N. Z. 70. fimbriatus Lec. Agass. L. Sup. 214. reticulatus Aubé, Hydr. p. 355. assimilis Kirb. N. Z. 72. semipunctatus Kirb. N. Z. 69. acuductus Harris (Colymbetes), N. E. Farmer, 1828, 124. rugulosus Aubé, tristis Aubé, Hydr. p. 356. Mann. Beitr. 220. [362, fide Lec. punctulatus Aubé, Hydr. p. 382. aeruginosus Aubé, ib. 298. punctatus Mels. Pr. Acad. 2, 27, fide Lec. obtusatus Say, Am. Phil. Tr. 2, 99. gagates Aubé, p. 880. erythropterus Say, ib. 95. Aubé, p. 305. infuscatus Aubé, 330. ambiguus Say, ib. phaeopterus Kirb. N. Z. 70. discolor Harris (Colymbetes), N. E. Farmer (1828), 124. angustus Lec. Agass. L. Sup. p. 213. parallelus Lec.

lugens Lec. Ann. Lyc. 5, 208.
semivittatus Lec. ib. 204.
lutosus Lec. (discolor||) Ann. Lyc. 5, 204.
morosus Lec. ib.
dubius Menn. Beitrag. 227
hypomelas Mann. ib.

Matus Aubé.

bicarinatus Say, Am. Phil. Tr. 2, 98. Aubé, Hydr. p. 898.

Coptotomus Say.

interrogatus Fabi. El. 1, 267. Aubé, Hydr. p. 898. venuetus Say, Am. Phil. Tr. 2, 98; J. Acad. 3, 152 (Colymbetes).
difficilis Lec. Apr. Lyc. 5, 204.
longulus Lec. ib. 205.

Copelatus Erichs.

glyphicus Say, Am. Phil. Tr. 2, 99. Adec petriatus Aubé, p. 879. punotulatus Aubé, Hydr. p. 384. Chevrolatii Aubé, p. 889.

Laccophilus Leach.

maculosus Say, Am. Phil. Tr. 2, 100. Germ. Sp. Nov. p. 30. Aubé, p. 421. fasciatus Aubé, Hydr. p. 428. proximus S.v., Am. Phil. Tr. 2, 101. biquitatus Kirb. N. Z. 69. **cameriundatus Aubé, Hydr. p. 435. rufus Mels. Pr. Acad. 2, 28. decipiens Lec. Ann. Lyc. 5, 205.

Noterus Letr.

bicolog Say, Am. Phil. Tr. 4, 146.

Hydrocanthus Say.

iricolor Say, Am. Tr. 2, 105. Aubé, Hydr. p. 405.

Suphis Aubé

gibbulus Aubé, Hydr. p. 414.

Hydroporus Clairv.

undulatus Say, Am. Phil. Tr. 2, 102. J. Acad. 3, 154. velutinus Aubé, Hydr. p. 481. pubipennis Aubé, Hydr. p. 480. aulicus Aubé, Hydr. p. 572. oppositus Say, Am. Phil. Tr. 2, 102. proximus Aubé, Hydr. p. 483 var. parallelus Say, J. Acad. 3, 153. Kirb. N. Z. 67. interruptus Say, Am. laevis Kirb. N. Z. 67. [Phil. Tr. 4, 446.

```
nigrolineatus Kirb. ib. 66.
similis Kirb.
                     ib. 68.
catascopium Say, Am. Phil. Tr. 2, 103.
americanus Aubé, Hydr. p. 575.
dichrous Mels. Pr. Acad. 2, 29.
humeralis Aubé, Hydr. p. 578.
striatopunctatus Mels. Pr. Acad. 2, 28.
punctatissimus Aubé, Hydr. p. 484.
hybridus Aubé,
                           ib.
                                573.
discicollis Say, Am. Phil. Tr. 4, 446.
rufipes Aubé, p. 575.
niger Say, Am. Phil. Tr. 2, 102. modestus Aubé, p. 577.
picatus Kirb. N. Z. 4, 68.
limbalis Mels. Pr. Acad. 2, 28.
oblitus Aubé, Hydr. p. 603.
fasciatus Harr. 1828, N. E. Farmer, 7, 164.
sericeus Lec. Agass. L. Sup. p. 214.
consimilis Lec.
                       ib.
12-lineatus Lec.
                       ib.
tenebrosus Lec.
                       ib.
                       ib.
puberulus Lec.
caliginosus Lec.
                       ib.
tartarious Lec.
                       ib.
varians Lec.
                       ib.
notabilis Lec.
                       ib.
                              216.
conoideus Lec.
                       ib.
ovoideus Lec.
                       ib.
suturalis Lec.
                       ib.
                       ib.
dispar Lec.
hydropicus Lec. Ann. Lyc. 5, 205.
latissimus Lec.
                       ib.
obscurellus Lec.
                       ib.
                               206.
macularis Lec.
                       ib.
subtilis Lec.
                       ib.
cinctellus Lec.
                       ib.
amandus Lec.
                       ib.
                               207.
striatellus Lec.
                       ib.
fortis Lec.
                       ib.
axillaris Lec. (humeralis||) Ann. Lyc. 5, 207.
subpubescens Lec. Ann. Lyc. 5, 208.
hirtellus Lec.
                       ib.
vilis Lec.
                       ib.
latebrosus Lec.
                       ib.
lutescens Lec.
                       ib.
medialis Lec.
                       ib.
                                  209.
fraternus Lec.
exiguus Aubé, p. 490.
griseostriatus Aubé, 541.
oblongus Aubé, 605.
```

dorsalis* Fabr. El. 1, 269. dubius Mels. Pr. Acad. 2, 29. luridipennis Mels. Pr. Acad. 2, 28. Lec. L. Sup. 216. lacustris Say, Am. Phil. Tr. 2, 103. pulicarius Aubé, Hydr. p. 495. affinis Say, Am. Phil. Tr. 2, 104. nanus Aubé, p. 496. granarius Aubé, p. 501. [164. Aubé, Hydr. p. 471. punctatus Say, 1824. Long's Exp. 2, 271. Harr. 1828, N. E. Farmer, 7, cuspidatus Kunze, Aubé, 477. pustulatus Mels. (Hygrotus) Pr. Acad. 2, 29. convexus Aubé, p. 479.

Celina Aubé.

angustata Aubé, p. 447.

Haliplus Latr.

triopsis Say, Am. Phil. Tr. 2, 106. Aubé, Hydr. p. 27.
immaculaticollis Harr. 1828. N. E. Farmer, 7, 156. americanus Aubé, 21.
fasciatus.Aubé, p. 31.
pantherinus Aubé, p. 29.
impressus Fabr. El. 1, 271; teste Kirb. N. Z. 4, 65.
nitens Lec. Agass. L. Sup. p. 212.
borealis Lec. ib.
cribrarius Lec. ib.
concolor Lec. Ann. Lyc. 5, 201.

_Cnemidotus Illig.

duodecimpunctatus Say (Haliplus), Am. Tr. 2, 106; 4, 446. Aubé, 38. callosus Lec. Ann. Lyc. 5, 201. simplex Lec. ib.

GYRINIDAE.

Dineutes Brullé.

CYCLINUS Kirb.

emarginatus Say, Am. Phil. Tr. 2, 108; 4, 447.
vittatus Germ. Sp. Nov. p. 32. Aubé, Hydr. p. 768.
americanus Linn. Aubé, p. 777. Knoch, Mels. Cat. 1083.
assimilis Kirb. N. Z. 87. Aubé, p. 778. americanus Say, Am. Tr. 2, 107.
opacus Mels. Pr. Acad. 2, 29.
labratus Mels. ib. discolor? Aubé, p. 784.

Gyrinus Linn.

borealis Aubé, Hydr, p. 692. 1084 M. C. affinis Aubé, ib. 669. Sayi Aubé, ib. 698.

Digitized by Google

^{*} As Dr. Melsheimer's specimens of this species, by their condition and method of preservation, appear to have been collected in Europe, fresh evidence is required before it can be admitted into our fauna.—Eds.

limbatus Say, Am. Phil. Tr. 2, 109. Aubé, p. 670.
ventralis Kirb. N. Z. 80. Aubé, p. 672.
lateralis Aubé, Hydr. p. 673.
analis Say, Am. Phil. Tr. 2, 108. Aubé, p. 697. Kirb. N. Z. 81.
impressicollis Kirb. N. Z. 79.
minutus Fabr. Aubé, p. 683. Kirb. N. Z. 81. 1085 M. C.
plicifer Lec. Ann. Lyc. 5, 209.
consobrinus Lec. ib.
picipes Aubé, 6, 694.

Gyretes Brullé.

sinuatus Lec. Ann. Lyc. 5, 210.

HETEROCERIDAE.

Heterocerus Bosc.

pallidus Say, J. Acad. 3, 199. undatus Mels. Pr. Acad. 2, 98. Kiesenw. Linn. Ent. 5, 293. 99. brunneus Mels. ib. ventralis Mels. ib. limbatus Kiesenwetter, Zeitschr. 4, 221, tab. 8, fig. 17. pusillus Say, J. Acad. 3, 200. labiatus Kiesenw. Lin. Ent. 5, 282. cuniculus Kiesenw. 283. ih. auromicans Kiesenw. 287. ib. mollinus Kiesenw. ib. 289. miser Kiesenw. ib. 290. substriatus Kiesenw. ib. fatuus Kiesenw. ib. 292. collaris Kiesenw. ib.

PARNIDAE.*

Psephenus Hald.

EURYPALPUS | Lec.

Lecontel Lec. Pr. Acad. 6, 42.

Helichus Er.

fastigiatus Say (Parnus), Long's Exp. 2, 275. lithophilus Germ. (Elmis), Sp. Nov. p. 88.

Stenelmis Dufour.

crenatus Say (Elmis), Long's Exp. 2, 275.

* A synopsis of the species of this family found in the United States has been published in the Proceedings of the Academy of Natural Sciences, vol. 6, p. 41.—Ens.

¢

Elmis Latr.

4-notatus Say, J. Acad. 5, 187. vittatus Mels. Pr. Acad. 2, 99.

Limnius III.

fastiditus Lec. Agass. L. Sup. p. 217.

Macronychus Müller.

glabratus Say, J. Acad. 5, 187. lateralis Mels. Pr. Acad. 2, 99.

. Ancyronyx Er.

variegatus Germ. Sp. Nov. p. 89. St. Cat. (1826) p. 63, tab. 2, fig. 12. cinctus Say, J. Acad. 5, 186.

GEORYSSIDAE.

Georissus Latr.

pusillus Lec. Pr. Acad. 6, 44. strigosus Mels. (Simplocaria) Pr. Acad. 2, 118.

HYDROPHILIDAE.

Helophorus Leach.

lineatus Say, J. Acad. 3, 200.
obscurus Lec. Ann. Lyc. 5, 210.
oblongus Lec. Agass. L. Sup. p. 217.
lacustris Lec. ib.
scaber Lec. ib.

Hydraena III.

pensylvanica Kiesenw. Lin. Ent. 4, 166. marginicollis Kiesenw. ib. 177.

Hydrochus Germ.

scabratus Muls. Ann. Soc. Nat. Phy. 7, 373. gibbosus Mels. Pr. Acad. 2, 99. rufipes Mels. Pr. Acad. 2, 100. subcupreus Randall, Bost. J. 2, 40. variolatus Lec. Ann. Lyc. 5, 211. vagus Lec. ib.

Ochthebius Leach.

cribricollis Lec. Agass. L. Sup. p. 217. nitidus Lec. ib. puncticollis Lec. Ann. Lyc. 5, 210. interruptus Lec. Ann. Lyc. 5, 210. ib.

lineatus Lec.

Spercheus Fabr.

tessellatus Ziegl. Pr. Acad. 2, 44.

Hydrophilus Geoffr.

triangularis Say, J. Acad. 3, 201. 1040 M. C. ovalis Ziegl. Pr. Acad. 2, 45. lugubris Motsch. Bull. Mosc. 1845, p. 81.

Hydrocharis Westw.

obtusatus Say, J. Acad. 8, 200.

castus Say, Bost. J. 1, 170.

glaber Hbst. Col. 7, 898.

nimbatus Say, J. Acad. 8, 208. 1048 Mels. Cat. lateralis? Fabr. El. 1, 251. Hbst. Col. 7, 296.

Berosus Leach.

striatus Say, J. Acad. 5, 188.

auritus Mels. Pr. Acad. 2, 100. peregrinus? Hbst. Col. 7, 814.

punctatissimus Lec. Ann. Lyc. 5, 211.

punctulatus Lec.

ib.

exilis Lec.

ih.

Hydrobius Leach.

globosus Say, Long's Exp. 2, 276.

fuscipes Linn. scarabaeoides Fabr. El. 1, 251, teste Kirb. N. Z. 119.

Philhydrus Solier.

rotundatus Say, Jour. 5, 188.

cinctus Say, Long's Exp. 2, 276.

limbalis Mels. Pr. Acad. 2, 101.

fimbriatus Mels.

nebulosus Say, Long's Exp. 2, 227.

Limnebius Leach.

truncatellus? F. El. 1, 255.

Laccobius Erichs.

agilis Randall, Bost. J. 2, 19. punctulatus Mels. Pr. Acad. 2, 100. exiguus Say, J. Acad. 5, 189.

Cyclonotum Erichs.

subcupreum Say, J. Acad. 5, 189.

estriatum Say (Hydroph.), Bost. J. 1, 171. globulosum Muls. Ann. Agric. Lyons, 1844, p. 167.

unistriatum Beauv. (Sphaeridium) Ins. 158, tab. 6, fig. 5. sec. Chevrolat.

Sphaeridium.

crenatum Beauv. Ins. 158, tab. 6, fig. 8. pallidum Beauv. 157, tab. 6, fig. 1. g. Camptodes, sec. Chevrolat. loeve Beauv. 159, tab. 6, fig. 4.

Cercyon Leach.

praetextatum Say, J. Acad. 5, 190.

nigricolle Say,

ib.

occellatum Say,

ib. 191.

haemorrhoidale Lec. Ann. Lyc. 1, 170, tab. 11, fig. 4.

maculatum Mels. Pr. Acad. 2, 101.

minusculum Mels.

nanum Mels.

ib. ib.

mundum Mels. ib. limbatum Mann. Bull. Mosc. 1843, 260.

adumbratum Mann.

ih.

PHALACRIDAE.

Phalacrus Payk.

penicillatus Say, J. Acad. 4, 91. politus? Mels. Pr. Acad. 2, 102.

Olibrus Erichs.

pallipes Say, J. Acad. 4, 90. apicalis Mels. Pr. Acad. 2, 102. Lec. L. Sup. 222. nitidus Mels. ib.

ANISOTOMIDAE.*

Leiodes Latr.

discolor Mels. Pr. Acad. 2, 103.

obsoleta Mels. ib.

107 (Pallodes).

Anisotoma Fabr.

pallida Say, J. Acad. 4, 91 (Agathidium). alternata Mels. (Leiodes) Pr. Acad. 2, 103. punctato-striata Kirb. (Leiodes) N. Z. 110.

assimilis Lec. Agass. L. Sup. p. 221.

indistincta Lec.

ib.

collaris Lec.

ib.

strigata Lec.

ib.

globosa Lec. (Cyrtusa) ib.

222.

[•] For a synopsis of the native species of this family, vide Pr. Ac. Nat. Sc. vol. 6, p. 274.—Eds.

Sternuchus* Lec.

gibbulus Lec. Agass. L. Sup. p. 222.

Agathidium Illig.

piceum Mels. Pr. Acad. 2, 103. oniscoides? Beauv. Ins. p. 160, tab. 6, fig. 2. exiguum Mels. ib. ruficorne Lec. Agass. L. Sup. p. 222. revolvens Lec. Agass. L. Sup. 222. difformis Lec. (Phalacrus) Agass. L. Sup. p. 222.

SCAPHIDIIDAE.

Scaphidium Oliv.

4-guttatum Say, J. Acad. 3, 198.
4-pustulatum Say, ib.
piceum Mels. Pr. Acad. 2, 103. 4-guttatum Say, var. a.
castaneum Motsch. Bull. Mosc. 1845, 2, 361, tab. 6, fig. 4 (nequam).

. Scaphium Kirb.

castanipes Kirb. N. Z. 109.

Scaphisoma Leach.

convexum Say (Scaphidium), J. Acad. 5, 183. terminatum Mels. Pr. Acad. 2, 104.

Baeocera Erichs.

concolor Fabr. (Scaphidium), El. 2, 576.

TRICHOPTERYGIDAE.

Trichopteryx Kirb.

fuscipennis Hald. J. Acad. 2d, 1, 108.

rotundata Hald.

ib.

discolor Hald.

ib.

abrupta Hald.

ib.

aspersa Hald.

ib. 109.

terminalis Hald.

ib. (Ptenidium).

depressa Gillm. Trichopterygia, p. 51.

^{*} This genus must be suppressed, as it is not different from CLAMBUS.—LEC.

SILPHIDAE.*

Catops Payk.

spenciana Kirb. N. Z. 108. opacus Say, J. Acad. 5, 184. terminans Leo. Agass. L. Sup. p. 218. cadaverinus Mann. Bull. Mosc. 1848, 254. simplex Say, J. Acad. 5, 184. basilaris Say, ib. 3, 194.

Necrophorus Fabr.

americanus Oliv. Ent. 2, 10, p. 6, tab. 1, fig. 8. Enc. Méth. 8, 154. Leach, Z. M. 2, 85. grandis Fabr. El. 1, 834. Hbst. Col. 5, 152. virginiorbicollis Say, J. Acad. 5, 177. Cus Frölich Natf. 27. mediatus F. El. 384. Leach Z. Misc. 2, 86, tab. 90, fig. 2. Latr. Gen. Cr. Ins. 2, 5 (Obs.). carolinus? Linn. marginatus Fabr. El. 1, 884. Say, J. Acad. 5, 177 (Obs.). Melsheimeri Kirb. N. Z. 97. velutinus Fabr. El. 1, 134. tomentosus Web. Ent. p. 47. pustulatus Illig. Mag. Ent. 6, 271. 6-pustulatus Dej. Cat. 333 M. C. bicoobscurus Kirb. N. Z. 97. [lor Newm. Ent. Mag. 5, 385. Hallii Kirb. ib. 98. orbicularis Say? pygmaeus Kirb. ib. tab. ib. 96. hebes Kirb. nigrita Mann. Bull. Mosc. 1843, 251. Guérin, Icon. Règne An. 60, tab. 17, 8. maritimus Mann. ib. auripilosus. Esch. teste Motsch. Bull. Mosc. 1845, 2. defodiens Mann. Bull. Mosc. 1846, 18. guttula Motsch. ib. 1845, 1, 53.

Necrodes Wilkin.

surinamensis Fabr. El. 1, 336. Oliv. Ent. 2, 6. Hbst. Col. 5, 173.

Oiceoptoma Leach.

marginata F. El. 1, 337. Oliv. Ent. 2, 10. Hbst. Col. 5, 180. Kirb. N. Z. 99. novaeboracensis Forst. Cent. 1, 17.

Thanatophilus Leach.

caudatus Say, J. Acad. 3, 192. tuberculata Germ. Sp. Nov. p. 140, teste Say, Bost. J. 1, 168. lapponica Linn. Kirb. N. Z. 100. californica Mann. Bull. Mosc. 1843, 253. granigera Chevr. Col. Mex. 1; Icon. Règne An. tab. 17, 10.

* A synopsis of the North American species of this family is contained in the Proceedings of the Academy, vol. 6.—Eds.

Necrophila Kirb.

 americana Linn.
 Fabr.
 El. 1, 337.
 Oliv.
 Ent. 2, 8.
 Hbst.
 Col. 5, 176.

 Kirb.
 N. Z. 4, 102.
 Scarabæus peltatus Catesb.
 Hist.
 Nat. 3, tab. 10,

 canadensis Kirb.
 N. Z. 104.
 [fig. 5.

 terminata Kirb.
 ib. 108.

 affinis Kirb.
 ib.

Silpha Linn.

inaequalis F. El. 1, 840. Oliv. Ent. 2, 14. Hbst. Col. 5, 185. Kb. N. Z. 102. ramosa Say, J. Acad. 3, 193. cervaria Mann. Bull. Mosc. 1843, 252. trituberculata Kirb. N. Z. 101. truncata Say, J. Acad. 3, 193.

Sphaerites Dufts.

politus Mann. Bull. Mosc. 1846, 14.

Necrophilus Latr.

hydrophiloides Mann. Bull. Mosc. 1843, 253; Chevr. Icon. Règne An. 61, ater Motsch. Bull. Mosc. 1845, 2, 363. (var. pracc.?) [tab. 17, fig. 12.

NITIDULIDAE.

Cercus Latr.

abdominalis Erichs. Zeitschr. 4, 229, 340, 345. Mels. Cat. pusillus Mels. Pr. Acad. 2, 105.

Brachypterus Kugel.

urticae Fabr. El. 1, 820. Er. Zeitschr. 4, 231.

Colastus Er.

niger Say, J. Acad. 8, 195. morio Er. Zeitschr. 4, 242. semitectus Say, J. Acad. 5, 182. Er. Zeitschr. 4, 243. maculatus Er. Zeitschr. 4, 244. obscurus Er. ib. infimus Er. ib. 245. ? tinctus Mann. (Strongylus) Bull. Mosc. 1843, 255.

Conotelus Er.

obscurus Er. Zeitschr. 4, 252. Mels. Cat. 1346.

· Carpophilus Leach.

dimidiatus F. 1, 354. Er. Zeitschr. 4, 259.

melanopterus Er. Zeitschr. 4, 262.

marginatus Er. Zeitschr. 4, 263. antiquus? Mels. Pr. Acad. 2, 105. minupunctulatus Mels. (Cercus) Pr. Acad. 2, 104. [tus Mels. ib. var.

pallipennis Say, J. Acad. 3, 194.

brachypterus Say, ib.

unicolor Say, ib.

corticinus Er. Zeitschr. 4, 263.

niger Er. ib.

hemipterus Linn. Steph. Man. 122. Er. Zeitschr. 4, 256. bimaculatruncatus Randall. Bost. J. 2, 18. [tus? Mels. Pr. Acad. 2, 105.

Epuraea Er.

corticina Er. Zeitschr. 4, 270.

labilis Er. ib. 272.

353 M. C. 273. helvola Er. ib.

[2, 106. rufa Say, J. Acad. 5, 180. Er. Zeitschr. 4, 273. castanea? Mels. Pr. Acad.

Nitidula Fabr.

bipustulata Fabr. El. 1, 347.

ziczac Say, J. Acad. 5, 179.

uniguttata Mels. Pr. Acad. 2, 106.

rufida Mels. ib.

unilineata Say, J. Acad. 5, 182.

obscura Fabr. Kirb. N. Z. 106.

avara Randall, Bost. J. 2, 18.

ossium Kirb. N. Z. 106.

convexiuscula Mann. Bull. Mosc. 1843, 255.

ambigua Mann.

ib. 256. ib. 1846, 14.

truncatella Mann. 8-maculata Say, J. Acad. 5, 181.

Prometopia Er.

6-maculata Say, J. Acad. 5, 179. Er. Zeitschr. 4, 281.

Lobiopa Er.

undulata Say, J. Acad. 5, 179. Er. Zeitschr. 281.

Omosita Er.

colon Fabr. El. 351.

discoidea Fabr. teste Kirb. N. Z. 106.

badia Mels. Pr. Acad. 2, 107.

? concinna Mels. (Cryptarcha picta||) Proc. Acad. 2, 107.

Phenolia Er.

grossa Fabr. El. 1, 347.

Stelidota Er.

geminata Say, J. Acad. 5, 81. Er. Zeitschr. 4, 302.

Pocadius Er.

helvolus Er. Zeitschr. 4, 320.

Cychramus Kugel.

adustus Er. Zeitschr. 4, 846.

Amphicrossus Er.

ciliatus Oliv. Enc. Méth. 8, 210. Er. Zeitschr. 4, 347. concolor Lec. Agass. L. Sup. 223.

Pallodes Er.

silaceus Er. Zeitschr. 4, 850.

Cryptarcha Shuck.

strigata F. El. 1, 350. 10-guttata M. C. 308. ampla Er. Zeitschr. 4, 356. *Ips nigra* Mels. Cat.

Ips Fabr.

obtusus Say, Bost. J. 1, 168. 286 M. C. fasciatus Oliv. Ent. 2, 12, p. 7, tab. 2, fig. 13. Enc. Méth. 8, 210. 4-signatus Say, Bost. J. 1, 169. sanguinolentus Oliv. Ent. 2, 7, tab. 2, fig. 14. 4-vittatus Say, Bost. J. 1, 170. geminatus Mels. Pr. Acad. 2, 108. confluentus Say, J. Acad. 8, 195. bipustulatus Mels. Pr. Acad. 2, 108. Dejeanii Kirb. N. Z. 107, tab. 2, fig. 4. sepulcralis Randall, Bost. J. 2, 19.

Rhizophagus Hbst.

nanus Er. Zeitschr. 4, 360.
erythropterus Mels. Pr. Acad. 2, 109.
bipunctatus Say, J. Acad. 3, 325. 211, 212 M. C.
? parallelus Mels. Pr. Acad. 2, 108.
dimidiatus Mann. Bull. Mosc. 1843, 300.
ephippiger Guérin, Icon. Règne An. 190, tab. 40, fig. 1.
abbreviatus Motsch. Bull. Mosc. 1845, 2, 371, tab. 7, fig. 3.

Temnochila Westw.

virescens Oliv. Ent. 2, 19, tab. 1, fig. 5. Fahr. El. 1, 152. Beauv. (Trogosita) Ins. p. 125, tab. 32, fig. 1. Hbst. Col. 7, 277.

Alindria Er.

cylindrica Geoff. Enc. Méth. 10, 719. nigra Mels. (Hypophloeus) Pr. nigella Mels. Pr. Acad. 8, 63. var. prace. ? [Acad. 3, 68. teres Mels. ib. 64.

Trogosita Oliv.

americana Kirb. N. Z. 166. castanea Mels. Pr. Acad. 2, 109. var. praec.? cinnamomea? Say.

collaris St. Deutschl. Ins. 2, 246, tab. 48. subnigra Beauv. Ins. p. 127, tab. 82, fig. 9. corticalis Mels. ? Pr. Ac. 2, 109. depressior Beauv. ib. 126, ib. 7. dubia Mels. Pr. Acad. 2, 110. marginata Beauv. Ins. p. 125, tab. 82, fig. 3. limbalis Mels. Pr. Acad. 2, 109. mutica Beauv. Ins. p. 126, tab. 32, fig. 6. nana Mels. Pr. Acad. 2, 110. bimaculata Mels. ib. chlorodia Mann. Bull. Mosc. 1848, 801. viridicyanea Mann. ib. 302. mauritanica Linn. (Tenebr.) Mann. Bull. Mosc. 1843, 802. caraboides F. 1, pusillima Mann. Bull. Mosc. 1843, 303. [151. maxillosa F. Beauv. 125, tab. 32, fig. 4. g. Cerandria, sec. Chevrolat.

Peltis Kugel.

ferruginea Fabr. teste Kirby, N. Z. 104. fraterna Randall, Bost. J. 2, 17. septentrionalis Rand. ib. quadrilineata Mels. Pr. Acad. 2, 104. marginata Mels. ib.

Thymalus Latr.

fulgidus Er. Germ. Zeitschr. 5, 458. marginicollis Chevr. Icon. Règne An. 62, 1829-1844, tab. 18, fig. 2.

COLYDIDAE.

Ditoma Latr.

quadriguttata Say (Synchita) J. Acad. 5, 266. undulata Mels. J. Acad. 2, 110. haematodes Fabr. (Lyctus). Say (Lyctus), J. Acad. 5, 262? Zimmermani Guérin, Icon. Règne An. 194.

Synchita Hellw.

granulata Say, J. Acad. 5, 266. fuliginosa Mels. Pr. Acad. 2, 111. parvula Guérin, Icon. Règne An. 189.

Rhagodera Erichs.

tuberculata Mann. Bull. Mosc. 1843, 300.

Cicones Curtis.

marginalis Mels. Pr. Acad. 2, 112.

Aulonium Er.

parallelopipedum Say, J. Acad. 5, 264.

. Colydium Fabr.

longiusculum Say, J. Acad. 5, 264. lineola Say, ib.

Xylophtorus! Dej.

geminatus Say, J. Acad. 5, 262. Mels. Cat. 180.

Pycnomerus Er.

reflexus Say (Lyctus), J. Acad. 5, 262. brevicornis Mels. Pr. Acad. 2, 112. parallelepipedus Mels. ib. 113.

Bothrideres Er.

geminatus Hald. Pr. Acad. 1, 804. exaratus Mels. ib. 2, 111.

Cerylon Latr.

castaneum Say, J. Acad. 5, 259.

CUCUJIDAE.

Catogenus Westw.

rufus Fabr. (Cucujus) El. 2, 93. Oliv. Ent. 4, 5. Westw. Zool. J. 5, 221. puncticollis Newm. Ann. Nat. Hist. 2, 399.

Cucujus Fabr.

clavipes Oliv. Enc. Méth. 6, 242. Ent. 4, 74, p. 4. puniceus Mann. Bull. Mosc. 1843, 303.

Laemophloeus | Dej. Er.

testaceus Fabr. (Brontes) Ent. Syst. 2, 96. El. 2, 98. modestus Say, J. Acad. 5, 268. biguttatus Say, ib. 267. fasciatus Mels. Pr. Acad. 2, 113. longicornis Mann. Bull. Mosc. 1848, 308. bisignatus Guérin, Icon. Règne An. 205. singularis White, Brit. Mus. Cat. p. 7.

Brontes Fabr.

dubius Fabr. El. 2, 97. Oliv. Enc. Méth. 6, 242.

Dendrophagus Schönh.

glaber Lec. Agass. L. Sup. p. 223. Cygnaei Mann. Bull. Mosc. 1846, 15.

Telephanus Er.

velox Hald. (Heterodromia) Pr. Acad. 3, 127.

Silvanus Latr.

dentatus Say, J. Acad. 5, 265. planatus Germ. Sp. Nov. p. 467.

surinamensis Linn. (Dermestes) Syst. Nat. 2, 565. Geer 5, 54, tab. 13, fig. 12. Steph. Ill. 8, 104. sexdentatus? F. (Dermestes), El. 1, 317. Panzer, Payk. Gyll. frumentarius Fabr. El. 2, 557. Hbst. 7, 283, tab. 113, fig. 1. Oliv. (Ips.) 2, 18, tab. 2, fig. 13. Er. Ins. D. 3, 336.

ib.

bidentatus Guérin, Icon. Règne An. 198.

Zimmermanni Guérin,

quadricollis Guérin,

planus Lec. Agass. L. Sup. p. 223.

CRYPTOPHAGIDAE.

Paratenetus Spinola.

punctatus Spin. Mon. Clerites, 2, 118, tab. 44, 5. fuscus Lec. Agass. L. Sup. p. 228.

Antherophagus Latr.

ochraceus Mels. Pr. Acad. 2, 115.

maculatus Mels. Pr. Acad. 2, 115.

Cryptophagus Hbst.

cellaris Scop. Fabr. El. 1, 319. Oliv. Ent. 2, 10. Müll. Illig. Mag. 4, 216. californicus Mann. Bull. Mosc. 1848, 256.
4-dentatus Mann. ib.
humeralis Kirb. N. Z. 112.
concolor Kirb. ib. pubescens|| Mels. (Atomaria) Pr. Acad. 2, 114.
gilvellus Mels. (crenatus||) Pr. Acad. 2, 114.

Paramecosoma Curtis.

denticulatum Lec. Agass. L. Sup. p. 223.

Atomaria Kirb.

atra Hbst. (Cateretes) Gyll. 5, 15. Kirb. N. Z. 112. mesomelas Hbst. Col. 4, 143. Gyll. Ins. Sv. 1, 180. fulvipennis Mann. Bull. Mosc. 1846, 15.

LATHRIDIIDAE.

Monotoma Hbst.

americana Guér. Ann. Soc. Ent. 6, p. 461. rufipes? Mels. Pr. Acad. 2, 111. opaca? Ziegl. Pr. Acad. 2, 271.

Corticaria Marsham.

denticulata Kirb. N. Z. 110. pusilla? Mannerh. Zeitschr. 5, 48. americana Mannerh. Zeitschr 5, 50. pusilla? Mels. Pr. Acad. 2, 116 (pucavicollis Mannerh. Zeitschr. 5, 56. [silla]]. 8-dentata Say, J. Acad. 3, 325. Mannerh. Zeitschr. 5, 65.

Lathridius Illig.

? pubescens Say, J. Acad. 5, 265.
musaeorum Ziegl. Pr. Acad. 2, 270.
*unicolor Ziegl. ib.
pulicarius Mels. (Corticaria) Pr. Acad. 2, 115. Lathrid. fid. Lec.
quadricollis Mann. Bull. Mosc. 1843, 299.
protensicollis Mann. ib. 300.

EROTYLIDAE.

Engis Paykull.

4-maculata Say, Bost. J. 1, 169.

cordicollis Mann.

Dacne Latr.

fasciata F. El. 2, 582. Lacord. Mon. Erotyl. p. 65. bifasciata? Oliv. Enc. heros Say, J. Acad. 3, 196. Lacord. Mon. Erotyl. p. 67. [Méth. 5, 433.

Ischyrus Lacord.

4-punctatus Oliv. Ent. 5, 484. Say, Bost. J. 1, 201. Lac. Mon. Erot. 127.

Triplax Payk.

russica Linn. (Silpha) Lac. Mon. Erot. 209. nigripennis Fabr. (Ips.) El. 2, 581. thoracica Say, J. Acad. 4, 89. Lec. J. Acad. 2d, 1, 71. melanoptera Lac. Mon. p. 215.

festiva Lacord. Mon. Erotyl. p. 208. Lec. J. Acad. 1, 71. fasciata Mels. Pr. Acad. 3, 176.

dimidiata Fabr. (Tetratoma) El. 2, 574. flavicollis Lacord. Mon. p. 218. atriventris Lec. J. Acad. 2d, 1, 71. [Lec. J. Acad. 2d, 171.

^{*} This and the two preceding species appear to have no relation whatever to the genus in which they are placed. L. musacorum is allied to Cryptophagus, and L. unicolor is a small species of Cerylon.—Leo.

Tritoma Geoffr.

affinis Lacord. Mon. Erot. p. 224. Lec. J. Acad. 2d, 1, 71. unicolor Say, J. Acad. 5, 800. Lac. Mon. Erot. 220. Lec. J. Acad. 2d, 1, 71. angulata Say, ib. flavipes Lac. Mon. Erot. 226. brunnea Lacord. Mon. Erot. p. 263. livida Lacord. ib. 227. pulchra Say, J. Acad. 5, 801. cincta Lacord. Mon. Erot. p. 223. dimidiata Lacord. Mon. Erot. p. 224. pulchrat Lec. J. Acad. 2d, 1. basavittata Lec. J. Acad. 2d, 1, 72. [lis] Mels. Pr. Acad. 8, 175. biguttata Say, J. Acad. 4, 98. Lec. 71. basalis Lac. Mon. p. 225. humeralis Fabr. El. 2, 571. taeniata Lec. J. Acad. 2d, 1, 78. erythrocephala Lacord. Mon. Erot. p. 226. ruficeps Lec. J. Acad. 2d, 1, 72. sanguinipennis Say, J. Acad. 4, 82. Lec. Acad. 2d, 1, 71.

Erotylus Fabr.

Boisduvalii Lac. Mon. Erot. 466. californicus Lac. ib. 467.

Languria Latr.

thoracica Oliv. Ins. 88, tab. 1, fig. 3.
bicolor Fabr. (Trogosita) El. 1, 152. Latr. Gen. Ins. et Crust. 3, 65. Oliv.
Ins. 88, tab. 1, fig. 1. Say, Am. Ent. 3, tab. 39.

Mozardi Latr. Gen. Crust. et Ins. 3, 66. Oliv. Ins. 88, tab. 1, fig. 3. Say,
puncticollis Say, J. Acad. 3, 462. Am. Ent. 3, 39. [Am. Ent. 3, 39.
trifasciata Say, ib.
brevicollis Randall, Bost. J. 2, 48.
inornata Randall, ib.
gracilis Newman, Ent. Mag. 5, 390.
angustata Beauv. 125, tab. 32, fig. 2.

MYCETOPHAGIDAE.

Tetratoma Hbst.

tessellata Mels. Pr. Acad. 2, 113.

Mycetophagus Hellw.

punctatus Say, J. Acad. 5, 260. 271 M. C.

flexuosus Say, ib.

bimaculatus Mels.* Pr. Acad. 2, 114.

obsoletus Mels. ib. 118.

bisignatus Mels. ib. 114. (bipustulatus).

pini Ziegl. ib. 270.

^{*} This species should be dropped, as, by a confusion of specimens, it is described from two individuals belonging to different species.—LEC.

Triphyllus Meg.

? 6-punctatus Say (Mycetophagus), J. Acad. 5, 261.

? didesmus Say,

(ib.)

ib.

DERMESTIDAE.

Byturus Latr.

unicolor Say, J. Acad. 3, 197. fumatus Mels. Cat. 118.

Dermestes Linn.

lardarius Linn. Fabr. El. 1, 812. R. A. Ins. tab. 36, fig. 10.
marmoratus Say, J. Acad. 3, 197. Mann. Bull. Mosc. 1843, 258.
caninus Germ. Sp. Nov. p. 84. nubilus? Say, N. Ins. of Louisiana, 1882.
dissector? Kirb. N. Z. 115.
vulpinus Fabr. El. 1, 314.
lupinus Mann. Bull. Mosc. 1848, 257.
talpinus Mann. ib.

Attagenus Latr.

pellio Linn. Fabr. El. 1, 313. Kirb. N. Z. 114. ornatus Say (Megatoma), J. Acad. 5, 185. cylindricus Kirb. N. Z. 113. cylindricollis Say, J. Acad. 5, 185.

Trogoderma Latr.

tarsalis Mels. Pr. Acad. 2, 116.

Trinodes Meg.

hispidus Mels. (Syncalypta) Pr. Acad. 2, 117.

Anthrenus Geoffr.

destructor Mels. Pr. Acad. 2, 116. Mels. Cat. 159. castaneae Mels. ib. thoracicus Mels. ib. 117. adspersus Hbst. Col. 7, 382. haemorrhoidalis Lec. Ann. Lyc. 1, 170, tab. 11, fig. 4. apicalis Mann. Bull. Mosc. 1848, 258.

Ceutocerus Schüppel.

advena Germ. Ins. Nov. 85. Mann. Bull. Mosc. 1848, 259.

BYRRHIDAE.

Simplocaria Marsh.

strigosa Mels. Pr. Acad. 2, 118. (vid. Georyssus.)

Nosodendron Latr.

unicolor Say, Long's Exp. 2, 274.

Syncalypta Dillwyn.

echinata Lec. Agass. L. Sup. p. 224.

Byrrhus Linn.

[vittatus Mels. Pr. Acad. 2, 117. alternatus Say, J. Acad. 5, 185. varius Fabr. El. 1, 105. Steffahny Zeitschr. 4, 28. Kirb. N. Z. 117. tri-24. Steph. Man. 1180. unmurinus Fabr. El. 1, 104. ib. [datus Mels. Pr. Acad. 2, 117. glabellus Mels. Pr. Acad. 2, 118. picipes Kirb. N. Z. 116. Steffahny Zeitschr. 4, 24. concolor Kirb. N. Z. 117. cyclophorus Kirb. americanus Lec. Agass. L. Sup. p. 224. eximius Lec. ib. tessellatus Lec. ib.

THROSCIDAE.

Throscus Latr.

constrictor Say, Am. Phil. Tr. 6, 189.

Lissomus Dalm.

geminatus Say, Ann. Lyc. 1, 265. extriatus Say, A. P. T. 6, 177. 985 M.C. basalis Randall, Boşt. J. 2, 9. nitidus Mels. Pr. Acad. 2, 149.

HISTERIDAE.

Tribalus Erichs.

*americanus Lec. Bost. Jour. 5, 64, tab. 4, fig. 7.

Epierus Erichs.

nigrellus Say, J. Acad. 5, 45. Lec. B. J. 5, 62, tab. 4, fig. 5. pulicarius Er. minor Lec. B. J. 5, 63, tab. 4, fig. 6. [Klug. Jahrb. 1, 162. regularis Beauv. (Hister) Ins. 180, tab. 6 b, fig. 8.2

Digitized by Google

^{*} This forms a new genus, Caerosternus Lec. (Pr. Acad. Nat. Sc. 6, 39.) In that place will be found a systematic catalogue of all the species of N. American Hister and Saprinus known to us.—Eds.

[§] This species is badly figured, but evidently belongs to this genus. It seems to be HISTER NIGHTLES SAY.—LEG.

decipiens Lec. Ann. Lyc. 5, 164. vicinus Lec. ib.

Hetaerius Er.

brunneipennis Randall (Hister), Bost. J. 2, 40.

Hister Linn.

```
arcuatus Say, J. Acad. 5, 84. Lec. Bost. J. 5, 46, tab. 1, fig. 12.
sexstriatus Lec. Ann. Lyc. 5, 163.
merdarius Payk. Mon. Hist. p. 22. Lec. Bost. J. 5, 47, tab. 2, fig. 1.
immunis Erichs. Kl. Jahrb. 1, 143.
                                                       ib.
                                 135. Lec. Bost. J. 5, 85.
incisus Erichs.
                       ib. *
stygicus Lec. Bost. J. 5, 48, tab. 2, fig. 4.
memnonius Say, J. Acad. 5, 82. Lec. Bost. J. 5, 85.
Harrisii Kirb. N. Z. 124. Lec. Bost. J. 5, 49, tab. 2, fig. 5.
Paykulii Kirb. ib.
                         123.
thoracicus Payk. Mon. Hist. p. 20. Lec. Bost. J. 5, 85.
repletus Lec. Bost. J. 5, 49, tab. 2, fig. 6.
laevipes Germ. Sp. Nov. p. 87. Lec. Bost. J. 5, 50, tab. 2, fig. 7.
foedatus Lec. Bost. J. 5, 50, tab. 2, fig. 8.
punctifer Payk. Mon. Hist. p. 25. Er. Kl. J. 1, 140. Lec. Bost. J. 5, 51,
                                                                   [tab. 2, fig. 9.
decisus Lec. Bost. J. 5, 51, tab. 2, fig. 10.
abbreviatus F. El. 1, 89. Er. Kl. J. 1, 141. Lec. Bost. J. 5, 52, t. 2, f. 11.

      depurator Say, J. Acad. 5, 33.
      Lec. Bost. J. 5, 54, tab. 3, fig. 3.

      bifidus Say,
      ib.
      34.
      Lec. ib.
      52, tab. 2, fig. 12

                                                     52, tab. 2, fig. 12.
spretus Lec. Bost. J. 5, 53, tab. 3, fig. 1.
curtatus Lec.
                    ib.
                          54,
                                  ib.
subhaemisphericus Beauv. Ins. 180, tab. 6, fig. 7. abbreviatus?
latipes Beauv. Ins. 179, tab. 6 b, fig. 6.
interruptus Beauv. 180, tab. 6 b, fig. 8. obtusatus Harris, Hartf. Tr. 76. Lec.
       Bost. J. 5, 47, tab. 2, fig. 2.
indistinctus Say, J. Acad. 5, 35. Lec. Bost. J. 5, 56, tab. 8, fig. 6.
americanus Payk. Mon. Hist. p. 81. Lec.
biplagiatus Lec. Bost. J. 5, 55, tab. 8, fig. 4.
civilis Lec.
                   ib.
                                      ib.
dispar Lec.
                   ib.
                               57,
                                     ib.
                                               8.
sedecemstriatus Say, J. Acad. 5, 36. Lec. Bost. J. 5, 57, tab. 3, fig. 9.
cognatus Lec. Bost. J. 5, 58, tab. 8, fig. 10.
marginicollis Lec.
                                ib.
exaratus Lec.
                             59,
                                    ib.
                                            12.
                    ib.
bimaculatus Linn. Lec. Bost. J. 5, 59, tab. 4, fig. 1. obliquus Say, J. Acad.
venustus Lec. Ann. Lyc. 5, 163.
subrotundus Say, J. Acad. 5, 39. Lec. Bost. J. 5, 60, tab. 4, fig. 2.
                      ib.
                                 40.
vernus Say,
corticalis Lec. Ann. Lyc. 5, 163.
planipes Lec. Pr. Acad. 6, 39. Harrisii Lec. Bost. J. 5, 44, tab. 1, fig. 11.
borealis Lec. (Omalodes) Bost. J. 5, 44, tab. 1, fig. 11.
```

thoracious Payk. Mon. Hist. 20, tab. 2, fig. 6. Lec. Bost. J. 5, 85. laevigatus Payk. ib. 84, tab. 11, fig. 7. Lec. ib. (g. Cæ-[rosternus, sec. Lec.)

Dendrophilus Leach.

punctulatus Say, J. Acad. 5, 45. Lec. Bost. J. 5, 65, tab. 4, fig. 8.

Paromalus Er.

aequalis Say, J. Acad. 5, 44. Lec. Bost. J. 5, 66, tab. 4, fig. 9. affinis Lec. Bost. J. 5, 67, tab. 4, fig. 10. bistriatus Erichs. Kl. Jahrb. 1, 171. Lec. Bost. J. 5, 67, tab. 4, fig. 11. seminulum Erichs. ib. ib. conjunctus Say (Hister), J. Acad. 5, 38. ib. 68, tab. 5, fig. 1. pumilio Er. Klug, Jahrb. 1, 169. opuntiae Lec. Ann. Lyc. 5, 164. CONSORS Lec. ib. gilensis Lec. ib.

Platysoma Leach.

carolinum Payk. Mon. Hist. p. 45. Lec. Bost. J. 5, 32, tab. 1, fig. 3. sordidum Say, J. Acad. 5, 44. depressum Payk. Er. Kl. Jahrb. 1, 111. Lec. Bost. J. 5, 40, tab. 1, fig. 4. parallelum Say, J. Acad. 5, 42. coarctatum Lec. Bost. J. 5, 41, tab. 1, fig. 6. cylindricum Payk. Mon. Hist. p. 91. Lec. Bost. J. 5, 42, tab. 1, fig. 8. Beauv. 178, tab. 6, fig. 1. attenuatum Lec. Bost. J. 5, 42, tab. 1, fig. 9. gracile Lec. ib. 41, ib. 7. frontale | Say, J. Acad. 5, 43.

Hololepta Payk.

aequalis Say, J. Acad. 5, 47. fossularis Say, J. Acad. 5, 47. Lec. Bost. J. [5, 37, tab. 1, fig. 1. lucida Lec. Bost. J. 5, 87, tab. 1, fig. 2. cacti Lec. Ann. Lyc. 5, 162. vicina Lec. ib. populnea Lec. ib.

Teretrius Er.

picipes Fabr. (Hister) El. 1, 92. Payk. Mon. 89, tab. 8, fig. 5. Lec. Bost. J. [5, 79, tab. 6, fig. 6.

Plegaderus Erichs.

transversus Say, J. Acad. 5, 38. Lec. Bost. J. 5, 80, tab. 6, fig. 7. pusillus Lec. Bost. J. 5, 80, tab. 6, fig. 8.

Abraeus Leach.*

aciculatus Lec. Bost. J. 84, tab. 6, fig. 10.

* The United States Coleoptera, allied to ABRARUS, are described in the Proceedings of the Academy of Natural Sciences, 6, 287.—EDS.

simplex Lec. Bost. J. 84, tab. 6, fig. 11.
obliquus Lec. ib. 12.
fimetarius Lec. ib.
exiguus Erichs. Kl. Jahrbücher, 1, 208.
maritimus Lec. Ann. Lyc. 5, 170.
basalis Lec. ib.

Onthophilus Leach.

alternatus Say, J. Acad. 5, 46. Lec. Bost. J. 5, 82, tab. 6, fig. 9. pluricostatus Lec. Bost. J. 5, 81. nodatus Lec. ib. 83.

Saprinus Erichs.

```
rotundatus Fabr. El. 1, 90. Lec. Bost. J. 5, 70, tab. 5, fig. 2.
imperfectus Lec. Bost. J. 5, 70, tab. 5, fig. 8.
lugens Erichs. Kl. Jahrb. 1, 181. Lec. Bost. J. 5, 71, tab. 5, fig. 4.
californicus Mann. Bull. Mosc. 1843, 259.
pensylvanicus Payk. Mon. Hist. p. 61. Lec. Bost. J. 5, 71, tab. 5, fig. 5.
assimilis Payk.
                         ib.
                                     62.
                                                 ib.
                                                           72,
conformis Lec. Bost. J. 5, 72, tab. 5, fig. 7.
piceus Lec.
                   ib.
                            73,
                                    ib.
                                           8.
minutus Lec.
                            ib.
placidus Erichs. Klug, Jahrb. 1, 189. Lec. Bost. J. 5, 86.
impressus Lec. Bost. J. 5, 74, tab. 5, fig. 10.
                            74,
deletus Lec.
                  ib.
                                     ib.
                                           11.
oregonensis Lec. ib.
                            75,
                                     ib.
                                           12.
mancus Say, J. Acad. 5, 41. Lec. Bost. J. 5, 86.
dimidiatipennis Lec. Ann. Lyc. 1, 170. Bost. J. 5, 75, tab. 6, fig. 1.
palmatus Say, J. Acad. 5, 42. Lec. Bost. J. 5, 76, tab. 6, fig. 1.
patruelis Lec. Bost. J. 5, 76, tab. 6, fig. 2.
bigener Lec.
                  ib.
                           77,
fraternus Lec.
                  ib.
                                   ih.
                                          4.
                           78,
sphaeroides Lec. ib.
                                   ih.
sulcifrons Mann. Bull. Mosc. 1843, 259.
serrulatus Lec. (Pachylopus) Ann. Lyc. 5, 165.
gaudens Lec.
                           ib.
interstitialis Lec. Ann. Lyc. 5, 166.
obscurus Lec.
                        ib.
pectoralis Lec.
                        ib.
paeminosus Lec.
                        ib.
interceptus Lec.
                        ib.
discoidalis Lec.
                        ib.
                                 167.
alienus Lec.
                        ib.
oregonensis Lec. Bost. J. 5, 75, tab. 5, fig. 12. Ann. Lyc. 5, 167.
insertus Lec. Ann. Lyc. 5, 167.
obductus Lec.
                     ib.
ciliatus Lec.
                     ib.
vinctus Lec.
                     ib.
```

laridus Lec. Ann. Lyc. 5, 168. scissus Lec. ib. vestitus Lec. ib. fimbriatus Lec. ib. 169. plenus Lec. ib. vitiosus Lec. ib. lubricus Lec. ib. coerulescens Lec. ib. bigemmeus Lec. ib. lucidulus Lec. ib. 170.

LAMELLICORNIA.

Choeridium Lep. et Serv.

capistratum Fabr. (Ateuchus) El. 1, 62. Beauv. 57, tab. 4, fig. 1. historoides Web. Obs. p. 87. Say (Copris), J. Acad. 8, 204.

Hyboma Lep.

gibbosa Fabr. El. 1, 57. Lep. Enc. Méth. 10, 352. Oliv. 1, 154. Hbst. Col. 2, 352.

Canthon Illig.

COPROBIUS Latr.

laevis Drury Ins. 1, tab. 35, fig. 7. Oliv. Ent. 1, 160. volvens F. El. 1, 60. pilularius Geer, 4, 311, tab. 18, fig. 14. chalcites Hald. Pr. Acad. 1, 304. obsoletus Say, J. Acad. 3, 208. viridis Beauv. 24, tab. 3, fig. 2. viridicatus Say (Onthophagus), Bost. J. 1, ebenus Say, J. Acad. 8, 208. nigricornis Say, ib. 207. probus Germ. Sp. Nov. p. 98. perplexus Lec. J. Acad. 2d, 1, 85.

Copris Geoffr.

carolina Linn. Geer, 4, 309, tab. 18, fig. 13. F. El. 1, 43. Oliv. Ent. 1, 134. Beauv. 3 d, fig. 7. Pz. Fn. Am. Bor. p. 6. Hald. (Brachycopris) Pr. Acad. 3, 125, 1846.
anaglypticus Say, J. Acad. 3, 204.

ammon F. El. 1, 35. Oliv. Ent. 1, 123. Beauv. Ins. tab. 3 b, fig. 1, 2.

minutus Drury, 1, 78, tab. 35, fig. 6.

Phanaeus MacL.

carnifex L. F. El. 1, 48. Oliv. Ent. 1, 135. Drur. Ins. tab. 35, fig. 3, 4. triangularis Say, J. Acad. 3, 206. [Beauv. 198, tab. 3 d, fig. 8, 9. nigrocyaneus MacL. Hor. Ent. 1. torrens Lec. J. Acad. New Ser. 1, 85. difformis Lec. ib. 86.

Onthophagus Latr.

janus Pz. Fn. Am. Bor. p. 5, tab. 1, fig. 3. Schönh. Syn. Ins. 1, 42, No. 55. castaneus Mels. Pr. Acad. 2, 184. var. cavicornis Kirb. Lin. Tr. 14, tab. 3. striatulus? Beauv. (Copris) Ins. p. 92, tab. 3 b, fig. 5.

niger Mels. Pr. Acad. 2, 134.

subaeneus Beauv. 105, tab. 3 c, fig. 9.

*rhinocerus Mels. Pr. Acad. 2, 134. ziphias? Fabr. El. 1, 50. protensus Mels. Pr. Acad. 2, 134.

Hecate Pz. Fn. Am. Bor. p. 5, tab. 1, fig. 2. latebrosus F. El. 1, 34. Beauw. Ins. p. 93, tab. 3 b. hastator? Fabr. El. 1, 31.

Orpheus Pz. Fn. Am. Bor. p. 5, tab. 1, fig. 2. canadensis Fabr. El. 1, 34. Beauv. (Copris) Ins. 92, tab. 3 b, fig. 3, 4.

scabricollis Kirb. N. Z. 126.

obtectus Beauv. (Copris) p. 25, tab. 3, fig. 5, 6. ovatus Linn. Fabr. El. 1, 65. Say, Bost. J. 1, 174.

Onitis Fabr.

Nicanor Fabr. El. 1, 29. Panz. Fn. Am. Bor. p. 6. Hbst. Col. 2, 226. Enc. [Méth. 8, 492.

Aphodius Illig.

badipes Mels. Pr. Acad. 2, 135. oblongus|| Say, J. Acad. 3, 215. Hald. J. Acad. 1, 103.

§fimetarius F. El. 1, 72. Hald. J. Acad. 2d, 1, 103. nodifrons Rand. Bost. lutulentus Hald. Pr. Acad. 1, 304; J. Acad. 2d, 104. [J. 2, 20. concavus Say, J. Acad. 3, 214. Hald. ¶ J. Acad. 2d, 1, 103.

bicolor Say, ib. 212.

tenellus Say, ib. 213. 34 M. C.

strigatus Say, ib. 212. Hald. 106.

terminalis Say, ib. 213. 22 M. C.

femoralis Say, ib. 215. 26 M. C.

truncatus Mels. Pr. Acad. 2, 135.

copronymus Mels. ib. stercorosus Mels. ib.

ruricola Mels. ib.

aterrimus Mels. ib.

hamatus Say, Long's Exp. 2, 277.

clypeatus Say, ib.

serval Say, Bost. J. 1, 177. 31 M. C.

maculatipennis Mels. Pr. Acad. 2, 13.

imbricatus Mels. ib. 136.

rubeolus Beauv. (Scarab.) Ins. p. 90, tab. 26, fig. 4.

^{*} This species certainly never occurred in America, unless introduced by accident. From the condition of the insects, we are inclined to believe that this, as well as *Aphodius pensvallensis*, are European specimens. This, however, Dr. Melsheimer emphatically denies.—Eds.

[§] This species is now perfectly naturalized in America.—Lec. (Lake Sup. 240.)

The species cited by Haldeman is certainly not Say's species. It is A. omissus Lec. (Agars. Lac. Sup. p. 225.)—Lec.

pinguis Hald. J. Acad. 2d, 1, 103. laevigatus Hald. ib. denticulatus Hald. 104. ib. corvinus Hald. ib. 105. metallicus Hald. ih. Fabr. 1, 81? stercorator Hald. ib. curtus Hald. ib. ib. 106. spretus Hald. ib. spretulus Hald. aleutius Esch. Entomog. 27. Mann. Bull. Mosc. 1843, 261. guttatus Esch. Bull. Mosc. 6, 97. Mann. hyperboreus Lec. Agass. L. Sup. p. 225. angularis Lec. ib. ib. consentaneus Lec.

Euparia Lep. et Serv.

castanea Lep. et Serv. Enc. Méth. 10, 357.

Oxyomus Esch.

striatulus Say, J. Acad. 5, 192.
gracilis Mels. Pr. Acad. 2, 187.
alternatus Mels. ib.
caesus Panz. Fn. Germ. 35, 2. Fabr. El. 1, 82.
abditus Hald. J. Acad. 2d, 1, 106.
cadaverinus Mann. Bull. Mosc. 1848, p. 261.
cylindricus Esch. Entom. 2, 3. Mann. Bull. Mosc. 1848, p. 262.

Psammodius Gyllh.

interruptus Say, Bost. J. 1, 178. scaber Hald. J. Acad. New Ser. 1, 107 (Rhyssemus). aegialioides Hald. ib. cribrosus Lec. Agass. L. Sup. p. 225. (Rhyssemus).

Aegialia Latr.

lacustris Lec. Agass. L. Sup. p. 225.

Sphaeromorphus Germ.

volvox Germ. Zeitschr. 4, 123.

Acanthocerus Macl.

aphodioides Illig. Germ. Zeitschr. 4, 137. latipes Germ. Sp. Nov. p. 114. splendidus Say, Bost. J. 1, 180. laevistriatus Gory. globosus Say, Bost. J. 1, 179. Germ. Zeitschr. 4, 138. aeneus Macl. Hor. Ent. 1, 137. ib. 144.

Ochodaeus Latr.

?obscurus Lec. J. Acad. 2d, 1, 86.

Trox Fabr.

scutellaris Say, J. Acad. 8, 238.

tuberculatus Hbst. Col. 3, 24, tab. 21, fig. 6. monachus M. C. scabrosus? Beauv. Ins. p. 175, tab. 4b, fig. 4. denticulatus? Oliv. 1, 13, No. 4, tab. 2, fig. 14 a b. Beauv. Ins. p. 175, tab. 4 b, fig. 7, 8. crenatus Oliv. Ent. 1, 4, tab. 1, fig. 4 (Cajenna). Beauv. Ins. p. 176, tab. alternatus Say, Bost. J. 1, 179. [4 b, fig. 1? punctatus Germ. Sp. Nov. p. 113. unistriatus Beauv. Ins. p. 175, tab. 4 b, fig. 5. porcatus Say, J. Acad. 5, 193. capillaris Say, ib. 3, 238. Harris, Hartf. Tr. 1, 77. canaliculatus Say, Long's Exp. 2, 278. variolatus Mels. Pr. Acad. 2, 137. serrulatus Beauv. Ins. p. 176, tab. 4 b, fig. 9. terrestris Say, J. Acad. 5, 192. aequalis Say, New Species of Ins. of Louisiana, 1832.

Geotrupes Latr.

splendidus Oliv. Ins. 1, 67, tab. 14, fig. 126. Fabr. El. 1, 26. Hbst. Col. 2, 286. Blackburnii; Beauv. 60, tab. 4, fig. 6.
 Blackburnii Fabr. El. 1, 26. Hbst. Col. 2, 290. Pz. Prod. p. 4.
 excrement! Say, J. Acad. 3, 210.
 miarophagus Say, ib. 211. Mels. Pr. Acad. 2, 139.
 Egeriei Germ. Sp. Nov. p. 114.

Hybosorus MacL.

carolinus Lec. J. Acad. 2d, 1, 84.

striatus Mels. Pr. Acad. 2, 137.

Bolbocerus Kirb.

farctus Panz. Prod. p. 3. Fabr. El. 1, 22. cephus Oliv. Ins. p. 91, tab. 11, fig. 96. Beauv. 90, tab. 2 b, fig. 6. tumefactus Beauv. Ins. p. 91, tab. Lazarus Panz. Prod. p. 2. Fabr. El. 1, 23. [2 b, fig. 6. Meliboeus Panz. Prod. p. 3, No. 7. Fabr. El. 1, 17. filicornis Say, J. Acad. 3, 211. musculus Say, Bost. J. 1, 178. cornigerus Mels. Pr. Acad. 2, 138. ferrugineus Beauv. (Scarabaeus) Ins. d'Am. 90, tab. 2 b, fig. 3, Q furcicollis* Laporte, An. Art. Coleopt. 2, 104, Q Leconteit Dej.

Lucanus Scop.

elaphus F. El. 2, 249. Burm. Handb. 5, 355.

* Westwood, in a recent paper contained in the Linnean Transactions, regards this as an East Indian species; it has, however, repeatedly been found in Georgia and South Carolina, and is *B. Lecontei* of Dejean's Catalogue.—Lec.

dama Thunb. Fabr. El. 2, 249. Lap. 2, 171. Burm. Handb. 5, 355. capreolus Linn. Oliv. Ent. 1, 15, tab. 2, fig. 4 \(\xi\). Hbst. Col. 3, 302.

placidus Say, J. Acad. 5, 202, an \(\xi\) elaphi? [Harr. Ins. p. 40.

lentus Say. Laport. Hist. Nat. 2, 171. Br. Handb. 5, 356. rupicapra \(\xi\)Dej.

Dorcus MacL.

parallelus Say, J. Acad. 3, 248. Br. Handb. 395. Voeti Schönh. Syn. Ins. brevis Say, ib. 5, 202. [1, 326.

Ceruchus MacL.

piceus Web. Obs. Ent. p. 85. Fabr. El. 2, 252. Burm. Handb. 5, 329. Balbi Lap. Hist. Nat. 2, 174. 4, 5. Q, & M. C. americanus | Dej.

Platycerus Geoffr.

quercus Web. Obs. Ent. p. 85. Br. Handbr. 5, 406. securidens Say, J. Acad. 3, 249. piceus Kirb. N. Z. 141. virescens? Fabr. App. Sys. Ent. 817. depressus Lec. Agass. L. Sup. p. 224.

Passalus Fabr.

cornutus Fabr. El. 2, 256. Beauv. Ins. p. 1, tab. 1, fig. 1. Lap. Hist. Nat.
2, 178. Burm. Handb. 5, 510. interruptus Oliv. Ent. 1, 25. Kirb.
N. Z. 142. distinctus Web. Obs. Ent. p. 79. Perch. Mon. p. 99, tab. 7, fig. 6.

pentaphyllus Beauv. Ins. tab. 1, fig. 2. Burm. Handb. 5, 498. Pazillus pentaphyllus Lap. Hist. Nat. (Am. Bor.?)

Sinodendron Fabr.

rugosum Mann. Bull. Mosc. 1843, 262. americanum Beauv. 192, tab. 1 d, fig. 1, 2.

Phileurus Latr.

truncatus Beauv. (Scarab.) Ins. p. 41, tab. 1b, fig. 4. Bur. Handb. 5, 157. castaneus Hald. Pr. Acad. 1, 304.

Strategus Kirb.

Antaeus Fabr. El. 1, 12. Oliv. Ent. 1, 24. Burm. Handb. 5, 129. **Mormon** Burm. Handb. 5, 130.

Dynastes MacL.

Tityus Linn. Fabr. El. 1, 12. Beauv. 137, tab. 1 c, fig. 4, 5. Say, Am. Ent. 1, tab. 4. Burm. Handb. 5, 26. Schönh. Syn. 1, 9. Scarab. pensylvanicus Geer, 4, 306, tab. 18, fig. 10 5, p. 308, tab. 18, fig. 12 2.

Xyloryctes Hope.

satyrus Fabr. El. 1, 15. Oliv. Ent. 1, 39, tab. 2, fig. 94. Burm. Handb. 5,
 208. Scarab. nasicornis-americanus Beauv. 75, tab. 2, fig. 5.

Heteronychus Burm.

relictus Say, J. Acad. 5, 194. Burm. Handb. 5, 92. tumulosus Beauv. Burm. Handb. 5, 101.

Podalgus Burm.

cuniculus Fabr. El. 1, 20. variolosus Burm. Handb. 5, 121.

juvencus Fabr. ib. Oliv. 1, 50. Burm. ib.

Castaneus Mels. Pr. Acad. 2, 138. obesus Burm. Handb. 5, 119. tridentatus Say, J. Acad. 3, 209. Lec. J. Acad. New Ser. 1, 88.

pyriformis Lec. J. Acad. 2d, 1, 88.

neglectus Lec.

ib. 8

morio Lec. ib. obsoletus Lec. ib.

? gibbosus Geer, 4, 322, tab. 19, fig. 7.

Chalepus MacL.

trachypygus Burm. Handb. 5, 79. novator | Kn. 69 Mels. Cat.

Cyclocephala Latr.

angularis Kn. N. Beytr. 1, 87. villosa? Burm. Handb. 5, 54. 72 M. C. immaculata Oliv. Ent. 1, 29, tab. 8, 95. Burm. Handb. 5, 53. nigricollis Burm. Handb. 5, 54.

Scarabaeus.

? Boscii Beauv. 89, tab. 2 b, fig. 1.

? splendens Beauv. ib. 2.

Pelidnota MacL.

punctata Linn. Fabr. El. 2, 166. Harr. Ins. p. 23. Burm. Handb. 4, 399.

Areoda MacL.

lanigera Linn. Fabr. El. 2, 165. Harris Ins. p. 22. Burm. Oliv. 1, 21.

Melolontha Latr.

10-lineata Say, J. Acad. 3, 246.

variolosa Hentz, Am. Phil. Tr. 3, 256. Harris, Ins. p. 30.

occidentalis Linn. Syst. Nat. 2, 555. Drury, 2, 58, tab. 32, fig. 2. Oliv. 5, tab. 1, fig. 7. Herbst. Käfer, 3, 72, tab. 23, fig. 8.

Tostegoptera Blanch.

lanceolata Say (Melolontha), J. Acad. 3, 242.

Trichestes Er.

pilosicollis Kn. (Melolontha) N. Beytr. 1, 85. Say, J. Acad. 3, 242. Harris, Ins. p. 29.

Phyllophaga Harris.*

LACHNOSTERNA Hope. ANCYLONYCHA Blanch.

```
profunda Blanch. Cat. Mus. 1850, p. 132.
brevicollis Blanch.
                           ib.
uniformis Blanch.
                           ib.
                                     188.
crassissima Blanch.
                           ib.
longicornis Blanch.
                           ib.
                                     134.
                                     136.
glaberrima Blanch.
                           ib.
diffinis Blanch.
                           ib.
                                     138.
quercina Kn. N. Beytr. 1, 74. Harris, Ins. p. 28. fervida?|| Oliv. Ins. 1,
      24, tab. 9, fig. 109. fervens Schönh. Syn. Ins. App. p. 74. Kirb. N. Z.
Knochii Schönh. Syn. Ins. App. p. 75.
                                              [132. drakii Kirb. N. Z. 133.
fraterna Harris, Ins. p. 29.
balia Say, J. Acad. 5, 194.
ephilida Say, ib.
                     196.
hirticula Kn. N. Beytr. 1, 79. Harr. Ins. p. 29. hireuta Say, J. Acad. 8,
hirsuta Kn.
                  ib.
                           78.
                                                                      Γ253.
rugosa Mels. Pr. Acad. 2, 140.
anxia Lec. Agass. L. Sup. p. 226.
consimilis Lec.
                     ib.
futilis Lec.
                     ib.
ilicis Kn. N. Beytr. 1, 75, tab. 1, fig. 28. porcina Hentz, Am. Phil. Tr. 8, 258.
georgicana Schönh. Syn. Ins. App. p. 77. Harris, Ins. p. 29.
pruinosa Mels. Pr. Acad. 2, 139.
fervida Fabr. El. 2, 163. Hbst. Col. 3, 70. Schönh. Syn. 1, 3, 171. quer-
      cus Kn. N. Beytr. 1, 72, tab. 1, fig. 26.
longitarsus Say, J. Acad. 3, 241,
```

Diplotaxis Kirb.

```
liberta Germ. Sp. Nov. p. 123. moesta Say, J. Acad. 5, 197. tristis? Kirb. moesta Germ. Sp. Nov. p. 122. frondicola Say, J. Acad. 5, 198. Blanch. Cat. Mus. 171. sordida Say, ib. 197. georgiae Blanch. Cat. Mus. 171. subcostata Blanch. ib. Harperi Blanch. ib. punctatorugosa Blanch ib.
```

Omaloplia Muls.

sericea Illig. Say, J. Acad. 3, 245. variabilis, var. Fabr. 2, 182. micans Kn. N. Beytr. 1, 77. iricolor Say, J. Acad. 3, 246.

^{*} This generic name having priority, it has been deemed best to retain it in preference to Lachnosterna Hope, 1837; or Ancylonycha Dej. 1833, Blanchard, 1845.—Hald.

Serica MacL.

CAMPTORHINA Kirby.

vespertina Schönh. Syn. Ins. App. p. 94. Say, J. Acad. 3, 244. Harr. Ins. atricapilla Kirb. N. Z. 129. [p. 80. tristis Lec. Agass. L. Sup. 228.

Dichelonycha Harris.

hexagona Germ. Sp. Nov. p. 124. virescens Kirb. N. Z. 134. elongata? Fabr. El. 2, 174. elongatula Schönh. Syn. Ins. 1, 3, 210. Backii Kirb.? N. Z. 134. testacea? Kirb. N. Z. 135.

linearis Schönh. Syn. Ins. App. p. 103. castaneae pumilae Mels. Cat.

Macrodactylus Latr.

subspinosus Linn. Fabr. Ell. 2, 181. Oliv. Ent. 1, 70. Harris, Ins. p. 82.
elongata Hbst. Col. 3, 145. angustata Beauv. Ins. p. 80, tab. 5, fig. 6.
polyphagus Mels. Cat. 77.

Anomala Meg.

marginata F. El. 2, 169. Burm. H. 4, 266. annulata Germ. Sp. Nov. p. 121. binotata Schönh. Syn. Ins. App. p. 106. unifasciata Say, J. Acad. 5, 199. dichroa Mels. Pr. Acad. 2, 140. flavipennis? Burm. Handb. 4, 249, 24. undulata Mels. Pr. Acad. 2, 140.

varians Fabr. El. 2, 173. Harris, Ins. p. 31. Burm. Handb. 4, 248. in-maculata Lap. Hist. Nat. 2, 136, 14. [nuba Mels. Cat.

parvula Burm. Handb. 4, 247.

minuta Burm. ib. 249.

lucicola Fabr. El. 2, 174. moerens Fabr. Ej. 2, 174. atrata ib. teste Burm.
H. 4, 270. nigritula? Lap. Hist. Nat. 2, 137.
pinicola Mels. Pr. Acad. 2, 141.

Strigoderma Burm.

pygmaea Fabr. El. 2, 179. Burm. Handb. 4, 311. arboricola Fabr. ib. 174. ib. 315.

Hoplia Illiger.

trifasciata Say, J. Acad. 5, 200.

primoria Burm. Handb. 4, 192, 1844. tristis Mels. Pr. Acad. 2, 141, 1844. monticola Mels. Pr. Acad. 2, 141.

helvola Mels. Pr. Acad. 2, 142.

singularis Burm. Handb. 4, 192, 18.

mucorea Germ. Sp. Nov. p. 129. modesta Hald. Pr. Acad. 1, 304.

Lichnanthe Burm.

vulpina Hentz (Amphicoma), J. Acad. 5, tab. 13, fig. 3. B. Handb. 4, 27.

Valgus Scriba.

- canaliculatus Fabr. El. 2, 132. Oliv. Ent. 1, 69. Kn. N. Beitr. 1, 112.
 Enc. Méth. 5, 431. Schaum, Zeitschr. 2, 386; 3, 230. variegatus Beauv. (Trichius) 4, 59, tab. 4, fig. 3.
- seticollis Beauv. (Trichius) Ins. p. 59, tab. 4, fig. 4. Schaum, Zeitschr. 3, 280. Burm. Handb. 3, 722. squamiger Beauv. (Trichius) Ins. p. 59, tab. 4, fig. 5. Burm. H. 3, 723. 5 seticollis, fide Schaum.

Osmoderma Lep.

Gymnodus Kirb.

- eremicola Knoch. N. Beitr. p. 105. Say, J. Acad. 3, 240. Burm. Handb. 3, 714. Harr. Ins. p. 38.
- scabra Beauv. (Trichius) Ins. p. 58, tab. 4, fig. 2. Harr. Ins. p. 38. Burm.
 Handb. 3, 715. foveata et rugosa Kirb. N. Z. 140. Schaum, Zeitschr.
 2, 229; 3, 384. Burm. Handb. 3, 716.

Trichius Fabr.

- bibens Fabr. El. 2, 132. Hbst. Col. 3, 182. Schönh. Syn. Ins. 1, 3, 105. Burm. Handb. 3, 754. bidens Oliv. Ent. 1, 62. Enc. Méth. 5, 428. Schaum, Zeitschr. 2, 414.
- lunulatus Fabr. El. 2, 133. Oliv. Ent. 1, 63. Hbst. Col. 3, 191. Enc. Méth. 5, 429. Schaum, Z. 2, 413 (var. pigri). viridulus F. El. 2, 133. variabilis Schaum, Z. 3, 240 var. bibens Burm. var.
- piger Fabr. El. 2, 122. Oliv. Ent. 1, 64. Hbst. Col. 3, 191. Enc. Méth. 5, 429. Schaum, Zeitschr. 3, 239. Burm. Handb. 756. Drummond Gor. et Perch. rotundicollis Kirb. N. Z. 138.
- affinis Gory and Perch. Mon. tab. 2, fig. 1. variabilis Schaum, Z. 3, 240. viridans et assimilis Kirb. N. Z. 137. bibens Burm. var. bistriga Newm. Ent. Mag. 5, 170.
- delta Forster, Cent. Ins. 1, 7. Fabr. El. 2, 133. Oliv. Ent. 1, 64. Enc.
 Méth. 5, 429. Hbst. Col. 3, 186. Schaum, Zeitschr. 2, 407. (Trigonopeltastes) ib. Burm. Handb. 3, 748.

Gnorimus Lep.

maculosus Kn. N. Beitr. 1, 109. Burm. Handb. 3, 767. Bigsbii Kirb. Zool. J. 3, 155; N. Z. 136. dissimilis Gor. et Perch. Mon. p. 102, tab. 12, fig. 6.

Cremastochilus Knoch.

castaneae Kn. N. Beitr. 1, 115. Burm. Handb. 3, 681.

Hentzii Harris, J. Acad. 5, 386. canaliculatus Kirb. Zool. J. 3, 151.

Harrisii Kirb. Zool. J. 3, 152. Burm. Handb. 3, 680. castaneae Kirb. Zool. J. 2, 516. Harris, J. Acad. 5, 384.

variolosus Kirb. Zool. J. 2, 516 et 3, 152. Burm. Handb. 3, 683. Sayi Harris J. Acad. 5, 388. castaneae Gor. et Perch. Mon.

Psilocnemis Burm.

leucostictus Burm. Handb. 3, 677. politus Schaum.

Gymnetis MacL.

nitida Linn. Fabr. El. 2, 139. Oliv. Ent. 1, 18. Hbst. Col. 3, 227. Gor. Perch. Mon. tab. 67, fig. 4. Burm. (Cotinis) Handb. 3, 256. Sallei Schaum. tristis† Burm. Lamell. 3, 551.

Cetonia Fabr.

ERIRHIPIS, STEPHANUCHA, EUPHORIA Burm.

inda Linn. Fabr. El. 2, 132. Harris, Ins. p. 36. Burm. Handb. 3, 389.
barbata Say, J. Acad. 3, 239.

herbacea Oliv. Ent. 1, 35. pubera Schönh. Syn. Ins. App. p. 53.

fulgida Fabr. El. 2, 150. Oliv. Ent. 1, 33. Hbst. Col. 8, 255. Kirb. N. Z. 4, 136. Burm. Handb. 3, 393.

areata F. El. 2, 154. Oliv. Ent. 1, 48. Burm. Handb. 3, 395.

vestita Say, J. Acad. 5, 201.

melancholica Gor. et Perch. 210, tab. 38, fig. 4.

sepulcralis Fabr. El. 2, 156. Burm. Handb. 3, 376. lurida Oliv. Ent. 1, 43.

BUPRESTIDAE.

Acmaeodera Esch.

pulchella Hbst. Col. 9, 211. Say, Am. Phil. Tr. 6, 154. volvula Fabr. El. Lap. Mon. tab. 2, fig. 8.

ornata Fabr. El. 2, 199. Laporte, Mon. tab. 2, fig. 7. Say, Am. Phil. Tr. 5, 159; 2, 200. Hbst. Col. 9, 281.

tubulus Fabr. El. 2, 200. Say, Am. Phil. Tr. 5, 159. 10-guttata Hbst. Col. 9, 308. culta Web. Obs. Ent. p. 75.

Stenurus Kirb.

DICERCA Esch.

divaricata Say, J. Acad. 3, 163; Am. Phil. Tr. 6, 158. Harris, Ins. p. 43; N. E. Farmer, 1829, p. 2. Kirb. N. Z. 154. dubia Mels. Pr. Acad. aurichalcea Mels. Pr. Acad. 2, 142. [2, 142 var.

parumpunctata Mels. ib. 143.

lurida Linn. Fabr. El. 2, 190. Say, Am. Phil. Tr. 157. Harr. Ins. p. 44. Lap. tab. 27, fig. 144.

obscura Linn. Fabr. El. 2, 190. Harris, N. E. Farmer, 1829, p. 2? Lap. 26, 141. Hbst. Coll. 9, 96. Say, Am. Phil. Tr. 6, 158.

ib.

baltimoriensis Hbst. Col. 9, 99. Schönh. Syn. Ins. 1, 3, 219.

americana Hbst. Col. 9, 107. chrysea Mels. Pr. Acad. 2, 143.

molitor Mels. ib. 144

impressifrons Mels. ib.

indistincta Mels. ib. 143

punctulata Schönh. Syn. Ins. App. p. 123. Lap. et Gor. p. 98, tab. 25, fig. 184. transversa Say, Ann. Lyc. 1, 219.

ferrea Mels. Pr. Acad. 2, 144.
tuberculata Lap. et Gor. Mon. p. 99, tab. 25, fig. 135.
gracilipes Mels. Pr. Acad. 2, 145.
thureura Say, New Sp. Ins. Louisiana, p. 3.
cyanipes Say, J. Acad. 3, 164.
tenebrosa Kirb. N. Z. 155.
tenebrica Kirb. ib.
pugionata Germ. Sp. Nov. p. 57. Lap. p. 99, tab. 26, fig. 136.
consimilis Lap. p. 104, tab. 27, fig. 142.
asperata Lap. p. 105, ib. 143.
acuminata Lap. 27, 144.

Chalcophora Serv.

BUPRESTIS.

virginica Drury, Ins. 1, 66. Say, Am. Phil. Tr. 6, 157. Harris, Ins. p. 44.

virginiensis Hbst. Col. 9, 114. Harris, N. E. Farmer, 1829, p. 2. maliberta Germ. Sp. Nov. p. 38. Lap. tab. 2, fig. 6. [riana Linn.
borealis Lap. tab. 3, fig. 9.

strigosa Lap. tab. 3, fig. 10.
campestris Say, J. Acad. 3, 165.

Buprestis Linn.

sex-notata Lap. tab. 32, fig. 178.

Bosci Lap. tab. 36, fig. 201.

rufipes Fabr. El. 2, 188. Oliv. Ent. 2, 16. Say, Am. Ent. 2, tab. 26.

lineata Fabr. El. 2, 192. Oliv. ib. 28. Lap. et Gor. p. 143, tab. 85,

Nuttalli Kirb. N. Z. 152. [fig. 196. Hbst. Col. 9, 169. Kirb. N. Z. 158.

rusticorum Kirb. ib. 151.

paganorum Kirb. ib. 152.

maculiventris Say, Long's Exp. 2, 272.

fasciata Fabr. Ell. 2, 191. Say, Am. Ent. 2, tab. 26. Lap. et Gor. 144, tab. 35, fig. 198. Kirb. N. Z. 154. sexmaculata Hbst. Col. 9, 163. luteosignata Dej. (Phaenops). Sol. Ann. Soc. Ent. 2, 281. Ziegler (Phaeinconstans Mels. Pr. Acad. 2, 146. [nops), Pr. Acad. 2, 267. viridula Oliv. Ent. 2, 27. Hbst. Col. 9, 195. Enc. Méth. 6, 220.

decora Fabr. El. 2, 189. Lap. et Gor. tab. 36, fig. 199. Hbst. Col. 9, 128.
 salisburiensis Hbst. 1801. Col. 9, 174. Weber, Obs. Ent. p. 78. aurulenta Hbst. 9, 130.

aurulenta Linn. Syst. Nat. 1, 661. Lap. tab. 36, fig. 200. striata Fabr. El.
 2, 192? Lap. tab. 36, fig. 202. impedita Say, Am. Phil. Tr. 6, 160.
 Lap. tab. 36, fig. 203.

confluenta Say, J. Acad. 3, 159; Am. Ent. 2, tab. 26.

ultramarina Say, Am. Phil. Tr. 6, 160.

Langii Mann. Bull. Mosc. 1843, 237.

geranii Harris, N. E. Farmer, 1829, 8, 2.

characteristica Harr. ib.

Ptosima Serv.

gibbicollis Say, J. Acad. 8, 161.

Melanophila Esch.

aeneola Mels. Pr. Acad. 2, 146. metallica Mels. ib.

Chrysobothris Esch.

ODONTOMUS Kirb.

femorata Fabr. El. 2, 208. Harris, N. E. Farmer, 1829, p. 2. Ins. p. 44. 1003 M. C. Lap. tab. 9, fig. 65.

dentipes Germ. Sp. Nov. p. 38. Lap. tab. 9, fig. 70. Harris, Ins. p. 44. 1005 M. C. trinervia? Kirb. N. Z. 4, 157.

viridiceps Mels. Pr. Acad. 2, 147.

rugosiceps Mels.

ib.

calcarata Mels. ib.

sexsignata Say, Am. Phil. Tr. 6, 158. sexguttata Say, J. Acad. 3, 161. proxima Kirb. N. Z. 4, 157.

strangulata Mels. Pr. Acad. 2, 147.

frontalis Oliv. Ent. 2, 45. Fabr. El. 2, 199. Hbst. Col. 9, 224.

punctata Mels. Pr. Acad. 2, 147.

acornis Say, Am. Phil. Tr. 6, 159.

ultramarina Lap. Mon. tab. 3, fig. 9.

thoracica Fabr. El. 2, 217. Herbst. 9, 297. Lap. tab. 3, fig. 20.

hybernata Fabr. El. 2, 209. Lap. tab. 4, fig. 24.

67.

68.

viridipunctata Lap.

quadriimpressa Lap. tab. 4, fig. 64.

Leseurii Lap. tab. 9, fig. 66. Germari Lap.

ib.

ignipes Lap. ib.

scabripennis Lap. ib. 71.

pusilla (biguttata in tab.) Lap. tab. 10, fig. 72.

nigritula Lap. tab. 10, fig. 73.

posticalis Lap. ib.

planata Lap. ib. 77.

Oxypteris Kirb.

longipes Say, J. Acad. 164. appendiculata? Kirb. N. Z. 160. ? atropurpureus Say, J. Acad. 3, 160.

Trachypteris Kirb.

PHAENOPS | Meg. APATURA | Lap.

fulvoguttata Harr. N. E. F. 1829, p. 2; Ins. p. 45. Drummondi Kirb. N. Z. 159. Lap. tab. 1; fig. 3.

Harrisii Hentz, J. Acad. 5, 373. Harris, Ins. p. 45.

hybernata Fabr. 2, 209. Lap. 4, 24 (Chrysoboth). Say, Am. Phil. Tr. 6, umbellatarum Kirb. N. Z. 159. [158. chrysoellus Illig. 8-spilota Lap. et Gor. Mon. p. 4, tab. 1, fig. 4. notata Lap. ib. 4, croceosignata Lap. · ib. 1, 6. 2, decolorata Lap. ib. 8. 5, 2, 13. caudata Lap. ib.

Anthaxia Esch.

viridicornis Say, J. Acad. 3, 162. Lap. 5, 25. inornata Randall, Bost. J. 2, 4. gracilis Mels. Pr. Acad. 2, 148. scoriacea Mels.

aeneogaster Lap. et Gor. Mon. Bupr. tab. 7, fig. 44. Mann. Bull. Mosc. quercata Fabr. (Buprestis) El. 2, 216. Lap. 5, 28. [1848, p. 287.

Rhaeboscelis Chev.

EUMERUS Lab.

cogitans Web. Obs. Ent. p. 75. Say, Am. Phil. Tr. 6, 164. ignava F. El. 2, 211. Lap. et Gor. Mon. tab. 11, fig. 9.

Agrilus Lap.

bilineatus Web. Obs. Ent. p. 74. Say, Ann. Lyc. 1, 250; Am. Phil. Tr. 6, 162. bivittatus Kirb. N. Z. 164.

ruficollis F. El. 2, 213. Say, Am. Phil. Tr. 6, 161. Lap. tab. 13, fig. 78. latebrus Lap. 9, 50.

geminatus Say, J. Acad. 3, 163; Am. Phil. Tr. 6, 162.

politus Say, Ann. Lyc. 1, 249. Am. Phil. Tr. 6, 162.

putillus Say, Am. Phil. Tr. 6, 163.

arcuatus Say, Ann. Lyc. 1, 251; Am. Phil. Tr. 6, 162.

lateralis Say, J. Acad. 3, 160. ib.

cupricollis Gor. granulatus Say, ib. ib.

otiosus Say, Am. Phil. Tr. 6, 163.

fallax Say, ib.

quercatus Fabr. El. 2, 216.

vittaticollis Randall, Bost. J. 2, 38.

quadriimpressus Ziegler, Pr. Acad. 2, 267.

Coraebus Lap. et Gor.

caliginosus Lap. et Gor. Monogr. p. 7, tab. 2, fig. 9.

Brachys Solier.

tessellata Fabr. El. 2, 218. Lap. 1, 2. ovata Web. Obs. Ent. p. 76. aurulenta Kirb. N. Z. 162. 1022 Mels. C. aerosa Mels. Pr. Acad. 2, 148. terminans Fabr. El. 2, 219. Lap. tab. 1, fig. 3, 7.

Taphrocerus Solier.

alboguttatus Lap. (Brachys), tab. 1, fig. 1.

Metonius Say.

ovatus Say, Ann. Lyc. 1, 252. Am. Phil. Tr. 6, 164. purpureus Say, Am. Phil. Tr. 6, 164. 1020 Mels. Cat.

Aphanisticus Latr.

? gracilis Say, Ann. Lyc. 1, 253; Am. Phil. Tr. 6, 165.

EUCNEMIDAE.

Melasis Olivier.

pectinicornis Mels. Pr. Acad. 2, 148. Lec. ib. 6, 46.

Tharops Laporte.

ruficornis Say, J. Acad. 3, 166; Am. Tr. 6, 187. obliquus Say (Eucnemis), Am. Phil. Tr. 6, 187.

Euryptychus Lec.

heterocerus Say (Eucnemis), Am. Phil. Tr. 6, 186.

Epiphanis Esch.

cristatus Lec. Pr. Acad. 6, 46. canallculatus Lec. ib. [238. cornutus Esch. Zool. Atlas, 1, 10, tab. 4, fig. 6. Mann. Bull. Mosc. 1843,

Emathion Lap.

atropos Say, Am. Phil. Tr. 6, 188. penetrans Lec. Pr. Acad. 6, 47.

Anelastes Kirby.

Druryi Kirby, Tr. Lin. 12, tab. 21, fig. 2. Guér. Ann. Ent. Soc. 2d, 1, 17. Silenus brunneus Latr. Ann. Ent. 8, 129.

Latreillei Lec. Pr. Acad. 6, 46.

Hylochares Latr.

nigricornis Say (Melasis), J. Acad. 3, 165.

Fornax Lap.

bicolor Mels. (Hylochares), Pr. Acad. 2, 149. badius Mels. (Dirhagus) ib. cylindricollis Say (Eucnemis), Am. Trans. 6, 188. striatus Lec. Pr. Acad. 6, 47. rufipes Mels. Pr. Acad. 2, 150.

Isarthrus Lec.

spretus Lec. J. Acad. 6, 48.

Nematodes Latr.

quadricollis Say, Am. Phil. Tr. 4, 186.

Cerophytum Latr.

pulsator Hald. (Chorea), Pr. Acad. 3, 150; 848.

Eucnemis Ahrens.

amoenicornis Say, Am. Phil. Tr. 6, 189. Mels. Cat. 933 5, 934 Q. clypeatus Say, Am. Phil. Tr. 6, 189; Ann. Lyc. 1, 266. ? frontosus Say, ib. ? calceatus Say, ib.

Galba Latr. Guér.

flavicornis Guér. Ann. Ent. Fr. 2d, 1, 193, tab. 6, fig. 60, 61.

Microrhagus Esch.

triangularis Say, J. Acad. 3, 170; Am. Phil. Tr. 6, 189. Harr. Hartf. humeralis Say, Am. Phil. Tr. 6, 189. [Tr. 1, 72. 929 M. C. imperfectus Lec. Pr. Acad. 6, 48. subsinuatus Lec. ib.

ELATERIDAE.

Hemicrepidius Germ.

memnonius Hbst. Col. 10, 29. Say, Am. Phil. Tr. 6, 176. baridius? Say, Am. Phil. Tr. 6, 176. Thomasi Germ. Zeitschr. 1, 218.

Dicrepidius Esch.

ramicornis Beauv. Ins. p. 10, tab. 7, fig. 3. Germ. Zeitschr. 1, 214.

Monocrepidius Esch.

lobatus Say, J. Acad. 3, 175; Am. Phil. Tr. 6, 174. Germ. Zeitschr. 1, 228.
vespertinus Fabr. El. 2, 240. Hbst. Col. 10, 132.
serotinus Germ. Zeitschr. 1, 227. vespertinus; Say, Am. Phil. Tr. vi. 177.
finitimus Say, Am. Phil. Tr. 6, 180.
dilectus Say, Ann. Lyc. 1, 261. 978 M. C. auritus? Hbst. Col. 10, 145. instabilis; Knoch.

Cratonychus Dej.

castanipes Payk. Erichs. Zeitschr. 3, 95. fulvipes Kirb. N. Z. 148. paradoxus? Mels. Pr. Acad. 2, 152.

corticinus Say, J. Acad. 3, 174. Am. Phil. Tr. 6, 183. spadix Er. Z. 3, 103. glandicolor Mels. Pr. Acad. 2, 151. decumanus Erichs. Zeitschr. 3, 104.

ignobilis Mels. Pr. Acad. 2, 151.

americanus Hbst. Col. 10, 78. Erichs. Zeitschr. 3, 114.

- brevicollis Hbst. Col. 10, 46. laticollis Erichs. Zeitschr. 3, 102. sphenoidalis Mels. Pr. Acad. 2, 150. quercus M. C. cinereus? Web. Obs. Ins. p. 77. cinereus? Kirb. N. Z. 149. similis? Kirb. N. Z. 149.

communis Schönh. Syn. Ins. 8, App. p. 138. Say, Am. Phil. Tr. 4, 184. Erichs. Zeitschr. 8, 102. Harris, Ins. p. 49.

cinereus Say, Am. Phil. Tr. 6, 183. Harris, Ins. p. 49.

ib.

testaceus Mels. Pr. Acad. 2, 150.

ochraceipennis Mels. ib. 150.

parumpunctatus Mels. ib. 150.

depressus Mels.

abdominalis Erichs. Zeitschr. 3, 104.

vetulus Erichs. Zeitschr. 3, 105.

clandestinus Zeitschr. 3, 112.

pertinax Say, Am. Phil. Tr. 6, 185.

tenax Say. ib.

insipiens Say, ih.

tenellus Erichs. Zeitschr. 3, 114. testaceus? Mels. (Adrastus) Pr. Acad. 2, 219.

acutipennis Randall, Bost. J. 2, 36.

recticollis Say, J. Acad. 3, 168; Am. Phil. Tr. 6, 184.

Onychodon Newm.

orchesides Newm. Ent. Mag. 5, 384.

Perothops Esch.

mucidus Schönh. Syn. Ins. 3, App. p. 133. Say, Ann. Lyc. 1, 256. Am. Phil. Tr. 6, 186. Erichs. Zeitschr. 3, 117 5. unicolor Say, Ann. Lyc. 1, 256. Am. Phil. Tr. 6, 186.

Adrastus Meg.

inquinatus Say, Am. Phil. Tr. 6, 175. pumilus Erichs. Z. 8, 120. quietus Say. 184. testaceus Mels. Pr. Acad. 2, 219. (Cratonychus) insipiens? Say.

Adelocera Latr.

marmorata Fabr. El. 2, 227. Say, Am. Phil. Tr. 6, 180. Germ. Z. 2, 258. aurorata Say, Am. Phil. Tr. 6, 181.

pennata Fabr. El. 2, 239. Hbst. Germ. Zeitschr. 2, 258. discoidea Web. Obs. Ent. p. 77. Say, Am. Phil. Tr. 6, 182. cruenta Oliv. Ent. 2, 31. [Mels. Cat. 959.

leptura Say, Am. Phil. Tr. 6, 182. avita Say,

erosa Say, Ann. Lyc. 1, 258. operculata Say, Am. Phil. Tr. 6, 181? obtecta Harr. Cat. Say, Am. Phil. Tr. 6, 181.

impressicollis Say, Ann. Lyc. 1, 260; Am. Phil. Tr. 6, 182. senilis? Germ. Zeitschr. 2, 259.

rectangularis Say, Ann. Lyc. 1, 263; Am. Phil. Tr. 6, 182. auripilis Say, Ann. Lyc. 1, 263. ib. 168.

Hemirhipis Latr.

fascicularis Fabr. El. 2, 222. Oliv. Ent. 2, 8. Hbst. Col. 10, 104. Germ. Zeitschr. 2, 272.

Chalcolepidius Esch.

viridipilis Say, Ann. Lyc. 1, 257; Am. Phil. Tr. 6, 166. Mels. Pr. Acad. 2, 153. prasinus? Erichs. Zeitschr. 3, 85.

Pyrophorus Illig.

physoderus Germ. Zeitschr. 8, 36. causticus Klug, Germ. Zeitschr. 3, 36.

Alaus Latr.

 oculatus Linn.
 Oliv. Ent. 2, 11.
 Fabr. El. 2, 222.
 Hbst. Col. 9, 327.

 Beauv. 213, tab. 9, fig. 4.
 Harr. Ins. p. 48.

 myops Fabr. El. 2, 222.
 Schönh. Syn. Ins. 3, 271, 27.

 luscus Fabr.
 ib. 223.

 ib. 29.

Athous Latr.

pyrrhos Hbst. Col. 10, 30. Say, Am. Phil. Tr. 6, 186. pyrrhicus Hald. Pr. Acad. 1, 303. vagans Mels. Pr. Acad. 2, 153. oblongicollis Mels. Pr. Acad. 2, 155. soleatus Say, Am. Phil. Tr. 6, 177. cucullatus Say, Ann. Lyc. 1, 264. Am. Phil. Tr. 6, 177. hypoleucus Mels. Pr. Acad. 2, 155. procericollis Mels. Pr. Acad. 2, 156. discalceatus Say, Am. Phil. Tr. 6, 169. ib. bilobatus Say, decoloratus Say, ib. 180. arcticollis Mels. Pr. Acad. 2, 156. Brightwelli Kirb. (Pedetes), N. Z. 146. ruficornis Kirb. (Asaphes) rufifrons Randall, Bost. J. 2, 6. aequalis Mels. Pr. Acad. 2, 153. melanophthalmus Mels. ib. 154. strigatus Mels. ib. 154. cavifrons Mels. ib. 154. trivittatus Mels. ib. 157. ? fallax Say, Am. Phil. Tr. 6, 171. ferruginosus Esch. Thon, Arch. 2, 33. Mann. Bull. Mosc. 1843, 244. pallidipennis Esch. Man. loc. cit. aeneolus Mels. Pr. Acad. 2, 156. ectypus Say, Am. Phil. Tr. 6, 167 (Elater). aereus Mels. Pr. Acad. 2, 156.

scapularis Say, Am. Phil. Tr. 6, 178. tarsalis Mels. Pr. Acad. 2, 157. acanthus Say, Am. Phil. Tr. 6, 178 (Elater). bivittatus Mels. Pr. Acad. 2, 157. sulcicollis Say, Am. Tr. 6, 168; parallelus Say, Ann. Lyc. 1, 256 (Elater).

Campylus Fisch. Latr.

denticornis Kirb. N. Z. 145. flavinasus Mels. Pr. Acad. 2, 219. productus Randall, Bost. J. 2, 8.

Limonius Esch.

cylindriformis Say, J. Acad. 3, 176. Hbst. Col. 10, 98, 107? plebejus Say, Ann. Lyc. 1, 263. metallescens Mels. Pr. Acad. 2, 158. var. praec. ? quercinus Say, Ann. Lyc. 1, 262. striatulus | Knoch. nimbatus Say, Ann. Lyc. 1, 255. stigma Hbst. Col. 10, 86. agonus Say, Am. Phil. Tr. 6, 171. armus Say. ib. claricollis Say, ib. ? bisectus J. Acad. 3, 178; Ej. Am. Phil. Tr. 6, 173. flavipes Fabr. El. 2, 234. definitus Ziegl. Pr. Acad. 2, 268. viridanus Say, Ann. Lyc. 1, 250. posticus Mels. Pr. Acad. 2, 158. hirticollis Mels. ib. 215. var. cylindriformis Say?

Cardiophorus Esch.

erythropus Erichs. Zeitschr. 2, 293. amictus? Mels. Pr. Acad. 2, 158. convexus Say, J. Acad. 3, 169; Am. Tr. 6, 169. Erichs. Zeitschr. 2, 289. gagates Erichs. Zeitschr. 2, 297. laevicollis Erichs. ib. 300. cardisce Say, Am. Phil. Tr. 6, 169. curiatus Say, ib. 173. areolatus Erichs. Zeitschr. 2, 320. latiusculus Esch. Thon, Arch. 2, 34. Mann. Bull. Moso. 1843, 238. californicus Mann. loc. cit. tantillus Mann. ib.

Aphanobius Esch.

infuscatus Germ. Zeitschr. 5, 183. sordidus Mels. Pr. Acad. 2, 216. Sturmii Germ. ib. 188.

Elater Linn. Esch. Latr.

AMPEDUS Meg. Steph. Germ.

oblessus Say, Am. Phil. Tr. 6, 165. sanguinipennis Say, J. Acad. 3, 177. Am. Tr. 6, 173. Germ. Z. 5, 160. apicatus Say, Am. Phil. Tr. 6, 170. melanopygus Germ. Zeitschr. 5, 161.

```
nigricollis Hbst. Col. 10, 73. Say, J. Acad. 3, 176. Germ. Zeitschr. 5, 166.
lugubris Germ. Zeitschr. 5, 165. linteus Say, Am. Phil. Tr. 6, 168.
mixtus Hbst. Col. 10, 74.
"militaris Harris, Hartf. Tr. p. 70. Germ. Zeitschr. 5, 161.
discoideus Fabr. El. 2, 240. Germ. Zeitschr. 5, 165.
limbalis Hbst. Col. 10, 53. Say, Am. Phil. Tr. 6, 167. Germ. Z. 5, 164.
collaris Say, Ann. Lyc. 1, 268. Germ. Z. 5, 172. thoracicus Hbst. 10, 51,
honestus Randall, Bost. J. 2, 9.
                                                            [tab. 162, fig. 8.
semicinctus Randall, ib.
rubricus Say, Ann. Lyc. 1, 268. concinnus Germ. Zeitschr. 5, 170.
rubricollis Hbst. Col. 10, 49. Say, J. Acad. 3, 177; Am. Phil. Tr. 6, 167.
       Harr. Hartf. Tr. p. 71. verticinus Beauv. Ins. p. 214, tab. 9, fig. 6.
hamatus Say, Am. Phil. Tr. 6, 170.
xanthomus Germ. Zeitschr. 5, 168. humeralis? Mels. Pr. Acad. 2, 159.
rufilabris Germ. Sp. Nov. p. 47; Zeitschr. 5, 149.
phoenicopterus Germ. Zeitschr. 5, 161.
pullus Germ. Zeitschr. 5, 162.
pusio Germ.
                 ib.
                          169.
obliquus Say, Am. Phil. Tr. 6, 174. scitulus? Germ. Zeitschr. 5, 168.
tenuicollis Randall, Bost. J. 2, 14.
? filius Randall, Bost. J. 2, 11.
? graciliformis Randall, ib. 18.
? areolatus Say, J. Acad. 3, 167.
carbonicolor Esch. Thon, Arch. 2, 33. Mann. Bull. Mosc. 1843, 240.
luscus Beauv. 218, tab. 9, fig. 5.
griseus Beauv. 214,
                       ib.
rufipes Beauv. 214,
                       ib.
impolitus Mels. Pr. Acad. 2, 160 (Elater).
hepaticus Mels.
                          ib.
cribrarius Germ. Zeitschr. 5, 178.
pedalis Germ.
                     ib.
                              176.
                                    testaceipes? Mels. Pr. Acad. 2, 213 (Ela-
nigricans Germ.
                     ib.
                              176.
                                                                       [ter).
ursulus Mels. Pr. Acad. 2, 213 (Elater).
? piceus Geer. 4, 162, tab. 18, fig. 3.
? lividus Geer.
```

Cryptohypnus Esch.

silaceipes Germ. Zeitschr. 5, 139. crassicollis Mels. Pr. Acad. 2, 214. guttatulus Mels. ib. obliquatulus Mels. ib. dorsalis Say, J. Acad. 3, 167. Am. Phil. Tr. 6, 172. Germ. Z. 5, 147. ib. 168. Germ. Zeitschr. 5, 147. bellus Say, circumscriptus Germ. Sp. Nov. p. 46. Zeitschr. 5, 146. pectoralis Say, Am. Phil. Tr. 6, 178. choris Say, ib. exiguus Randall, Bost. J. 2, 35. nocturnus Esch. Thon, Archiv. 2, 33. Mann. Bull. Mosc. 1843, 239. musculus Esch. Mann. loc. cit. ib.

cinereipennis Esch. Thon, Archiv. 2, 33. Mann. loc. cit. puberulus Mann. loc. cit. littoralis Esch. Thon, Archiv. 2, 33. Mann. loc. cit. 1846.

Ludius Latr.

attenuatus Say, Ann. Lyc. 1, 257. Am. Phil. Tr. 6, 166.
abruptus Say, ib. ib. coracinus? Germ.
Zeitschr. 4, 47.

Corymbites Latr.

Ludius | Dej.

aerarius Randall, Bost. J. 2, 7. resplendens? Germ. Zeitschr. 4, 60. micans Germ. Zeitschr. 4, 62. tessellatus Mels. C. 949. appressifrons Say, Ann. Lyc. 1, 267. Harris, Ins. p. 49. cylindriformis Germ. Zeitschr. 4, 64. brevicornis Say, Ann. Lyc. 1, 265. parallelipipedus Germ. Zeitschr. 4, 66, teste Harris Ins. p. 50. rupestris Germ. Zeitschr. 4, 66.
viridis Say, Ann. Lyc. 1, 255. Am. Phil. Tr. 6, 168. atropurpureus Mels. Pr. Acad. 2, 215. vernalis Hentz, J. Acad. 5, 374. Say, Am. Phil. Tr. 6, 172. anchorago Randall, Bost. J. 2, 5.
Kendali Kirb. N. Z. 149. mirificus Lec. Agass. L. Sup. p. 228. interstitialis Mels. Pr. Acad. 2, 215.

Diacanthus Latr.

inflatus Say, Ann. Lyc. 1, 258. Am. Phil. Tr. 6, 174. Germ. Zeits. 4, 77. bombycinus Germ. Zeitschr. 4, 70. acutipennis Germ. ib. medianus Germ. ib. 71. corporosus Germ. ib. 72. sticticus Germ. ib. 74. ater Mels. Cat. submetallicus Germ. ib. 72. leucaspis Germ. ib. 73. rotundicollis Say, Ann. Lyc. 1, 259. russicollis Germ. Zeitschr. 4, 74. splendens Ziegl. Pr. Acad. 2, 44. aeripennis Kirb. (Aphotistus), N. Z. 150. Germ. Zeitschr. 4, 82. glaucus Germ. Zeitschr. 4, 76. appropinguans Randall, Bost. J. 2, 5. undulatus Randall, ib. resplendens Esch. Thon, Arch. 2, 34. Mann. Bull. Mosc. 1843, 241. angusticollis Mann. Bull. Mosc. 1843, 241. serricornis Mann. ib. volitans Esch. Thon, Arch. 2, 34. Mann. loc. cit. sagitticollis Esch. loc. cit. Mann. loc. cit. 242. · umbricola Esch. Mann. ib. ib. lobatus Esch. ib. Mann. ib. 243. diversicolor Esch. ib. Mann. ib.

caricinus Germ. Zeitschr. 4, 63. Mann. Bull. Mosc. 1846. hemipodus Say, Ann. Lyc. 1, 254. Am. Phil. Tr. 6, 176 (Elater).

Selatosomus Steph.

hieroglyphicus Say, Am. Phil. Tr. 6, 172. appressus Randall, Bost. J. 2, 11. triundulatus Randall, ib. 12. signaticollis Mels. Pr. Acad. 2, 216.

Pristilophus Latr.

laevigatus Fabr. El. 2, 225. Germ. Zeitschr. 4, 84. femoralis Mels. Pr. lacunosus Fabr. ib. 224. [Acad. 2, 216. morlo F. El. 2, 225. Say, Am. Phil. Tr. 6, 165. Germ. Zeitschr. 4, 85. Reichei Germ. Zeitschr. 4, 85. aethiops Hbst. Col. 10, 70. Germ. Z. 4, 86. nigricans Mels. Cat.

Agriotes Esch.

obesus Say, J. Acad. 3, 168. Am. Phil. Tr. 6, 168. Harr. Ins. p. 50. truncatus Mels. Pr. Acad. 2, 217. [tus Fabr. 2, 241. striatulus Mels. ib. segetis? Gyllh. Ins. Suev. 1, 1; 428. striapubescens Mels. Pr. Acad. 2, 217. mancus? Say, J. Acad. 3, 171. Am. Phil. Tr. 6, 168.

Ectinus Esch.

granulosus Mels. Pr. Acad. 2, 159. Sturmii f Germ. (Aphanobius), Z. 5, 188.

Dolopius Meg.

isabellinus Mels. Pr. Acad. 2, 218.
oblongicollis Mels.
ib.
silaceus Say, Ann. Lyc. 1, 260. umbraticus Mels. C. No. 969 (var.).
macilentus Randall, Bost. J. 2, 13.
binus Say, Am. Phil. Tr. 6, 178. bigeminatus Randall, Bost. J. 2, 37.
californicus Mann. Bull. Mosc. 1843, 243.

RHIPICERIDAE.

Sandalus Knoch.

niger Kn. 1801, N. Beitr. 140. rufipennis Latr. 1829 (var. 5), R. An. 4, 461. Guér. An. Artic. 1843, 1, 4. rubidus Mels. Pr. Acad. 2, 220 (var. 5) petrophya Kn. N. Beitr. p. 131. fulva Lap. Ann. Soc. Ent. 3, 236. proserpina New. Ent. Mag. 5, 383. brevicollis Mels. Pr. Acad. 2, 220.

Zenoa Say.

picea Beauv. (Melasis), Ins. tab. 7, fig. 1. brunnea Say, Bost. J. 1, 152. vulnerata Lec. J. Acad. 2d, 1, 89, var.

CEBRIONIDAE.

Cebrio Fabr.

femoralis Chevr. Col. Mex. fasc. 8, No. 200.

Selenodon Latr.

bicolor Fabr. (Cebrio) El. 2, 14. Beauv. p. 8, tab. 7, fig. 2.

Boscia Leach.

picea Leach. Zool. J. 1, 36. punctata Leach. ib. 37. olivacea Leach. ib. glabra Leach. ib. 38. minuta Leach. ib.

ATOPIDAE.

Odontonyx Guér.

ornata Mels. Pr. Acad. 2, 220 (Atopa); Guér. Icon. An. Art.

Anchytarsus Guér.

ater Guér. Icon. An. Art.

Dascillus Latr.

bicolor Mels. Pr. Acad. 2, 221 (Atopa). melanophthalmus Guér. Icon. An. Art.

Ptilodactyla Illig.

elaterina Illig. fide Dej. Cat. fuscus Mels. Pr. Acad. 2, 221 Q (Atopa).

CYPHONIDAE.

Cyphon Fabr.

variabilis Thunb. Mus. Ups. 4, 54. Guér. p. 4. Cistela pubescens Fabr.
Ent. Syst. 2, 45. Cyphon pubescens F. El. 1, 502. Cyphon ovalis Say,
ruficollis? Say (Lampyris) J. Acad. 5, 162.
fuscipes Kirb. N. Z. 245, an var. variabilis?
? debilis Ziegl. (Elodes) Pr. Acad. 2, 269.
? fragilis Ziegl. (Elodes)
discoideus Say, J. Acad. 5, 161 Q. Guér. p. 9.
coarctata Payk. Faun. Sv. 2, 120. Guér. p. 6.

fuscipennis Guér. p. 9. pulchella Guér. p. 13. oblonga Guér. ib. marginicollis Guér. p. 3. collaris Guér. p. 4. obscura Guér. ib.

Scirtes Illig.

orbiculatus Fabr. El. 1, 503. suturalis† Ziegl. Pr. Acad. 2, 44. tibialis Guérin, Icon. Ins. No. 3, 3. solstitialis Mels. Pr. Acad. 2, 223. suturalis Dej. Guér. Icon. Ins. No. 3, 4. californicus Motsch. Bull. Mosc. 1845, 1, 35.

Nycteus Latr.

thoracicus Mels. Pr. Acad. 2, 222.

Eubria.

? nervosa Mels. Pr. Acad. 2, 222. thoracica Ziegl. ib. 269. Elodes fuscipennis Guér.?

LYCIDAE.

Lycus Fabr.

lateralis Mels. Pr. Acad. 2, 802. Lec. J. Acad. 2d, 1, 78.

Dictyoptera Latr.

perfaceta Say, Am. Ent. 2, tab. 21. substriata Lec. J. Acad. N. S. 1, 21. sanguinipennis Say, J. Acad. 3, 178. Am. Ent. 2, tab. 21.

Digrapha Newm.

reticulata Fabr. El. 2, 111.
discrepans Newm. Ent. Mag. 5, 381. Lec. J. Acad. 2d, 1, 74. reticulata 7 Say, Am. Ent. 2, tab. 21.
typica Newm. Ent. Mag. 5, 380. Lec. ib. affinis Lec. J. Acad. 2d, 1, 75.
dorsalis Newm. Ent. Mag. 5, 381. Lec. J. Acad. 2d, 1, 75. dupliapicalis Lec. J. Acad. 2d, 1, 75. [catus Hald. Pr. Acad. 1, 303. terminalis Say, J. Acad. 8, 178; Am. Ent. 2, tab. 21. Lec. J. Acad. 2d, divisa Newm. Ent. Mag. 5, 381.

Caenia Newm.

dimidiatus Fabr. El. 2, 111. Lec. J. Acad. N. S. 1, 76. scapularis Newm. Ent. Mag. 5, 381.

Celetes Newm.

basalis Lec. J. Acad. 2d, 1, 76. mystacina Lec. ib. tabida Lec. ib.

Eros Newm.

hamatus Mann. Bull. Mosc. 1843, 245. simplicipes Mann. coccinatus Say, Bost. J. 1, 155. ruber Mels. C. No. 880. mundus Say, ib. crenatus Germ. Sp. Nov. p. 61. Lec. J. Acad. 2d, 1, 79. cruciatus Rand. humeralis Fabr. El. 2, 8. Lec. J. Acad. 2d, 1, 78. thoracicus Rand. B. J. canaliculatus Say, Bost. J. 1, 154. Lec. J. Acad. 2d, 1, 82. ib. 153. Lec. modestus Say, ib. obliquus Say, ib. 154. 78. No. 884 M.C. sculptilis Say, ib. 156. Lec. ib. nanus Mels. Pr. Acad. 2, 302. Lec. J. Acad. 2d, 1, 82. minutus Lec. J. Acad. 2d, 1, 82. trilineatus Mels. Pr. Acad. 2, 303. Lec. J. Acad. 2d, 1, 79. floralis Mels. ib. 802. Lec. ib. marginellus Fabr. El. 2, 111. oblitus Lec. J. Acad. 2d, 1, 78. incestus Lec. ib. tumidus Lec. 80. ib. aeger Lec. ib. molis Lec. ib. 81. socius Lec. ib. lascivus Lec. ib. 83. sollicitus Lec. ib. vilis Lec. ib. fraternus Randall, Bost. J. 2, 15.

LAMPYRIDAE.

Phengodes Hoff.

plumosa Oliv. (Lampyris), 28, tab. 3, fig. 27. Fabr. El. 2, 105. Ill. Mag. 6, 341. Lap. Ann. Ent. 2, 128. Say, Bost. J. 1, 157. testaceus Leach, Zool. J. 1, 45.

Pollaciasis Newn.

bifaria Say, Bost. J. 1, 157. ovata Newm. Ent. Mag. 5, 383.

Lucernuta Lap.

atra Fabr. (Lampyris), Ent. Syst. 2, 101. Oliv. 28, tab. 3, fig. 28. laticornis Fabr. El. 2, 100. morio Mels. Pr. Acad. 2, 303.

tarda Lec. Pr. Acad. 5, 332. punctata Lec. ib. 333.

Ellychnia Lec.

nigricans Say (Lampyris), J. Acad. 3, 179. Lec. Pr. Acad. 5, 333. obscura? Fabr. El. 2, 100.

decipiens Harris (Lampyris), Tr. Hartf. 74. Lec. Pr. Acad. 5, 333.

minuta Lec. Pr. Acad. 5, 333.

corrusca Linn. (Lampyris), Syst. 2, 644. Oliv. 28, tab. 2, fig. 14. Fabr. El. 2, 100. fenestralis Mels. (Pyractomena) Pr. Acad. 2, 304.

autumnalis Mels. Pr. Acad. 2, 303.

lacustris Lec. Pr. Acad. 5, 834.

Photinus Lap. Lec.

pyralis Linn. (Lampyris). Geer, 4, 52, tab. 17, fig. 7. Fabr. El. 2, 101.
Oliv. 28, tab. 2, fig. 11. centrata Say, J. Acad. 5, 162. rosata Germ.

ardens Lec. Pr. Acad. 5, 334.

[Ins. Nov. 62.

casta Lec. ib. 335.

scintillans Say (Lampyris), J. Acad. 5, 163. Lec. Pr. Acad. 5, 835.

marginella Lec. Pr. Acad. 5, 835.

punctulata Lec.

ib.

consanguinea Lec.

. ib.

obscurella Lec.

ib.

lineella Lec. ib.

vittigera Lec. Pr. Acad. 5, 336.

Pyractomena Lec.

flavocincta Lec. Pr. Acad. 5, 336.

angulata Say (Lampyris), J. Acad. 5, 162. lucifera Mels. Pr. Acad. 2, 804. angustata Lec. Pr. Acad. 5, 336.

linearis Lec.

:L

borealis Randall (Lampyris), Bost. J. 2, 16. Lec. Pr. Acad. 5, 336.

Phausis Lec.

reticulata Say (Lampyris), J. Acad. 5, 163.

Photuris Lec.

pensylvanica Geer (Lampyris), 4, 53, tab. 17, fig. 8. Ol. 25, tab. 1, fig. 8. Enc. M6th. 7, 445. versicolor Fabr. El. 2, 105.

frontalis Lec. Pr. Acad. 5, 337.

divisa Lec. Pr. Acad. 5, 337.

congener Lec. ib. 838

(Lampyris Linn.)

ruficollis Say, J. Acad. 5, 161. Cyphon, sec. Lec.

Luciola Lap.

maculicollis Ann. Soc. Ent. France, 2, 148.

Chauliognathus Hentz.

pensylvanicus Geer (Telephorus), 4, tab. 17, fig. 15. americana Forster (Cantharis), Cent. 50. bimaculata Fabr. El. 1, 298. Ol. 26, t. 2, f. 11.

Hentzii Lec. Pr. Acad. 5, 338. [Hentz, Am. Phil. Tr. 3, 461.

marginatus Fabr. (Canth.) El. 1, 298. Hentz, Am. Tr. 3, 460.

Polemius Lec.

laticornis Say (Canth.), J. Acad. 5, 168. *Teleph. dubius* Mels. Pr. Acad. 2, limbatus Lec. Pr. Acad. 5, 339. [304. incisus Lec. ib.

Silis Charpentier.

bidentata Say, J. Acad. 5, 169.
longicornis Lec. Agass. L. Sup. 230.
difficilis Lec. ib.
lutea Lec. (pallens||), J. Acad. 5, 333. Lec. J. Acad. 5, 389.
pallida Mann. Bull. Mosc. 1848, 246.

Telephorus Geoff.

Canthabis Fabr. Say.

rotundicollis Say, J. Acad. 5, 165. Curtisii Kirby, N. Z. 247. tibialis Lec. Pr. Acad. 5, 840. consors Lec. ib. lautus Lec. ib. grandicollis Lec. ib. fidelis Lec. ib. collaris Lec. ib. bilineatus Say, J. Acad. 3, 182. divisus Lec. Pr. Acad. 5, 340. impressus Lec. ib. tuberculatus Lec. ib. 841. brevicollis Lec. ib. undulatus Lec. ib. dentiger Lec. ib. corolinus Fabr. 1, 296.

curtus Lec. (Podabrus), Lake Sup. 229. percomis? Say, Bost. J. 1, 159. luteicollis Germ. Ins. Nov. 70. cinctellus Lec. Pr. Acad. 5, 341, teste Schaum.

dichrous Lec. ib. flavipes Lec. ib.

lineola Fabr. 1, 301. parallela Say, J. Acad. 5, 168.

rectus Mels. Pr. Acad. 2, 309. rufipes? Say, J. Acad. 3, 182.

Sayi Lec. ib. 5, 342.

angulatus Say, J. Acad. 3, 180. cruralis Lec. Pr. Acad. 5, 342. marginellus Lec. excavatus Lec. ib. imbecillis Lec. ib.

scitulus Say, J. Acad. 5, 168. nigriceps Lec. Lake Sup. 230.

longulus Lec. Pr. Acad. 5, 343.

pusillus Lec. ib. vilis Lec. ib.

fraxini Say, J. Acad. 3, 181. Teleph. nigrita Lec. Lake Sup. 229. Malthacus Samouelli Kirby, N. Z. 246. [mandibularis Kirby, N. Z. 248.

Westwoodii Kirby, ib.

notatus Mann. Beitrag, Bull. Mosc. 1848, 246.

lateralis 1 Oliv. 2, No. 26, tab. 3, fig. 17 (Am. Bor.?)

jactatus Say, J. Acad. 5, 167.

vittatus Fabr. Ent. Syst. 1, 219. El. 1, 808.

ligatus Say, J. Acad. 5, 166. invalidus Say, Bost. J. 1, 158.

notatus Mann. Bull. Mosc. 1843.

ater Linn. Fabr. 1, 297. Kirby, N. Z. 245.

Podabrus Fischer.

tricostatus Say, Bost. J. 1, 158. Telephorus Bennetii Kirby, N. Z. 249.

basillaris Say, J. Acad. 3, 181.

flavicollis Lec. Pr. Acad. 5, 848. discoideus Lec. 344.

ib. modestus Say, J. Acad. 3, 179.

diadema Fabr. 1, 298. Lec. Pr. Acad. 5, 344.

pruinosus Lec. Pr. Acad. 5, 844.

comes Lec.

ib. tomentosus Say, J. Acad. 5, 165. rufiolus Mels. Pr. Acad. 2, 304.

rugulosus Lec. Lake Sup. 229. Pr. Acad. 5, 344.

frater Lec. Pr. Acad. 5, 844.

puncticollis Lec. ib. 345.

brunnicollis Fabr. 1, 298. cavicollis Lec. Pr. Acad. 5, 345.

puncticollis Kirby, N. Z. 247. marginellus Lec. Lake Sup. 247.

punctatus Lec. Lake Sup. 229.

puberulus Lec. ib.

laevicollis Kirby, N. Z. 248.

Malthinus Latr.

occipitalis Lec. Pr. Acad. 5, 345.

difficilis Lec.

ib.

niger Lec.

ib. 846.

transversus Lec. ib.

concavus Lec. ib.

exilis Mels.

ib. 2, 305. fragilis Lec. Pr. Acad. 5, 346.

fusculus Lec. ib.

parvulus Lec. ib.

abdominalis | Dej. Lec. Pr. Acad. 5, 847.

Trypherus Lec. 1851.

LYGERUS Kiesenwetter, 1852.

latipennis Germ. Ins. Nov. 72. marginalis Say, Bost. J. 1, 160.

Tytthonyx Lec.

erythrocephalus Fabr. 2, 105. Malth. serraticornis Mels. Pr. Acad. 2, 305.

Rhagonycha Esch.

piniphila Esch. Mann. Bull. Mosc. 1843.

sericata Mann. Bull. Mosc. 1846, 511.

binodula Mann. ib. 512. Podabrus laevicollis? Lec.

MALACHIIDAE.*

Collops Erichs.

bipunctatus Say (Malachius), J. Acad. 3, 185; Am. Ent. 3, tab. 48. Er. Entom. 1, 54.

nigriceps Say, J. Acad. 3, 183; Am. Ent. 3, tab. 48. Er. Entom. 1, 56. eximius Erichs. Entom. 1, 56.

tricolor Say, J. Acad. 3, 185; Am. Ent. 3, tab. 48. Er. Ent. 1, 57.

4-maculatus Fabr. El. 1, 308. Er. Entom. 1, 58. Cerocoma ruficollis Fabr.

Ent. Syst. 1, 2, 836. Paussus ruficollis Fabr. El. 2, 753, teste Erichson. vittatus Say, J. Acad. 3, 184; Am. Ent. 3, tab. 48. Er. Entom. 1, 60. Megadeuterus Haworthi West. Trans. Ent. Soc. 2, 98.

histrio Er. Entom. 59. Mann. Bull. Mosc. 1843, 247.

Anthocomus Erichs.

otiosus Say (Malachius), Am. Ent. 3, tab. 48. Erichs. Entomogr. p. 97. nigripennis Say, J. Acad. 3, 184.

circumscriptus Say, J. Acad. 3, 185. Erichs. Entomogr. p. 107.

atripennis Erichs. Entom. p. 108.

terminalis Say, J. Acad. 5, 170. Erichs. Entomogr. 108.

scincetus Say, ib. Erichs. ib. 109.

melanopterus Erichs. Entomogr. 1, 110.

granularis Erichs. ib. 11

minutus Mels. Pr. Acad. 2, 305.

^{*} For a catalogue of the native species of this family, with descriptions of many new ones, see Proc. Acad. Nat. Sci., vol. 6.—Eds.

Ebaeus Erichs.

apicalis Say (Malachius), J. Acad. 5, 170. Erichs. Entom. p. 149. pusillus Say, ib. labiatus Fabr. El. 1, 180. flavilabris Say, J. Acad. 5, 169. coeruleus Randall, Bost. J. 2, 16.

Dasytes Fabr.

trivittatus Germ. Sp. Nov. p. 76. Odontonyx sec. Schaum. foveicollis Kirb. N. Z. 243. laticollis Mann. Bull. Mosc. 1843, 247. parvicollis Mann. ib. canescens Mann. ib.

CLERIDAE.

Tillus Oliv.

collaris Spinola, Mon. 1, 98, tab. 2, fig. 6. Lec. Ann. Lyc. 5, 12. pectinicornis Kl. Berlin Acad. 1842, 270, tab. 2, fig. 2. Lec. Ann. Lyc. 5, 12. (Haud rite Am. Bor. teste Schaum.)

Elasmocerus Lec.

MONOPHYLLA || Spin. MACROTELUS || Klug.

terminatus Say (Tillus), Bost. J. 1, 160. Spin. Mon. 2, 126, tab. 6, fig. 3.
Kl. Cler. Berlin Acad. 1842, 274. Lec. Ann. Lyc. 5, 14.
megatoma Spin. Mon. 1, 385, tab. 28, fig. 5. Lec. Ann. Lyc. 5, 18.

Perilypus Spin.

carbonarius Spin. 105, tab. 5, fig. 4. Lec. Ann. Lyc. 5, 11.

Colyphus Spin.

signaticollis Spin. 184, tab. 5, 5. Lec. Ann. Lyc. 12. cinctipennis Spin. 18, tab. 5, 6. Lec. ib. rufipennis Spin. 186, tab. 9, 2. Lec. ib. interceptus Spin. 187, tab. 9, 8. Lec. ib.

Cymatodera Gray.

inornata Say (Tillus), Bost. J. 1, 161. Kl. Berlin Acad. p. 274. Lec. Ann. brunnea Mels. Pr. Acad. 2, 306. Lec. Ann. Lyc. 5, 15. [Lyc. 5, 15. undulata Say, J. Acad. 5, 174. Kl. Cler. 383. Lec. Ann. Lyc. 5, 16. lon-gicollis Spin. 1, 147. bicolor Say, J. Acad. 5, 174. Kl. Tr. p. 383. Lec. Ann. Lyc. 5, 16. angustata Spin. 149, tab. 7, fig. 1. Lec. Ann. Lyc. 5, 16. tenera Lec. Ann. Lyc. 5, 14. fuscula Lec. ib. 212. punctata Lec. ib.

Priocera Kirb.

castanea Newm. (Opilus), Ent. Mag. 5, 880. Kl. Cler. 892. Lec. 5, 17.
rufescens Spin. 1, 119. maculata Ziegl. Pr. Acad. 2, 268.

Tarsostenus Spin.

albofasciatus Mels. (Opilus), Pr. Acad. 2, 306. Lec. Ann. Lyc. 5, 17.

Rhadalus Lec.

testaceus Lec. Ann. Lyc. 5, 212.

Trichodes Hbst.

ornatus Say, J. Acad. 3, 189. Kl. Cl. p. 340. Spin. Mon. 1, 327, tab. 31, fig. 5. Lec. Ann. Lyc. 5, 18. *Douglassianus* White, Brit. Mus. Cat. 66, 1849, et *Hartwegianus* White, Brit. Mus. Cat. 60, teste Lec.

Nuttalli Kirb. Linn. Tr. 12, 395. Kl. Cl. 387. Spin. 1, 217, tab. 81, fig. 2. Lec. 5, 18.

apivorus Germ. Sp. Nov. p. 81. · Kl. Cl. 332. Spin. Mon. 1, 307, tab. 30, fig. 4. Lec. Ann. Lyc. 5, 18. trifasciatus St. Catal. p. 59, 1826. Nuttalli[†] Say, Bost. J. 1, 164.

Clerus Geoffr.

4-signatus Say, Bost. J. 1, 162. Kl. Cl. p. 293. Lec. Ann. Lyc. 5, 19. analis Lec. Ann. Lyc. 5, 20.

ichneumoneus Fabr. El. 1, 280. Kl. Cl. 294. Lec. Ann. Lyc. 5, 20. rufus Ol. Enc. Méth. 4, 14. Ins. 4, 76, tab. 1, fig. 16. Spin. Mon. 1, 252, tab. rufescens Lec. Ann. Lyc. 5, 212. [24, fig. 8.

rosmarus Say, J. Acad. 8, 190. Kl. Cl. 293. Lec. Ann. Lyc. 5, 20.

lunatus Spin. 1, 255, tab. 24, fig. 2. Lec. Ann. Lyc. 5, 20. bicolor Mels. Pr. Acad. 2, 307.

angustus Lec. Ann. Lyc. 5, 21. oculatus || Spin. Mon. 1, 267, tab. 26, fig. 1. crabonarius Spin. Mon. 1, 247, tab. 28, fig. 1.

mexicanus Spin. 1, 248, tab. 22, fig. 2, et 27, fig. 2. Lec. Ann. Lyc. 5, 21. cordifer Lec. Ann. Lyc. 5, 21.

sphegeus Fabr. El. 1, 280. Kl. Cl. 298. Spin. Mon. 1, 270, tab. 27, fig. 2.

Lec. Ann. Lyc. 5, 22.

[5, 22.

 arachnodes Kl. Cl. 298.
 Spin. Mon. 2, 137, tab. 3, fig. 2.
 Lec. Ann. Lyc.

 viduus Kl.
 ib.
 erythrogaster Spin. Mon. 1, 272, tab. 27, fig. 3.

 moestus Kl. Cl.
 truncatus Lec. Ann. Lyc. 5, 23.

thoracicus Oliv. Ent. 18, tab. 2, fig. 22. Kl. Cl. 306. Spin. 1, 274, tab.

thoracicus Oliv. Ent. 18, tab. 2, fig. 22. Kl. Cl. 306. Spin. 1, 274, tab. 27, fig. 3. Lec. Ann. Lyc. 5, 23. monilis Mels. Pr. Acad. 2, 307.

nigrifrons Say, J. Acad. 3, 190. Kl. Cl. 385. Lec. Ann. Lyc. 5, 23. nigripes Say, J. Acad. 3, 191. Kl. Cl. 298. Spin. Mon. 1, 263, t. 25, f. 3.

Lec. Ann. Lyc. 5, 24. dubius Spin. 1, 264, tab. 25, fig. 4.

eximius Mann. Bull. Mosc. 1843, 248. holosericeus White, Cat. Brit. Mus. (1849), 58, teste Lec.

sexguitatus Fabr. 1, 280. Kl. Cl. 385. Lec. Ann. Lyc. 5, 25. quadriguttatus Oliv. 4, 76, No. 18, tab. 2, fig. 23. Klug, 386. Lec. 5, 25.

Thanasimus Spin.

trifasciatus Say (Clerus), J. Ac. 5, 175. Kl. Cl. 293. Lec. Ann. Lyc. 5, 24.
 dubius Fabr. El. 1, 280. Kl. Cl. 293. Lec. Ann. Lyc. 5, 24. ruficeps Spin.
 1, 189, tab. 14, fig. 2.

undulatus Say, Bost. J. 1, 168. Kl. Cl. 385. Lec. Ann. Lyc. 5, 25. nubilus Klug, Cl. 386. Lec. Ann. Lyc. 5, 25. abdominalis|| Kirb. N. Z. 244. tab. 2, fig. 5.

Thaneroclerus Spin.

sanguineus Say, Bost. J. 1, 162. Kl. Cl. 310. Spin. Mon. 1, 200, tab. 17, fig. 3. Lec. Ann. Lyc. 5, 19.

Hydnocera Newm.

humeralis Say (Clerus,) J. Acad. 3, 192, 1823. Germ. Sp. Nov. p. 80, 1824,
 Kl. Cler. 312. Newm. Charlesw. Mag. 4, 862. Spin. 2, 44, tab. 39,
 fig. 2. Lec. Ann. Lyc. 5, 27. rufipes Newm.

tricondylae Lec. Ann. Lyc. 5, 26. [144, tab. 40, fig. 2. subaenea Spin. Mon. 2, 51. Lec. Ann. Lyc. 5, 26. steniformis‡ Spin. 2, unifasciata Say, J. Acad. 5, 176. Kl. Cl. 390. Lec. Ann. Lyc. 5, 27. punctata Spin. 2, 54, tab. 40, fig. 4.

difficilis Lec. Ann. Lyc. 5, 27.

cyanescens Lec. ib. 28.

pubescens Lec. ib.

pallipennis Say, J. Acad. 5, 176. Kl. Cl. 390. Lec. Ann. Lyc. 5, 28. serrata Newm. Charl. Mag. 4, 363. Kl. Cl. 390. Spin. 2, 47, tab. 39, fig. 4.
verticalis Say (Trichodes), Bost. J. 1, 164. Kl. Cl. 389. Lec. Ann. Lyc.
limbata Spin. 2, 49, tab. 39, fig. 6.

[5, 29.

curtipennis Newm. Charlesw. Mag. 4, 364. Lec. Ann. Lyc. 5, 29. brachypterus Kl. Cl. 318. lineaticollis Spin. 2, 51, tab. 40, fig. 1.

suturalis Kl. Cl. 813. Lec. Ann. Lyc. 5, 29.

aegra Newm. Charlesw. Mag. 4, 364. Lec. Ann. Lyc. 5, 29.

tabida Lec. Ann. Lyc. 5, 29.

longicollis Ziegler, Pr. Acad. 2, 44. Lec. Ann. Lyc. 5, 80.

scabra Lec. Ann. Lyc. 5, 213.

discoidea Lec. ib.

bicolor Lec. ib.

Phyllobaenus Spin.

dislocatus Say (Enoplium), J. Acad. 5, 176. Kl. Cl. 394. Lec. 5, 30. transversalis Spin. 2, 4, tab. 40, fig. 6. distrophum Kl. Cl. 374. distrophus Mels. (Opilus), Pr. Acad. 2, 306.

Ichnea Laporte.

laticornis Say (Enoplium), Bost. J. 1, 164. Kl. Cl. 894. Lec. Ann. Lyc. 5, 31.

Acrepis Lec.

maculata Lec. Ann. Lyc. 5, 213.

Enoplium Latr.

- **quadripunctatum** Say, J. Acad. 3, 188; Am. Ent. 8, tab. 41. Kl. Cl. 367. Spin. Mon. 1, 346, tab. 34, fig. 5. Lec. Ann. Lyc. 5, 81.
- pilosum Forster (Lampyris). Oliv. Enc. Méth. 7, 490. Say, Am. Ent. 3, tab. 41. Kl. Cl. p. 360. Spin. 1, 356, tab. 34, fig. 5. Lec. Ann. Lyc. 5, 32. marginatum Say, J. Acad. 8, 187. onustum Say, Ann. Ent. 3, tab. 41.
- vetustum Spin. (Pelonium), 1, 360, tab. 35, fig. 4. Lec. Ann. Lyc. 5, 32. albomaculata Ziegl. (Priocera), Pr. Acad. 2, 268. venustum (err. typ.) Hald. Pr. Acad. 3, 126.
- oculatum Say (Clerus), Bost. J. 1, 163. Kl. Cl. 387. Lec. 5, 32. marfasciatum Lec. Ann. Lyc. 5, 214. [ginipenne Spin. 1, 363.
- damicorne Fabr. (Tillus), El. 1, 282. Say, Bost. J. 1, 165. Kl. Cl. 358.
 Spin. (Orthopleura), 2, 80, tab. 42, fig. 4. Lec. Ann. Lyc. 5, 33. thoracicum Say, J. Acad. 3, 188.
- punctatissimum Chevr. Ann. Soc. Ent. 2d, 1, 34. Lec. Ann. Lyc. 5, 33.
 bimaculatum Mels. Pr. Acad. 2, 307.

Necrobia Latr.

CORYNETES Fabr.

- rufipes Geer, 1775, Mém. 5, 165. Thunb. 1780, Nov. Sp. 1, 10. Fabr. El. 1, 286. Kl. Cl. 350. Spin. Mon. 2, 101, tab. 43, fig. 6. Oliv. 4, No. 76, tab. 1, fig. 2. Lec. Ann. Lyc. 5, 34.
- ruficollis Fabr. El. 1, 286. Oliv. Latr. Kl. Cl. 350. Spin. 2, 103, tab. 43, fig. 6. Lec. 5, 34.
- violaceus Fabr. 1, 286. Thunb. Latr. Oliv. Kl. 349. Spin. 2, 105, tab. 44, fig. 1. Lec. 5, 34. Kirb. N. Z. 243. errans Mels. Pr. Acad. 2, 307. marginellus Chevr. Ann. Ent. Fr. 2d, 1, 42. Lec. Ann. Lyc. 5, 34.

Opetiopalpus Spin.

luridus Spin. 2, 113; tab. 45, fig. 5. Lec. Ann. Lyc. 5, 35.

PTINIDAE.

Bostrichus Geoffr.

APATE Fabr.

serricollis Germ. Sp. Nov. p. 464. hamatus? Fabr. El. 2, 380. bicornis Weber, Obs. Ent. p. 91. Say, J. Acad. 3, 319. bicaudatus Say, J. Acad. 3, 320. aspericollis Germ. Sp. Nov. p. 258. bivittatus Kirby (Apate), N. Z. 192. punctatus Say, J. Acad. 5, 258 (Apate).

Apate Fabr.

basilaris Say, J. Acad. 3, 321. humeralis Mels. Cat. No. 129.

Ptinus Linn.

fur Linn. Fabr. El. 1, 825. humeralis Say, Bost. J. 1, 165. bimaculatus Mels. Pr. Acad. 2, 308. frontalis Mels. ib. 4-maculatus Mels. ib.

Gibbium Scopoli.

scotias Oliv. 2, 9, No. 17, tab. 1, fig. 1. Fabr. Ent. Syst. emend. 1, 241.

Hedobia Redtenb.

humeralis Mels. Pr. Acad. 2, 309.

Ochina | Ziegler.

nigra Mels. Pr. Acad. 2, 809.

Lyctus Fabr.

striatus Mels. Pr. Acad. 2, 112. axillaris Mels. ib. 118.

Anobium Fabr.

gibbosum Say, J. Acad. 5, 171. notatum Say, ib. 172. carinatum Say, ib. 8, 187. sericans Mels. Pr. Acad. 2, 309. errans Mels. ib. obesum Mels. ib. tenuistriatum Say, J. Acad. 5, 173. No. 174 M. C. peltatum Harr. Hartf. Tr. p. 75. bistriatum Say, J. Acad. 5, 172. No. 171 M. C. foveatum Kirb. N. Z. 190. convexifrons Mels. Pr. Acad. 2, 309.

Endecatomus Mellié.

reticulatus Herbst. Fabr. El. 1, 322 (Anobium). Mellié, Ann. Ent. Fr. 2d, dorsalis Mellié, Ann. Ent. Fr. 2d, 6, 213.

Cis Latr.

micans Fabr. El. 1, 324. Kirb. N. Z. 190. thoracioornis Ziegler, Pr. Acad. 2, 270. rugosus Randall (Triphyllus), Bost. J. 2, 26. Chevrolatii Mellié, Ann. Ent. Fr. 2d, 6, 249. setulosus Mellié, ib. 257. atripennis Mellié, ib. 258.

PTINIDAE.

fuscipes Mellié, Ann. Ent.	Fr. 2d, 6,	271.
dubius Mellié,	ib.	272.
pumicatus Mellié,	ib.	833, tab. 8, fig. 10.
minutissimus Mellié,	ib.	834, tab. 3, fig. 12.
obesus Mellié,	ib.	335, tab. 3, fig. 13.
punctatus Mellié,	ib.	337.
tristis Mellié,	ib.	343.
subtilis Mellié,	ib.	353.
creberrimus Mellié,	ib.	357.
vitulus Mann. Beitr. 299.	Mellié, A	nn. Ent. Fr. 2d, 390.

Ennearthron Mellié.

ENTYPUS Redt.

Mellyi Mellié, Ann	. Ent. Fr. 2d,	6, 369.		
Sallei Mellié,	ib.	377, ta	b. 4, fig	z. 22.
militaris Mellié.	ib.	378.	ib.	23.

Lasioderma Steph.

castaneum Mels. Pr. Acad. 2, 808.

Dorcatoma Hbst.

bicolor Germ. Sp. Nov. p. 79. No. 158 M. C. similis Say, Bost. J. 1, 166. oculata Say, Long's Exp. 2, 278.

Xyletinus Latr.

flabellicornis Sturm, Catal. 1826, p. 59, tab. 1, fig. 7.

? sericeus Say, J. Acad. 5, 171. Anobium sericans? Mels. Pr. Acad. 2, 309.

Catorama Guérin.

tabaci Guérin, Mag. et Rev. de Zool. 1849, 431.

Ptilinus Geoffr.

ruficornis Say, J. Acad. 3, 186. serricollis Say, ib. bicolor Mels. Pr. Acad. 2, 808.

Lymexylon Fabr.

sericeum Harris, Ins. p. 52.

Hylocoetus Latr.

lugubris Say, Bost J. 1, 166. americanus Harris, Ins. p. 52.

Cupes Fabr.

capitata Fabr. El. 2, 66. Coqueb. Illust. Ins. tab. 30, fig. 1. cinerea Say, Bost. J. 1, 167, 168. concolor West. Zool. J. 5, 440. trilineata Mels. Pr. Acad. 2, 310.

RHYSODIDAE.

Rhysodes Latr.

 aratus Newm. Mag. Nat. Hist. 1838, 2, 664.
 Germ. Zeitschr. 2, 344.

 sculptilis Newm.
 ib.
 666.
 ib.
 348.

 conjungens Newm.
 ib.
 ib.
 351.

SCOLYTIDAE.

Platypus Hbst.

compositus Say, J. Acad. 8, 324. flavicornis Fabr. (Bostrichus), El. 2, 384. Oliv. (Scolytus). parallelus Fabr. Syst. El. 2, 384.

Tomicus Latr.

BOSTRICHUS Fabr.

xylographus Say, J. Acad. 5, 256. No. 148 M. C. xanthographus Say, No. 155 M. C. ib. calligraphus Germ. Sp. Nov. p. 461. exesus Say, J. Acad. 5, 255. Harr. pini Say, J. Acad. 5, 257. Harr. Ins. p. 74 (Tomicus). [Ins. p. 74. pusillus Harr. Hartf. Tr. p. 82 (? Tomicus). fasciatus Say, J. Acad. 5, 255. pallipes St. Catal. p. 76. politus Say, J. Acad. 5, 256. terminalis Mann. Beitrag, 298. cavifrons Mann. septentrionis Mann. ib. 298. nitidulus Mann. ib. compressicornis Fabr. El. 2, 388.

Scolytus Geoffr.

Bostrichus Fabr.

4-spinosus Say, J. Acad. 8, 828. muticus Say, ib. pyri Peck. Harris, Ins. p. 75.

Hylesinus Fabr.

frontalis Fabr. El. 2, 389. aculeatus Say, J. Acad. 8, 322.

Hylurgus Latr.

terebrans Oliv. Harris, Ins. p. 72.
dentatus Say, J. Acad. 5, 258. Harr. Ins. p. 73.
rufipennis Kirb. N. Z. 195.
sericeus Mann. Bull. Mosc. 1843, 296.
obesus Mann. ib.
rugipennis Mann. ib.
pumilus Mann. ib.

Hylastes Erichs.

? rufipennis Kirb. N. Z. 193 (Apate). ? nigriceps Kirb. ib. 194 ib. ? brevicornis Kirb. ib. porculus Er. Wiegm. Archiv. 1836, 49.

CURCULIONIDAE.

Dryophthorus Schüpp.

corticalis Say, Cur. p. 24. Schönh. Cur. 4, 1089.

Lymantes Gyll.

scrobicollis Gyll. Schönh. Cur. 4, 1086.

Rhyncolus Creutz.

quercicolis Schönh. 8, 281. latinasus Say, Cur. p. 30. Schönh. Cur. 4, 1068. brevis Schönh. Cur. 8, 282. corticalis Schönh. ib. 284. brunneus Mann. Beitrag, 295.

Phloeophagus Schönh.

pallidus Schönh. Cur. 8, 279.

Cossonus Clairv.

platalea Say, Cur. p. 24. Schönh. Cur. 4, 998. impressifrons Schönh. 4, 1001. corticola Say, Cur. p. 24. Schönh. Cur. 4, 1005. californicus Motsch. Bull. Mosc. 1845, pars 1, 99. piniphilus Sch. 4, 1002. Mann. Beitrag, 295.

Sitophilus Schönh.

granarius Lin. (Cur.), Schönh. Cur. 4, 977. Harr. Ins. p. 70. remotepunctatus Gyll. Schönh. ib. 979. ib. oryzae Linn. Schönh. Cur. 4, 981. Harr. Ins. p. 70. No. 672, 593 M. C. Curculio frugilegus Geer, 5, 273.

Sphenophorus Schönh.

```
anceps Schönh. Cur. 4, 894.
13-punctatus Hbst. Say, Am. Ent. tab. 9. Schönh. Cur. 4, 898. cribra-
5-punctatus Say, Am. Ent. 1, tab. 9.
                                                     [ria Fabr. El. 2, 434.
variabilis Schönh. Cur. 4, 899.
implicatus Schönh. ib. 901.
Lebasii Schönh.
                      ib. 902.
nubilus Schönh.
                      ib. 938.
pertinax Oliv. Say, Cur. p. 21. Schönh. Cur. 4, 988.
canaliculatus Schönh. 8, 258.
larvalis Germ. Sp. Nov. p. 301. flexuosus Schönh. Cur. 4, 940.
aequalis Schönh. Cur. 4, 941.
cariosus Oliv. Schönh. Cur. 4, 941.
callosus Oliv. Schönh. ib.
Sayi Schönh. Cur. 4, 943.
placidus Say, Cur. p. 23. Schönh. Cur. 4, 947. confusus Sch. 4, 944.
fallax Schönh. Cur. 8, 256.
compressirostris Germ. Say, J. Acad. 3, 819; Am. Ent. 1, tab. 9.
retusus Schönh. Cur. 4, 949.
                                                    [Schönh. Cur. 4, 952.
praepotens Say, Cur. p. 21. Schönh. Cur. 4, 988.
interstitialis Say,
                     ib.
gagatinus Schönh. Cur. 4, 952.
inaequalis Say, Cur. p. 23. contractus Schönh. Cur. 4, 953.
pumilus Schönh. Cur. 4, 960.
parvulus Schönh. ib.
                       961.
cultrirostris Germ. Schönh. Cur. 4, 951.
necydaloides Fabr. El. 2, 435. Schönh. Cur. 4, 965.
melanocephalus Fabr. ib.
truncatus Say, Cur. p. 22. Schönh. Cur. 4, 966.
cicatricosus Say, ib.
                                   ib.
venatus Say,
                   ib.
                                   ih.
rectus Say,
                   ib.
                                   ib.
immunis Say,
                   ib. 23.
                                   ib.
cruentatus Fabr. El. 2, 430.
                                   ib.
                                           985. Enc. Méth. 5, 533.
fasciatus Fabr. El. 2, 434.
                                   ib.
                                           986.
discolor Mann. Beitrag, 298.
subcarinatus Mann. ib.
```

Rhyncophorus Herbst.

noxius Schönh. Cur. 4, 821. Boston? Germari Perty, Delect. p. 82. Brasilia. Zimmermanni Schönh. 8, 2d, 219.

Coelogaster Sch.

Zimmermanni Sch. Cur. 4, 589.

Rhinoncus Sch.

pyrrhopus Sch. Cur. 8, 172.

Ceutorhynchus Schüpp.

rubidus Sch. 4, 484. septentrionalis Sch. Cur. 4, 492. Zimmermanni Sch. ib. umbellae Fabr. El. 2, 450. Sch. Cur. 4, 503.

Copturus Sch.

operculatus Say, J. Acad. 3, 308; Cur. p. 21. Sch. Cur. 4, 649. quercus Say, Cur. p. 20. oculatus Say, J. Acad. 3, 308. minutus Lec. Ann. Lyc. 1, 171.

Bagous Germ. Sch.

binodulus Hbst. Sch. Cur. 3, 538; 8, 75. mamillatus Say, Cur. p. 28. Sch. Cur. 3, 539.

Conotrachelus Latr.

posticatus Sch. Cur. 4, 406.
nenuphar Hbst. Col. 7, 29. Harr. Ins. p. 66. argula Fabr. El. 2, 467. Say.
similis Sch. Cur. 4, 416. [cerasi Peck, Harr. Ins. p. 68.
elegans Say (Cryptorh.), Cur. p. 18. Sch. 4, 428.
affinis Sch. Cur. 4, 429.
confinis Sch. ib. 430.
anaglypticus Say, Cur. p. 18. Sch. Cur. 4, 418.
retentus Say, Cur. p. 17. Sch. Cur. 4, 442.
cristatus Sch. Cur. 4, 438.
infector Sch. Cur. 8, 49.
cribricollis Say, Cur. p. 28. Sch. Cur. 4, 448.
aratus Germ. Sp. Nov. 288. ib. 457.

Chalcodermus Sch.

aeneus Sch. Cur. 4, 388.

Rhyssematus Sch.

palmacollis Say (Cryptorh.), Cur. p. 27. Sch. Cur. 4, 366. lineaticollis Say, J. Acad. 3, 313. Cur. p. 27. Sch. Cur. 8, 9.

Acalles Sch.

clavatus Say (Tylodes), Cur. p. 29. Sch. Cur. 4, 854.

Mononychus Germ.

vulpeculus Fabr. El. 2, 450. Sch. Cur. 4, 809.

Coeliodes Sch.

curtus Say, Cur. p. 29. Sch. Cur. 4, 287. acephalus Say, J. Acad. 8, 309. Cur. p. 20. Sch. Cur. 4, 289.

subulirostris Sch. Cur. 4, 288. leprosus Sch. Cur. 8, 394. flavicaudus Sch. Cur. 8, 397.

Pseudomus Sch.

sedentarius Say, Cur. p. 80. Sch. Cur. 4, 267.

Analcis Sch.

aereus Say, Cur. p. 29. Sch. Cur. 4, 279.

Camptorhinus Sch.

? tubulatus Say, Cur. p. 20. Sch. Cur. 4, 173.

Cryptorhynchus Illiger.

ypsilon Sch. Cur. 4, 100.
pumilus Sch. ib. 102.
obliquus Say, Cur. p. 28. umbrosus Sch. Cur. 4, 116.
apiculatus Sch. 4, 121.
foveolatus Say, Cur. p. 19. Sch. Cur. 4, 140.
ferratus Say, ib. 20. ib. 143.
luctuosus Sch. Cur. 4, 146. misellus Sch. Cur. 4, 120; 8, 848, var.
obliquafasciatus Sch. Cur. 8, 349.
parochus Hbst. Col. 7, 55. conspersus No. 632 M. C.
bisignatus Say, Cur. p. 19.
obtentus Hbst. Col. 7, 38.

Centrinus Sch.

confusus Sch. Cur. 3, 740. Mann. Beitrag, 293.
penicellus Hbst. Col. 7, 29. Say (Baris), Cur. p. 17. holoscericeus Gyll.
pistor Germ. (Balaninus), Sp. Nov. p. 295. [Sch. 3, 760.
scutellumalbum Say (Baris), Cur. p. 21. Sch. Cur. 3, 730; 8, 219.
picumnus Hbst. Col. 7, 30. Sch. Cur. 8, 221. olivaceus Sch. Cur. 3, 763.
perscillus Sch. 3, 762.
modestus Sch. 3, 762.
persitus Hbst. Col. 7, 28. Sch. Cur. 7, 28.

Baridius Sch.

aereus Sch. Cur. 8, 141.
crenatus Sch. Cur. 3, 681. undatus Say, Cur. 17. Sch. 3, 683, var.
interstitialis Say, Cur. 18. Sch. 3, 684.
scolopax Say, Cur. 26. Sch. 3, 699.
trinotatus Say, Cur. 17. vestitus Sch. Cur. 3, 718.
confertus Sch. 3, 728.
anthracinus Sch. Cur. 3, 727.
striatus Say, Cur. p. 17.

transversus Say, Cur. p. 18. nigrinus Say, ib. 26. No. 631 M. C. californicus Motsch. Bull. Mosc. 1845, p. 372.

Madarus Sch.

undulatus Say, J. Acad. 3, 815. Sch. Cur. 3, 640.

Laemosaccus Sch.

plagiatus F. El. 2, 485. Sch. Cur. 8, 626. Say, Cur. p. 6. nephele Hbst. Col. 7, 54.

Orchestes Illig.

ephippiatus Say, Cur. p. 16. salicola No. 693 M. C. pallicornis Say, ib.

Rhinaria Kirb.

Schoenherri Kirb. N. Z. 208. Sch. Cur. 7, 869.

Panscopus Sch.

rufinasus Sch. 8, 469.

Phytobius Schmidt.

sulcicollis Fh. Sch. Cur. 7, 346.
quadrispinosus Say, J. Acad. 3, 310. Sch. Cur. 3, 463. cretura Hbst. Col.
? triangularis Say, Cur. p. 20. [7, 70? Say, Cur. 20.
? inaequalis Say, ib.

Tychius Germ.

amoenus Say, Cur. p. 26. Sch. Cur. 3, 419. corniculatus Sch. Cur. 7, 309. aratus Say, Cur. p. 26. Sch. Cur. 3, 415.

Smicronyx Sch.

MICRONYX || Sch.

cinereus Motsch. Bull. Mosc. 1845, p. 376.

Balaninus Germ.

caryatrypes Sch. Cur. 7, 276. Knoch.
rostratus Sch. Cur. 3, 374. nasutus|| Say, Cur. p. 16.
Sayi Sch. 3, 375. proboscideus Say, Cur. p. 16. Fabr. ? El. 2, 487. Germ.
rectus Say, Cur. p. 16. rectirostris Sch. Cur. 3, 876. [Mag. 4, 293.
nasicus Say, Cur. p. 16. Sch. 3, 877.
porrectus Sch. Cur. 7, 292.
sparsus Sch. 8, 379.
? constrictus Say, J. Acad. 3, 813. Cur. p. 26.
pistor Germ. Sp. Nov. p. 295.

Prionomerus Sch.

calceatus Say, Cur. p. 15. carbonarius Sch. Cur. 3, 361. chiragra Fabr. El. 2, 481. Sch. Cur. 7, 247. Am. aust. et bor.

Anthonomus Germ.

scutellatus Sch. Cur. 8, 342.
signatus Say, Cur. p. 25. Sch. 3, 348; 7, 221. bisignatus Sch. 8, 844. bihaematopus Sch. Cur. 7, 222. [pustulatus M. C. suturalis Lec. Ann. Lyc. 1, 174. Sch. 7, 223. helvolus Sch. Cur. 7, 224. musculus Say, Cur. p. 15. Sch. 3, 350. varians Mels. C. No. 629. nigrinus Sch. Cur. 7, 230. flavicornis Sch. ib. 231. quadrigibbus Say, Cur. 15. Sch. Cur. 3, 335. brunnipennis Mann. Beitrag, 292.

Otidocephalus Chevr.

ERODISCUS Sch. [Col. 7, 56. americanus Chevr. Ann. Soc. Ent. 1, 98. Sch. Cur. 8, 366. myrmex? Hbst. myrmecodes Say, Cur. p. 15. Chevr. Ann. Soc. Ent. 1, 445. No. 668 M. C. scrobicollis Sch. Cur. 7, 205.

Brachybamus Sch.

electus Schoenh. Cur. 7, 185. incertus Schoenh. ib. 186.

Notiodes Sch.

pallidus Say (Aracanthus¹), Cur. p. 9. limatulus Sch. (Notiophilus), Cur. 3, simplex Say (Bagous), Cur. p. 29. [319. egenus Sch. (Bagous), 3, 549. nigrirostris Sch. 7, 186.

Erirhimus Sch.

lutulentus Sch. Cur. 7, 165.
ephippiatus Say, Cur. p. 25. Sch. Cur. 3, 289. fasciatus? No. 625 M. C. rutilus Sch. Cur. 7, 167.
mucidus Say, Cur. p. 14. Sch. 3, 291.
rufus Say, ib. 25.

Magdalinus Germ.

Magdalis Germ.

olyra Hbst. Col. 7, 7. Sch. Cur. 7, 140. pandura Say, Cur. p. 7. Sch. Cur. brunnipes Sch. 3, 270. [3, 268. barbitus Say, Cur. p. 6. Sch. 3, 271. No. 578 M. C. armicollis Say (Rhynchaenus), J. Acad. 3, 312. Sch. Cur. 3, 371. pallidus Say, Cur. p. 7.

Eudocinus Sch.

Mannerheimii Sch. Cur. 8, 241. inscriptus | MacL.?

Pissodes Germ.

strobi Peck, J. Agr. Soc. (1817). Harr. Ins. p. 63.
nemorensis Germ. Sp. Nov. p. 318 (1824). Sch. Cur. 3, 262.
affinis Randall, Bost. J. 2, 24.
dubius Randall, ib.

Heilipus Germ.

squamosus Lec. Ann. Lyc. 1, 171. Sch. 3, 161. apiatus Oliv. Sch. 3, 163. Am. austr. and bor. scrobiculatus Mann. Beitrag, 292.

Larinus Schüpp.

gravidus Oliv. Sch. Cur. 8, 111.

Lixus Fabr.

sylvius Sch. Cur. 7, 430.
concavus Say, Cur. p. 14. Sch. 3, 56.
marginatus Say, Cur. p. 18. Sch. 3, 70.
scrobicollis Sch. Cur. 3, 84. lateralis|| Say, Cur. p. 14.
rubellus Randall, Bost. J. 2, 41.
calandroides Randall, ib. 25.
poricollis Mann. Beitrag, 291.
modestus Mann. ib.

Otiorhynchus Germ.

Sayi Sch. Cur. 7, 323. sulcatus Fabr. El. 2, 539. Sch. Cur. 2, 620. apiculatus Harr. C.

Agraphus Sch.

bellicus Say, Cur. p. 13. leucophaeus Sch. 2, 641.

Cercopeus Sch.

chrysorhaeus Say, Cur. p. 13 (Peritelus).

Phyxelus Schoenh.

glomerosus Sch. 7, 123. rigidus Say (Barynotus), Cur. p. 11. Sch. Cur. 7, 124. setiferus Sch. 7, 124.

Trachyphloeus Germ.

asperatus Sch. Cur. 7, 116. melanothrix Kirb. N. Z. 202.

Ptochus Sch.

adspersus Sch. 2, 486. tessellatus Sch. 2, 487.

Macrops Kirby.

maculicollis Kirb. N. Z. 200, tab. 8, fig. 4. vitticollis Kirb. ib.

Aphrastus Sch.

PHYLLOBIUS Sch.

taeniatus Say, Cur. p. 9. Sch. Cur. 2, 460; 7, 40.

Brachystylus Sch.

acutus Say (Curculio), J. Acad. 3, 310. Sch. 8, 434. Say, Cur. p. 9.

Lithodus Germ.

THECESTERNUS Say.

humeralis Say (Brachycerus), J. Acad. 5, 254. Cur. p. 8. Sch. Cur. 6, 890.

Phytonomus Sch.

diversus Sch. Cur. 2, 371.

comptus Say, Cur. p. 12. Sch. Cur. 2, 384.

Plinthus Germ,

carinatus Sch. Cur. 6, 884.

Hylobius Germ.

pales Hbst. Col. 7, 31. Sch. Cur. 2, 340. Harr. Ins. p. 62. macellus Germ. stupidus Sch. Cur. 2, 339. [Sp. Nov. p. 319. picivorus Sch. ib. 340. confusus Kirb. N. Z. 196.

Lepyrus Germ.

geminatus Say, Cur. p. 12. gemellus Kirb. N. Z. 198, tab. 5, fig. 7. colon Linn. Germ. Mag. 2, 340, teste Kirby, N. Z. 4, 197.

Epicaerus Sch.

imbricatus Say, J. Acad. 3, 317 (Liparus). Sch. Cur. 2, 267 (Hypsonotus). formidolosus Sch. Cur. 6, 284. [Cur. 6, 280 (Epicaerus). vadosus Say, Cur. p. 8. Sch. 6, 287. Cur. 1, 511 (Graphorhinus).

Panscopus Sch.

erinaceus Say, Cur. 12. Sch. Cur. 6, 266; 2, 312.

Lepidophorus Kirb.

lineaticollis Kirb. N. Z. 201.

Barynotus Germ.

? granulatus Say, Cur. p. 12.

Alophus Sch.

alternatus Say (Hypsonotus), Cur. p. 10. Sch. Cur. 2, 286. Mann. Beitrag, 290.

Listroderes Sch.

caudatus Say (Rhynchaenus), J. Acad. 3, 311. Cur. p. 11. squamiger Say, Cur. p. 11. Sch. Cur. 6, 189. appendiculatus Sch. Cur. 6, 192. sordidus Sch. Cur. 2, 280. distinguendus Sch. Cur. 2, 281. lineatus Say, Cur. p. 11. Sch. 6, 195. sparsus Say, ib. squalidus Sch. Cur. 2, 281; 6, 196. immundus Sch. 6, 198. delumbis Sch. Cur. 2, 283. latiusculus Sch. Cur. 6, 199. humilis Sch. Cur. 2, 284. porcellus Say, Cur. p. 11. ? lineatulus Say, ib.

Cleonus Sch.

ophthalmicus Rossi. Sch. Cur. 2, 184; 6, 12. trivittatus Say, Cur. p. 10. Sch. Cur. 222. vittatus Kirb. N. Z. 199.

Polydrosus Sch.

americanus Manner. Sch. Cur. 2, 136.

Pachnaeus Sch.

opalus Oliv. Ent. 5, 83, p. 339, tab. 24, fig. 345. Sch. Cur. 2, 58; 6, 425.

Lachnopus Sch.

distortus Sch. Cur. 7, 898.

Promecops Sch.

nubifer Sch. Cur. 2, 167; 6, 325. Hab. Bras. Mex. Am. bor.?

Eudiagogus Sch.

Rosenschieldi Sch. 6, 309.

Pandeletejus Sch.

hilaris Hbst. Col. 7, 58 (Cur.). Harris, Ins. p. 62. Say, Cur. p. 10. pauperculus Sch. 2, 130.

Lepesoma Motsch.

californica (!) Motsch. Bull. Mosc. 1845, part 1, 105.

Sitona Germ.

indifferens Say, Cur. p. 10.
scissifrons Say, ib.
lepidus Sch. Cur. 2, 104.
californicus Mann. Beitrag, 289.
seniculus Mann. ib.

Tanymecus Germ.

leucophaeus Sch. Cur. 2, 78.
lacaena Hbst. 7, 350. Say, Cur. p. 9. Harr. Hartf. Tr. p. 78. Sch. 6, 282.
canescens Sch. Cur. 2, 85.
confertus Sch. ib. 88.
confusus Say, Cur. p. 9.

Thylacites Germ.

microps Say, Cur. p. 9. Sch. Cur. 1, 523.

Platyomus Sch.

auricephalus Say, J. Acad. 3, 310. auriceps Sch. Cur. 6, 183.

Strophosomus Bilb.

? tessellatus Say (Liparus), J. Acad. 3, 318.

Ophryastes Sch.

vittatus Say (Liparus), J. Acad. 3, 316. Sch. 1, 509; 5, 819. sulcirostris Say (Liparus), J. Acad. 3, 316.

Arrhenodes Stev.

septentrionis Hbst. Col. 7, 183. Harr. Ins. p. 60 Q. maxillosus Oliv. Sch. 1, 326. gnatho Sch. Cur. 1, 329? distans Sch. Cur. 1, 335? minutus Hbst. Sch. Cur. 1, 368. Drury, tab. 42. Enc. Méth. 5, 192?

Tachygonus Sch.

Lecontei Sch. Cur. 1, 312. Sturm. Catal. 1843, 352, tab. 6, fig. 1. Germ.
 Zeits. 2, 445. horridus Chevr. Guér. Icon. Regne An. 155, t. 38, f. 9.

Apion Hbst.

nigrum Hbst. Col. 7, 132. Sch. Cur. 1, 254.

porcatum Sch. Cur. 5, 374.

Sayi Sch. Cur. 1, 252; 5, 376. Harr. Ins. p. 59. rostrum Say, J. Acad. 5, segnipes Say, Cur. p. 6. [253. pensylvanicum Sch. Cur. 5, 417. reconditum Sch. Cur. 5, 482. troglodytes Mann. Beitrag, 289. cuprascens Mann. ib.

Ithycerus Dalm.

curculionoides Hbst. Col. 7, 136. Sch. 1, 246. punctulatus F. El. 2, 441. Enc. Méth. 5, 533. noveboracensis Forst. Nov. Sp. Ins. p. 35. Enc. Méth. 5, 553.

Eugnamptus Sch.

angustatus Hbst. Col. 7, 140. Sch. 5, 342. Say, Cur. p. 5. collaris Fabr.
El. 410. Say, Cur. p. 5. ruficollis Germ. Sp. Nov. p. 188. rubricollis Say, Long's Exp. 2, 288.
sulcifrons Sch. Cur. 5, 342.

Pterocolus Sch.

ovatus Fabr. El. 2, 426. Sch. Cur. 1, 240.

Rhynchites Hbst.

bicolor Fabr. El. 2, 422. Sch. Cur. 1, 212. Harr. Ins. p. 59. aeneus Bhn. Act. Mosc. 6, 22. Sch. Cur. 1, 215; 5, 323. aeratus Say, Cur. p. 5. Sch. 1, 216. hirtus Fabr. El. 2, 421. americanus No. 680 M. C. nigripennis Fabr. 2, 410.

Attelabus Fabr.

rhois Bhn. Act. Mosc. 6, 21. Sch. Cur. 1, 202. pubescens Say, J. Acad. 5, 252.
 analis Illig. Schneid. Ent. Mag. 5, 616. Sch. Cur. 1, 199. Harr. Ins. p. 58.
 similis Kirb. N. Z. 204.
 bipustulatus Fabr. El. 2, 418. Sch. Cur. 1, 201. Harr. Ins. p. 58.

scutellaris Say, J. Acad. 5, 252.
nigripes Ann. Lyc. 1, 171. Sch. Cur. 1, 199.

Camarotus Germ.

coccinelloides Sch. Cur. 1, 186; 5, 277.

Araeocerus Sch.

coffeae Fabr. 2, 411. Sch. Cur. 1, 175; 5, 273. peregrinus Hbst. Col. 7, 168. crassicornis F. 2, 399.

Phaenithon Sch.

? brevicornis Say, Cur. p. 4.

Anthribus Fabr.

coronatus Sch. Cur. 1, 141.

Cratoparis | Dej.

EUPARIUS || Sch.

lunatus Fabr. El. 2, 409. Sch. Cur. 1, 140. marmoreus Oliv. 4, 12, No. 80, tab. 2, fig. 16.

lugubris Oliv. Sch. Cur. 1, 141; 5, 224. notatus Say, J. Acad. 5, 248. paganus Sch. Cur. 1, 142.

? bimaculatus Oliv. Sch. Cur. 1, 148.

Tropideres Sch.

cornutus Say, Cur. p. 4. 4-notatus Say, J. Acad. 5, 249. fasciatus Oliv. Kirb. N. Z. 206.

Stenocerus Sch.

capillicornis Say, J. Acad. 5, 249. moestus Lec. Ann. Lyc. 1, 172.

Brachytarsus Sch.

sticticus Sch. Cur. 5, 167.

obsoletus Sch. ib.
brevis Sch. Cur. 5, 168.
limbatus Say, J. Acad. 5, 250.
alternatus Say, ib.
variegatus Say, ib. 251.
tomentosus Say, ib.

Spermophagus Steven.

robiniae Fabr. El. 2, 397. Enc. Méth. 5; 2, 198. Sch. Cur. 1, 104. Hoffmansegi Sch. Cur. 1, 105.

Caryoborus Sch.

arthriticus Fabr. El. 2, 398. Sch. Cur. 1, 93; 5, 128. gleditsiae Linn. Gmel. Oliv. Enc. Méth. 5, 198.

Bruchus Linn.

sinuatus Sch. Cur. 5, 8. 4-maculatus Fabr. 2, 398, Sch. Cur. 1, 35; 5, 11.

maculatus Fabr. 2, 401. Enc. Méth. 5, 1, 202. scutellaris Fabr. 2, 399.
biguttellus Sch. Cur. 1, 42. biguttatus Fabr. 2, 402.
ambiguus Sch. Cur. 5, 11.
coryphae Fabr. 2, 402. Sch. Cur. 1, 42.
crataegi Harris. Sch. 5, 119.
hibisci Ol. Sch. Cur. 1, 101; 5, 131. No. 233 M. C.
discoideus Say, J. Acad. 3, 307. Sch. Cur. 1, 102; 5, 131.

obtectus Say, Cur. p. 1. Sch. Cur. 5, 131.

mimus Say, Cur. p. 2. murinus (err. typ. pro 'mimus') et borealis. Sch.
obsoletus Say, ib. Sch. 5, 132. [5, 132. M. C. 236.

musculus Say, ib.

transversus Say, ib.

CERAMBYCIDAE.

Spondylus Fabr.

sphaericollis Lec. J. Acad. 1, 93, N. Ser. upiformis Mann. Beitrag, 304. laticeps Lec. Agass. L. Sup. 233.

Mallodon Serv.

melanopus Linn. Fabr. El. 2, 264. Oliv. Ent. 4, 18. Hald. Am. Phil. Tr. 10, 30. crenulatus Drury, Ins. 1, 208. cilipes Say, J. Acad. 3, 328. simplicicolle Dup. Hald. 10, 20. spinibarbe Linn. Fabr. El. 2, 263. Hald. Am. Phil. Tr. 10, 31. dasystomus Say, J. Acad. 3, 326. Hald. Am. Phil. Tr. 10, 31.

Trichocnemis Lec.

spiculatus Lec. J. Acad. 2d, 2, 110.

Orthosoma Serv.

cylindricum Fabr. 2, 261. Oliv. Ent. 4, 23. Beauv. Ins. p. 192, tab. 1, fig. 3. Latr. Gen. Cr. 3, 33. Hald. Am. Phil. Tr. 10, 31. unicolor Drur. Ins. 1, 83. Harr. Ins. p. 80. brunneus Forst. Cent. Ins. p. 37. pensylvanicus Geer, tab. 13, fig. 13. sulcatus Beauv. 226, tab. 35, f. 4.

Derobrachus Serv.

brevicollis Serv. Ann. Soc. Ent. 1, 154. Hald. Am. Phil. Tr. 10, 31.

Prionus Geoffr.

imbricornis Linn. Oliv. Ent. 4, 28. Beauv. Ins. p. 242, t. 36, f. 2. brevicornis Fabr. El. 2, 260. Beauv. 216, tab. 34, fig. 8. laticollis Sch. Syn. Ins. 3, 339, 19. Harr. Ins. p. 79. fissicornis Hald. Pr. Acad. 3, 125. pocularis Dalm. Sch. Syn. Ins. 3, App. 148. laevigatus Harris, Hartf. Tr. p. 83. emarginatus Say, J. Acad. 3, 327; Lec. J. Acad. 2d, 2, 107. palparis Say, ib. integer Lec. J. Acad. 2d, 2, 107. californicus Motsch. Bull. Mosc. 1845. crassicornis Lec. J. Acad. 2d, 2, 108. ib. obliquicornis Lec. curticornis Lec. ib. 109.

Tragosoma Serv.

Harrisii Lec. J. Acad. 2d, 2, 107.

Sphenostethus Hald.

serripennis Hald. Pr. Acad. 3, 126. Prionus muticus? Fabr. 2, 265.

Purpuricenus Serv.

humeralis Fabr. El. 2, 274.

axillaris Hald. Am. Phil. Tr. 10, 31. Lec. J. Acad. 2d, 2, 11.

Smileceras Lec.

solitarium Say, J. Acad. 8, 410. Hald. Am. Phil. Tr. 10, 32. Lec. l. c. 9.

Callichroma Latr.

splendidum Lec. J. Acad. 2d, 2, 87. elegans Hald. Am. Phil. Tr. 10, 31.

Tylosis Lec.

maculatus Lec. J. Acad. 2d, 2, 9.

Crossidius Lec.

testaceus Lec. J. Acad. 2d, 2, 102.

Perarthrus Lec.

vittatus Lec. J. Acad. 2d, 2, 102.

Rosalia Serville.

funebra Motsch. Bull. Mosc. 1845. alpina‡ Lec. J. Acad. Phila. 1852, p. 177.

Megaderus Dupont.

bifasciatus Dupont, Mag. Zool. 1846, tab. 141. Lec. J. Acad. 2d, 2, 176. corallifer Newm. Mag. Nat. p. 4, 185. Hald. Stansb. Exp. tab. 9, f. 15.

Stenocorus Dalm.

longipes Say, J. Acad. 8, 426. (Tinopus Lec. 1. c. 2, 19.)

Eburia Serv.

quadrigeminata Say, J. Acad. 5, 275. Lec. J. Acad. 2d, 2, 11. distincta Hald. Pr. Acad. 3, 150. Lec. ib. Haldemani Lec. J. Acad. 2d, 2, 102.

Chion Newm.

CERASPHORUS Serv.

garganicum Fabr. (Stenocorus), El. 2, 305. Oliv. Ent. 4, 89. Enc. Méth.

5, 308. Beauv. 247, tab. 37, fig. 3. cinctus Drury, Ins. 1, 85. Harr. Ins. p. 81. balteatus Degeer, Ins. 5, 111. rusticum Fabr. El. 2, 311. Hald. Pr. Am. Phil. Tr. 4, 371. Cerasphorus quadrispinosus Hald. Am. Phil. Tr. 10, 32.

Elaphidion Serv.

pulverulentum Hald. Am. Phil. Tr. 10, 32. Mels. Cat. 791.

atomarium Drury, Ins. 1, 93, tab. 41, fig. 6. marylandicum Fabr. El. 2, 306.

Oliv. Ent. 4, 6. Sch. Syn. Ins. 3, 403. Hald. A. P. Tr. 10, 32. Cerambyz pulverulentus Geer, 5, 118. multicolor Gmel. 1, 4, 1857.

rufulum Hald. Am. Phil. Tr. 10, 32.

incertum Newm. Entomologist, 28. aspersum Hald. Am. Phil. Tr. 10, 32. irroratum Linn. S. N. Fabr. El. 2, 307. Oliv. Ent. 4, 45. Drur. Ins. 1,

92. Sch. Syn. Ins. 3, 405.

simplicicolle Hald. Pr. Acad. 3, 151. Lec. J. Acad. 2d, 2, 12.

Njumanii Hald.* Pr. Am. Phil. Tr. 4, 375. bidens; Newm. Entom. 25.

inerme Newm. Entomologist, 29. truncatum Hald. Am. Phil. Tr. 10, 33.

vicinum Hald. Am. Phil. Tr. 10, 33. Lec. J. Acad. 2d, 2, 13.

mucronatum Say, J. Acad. 3, 427. Hald. Am. Phil. Tr. 10, 33. Newman, Entomologist, 27. muricatum Hald. Am. Tr. 10, 33.

pusillum Hald. Am. Phil. Tr. 10, 34. bidens M. C. villosum Fabr. 2, 311. Hald. Am. Phil. Tr. 10, 34. putator Peck, Harr.

rigidum Say, J. Acad. 5, 274. Hald. Am. Phil. Tr. 10, 34. [Ins. p. 81. bidens Fabr. El. 2, 306. Oliv. Ent. 4, 42. Enc. Méth. 5, 306.

arctum Newm. Entomologist, 29. Lec. J. Acad. 2d, 2, 16.

pumilum Newm. ib. Lec. ib. 14

neglectum Lec. J. Acad. 2d, 2, 13.

pruinosum Guér. Icon. R. A. p. 225.

oblitum Lec. J. Acad. 2d, 2, 14.

rusticum Lec. ib.

sobrium Newm. Ent. 30. Lec. J. Acad. 2d, 2, 15.

parallelum Newm. Ent. p. 29. Lec. J. Acad. 2d, 2, 108.

Anoplium Hald.

pubescens Hald. Am. Tr. 10, 34. Mels. Cat. No. 751. (Elaphidion Lec.)
unicolor Hald. ib. ib. 781. Elaphidion cinerascens Lec. J.
Acad. 2d, 2, 15.

Tragidion Serv.

coquus Linn. (Cer.), S. Nat. Fabr. (Lamia), El. 2, 300. lynceum Fabr. (Callidium), El. 2, 344. Enc. Méth. 5, 1, 261. Ceramb. lynceus Enc. Méth. 5, 1, 306. Melsheimeri Germ. (Purpuricenus), Sp. Nov. p. 502.
fulvipenne Say, J. Acad. 3, 414. Lec. J. Acad. 2d, 2, 10.

* This species is exotic.—EDs.

Scierocerus Lec.

muticus Hald. Pr. Am. Phil. Soc. 4, 374. linearis? Harr. Hartf. Tr. p. 85. Lec. J. Acad. 2d, 2, 20.

Criocephalus Muls.

rusticus Linn. Fabr. El. 2, 338. Sch. Syn. Ins. 8, 449. Hald. Am. Phil. Tr. 10, 35. obsoletum Rand. Bost. J. 2, 27. agrestis Kirb. N. Z. 170. Hald. Am. Phil. Tr. 10, 35.

obscurus Lec. J. Acad. 2d, 2, 36.

productus Lec.

ib.

nubilus Lec.

ib.

Asemum Serv.

moestum Hald. Am. Phil. Tr. 10, 35. striatum Kirb. N. Z. 171. substriatum Hald. Am. Phil. Tr. 10, 36.

juvencum Hald.

ib.

fuscum Hald.

ib.

atrum Mann. Beitr. Bull. Mosc. 1843, p. 304.

australe Lec. J. Acad. 2d, 2, 35.

Michthysoma Lec.

heterodoxum Lec. J. Acad. 2d, 2, 30.

Opsimus! Eschscholtz.

quadrilineatus Mann. Beitr. Bull. Mosc. 1843, p. 815.

Hylotrupes Serv.

bajulus Linn. Fabr. El. 2, 333. Hab. Eur. et Am. Bor. bullatus Hald. Am. Phil. Tr. 10, 36. Lec. J. Acad. 2d, 2, 31.

Arhopalus Serv.

fulminans Fabr. (Clytus), El. 2, 346. Lap. Mon. tab. 8, fig. 44. angulatus F. 2, 350. Ol. (Callid.), Ent. 4, 32. Beauv. Ins. p. 248, t. 37, f. 4.

Callidium Fabr.

Andreae Hald. Am. Phil. Tr. 10, 36. (Physocnemum Lec. 2, 31.)

violaceum Linn. Fabr. El. 2, 335. Harr. Ins. p. 83. Sch. Syn. Ins. 3, 445.

ligneum Fabr. El. 2, 341. Oliv. Ent. 4. (Physocnemum Lec.)

antennatum Newm. Ent. Mag. 5, 393.

amoenum Say, J. Acad. 3, 413. coccineicollis; Hald. Am. Phil. Tr. 10, 39.

varium Fabr. El. 2, 345. Oliv. Ent. 4, 54.

aereum Newm. Ent. Mag. 5, 393. pallipes Hald. Am. Tr. 10, 37. (Phymatodes Lec.)

sexfasciatum Say, J. Acad. 3, 415. (Dryobius Lec. J. Acad. 2d, 2, 23.) janthinum Lec. J. Acad. 2d, 2, 34.

Digitized by Google

dimidiatum Mann. Nachtrag, Bull. Mosc. 1846. collare Kirby, N. Z. 171.

Phymatodes Muls.

variabilis Linn. Sch. Syn. Ins. p. 442. Hald. Am. Phil. Tr. 10, 37. fennicum Fabr. El. 2, 334. praeustum Fabr. El. 2, 341. testaceum Linn. proteus Kirb. N. Z. 172. (Physocnemum Lec.) [Fabr. El. 2, 341. similis Kirb. ib. 178. ib. dimidiatus Kirb. ib. palliatus Hald. (Clytus), Am. Tr. 10, 41. collaris Lec. J. Acad. 2d, 2, 88. lepidus Lec. ib. 34.

Tetropium Kirb.

CRIOMORPHUS Muls. ISARTHRON L Dej.

cinnamopterum Kirb. N. Z. 174.

Tylonotus Hald.

bimaculatus Hald. Am. Phil. Tr. 10, 38. Lec. J. Acad. 2d, 2, 23.

Oeme Newm.

indecora Newm. Entomologist, p. 8. Lec. J. Acad. Phil. 2d, 2, p. 177.

Smodicum Hald.

cucujiforme Say (Callid.), J. Acad. 5, 277. Hald. Am. Phil. Tr. 10, 38.
No. 800 M. C. cylindrides Newm. Ent. Mag. 5, 394.

Physocnemum Hald.

brevilineum Say (Callid.), J. Acad. 3, 413. Hald. Am. Phil. Tr. 10, 38.

Stenosphenus Hald.

notatus Oliv. (Callid.), Ent. 4, 61, tab. 7, fig. 89. Hald. Am. Phil. Tr. 10, 39. Elaphid. deflendum Newm. Entom. 6. sobrius Newm. (Elaphid.), Ent. 30.

Eriphus Serv.

ignicollis Say, J. Acad. 3, 412. sanguinicollis Germ. Sp. Nov. p. 515. rutilans Lec. J. Acad. 2d, 2, 18. suturalis Say, J. Acad. 3, 411. Callid. miniatum Germ. Sp. Nov. p. 515. discoideus Say, J. Acad. 3, 411.

Clytus Fabr.

speciosus Say, Am. Ent. 8, t. 53. Harr. Ins. p. 84. Lap. Mon. t. 8, f. 48. nobilis Harris, Hartf. Tr. p. 84. (Arhopalus Lec. J. Acad. 2d, 2, 17.)

charus Say, Bost. J. 1, 193.

decorus Oliv. (Callid.), Ent. 4, No. 70, 63, tab. 8, fig. 92. Lap. Mon. p. 14, tab. 4, fig. 15. Hald. Am. Phil. Tr. 10, 39.

flexuosus Fabr. El. 2, 345. Oliv. Ent. 4, No. 70, 34, tab. 6, fig. 76. Enc. Méth. 6, 262. Lap. tab. 4, fig. 14. Gmel. S. N. 4, 1852. angulatum Fabr. Sp. Ins. 1, 241. picta Drury, Ins. 1, 92. Harr. Ins. p. 85. robiniae Forst. Cent. Ins. p. 43. Hald. Am. Phil. Tr. 10, 39. ziczae Voet, Col. 3, 54. Petiv. Gazoph. tab. 27, fig. 3.

scutellaris Oliv. Ent. 4, No. 70, 51, tab. 5, fig. 52. Enc. Méth. 5, 267. Lap. Mon. p. 53, tab. 11, fig. 62. Hald. 10, 40.

erythrocephalus Oliv. Ent. 4, 47. Enc. 5, 265. Lap. tab. 5, fig. 23. Fabr. El. 2, 350. Beauv. 248, tab. 37, fig. 5. Hald. Am. Phil. Tr. 10, 39. aspericollis Germ. Sp. Nov. 517.

luscus Fabr. El. 2, 347. Lap. Monogr. tab. 6, fig. 32. humeralis Newm. Ent. Mag. 5, 394.

sagittatus Germ. Mag. Insectenkunde 4, 171. pubescens Hald. Am. Phil. Tr. 10, 40. Lec. 2, 28, et 2, 177.

gramineus Klug. Hald. Am. Phil. Tr. 10, 40. Lec. 2, 27.

marginicollis Lap. Mon. p. 41, tab. 9, fig. 50. vespoides Hald. Am. Phil. Tr. agrestis Lec. J. Acad. 2d, 2, 28. [10, 40.

campestris Oliv. Ent. 4, No. 70, 65, tab. 8, fig. 95. Lec. 2, 27. colonus? (coloreum) Fabr. El. 2, 345. Enc. Méth. 5, 257. terminans Fabr. El. 2, 345. villicus? Oliv. Ent. 4, No. 70, 64, tab. 8, fig. 94.

rhombifer Oliv. 4, No. 70, 46, tab. 4, fig. 51. Lec. J. Acad. 2d, 2, 26.

capraea Say, J. Acad. 3, 424. Am. Ent. 3, tab. 53. elevatus Lap. Mon. tab. 7, fig. 40. gibbicollis Lap. Mon. tab. 6, fig. 28.

hamatus Say, J. Acad. 3, 423. Am. Ent. 3, tab. 53.

undulatus Say, Long's Exp. 2, 291. Am. Ent. 3, tab. 53. undatus Kirb. N. Z. 175. Sayi Lap. teste Hald. Pr. Am. Phil. Tr. 4, 372.

lunulatus Kirb. N. Z. 175.

4-maculatus Hald. Am. Phil. Tr. 10, 41. No. 813 M. C.

fuscus Kirb. N. Z. 176. undulatus Lap. Mon. p. 57, tab. 11, fig. 66; teste Hald. Pr. Am. Phil. Soc. 4, 372.

longipes Kirb. N. Z. 176. Hald. Am. Tr. 10, 41. Lec. 2, 28.

muricatulus Kirb. 177.

annosus Say, J. Acad. 5, 277. Lec. 2, 28.

dentipes Oliv. Ent. 4, 29. Enc. Méth. 5, 268.

pineadeus Fabr. 2, 353. Hald. Am. Phil. Tr. 10, 41. pini Oliv. 4, No. 70, 71, tab. 8, fig. 105; teste Hald.

geminatus Hald. Am. Phil. Tr. 10, 42.

gazellula Hald. ib. id. Pr. A. P. Tr. 4, 372. [cerus Lec.) supernotatus Say, J. Acad. 3, 425. Hald. Am. Phil. Tr. 10, 42. (g. Psenopygmaeus Hald. Am. Phil. Tr. 10, 42. No. 821 M. C. (g. Cyrtinus Lec.) infaustus Lec. (Arhopalus), J. Acad. 2d, 2, 17.

ruricola Oliv. Ent. 4. 65. Lap. Mon. p. 56, tab. 11, fig. 65. Lec. J. Acad. interruptus Lap. Mon. p. 57, tab. 11, fig. 67. [2d, 2, 27.

agrestis Lec. J. Acad. 2d, 2, 28.

Hopei Lap. Mon. p. 18, tab. 5, fig. 20.

carinatus Lap. Mon. p. 19, tab. 5, fig. 22. Lec. J. Acad. 2d, 2, 28. liciatus Lap. ib. tab. 8, fig. 45. ib. Sayi Lap. Mon. p. 55, tab. 11, fig. 64. nauticus Mann. Beitrag, 305. gramineus Hald. fide Lec.

Cyrtophorus Lec.

verrucosus Oliv. Ent. 4, 67. Hald. (Clytus), Am. Phil. Tr. 10, 41. Lec. J. Acad. N. S. 2, 29.

gibbulus Lec. (Clytus), L. Sup. 234. niger Lec. (err. cler.), J. Acad. 2d, 2, 29. geminatus Hald. (Clytus), Am. Tr. 10, 42. duplicatus Lec. (err. cler.), ib. 29.

Obrium Serv.

rubrum Newm. Ent. Mag. 5, 395.

pallidum Say (Callid.), J. Acad. 3, 412. Hald. (Diozodes), Am. Tr. 10, 42. Pr. Am. Phil. Soc. 4, 372. Phyton limum Newm. Entom. 18.

Euderces Lec.

picipes Fabr. (Clytus), El. 2, 353. Oliv. Ent. 4, 57. Enc. Méth. 5, 1, 269.
Hald. Am. Tr. 10, 41. Lec. J. Acad. 2, 30.

Gracilia Muls.

Nothbus Hald.

fusca Hald. Am. Phil. Tr. 10, 48. Pr. A. P. 4, 372. Lec. J. Acad. 2d, manca Lec. J. Acad. 2d, 2, 24.

Curius Newm.

dentatus Lec. (Obrium), Ann. Lyc. 1, 172. Newman, Entom. 17. Lec. J. Acad. 2d, 2, 22.

concinnatus | Hald. Am. Phil. Tr. 10, 43. Dej. Cat. 358.

scambus Newm. Entom. 79. Hald. Pr. Am. Phil. Tr. 4, 375. Lec. 2d, 2, 22.

Heterachthes Newm.

4-maculatus Hald. Am. Tr. 10, 43. No. 789 M. C. (Ibidion Lec. 1. c. 23.) ebenus Newm. Entom. 9. Hald. Am. Phil. Tr. 10, 43. dimidiaticornis Dej. (Ibidion Lec. 2, 23.)

Stizocera Serv.

unicolor Randall (Stenoc.), Bost. J. 2, 42. Hald. Am. Phil. Tr. 10, 44.
Ibid. plochionocerum Dej. Cat. 358. Elaph. unicolor Lec. J. Acad. 2d, 2, 15.

Ancylocera Serv.

rugicollis Fabr. (Gnoma), El. 2, 317. bicolor Oliv. Ent. 4, 32. lividipennis Lec. Hald. Am. Phil. Tr. 10, 44.

Stenopterus Illig.

sanguinicollis Oliv. Ent. 4, 9. Say, Bost. J. 1, 194. collaris? Forst. Cent. Ins. p. 46.
rufus Linn. Fabr. El. 2, 372. dispar Schoenh. Syn. Ins. 3, 501.

Molorchus Fabr.

mellitus Say, Bost. J. 1, 194. Harr. Hartf. Tr. p. 89. americanus Hald Pr. Am. Phil. 4, 872. (Necydalis Lec. l. c. 1, 317.)

Heliomanes Newm.

bimaculatus Say, J. Acad. 3, 428. Hald. Am. Phil. Tr. 10, 44. affinis Lec.
 Ann. Lyc. 1, 172. obscurus Lec. (err. cler.), J. Acad. 2d, 21.
 corni Hald. Am. Phil. Tr. 10, 45. Lec. J. Acad. 2d, 2, 21.

Tessaropa|| Hald.

tenuipes Hald. Pr. J. Acad. 8, 126. Pr. Am. Phil. Tr. 4, 374, 288.
(g. Dysphaga Lec. J. Acad. 2d, 2, 143.)
ventralis Hald. Pr. Am. Phil. Tr. 4, 374.

Methia Newm.

THIA | Newm.

pusilla Newm. Entomologist, p. 18.

Moneilema Say.

annulatum Say, J. Acad. 3, 404.
semipunctatum Lec. J. Acad. 2d, 2, 167.
appressum Lec. ib. 168.
crassum Lec. Pr. Acad. Philad. 6, 234.
armatum Lec. ib.

Acanthoderes Serv.

quadrigibbus Say, Bost. J. 1, 195. bimaculata No. 758 M. C. decipiens Hald. (Aegomorphus), Am. Phil. Tr. 10, 45. obsoletus Oliv. Ent. 4, 130. Harr. C. p. 52. No. 761 M. C.

Graphisurus Kirb.

pusillus Kirb. N. Z. 167. despectus Lec. Lake Sup. 234. triangulifer Hald. Am. Phil. Tr. 10, 45. fasciatus Geer, 5, 114, tab. 14, fig. 7.

Aedilis Serv.

ASTYNOMUS Hald.

nodosus Fabr. (Lamia), El. 2, 289. Beauv. 244, tab. 36, fig. 4. Oliv. (Cerambyx), Ent. 4, 75. Enc. Méth. 291.
obsoletus Ol. (Lamia), 67, 13, 90. Lec. J. Acad. 2d, 2, 174.

bifidator Fabr. (Lamia), El. 2, 286. mixta Fabr. (Lamia), El. 2, 290. obscura Fabr.

Leptostylus Lec.

Amniscus | Dej.

perplexus Hald. Am. Phil. Tr. 10, 46.

collaris Hald.

ib.

albescens Hald. ib.

aculiferus Say, J. Acad. 3, 329. marginellus Hald. Am. Phil. Tr. 10, 47. tuberculatus? Frölich, Naturf. 29.

cryptus Say (Lamia), Hald. Am. Phil. Tr. 10, 47.

variegatus Hald.

ib.

No. 787 M. C.

commixtus Hald.

ib.

interruptus Hald. ib. 48. No. 742 M. C.

fascicularis Harr. Hartf. Tr. p. 88. (Mesosa.)

macula Say, J. Acad. 5, 268. sticticus Hald. Pr. A. P. Tr. 4, 372.

alpha Say, J. Acad. 4, 270. Hald. 10, 48. No. 738 M. C.

lateralis Hald. Am. Phil. Tr. 10, 48. punctatus Hald. ib.

vicinus Hald.

ib.

6-guttatus Say, J. Acad. 5, 269. No. 269 M. C.

albidus Lec. J. Acad. Philad. 2d, 2, 168. ib.

biustus Lec.

169.

Leiopus Serv.

symmetricus Hald. Am. Phil. Tr. 10, 50. No. 786 M. C. rufiventris | Harr.

facetus Say, J. Acad. 5, 271. Nos. 739, 741, 743 M. C.

spinosus Say, J. Acad. 5, 271. No. 770 M. C. Hald. 10, 50. signatus Lec. J. Acad. Philad. 2d, 2, 171.

femoralis Hald. Am. Phil. Tr. 10, 49. Lec. J. Acad. Philad. 2d, 2, 171.

pictus Lec. J. Acad. Philad. 2d, 2, 172.

angulatus Lec.

ib.

biguttatus Lec. ib.

cinereus Lec. ib.

rusticus Lec.

ib.

misellus Lec.

ib. Haldemani Lec. ib.

Hyperplatys Hald.

173.

maculatus Hald. 10, 49. No. 734 M. C. (Liopus Lec. l. c. 2, 170.) aspersa Say, J. Acad. 3, 330. Hald. Am. Phil. Tr. 10, 49. (Liopus Lec. ib.)

Exocentrus Muls.

dasycerus Say, J. Acad. 5, 270. Hald. 10, 50. obscurus Hald. Am. Phil. Tr. 10, 50. (g. Ecyrus Lec. J. Acad. 2d, 2, 160.)

vestitus Say (Saperda), J. Acad. 5, 273. Huld. Pr. A. P. S. 4, 372. Eupogonius vestitus Lec. J. Acad. 2d, 2, 159. exiguus Lec. (Ecyrus), J. Acad. 2d, 2, 161.

Eupogonius Lec.

pauper Lec. J. Acad. 2d, 2, 159.

Pogonocherus Meg.

mixtus Hald. Am. Phil. Tr. 10, 50. penicillatus Lec. Agass. L. Sup. p. 234. J. Acad. 2d, 2, 160. parvulus Lec. J. Acad. 2d, 2, 160.

Desmiphora Serv.

tomentosa Hald. Am. Phil. Tr. 10, 50. Eupogonius tom. Lec. J. Acad. 2d, 2, 159.

Monohammus Latr.

titillator Fabr. (Lamia), El. 2, 295. Oliv. Ent. 4, 85. Harr. Ins. p. 88. dentator Fabr. (Lamia), El. 2, 294. Sch. Syn. 3, 386. Beauv. Ins. p. 244, tab. 36, fig. 5. carolinensis Oliv. Ent. 4, 85. Enc. Méth. 7, 463. confusor Kirb. N. Z. 168. maculosus Hald. Am. Tr. 10, 51. scutellatus Say, Long's Exp. 2, 289. resutor Kirb. N. Z. 167. pulverulentus Hald. Am. Phil. Tr. 10, 51. marmorator Kirb. N. Z. 169. tigrinus Geer, 5, 113, tab. 14, fig. 6. tomentosus Ziegl. Pr. Acad. 2, 47. tessellatus Hald. 10, 51. Pr. A. P. T. 4, 87. [Hald. A. P. Tr. 10, 51. pulcher Hald. 10, 52. No. 753 M. C. marmoratus Randall (Lamia), Bost. J. 2, 42. mutator Lec. Agass. L. Sup. fautor Lec. J. Acad. 2d, 2, 149. Γp. 235. clamator Lec. ib. debilis Lec. (Goes), J. Acad. 2d, 2, 150.

Plectrodera Dej.

scalator Fabr. El. 2, 295. Ol. Ent. 4, 67. Bellii Lec. Bost. J. t. 18, f. 11.

Oncideres Serv.

cingulatus Say, J. Acad. 5, 272. Hald. Am. Tr. 10, 52.

Ptychodes Chevr.

trilineatus Lin. Drury, 1, tab. 41. vittatus Fabr. (Saperda), El. 2, 322. Hald. Am. Phil. Tr. 10, 53.

Tetraopes Dalm.

tornator Fabr. El. 2, 301. Oliv. Ent. 4, 103. Sch. Syn. Ins. 3, 401. tetroph-thalms Forst. Cent. Ins. p. 41. Hald. 10, 58.

canteriator Drapiez, Ann. Gen. Sc. Phys. 2, 47, tab. 16, fig. 6. arator Germ. Sp. Nov. p. 486.

5-maculatus Hald. Am. Phil. Tr. 10, 53. Lec. J. Acad. 2d, 2, 157.

femoratus Lec. J. Acad. 2d, 1, 93, et 2, 157. basalis Lec. J. Acad. 2d, 2, 157.

canescens Lea.

ib.

annulatus Lec.

ib.

Psenocerus Lec.

pini Oliv. (Callid.), 70, 8, 105. Clytus supernotatus Say, J. Acad. 3, 425.

Hebestola Dej.

nebulosa; Hald. Am. Phil. Tr. 10, 54. (Cacoplia pruinosa Lec. J. Acad. 2d, 2, 149.)

Hetoemis Hald.

cinerea Ol. 68, tab. 3, fig. 35. Juglandis Hald. Am. Phil. Tr. 10, 54.
No. 769 M. C. trilineata? Say, J. Acad. 3, 406. No. 771 M. C.

Lypsimena Lec.

fuscata Lec. J. Acad. 2d, 2, 155.

Dorcaschema Lec.

alternatum Say, J. Acad. 3, 405. Hald. 10, 54. No. 778 M. C. nigrum Say, J. Acad. 5, 272. Hald. 10, 54. No. 777 M. C.

Hippopsis Serv.

lemniscata Fabr. (Saperda), El. 2, 330.

Spacalopsis Newm.

stolata Newm. Entomologist, p. 305. suffusa Newm. ib.

Anaerea Muls.

calcarata Say, J. Acad. 3, 408. Harr. Ins. p. 88.

mutica Say, ib. 409. Hald. 10, 55.

obliqua Say, ib. 5, 274. Hald. ib.

Compsidea Muls.

tridentata Oliv. Ent. 4, 28.

lateralis Fabr. El. 2, 823. Oliv. Ent. 4, 17.

Saperda Fabr.

candida Fabr. El. 2, 319. Hald. Am. Phil. Tr. 10, 55. bivittata Say, J. Acad. 3, 409. Harr. Ins. p. 89.

vestita Say, Long's Exp. 2, p. 290. Hald. 10, 55. cervina Dej. C. p. 377. oculaticollis Say, J. Acad. 3, 406.

inornata Say, ib. 407

puncticollis Say, J. Acad. 3, 406. Hald. 10, 55.
adspersa Lec. Agass. L. Sup. p. 234.
moesta Lec. ib.
concolor Lec. J. Acad. 2d, 2, 163.
picea Fabr. 2, 332.
cana Newm. Entom. p. 12.
marginata Fabr. Ej. 2, 331.
trigeminata Rand. Bost. J. 2, 43.
cretata Newm. Ent. Mag. 5, 395.
pullata Hald. Am. Phil. Tr. 10, 55. (g. Cacoplia Lec.)
discoidea Fabr. 2, 322(Q). fuscipes Say, J. Acad. 5, 273. Hald. 10, 56(5),
teste Dom. Ziegler et Hald. Pr. Am. Phil. Tr. 4, 373.

Adetus Lec.

analis Hald. (Polyopsia), Am. Phil. Tr. 10, 55. Lec. J. Acad. 2d, 2, 161.

Mesosa Serv.

Guexi Lec. J. Acad. 2d, 2, 166.

Cyrtinus Lec.

pygmaeus Hald. (Clytus), Am. Phil. Tr. 10, 42. Lec. J. Acad. 2d, 2, 166.

Ipochus Lec.

fasciatus Lec. J. Acad. 2d, 2, 167.

Atimia Hald.

confusa Say (Clytus), J. Acad. 5, 276. Hald. Pr. Am. Phil. 4, 373. tristis Hald. Am. Phil. Tr. 10, 56.

Stenosoma Muls.

ATAXIA Hald.

sordida Hald. Am. Phil. Tr. 10, 56. Lec. J. Acad. 2d, 2, 158.

Stenostola Muls.

pergrata Say (Saperda), J. Acad. 3, 407. Hald. 10, 55. gentilis Lec. J. Acad. 2d, 2, 154.

Oberea Meg.

ruficollis Fabr. El. 2, 322. Hald. Am. Phil. Tr. 10, 56. plumbea Ol. 68, ocellata Hald. Am. Phil. Tr. 10, 56. [tab. 4, fig. 42. myops Hald. ib. 57. Lec. J. Acad. 2d, 2, 152. gracilis Fabr. El. 2, 324. Hald. 10, 57. amabilis Hald. Am. Phil. Tr. 10, 57. tripunctata Fabr. El. 2, 321. Harr. Ins. p. 91. Hald. 10, 57. basalis Lec. J. Acad. 2d, 2, 158.

flavipes Hald. Am. Phil. Tr. 10, 57.

perspicillata Hald. ib.

mandarina Fabr. (Saperda), El. 2, 321. Sch. Syn. Ins. 3, 428. tripunctata Sweder. Acta Holm. 3, 197. [1852.

Schaumii Lec. J. Acad. 2d, 2, 158. Wapleri Chevr. Rev. Mag. Zool. Sept.

Phytoecia Muls.

tibialis Hald. Am. Phil. Tr. 10, 57. Oberea femoralis Lec. J. Acad. 2d, 2, 153. femoralis Hald. ib. (g. Mecas Lec. J. Acad. 2d, 2, 155.)

Tetrops Kirby.

canescens Lec. J. Acad. 2d, 2, 156.

monostigma Hald. (Oberea), Am. Phil. Tr. 10, 57. Pr. Am. Ph. Tr. 4, 373.

Amphionycha | Dej.

marginata Fabr. El. 2, 331. Hald. 10, 57. Saperda flammata Newm. Entom. p. 13. Hald. Pr. Am. Phil. 4, 373.

Distenia Serv.

undata Fabr. El. 2, 311. Oliv. Ent. 4, 25. Hald. 10, 57.

Desmocerus Serv.

cyaneus Fabr. (Stenoc.), El. 2, 305. Oliv. Ent. 4, 23. Illig. Mag. 4, 111, Knoch, Neue Beiträge, p. 148, tab. 6, fig. 1. Beauv. 249, tab. 37, fig. 6. Sch. Ins. 3, 411. palliatus Forst. Cent. Ins. p. 40. Harr. Ins. p. 92. Hald. 10, 58. Lec. J. Acad. 2d, 1, 318.

Rhagium Fabr.

lineatum Oliv. (Stenocorus), 4, 13. Sch. Syn. Ins. 3, 414. Kirb. N. Z. 178. Harr. Ins. p. 93. Hald. 10, 58.

Piodes Lec.

coriacea Lec. J. Acad. Philad. 2d, 1, 318.

Toxotus Serv.

decoloratus Harr. Ins. p. 93. rubidus Hald. 10, 58. Pr. Am. Phil. 4, 373. pictus Hald. Am. Phil. Tr. 10, 58.

trivittatus Say, J. Acad. 3, 422. vittigera Rand. (Leptura), Bost. J. 2, 29. atratus Hald. Am. Phil. Tr. 10, 58.

cylindricollis Say, J. Acad. 3, 417. Hald. 10, 58. dives Newm. Entom. 68. dentipennis Hald. Am. Phil. Tr. 10, 58.

cinnamopterus Rand. Bost. J. 2, 45. aesculi Hald. 10, 59. Pr. Am. Phil. vestitus Hald. 10, 59. [4, 374.

Encyclops Newm.

coeruleus Say, J. Acad. 5, 280. pallipes Newm. Ent. Mag. 5, 392.

Pachyta Meg.

cordifera Oliv. Ent. 4, 25. Hald. Am. Phil. Tr. 4, 59. Lec. J. Acad. 2d, instabilis Hald. 10, 59. Lec. J. Acad. 2d, 1, 332. [1, 332. liturata Kirb. N. Z. 178.

thoracica Hald. Am. Phil. Tr. 10, 60. No. 77 M. C.

rufula Hald. ib.

cyanipennis Say, J. Acad. 3, 423. Hald. 10, 60. ione Newm. Entom. 30.
Leonardi; Hald. 10, 60. Pr. Am. Phil. Tr. 4, 374; 225. (g. Gaurotes Lec.)

chalybaea Hald. J. Acad. 3, 423. No. 840 M. C. Lec. J. Acad. 2d, 1, 331. vagans Oliv. Ent. 4, 31. Hald. 10, 64.

sexmaculata Linn. Fabr. El. 2, 362, teste Kirb. N. Z. 182.

Argaleus Lec.

attenuatus Hald. Am. Tr. 10, 59. Lec. Lake Sup. 235; J. Acad. 2d, 1, 319. nitens Lec. L. Sup. 235; J Acad. 2d, 1, 319.

Evodinus Lec.

monticola Rand. (Leptura), Bost. J. 2, 27. Lec. L. Sup. 235, tab. 8, fig. 2.

Acmaeops Lec.

discoideus Hald. (Pachyta), Am. Phil. Tr. 10, 60. Lec. L. Sup. 285. proteus Kirb. N. Z. 186. Pachyta sublineata Hald. Am. Tr. 10, 60.

strigilatu F. (Lepturs). Lec. L. Sup. 285. J. Acad. 2d, 1, 828. L. semi-marginata Rand. Bost. J. 2, 20.

longicornis Kirb. (Leptura), N. Z. 185. Lec. J. Acad. 1, 821.

subpilosus Lec. J. Acad. 2d, 1, 322.

militaris Lec. ib.

4-vittatus Lin. (Leptura). Hald. Am. Tr. 10, 65. Lec. Pr. Acad. 2d, 1, 822. ater Lec. J. Acad. 2d, 1, 323. [L. directa Newm. 71.

nigripennis Lec. J. Acad. 2d, 1, 323.

varians Lec.

ib. 324.

fusciceps Lec.

ib.

californicus Lec.

2, 101.

subaeneus Lec. ib.

Anthophylax Lec.

viridis Lec. L. Sup. 236. J. Acad. 2d, 1, 326.

ib.

malachiticus Hald. (Leptura), Am. Tr. 10, 64. Lec. J. Acad. 2d, 1, 326. Stenura cyanea Hald. Pr. Acad. 3, 151.

Strangalia Serv.

luteicornis Fabr. (Leptura), El. 2, 361. Oliv. Ent. 4, 20. Hald. 10, 61. sexnotata Hald. Am. Phil. Tr. 10, 61. Lec. J. Acad. 2d, 2, 239. obsoleta Hald. ib. ib.

famelica Newm. Hald. Am. Phil. Tr. 10, 61.

8

```
subhamata Rand. (Leptura), Bost. J. 2, 44. Hald. 10, 61.
bicolor Swederus, Act. Holm. 8, 197. Say, J. Acad. 3, 418. Hald. 10, 61.
       Enc. Méth. 7, 528.
acuminata Oliv. (Leptura), Lec. J. Acad. 2d, 1, 330. emaciata Newm. 68.
unicolor Hald. 10, 62.
                                                               [Hald. 10, 61.
strigosa Newm. Entom. 69. Hald. Pr. Am. Phil. 4, 175. Lec. J. Acad. 2d,
interrupta Newm. Entom. p. 72.
                                                                     [1, 289.
deleta Lec. J. Acad. Philad. 2d, 1, 328.
convexa Lec.
                       ib.
                       ib.
                                 2, 101.
molybdica Lec.
coarctata Hald. (Toxotus), Am. Phil. Tr. 10, 59.
emarginata Fabr. El. 2, 256. Oliv. Ent. 4, 5. Hald. 10, 62.
obliterata Hald. Am. Phil. Tr. 10, 62.
zebrata Fabr. El. 2, 364. zebra Oliv. Ent. 4, 19. nitens? Forst. Cent. Ins.
       p. 45. carolina (var.) Web. Obs. Ent. p. 91.
carolina Web. Obs. Ent. p. 91. Sch. Syn. Ins. 3, 495.
quagga Germ. Sp. Nov. p. 521. zebrata Hald. Am. Phil. Tr. 10, 62.
velutina Oliv. Ent. 4, 18. Sch. Syn. Ins. 8, 495. Hald. 10, 62.
fugax Fabr. El. 2, 859. Sch. Syn. Ins. 3, 485. Hald. 10, 62. Pr. Am.
       Phil. 4, 875. Leptura tenuior Kirb. N. Z. 181, fid. Newm.
mutabilis Newm. Ent. p. 71. luridipennis Hald. Am. Phil. Tr. 10, 63.
nigrella Say, J. Acad. 5, 279. Hald. 10, 63. No. 825 M. C.
elegans | Dej. C. p. 381. Hald. 10, 63. Lec. J. Acad. Philad. 2d, 1, 239. americana Hald. Am. Phil. Tr. 10, 63. Lec. J. Acad. 2d, 1, 881.
abdominalis | Dej. C. p. 382. Hald. 10, 63.
lugubris Say, J. Acad. 3, 419. Hald. Am. Phil. Tr. 10, 63.
lunata Fabr. 2, 360. Hald. 10, 63. arcuata Oliv. Ent. 4, 32.
subhamata Rand. Bost. J. 2, 44. armata Hald. Am. Phil. Tr. 10, 63.
cincta Hald. Am. Phil. Tr. 10, 63.
lineola Say, J. Acad. 3, 421. Lec. J. Acad. 2d, 1, 330.
cruentata Hald. Am. Phil. Tr. 10, 64.
```

Leptura Linne. canadensis Oliv. Ent. 4, 8. Fabr. El. 2, 357. Kirb. N. Z. 181. 3 tenuicornis Hald. 10, 64. erythroptera Kirb. N. Z. 180. cinnamoptera Hald. 10, 64. rubrica Say, J. Acad. 8, 418. Hald. Pr. A. P. 4, 874. erythroptera Germ. Sp. Nov. p. 522. Hald. 10, 64. tenuicornis Hald. Am. Phil. Tr. 10, 64. biforis Newm. Ent. 70. Hald. Am. Phil. Tr. 10, 64. vittata Oliv. Ent. 4, 30. Enc. Méth. 7, 523, No. 8. Hald. 10, 64. abbreviata Germ. Sp. Nov. p. 523. semivittata Kirb. N. Z. 183. lateralis Oliv. 73, 87. Lec. J. Acad. 2d, 1, 835. vagans Ol. 73, 46. Lec. J. Acad. 2d, 1, 337. brevis Kirb. N. Z. 182. sphaericollis Say, J. Acad. Philad. 5, 280. paupercula Newm. Entom. 72. atrata Lec. J. Acad. 2d, 1, 839. auripilis Lec. ib. quadricollis Lec. ib. mutabilis Lec. ib. 340.

```
gulosa Kirb. N. Z. 184.
pubera Say, J. Acad. 5, 279. Hald. 10, 65. No. 824 M. C.
circumdata Oliv. Ent. 4, 32. Sch. Syn. Ins. 3, 477. Hald. Am. Phil. Tr.
8-notata Say, J. Acad. 3, 419. Hald. 10, 65. stictica Newm. Ent. 72. var.
scalaris Say,
                                                  [4-punctata Hald. 10, 64.
                  ib.
                         278.
chryscoma Kirb. N. Z. 179, tab. 5, fig. 2.
                  ib.
                        181.
tenuior Kirb.
subargentata Kirb. ib. 184.
                              similis Kirb. N. Z. 185.
                                                        Lec. 2, 331.
proteus Kirb.
                  ib.
                        186.
                                                      [gua Newm. Ent. 73.
                        187.
longiceps Kirb.
                  ib.
4-punctata Hald. Am. Phil. Tr. 10, 64. No. 830 M. C.
plebeja Rand. Bost. J. 2, 28. Lec. J. Acad. 2d, 1, 333.
distans Germ. Nov. Sp. p. 524. Lec. J. Acad. 2d, 1, 835.
semimarginata Rand. Bost. J. 2, 80.
badia Newm. Entomologist, 69.
nobilis Newm.
                   ib.
sinuata Newm.
                   ib.
                            70.
indirecta Newm.
                            71.
                   ib.
interrupta Newm. ib.
                            72.
vibex Newm.
                   ib.
                            72.
allecta Newm.
                    ib.
haematites Newm. ib.
                            78.
nana Newm.
                    ib.
tibialis Lec. Agass. L. Sup. p. 236.
bivittata Say, J. Acad. Philad. 3, 416.
```

Trigonarthris! Dej.

proxima Say (Leptura), J. Acad. 3, 420. Hald. Am. Phil. Tr. 10, 65. subpubescens Kirb. N. Z. 180.

Anoplodera Muls.

4-vittata Linn. Gmel. L. 4, p. 1875. Sch. Syn. Ins. 3, 497. vittata Sweder. Act. Holm. 3, 198. (Acmaeops Lec.)

Grammoptera Serv.

 sphaericollis Say, J. Acad. 5, 280.
 Hald. 10, 66.
 paupercula Newm.

 capitata Newm. (Leptura), Entom. 71.
 Hald. 10, 65.
 [Entom. 72.

 ruficollis Say, J. Acad. 3, 421.
 Hald. 10, 66.
 collaris M. C. 842.

Dubiae.

Saperda maculata Oliv. Ent. 4, 32.	
picea Fabr. 2, 332.	
cinerea Oliv. Ent. 4, 28.	
murina Sch. Syn. Ins. 3, 419. annulata Fabr. 2, 310).
Rhagium ornatum Fabr. El. 2, 315.	
Lamia flavi-maculata Voet. Sch. Syn. 3, 896.	
Lamia saltator Fabr. El. 2, 301.	
tigris Sch. Svn. 3, 383.	

Callidium auricolle Klug. Sch. Syn. 3, App. p. 158. brevicorne Enc. Méth. 5, 261.
clavipes (Clytus?), Forst. Cent. Ins. p. 42. Leptura lateralis Oliv. Ent. 4, 22. - acuminata Oliv. Ent. 4, 20.

Glaphyra Newm.

semiusta Newm. Entom. 19. Lec. J. Acad. 2d, 2, 38.

CHRYSOMELIDAE.

Orsodacna Latr.

trivittata Lac. Mon. 1, 71. vittata Say, J. Acad. 3, 429. Lac. Mon. 1, 385. hepatica Say, J. Acad. 5, armeniacae Germ. Sp. Nov. p. 526. vittata Say, teste Lac. **[282.** luctuosa Lac. Mon. 1, 78. ruficollis Newm. Ent. Mag. 5, 391. inconstans Newm. ib. tricolor Mels. Pr. Acad. 3, 160. tibialis Kirb. N. Z. 221. Childreni Kirb. ib. tab. 7, fig. 6.

Donacia Fabr.

magnifica Lec. Lac. Sup. 236. Pr. Acad. 5, 310. dentata Hoppe, Ins. Erlang. 40, 2. Lac. Mon. 1, 121. (Am. Bor.?) proxima Kirb. N. Z. 225. Lec. Pr. Acad. 5, 310. episcopalis Lac. Mon. 1, 105. quadricollis var. Say, J. Acad. 5, 282. congener Lec. Pr. Acad. 5, 310. lucida Lac. Mon. 1, 106. Lec. Pr. Acad. 5, 311. cincticornis Newman, Ent. Mag. 5, 891. Lac. Mon. 200. rufescens Lac. Mon. 1, 112. Lec. Pr. Acad. 5, 311. palmata Ol. 75, tab. 1, fig. 7. Lac. Mon. 1, 98. Lec. Pr. Acad. 5, 311. claudicans Germ. Mag. 4, 173. alutacea Lec. Pr. Acad. 5, 311. cuprea Mels. Pr. Acad. 3, 158, teste Lec. hypoleuca Lac. Mon. 1, 101. Lec. Pr. Acad. 5, 311. piscatrix Lac. ib. 113. Lec. ib. tuberculata Lac. ib. 155. Lec. ib. 812. rutila Mels. Pr. Acad. pulchella Lec. Pr. Acad. 5, 312. [3, 159 (teste Lec.). subtilis Kunze, Nov. Act. Hal. 2, 4, 12. Lac. Mon. 1, 147. Lec. Pr. Acad. 5, 312. aenea Ahrens, Nov. Act. Hal. 1, 3, 21. quadricollis Say, J. Acad. 5, 282. confluens Say, J. Acad. 5, 293. Lac. Mon. 1, 199. Lec. Pr. Acad. 5, 312. fulgens Lec. Pr. Acad. 5, 312. porosicollis Lac. Mon. 150. Lec. Pr. Acad. 5, 312.

```
hirticollis Kirb. N. Z. 226. Lac. Mon. 1, 203. Lec. Pr. Acad. 5, 313. ru-
       dicollis Lac. Mon. 1, 108.
distincta Lec. Pr. Acad. 5, 313. aequalist Kirb. N. Z. 225.
aequalis Say, J. Acad. 3, 428. Lac. Mon. 1, 197. confusa Lac. Mon. 1, 109.
      Lec. Pr. Acad. 5, 313 (teste Melsheimer).
torosa Lec. Pr. Acad. 5, 313.
aurifer Lec.
                  ib.
cuprea Kirb. N. Z. 225. Lac. Mon. 1, 203. Lec. Pr. Acad. 5, 314.
dives Lec. Pr. Acad. 5, 314.
pusilla Say, J. Acad. 5, 293. Lac. Mon. 1, 99. Lec. Pr. Acad. 5, 314.
emarginata Kirb. N. Z. 224. Lac. Mon. 1, 202.
biimpressa Mels. Pr. Acad. 8, 159. aurichalcea Mels. Pr. Acad. 8, 159.
      rugifrons? Newman, Ent. Mag. 5, 391.
metallica Ahrens, Nov. Act. Hal. 1, 3, 33. Lac. Mon. 1, 189. Lec. Pr.
      Acad. 5, 314. nana Mels. Pr. Acad. 3, 160.
gentilis Lec. Pr. Acad. 5, 814.
flavipes Kirb. N. Z. 223. Lac. Mon. 1, 201. Lec. Pr. Acad. 5, 315.
iucunda Lec. Pr. Acad. 5, 315.
Kirbyi Lac. Mon. 1, 201. Lec. Pr. Acad. 5, 815. affinis Kirby, N. Z. 224.
sulcicollis Lac. Mon. 1, 186. Lec. Pr. Acad. 5, 315.
                                                          metallica | Say,
      J. Acad. 5, 283.
femoralis Kirb. N. Z. 223. Lac. Mon. 1, 200. Lec. Pr. Acad. 5, 315. in-
Harrisii Lec. Pr. Acad. 5, 316.
                                              [dica Mels. Pr. Acad. 8, 158.
Germari Mann. Beitrag, 134. Lac. Mon. 1, 191.
fulvipes Lac. Mon. 1, 196.
flavipennis Mann. Beitrag, 134. Lac. Mon. 1, 198.
carolina Lac. Mon. 1, 114.
militaris Lac. Mon. 1, 115.
            ib.
aerea Lac.
pallipes Lac. ib.
                      149.
assimilis Lac. ib.
                      153.
vicina Lac.
               ib.
                      154.
chalcea Lac. ib.
                      188.
parva Lac.
               ib.
                      190.
nitida Germ. Nov. Act. Hal. 1, 6, 31. Lac. Mon. 1, 195.
```

coerulea Ol. 75, tab. 2, fig. 10. Kunze, Nov. Act. Hal. 2, 4, 31. Lac. Mon. Haemonia Meg.

MACROPLEA Hoff.

nigricornis Kirb. N. Z. 222. Melsheimeri Lac. Mon. 1, 211. americana Guér. Icon. R. A. p. 259.

cataractae Newm. Ent. Mag. 5, 391 (nequam).

rufa Say, J. Acad. 3, 428.

Syneta Esch.

tripla Say, J. Acad. 5, 891. No. 583 M. C. Nos. 582, 541 M. C. (var.) costata? Newm. (Orsodacna), Ent. Mag. 5, 391.

Γ1, 194.

rubicunda Lac. Mon. 1, 280. ferruginea Germ. (Donacia), Nov. act. hal. 1, 684. carinata Mann. Beitrag, p. 807.

Taraxis Lec.

abnormis Lec. Agass. L. Sup. 237.

nigrovittata Guér. (ib.)

Lema Fabr.

trilineata Oliv. Ent. 6, 739. Enc. Meth. 5, 203. Harr. Ins. p. 95. Lac. Mon. 1, 419. trivittata Say, J. Acad. 3, 429. No. 580 M. C. immaculicollis Chevr. Col. de Mex. solani Fabr. El. 1, 475. Coq. Illust. Ins. 3, 125. Web. Obs. Ent. p. 58? collaris Say, J. Acad. 8, 480. [Lac. Mon. 1, 200. sexmaculata Germ. Nov. Sp. p. 526. melanocephala Say, J. Acad. 5, 294. cornuta Fabr. El. 1, 475. Illig. Mag. 8, 159. Lac. Mon. 1, 382. brunnicollis Lac. Mon. 1, 891. maculicollis Lac. ib. 892. sexpunctata Oliv. 6, 778, tab. 1, fig. 18. Lac. Mon. 1, 484. conjuncta Lac. Mon. 1, 468. ephipium Lac. Mon. 1, 488. Albini Lac. ib. 492. intermedia Guér. (Crioceris), Icon. R. A. 261.

Odontota! Chevr.

262.

ib.

Anoplitis Kirb.

scapularis Oliv. Ent. 6, 766. lateralis Say, J. Acad. 3, 431. humeralis M. C. bicolor Oliv. Ent. 6, 774. Kirb. N. Z. 227. No. 310 M. C. notata Oliv. ib. 26. scutellaris Oliv. ib. 771. nigrita Oliv. ib. 778. suturalis Harris, Ins. p. 98. No. 308 M. C. vix suturalis Fabr. El. 2, 63. rubrolineata Mann. Beitrag, p. 307.

Uroplata | Chevr.

quadrata Fabr. El. 2, 60. Oliv. Ent. 4, 774. marginata Say, Long's Exp. 2, 292. pallipes Germ. Sp. Nov. p. 529. rubra? Web. Obs. Ent. 66. pallida Say, J. Acad. 3, 432. inaequalis Web. Obs. Ent. p. 65. nervosa Panz. teste Illig. Mag. 1, 247. obsoleta Say, J. Acad. 3, 432. flavipes Germ. Sp. Nov. 529. rosea Web. Obs. Ent. p. 66. Harr. Ins. p. 97? suturalis? Fabr. El. 2, 63.

Microrhopala Chevr.

vittata Fabr. El. 2, 64. Oliv. Ent. 4, 770. Coqueb. Ill. Ins. 3, 130. Say,
Long's Exp. 2, p. 292. Harr. Bost. J. 1, 148.
excavata Oliv. Ent. 6, 775. scabra Mels. C. 314.

cyanea Say, J. Acad. 8, 438. collaris Say, ib. porcata Mels. Pr. Acad. 3, 161.

Octotoma Dej.

plicatula Fabr. El. 2, 63. Oliv. Ent. 4, 776. dubia Mels. C. 816.

Cephaloleia Chevr.

metallica Fabr. El. 2, 66, Oliv. Ent. 4, 777. arundinis Mels. C. 807.

Hispa Newm.

Xerene Newm. Ent. Mag. 5, 890.

Philemon Newm.

Baucis Newm. ib.

Bacchus Newm. Entomologist, 76.

Ariadne Newm. Erebus Newm.

ib.

Pluto Newm.

ib.

Hecate Newm.

ib. ib.

Porphyraspis Boheman.

cyanea Say (Imatidium), J. Acad. 3, 435. erythrocera Germ. (Cassida), Nov. Sp. p. 540. Boheman, Mon. 1, 97.

Chelymorpha Chevr.

cribraria Fabr. El. 1, 396. Hbst. Col. 8, 281. Enc. Méth. 5, 388. 17-punctata Say, J. Acad. 3, 435. Argus Hbst. Col. 8, 278. Coccin. cassidea F. El. 1, 868.

Mesomphalia Boh.

ephippium Herbst, Col. 8, 310, tab. 135, fig. 6. Boheman, Mon. Cass. 1, 310. (Haud rite Am. Bor.)

Deloyala Chevr.

signifer Herbst, Col. 8, 313. No. 407 M. C. cruciata Fabr. El. 1, 397. clavata Fabr. El. 1, 398. Oliv. Ent. 5, 963. Hbst. Col. 8, 311.

Coptocycla Chevr.

aurichalcea Fabr. El. 1, 397. Harr. Ins. p. 98. aurata No. 409 M. C. bicolor Fabr. El. 1, 369. bistripunctata Hb. Col. 8, 275.
sexpunctata Fabr. El. 1, 895. bistripustulata Hbst. Col. 8, 256. Am. mebivittata Say, J. Acad. 5, 295. No. 410 M. C. frid. et bor. aurisplendens Mann. Beitrag, p. 807.

Cassida Herbst.

flava Herbst, Col. 8, 299. rufescens Herbst, Col. 8, 285. marylandica Herbst, ib. 274.

pallida Herbst, ib. 262.

unipunctata Say, J. Acad. 3, 484. Bost. J. 1, 197.

Helianthi Randall, Bost. J. 2, 30.

sinuata Enc. Méth. 5, 892.

novemmaculata Mann. Beitrag, p. 308.

Coelomera | Chevr.

Coryli Say, J. Acad. 8, 455.

Adimonia Laicharting.

cristata Harr. Hartf. Tr. p. 90. forte Luperus.

Galeruca Geoffr.

tomentosa Linn. baccharidis Fabr. El. 1, 480. Web. Obs. Ent. p. 57. externa Say, J. Acad. 3, 458. canadensis Kirb. N. Z. 219. Sagittariae Kirb. N. Z. 219. bilineata Kirb. ib. 220. puncticollis Say, J. Acad. 8, 458. calmariensis Fabr. El. 1, 488. Latr. Gen. Cr. Ins. 3, 62. ulmi Oliv. Enc. Méth. 6, 589. americana Fabr. 1, 489. No. 554 M. C. decora Say, Long's Exp. 2, p. 294. marginella Kirb. N. Z. 220. Gelatinariae Fabr. El. 1, 490. femoralis Mels. Pr. Acad. 3, 161. notata Fabr. El. 1, 488. notulata Fabr. El. 1, 489. tuberculata Say, J. Acad. 8, 456. rufosanguinea Say, ib. 5, 298. atomaria Fabr. El. 1, 490. janthina Lec. Ann. Lyc. 1, 178. dorsata Say, J. Acad. 3, 456. circumdata Say, ib. 457. salicis Rand. Bost. J. 2, 31. longicornis Say, J. Acad. 3, 459. decorata Say, ib. 460. attenuata Say, ib. 459. flavolimbata Mann. Beitrag, p. 308. punctipennis Mann. ib.

Cerotoma | Chevr.

caminea Fabr. El. 1, 459. Oliv. Ent. 6, 656. Illig. Mag. 1, 419; 46.

Diabrotica Chevr.

vittata Fabr. El. 1, 455. Oliv. Enc. Méth. 6, 590. Sch. Syn. Ins. 2, 272. Harris, Ins. p. 100. pallipes Oliv. Enc. Méth. 6, 590.

trivittata Mann. Beitrag, p. 309.

12-punctata Fabr. El. 1, 457. Oliv. Ent. 6, 628. Mann. Beitrag, p. 309. tricincta Say (Galleruca), J. Acad. 3, 457.

Phyllobrotica | Dej.

discoidea Fabr. El. 1, 485. marginalis et fimbriolata No. 587 M. C. limbata Fabr. El. 1, 486.
? fibulata Germ. Sp. Nov. p. 601.
meraca Say (Galleruca), J. Acad. 5, 299.
atriventris Say (Galleruca), J. Acad. 3, 461.

Calomicrus | Dillwyn.

thoracicus Mels. Pr. Acad. 3, 162. No. 538 M. C.

Luperus Geoffr.

atripennis Say, J. Acad. 3, 461. No. 544 M. C.

Oedipodes Illig.

pilosa Illig. Mag. 6, 105. No. 456 M. C. hispida? Ziegl. Pr. Acad. 2, 47.

Pachyonychus | Chevr.

? paradoxus Mels. Pr. Acad. 3, 163.

Oedionychis Latr.

petaurista Fabr. El. 1, 494. Coqueb. Ill. Ins. 3, 126. thoracica Fabr. El. 1, 498. Oliv. Enc. Méth. 4, 165 (Altica). vians Illig. Mag. 6, 83. Say, J. Acad. 4, 84. No. 432 M. C. scripticollis Say, J. Acad. 4, 84. No. 432 M. C. scripticollis Say, J. Acad. 4, 84. miniata Fabr. El. 1, 495. Illig. Mag. 6, 100. fallax? Mels. Pr. Ac. 3, 162. gibbitarsa Say, J. Acad. 4, 83. suturalis Fabr. El. 1, 499. fimbriata? Forst. Cent. Ins. p. 25. suturella Say, J. Acad. 5, 300. obsidiana Fabr. El. 1, 499. funerea Rand. Bost. J. 2, 48. limbalis Mels. Pr. Acad. 3, 162. sexmaculata Illig. Mag. 6, 104. palliata Rand. Bost. J. 2, 47. scalaris Mels. Pr. Acad. 3, 163. quercata Fabr. El. 1, 495. Illig. Mag. 6, 103. circumdata Rand. B. J. 2, 48.

Graptodera | Chevr.

chalybea Illig. Mag. 6, 115. Harr. Ins. p. 104. No. 465 M. C. ignita Illig. ib. 117. No. 447 M. C. carinata Germ. Sp. Nov. p. 610. exapta Say, N. Sp. Louisiana, p. 6. plicipennis Mann. Beitrag, p. 310. californica Mann. ib.

Disonycha | Chevr.

[conjugata ? Fabr. El. 1, 495. uniguttata Say, J. Acad. 4, 88. vittata Ol. Enc. Méth. 4, 105. glabrata Fabr. El. 1, 494. Illig. Mag. 6, 146. pensylvanica Brongn. Illig. Mag. Ent. 6, 146. No. 434 M. C. abbreviata Mels. Pr. Acad. 3, 163. çaroliniana Oliv. Enc. Méth. 4, 105. Fabr. El. 1, 491. Illig. Mag. 6, 144. alternata Illig. Mag. 6, 144. 5-vittata Say, J. Acad. 4, 85. discoidea Fabr. El. 1, 445. Illig. Mag. 6, 148. triangularis Say, J. Acad. 4, 84. collaris Fabr. El. 1, 496. Illig. Mag. 6, 126. merdivora M. C. No. 433. collata Fabr. El. 1, 463. Illig. ib. bimarginata Say, J. Acad. 4, 85. mellicollis Say, Bost. J. 1, 199. rufa Illig. Mag. 6, 152. No. 460 M. C. vicina Kirb. N. Z. 217 (Orchestris). Olivieri Kirb. ib. 218. 4-maculata Oliv. 5, 93, 678, tab. 1, fig. 6. puncticollis Kirb. N. Z. 217, tab. 7, fig. 9. maritima Mann. Beitrag, p. 311.

Systena | Chevr.

frontalis Fabr. El. 1, 500. Illig. Mag. 6. 155. Mels. C. No. 437. marginalis Illig. Mag. 6, 150. oblonga Lec. Ann. Lyc. 1, 178. blanda Mels. Pr. Acad. 3, 164.

Crepidodera | Cheyr.

helxinus Linn. Ent. Hefte 2, 15. Fabr. El. 1, 447. Illig. Mag. 6, 112. violacea Mels. Pr. Acad. 8, 164. No. 461 M. C. nana Say, J. Acad. 4, 86. rufipes M. C. No. 442. erythropus Mels. Pr. Acad. 3, 165. copalina Fabr. El. 1, 466. forticornis Illig. Mag. 6, 8. No. 457 M. C. fuscoaenea Mels. Pr. Acad. 3, 165. pubescens Ent. Hefte 2, 37. Illig. Mag. 6, 112. Harris, Ins. p. 103. hirtipennis Mels. Pr. Acad. 3, 165. atriventris Mels. ib. ocreata Say, N. Sp. Louisiana, p. 7. senilis Say, J. Acad. 4, 87.

Phyllotreta | Chevr.

striolata Illig. Mag. 6, 148. Harris, Ins. p. 103. vittata (Crioceris), Fabr. El. 1, 469. bipustulata Fabr. (Crioceris), El. 1, 464. elongata? Fabr. - (Galleruca), El. 1, 500. taeniata Say, Long's Exp. 2, 294.

Thyamis Steph.

melanura Mels. Pr. Acad. 3, 166. testacea Mels. Pr. Acad. 3, 166. californica Motsch. Bull. Mosc. 2, 382, 1845.

Aphthona | Chevr.

subglobosa Motsch. Bull. Mosc. 2, 381.

Mantura Steph.

picta Say, J. Acad. 4, 87. No. 452 M. C.

Psylliodes Latr.

punctulata Mels. Pr. Acad. 3, 166. denticulata Illig. Mag. 6, 163. alternata Ziegl. Pr. Acad. 2, 271.

Dibolia Latr.

aerea Mels. Pr. Acad. 3, 167. borealis Chevr. Guér. Icon. Rut. 807, tab. 49, fig. 12.

Chaetocnema Steph.

minuta Mels. Pr. Acad. 8, 167. semichalcea Mels. ib. pulicaria Mels. ib.

Sphaeroderma Steph.

insolita Mels. Pr. Acad. 3, 168. centralis Say, J. Acad. 4, 88.

Blepharida | Chevr.

rhois Forst. Cent. Ins. 1, 21. Hübn. Naturf. 24, St. 40. Oliv. Enc. Méth. 5, 720. Illig. Mag. 6. 161. virginica Fröl. Naturf. 26.
 stolida Fabr. El. 1, 435. Oliv. Enc. Méth. 5, 700. Illig. Mag. 6, 161.

Labidomera | Chevr.

trimaculata Fabr. El. 1, 424. Oliv. Enc. Méth. 5, 2, 692. Coqueb. Ill. 3, 123. Say (Doryphora), J. Acad. 3, 454. Harr. Ins. p. 107. olivicollis Kirb. (Chrysomela), N. Z. 213.

Polygramma | Chevr.

10-lineata Say, J. Acad. 3, 453. juncta Germ. Sp. Nov. p. 590.

Zygogramma! Chevr.

 pulchra Fabr. El. 1, 425.
 Oliv. Enc. Méth. 5, 693.
 Coqueb. Ill. Ins. 3, 123.

 festiva Fabr. El. 1, 440.
 [Sch. Syn. Ins. 2, 240.

Caliigrapha | Chevr.

scalaris Lec. Ann. Lyc. 1, 178. Harr. Ins. p. 107. Spiraeae Say, J. Acad. 5, 297.

philadelphica Linn. Fabr. El. 1, 444. Geer, 5, 358, tab. 16, fig. 13. Oliv. Ent. 5, 525. Enc. Méth. 5, 709. Kirb. N. Z. 210.
decipiens Web. Obs. Ent. p. 52.
exclamationis Fabr. El. 1, 435. Oliv. Ins. 91, 536, tab. 6, fig. 89. multipunctata Say, J. Acad. 3, 450. Kirb. N. Z. 212. hybrida Say, J. Acad. 3, 449. confinis Kirb. N. Z. 211.
Bigsbyana Kirb. N. Z. 212.

Chrysomela Linn.

auripennis Say, J. Acad. 8, 452. [Ins. 2, 263. frontalis Forst. Cent. Ins. p. 24. Oliv. Enc. Méth. 5, 719. Sch. Syn.

Melasoma Dillwyn.

scripta Fabr. El. 1, 438. Oliv. 5, 558. 14-notata Mels. C. No. 423. variegata Forst. Oliv. Enc. Méth. 5, 719?
 interrupta Fabr. El. 1, 438. Oliv. Ins. 91, 558, t. 8, f. 119. Alni Mels. C. basilaris Say, J. Acad. 3, 451.
 flavomarginata Say, J. Acad. 3, 452.

Gonioctena Chevr.

rufipes Geer, Ins. 5, 295, tab. 8, fig. 5. Payk. Fn. Sv. 2, 69, teste Kirb. N. Z. 213.

Entomoscelis! Chevr.

Adonidis Fabr. El. 1, 481. Kirby (Phaedon), N. Z. 214.

Gastrophysa | Chevr.

caeruleipennis Say, J. Acad. 5, 297. Harris, Ins. p. 108. polygoni Linn. cyanea Mels. Pr. Acad. 8, 175. [Kirb. N. Z. 216. dissimilis Say, J. Acad. 3, 450. aenea Mels. Pr. Acad. 8, 175. raphani Fabr. Kirby (Phaedon), N. Z. 216. Vitellinae Linn. Kirb. N. Z. 216.

Phaedon Meg.

viride Mels. Pr. Acad. 3, 175. No. 474 M. C.

Helodes Payk.

formosa Say, J. Acad. 3, 457. obsoleta Say, ib. 453. trivittata Say, ib. 5, 298.

Colaspis Fabr.

denticollis Say, J. Acad. 3, 448. viridis Fabr. El. 1, 413; 8. Oliv. 5, 856. *tricolor* Fabr. El. 1, 413. praetexta Say, J. Acad. 3, 442. Mels. C. N. 472. brunnea Fabr. El. 1, 416.
suilla Fabr. ib. 417.
striata Say, J. Acad. 3, 444.
puncticollis Say, ib.
favosa Say, ib. 448.
interrupta Say, ib.

Noda! Chevr.

tristis Oliv. (Enc. Méth.), 5, 889.
pilula Germ. Sp. Nov. p. 567.
ovata Say, J. Acad. 3, 442. No. 473 Mels. C.
convexa Say, ib. 443.

Metachroma + Chevr.

6-notata Say, J. Acad. 3, 445.
pallida Say, ib. 446.
4-notata Say, ib.
infuscata Lec. Ann. Lyc. 1, 173.
dubiosa Say, J. Acad. 3, 447.
canella Fabr. El. 2, 52. Harris, Hartf. Tr. p. 89.
aterrima Oliv. Enc. 6, 913.
thoracica Mels. Pr. Acad. 3, 168.
melanura Mels. ib.
? atrata Fabr. El. 1, 422.
? flavida Say, Long's Exp. 2, 295.
quercata Fabr. (Colaspis **), El. 1, 517.

Bromius! Chevr.

vitis Fabr. (Eumolpus), teste Kirb. N. Z. 209.

Chrysochus! Chevr.

auratus Fabr. (Eumolpus), El. 1, 419. Harris, Ins. p. 108.

Heteraspis | Dej.

? pubescens Mels. Pr. Acad. 3, 169. ? curtipes Mels. ib. (curtipennis).

Glyptoscelis | Chevr.

pini Say (Eumolpus), J. Acad. 5, 295. barbatus Say (ib.), ib. 296. crypticus Say (ib.), ib. 3, 449.

Myochrous | Chevr.

villosulus Mels. Pr. Acad. 3, 169. plagiatus Mels. ib.

Pachnephorus! Chevr.

10-notatus Say (Colaspis), J. Acad. 8, 445. nigromaculata M. C. cochlearius Say, Long's Exp. App. p. 295. longipes Mels. Pr. Acad. 8, 169.

Chlamys Knoch.

plicata Oliv. Fabr. El. 2, 33. Kirb. N. Z. 207. Klug, Ent. Mon. p. 114. gibbosa F. 2, 397. tuberosa Kn. N. B. p. 128, tab. 4, fig. 1, 2. foveolata Kn. N. B. p. 130. Klug, Ent. Mon. p. 110, tab. 4, fig. 9. Lac. assimilis Klug, Lac. Mon. 2, 703. affinis; Klug, Ent. Mon. p. 115. [2, 835. tuberculata Klug, Ent. Mon. p. 117, tab. 8, fig. 1. Lac. Mon. 2, 703. polycocca Lac. Mon. 2, 704. moestifica Lac. Mon. 2, 706. conspersa Mann. Lac. Mon. 2, 843. rugulosa Motsch. Bull. Mosc. 1845, p. 109.

Exema Lac.

gibber Oliv. Enc. Méth. 6, 876. Klug (Chlamys), Ent. Mon. p. 116. Lac. dispar Lac. Mon. 2, 850. [2, 859.

Clythra Laichart.

obsita Fabr. El. 2, 34 5. Enc. Méth. 6, 34. ephippium Germ. Sp. Nov. p. 548 Q. laticlavis Forst. Cent. Ins. p. 27 Q. Lac. 2, 132. Ol. Enc. Méth. 6, 622. nigripes Fabr. El. 2, 38. Ol. Enc. Méth. 6, 613.

Babia Lac.

quadriguttata Say, J. Acad. 3, 436. Mels. C. 501. Harr. Ins. p. 109. pulla Lac. Mon. 2, 429.

Saxinis Lac.

omogera Lac. 2, 482.

Coscinoptera Lac.

dominicana Fabr. (Clythra), El. 2, 84. Oliv. 6, 864. Harr. Ins. p. 109.

Pachybrachis Suffrian.*

bivittatus Say, J. Acad. 3, 440. Am. Ent. 2, tab. 28. Hald. J. Acad. 2d, 4 morosus Hald. J. Acad. 2d, 1, 260. [1, 250. carbonarius Hald. ib. trinotatus Mels. Pr. Acad. 170. Hald. J. Acad. 2d, 1, 260. subfasciatus Lec. Ann. Lyc. 1, 173. Hald. J. Acad. 2d, 1, 260.

* A valuable paper by Suffrian on North American Cryptocephalus is contained in Linnaa Entomologica, vols. 6 and 7.—EDs.

M-nigrum Mels. Pr. Acad. 3, 170. Hald. J. Acad. 2d, 1, 261. sparsus Newm. Entom. 78. Hald. J. Acad. 2d, 1, 261. flavicornis Mels. Pr. Acad. 3, 172. Hald. J. Acad. 2d, 1, 261. luridus Fabr. El. 2, 45. Hald. J. Acad. 1, 261. femoratus Say, J. Acad. 3, 439. aesculi Mels. Pr. Acad. 8, 171. atomarius Mels. Pr. Acad. 8, 170. femoratus Oliv. Ins. 96, tab. 5, fig. 78. Hald. J. Acad. 2d, 1, 261. infaustus Hald. 262. ib. viduatus Fabr. El. 2, 49. Say, Am. Ent. tab. 28? Hald. J. Acad. 2d, 1, 262. abdominalis Say, J. Acad. 3, 437. Hald. J. Acad. 2d, 263. pectoralis? Mels. Pr. Acad. 8, 171. othonus Say, Am. Ent. 2, tab. 28. Hald. 1, 263. marginicollis Rand. Bost. J. 2, 46. Hald. J. Acad. 2d, 1, 268. mollis Hald. J. Acad. 2d, 1, 263. pubescens Fabr. El. 2, 43. Enc. Méth. 6, 610. Kirb. N. Z. 208. equestris Oliv. Ins. 96, tab. 5, fig. 70. signatifrons Mann. Beitrag, p. 811.

Monachus! Suffr.

saponatus Fabr. (Cryptoceph.), El. 2, 55. Oliv. 6, 834, No. 86, t. 7, f. 114. Hald. J. Acad. 2d, 1, 263. Suffrian, Linn. Ent. 6, 212. ater Hald. J. Acad. 1, 264. Suffrian, Linn. Ent. 6, 213. affinis Hald. ib. auritus Hald. ib.

Cryptocephalus Geoffr.

scutellaris Fabr. El. 2, 54. Hald. (Griburius*), J. Acad. 2d, 1, 245. clathratus Mels. Pr. Acad. 3, 173. Hald. (Bassareus), J. Acad. 2d, 1, 246. -congestus fide Suffr. 298. congestus Fabr. El. 2, 47. Hald. J. Acad. 1, 246. brunnipes Oliv. Enc. Méth. 6, 618. Ent. 6, No. 49, tab. 5, fig. 83 a, b. guttatus Hald. J. Acad. 1, 247. sulfuripennis fide Suffr. formosus Mels. Pr. Acad. 3, 173. Hald. J. Acad. 2d, 1, 247. Suffr. Linn. guttulatus Oliv. Ent. 6, 815, tab. 6, fig. 86. Suffr. Linn. Ent. 6, 313. lautus Newm. Mag. Nat. Hist. 2d, 4, 250. Hald. J. Acad. 2d, 1, 247. bivius Newm. Mag. Nat. Hist. 2d, 4, 249. Hald. J. Acad. 2d, 1, 248. mutabilis Mels. Pr. Acad. 3, 172. Hald. J. Acad. 2d, 1, 248. dispersus Hald. J. Acad. 1, 248. aulicus Hald. ib. ib.

simplex Hald.

pumilus Hald. ib.

lineolatus Hald. ib.

incertus Oliv. Ins. 96, tab. 6, fig. 85. Hald. J. Acad. 1, 250. trivittatus Oliv. 6, 824, No. 68, tab. 6, fig. 98. Suffr. 6, 281.

^{*} Suffrian endeavors to set aside the legitimate name Griburius, under the pretence that a generic name cannot be formed by Latinizing a vulgar one—an assumption which is abundantly disproved by names like CUCUJUS, DIDUS, MANATUS, &c.-EDS.

```
vitatus Hald. J. Acad. 1, 250.
                                                         [Pr. Acad. 3, 174.
cinctipennis Rand. Bost. J. 2, 45. Hald. J. Acad. 1, 251. hamatus Mels.
venustus Fabr. 1792, Ent. Syst. 2, 42. venustus Oliv. Enc. 6, 609. Ent. 6,
      812. flaccidus Suffr. fide Suffr. 6, 289. venustus Hald. J. Acad. 2d, 1,
      251. calidus Suffr. 6, 241, fide Suffr.
ornatus Fabr. Supp. 106; El. 2, 47. Say, Am. Ent. 2, tab. 28? Suffr. 6,
gibbicollis Hald. J. Acad. 2d, 1, 252.
                                                                     Γ241.
insertus Hald.
                       ib.
albicans Hald.
                                 253.
amatus Hald.
                       ·ib.
                                                             [Acad. 1, 253.
confluentus Say, J. Acad. 3, 440. Am. Ent. tab. 28. confluens Hald. J.
lituratus Fabr. El. 2, 50. Hald. J. Acad. 2d, 1, 254. recurvus Say, J. Acad.
       3, 439. castus Mels. Pr. Acad. 3, 171.
lativittis Germ. Sp. Nov. p. 558.
sulfuripennis Mels. Pr. Acad. 3, 173.
                                       Hald. J. Acad. 2d, 1, 254.
                                        Hald.
luteipennis Mels.
                        ib.
                                 172.
fulvipennis Hald. J. Acad. 2d, 1, 255.
mammifer Newm. Mag. Nat. Hist. 2d, 4, 250. pretiosus Mels. Pr. Acad. 3,
       174, teste Hald. J. Acad. 2d, 1, 255.
notatus Fabr. El. 2, 55. Oliv. Enc. Méth. 618. Hald. J. Acad. 2d, 1, 255.
distinctus Hald. J. Acad. 2d, 1, 255.
                                                       [‡Kirb.* N. Z. 608.
binominis Newm. Entom. 78. Hald. J. Acad. 1, 256.
quadrifrons Newm.
                      ib.
                                Hald.
                                           ib.
4-maculatus Say, J. Acad. 3, 441.
                                       Hald. J. Acad. 2d, 1, 256.
                                                                      semi-
       cincta Germ. Nov. Sp. p. 554.
quadruplex Newm. Entom. 78. Hald. J. Acad. 2d, 1, 256.
auratus Fabr. El. 2, 57. No. 89 (descript.), teste Erichs. Linn. Ent. 3, 84.
       viridis Mels. (Monachus), Pr. Acad. 3, 174. Hald. J. Acad. 1, 256.
levis Hald. J. Acad. 1, 257.
hepaticus Mels. (Pachybrach.), Pr. Acad. 3, 171.
                                                   Hald. J. Acad. 1, 257.
                                                   Hald.
tridens Mels.
punctatus Hald. J. Acad. 2d, 1, 257.
                                                               [Ent. 6, 288.
rugicollis Hald. (Canthostethus), J. Acad. 2d, 1, 258. Schreibersii Suffr. Linn.
fasciatus Say, J. Acad. 3, 437. Hald. 1, 258. lateritius Newm. Entom. 78.
geminatus Newm. Mag. Nat. Hist. 2d, 4, 250. Hald. J. Acad. 2d, 1, 253.
punctipes Say, J. Acad. 3, 438.
                                         [5-bittatus Suffr. Linn. Ent. 6, 296.
nigricornis Say,
                    ib.
obsoletus Germ. Sp. Nov. p. 559. ornatus Fabr. fide Suffr. 6, 229.
picturatus Germ. Sp. Nov. p. 560.
nanus Fabr. El. 2, 56.
parvulus Fabr. ib. 57.
larvatus Newm. Mag. Nat. Hist. 2d, 4, 250.
                                             Hald. J. Acad. 2d. 1, 258.
limbatus|| Newm.
                            ib.
                                              Hald.
                                                          ih.
lixus Newm.
                            ib.
                                              Hald.
                                                                   259.
                                                          ib.
luteolus Newm.
                            ib.
                                              Hald.
                                                          ib.
detritus Oliv. Ent. 6, 814, No. 50, tab. 6, fig. 84. Suffrian, Linn. Ent. 6,
                                                                      [306.
chalconotus Mann. Beitrag, p. 812.
```

^{*} C. notatus F. is southern. The northern species described by Kirby under the same name, has been called *sellatus* by Suffrian, Linn. Ent. 6, 307.—S. S. H.

COCCINELLIDAE.*

Eriopis Muls.

connexa Germ. Ins. Nov. 621. Muls. Cocc. 5.

Naemia Muls.

seriata Mels. (Cocc.), Pr. Acad. 3, 177. litigiosa Muls. 31. vittigera Mann. (Hippodamia), Beitrag, 312. Guérin, Icon. R. Ann. 322. episcopalis Kirby (Cocc.), N. Z. 228, tab. 5, fig. 4. Muls. 34. [Muls. 33.

Hippodamia Muls.

13 punctata Linn. (Cocc.), Muls. 10. tibialis Say, J. Acad. 4, 94. Lecontii Muls. 1010. quinquesignata Kirby (Cocc.), N. Z. 230, tab. 7, fig. 7. Muls. 15.

extensa Muls. 7. sinuata Muls. 1011.

15-maculata Muls. 20.

[Pr. Acad. 3, 178.

convergens Guérin, Icon. R. An. 321. Muls. 22. modesta Mels. (Cocc.), glacialis Fabr. (Cocc.), El. 1, 136. Muls. 18. abbreviata Fabr. El. 1, 360.

Oliv. Enc. Méth. 6, 52. remota Weber, Obs. 49. [N. Z. 229. parenthesis Say (Cocc.), J. Acad. 4, 93. Muls. (Adonia), 40. tridens Kirb. maculata Geer (Cocc.), 5, 392, t. 16, f. 22. Muls. (Megilla), 28. 10-macu-

lata Fabr. oblonga Oliv.

lunatomaculata Motsch. Bull. Mosc. 1845, t. 7, f. 8.

Coccinella Linn.

hyperborea Payk. F. Suec. 2, 39. Muls. (Adalia), 53.

ophthalmica Muls. (Adalia), 56.

bipunctata Linn. Muls. (Adalia), 58. bioculata Say, J. Acad. 4, 94. humeralis Say, J. Acad. 4, 95.

picta Randall, Bost. J. 2, 51. Muls. (Harmonia), 890. concinnata Mels. Pr. Acad. 3, 177. Harmonia contexta Muls. 87.

12-maculata Gebler. Muls. (Harmonia), 86. incarnata Kirb. N. Z. 231, venusta Mels. Pr. Acad. 3, 178. Harmonia notulata Muls. 83. [t. 7, f. 7. Menetriesi Muls. 104.

tricuspis Kirb. N. Z. 231. Muls. 107.

trifasciata Linn. Fabr. El. 1, 363. Muls. 119. perplexa Muls. 1021.

transversoguttata Falderm. Muls. 117. 5-notata Kirby, N. Z. 230.

monticola Muls. 115.

novemnotata Herbst, Col. 5, 269, t. 55, f. 8. Fabr. El. 1, 366. Muls. 123. californica Mann. Beitrag, 313. Muls. 115.

munda Say, Bost. J. 1, 202. Muls. (Daulis), 304.

sanguinea Linn. Muls. (Daulis), 326. immaculata Fabr. El. 1, 357.

^{*} Some notes on the species of this group, and descriptions of several new ones, may be found in the 6th vol. of the *Proc. Acad. Nat. Sciences.*—Eps. 9

binotata Say, J. Acad. 5, 802. Muls. (Daulis), 322. abdominalis Say, J. Acad. 4, 95. Muls. (Daulis), 316. cardisce Randall, Bost. J. 2, 82. disiuncta Randall, ib. 2, 33. obliqua Randall, ib. 2, 32. affinis Randall, 2, 50. ib. ib. similis Randall, 2, 52. normata Say, J. Acad. Nat. Sci. 5, 302. ? multiguttata Randall, Bost. J. 2, 51. ? bitriangularis Say, Exp. 2, 269.

Mysia Muls.

pullata Say (Cocc.), J. Acad. 5, 802. Muls. 1023. notans Randall (Cocc.), subvittata Muls. 139. [Bost. J. 2, 49. Muls. 137, 1038.
 15-punctata Oliv. (Cocc.), tab. 6, fig. 83. Muls. (Anatis), 135. mali Say, J. Acad. 4, 98. labiculata Say, Exp. 2, 288.

Psyllobora Muls.

20-maculata Say (Cocc.), J. Acad. 4, 98. Muls. 183.

Chilocorus Leach.

bivulnerus Muls. 460. stigma | Say (Cocc.), Bost. J. 1, 203.

Exochomus Redt.

tripustulatus Geer (Cocc.), 5, 393, tab. 16, fig. 23. Oliv. Enc. Méth. 6, 75.

Muls. 478. verrucatus Mels. (Chiloc.), Pr. Acad. 3, 180.

marginipennis Lec. (Cocc.), Ann. Lyc. 1, 173. Muls. 485. praetextatus

Childreni Muls. 1035.

[Mels. Pr. Acad. 3, 180.

4-oculatus Motsch. Bull. Mosc. 1845.

Thalassa Muls.

Montezumae Cocc. 512. Muls. 512.

Brachyacantha Muls.

albifrons Say (Cocc.), J. Acad. 4, 94.

dentipes Fabr. (Cocc.), El. 1, 381. Oliv. Ent. 98, tab. 7, fig. 110. Say, bistripustulata Fabr. (Cocc.), 1, 383. Muls. 538. [B. J. 202. Muls. 525. flavifrons Muls. 531.

ursina Fabr. (Cocc.), 1, 386. Herbst, Col. 5, 812. Muls. 588. bisquinque-pustulata; Oliv. 98, tab. 7, fig. 112.

10-pustulata Mels. (Hyperaspis), Pr. Acad. 3, 179. fulvopustulata Mels. basalis Mels. Pr. Acad. 3, 179. confusa Muls. 537. [Pr. Acad. 3, 178. quadripunctata Mels. Pr. Acad. 3, 178. diversa Muls. 538. felina Fabr. (Cocc.), El. 1, 385. Hbst. Col. 5, 310. Enc. Méth. 6, 79.

Hyperaspis Redt.

disconotata Muls. 658.

elegans Muls. 658. Coccinella undulata|| Say, J. Acad. 4, 92. Cocc. luguvenustula Muls. 671. [bris? Randall, Bost. J. 2, 52. fimbriolata Mels. Pr. Acad. 3, 180. rufomarginata Muls. 661. quadrioculata Muls. 676. proba Say (Cocc.), J. Acad. 5, 303. Muls. 674. floridana Muls. 1040. signata Oliv. (Cocc.), 98, t. 7, f. 107. Muls. 683. leucopsis Mels. Pr. Acad. bigeminata Randall (Cocc.), Bost. J. 2, 32. Guexi Muls. 687. [8, 179. inedita Muls. 684. maculifera Mels. Pr. Acad. 3, 179.

Oxynychus Lec.

moerens Lec. Lac. Sup. 238. Muls. (Hyperaspis), 694.

Scymnus Kugelann.

ornatus Lec. Lac. Sup. 239. myrmidon Muls. 954. flavifrons Mels. Pr. Acad. 3, 181. bioculatus Muls. 960. punctatus Mels. Pr. Acad. 3, 180. terminatus Say, Bost. J. 1, 203. ochroderus Muls. 951. xanthaspis Muls. 952. americanus Muls. 194. Brullei Muls. 984. collaris Mels. Pr. Acad. 3, 180. chatchas Muls. 986. caudalis Lec. Lac. Sup. 288. creperus? Muls. 985. consobrinus Lec. caudalist Lec. & Lac. Sup. 238. fastigiatus Muls. 986. cervicalis Muls. 984. marginicollis Mann. Beitr. 313. Muls. 1053. tenebrosus Muls. 989. lacustris Lec. Lac. Sup. 239. Muls. 989. icteratus Muls. 969. cyanescens Muls. 993.

Epilachna Redt.

borealis Thunberg (Cocc.), Ins. 1, 15. Fabr. El. 1, 368. Herbst, Col. 5, 262. Oliv. Enc. Méth. 6, 63. Muls. 826. immaculicollis Chevr. Col. Mex. 13-notata Latr. Rec. d'Obs. 2, 67, fig. 8.

Sacium Lec.

CLYPEASTER | Andersch.

fasciatus Say, J. Acad. 5, 259. subfasciatus Guér. Icon. R. A. 328.

ı

ENDOMYCHIDAE.

Endomychus Payk.

biguttatus Say, J. Acad. 4, 96. quadripunctatus M. C. 562.

Lycoperdina Latr.

angulata Say (Eumorphus), J. Acad. 5, 804. lineata Oliv. vittata Germ. Sp. Nov. p. 621. distincta Say, J. Acad. 5, 303. perpulchra Newm. (Endomychus), Ent. Mag. 5, 890. 4-guttata Mels. Pr. Acad. 3, 176.

Phymaphora Newm.

pulchella Newm. Ent. Mag. 5, 889. puncticollis Ziegl. Pr. Acad. 2, 271. crassicornis Mels. Pr. Acad. 8, 176. unicolor Ziegl. Pr. Acad. 2, 272. (var.) apicalis Mels. Pr. Acad. 3, 177.

Epipocus Germ. (LDej.)

ferrugineus Lec. Ann. Lyc. 1, 172. testaceus Ziegl. Pr. Acad. 2, 272. pilosus Mels. Pr. Acad. 3, 176.

Ephebus 4Chevr.

vestitus Say, J. Acad. 5, 304. hispidus? Herbst, Col. 8, 374.

TENEBRIONIDAE.

Euschides Lec.

STENOMORPHA || Solier.

opaca Say (Asida), J. Acad. Philad. 3, 254. polita Say, obovata Lec. Ann. Lyc. 5, 127.

Pelecyphorus Solier.

angulatus Lec. Ann. Lyc. 5, 127.

hispidulus Lec.

hirsutus Lec. ib.

parallelus Lec. ib. 5, 128.

marginatus Lec. ib. confluens Lec. ib.

carinatus Lec. ib.

obsoletus Lec. ib.

muricatulus Lec. ib. 5, 189.

anastomosis Say (Asida), J. Acad. Philad. 3, 256.

Microschatia Solier.

inaequalis Lec. Ann. Lyc. 5, 129. puncticollis Lec. ib.

Asbolus Lec.

verrucosus Lec. Ann. Lyc. 5, 129. laevis Lec. ib. 130.

Usechus Motsch.

lacerta Motsch. Bull. Mosc. 1845, p. 79, tab. 1, fig. 9.

Nosoderma Esch.

diabolicum Lec. Ann. Lyc. 5, 130. obcordatum Kirby (Boletophagus), N. Z. 236. porcatum Lec. Pr. Acad. Philad. 6, 235.

Zopherus Gray.

tristis Lec. Ann. Lyc. 5, 130. concolor Lec. ib. nodulosus Solier, Ann. Ent. Fr. variolòsus‡ Hald. Stansbury's Exp. 376.

Coniontis Esch.

affinis Lec. Ann. Lyc. 5, 180.
viatica Esch. Zool. Atl. 8, 7; tab. 14, fig. 8. Mann. Beitrag, 274.
Eschscholtzii Mann. Rev. Zool. 1840, 138; Beitrag, 275.
ovalis Lec. Ann. Lyc. 5, 131.
puncticollis Lec. ib.
subpubescens Lec. ib.
nemoralis Esch. Zool. Atl. 3, 8. Mann. Beitrag, 276.
obesa Lec. Ann. Lyc. 5, 131.

Emmenastes Motsch.

rugosus Motsch. Bull. Mosc. 1845, p. 76.

Eusattus Lec.

reticulatus Say (Zophosis), J. Acad. Philad. 3, 250. difficilis Lec. Ann. Lyc. 5, 132. muricatus Lec. ib.

dilatatus Lec. ib. dubius Lec. ib. convexus Lec. ib.

Coelus Esch.

ciliatus Esch. Z. Atl. 3, 5, tab. 14, fig. 1. Mann. Beitrag, 277. globosus Lec. Ann. Lyc. 5, 183.

Embaphion Say.

muricatum Say, J. Acad. Philad. 8, 251.

Eleodes Esch.

```
grandicollis Mann. Beitrag, p. 266; Mag. Zool. 1844, tab. 130.
                               267;
gigantea Mann.
                                          ib.
                                                 1843, tab. 127.
                       ib.
dentipes Esch. Z. Atl. 3, 10, tab. 14, fig. 4. Mann. 267. Guér. Mag. Zool.
quadricollis Esch. Z. Atl. 8, 12, tab. 14, fig. 5. Mann. 268.
                                                             [4, 81, t. 117.
marginata Esch. Z. Atl. 8, 10. Mann. Beitrag, 269.
Fischeri Mann. Rev. Zool. 1840, p. 137. Beitrag, 269.
clavicornis Esch. Z. Atl. 3, 11. Mann. Beitrag, 270.
reflexicollis Mann. Beitrag, 270.
planata Esch. Z. Atl. 3, 12. Mann. 270.
parvicollis Esch. Z. Atl. 3, 12. Mann. 271.
producta Mann. Beitrag, 271.
scabrosa Esch. Z. Atl. 8, 11. Mann. 272.
cordata Esch. 3, 12. Mann. 273.
intricata Mann. Beitrag, 273.
tuberculata Esch. Z. Atl. 3, 12. Mann. 274.
pimelioides Mann. Beitrag, 274; Mag. Zool. 1843, tab. 129.
suturalis Say (Blaps), J. Acad. Philad. 8, 257; Am. Ent. tab. 16.
acuta Say.
                           ib.
                                          258;
                                                                   sulcipen-
       nis Mann. Beitrag, 266; Mag. Zool. 1843, tab. 128.
obscura Say (Blaps), J. Acad. Philad. 3, 259; Am. Ent. tab. 16.
hispilabris Say (Blaps),
                           ib.
                                         260.
extricata Say,
                           ib.
                                         261.
obsoleta Say,
                           ib.
tricostata Say,
                           ib.
                                         262. Pimelia alternata Kb. N. Z. 232.
carbonaria Say,
                                         260.
                           ib.
opaca Say,
                                         262.
                           ib.
vicina Lec. Ann. Lyc. 5, 133.
subnitens Lec.
                         134.
                   ib.
longicollis Lec.
                   ib.
femorata Lec.
                   ib.
armata Lec.
                   ib.
                         135.
laticollis Lec.
                   ib.
acuticauda Lec.
                   ib.
consobrina Lec.
                   ib.
depressa Lec.
                   ib.
                         136.
```

Amphidora Esch.

littoralis Esch. Z. Atl. 4, 13, tab. 18, fig. 7. Mann. 266. osculans Lec. Ann. Lyc. 5, 136. nigropilosa Lec. ib. rufipes Lec. ib. attenuata Lec. ib. 137.

Apocrypha Esch.

anthicoides Esch. Zool. Atl. 4, 13, tab. 18, fig. 7. Mann. 265. dyschirloides Lec. Ann. Lyc. 5, 137.

Cononotus Lec.

sericans Lec. Ann. Lyc. 5, 137. punctatus Lec. ib. 138.

Araeoschizus Lec.

costipennis Lec. Ann. Lyc. 5, 138.

Nyctoporis Esch.

cristata Esch. Z. Atl. 4, 11, tab. 18, fig. 4. Mann. Beitrag, 268. aequicollis Esch. Z. Atl. 4, 12. Mann. 263. carinata Lec. Ann. Lyc. 5, 138.

Eurymetopon Esch.

rufipes Esch. Z. Atl. 4, 8, tab. 18, fig. 1. Mann. Beitrag, 264. ochraceum Esch. 4, 8, tab. 18, fig. 2. Mann. 265. abnorme Lec. Ann. Lyc. 5, 138. convexicolle Lec. ib. 139.

longulum Lec. ib. obesum Lec. ib.

atrum Lec. ib.

Auchmobius Lec.

sublaevis Lec. Ann. Lyc. 5, 140.

Cryptadius Lec..

inflatus Lec. Ann. Lyc. 5, 140.

Edrotes Lec.

ventricosus Lec. Ann. Lyc. 5, 141. rotunda Say (Pimelia), J. Acad. Philad. 3, 251.

Trimytis Lec.

pruinosa Lec. Ann. Lyc. 5, 141.

Triorophus Lec.

laevis Lec. Ann. Lyc. 5, 141. rugiceps Lec. ib. 142. punctatus Lec. ib.

Craniotus Lec.

pubescens Lec. Ann. Lyc. 5, 142.

Centrioptera Mann.

caraboides Mann. Mag. Zool. 1848, tab. 126; Beitrag, 280. muricata Lec. Ann. Lyc. 5, 142.

Cerenopus Les.

concolor Lec. Ann. Lyc. 5, 143. bicolor Lec. ib.

costipennis Lec.

Eulabis Esch.

bicainata Esch. Z. Atl. 3, 15, tab. 14, fig. 8. Mann. Beitrag, 264. rufipes Esch. ib. Mann. ib. pubescens Lec. Ann. Lyc. 5, 144.

Polypleurus Solier.

perforatus Germ. (Upis), Ins. Nov. 148. geminatus Serv. Ann. Ent. Fr. 7, 196. punctatus, Serv. ib. 197.

Epantius Lec.

obscurus Lec. Ann. Lyc. 5, 144.

Notibius Lec.

sulcatus Lec. 5, 145. granulatus Lec. ib. puberulus Lec. ib. puncticollis Lec. ib.

sulcatus Lec.

longulus Lec.

angustus Lec.

Conibius Lec.

seriatus Lec. Ann. Lyc. 5, 146. parallelus Lec. ib.

Blapstinus Solier.

moestus Mels. Pr. Acad. Philad. 3, 65. aeneolus Mels. ib. ? interruptus Say (Opatrum), J. Acad. 3, 264. ? metallicus Fabr. (Blaps), El. 1, 143. Beauv. Ins. p. 137, tab. 30 b, fig. 2. californicus Motsch. Bull. Mosc. 1845, p. 77. pulverulentus Mann. Beitrag, p. 276. sordidus Lec. Ann. Lyc. 5, 146. crassus Lec. ib. dilatatus Lec. ib. brevicollis Lec. ib. 147. pubescens Lec. ib.

ib.

ib.

ib.

. Pedinus Latr.

suturalis Say, J. Acad. Philad. 3, 263.

Opatrinus. Dej.

notus Say (Opatrum), J. Ac. Phila. 5, 237. Bost. J. 1, 187. M. C. No. 376.

Opatrum Fabr.

latimanus Lec. J. Acad. Philad. 2d, 1, 92. ? pullus Say, J. Acad. Philad. 3, 264.

Heliophilus Latr.

fossor Lec. J. Acad. Philad. 2d, 1, 92.

Anepsius Lec.

delicatulus Lec. Ann. Lyc. 5, 148.

Batulius Lec.

setosus Lec. Ann. Lyc. 5, 148. rotundicollis Lec. ib.

Crypticus Latr.

obsoletus Say, J. Acad. Philad. 3, 265.

Trachyscelis Latr.

flavipes Mels. Pr. Acad. 8, 61.

Phaleria Latr.

testacea Say, Long's Exp. 2, 280. picta Mann. Beitrag, p. 277. rotundata Lec. Ann. Lyc. 5, 148.

Oplocephala Lap.

NEOMIDA LZiegl.

collaris Lap. Ann. Sc. Nat. 23, 347.
 bicornis Oliv. Ent. 3, 55; Enc. Méth. 6, 273. Kirb. N. Z. 235 (Arrhenoplitis). virescens Lap. 23, 341. Hispa F. Mant. p. 215.
 viridipennis Fabr. El. 2, 586. Lap. Ann. Sc. Nat. 23, 340. No. 325 M. C. excavata Say, J. Acad. 3, 267. cornuta Mels. C. No. 328.

chalybea Lap. Ann. Sc. Nat. 28, 841.

Nelites Lec.

aeneolus Lec. Agass. Lake Sup. p. 232.

Platydema Lap.

cyanescens Lap. Ann. Sc. Nat. 23, 856. americana Lap. ib. 358. nigra Mels. C. No. 327. polita Lap. ib. 861. subcostata Lap. ib. 862. ruficollis Lap. ib. 375. [2d, 1, 102. sanguinicollis Mels. Pr. Acad. 3, 61. ruficollis Lap. teste Hald. J. Acadruficornis Sturm, Catal. 1826, p. 68, tab. 3, fig. 21. rufiventris? Lap. Ann. Sc. Nat. 1831, 23, 378. Hald. J. Acad. 2d, 1, 101. elliptica Fabr. El. 2, 566. Lap. Ann. Sc. Nat. 380. Hald. J. Acad. 2d, 1, ib. 567. Lap. flavipes Fabr. ib. 388. Hald. 4-maculata Lap. Ann. Sc. Nat. 23, 383. picipes Say (Phaleria), Long's Exp. 2, 280, teste Hald. ib. 1, 102. cyanea Lap. Ann. Sc. Nat. 23, 393. picilabris Mels. Pr. Acad. 8, 62. Hald. J. Acad. 2d, 1, 102. rufa Mels. ib. 61. pallens Lap. Ann. Sc. Nat. 23, 377. basalis Hald. J. Acad. 2d, 1, 101. analis Hald. ib. laevipes Hald. ib. laevis Hald. ib. ib. 102. clypeatus Hald. erythrocera Lap. Ann. Sc. Nat. 23, 355. angusta Lec. Ann. Lyc. 5, 149.

Diaperis Geoffr.

hydni Fabr. El. 2, 585. Lap. Ann. Sc. Nat. 23, 835. maculata Oliv. Enc. Méth. 6, 278.

Hypophloeus Fabr.

nitidus Mels. Pr. Acad. 3, 62. Mels. C. No. 215. thoracicus Mels. ib. 63. ib. 214. ? parallelus Mels. ib.

bifasciatus Say (? Diaperis), J. Acad. 8, 206.

Boros Herbst.

unicolor Say, J. Acad. 5, 238.

Priognathus Lec.

monilicornis Randall (Ditylus), Bost. J. 2, 22. Lec. Lac. Sup. 233.

Crymodes Lec.

discicollis Lec. Lac. Sup. p. 233.

Adelina |Dej.

plana Lec. Ann. Lyc. 5, 149.

Uloma Meg.

culinaris Linn. Fabr. El. 1, 148. Oliv. 3, 12.

impressa Mels. Pr. Acad. 3, 64.

ferruginea Say, Bost. J. 1, 188. rubens | Germ. Sturm. ochraceus Mels. C. marginata Lec. Ann. Lyc. 5, 149.

Aniara | Dej.

picea Mels. (Uloma), Pr. Acad. 3, 64. anthracina Dej. Cat. 221.

Tenebrio Linn.

molitor Linn. Fabr. El. 1, 145. Oliv. Ent. 3, 12. Kirb. N. Z. 234. obscurus Fabr. El. 1, 146. Hbst. Col. 7, 253.

badius Say, J. Acad. 3, 256.

rufinasus Say, Bost. J. 1, 187.

[tab. 2, fig. 17.

depressus Fabr. El. 1, 147. Hbst. Col. 7, 255. planus Oliv. Ent. 3, 14, castaneus Knoch, N. Beitr. p. 171. interstitialis Say, J. Acad. 3, 266. estriatus Lec. Ann. Lyc. 5, 149.

aeneus Geer, 5, 53, tab. 13, fig. 11.

sublaevis Beauv. Ins. 163, tab. 31, fig. 4.

minimus Beauv. ib.

7.

ib.

ib.

variolosus Beauv.

8.

elongatus Beauv.

9.

Centronipus ^{‡Dej.}

calcaratus Fabr. (Helops), El. 1, 159. Beauv. Ins. p. 137, tab. 31, fig. 1, reflexus Say (Tenebrio), J. Acad. 5, 203.

Cibdelis Mann.

Blaschkii Mann. Beitrag, 284.

Iphthinus |Dej.

NYCTOBATES Guér.

pensylvanicus De Geer, Ins. 5, 52, tab. 13, fig. 10. Kn. N. Beitr. p. 167. chrysops Hbst. Col. 7, 236. laevis? Oliv. Ent. 3, 10. Hbst. Col. 8, 11.

barbatus Knoch, N. Beitr. p. 166, tab. 7, fig. 1. pensylvanicus; Kirb. N. Z. 234. glaber? Herbst (Upis), Col. 8, 32, tab. 119, fig. 8.

saperdoides Oliv. (Helops), Ent. 3, 11. Hbet. Col. 8, 12. Beauv. Ins. 162, tab. 31, fig. 2. spinipes Fabr. (Helops), El. 1, 162. anthracinus Kn. N. Beitr. p. 169. rufipes Say, J. Acad. 5, 203 (var.).

femoratus Fabr. (Trogosita), El. 1, 154. Beauv. Ins. p. 163, tab. 31, fig. 5. fulvipes Hbst. (Upis), Col. 7, 238. No. 1226 M. C.

intermedia Hald. Stansb. Exp. 376.

serratus Mann. (Nyctobates), Beitrag, 284.

inermis Mann.

aereus Mels. Pr. Acad. 3, 65.

Coelocnemis Mann.

californica Mann. Beitrag, p. 282; Mag. Zool. 1844, tab. 143. dilaticollis Mann. ib. magna Lec. Ann. Lyc. 5, 150. obesa Lec. ib.

. Upis Fabr.

ceramboides Linn. Fabr. Ent. Syst. 2, 515. Kirb. N. Z. 233. reticulatus Say, Long's Exp. 2, 279.

Anoedus Dej.

brunneus Ziegl. (Dendarus), Pr. Acad. 2, 45. rotundicollis Lec. Ann. Lyc. 5, 150.

Bolitophagus Fabr.

ELEDONA Latr.

cornutus Pz. (Opatrum), Prod. tab. 1, fig. 5, 6. Fabr. El. 1, 112. Say, Am. Ent. 3, tab. 51. Kirb. N. Z. 236.
 corticola Say, J. Acad. 5, 238; Am. Ent. 3, tab. 51.
 depressus Randall (Eledona), Bost. J. 2, 21.
 silphides Newm. Ent. Mag. 5, 378.
 tetraopes Newm. ib.

Epitragus Latr.

canaliculatus Say, Long's Exp. 2, 281.

Meracantha Kirby.

canadensis Kirb. N. Z. 238. tumida Mels. Pr. Acad. 3, 61. contracta Beauv. (Helops), Ins. p. 122, tab. 30, fig. 6. Physocoelus inflatus Dej.

Helops F.

micans Fabr. El. 1, 157. vittatus Oliv. 3, 4. aeneus Illig. taeniatus Beauv. [Ins. p. 121, t. 30, f. 4. venustus Say, Long's Exp. 2, 283. americanus Beauv. Ins. p. 122, tab. 30, fig. 6. politus Say, J. Acad. 5, 240. aratus Say, ib. aereus Germ. Sp. Nov. p. 159. pullus Say, J. Acad. 5, 240. cisteloides Germ. Sp. Nov. p. 159, an Helops contractus Beauv.? tenebrioides Béauv. 121, tab. 30, fig. 3. tristis Beauv. Ins. 187, tab. 30 b, fig. 1. · carolinensis Beauv. Ins. 162, tab. 31, fig. 1. americanus Beauv. 122, tab. 30, fig. 6. californicus Mann. Beitrag, p. 287 (Bull. Mosc. 1843). rugulosus Lec. Ann. Lyc. 5, 151.

Eucyphus Mann.

hybosoroides Mann. Beitrag, p. 286.

Penthe Newn.

Anorops | Dej.

obliquata Fabr. (Helops), El. 1, 162. Newm. Ent. Mag. 5, 374. Beauv.
 Ins. p. 122, tab. 30, fig. 5. No. 513 M. C.
 pimelia Fabr. El. 1, 40. funerea Newm. Ent. Mag. 5, 374, 1838.

Stenochia Kirb.

terminata Say, J. Acad. 8, 267. tenuicollis Say, ib. 5, 241. arctata Say, Long's Exp. 2, 283. gracilis Lec. Ann. Lyc. 5, 150.

Eryx Steph.

amoena (Cistela), J. Acad. 3, 268. Mels. Pr. Acad. 3, 158.

Allecula Fabr.

erythrocnemis Germ. Sp. Nov. p. 164. punctulata Mels. Pr. Acad. 3, 59. nigrans Mels. ib. 60. atra Say, J. Acad. 5, 242. pilosa Mels. Pr. Acad. 3, 58. obscura Say, J. Acad. 5, 242.

Mycetochares Latr.

bihotata Say (Cistela), Long's Exp. 2, 285. humeralis M. C. 520. basillaris Say, J. Acad. 3, 269. fraterna Say, ib. 270. rufipes Lec. Ann. Lyc. 1, 170. ruficornis Mels. Pr. Acad. 3, 59. nigra Mels. ib.

Cistela Fabr.

erythroptera Ziegl. Pr. Acad. 2, 46.
marginata Ziegl. ib.
femoralis Oliv. Ent. 3, 12; Enc. Méth. 6, 6.
brevis Say, J. Acad. 3, 269. rusipes Mels. C. No. 518.
erythropa Kirb. N. Z. 239.
fuscipes Mels. Pr. Acad. 3, 60.
fuliginosa Mels. ib. 59.
sericea Say, J. Acad. 3, 270. Long's Exp. 2, 285.
pulla Mels. Pr. Acad. 3, 60.

MELANDRYIDAE.

Melandrya Fabr.

striata Say, Long's Exp. 2, 286. Hald. J. Acad. 2d, 1, 97. thoracica Mels.

Pr. Acad. 3, 55 (var. a.). bicolor Mels. Pr. Acad. 3, 55 (var. b.).

labiata Say, Long's Exp. 2, 287. Hald. J. Acad. 1, 97. Mels. C. 1235.

excavata Hald. J. Acad. 2d, 1, 97.

maculata Lec. Agass. L. Sup. p. 282.

Pytho Latr.

niger Kirb. N. Z. 164. americanus Kirb. N. Z. 165. ? pallidus Say, J. Acad. 3, 271.

Emmesa Newm.

connectens Newm. Ent. Mag. 5, 876.

Phaiona Hald.

umbrina Mels. (Melandrya), Pr. Acad. 8, 55. Hald. 1, 99.

Serropalpus Hellenius.

substriatus Hald. J. Acad. 2d, 1, 98. obsoletus Hald. J. Acad. 2d, 1, 98.

Synchroa Newm.

punctata Newm. Ent. Mag. 5, 878.

Hypulus Payk.

trifasciatus Mels. Pr. Acad. 8, 56. simulator Newm. Ent. Mag. 5, 376.

Dircaea Fabr.

tibialis Say, Long's Exp. 2, 282. **4-maculatus** Say (Serropalpus), Exp. 2, 283. Hald. J. Acad. 1, 98. sericea Hald. J. Acad. 2d, 1, 98. decolorata Rand. Bost. J. 2, 22.

Xylita Payk.

buprestoides Payk. teste Kirb. N. Z. 240.

Hallomenus Payk.

scapularis Mels. Pr. Acad. 8, 57. 4-pustulatus Mels. ib. luridus Hald. J. Acad. 2d, 1, 99. niger Hald. ib.

Orchesia Latr.

sericea Mels. Pr. Acad. 3, 51. Hald. (Calasia), J. Acad. 2d, 1, 99. castanea Mels. ib. gracilis Mels. ib.

Eustrophus Illig.

bicolor Fabr. El. 2, 566.

tomentosus Say, J. Acad. 5, 239. niger Mels. Pr. Acad. 3, 58.

bifasciatus Say, Long's Exp. 2, 282. 4-maculata Mels. Pr. Acad. 3, 58.

indistinctus Lec. Ann. Lyc. 5, 151.

Scraptia Latr.

pallipes Mels. Pr. Acad. 3, 56. plagiata Mels. Pr. Acad. 3, 56. amerilutea Hald. J. Acad. 2d, 1, 100. biimpressa Hald. ib. rugosa Hald. ib. flavicollis Hald. ib.

MORDELLIDAE.

Anaspis Geoffr.

triloba Say, J. Acad. 3, 276.

4-punctata Say, ib.
dimidiata Mels. Pr. Acad. 2, 312.
ventralis Mels. ib.
flavipennis Hald. J. Acad. 2d, 1, 100.
flilformis Lec. Agass. L. Sup. p. 231.
luteipennis Lec. Ann. Lyc. 5, 157.
collaris Lec. ib.
atra Lec. ib.
sericea Mann. Bull. Mosc. 1843, 288.
pallescens Mann. ib.

ib.

pusilla Hald.

Anthobates Lec.

trifasciata Mels. (Anaspis), Pr. Acad. 2, 318. Lec. Lac. Sup. 231.

Mordella Linn.

bidentata Say, J. Acad. 3, 277.
hilaris Say, Bost. J. 1, 190.
sericans Mels. Pr. Acad. 2, 312.
oculata Say, Bost. J. 1, 190.
8-punctata Fabr. El. 2, 123. Enc. Méth. 7, 793.
melaena Germ. Sp. Nov. p. 169. nigra Mels. C. No. 1252.

```
scutellaris Fabr. El. 2, 123.
pubescens Fabr.
                     ib.
marginata Mels. Pr. Acad. 2, 312.
serval Say, Bost. J. 1, 191.
atrata Mels. Pr. Acad. 2, 318.
lineata Mels.
                   ib.
nigricans Mels.
                   ib.
fuscata Mels.
                                fusca Mels. C. 1270.
                   ih
bihamata Mels.
                   ib.
discolor Mels.
                   ib.
                                 bifasciata Mels. C. 1262.
modesta Mels.
                   ib.
                          314.
undulata Mels.
                   ib.
                          316.
                          814.
liturata Mels.
                   ib.
pustulata Mels.
                   ib.
aspersa Mels.
                   ib.
fuscipennis Mels. ib.
nigripennis Fabr. El. 2, 123.
scapularis Say, J. Acad. 3, 277.
                                  bimaculata Mels. C. 1269.
marginalis Say,
                            278.
                     ib.
                                  collaris Mels. C. 1255.
discoidea Mels. Pr. Acad. 2, 815.
attenuata Say, J. Acad. 5, 243.
limbalis Mels. Pr. Acad. 2, 315. limbata M. C. 1259.
ornata Mels.
                     ib.
rufa Say, J. Acad. 5, 244.
lutea Mels. Pr. Acad. 2, 315.
fulvicollis Mels.
                     ib.
trifasciata Say, J. Acad. 5, 243. Mels. C. 1256. an pubescens F.?
pectoralis Lec. Agass. L. Sup. p. 281.
```

Ripiphorus Fabr.

```
pectinatus Fabr. El. 2, 119. Enc. Méth. 7, 737. dubius Mels. Pr. Acad. 2,
impressus Mels. Pr. Acad. 2, 316.
                                                                     [316.
longipes Mels.
                     ib.
humeratus Fabr. El. 2, 119.
maxillosus Mels. Pr. Acad. 2, 316.
limbatus Fabr. El. 2, 121. Say, Bost. J. 1, 189.
cruentus Germ. Sp. Nov. p. 168.
sanguinolentus Germ. ib.
bicolor|| Say, J. Acad. 3, 275. ambiguus Mels. Pr. Acad. 2, 317.
thoracicus Mels.
                     ib.
dimidiatus Fabr. El. 2, 120. Oliv. Enc. Méth. 7, 738. Hentz, Am. Phil.
niger Mels. Pr. Acad. 2, 317.
                                                 [Tr. 3, 464 (Macrosiagon).
nigricornis Fabr. El. 2, 119.
tristis Fabr.
                  ib.
ventralis Fabr.
                  ib.
                        120.
```

Pelecotoma Fisch.

flavipes Mels. Pr. Acad. 2, 318.

Myodites Latr.

fasciatus Say (Dorthesia), J. Acad. 3, 274. flavicornis Say, ib. stylopides Newm. Ent. Mag. 5, 376. americanus Guérin, Icon. Regne An. tab. 34, fig. 5.

STYLOPIDAE.

Xenos Rossi.

Peckii Kirby, Linn. Transact. 11, 116, tab. 8, fig. 8.

Stylops Kirby.

Childrenii Gray, Griff. Animal Kingdom, 15, 684, tab. 59.

MELOIDAE.

Horia Fabr.

sanguinipennis Say, J. Acad. 3, 279. Stansburii Hald. Stansbury's Exp. 377.

Meloe Linn.

 americana Leach, Linn. Tr. 11, 250, tab. 18, fig. 5, 6.

 angusticollis Say, J. Acad. 3, 280.
 Harris, Ins. p. 113.

 conferta Say,
 ib.
 281.
 nigra Kirb. N. Z. 241.

 impressa Kirb. N. Z. 242.

Cysteodemus Lec.

armatus Lec. Ann. Lyc. 5, 158. Wislizeni Lec. ib.

Cantharis Geoffr.

LYTTA Fabr.

Nutalli Say, J. Acad. 3, 300; Am. Ent. 1, tab. 3.
fulgifer Lec. J. Acad. 2d, 1, 90.
aenea Say, J. Acad. 3, 301; Long's Exp. 2, 288. nigricornis|| Lec. J. Acad.
sphaericollis Say, J. Acad. 3, 299; Am. Ent. 1, tab. 3. [2d, 1, 90.
fillformis Lec. J. Acad. 2d, 1, 91.
moerens Lec. Ann. Lyc. 5, 216.
polita Say, J. Acad. 3, 302.
reticulata Say, ib. 305.
afzeliana Fabr. El. 2, 78. sinuata Oliv. Enc. Méth. 5, 279.
Germari Hald. Pr. Acad. 1, 303.
Engelmanii Lec. J. Acad. 2d, 1, 91.
mylabrina Chevr. Col. Mex. fasc. 3.

vulnerata Lec. Ann. Lyc. 5, 159. ib. 160. nitidicollis Lec. tenebrosa Lec. ib. aeneipennis Lec. ib. cyanipennis Lec. ib. chalybea Lec. ib. smaragdula Lec. ib. stygica Lec. ib. 161. ib. lugens Lec.

Epicauta Redtenbacher. albida Say, J. Acad. 3, 305; Am. Ent. 1, tab. 3. 298. maculata Say, ib. 808. segmenta Say, ib. immaculata Say, ib. 804. articularis Say, ib. unicolor Kirb. N. Z. 241. lemniscata Fabr. El. 2, 79. vittata Fabr. ib. Ol. Enc. Méth. 5, 279. Chapman, Med. Repos. 2, 174, N. Y. 1799. Harr. Ins. p. 110. Chapmani Woodhouse, Med. strigosa Sch. Syn. Ins. 8, App. 18. marginata Oliv. Enc. Méth. 5, 279. Fabr. El. 2, 79. Harr. Ins. p. 111.

clematidis|| Woodhouse, Med. Repos. 3, 213, New York, 1800. cinerea Forster, 62. Pallas, Icon. 98. lineata Oliv. Ent. 8, 14, tab. 2, fig. 21.

atrata Fabr. El. 2, 79. Oliv. Ent. 3, 17. Enc. Méth. 5, 280. Harr. Ins. p. 112. pensylvanica Geer (Meloe), Ins. 5, 16. nigra Woodhouse, Med. Repos. 8, 213, N. York, 1800.

cinerea || F. 2, 80. Harr. Ins. p. 111.

ferruginea Say, J. Acad. 3, 298. nigricornis Mels. Pr. Acad. 3, 53.

trichrus Pall. (Meloe), Icon. p. 100.

fissilabris Lec. Agass. L. Sup. p. 232.

puncticollis Mann. Beitrag, 288. Lec. Ann. Lyc. 5, 162.

elegans Lec. Ann. Lyc. 5, 161.

oblita Lec.

ib.

maura Lec.

ib.

Tegrodera Lec.

erosa Lec. Ann. Lyc. 5, 159.

Tetraonyx Latr.

4-maculata Fabr. (Apalus), El. 2, 25. bimaculata Klug (Lytta), Acad. Berol. 12, 2, p. 448, tab. 41, fig. 10.

Zonitis Fabr.

bilineata Say, J. Acad. 1, 22. lineata Mels. Pr. Acad. 8, 58. mandibularis Mels. Pr. Acad. 3, 53, var.

Repos. 3.

Gnathium Kirb.

Francilloni Kirby, Linn. Trans. 12, 424, tab. 22, fig. 6. minimum Say (Nemognatha), J. Acad. 3, 306.

Nemognatha Illig.

vittata Fabr. (Zonitis), El. 2, 24. Coqueb. Ill. Ins. p. 128, tab. 29, fig. 54.

Enc. Méth. 8, 175. piezata Fabr. Sup. p. 104. Web. Obs. Ent. p. 60.

immaculata Say, J. Acad. 1, 22.

atripennis Say, ib. 3, 306.

nemorensis Hentz, Am. Phil. Tr. 3, 258. bimaculata Mels. Pr. Acad. 3, 54. calceolata Guérin, Icon. Regne An. 136.

Cephaloon Newm.

lepturides Newm. Ent. Mag. 5, 377. lepturoides Hald. J. Acad. 1, 95. varians Hald. J. Acad. 2d, 1, 95.

Xanthochroa Schmidt.

dorsalis Mels. Pr. Acad. 8, 55. vittatus Hald. J. Acad. 1, 96.

Nacerdes Steven.

melanura L. Schm. Linn. Ent. 1, 29. notata Fabr. El. 2, 371. analis Oliv. Enc. Méth. 8, 448. apicialis Say, Bost. J. 1, 188.

Asclera Schm.

ruficollis Say, J. Acad. 8, 271. Hald. J. Acad. 2d, 1, 96. carinata Newn. (Ichnomera), Ent. Mag. 5, 378.

thoracica Fabr. El. 2, 370. Oliv. Enc. Méth. 8, 447. Hald. J. Acad. 1, 97. frazini? Say, J. Acad. 3, 272.

signaticollis Hald. J. Acad. 2d, 1, 96.

puncticollis Say, J. Acad. 3, 273. Hald. 1, 96.

notoxoides Fabr. El. 2, 369. Ol. Enc. Méth. 8, 447. Hald. J. Acad. 1, 96. erythrocephala Germ. Sp. Nov. p. 167.

rufifrons Fabr. El. 2, 68.

vestita Say, J. Acad. 8, 54.

unicolor Mels. Pr. Acad. 8, 54.

excavata Lec. Ann. Lyc. 5, 158.

bicolor Lec. ib

lateralis Mels. (Nacerda), Pr. Acad. 3, 54. Hald. J. Acad. 1, 96.

Ditylus Fisch.

caeruleus Randall (Upis), Bost. J. 2, 20. Hald. J. Acad. 1, 96. quadricollis Lec. Ann. Lyc. 5, 157.

Calopus Fabr.

angustus Lec. Ann. Lyc. 5, 158.

LAGRIDAE.

Statyra Latr.

ARTHROMACRA Kirb.

aenea Say, Long's Exp. 2, 287. donacioides Kirb. N. Z. 239. resplendens Mels. Pr. Acad. 2, 811. Mels. C. 557. gagatina Mels. ib.

PYROCHROIDAE.

Pyrochroa Geoffr.

flabellata Fabr. El. 2, 109. Oliv. Ent. 8, 5.

Dendroides Latr.

Pogonocerus Fisch.

canadensis Latr. bicolor Newm. Ent. Mag. 5, 375. concolor Newm. Ent. Mag. 5, 875.

Pedilus Fisch.

CORPHYRA Say.

lugubris Say (Anthicus), J. Acad. 5, 246. imus Newm. Ent. Mag. 5, 375. Lec. J. Acad. 2d, 2, 83. nigricans Ziegl. Pr. Acad. 2, 46. inornatus Randall, Bost. J. 2, 23.

fulvipes Newm. Ent. Mag. 5, 375. Lec. J. Acad. 2d, 2, 83. pulcher Lec. J. Acad. 2d, 2, 84.

ruficollis Ziegl. Pr. Acad. 2, 47. Lec. J. Acad. 2d, 2, 83. labiatus Say, J. Acad. 5, 247; Bost. J. 1, 189. marginicollis Ziegl. Pr.

Acad. 2, 47. infumatus? Hentz, Am. Phil. Tr. 3, 275. rufithorax New. collaris Say, J. Acad. 5, 246; Bost. J. 1, 189. [5, 375.

guttula Newm. Ert. Mag. 5, 375. Lec. J. Acad. 2d, 2, 83.

impressus Say, J. Acad. 5, 248; Bost. J. 1, 189.

terminalis Say, ib. 247; ib.

elegans Hentz, Am. Phil. Tr. 3, 257. Lec. J. Acad. 2, 83. haemorrhoidalis Ziegl. Pr. Acad. 2, 46.

lugubris Newm. Ent. Mag. 5, 375. Lec. J. Acad. 2, 83. punctulatus Lec. Ann. Lyc. 5, 151.

Schizotus Newm.

cervicalis Newm. Ent. Mag. 5, 375.

SALPINGIDAE.

Mycterus Clairv.

scaber Hald. Pr. Acad. 1, 303.

Salpingus Gyll.

SPHAERIESTES Steph.

virescens Lec. Agass. Lac. Sup. 232.

ANTHICIDAE.*

Stereopalpus Ferté.

Mellyi Ferté, Anthic. 5, pl.

Eurygenius Ferté.

murinus Hald. (Ichthydion), Pr. Acad. Philad. 1, 304. constrictus Lec. Ann. Lyc. 5, 151.

Macratria Newm.

murina Fabr. El. 2, 91 (Dircaea). Ferté, Anthic. 16. linearis Newm. Ent. Mag. 5, 377.

Notoxus Geoffr.

anchora Hentz, J. Acad. 5, 375. Lec. J. Acad. 2d, 1, 89. Ferté, Anthic. 33.
monodon Fabr. El. 1, 289. Say, Am. Ent. 1, tab. 10. Kirb. N. Z. 240.
Lec. J. Acad. 1, 90. Ferté, 37.

bicolor Say, Am. Ent. 1, tab. 10. Lec. J. Acad. 1, 90. Ferté, 53. murinibifasciatus Lec. J. Acad. 2d, 1, 89. [pennis Lec. Ann. Lyc. 1, 170.

serratus Lec. ib. 90.

conformis Lec. ib.

cavicornis Lec. ib.

Pilati Ferté, 297.

planicornis Ferté, 39, fig. 8.

talpa Ferté, 50.

elegantulus Ferté, 52.

Tomoderus Ferté.

interruptus Ferté, Anthic. 97.

oonstrictus Say (Anthicus), J. Acad. Nat. Sc. 5, 244. Ferté, 101.

152.

Formicilla Lec.

munda Lec. Ann. Lyc. 5, 152.

Anthicus Payk.

cinctus Say, J. Acad. 3, 278. Ferté, 274. basillaris Say, ib. 279. floralis Payk. Ferté, 150.

obscurus Ferté, Anthic. 116.

^{*} A synopsis of the species of this family found in our territories is in the sixth volume of the Proceedings of Academy of Natural Sciences.—Eds.

```
nitidulus Lec. Ann. Lyc. 5, 153.
elegans Ferté, 117.
tenuis Lec. Ann. Lyc. 5, 153.
formicarius Ferté, 185.
annectens Lec. Ann. Lyc. 5, 153.
californicus Ferté, 128.
vicinus Ferté, 157.
thoracicus Ferté, 158.
confinis Lec. Ann. Lyc. 5, 153.
horridus Lec.
                  ib.
luteolus Lec.
                  ib.
ephippium Ferté, 163.
rufulus Lec. Ann. Lyc. 5, 155.
cervinus Ferté, 181.
bizonatus Ferté, 274.
punctulatus Lec. Ann. Lyc. 5, 155.
4-lunatus Ferté, 201.
biguttulus Lec. Ann. Lyc. 5, 155.
                      ib.
nigritulus Lec.
obscurellus Lec.
                      ib.
                              155.
                              156.
nanus Lec.
                      ib.
                              156.
bellulus Lec.
                      ib.
pubescens Ferté, 177.
fulvipes Ferté, 177.
corticalis Lec. Ann. Lyc. 5, 154.
                             156.
maritimus Lec.
                     ib.
                                     Hald. Pr. Acad. 1, 304?
bifasciatus | Say, J. Acad. 3, 245.
                                     Ferté, Anthic. 275.
                       ib.
pallidus Say,
Haldemani Lec. Pr. Acad. 6, 100. 4-guttatus || Hald. Pr. Acad. 1, 304.
terminalis Lec. Agass. L. Sup. p. 230.
                         ib.
difficilis Lec.
                         ib.
scabriceps Lec.
                         ib.
 grànularis Lec.
                         ib.
 pallens Lec.
 exilis Ferté, 121.
 ictericus Ferté, 149.
 laetus Ferté, 157.
 melancholicus Ferté, 174.
 pusillus Ferté, 178.
 squamosus Ferté, 216.
 lugubris Ferté, 217.
 impressipennis Ferté, 300.
 texanus Ferté, 301.
 ? politus Say, J. Acad. 5, 245.
 ? thoracious Fabr. El. 1, 291. Oliv. Enc. Méth. 8, 395.
```

Tanarthrus Lec.

salinus Lec. Ann. Lyc. 5, 156. alutaceus Lec. ib. (Anthicus.)

Xylophilus Bonelli.

fasciatus Mels. Pr. Acad. 3, 55. signatus Hald. J. Acad. 2d, 1, 97.

SCYDMAENIDAE.*

Scydmaenus Latr.

clavipes Say, Long's Exp. 2, 172. Schaum, Analect. 18, No. 22. brevicornis Say, ib. 173. Schaum, 19, No. 23. californicus Motsch. Bull. Mosc. 1845, part 1, 48. perforatus Schaum, Analect. 9, No. 7. Zimmermanni Schaum, ib. 26, No. 36.

PSELAPHIDAE.

Ceophyllus Lec.

monilis Lec. Bost. J. 6, 73.

Cedius Lec.

Ziegleri Lec. Bost. J. 6, 74. spinosus Lec. Bost. J. 6, 75.

Tmesiphorus Lec.

carinatus Say (Pselaphus), J. Acad. 4, 97. Lec. 6, 76. costalis Lec. Bost. J. 6, 77.

Ctenistes Reichenbach.

piceus Lec. Bost. J. 6, 78. Zimmermanni Lec. 79. consobrinus Lec. 79. pulvereus Lec. Ann. Lyc. 5, 214.

Tyrus Aubé.

humeralis Aubé (Hamotus), Ann. Ent. 2d, 2, 84. compar Lec. Bost. J. 6, 80 (teste Schaum).

Pselaphus Hbst.

longiclavis Lec. 6, 81. Erichsonii Lec. ib.

^{*} Dr. Leconte has published a synopsis of the North American species of Scydmaenus in the sixth volume of the Proc. Acad. Nat. Sci.—Eds.

Tychus Leach.

longipalpis Lec. Bost. J. 6, 82.

minor Lec. ib.

puberulus Lec. Ann. Lyc. 5, 214.

tenellus Lec. ib.

Hamotus* Aubé.

humeralis Aubé, Ann. Ent. Soc. Fr. 2d, 2, 93. Lec. Bost. J. 6, 83.

Bryaxis Leach.

dentata Say (Pselaphus), J. Acad. 4, 99. Lec. Bost. J. 6, 85.

velutina Lec. 6, 86.

abdominalis Aubé, Mon. Pselaph. 27, tab. 82, fig. 2. Lec. 6, 86. den-

conjuncta Lec. Bost. J. 6, 85.

haematica Leach, Zool. Misc. 3, 86. Aubé, Mon. 26, t. 82, f. 1. Lec. 6, 87.

luniger Lec. Bost. J. 6, 87. puncticollis Lec. 6, 87.

rubicunda Aubé, Ann. Soc. Ent. 2, 116. Lec. 6, 88.

propinqua Lec. Bost. J. 6, 88.

abnormis Lec. 6, 89.

longula Lec. ib.

formiceti Lec. ib. 90.

albionica Motsch. Bull. Mosc. 1845, part 1, 43.

compar Lec. Ann. Lyc. 5, 215.

subtilis Lec.

foveata Lec. ib.

ib. tomentosa Aubé, Mon. 83, tab. 84, fig. 4.

Eupsenius Lec.

glaber Lec. Bost. J. 6, 90.

Arthmius Lec.

globicollis Lec. Bost. J. 6, 91.

Batrisus Aubé.

Ionae Lec. Bost. J. 6, 94.

armiger Lec. ib.

monstrosus Lec. ib. 95.

ferox Lec. ib.

cristatus Lec. ib. 96.

confinis Lec. ib.

frontalis Lec. Bost. J. 6, 96.

^{*} By comparisons made by Dr. Schaum, this insect is my Tyrus compar, in which case the description of Hamorus, by Aubé, is incorrect as applied to this species, which must therefore be called Tyrus humeralis.- LEC.

Schaumii Aubé, Ann. Ent. 2d, 2, 84. punctatus Lec. 6, 97 (teste Schaum). riparius Say, J. Acad. 4, 98. Aubé, Ann. Ent. 2d, 2, 83. Lec. 6, 97. scabriceps Lec. 6, 98. nigricans Lec. 6, 99. striatus Lec. 6, 99. globosus Lec. 6, 100. spretus Lec. ib. Γ101. bistriatus Lec. 6, 101. lineaticollis Aubé, Mon. 60, tab. 90, fig. 3; Ann. Ent. 2d, 2, 83. Lec. 6, albionicus Aubé, ib. 49, ib. Ann. Ent. Mann. ib. Beitrag, 313. Lec. 6, 101.

Rhexius Lec.

insculptus Lec. Bost. J. 6, 103.

Euplectus Leach.

linearis Lec. Bost. J. 6, 104. ib. 105. confluens Lec. interruptus Lec. ib. difficilis Lec. ib. 106. pumilus Lec. ib. arcuatus Lec. ib. canaliculatus Lec. ib. 107. globifer Lec. ib. ib. 108. dubius Lec. parvulus Lec. ib.

Faronus Aubé.

Tolulae Lec. 6, 109. Isabellae Lec. Ann. Lyc. 5, 215.

CLAVIGERIDAE.

Adranes Lec.

coecus Lec. Bost. J. 6, 83.

STAPHYLINIDAE.

Falagria Man.

dissecta Erichs. St. p. 49. erythropiera Mels. Pr. Acad. 2, 30. venustula Erichs. St. p. 55. bilobata Say (Aleochara), Am. Phil. Tr. 4, 156. globosa Mels. Pr. Acad. 2, 30, vid. Apocellus.

Phloeopora Erichs.

latens Erichs. St. p. 78.

Homalota Mann.

plana Gyll. Er. St. p. 98. trimaculata Er. St. p. 105. aemula Er. St. p. 102. dichroa Grv. Micr. p. 186. Er. St. p. 107. vestigialis Er. St. p. 112. festinans Er. luteola Er. ib. 114. flaveola Mels. Pr. Acad. 2, 30. indenta Say (Aleochara), Am. Phil. Tr. 4, 469. silacea Erichs. St. p. 120. recondita Er. ib. 123. ib. 134. ambigua Er. polita Mels. Pr. Acad. 2, 31. modesta Mels. ib. analis Grv. Er. St. 115. lividipennis Mann. Er. St. p. 129. pedicularis Mels. (Oligota), Pr. Acad. 2, 31. propera Say, Am. Phil. Tr. 4, 470. falsifica Say, 6, 155. ib. simplicicollis Say, ib. minima Say, ib. 156. 4, 470. 4-punctata Say, ib. lateralis Mels. (Gyrophaena), Pr. Acad. 2, 82. granularis Mann. Nachtrag, 1; Bull. Mosc. 1846. maritima Mann. Beitrag, 224. picipennis Mann. ib.

Oxypoda Mann.

sagulata Erichs. St. p. 146.

Aleochara Grav.

lata Grv. Micr. p. 186. fuscipes Fabr. El. Erichs. St. p. 159. bimaculata Grv. Micr. p. 187. Say, J. Ac. 3, 157. Er. St. p. 167. lustrica Say, Am. Phil. Tr. 4, 468. verna Say, ib. 6, 156. castaneipennis Mann. Beitrag, 224. sulcicollis Mann. ib.

Oligota Manh.

? exigua Say (Aleochara), Am. Phil. Tr. 6, 156.

Gyrophaena Manh.

vinula Erichs. St. p. 186. fasciata|| Say, Am. Phil. Tr. 4, 496. flavicornis Mels. Pr. Acad. 2, 31. corruscula Erichs. St. p. 189. socia Erichs. ib.

dissimilis Erichs. ib. 186. rufa Mels. Pr. Acad. 2, 31.

Placusa Erichs.

despecta Erichs. St. p. 197.

Conurus Steph.

crassus Grv. Micr. p. 190. Er. St. p. 222. moestus Say, Am. Ph. Tr. 4, 466. basalis Erichs. St. p. 225. opicus Say, Am. Phil. Tr. 4, 467. cinctulus Erichs. St. p. 226.

Tachyporus Grv.

jocosus Say, Am. Phil. Tr. 4, 466. arduus Erichs. St. p. 237. nanus Erichs. St. p. 240. brunneus Erichs. St. p. 241. faber, Say, Am. Phil. Tr. 4, 468. acaudus Say, Am. Phil. Tr. 4, 467. Erichs. St. p. 920. acuductus Kirb. N. Z. 90. Erichs. St. p. 920. affinis Kirb. ib. 91. Erichs. ib.

Tachinus Grv.

marginalis Grv: Micr. p. 192. geminatus Rand. Bost. J. 2, 39. silphoides Er. ventriculus Say, Am. Ph. Tr. 4, 466. gibbulus Er. St. p. 252. [St. p. 245. fimbriatus Grv. Micr. p. 192. Say, Am. Phil. Tr. 4, 468. Erichs. St. 258. picipes Erichs. St. p. 257. memnonius Grv. Micr. p. 192. Erichs. St. p. 258. fumipennis Say, Am. Phil. Tr. 4, 466. Er. St. p. 261. Mels. C. No. 1330. limbatus Mels. Pr. Acad. 2, 80. scrutator Mels. (discoideus||), Pr. Acad. 2, 32. luridus Erichs. St. p. 920. punctulatus Mels. Pr. Acad. 2, 82. puncticollis Ziegl. ib. nigricornis Mann. Beitrag, 225. frigidus Erichs. 256. Mann. Beitrag, 226. propinquus Mann. Beitrag, 226. elongatus Gyll. Mann. Beitrag, 227.

Bolitobius Leach.

niger Grv. Micr. p. 193. Erichs. St. p. 275.
axillaris Grv. Mon. p. 29. Erichs. ib. 274. Mels. C. No. 1326.
dimidiatus Erichs. St. p. 276.
cinctus Grv. Micr. p. 193. Er. St. p. 278. atricaudatus Say, J. Acad. 3, 158.
cincticollis Say, Am. Phil. Tr. 4, 465.
obsoletus Say,
ib. 464.
pygmaeus Linn. Er. St. p. 280. venustus Mels. Pr. Acad. 2, 33. trimaculatus|| Say, Am. Phil. Tr. 4, 464. angularis Sachse, Ent. Zeit. 1852,
binotatus Mels. Pr. Acad. 2, 33. [122 (teste Lec.).
biseriatus Mann. Bull. Mosc. 1846.

Mycetoporus Mann.

americanus Erichs. St. p. 285.

humidus Say (Tachinus), Am. Phil. Tr. 4, 465. lepidus Grv. (Tachinus), Mon. 26. Erichs. St. p. 284. tristis Grv. Mon. p. 29.

Othius Leach.

macrocephalus Nordm. Erichs. St. p. 297. Mann. Beitrag, 227. californicus Mann. Bull. Mosc. 1843, p. 228.

Xantholinus Dahl.

hamatus Say, Am. Phil. Tr. 4, 453. obscurus Er. St. p. 330. Mels. C. 1308. emmesus Grv. Micr. p. 176. Say, Am. Phil. Tr. 4, 452. Erichs. St. p. 324. palliatus Mels. Pr. Acad. 2, 34.

cephalus Say, Am. Phil. Tr. 4, 452. Erichs. St. p. 924. consentaneus Nord. Erichs. St. p. 326. assimilis Kirb. N. Z. 88. Kiesenwetteri Sachse, obsidianus Mels. Pr. Acad. 2, 34. [Ent. Zeit. 1852, 126 (teste Lec.). sanguinolentus Mels. Pr. Acad. 2, 34.

Thinopinus Lec.

pictus Lec. Ann. Lyc. 5, 216.

Ocypus Kirb.

ater Grv. Micr. p. 166. Say, Am. Phil. Tr. 4. 452. Erichs. St. p. 416.

Staphylinus Linn.

villosus Grv. Micr. p. 160. Erichs. St. p. 349. Kirb. N. Z. 4, 95. fasciatus? Laporte, Etud. Ent. p. 111. Erichs. St. p. 349.

crassus Mann. Bull. Mosc. 1846.

cingulatus Grv. Micr. p. 166. Erichs. St. p. 860. speciosus Mann. teste Er. exulans Erichs. St. p. 374. [chrysurus Kirb. N. Z. 94. vulpinus Erichs. St. 379. immaculatus Harr. Cat. Mann. ? Br. p. 29.

maculosus Grv. Micr. p. 165; Mon. p. 123. Erichs. St. p. 375. viduatus Fabr. El. 2, 591. Say, Am. Phil. Tr. 4, 451.

mysticus Erichs. St. p. 926. cinnamopterus Grv. Micr. p. 164. Erichs. St. p. 390. zonatus Grv. Micr.

p. 162. badius Mann. fossator Grv. Micr. p. 164. Erichs. p. 386.

violaceus Grv. Micr. p. 162. Say, Am. Phil. Tr. 4, 451. Erichs. S. p. 392. cupripennis Mels. Pr. Acad. 2, 35.

tomentosus Grv. Micr. p. 161. Erichs. St. p. 389.

praelongus Mann. Erichs. St. p. 391.

femoratus Fabr. El. 2, 594. Grv. Mon. 122. Erichs. St. p. 393.

Belonuchus Nordm.

formosus Grv. Mon. p. 72 (nec Er.). pallipes Mels. Pr. Ac. 2, 35 (teste Lec.).

Philonthus Leach.

cyanipennis Fabr. El. 2, 597. Grv. Micr. p. 168; Mon. p. 86. Say, Am. Phil. Tr. 4, 451. Erichs. St. p. 433. aeneus Grv. Micr. p. 17; Mon. p. 84. Erichs. St. p. 437. politus Kirb. Harrisii Mels. Pr. Acad. 2, 35. [N. Z. 91. mandibularis Kirb. 92. umbratilis Grv. Micr. p. 170. Say, Am. Phil. Tr. 4, 451. Erichs. St. 445. hepaticus Erichs. St. p. 451. nanus Mels. Pr. Acad. 2, 36. inquietus Erichs. St. p. 928. blandus Grv. Mon. p. 72. Erichs. St. p. 458. [(teste Lec.). pulchellus Mels. Pr. Acad. 2, 36. paederinus Sachse, Ent. Zeit. 1852, 126 umbrinus Grv. Micr. p. 69. Erichs. St. p. 464. moestus Grv. Mon. p. 47. promptus Erichs. St. p. 929. flavolimbatus Erichs. St. p. 471; 929. ruficornis Mels. Pr. Acad. 2, 38. cautus Erichs. St. p. 446. ventralis Grv. Micr. p. 174; Mon. p. 60. Erichs. St. p. 473. thoracicus Grv. Micr. p. 170. Erichs. St. p. 481. lomatus Erichs. St. p. 482. palliatus Grv. Mon. p. 53. Erichs. St. p. 474. laetulus Say, Am. Phil. Tr. 4, 449. Mels. Pr. Acad. 2, 36. debilis Erichs. St. p. 472. fulvipes Fabr. El. 2, 597. Erichs. St. p. 485. Kirb. N. Z. 93. brunneus Grv. Micr. p. 172. Erichs. St. p. 486. picatus Kirb. 93. sericans Grv. Micr. p. 171; Mon. p. 59. aterrimus Grv. Mon. p. 94. Erichs. St. p. 492. immundus Grv. Mon. p. 66. Erichs. St. p. 473. anthrax Grv. Micr. 176. dimidiatus | Say, Am. Phil. Tr. 4, 450? brevis Mels. Pr. Acad. 2, 87. sobrinus Erichs. St. p. 512. bistriatus Erichs. St. 502. cinctutus Mels. Pr. Acad. 2, 37. niger Mels. Pr. Acad. 2, 87. ater Ziegl. Pr. Acad. 2, 266. Siegwaldii Mann Beitrag, p. 230. californicus Mann. ib.

Quedius Leach.

albionicus Mann.

fusiformis Mels. Pr. Acad. 2, 38.

ib.

baltimoriensis Grv. Micr. p. 163. Erichs. St. p. 503. apicalis Say, Am. Phil. Tr. 4, 451. haematurus Er. 504.

231.

iracundus Say, Am. Phil. Tr. 4, 449. fulgidus Fabr. Erichs. St. p. 525.

laticollis Grv. Micr. p. 178. molochinus Grv. Mon. p. 46, teste Erichs. St. p. 585. Mann. Beitrag, 232.

capucinus Grv. Mon. p. 40. Erichs. St. p. 581. inversus Say, Am. Phil. peregrinus Grv. ib. 58. Erichs. ib. 550. [Tr. 4, 449. terminatus Mels. Pr. Acad. 2, 89. bardus Mels. ib.

transparens Motsch. Bull. Mosc. 1845, part 2, 858. longipennis Mann. ib. 1846. plagiatus Mann. Beitrag, 231. pediculus Erich. St. 531. Mann. Beitrag, 231. brunnipennis Mann. Beitrag, 232. hyperboreus Mann. ib. 233.

Acylophorus Nordm.

pronus Erichs. St. p. 521. flavicollis Sachse, Ent. Zeit. 1852.

Euryporus Erichs.

puncticollis Erichs. St. p. 554.

Oxyporus Fabr.

major Grv. Mon. p. 234; Enc. Méth. 8, 607. Erichs. St. p. 557.

stygicus Say, Am. Phil. Tr. 4, 459. Erichs. St. p. 559.

vittatus Grv. Micr. p. 195. Oliv. Enc. Méth. 8, 608. Erichs. St. p. 558.

cinctus Grv. Micr. p. 196 (var.).

lateralis Grv. Micr. p. 195. Oliv. Enc. Méth. 8, 606. Erichs. St. p. 559.

femoralis Grv. Micr. p. 196. Oliv. Enc. Méth. 8, 608. Erichs. St. p. 558.

pulcher Ziegl. Pr. Acad. 2, 43 (var.).

brevis Mels. Pr. Acad. 2, 39.

dimidiatus Mels. ib.

Cryptobium Mann.

badium Grv. Micr. p. 53. Erichs. St. 562. Mels. C. 1387.
bicolor Grv. ib. 179. Say, Am. Phil. Tr. 4, 454. Erichs. St. p. 563.
carolinum Erichs. St. p. 563.
melanocephalum Erichs. St. p. 564.
pallipes Grv. Micr. p. 179; Mon. p. 180. Erichs. St. p. 568. Gravenhorstii Kirb. N. Z. 87.
cinctum Say, Am. Phil. Tr. 4, 454. latebricola Erichs. St. p. 569?

Lathrobium Grav.

longiusculum Grv. Micr. p. 181. Erichs. St. p. 597. dimidiatum Say, Am. Phil. Tr. 4, 453. Erichs. St. p. 597. collare Erichs. St. p. 599. armatum Say, Am. Phil. Tr. 4, 453. Erichs. p. 603. puncticollis Kirb. N. Z. 86. Erichs. p. 604.

Scopaeus Erichson.

exiguus Erichs. p. 608.

Lithocharis Erichs.

confluens Say (confluenta), Am. Phil. Tr. 4, 456. Erichs. St. 615.

corticina Grv. Micr. p. 184. Erichs. St. p. 619. millepunctata Say, Am. Phil. Tr. 4, 456.

Stilicus Latr.

dentatus Say, Am. Phil. Tr. 4, 457. Erichs. p. 636. angularis Erichs. St. p. 634. tristis Mels. Pr. Acad. 2, 40.

Sunius Leach.

cinctus Say, Am. Phil. Tr. 4, 457. prolixus? Erichs. St. p. 639.
linearis Erichs. p. 639.
longiusculus Mann. Erichs. St. p. 643. discopunctatus Say, Am. Phil. Tr.
binotatus Say, J. Acad. 3, 154. Erichs. p. 645. [4, 457.

Paederus Fabr.

littorarius Grv. Mon. p. 142. Erichs. St. p. 656. riparius Linn. Kirb. N. Z. 86.

Pinophilus Grv.

latipes Grv. Micr. p. 142. Say, Am. Phil. Tr. 4, 456. Erichs. p. 674. picipes Erichs. St. p. 671.

Palaminus Erichs.

testaceus Erichs. St. p. 683.

Stenus Latr.

colon Say, Am. Phil. Tr. 4, 458. Erichs. p. 693. biguttatus Fabr. Ell. 2, 602. Erichs. St. p. 690. Juno Fabr. El. 2, 602. Erichs. p. 694. stygicus Say, Am. Phil. Tr. 4, 458. Erichs. p. 698. egenus Erichs. St. p. 698. colonus Erichs. ib. 699. femoratus Say, Am. Phil. Tr. 4. 459. Erichs. St. p. 713. flavicornis Erichs. St. p. 733. geniculatus | Say, Am. Phil. Tr. 4, 458. 735. annularis Erichs. ib. callosus Erichs. ib. 737. punctatus Erichs. ib. 744. arculus Erichs. ib. 4-punctatus Say, Am. Phil. Tr. 4, 459. Erichs. St. p. 745. erythropus Mels. Pr. Acad. 2, 40.

Evaesthetus Grv.

americanus Erichs. St. p. 746.

Megalops Erichs.

caelatus Grv. Micr. p. 197. Oliv. Enc. Méth. 8, 608. Erichs. p. 751

Osorius Leach.

Molosoma Say.

latipes Grv. (Oxytelus), Mon. p. 198. Say, Am. Tr. 4, 462. Erichs. p. 757.

Bledius Leach.

mandibularis Erichs. St. p. 765. rubiginosus Erichs. ib. 765. politus Erichs. ib. 766. troglodytes Erichs. ib. 774. Erichs. p. 780. cordatus Say, Am. Phil. Tr. 4, 461. armatus Say, J. Acad. 3, 155: ib. 779. ib. 780. fasciatus Say, ib. 156. 155. ib. melanocephalus ib. 779. pallipennis Say, ib. ib. emarginatus Say, Am. Phil. Tr. 4, 461. ib. 780.

Platystethus Mann.

americanus Erichs. St. p. 784.

Oxytelus Grv.

sculptus Grv. Mon. p. 191. Say, Am. Phil. Tr. 4, 460. Erichs. p. 788. incolumis Erichs. St. 791. [moerens Mels. Pr. Acad. 2, 42. insignitus Grv. Mon. p. 188. Erichs. p. 793. americanus Mann. basalis Mels. Pr. Acad. 2, 41. (rugosus Fabr. teste Lec.). pensylvanicus Erichs. p. 792. nanus Erichs. p. 797. exiguus Erichs. p. 798. pygmaeus Mels. Pr. Acad. 2, 41. nitidulus Erichs. St. p. 795. rugulosus Say, Am. Phil. Tr. 4, 460. parvulus Mels. Pr. Acad. 2, 41. fuscipennis Mann. Beitrag, 233.

Trogophiceus Mann.

morio Erichs. p. 805.

Apocellus Erichs.

sphaericollis Say (Lathrobium), Am. Phil. Tr. 4, 455. Erichs. p. 813.
globosus Mels. (Falagria), Pr. Acad. 2, 30 (teste Lec.). amabilis Sachse (Falagria), Ent. Zeit. 1852, 116 (teste Schaum).

Prognatha Latr.

americana Mels. Pr. Acad. 2, 42. convergens Sachse, Ent. Zeit. 1852, 148.

Olisthaerus Erichs.

laticeps Lec. Agass. L. Sup. p. 219. nitidus Lec. ib.

Anthophagus Grv.

caesus Erichs. St. p. 853. Mels. C. No. 1858. brunneus Say, J. Acad. 3, 158. Erichs. p. 854. verticalis Say, Am. Phil. Tr. 4, 463. Erichs. p. 854. laticollis Mann. Beitrag, 234.

Arpedium Erichs.

testaceum Mann. Beitrag, 234. maculicolle Mann. ib.

Acidota Leach.

subcarinata Erichs. St. p. 863.

Olophrum Erichs.

obtectum Erichs. p. 865. emarginatum Erichs. p. 868. rotundicolle Say (Omalium), Am. Phil. Tr. 4, 464.

Lathrium Lec.

convexicolle Lec. Lake Sup. 221.

Lathrimaeum Erichs.

sordidum Erichs. p. 871. marginatam? Kirb. N. Z. 89.

Omalium Grv.

repandum Erichs. St. p. 878. marginatum Say, Am. Phil. Tr. 4, 463. Erichs. p. 890. plagiatum Mann. Beitrag, 235.

Anthobium Leach.

dimidiatum Mels. Pr. Acad. 2, 43. fimetarium Erichs. 899. Mann. Beitrag, 235. pothos Mann. Beitrag, 235.

Glyptoma Erichs.

costale Erichs. p. 909.

Micropeplus Latr.

americanus Dej. C. p. 137. costatus Lec. Agass. L. Sup. p. 221.

Megarthrus Steph.

pictus Motsch. Bull. Mosc. 1845, part 1, 37.

Abax, 19, 20 Abraeus, 51 Acalles, 90 Acanthocerus, 55 Acanthoderes, 107 Acephorus, 9 Acidota, 161 Acilius, 29 Acmaeodera, 62 Acmaeops, 113 Acrepis, 83 Acrodon, 21 Acupalpus, 25 Acylophorus, 158 Adalia, 129 Adelina, 138 Adelocera, 68 Adelosia, 20 Adetus, 111 Adimonia, 120 Adonia, 129 Adranes, 153 Adrastus, 68 Aedilis, 107 Aegialia, 55 Aegomorphus, 107 Aëpus, 25 Agabus, 30 Agaosoma, 20 Agathidium, 38 Agonoderus, 22 Agonum, 16 Agraphus, 94 Agrilus, 65 Agriotes, 73 Alaüs, 69 Aleochara, 154 Alindria, 42 Allecula, 141 Alophus, 96 Altica, 121, 122 Amara, 20 Amblycheila, 1

Amniscus, 108

Ampedus, 70 Amphasia, 22 Amphicoma, 160 Amphicrossus, 42 Amphicyrta, xvi Amphidora, 134 Amphionycha, 112 Anaerea, 110 Analcis, 91 Anatis, 130 Anaspis, 143 Anchomenus, 16, (12) Anchytarsus, 74 Ancylocera, 106 Ancylocheira, 63 Ancylonycha, 59 Ancyronyx, 35 Anelastes, 66 Anepsius, 137 Aniara, 139 Anisodactylus, 22 Anisotoma, 37 Anisotomidae, 87 Anobium, 85 Anoedus, 140 Anomala, 60 Anophthalmus, 26 Anoplitis, 118 Anoplium, 102 Anoplodera, 115 Anorops, 141 Anthaxia, 65 Antherophagus, 45 Anthicidae, 149 Anthicus, 149, (148) Anthobates, 143 Anthobium, 161 Anthocomus, 80 Anthonomus, 93 Anthophagus, 161 Anthophilax, 113 Anthrenus, 48 Anthribus, 99 Apalus, 146

Apate, 84 Apatura, 64 Aphanisticus, 66 Aphanobius, 70, (78) Aphodius, 54 Aphrastus, 95 Aphthona, 123 Apenes, 4 Apiodera, 8 Apion, 97 Aplochile, 7 Apocellus, 160 Apocrypha, 135 Apristus, 5 Aptinus, 6 Aracanthus, 93 Araeocerus, 98 Ardistomis, 8 Araeoschizus, 135 Areoda, 58 Aretharea, 7 Argaleus, 118 Argutor, 18 Arhopalus, 103, (104, 105) Arpedium, 161 Arrhenodes, 97 Arrhenoplitis, 137 Arthmius, 152 Arthromacra, 148 Asaphes, 69 Asbolus, 133 Asclera, 147 Asemum, 108 Asida, 132 Aspidoglossa, 9 Astynomus, 107 Ataxia, 111 Athous, 69 Atimia, 111 Atomaria, 45 Atopa, 74 ATOPIDAE, 74 Atranus, 12 Attagenus, 48 Attelabus, 98 Auchmobius, 135 Aulonium, 43 Axinopalpus, 5.

Babia, 126 Badister, 14, 25 Baeocera, 38 Bagous, 90 Balaninus, 92 Baridius, 91 Baria, 91 Barynotus, 96 Bassareus, 127 Batrisus, 152 Batulius, 137 Belonuchus, 156 Bembidium, 26 Berosus, 35 Blaps, 134, 136 Blapstinus, 136 Bledius, 160 Blemus, 29 Blepharida, 123 Blethisa, 11 Bolbocerus, 56 Bolitobius, 155 Boletophagus, 140, (188) Bomius, 5 Boros, 138 Boscia, 74 Bostrichus, 84, (87) Bothrideres, 44 Bothynus, 58 Brachinus, 6 Brachyacantha, 130 Brachybamus, 93 Brachycopris, 53 Brachypterus, 40 Brachys, 65 Brachystylus, 95, (19) Brachytarsus, 99 Bradycellus, 25 Bradytus, 21 Bromius, 125 Brontes, 44 Broscus, 20 Bryaxis, 152 Bruchus, 99 Buprestidae, 62 Buprestis, 68 BYRRHIDAE, 48 Byrrhus, 49 Byturus, 48

Cacoplia, 110
Caenia, 75
Caerosternus, 49, 51
Calasia, 143
Calathus, 15
Calleida, 4
Callichroma, 101
Callidium, 103, (102, 104, 116)
Calligrapha, 123
Callisthenes, 10
Calomicrus, 121
Calopus, 147
Calosoma, 10

Camarotus, 98 Camptorhina, 60 Camptorhinus, 91 Campylus, 70 Cantharis, 145, (78) Canthon, 53 CARABIDAE, 3 Carabus, 10 Cardiophorus, 70 Carpophilus, 40 Caryoborus, 99 Casnonia, 8 Cassida, 119 Cateretes, 45 Catogenus, 44 Catops, 89 Catorama, 86 CEBRIONIDAE, 74 Cebrio, 74 Cedius, 151 Celetes, 76 Celia, 21 Celina, 33 Centrinus, 91 Centrioptera, 186 Centronipus, 139 Ceophyllus, 151 Cephaloleia, 119 Cephaloon, 147 CERAMBYCIDAE, 100 Cerasphorus, 101 Cercopeus, 94 Cercus, 40 Cercyon, 37 Cerenopus, 136 Cerophytum, 67 Cerotoma, 120 Ceruchus, 57 Cerylon, 44 Cetonia, 62 Ceutocerus, 48 Ceutorhynchus, 90 Chaetocnema, 123 Chalcodermus, 90 Chalcolepidius, 69 Chalcophora, 68 Chalepus, 58 Chauliognathus, 78 Chelymorpha, 119 Chilocorus, 130 Chion, 101 Chlaenius, 12 Chlamys, 126 Choeridium, 53 Chorea, 67 Chrysobothris, 64

Chrysochus, 125 Chrysomela, 124 CHRYSOMELIDAE, 116 Cibdelis, 139 CICINDELIDAE, 1 Cicindela, 1 Cicones, 43 Cis, 85 Cistela, 141 Cleonus, 96 CLERIDAE, 81 Clerus, 82 Clivina, 8 Clypeaster, 131 Clythra, 126 Clytus, 104, (111) Cnemidotus, 33 Coccinella, 129 COCCINELLIDAE, 129 Coeliodes, 90 Coelocnemis, 140 Coelogaster, 89 Coelomera, 120 Coelus, 133 Colaspis, 124 Colastus, 40 Collops, 80 COLYDIIDAE, 43 Colydium, 44 Colymbetes, 30 Compsidea, 110 Colyphus, 81 Conibius, 186 Coniontis, 133 Cononotus, 135 Conotelus, 40 Conotrachelus, 90 Conurus, 155 Copelatus, 31 Copris, 53 Coprobius, 53 Coptocycla, 119 Coptodera, 6 Coptotomus, 31 Copturus, 90 Coraebus, 65 Corphyra, 148 Corticaria, 46 Corymbites, 72 Cossonus, 88 Corynetes, 84 Cotinis, 62 Coscinoptera, 126 Craniotus, 135 Cratacanthus, 22 Cratonychus, 67

Cratoparis, 99 Cremastochilus, 61 Crepidodera, 122 Criocephalus, 103 Crioceris, 118, 122 Criomorphus, 104 Crossidius, 101 Crymodes, 138 Cryptarcha, 42 Cryptadius, 135 Crypticus, 137 Cryptobium, 158 Cryptocephalus, 127 Cryptohypnus, 71 CRYPTOPHAGIDAE, 45 Cryptophagus, 45 Cryptorhynchus, 91 Ctenistes, 151 CUCUJIDAE, 44 Cucujus, 44 Cupes, 87 CURCULIONIDAE, 88 Curius, 106 Curtonotus, 21 Cybister, 29 Cychramus, 41 Cychrus, 9 Cyclinus, 33 Cyclocephala, 58 Cyclonotum, 36 Cymatodera, 81 Cymindis, 4 CYPHONIDAE, 74 Cyphon, 74 Cysteodemus, 145 Cyrtophorus, 106 Cyrtinus, 111, (105) Cyrtusa, 37

Dacne, 46 Daptus, 22 Dascillus, 74 Dasytes, 81 Daulis, 129 Deloyala, 119 Dendarus, 140 Dendroides, 148 Dendrophagus, 44 Dendrophilus, 51 Dermestes, 48 DERMESTIDAE, 48 Derobrachus, 100 Desmiphora, 109 Desmocerus, 112 Diabrotica, 120 Diacanthus, 72

Diaperis, 138 Diaphorus, 4 Dibolia, 123 Dicaelus, 14 Dicerca, 69 Dicheirus, 22 Dichelonycha, 60 Dicrepidius, 67 Dictyoptera, 75 Digrapha, 75 Dineutes, 83 Dinodes, 13 Diozodes, 106 Diplocheila, 14 Diplocheirus, 22 Diplotaxis, 59 Dircaea, 142, (149) Dirhagus, 66 Disonycha, 122 Distenia, 112 Ditoma, 48 Ditylus, 147, (138) Dolopius, 73 Donacia, 116 Dorcaschema, 110 Dorcatoma, 86 Dorcus, 57 Dorthesia, 145 Drepanus, 7 Dromius, 5 Dromochorus, 8 Dryobius, 103 Dryophthorus, 88 Dynastes, 57 Dyschirius, 9 Dysphaga, 107 Dytiscidae, 29 Dytiscus, 29

Ebaeus, 81 Eburia, 101 Ectinus, 73 Ecyrus, 108 Ega, 3 Edrotes, 135 Elaphidion, 102, (106) Elaphrus, 12 Elasmocerus, 81 ELATERIDAE, 67 Elater, 70 Eledona, 140 Eleodes, 184 Ellychnia, 77 Elmis, 35 Elodes, 74 Emathion, 66

T 1 11 101
Embaphion, 134
Emmenastes, 133
Emmesa, 142
Enaphorus, 4, 7
Encyclops, 112
Endecatomus, 85
Thucosomus, co
ENDOMYCHIDAE, 182
Endomychus, 132
Engis, 46
Ennearthron, 86
Enoplium, 84, (83)
Entomoscelis, 124
79
Entypus, 86
Epantius, 136
Franking 26
Epaphius, 26 Ephebus, 132
Ephebus, 132
Epicaerus, 95
Epicauta, 146
Epicauca, 140
Epierus, 49
Epilachna, 131
Frinhania 66
Epilachna, 131 Epiphanis, 66 Epipocus, 132 Epitragus, 140
Epipocus, 132
Enitragus, 140
Eriopis, 129
77 i i i 704
Eriphus, 104
Eripus, 9
Epuraea, 41
Druinea, 41
Erirhinus, 93
Erirhipis, 62
Erodiscus, 93
13 70
Eros, 76
EROTYLIDAE, 47
Erotylus, 47
D 141
Eryx, 141
Eubria, 75
EUCNEMIDAE, 66
Euderces, 106
Eucnemis, 67
Eucyphus, 141
Eudiagogus, 96
Eudocinus, 94
Eudromus, 28
En months 00
Eugnamptus, 98
Eulabis, 136
Eumerus, 65
Eumolpus, 125
Eumorphus, 132
Eunectes, 29
Euparia, 55
Euparius, 99
Euphoria, 62
Funlactus 158
Euplectus, 153
Eupogonius, 109
Eupsenius, 152
Eupsenius, 152 Euryderus, 22
Danguerus, 22
Eurygenius, 149

Eurymetopon, 185
Eurypalpus, 34
Euryporus, 158
Euryptychus, 66
Eurytrichus, 28
Eusattus, 188
Eustrophus, 148
Evaesthetus, 159
Evodinus, 118
Exema, 126
Exocentrus, 108
Exochomus, 130

Falagria, 158
Faronus, 158
Feronia, 22, 18
Formicilla, 149
Fornax, 66

Galba, 67 Galerita, 3 Galeruca, 120 Gastrophysa, 124 Gaurotes, 113 Geobaenus, 25 Geopinus, 22 GEORYSSIDAE, 35 Georyssus, 35 Geotrupes, 56 Gibbium, 85 Glaphyra, 116 Glyptoma, 161 Glyptoscelis, 125 Gnathium, 147 Gnoma, 106 Gnorimus, 61 Goes, 109 Gonioctena, 124 Gracilia, 106 Grammoptera, 115 Graphisurus, 107 Graphorhinus, 95 Graptodera, 121 Griburius, 127 Gymnetis, 62 Gymnodus, 61 Gynandropus, 25 Gynandrotarsus, 28 Gyretes, 38 GYRINIDAE, 83 Gyrinus, 33 Gyrophaena, 154

Haemonia, 117 Haliplus, 33 Hallomenus, 142

Haltica, 121 Hamotus, 152 Haplochile, 7 Harmonia, 129 Harpalus, 24 Hebestola, 110 Hedobia, 85 Heilipus, 94 Helichus, 34 Heliomanes, 107 Heliophilus, 187 Helluo, 7 Helluomorpha, 7 Helobia, 11 Helodes, 124 Helophorus, 35 Helops 140, (139) Hemicrepidius, 67 Hemirhipis, 69 Hetaerius, 50 Heteracthes, 106 Heteraspis, 125 HETEROCERIDAE, 34 Heterocerus, 34 Heterodromia, 45 Heteromorphus, 7 Heteronychus, 58 Hetoemis, 110 Hippodamia, 129 Hippopsis, 110 Hispa, 119 Hister, 50 HISTERIDAE, 49 Hololepta, 51 Homalota, 154 Hoplia, 60 Horia, 145 Hyboma, 53 Hybosorus, 56 Hydaticus, 30 Hydnocera, 83 Hydraena, 35 Hydrium, 26 Hydrobius, 36 Hydrocanthus, 31 Hydrocharis, 86 Hydrochus, 85 Hydrophilidae, 85 Hydrophilus, 86 Hydroporus, 31 Hygrotus, 38 Hylastes, 88 Hylecoetus, 86 Hylesinus, 87 Hylobius, 95 Hylochares, 66

Hylotrupes, 103 Hylurgus, 88 Hyperaspis, 181 Hyperplatys, 108 Hypophloeus, 138, (42) Hypsonotus, 95, 96 Hypulus, 142

Ibidion, 106
Ichnea, 83
Ichthydion, 149
Ilybius, 30
Imatidium, 119
Iphthinus, 139
Ipochus, 111
Ips, 42,
Irichroa, 9
Isarthron, 104
Isarthrus, 67
Ischyrus, 46
Ischnomera, 147
Isopleurus, 20
Ithycerus, 98

Labidomera, 123 Laccobius, 36 Laccophilus, 31 Lachnophorus, 3 Lachnopus, 96 Lachnosterna, 59 Laemophloeus, 44 Laemosaccus, 92 LAGRIIDAE, 148 LAMELLICORNIA, 53 Lamia, 102, 115 LAMPYRIDAE, 75 Lampyris, 77, (74) Languria, 47 Larinus, 94 Lasioderma, 86 LATHRIDIIDAE, 46 Lathridius, 46 Lathrimaeum, 161 Lathrium, 161 Lathrohium, 158 Lebia, 5 Leiodes, 37 Leiopus, 108 Leirus, 21 Leistus, 11 Lema, 118 Lepesoma, 97 Lepidophorus, 96 Leptostylus, 108 Leptotrachelus, 3 Leptura, 114, (116)

Lepyrus, 95 Lichnanthe, 60 Limnebius, 36 Limnius, 85 Limonius, 70 Liparus, 95, 97 Lissomus, 49 Listroderes, 96 Lithocharis, 158 Lithodus, 95 Lixus, 94 Lobiopa, 41 Loricera, 12 Loxandrus, 17 Lucanus, 56 Lucernuta, 76 Luciola, 78 Ludius, 72 Luperus, 121 Lycoperdina, 132 Lycus, 85, (44) Lycus, 75 Lymantes, 88 Lygerus, 80 Lymexylon, 86 Lyperus, 18Lypsimena, 110 Lytta, 145

Macratria, 149 Macrodactylus, 60 Macronychus, 35 Macroplea, 117 Macrosiagon, 144 Macrotelus, 81 Madarus, 92 Magdalinus, 93 Magdalis, 93 MALACHIDAE, 80 Malachius, 80 Mallodon, 100 Malthacus, 79 Malthinus, 79 Manticora, 1 Mantura, 123 Macrops, 95 Matus, 31 Megacephala, 1 Megaderus, 101 Megalops, 159 Megalostylus, 17 Megarthrus, 161 Megatoma, 48 Megilla, 129

Melandrya, 142

Melandryadar, 142 Melanophila, 64 Melasis, 66, (78) Melasoma, 124 Meloe, 145 Meloidae, 145 Melolontha, 58 Mesomphalia, 119 Mesosa, 111, (108) Meracantha, 140 Metabletus, 5 Metachroma, 125 Methia, 107 Metonius, 66 Metrius, 12 Michthysoma, 103 Micronyx, 92 Micropeplus, 161 Microrhagus, 67 Microrhopala, 118 Microschatia, 133 Molorchus, 107 Molosoma, 160 Monachus, 127 Moneilema, 107 Monocrepidius, 67 Monohammus, 109 Mononychus, 90 Monophylla, 81 Monotoma, 46 Mordella, 143 MORDELLIDAE, 143 Morio, 15, (7) Mycetochares, 141 Myas, 20 Mycetophagus, 47 Mycetoporus, 156 Mycterus, 148 Myochrous, 125 Myodites, 145 Mysia, 130

Nacerdes, 147 Naemia, 129 Nebria, 11 Necrobia, 84 Necrophila, 40 Necrophilus, 40 Necrophorus, 39 Necydalis, 107 Nelites, 137 Nematodes, 67 Nemognatha, 147 Neomida, 137

Nitidula, 41
NITIDULIDAE, 40
Noda, 125
Nosodendron, 49
Nosoderma, 133
Notaphus, 26
Noterus, 31
Nothopus, 22
Nothrus, 106
Notibius, 136
Notiodes, 98
Notiophilus, 12, (98)
Notoxus, 149
Nyctobates, 139
Nyctoporis, 135
Nycteus, 75

Oberea, 111 Obrium, 106 Ochina, 85 Ochodaeus, 55 Ochthebius, 35 Ochthedromus, 26 Octotoma, 119 Ocypus, 156 Odacantha, 3 Odontium, 26 Odontomus, 64 Odontonyx, 74, (81) Odontota, 118 OEDEMERIDAE, 147 Oedionychis, 121 Oedipodes, 121 Oeme, 104 Oiceoptoma, 39 Olibrus, 87 Oligota, 154 Olisthaerus, 160 Olisthopus, 17 Olophrum, 161 Omalium, 161 Omalodes, 50 Omaloplia, 59 Omaseus, 18 Omophron, 11 Omosita, 41 Omus, 1 Oncideres, 109 Onitis, 54 Onthophagus, 54 Onthophilus, 52 Onychodon, 68 Oodes, 18 Opatrinus, 137 Opatrum, 187, (140) Opetiopalpus, 84 Opilus, 82, 83 Ophonus, 25 Ophryastes, 97 Opisthius, 11 Oplocephala, 137 Opsimus, 108 Orchesia, 143 Orchestes, 92 Orchestris, 122 Orsodacna, 116 Orthopleura, 84 Orthosoma, 100 Osmoderma, 61 Osorius, 160 Othius, 156 Otidocephalus, 93 Otiorhynchus, 94 Oxynychus, 131 Oxyomus, 55 Oxypoda, 154 Oxyporus, 158 Oxypteris, 64 Oxytelus, 160

Pachnaeus, 96 Pachnephorus, 126 Pachybrachis, 126 Pachylopus, 52 Pachyonychia, 121 Pachyta, 113 Paederus, 159 Palaminus, 159 Pallodes, 42, (37) Panagaeus, 12 Pandeletejus, 97 Pangus, 24 Panscopus, 92, 95 Paramecosoma, 45 Parandra, xvi Paratenetus, 45 PARNIDAE, 34 Parnus, 34 Paromalus, 51 Pasimachus, 7 Passalus, 57 Patrobus, 15 Paxillus, 57 Pedetes, 69 Pedilus, 148 Pedinus, 137 Pelecotoma, 144 Pelecyphorus, 132 Pelidnota, 58 Pelonium, 84

Pelophila, 11 Peltis, 43 Perarthrus, 101 Penthe, 141 Peritelus, 94 Percosia, 20 Pericompsus, 29 Perothops, 68 Perilypus, 81 Phaedon, 124 Phaenops, 64 Phaenithon, 98 Phaiona, 142 PHALACRIDAE, 87 Phalacrus, 37, (38) Phaleria, 187, (138) Phanaeus, 53 Phausis, 77 Phengodes, 76 Phenolia, 41 Phileurus, 57 Philhydrus, 36 Philonthus, 157 Philotecnus, 4 Phlocophagus, 88 Phloeopora, 153 Photinus, 77 Photuris, 77 Phyllobaenus, 83 Phyllobius, 95 Phyllobrotica, 121 Phyllophaga, 59 Phyllotreta, 122 Phymaphora, 132 Phymatodes, 104, (108) Physocnemum, 104, (108) Physocoelus, 140 Phytobius, 92 Phytoecia, 112 Phyton, 106 Phytonomus, 95 Phyxelus, 94 Piesmus, 18 Pimelia, 184, 185 Pinophilus, 159 Piodes, 112 Piosoma, 22 Pissodes, 94 Placusa, 155 Platycerus, 57 Platydema, 138 Platyderus, 18 Platynus, 15 Platyomus, 97

Platypus, 87

Platysoma, 51 Platystethus, 160 Plectrodera, 109 Plegaderus, 51 Plinthus, 95 Plochionus, 5 Pocadius, 41 Podabrus, 79 Podalgus, 58 Poecilus, 17 Pogonocerus, 148 Pogonocherus, 109 Pogonus, 15, (18) Polemius, 78 Pollaclasis, 76 Polydrosus, 96 Polygramma, 123 Polyopsia, 110 Polypleurus, 136 Porphyraspis, 119 Priocera, 82, (84) Priognathus, 138 Prionomerus, 93 Prionus, 100 Pristilophus, 73 Pristodactyla, 15 Pristonychus, 15 Prognatha, 160 Promecognathus, 9 Promecops, 96 Prometopia, 41 Psammodius, 55 PSELAPHIDAE, 151 Psenocerus, 110, (105) Psephenus, 34 Pselaphus, 151 Pseudomorphus, 7 Pseudomus, 91 Psilocnemis, 61 Psydrus, 7 Psylliodes, 123 Psyllobora, 130 Ptenidium, 38 Pterocolus, 98 Pterostichus, 18, (15) Ptilinus, 86 Ptilodactyla, 74 PTINIDAE, 84 Ptinus, 85 Ptochus, 95 Ptosima, 64 Ptychodes, 109 Purpuricenus, 101, (102) Pycnomerus, 44 Pyractomena, 77

Scymnus, 131

Pyrochroidae, 148 Pyrochroa, 148 Pyrophorus, 69 Pyrota, 146 Pytho, 142

Quedius, 157

Rembus, 14 Rhadalus, 82 Rhadine, 15 Rhaeboscelis, 65 Rhagium, 112, (115) Rhagodera, 43 Rhagonycha, 80 Rhexius, 153 Rhinaria, 92 Rhinoncus, 89 RHIPICERIDAE, 73 Rhizophagus, 42 Rhynchaenus, 96 Rhynchites, 98 Rynchophorus, 89 Rhyncolus, 88 Rhysodes, 87 RHYSODIDAE, 87 Rhyssemus, 55 Rhyssematus, 90 Ripiphorus, 144 Rosalia, 101

Sacium, 131 SALPINGIDAE, 148 Salpingus, 148 Sandalus, 78 Saperda, 110, (112, 115) Saprinus, 52 SCAPHIDIIDAE, 88 Scaphidium, 88 Scaphinotus, 10 Scaphiodactylus, 15 Scaphisoma, 38 Scaphium, 38 Scarabaeus, 58 Scarites, 7 Schizogenius, 8 Schizotus, 148 Scirtes, 75 Sclerocerus, 103 SCOLYTIDAE, 87 Scolytus, 87 Scopaeus, 158 Scraptia, 148 SCYDMAENIDAE, 151

Scydmaenus, 151

Selatosomus, 73 Selenodon, 74 Selenophorus, 23 Serica, 60 Serropalpus, 142 Silis, 78 Silpha, 40 SILPHIDAE, 89 Silvanus, 45 Simplocaria, 48 Sinodendron, 57 Sitona, 97 Sitophilus, 88 Smicronyx, 92 Smileceras, 101 Smodicum, 104 Spacalopsis, 110 Spercheus, 86 Spermophagus, 99 Sphaeridium, 37 Sphaeriestes, 148 Sphaerites, 40 Sphaeroderma, 123 Sphaeroderus, 10 Sphaeromorphus, 55 Sphenophorus, 89 Sphenostethus, 101 Spheracra, 3 Spondylis, 100 Spongopus, 22 STAPHYLINIDAE, 158 Staphylinus, 156 Statyra, 148 Stelidota, 41 Stenelmis, 34 Stenocerus, 99 Stenochia, 141 Stenocorus, 101, (106, 112) Stenolophus, 25 Stenomorpha, 132 Stenomorphus, 20 Stenosoma, 111 Stenopterus, 106 Stenosphenus, 104 Stenostola, 111 Stenura, 113, 114 Stenurus, 62 Stenus, 159 Stephanucha, 62 Stereocerus, 18 Stereopalpus, 149 Sternuchus, 38 Stilicus, 159

Stizocera, 106

Stomis, 20 Strangalia, 118 Strategus, 57 Strigoderma, 60 Strongylus, 40 Strophosomus, 97 STYLOPIDAE, 145 Sunius, 159 Suphis, 31 Syncalypta, 49, (48) Synchita, 48 Synchroa, 142 Syneta, 117 Systena, 122

Tachinus, 155 Tachygonus, 97 Tachyporus, 155 Tachypus, 8 Tachys, 28 Tanarthrus, 150 Tanymecus, 97 Tanystoma, 16 Taphrocerus, 65 Taraxis, 118 Tarsostenus, 82 Tarus, 4 Tegrodera, 146 Telephanus, 45 Telephorus, 78 Temnochila, 42 Tenebrio, 139 TENEBRIONIDAE, 132 Teretrius, 51 Tessaropa, 107 Tetraonyx, 146 Tetraopes, 109 Tetratoma, 47 Tetropium, 104 Tetrops, 112 Thalassa, 180 Thalpius, 7 Thanasimus, 83 Thanatophilus, 39 Thaneroclerus, 83 Tharops, 66 Thecesternus, 95 Thermonectus, 29 Thia, 107 Thinopinus, 156 Throscus, 49 THROSCIDAE, 49 Thyamis, 122

Thylacites, 97

Thymalus, 48 Tillus, 81, (84) Tinopus, 101 Tmesiphorus, 151 Tomicus, 87 Tomoderus, 149 Tostegoptera, 58 Toxotus, 112 Trachyphloeus, 94 Trachypteris, 64 Trachyscelis, 187 Tragosoma, 101 Tragidion, 102 Trechus, 26, 25 Triaena, 21 Tribalus, 49 Trichestes, 58 Trichius, 61 Trichocnemis, 100 Trichodes, 82 TRICHOPTERYGIDAE, 38 Trichopteryx, 38 Trigonarthris, 115 Trigonopeltastes, 61 Trimytis, 135 Trinodes, 48 Triorophus, 135 Triphyllus, 48 Triplax, 46 Tritoma, 47 Trixagus, 49 Trogoderma, 48 Trogophloeus, 160 Trogosita, 42 (47, 139) Tropideres, 99 Trox, 56 Trypherus, 80 Tychius, 92 Tychus, 152 Tylodes, 90 Tylosis, 101 Tylonotus, 104 Tyrus, 151 Tytthonyx, 80

Uloma, 189 Upis, 140, (186, 147) Uroplata, 118

Valgus, 61

Xanthochroa, 147 Xantholinus, 156 Xenos, 145 Xyletinus, 86 174


Xylita, 142 Xylophilus, 151 Xylophtorus, 44 Xyloryctes, 57

Zenos, 78

INDEX.

Zonitis, 146 Zopherus, 183 Zophosis, 183 Zuphium, 8 Zygogramma, 123

FINIS.



MIXION 1885 AUG 3 1885 SEP 4 1885 MIXION 1880

DUE YOU -9 3

ANGERS SEARCHES

Digitized by Google

