

QL
571
C692s
ENT



7
571
C672
ENT

64361
Smithsonian
18


Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.



Pars 68:

J. Weise

Chrysomelidae: 12. Chrysomelinae.

Einzel-Preis: Mark 25.50

Subscriptions-Preis: Mark 17.—

W. Junk

Berlin W. 15

8. IX. 1916.



- Soeben erschienen: Just published: Vient de paraître:
- H. Loew**, Die Europäischen Bohr-Fliegen (Trypetidae). (Wien 1862.) 1913. **Facsimile Edition**. In Folio. Mit 26 photograph. Tafeln. Preis Mark 150.—
- C. Rondani**, Dipterologiae Italicae Prodromus. 8 vol. (1856—1880.) 1914. **Facsimile Edition**. Preis Mark 150.—
- In Vorbereitung: In preparation: En préparation:
- Brauer u. Bergenstamm**, Die Zweiflügler des Kais. Museums zu Wien. 7 Teile. (Wien 1880—1894.) **Facsimile Edition**. Quart. Mit 24 Tafeln. Subscriptionspreis: Mark 120.—
Preis nach Erscheinen: Mark 150.—
- | | |
|--|--|
| Preis der 3 Neudrucke zusammen: | } Mark 360.—
= 18 £
= Francs 450 |
| Price of the 3 reprints, taken together: | |
| Prix des 3 réimpressions, ensemble: | |

Coleopterorum Catalogus.

- Pars 1: **R. Gestro**, Rhysodidae. 1910. 11 p.
(Mark 1) Mk. 0.65
- 2: **F. Borchmann**, Nilionidae, Othniidae, Aegialitidae, Petriidae, Lagriidae. 1910. 32 p.
(Mark 3) Mk. 2.—
- 3: **F. Borchmann**, Alleculidae. 1910. 80 p.
(Mark 7.50) Mk. 5.—
- 4: **M. Hagedorn**, Ipidae. 1910. 134 p.
(Mark 12.75) Mk. 8.50
- 5: **R. Gestro**, Cupedidae, Paussidae. 1910. 31 p.
(Mark 3) Mk. 2.—
- 6: **H. Wagner**, Curculionidae: Apioninae. 1910. 81 p.
(Mark 7.50) Mk. 5.—
- 7: **H. von Schönfeldt**, Brenthidae. 1910. 57 p.
(Mark 5.25) Mk. 3.50
- 8: **G. van Roon**, Lucanidae. 1910. 70 p.
(Mark 6.50) Mk. 4.35
- 9: **E. Olivier**, Lampyridae. 1910. 68 p.
(Mark 6.35) Mk. 4.25
- 10: **E. Olivier**, Rhagophthalmidae, Drilidae. 1910. 10 p.
(Mark 1) Mk. 0.65
- 11: **A. Lèveillé**, Temnochilidae. 1910. 40 p.
(Mark 3.75) Mk. 2.50
- 12: **E. Csiki**, Endomychidae. 1910. 68 p.
(Mark 6.35) Mk. 4.25
- 13: **E. Csiki**, Scaphidiidae. 1910. 21 p.
(Mark 2) Mk. 1.30
- 14: **M. Pic**, Hylophilidae. 1910. 25 p.
(Mark 2.40) Mk. 1.60
- 15, 22, 28, 37: **H. Gebien**, Tenebrionidae, Trictenotomidae. 1910—11. 742 p.
(Mark 69.90) Mk. 46.60

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 68:

J. Weise


Chrysomelidae: 12. Chrysomelinae.



W. Junk

Berlin W. 15

1916.



Fam. Chrysomelidae.

12. Chrysomelinae.

Auct. J. Weise.

- Chrysomelidae* Jacoby, Biol. Centr.-Amer. Col. VI, 1, 1882, p. 188.
- Chrysomélides* Lacordaire, Phytoph. I, 1845, p. L. — Motschulsky, Schrenck's Reisen Amurl. II, 1860, p. 179. — Chapuis, Gen. Col. X, 1874, p. 351.
- Chrysomelina* C. G. Thomson, Skand. Col. VIII, 1866, p. 242. — Fowler, Col. Brit. Isl. IV, 1890, p. 298.
- Chrysomelini* Redtenbacher, Fauna Austr. ed. 3, 1874, I, p. CXLVII und CXLIX und II, p. 467. — Weise, Ins. Deutschl. VI, 1, 1882, p. 298. — J. Leconte & Horn, Classific. Col. N. Amer. 1883, p. 344. — Seidlitz, Fauna Balt. ed. 2, 1887—91 (1891), Gatt. p. 172, Arten p. 689; Fauna Transsylv. 1888—91 (1891), Gatt. p. 172, Arten p. 769. — Bedel, Fauna Col. Bassin Seine V, 1892, p. 139. — Wickham, Canad. Ent. XXVIII, 1896, p. 199. — Reitter, Fauna Germ. IV, 1912, p. 107. — Kuhnt, Ill. Best.-Tab. Käfer Deutschl. 1912, p. 835. — C. Schauf. in Calwer, Käferbuch, ed. 6, 1907—16 (1913), p. 923 und 926.
- Chrysomélites* Fairmaire in Jacquelin du Val, Gen. Col. d'Eur. IV, 1854—68 (1868), p. 225.
- Amerikanische Arten: Stal¹⁾, Monographie des Chrysomélides de l'Amérique in Nova Acta Upsal. (3) IV, 1862—65 (p. 1—86 = Mon. I, 1862; p. 87—176 = Mon. II, 1863; p. 177—365 = Mon. III, 1865).
- Malayische Arten: Baly, Phytophaga Malayana in Trans. Ent. Soc. London (3) IV, 2, 1867, p. 278—298.
- Afrikanische Arten: Vogel in Nunquam otiosus I, 1871, p. 65—155.
- Biologie: Latreille, Hist. Nat. Crust. Ins. XI, 1803, XII, 1804. — Ratzeburg, Forstins. I, 1837, p. 240. — Westwood, Introd. Ent. I, 1839, p. 370. — Lacordaire, Phytoph. I, 1845, p. XXXVIII. — Chapuis & Candèze, Mém. Soc. Liège VIII, 1853, p. 590. — Rey, Essai d'Etudes 1887, p. 110. — Beutenmüller, Ent. Amer. VI, 1890, p. 175. — Bedel, Fauna Col. Bassin Seine VII, 1891, p. 105. — Weise, Ins. Deutschl. VI, 6, 1893, p. XIII. — Sander-son, Proc. Ent. Soc. Wash. V, 1902, p. 21. — Friedrichs, Arch. Ver. Nat. Mecklenburg LXI, 1907, p. 48.
- Morphologie, Anatomie: Lecaillon, Arch. Anat. Misc. II, 1898, p. 89, 118 u. 189. — Bordas, Journ. Anat. Physiol. XXXV, 1899, p. 20, t. 2; Bull. Mus. Hist. Nat. Paris VI, 1899, p. 282. —

¹⁾ Bei diesem Namen mußte im vorliegenden Hefte der Buchstabe a ohne das Zeichen c gegeben werden, da infolge des Krieges die entsprechenden Lettern nicht beschafft werden konnten.

Hegner, Biol. Bull. Labor. Woods Holl. XVI, 1908, p. 19; Science (2) XXIX, 1909, p. 426. — Stevens, Exp. Zool. Philad. VI, 1909, p. 101. — Sharp & Muir, Trans. Ent. Soc. Lond. 1912, p. 559.

I. Zygogrammini.

Weise, Deutsche Ent. Zeitschr. 1915, p. 435.

Hispostoma Ws.

Weise, Ann. Soc. Ent. Belg. LI, 1907, p. 134.

bivittatum Ws. l. c. LV, 1911, p. 168.

Angola: Bai-
lundo

✓ **marginatum** Ws. l. c. LI, 1907, p. 134.

D.-Ostafrika:
Uhehe

2

Barymela Ws.

Weise in Voeltzkow, Reise Ostaf. II, 1910, p. 459.

✓ **hova** Duviv. Ann. Soc. Ent. Belg. XXXV, 1901, C. r. p. 366 (*Chrysomela*). Madagaskar:
Tamatave

✓ **madagascariensis** Jac. Trans. Ent. Soc. Lond. 1888, p. 193, t. 7, f. 6, 6a (*Polysticta*). Madagaskar

nigrita Jac. Ann. Soc. Ent. Belg. XLV, 1901, p. 295 (*Plagiodes*). Diego Suarez

scutellaris Ws. in Voeltzk. Reise Ostaf. II, 1910, p. 459. Madagaskar

tarsata Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, C. r. p. 366 (*Plagiodes*). Madagaskar:
Tamatave

5

Timarchosoma Jac.

Jacoby, Novit. Zool. I, 1894, p. 523.

✓ **transvaalense** Jac. l. c. p. 523.

Transvaal

1

Zygogramma Chev.

Chev. in D'Orbigny, Diet. univ. Hist. nat. III, 1843, p. 656. — Er. Arch. f. Naturgesch. XIII, 1847, p. 157. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 46. — Chapuis, Gen. Col. X, 1874, p. 386. — Jacoby, Biol. Centr.-Amer. Col. VI, I, 1882, p. 209. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 195.

Tritaenia Motsch. Schrenck's Reis. Amurl. II, 1860, p. 195.

aeneovittata Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 325 (*Calligrapha*); Mon. III, 1865, p. 245. — Jac. Mexiko

Biol. Centr.-Amer. Col. VI, I, 1882, p. 215, t. 12, f. 3. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 23, f. 4.

alternata Kirsch, Deutsche Ent. Zeitschr. XX, 1876, p. 84 (*Chrysomela*). Peru

- amanda** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 322 (*Calligrapha*); Mon. III, 1865, p. 251. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 216. Mexiko
- appendiculata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 318; Mon. III, 1865, p. 236. Brasilien
- arcuigera** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 325 (*Calligrapha*); Mon. III, 1865, p. 253. Bolivia
- argentinensis** Jac. Proc. Zool. Soc. Lond. 1903, II, p. 56. Argentinien:
Salta
- arizonica** Schaeffer, Bull. Mus. Brooklyn I, 9, 1906, p. 240. Arizona
- assimilis** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 319; Mon. III, 1865, p. 244. Brasilien
- aurilinea** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 318; Mon. III, 1865, p. 235. Rio Janeiro
- stramineolineata* Motsch. Schrenck's Reis. Amurl. II, 1860, p. 195 (*Tritania*).
- bigenera** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 322 (*Calligrapha*); Mon. III, 1865, p. 254. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 213, t. 11, f. 22. Mexico, Gua-
temala, Ni-
caragua,
Costa Rica
- brasiliensis** Jac. Proc. Zool. Soc. Lond. 1903, II, p. 57. Brasilien:
Espirito
Santo
- Burmeisteri** Jac. l. c. p. 57; Ark. f. Zool. I, 1904, p. 516. Argentinien,
Bolivia
- Championi** Jac. l. c. 1879, p. 781; Biol. Centr.-Amer. Col. VI, I, 1882, p. 218, t. 12, f. 6. Guatemala:
Capetillo
- clathrata** Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 217, t. 12, f. 18, 19. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 2. Mexiko:
Oaxaca
- Clavareau** Bowd. Trans. Amer. Ent. Soc. XXXVII, 1911, p. 333. Mexiko
- coeruleovittata** Jac. Proc. Zool. Soc. Lond. 1903, II, p. 58. Paraguay
- cognata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 319; Mon. III, 1865, p. 240. Columbien
- comes** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 459; Mon. III, 1865, p. 234. Bolivia
- congrex** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 460; Mon. III, 1865, p. 238. Bolivia: San-
ta Cruz
- conjuncta** Rogers, Proc. Ac. Philad. VIII, 1854, p. 34, t. 1, f. 9. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 270. — Stal, Mon. III, 1865, p. 324. — J. Lec. Trans. Amer. Ent. Soc. II, 1867, p. 57 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 215; Suppl. 1891, p. 249. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 197. Kansas, Ne-
braska,
Dakota,
Montana
- ab. *pallida* Bland, Proc. Ent. Soc. Philad. III, 1864, p. 71 (*Chrysomela*). — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 197.
- ? ab. *stolata* Suffr. Stett. Ent. Zeit. XIX, 1858, p. 271. — Stal, Mon. III, 1865, p. 255 (*Chrysomela*). Mexiko
- connexa** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 318; Mon. III, 1865, p. 237. Brasilien,
Bolivia
- continua** J. Lec. Trans. Amer. Ent. Soc. II, 1868, p. 57 (*Chrysomela*). — Crotch, Proc. Ac. Philad. XXV, 1873, p. 48. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 197. — Schaeffer, Bull. Mus. Brooklyn I, 9, 1906, p. 240. Utah, Colo-
rado, Ari-
zona, Neu-
Mexiko

- fasciaticipennis* Jac. Biol. Centr.-Amer. Col. VI, I, Suppl. 1891, p. 249, t. 41, f. 6. — Schaeffer, Bull. Mus. Brooklyn I, 7, 1905, p. 169. Mexiko
- curvatolineata* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 56. Costa Rica
- deeempustulata* Jac. Biol. Centr.-Amer. Col. VI, I, Suppl. 1891, p. 251, t. 41, f. 11. Mexiko:
Durango
- decora* Klug, Preisverz. 1829, p. 10 (*Chrysomela*). — Stal, Mon. III, 1865, p. 232. Brasilien
- deleta* Klug, Preisverz. 1829, p. 9 (*Chrysomela*). — Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 320; Mon. III, 1865, p. 244. „
- disrupta* Rogers, Proc. Ac. Philad. VIII, 1854, p. 34, t. 2, f. 10. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 271, t. 2, f. 10 (*Chrysomela*). — Stal, Mon. III, 1865, p. 256. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 48. — Jac. Biol. Centr.-Amer. VI, I, 1882, p. 221. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 197. Kansas,
Texas,
Arizona,
Louisiana
Mexiko
- dulcis* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 322 (*Calligrapha*); Mon. III, 1865, p. 251. — Jac. Biol. Centr.-Amer. VI, I, 1882, p. 211, t. 12, f. 1. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 23, f. 1. Mexiko
- durangensis* Jac. Biol. Centr.-Amer. VI, I, Suppl. 1891, p. 250, t. 41, f. 8 (sub *durangoensis*). Mexiko:
Durango
- exclamationis* F. Suppl. Ent. Syst. 1798, p. 86; Syst. El. I, 1801, p. 435. — Ol. Ent. V, 1807, p. 530, t. 6, f. 81. — Rogers, Proc. Ac. Philad. VIII, 1854, p. 33. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 268. — Stal, Mon. III, 1865, p. 255 (*Chrysomela*). — Crotch, Proc. Ac. Philad. XXV, 1873, p. 48. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 197. Kansas,
Dakota,
Montana,
Arizona
- Biologie: Towns. Canad. Ent. XXV, 1892, p. 168. — Baker, Ent. News VI, 1895, p. 28.
- flavivittis* Stal, Mon. III, 1865, p. 238. — Jac. Ark. f. Zool. I, 1904, p. 517. Bolivia
- flavolorata* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 460; Mon. III, 1865, p. 238. „
- flavotaeniata* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 460; Mon. III, 1865, p. 237. „
- gracilis* Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 220. Mexiko:
Yolos
- guttaticollis* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 322 (*Calligrapha*); Mon. III, 1865, p. 249. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 216. Mexiko
- guttulosa* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 322 (*Calligrapha*); Mon. III, 1865, p. 249. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 214, t. 12, f. 12. Costa Rica,
Guatemala
- heterothecae* Linell, Journ. N. York Ent. Soc. IV, 1896, p. 197. Texas,
Colorado
- hexagramma* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 318; Mon. III, 1865, p. 239. Columbien
- hypocrita* Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 219, t. 12, f. 20. Guatemala
- interstitialis* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 55. Brasilien

- lemur** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 460 (Calligrapha); Mon. III, 1865, p. 246. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 212, t. 12, f. 8, 9. Mexiko
- lentiginosa** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 461 (Calligrapha); Mon. III, 1865, p. 249. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 214, t. 12, f. 14, 15. „
- lepidula** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 322 (Calligrapha); Mon. III, 1865, p. 250. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 216, t. 12, f. 16. „
- lineatipennis** Bowd. Trans. Amer. Ent. Soc. XXXVII, 1911, p. 334. Venezuela: Miranda
- maculicollis** Jac. Biol. Centr.-Amer. Col. VI, I, Suppl. 1891, p. 250, t. 41, f. 9. Mexiko
- magica** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 322 (Calligrapha); Mon. III, 1865, p. 247. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 221. „
- malvae** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 322 (Calligrapha); Mon. III, 1865, p. 254. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 211; Suppl. 1891, p. 248, t. 12, f. 2. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 197. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 23, f. 2. Texas, Arizona, Mexiko
- mexicana** Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 212, t. 12, f. 7. Mexiko: Durango
- militaris** Jac. l. c. Suppl. 1891, p. 251, t. 41, f. 10. „
- Mniszechi** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 460 (Calligrapha); Mon. III, 1865, p. 247. Patria?
- morbillosa** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 461 (Calligrapha); Mon. III, 1865, p. 250. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 216; Suppl. 1891, p. 249, t. 12, f. 17. Mexiko
- multivia** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 319.
- myops** Stal, l. c. XVII, 1860, p. 460 (Zygogramma); Mon. III, 1865, p. 239. Bolivia
- nicaraguensis** Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 209, t. 11, f. 21. Nicaragua: Chontales
- novemlorata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 319. Brasilien
- novemstriata** Stal, l. c. p. 319. „
- novemtaeniata** Stal, l. c. p. 319; Mon. III, 1865, p. 243. „
- novemvirgata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 319; Mon. III, 1865, p. 242. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 220, t. 12, f. 5. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 23, f. 5, 17, 18. Bolivia, Brasilien, Mexiko
- obscurofasciata** Jac. Biol. Centr.-Amer. Col. VI, I, Suppl. 1891, p. 250, t. 41, f. 7. Mexiko
- opifera** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 460 (Calligrapha); Mon. III, 1865, p. 246. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 213, t. 12, f. 10, 11. — Horn, Canad. Ent. XVI, 1884, p. 128. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 198. Mexiko, Arizona
- ornata** Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 218, t. 12, f. 22, 23. Mexiko: Cerro de Plumas
- personata** Stal, Mon. III, 1865, p. 242. Columbien

- picicollis** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 322 (*Calligrapha*); Mon. III, 1865, p. 253. — Jac. Biol. Centr.-Amer. VI, I, 1882, p. 210, t. 11, f. 23—25. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 198.
- aggregata** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 461 (*Calligrapha*); Mon. III, 1865, p. 252. Biologie: Dugès, Ann. Soc. Ent. Belg. XXXI, 1887, p. 146, t. 2, f. 14—20.
- popa** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 461 (*Calligrapha*); Mon. III, 1865, p. 248. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 214, t. 12, f. 13.
- pustulosa** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 461 (*Calligrapha*); Mon. III, 1865, p. 248.
- quadrilineata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 318; Mon. III, 1865, p. 234.
- quadrilorata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 318; Mon. III, 1865, p. 234.
- Quenseli** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 462 (*Calligrapha*); Mon. III, 1865, p. 280. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 210, t. 10, f. 24.
- quinquevirgata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 326 (*Calligrapha*); Mon. III, 1865, p. 245. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 215, t. 12, f. 21.
- quinquevittata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 318.
- rivulosa** Stal, l. c. p. 319; Mon. III, 1865, p. 240.
- rustica** Stal, Mon. III, 1865, p. 242.
- satrapa** Stal, l. c. p. 244.
- sextaeniata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 318; Mon. III, 1865, p. 235.
- sexvittata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 318; Mon. III, 1865, p. 236.
- signatipennis** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 321 (*Calligrapha*); Mon. III, 1865, p. 252. — Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 210, t. 14, f. 24. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 198.
- Biologie: Knab, Proc. Ent. Soc. Washington XI, 1909, p. 152.
- Stali** Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 217, t. 12, f. 4. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 23, f. 3.
- suturalis** F. Syst. Ent. 1775, p. 95; Spec. Ins. I, 1781, p. 117; Mant. Ins. I, 1787, p. 68. — Ol. Encycl. V, 1790, p. 693. — Stal, Mon. III, 1865, p. 257 (*Chrysomela*). — Crotch, Proc. Ac. Philad. XXV, 1873, p. 48. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 197.
- pulcra** F. Ent. Syst. I, 1792, p. 313; Syst. El. I, 1801, p. 425. — Ol. Ent. V, 1807, p. 526, t. 2, f. 27 (*Chrysomela*).
- Texas,
Neu-Mexiko, Arizona, Mexiko, Guatemala, Costa Rica
- Mittel-Amerika
- Patria?
- Rio Janeiro
- Brasilien
- Mexiko
- Mexiko
- Brasilien
Brasilien:
Lagoa Santa
Bolivia
Minas Geraes
Montevideo, Buenos Aires
- Brasilien, Bolivia, Uruguay
- Arizona, Mittel-Amerika
- Mexiko:
Juquila
- Vereinigte Staaten östlich der Rocky Mountains

- ab. *casta* Rogers, Proc. Ac. Philad. VIII, 1854, p. 33, t. 1, f. 8. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 269, t. 2, f. 8 (*Chrysomela*).
- ab. *pulchra* Coqueb. Ill. Ins. Fabr. III, 1804, p. 123, t. 28, f. 1. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 274 (*Chrysomela*).
- tetragramma** Klug. Preisverz. 1829, p. 9 (*Chrysomela*). — Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 318; Mon. III, 1865, p. 233. Brasilien
- thoracica** Jac. Biol. Centr.-Amer. Col. VI, I, Suppl. 1891, p. 252, t. 41, f. 12. Mexico:
Durango
- tortuosa** Rogers, Proc. Ac. Philad. VIII, 1854, p. 32, t. 1, f. 5. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 259, t. 2, f. 5. — Stal. Mon. III, 1865, p. 323 (*Chrysomela*). — Crotch. Proc. Ac. Philad. XXV, 1873, p. 49, 50. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 197. Texas, Neu-Mexiko.
Arizona
- Biologie: Coquerel, Journ. N. York Ent. Soc. V, 1897, p. 149.
- virgata** Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 318; Mon. III, 1865, p. 233. Brasilien,
Uruguay
- virgo** Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 320; Mon. III, 1865, p. 241. Bahia
- vittosa** Stal. Mon. III, 1865, p. 241 (*Chrysomela*). Brasilien
-
- festiva** F. Syst. Ent. 1775, p. 100; Spec. Ins. I, 1781, p. 124; Mant. Ins. I, 1787, p. 71. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1674. — F. Ent. Syst. I, 1792, p. 323; Syst. El. I, 1801, p. 440. — Steph. Ill. Brit. Ent. V, 1832, p. 425; Man. 1839, p. 310. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 277. — Stal. Mon. III, 1865, p. 325 (*Chrysomela*). — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 197 nota. Nordamerika
- quadrivittata** Latr. Voy. Humb. Ins. I, 1811, p. 36, t. 32, f. 9. Quito

86

Megistomela Chap.

Chapuis, Gen. Col. X, 1874, p. 398. — Weise, Münch. Kol. Zeitschr. III, 1908, p. 296.

- Dalmani** Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 305 (*Doryphora*); Mon. I, 1862, p. 10. Inneres
Brasilien
- Linnei** Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 305 (*Doryphora*); Mon. I, 1862, p. 12. Brasilien
- maculatissima** Stal. Öfv. Vet. Ak. Förh. XIV, 1857, p. 53 (*Doryphora*); Mon. I, 1862, p. 11. Columbien
- melanospila** Stal. Mon. I, 1862, p. 10 (*Chrysomela*). Bolivia: Chi-
quitos
Bolivia
- multipunctata** Chevr. Icon. règne anim. Ins. 1844, p. 296, t. 49, f. 5 (*Doryphora*).
- multigera** Stal. Mon. I, 1862, p. 10 (*Chrysomela*).
- Paykulli** Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 305 (*Doryphora*); Mon. I, 1862, p. 11. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 243, t. 14, f. 16. Mexico,
Nicaragua

- punctatissima* Ol. Encycl. méth. V, 1790, p. 691. — F. Ent. Syst. I, 1, 1792, p. 307; Syst. El. I, 1801, p. 423 (*Chrysomela*). — Ol. Ent. V, 1807, p. 584, t. 3, f. 39 (*Doryphora*). — D'Orbigny, Dict. univ. Atl. II, Ins. Col. 1849, t. 15, f. 5. — Stal, Mon. I, 1862, p. 9 (*Chrysomela*). Cayenne, Venezuela, Columbien, Ecuador, Bolivia
- reticulata* F. Mant. Ins. I, 1787, p. 91; Ent. Syst. II, 1792, p. 36; Syst. El. II, 1801, p. 3. — Ill. Mag. Ins. V, 1806, p. 230 (*Erotylus*). — Stal, Mon. I, 1862, p. 13 (*Chrysomela*). Brasilien
- cancellata* Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1727 (*Cryptocephalus*).
- sparsa* Chevr. Icon. règne anim. Ins. 1844, p. 296 (*Doryphora*). — Stal, Mon. I, 1862, p. 13 (*Chrysomela*). „

9

II. Chrysomelini.

Weise, Deutsche Ent. Zeitschr. 1915, p. 435.

Doryphora Ill.

- Ill. Mag. Ins. VI, 1807, p. 331. — Schönh. Syn. Ins. I, 2, 1808, p. 237. — Latreille in Cuv. Règne anim. ed. 2, V, 1829, p. 149. — Chevr. Dict. univ. III, 1843, p. 656. — Chapuis, Gen. Col. X, 1874, p. 368, 395. — Jacoby, Biol. Centr.-Amer. Col. VI, I, 1883, p. 242.

- Antirrhosterna* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 185 type *acuminata* Germ.
- Biogramma* Motsch. l. c. 183. type *exclamans* Mots.
- Cardiodora* Motsch. l. c. 184. type *decanis* Chev. Lide V. etc.
- Doryprosopa* Motsch. l. c. 184. type *globosa* Mots.
- Dorysterna* Motsch. l. c. 184 (non Guér.). type *ambigua* (Jac.) Mots.
- Euparochia* Motsch. l. c. 189. type *evoluta* I.
- Homalodora* Motsch. l. c. 186. type *circata* Germ.
- Linostoma* Motsch. l. c. 183. type *rostrata* Germ.
- Metallophora* Motsch. l. c. 185. type *fulva* Oler.
- Orthodora* Motsch. l. c. 185. type *parala* Germ.
- Sphaenosterna* Motsch. l. c. 185. type *villosa* Germ.
- Stichotaenia* Motsch. l. c. 183.

Subgen. Doryphora i. sp.

- acuminata* Ol. Encycl. méth. V, 1790, p. 691 (*Chrysomela*); Ent. V, 1807, p. 587, t. 3, f. 30. — Stal, Mon. III, 1865, 321. Rio Janeiro
- ab. *cupraria* Germ. Ins. spec. nov. 1824, p. 577. — Stal, Mon. II, 1863, p. 132.
- viridicuprca* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 58.
- aemula* Stal, l. c. XVI, 1859, p. 306; Mon. I, 1862, p. 84. Amazonas: Pebas
- aenea* Jac. Entomol. XXXI, 1898, p. 56. Peru
- aeneofasciata* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 39. Columbien
- aeneonotata* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 309; Mon. I, 1862, p. 69. „
- aeneoornata* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 471; Mon. I, 1862, p. 52. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 250, t. 15, f. 12. Mexiko

- aeneoplagiata** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 255; Mon. I, 1862, p. 75. Columbien
- aerifera** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 307; Mon. II, 1863, p. 137. Amazonas
- aestuens** L. Syst. Nat. ed. X, 1758, p. 371; ed. XII, 1766, p. 593. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1684. — Ol. Encycl. méth. V, 1790, p. 717. — Stal, Mon. II, 1863, p. 127 (*Chrysomela*). Guyana, Brésilien
- octoguttata* Deg. Mém. Ins. V, 1775, p. 352, t. 16, f. 12. — Thunb. Nov. spec. Ins. I, 1781, p. 24, f. 37. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1657 (*Coccinella*).
- octomaculata* F. Ent. Syst. I, 1, 1792, p. 311; Syst. El. I, 1801, p. 425. — Panz. in Voet's Besch. IV, 1798, p. 33, t. 31, f. 18. — Ol. Ent. V, 1807, p. 518, t. 6, f. 76 (*Chrysomela*).
- octostagma* Herbst, Natursyst. Ins. Käfer V, 1793, p. 303, t. 56, f. 13 (*Coccinella*).
- ab. annulata* Er. Schomb. Reise Guyana III, 1848, p. 575.
- ahena** Stal, Mon. II, 1863, p. 132. Brésilien
- albovirens** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 54; Mon. II, 1863, p. 124. Brésilien, Peru, Ecuador
- alunna** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 308; Mon. I, 1862, p. 44. Peru
- amabilis** Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 56. — Stal, Mon. I, 1862, p. 85. — Jac. Cist. Ent. II, 1879, p. 518. Amazonas
- amazona** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 305; Mon. I, 1862, p. 80. „
- ambitiosa** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 57; Mon. I, 1862, p. 45. Columbien
- amieta** Jac. Proc. Zool. Soc. Lond. 1903, II, p. 34. Peru
- amoena** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 256; Mon. II, 1863, p. 105 u. 344. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 189 (*Euparochia*). Columbien
- ampla** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 253; Mon. I, 1862, p. 36. Brésilien
- anastomozans** Perty, Delect. anim. 1832, p. 106, t. 21, f. 10. — Guér. Icon. règne anim. 1844, t. 49, f. 6. — Stal, Mon. II, 1863, p. 96. „
- ab. dubitabilis* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 472; Mon. II, 1863, p. 96.
- ab. sororia* Stal, l. c.
- anchoralis** Baly, Trans. Ent. Soc. Lond. 1879, p. 235. Peru: Chanchamayo
- andicola** Ws. Wien. Ent. Zeit. XXXII, 1913, p. 18. Bolivia
- boliviana* Jac. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 277 (nec Har.).
- angulata** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 258; Mon. I, 1862, p. 29. Cayenne
- bifasciata* Guér. Icon. règne anim. 1844, p. 297 (nec F.).
- suturalis* F. Syst. El. I, 1801, p. 425 (nec Ent. Syst.).

- suturalis* var. b Ol. Ent. V. 1807, p. 589, t. 5, f. 63 b.
- antennalis** Jac. Proc. Zool. Soc. Lond. 1877, p. 516; Biol. Centr.-Amer. Col. VI, I, 1883, p. 258, t. 15, f. 18. Peru, Nicaragua
- approximata**, Stal. Öfv. Vet. Ak. Förh. XV, 1858, p. 472. Brasilien
- cinxia* Stal. Mon. II, 1863, p. 97.
- Arangoi** Steinh. Mitth. Münch. Ent. Ver. I, 1877, p. 43, t. 1, f. 6. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 257. Columbien, Guatemala
- arcuata** Ol. Encycl. méth. V. 1790, p. 691 (*Chrysomela*): Ent. V. 1807, p. 588, t. 5, f. 62. — Stal. Mon. I, 1862, p. 28. Surinam, Brasilien
- ab. *phalerata* Perty. Delect. anim. 1832, p. 107, t. 21, f. 12.
- ab. *taenigera* Stal. Öfv. Vet. Ak. Förh. XV, 1858, p. 255; Mon. I, 1862, p. 28.
- ab. *trifasciata* F. Ent. Syst. I, 1, 1792, p. 313; Syst. El. I, 1801, p. 425. — Ill. Mag. Ins. V, 1806, p. 229.
- tricincta* F. in Ill. Mag. Ins. II, 1803, p. 293.
- augur** Stal. Öfv. Vet. Ak. Förh. XV, 1858, p. 473; Mon. II, 1863, p. 104. Brasilien
- aulica** Ol. Ent. V. 1807, p. 588, t. 5, f. 61. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 185 (*Orthodora*). — Stal. Mon. I, 1862, p. 81. Cayenne
- var. Kirsch, Berl. Ent. Zeitschr. XXVII, 1883, p. 189. Ecuador
- aurantiacomaculata** Blanch. Voy. d'Orb. Col. 1843, p. 213, t. 25, f. 1. — Stal. Mon. I, 1862, p. 35. Bolivien, Brasilien
- axillaris** Germ. Ins. spec. nov. 1824, p. 579. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 183 (*Stichotaenia*). — Stal. Mon. I, 1862, p. 63. Brasilien
- Balyi** Stal. Öfv. Vet. Ak. Förh. XIV, 1857, p. 57; Mon. I, 1862, p. 79. Venezuela
- Bartletti** Jac. Entomol. XXVIII, 1895, p. 191. Peru: Yuri-maguas
- Batesi** Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 343, t. 27, f. 3. — Stal. Mon. I, 1862, p. 40. Amazonas, Ecuador, Peru
- bella** Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 341. — Stal. Mon. I, 1862, p. 31. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 247, t. 15, f. 9. Mexiko, Guatemala
- tricincta* Stal. Öfv. Vet. Ak. Förh. XV, 1858, p. 471.
- biannulata** Jac. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 276. Bolivien
- bicolor** Jac. Proc. Zool. Soc. Lond. 1877, p. 515; Biol. Centr.-Amer. Col. VI, I, 1883, p. 246, t. 14, f. 5. Nicaragua: Chontales
- bifasciata** F. Mant. Ins. I, 1787, p. 68. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1683. — Stal. Mon. I, 1862, p. 48. Cayenne
- suturalis* F. Ent. Syst. I, 1, 1792, p. 313.
- suturalis* var. a Ol. Ent. V, 1807, p. 589, t. 5, f. 63a.
- trifasciata* Panz. in Voet, Besch. IV, 1798, p. 32, t. 31, f. 32.
- ab. *distincta* Guér. Ic. règne anim. 1844, p. 297.

biforis Germ. Ins. spec. nov. 1824, p. 578. — Stal, Mon. II, 1863, p. 95 <i>vicina</i> Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 55.	Brasilien
bigata Germ. Ins. spec. nov. 1824, p. 578. — Stal, Mon. II, 1863, p. 93. <i>flavovittata</i> Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 58.	,,
biguttata Stal, l. c. XVI, 1859, p. 308; Mon. I, 1862, p. 47.	Para
bilimbata Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 55; Mon. II, 1863, p. 124.	Rio Janeiro
bilunata Baly, Cist. Ent. II, 1877, p. 183.	Amazonas: Pebas
biplagiata Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 253.	Panama: Chiriqui
biremis Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 470; Mon. I, 1862, p. 22. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 243.	Costarica
bisbimaculata Jac. Proc. Zool. Soc. Lond. 1877, p. 518; Biol. Centr.-Amer. Col. VI, I, 1883, p. 257, t. 14, f. 8.	Nicaragua: Chontales
bistriguttata Jac. Proc. Zool. Soc. Lond. 1903, II, p. 35.	Columbien
bivittata Guér. Verh. zool.-bot. Ges. Wien V, 1855, p. 604. <i>strigata</i> Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 57; Mon. II, 1863, p. 120.	Minas Geraes
bivittaticollis Baly, Ent. Monthly Mag. XIII, 1877, p. 273.	Columbien
blaesae Stal, Mon. I, 1862, p. 71.	Brasilien
blanda Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 57; Mon. I, 1862, p. 31.	Venezuela, Columbien
Bohemani Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 56; Mon. II, 1863, p. 117.	Rio Janeiro
boliviana Har. Deutsche Ent. Zeitschr. XXIV, 1880, p. 217.	Bolivia
Bonvouloiri Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 307; Mon. II, 1863, p. 134.	Rio Janeiro
Boucardi Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 256, t. 15, f. 20.	Panama
brevifasciata Jac. Proc. Zool. Soc. Lond. 1903, II, p. 31.	Brasilien
brevispina Steinh. Mitth. Münch. Ent. Ver. I, 1877, p. 40, t. 1, f. 7.	Columbien
brunneipennis Jac. Proc. Zool. Soc. Lond. 1878, p. 989.	,,
brunneolineata Jac. Ent. Monthly Mag. XXV, 1877, p. 205.	Brasilien: St. Catharina
brunneostriata Jac. Entomol. XXXI, 1898, p. 55.	Bolivia
Buckleyi Baly, Journ. Linn. Soc. Lond. XIV, 1877, p. 352.	Ecuador
bullata Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 258; Mon. I, 1862, p. 78.	Rio Janeiro
carnea Stal, Mon. II, 1863, p. 123.	Brasilien
Carolina Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 470; Mon. I, 1862, p. 85.	,,
cassidea Er. Arch. f. Naturg. XIII, 1847, p. 155. — Stal, Mon. I, 1862, p. 23.	Peru
castanea Jac. Entomol. XXXI, 1898, p. 54.	Ecuador
celsa Er. Arch. f. Naturg. XIII, 1847, p. 155. — Stal, Mon. I, 1862, p. 54.	Peru
chalcoluma Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 307; Mon. II, 1863, p. 94.	Brasilien

- chalybeofasciata** Bowd. Entomol. XLIV, 1911, p. 67. Peru
aeneofasciata Jac. Proc. Zool. Soc. Lond. 1903, II, p. 45.
- Chapuisi** Baly, Ann. Mag. Nat. Hist. (5) II, 1878, p. 87. Peru,
 Ecuador
 Brasilien
- chelone** Perty, Delect. anim. 1832, p. 107, t. 21, f. 13. —
 Stal, Mon. I, 1862, p. 26.
Corbyi Guér. Ic. règne anim. 1844, p. 299.
- Chevolati** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 57; Rio Janeiro
 Mon. I, 1862, p. 78.
- chontalensis** Jac. Biol. Centr.-Amer. Col. VI, I, 1883, Nicaragua:
 p. 252, t. 15, f. 17. Chontales
- chrysomeloides** Jac. Proc. Zool. Soc. Lond. 1877, p. 517. Peru
 Brasilien
- cineta** Germ. Mag. Ent. IV, 1821, p. 175. — Motsch.
 Schrenck's Reisen Amurl. II, 1860, p. 183
 (*Linostoma*). — Stal, Mon. I, 1862, p. 82.
 ab. *cinclipennis* Stal, Öfv. Vet. Ak. Förh. XIV,
 1857, p. 56.
- circumdata** Stal, l. c. p. 56; Mon. I, 1862, p. 17.
- circumflexa** Stal, l. c. p. 56; l. c. p. 13. „
 Bahia
- Cisseis** Stal, Mon. III, 1865, p. 335 (*Chrysomela*). Peru
- citrinella** Kirsch, Deutsche Ent. Zeitschr. XX, 1876, p. 85 „
 (*Chrysomela*).
- Clarki** Jac. Biol. Centr.-Amer. Col. VI, I, 1882, p. 259. Panama
- eliens** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 471; Mon. Brasilien
 I, 1862, p. 14.
- coccinelloides** Panz. in Voet, Besch. hartsch. Ins. IV, Cayenne
 1798, p. 35, t. 32, f. 23. — Stal, Mon. I, 1862,
 p. 47 (*Chrysomela*).
- indica* Voet, Cat. II, 1806, p. 42, t. 32, f. 23.
- quagga* Herbst, Natursyst. Ins. Käfer VIII, 1799,
 p. 368, t. 137, f. 9 (*Erotylus*).
- colombica** Guér. Ic. règne anim. 1844, p. 298. — Stal, Columbien
 Mon. I, 1862, p. 76.
Fairmairei Stal, Öfv. Vet. Ak. Förh. XIV,
 1857, p. 58.
- comica** Stal, l. c. XVI, 1859, p. 310; Mon. III, 1865, p. 334. Guyana:
 Maroni
- compater** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 473; Brasilien
 Mon. II, 1863, p. 98.
- congener** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 470; „
 Mon. I, 1862, p. 14.
- congregata** Guér. Verh. zool.-bot. Ges. Wien V, 1855, „
 p. 605. — Stal, Mon. II, 1863, p. 87.
- connexa** Jac. Proc. Zool. Soc. Lond. 1880, p. 599, t. 54, Ecuador
 f. 8.
- consors** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 308; Brasilien
 Mon. II, 1863, p. 119.
- conviva** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 255; „
 Mon. II, 1863, p. 92.
- coruscans** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 258; „
 Mon. II, 1863, p. 102.
- costata** Jac. Proc. Zool. Soc. Lond. 1876, p. 816. — Columbien
 Waterh. Aid ident. Ins. I, 1882, t. 62.
- crucata** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 57; Brasilien
 Mon. I, 1862, p. 57. — Baly, Trans. Ent. Soc.
 Lond. (n. s.) V, 1859, p. 153.
Euphrosyne Baly, l. c. p. 161, nota.

- curticollis* Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 59; Mon. II, 1863, p. 102. Rio Janeiro
- cyaneofasciata* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 255; Mon. I, 1862, p. 70. Columbien
- Cynthia* Stal, l. c. III, 1865, p. 335. Bogota
- decemsignata* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 469; Mon. I, 1862, p. 74. Columbien
- decemstillata* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 254; Mon. I, 1862, p. 39. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 249, t. 14, f. 21. Mexiko, Guatemala
- decens* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 307; Mon. II, 1863, p. 87. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 252. Columbien, Panama
- decipiens* Baly, Trans. Ent. Soc. Lond. 1879, p. 237. Peru: Chan-chamayo
- decorata* Jac. Proc. Zool. Soc. Lond. 1878, p. 992; Biol. Centr.-Amer. Col. VI, I, 1883, p. 250, t. 14, f. 11. Costarica, Panama
- decurrens* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 472; Mon. I, 1862, p. 65. Costarica
- Degandei* Baly, Trans. Ent. Soc. Lond. (n. s.) V, 1859, p. 154. — Stal, Mon. III, 1865, p. 321. Peru, Ecuador
- Degeeri* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 305; Mon. I, 1862, p. 26. Peru
- Dejeani* Germ. Ins. spec. nov. 1824, p. 580. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 184 (Doryprosopa). — Stal, Mon. II, 1863, p. 122. Brasilien
- diagonalis* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 256; Mon. I, 1862, p. 51. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, t. 15, f. 13. Mexiko
- difficilis* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 309; Mon. I, 1862, p. 38. Brasilien
- dilaticollis* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 254. — Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 55. — Stal, Mon. II, 1863, p. 130. Rio Janeiro
- discifera* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 472; Mon. II, 1863, p. 99. Brasilien
- discoptera* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 308; Mon. I, 1862, p. 74. Columbien
- discrepans* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 307; Mon. II, 1863, p. 138. Amazonas
- dissecta* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 471; Mon. I, 1862, p. 59. Patria?
- diversipes* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 34. Peru
- dorsomaculata* Jac. l. c. 1878, p. 146. — Baly, Journ. Linn. Soc. Lond. XIV, 1877 (1878), p. 353. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 258, t. 14, f. 1. Nicaragua, Brasilien
- duodecimguttata* F. Syst. El. I, 1801, p. 426. — Stal, Mon. I, 1862, p. 50. Para
- duodecimsignata* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 308; Mon. I, 1862, p. 71. Brasilien
- duodevigintiguttata* Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 349. — Stal, Mon. I, 1862, p. 50. Bogota
- ecuadoriensis* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 37. Ecuador
- elegantula* Jac. Cist. Ent. II, 1879, p. 517. Peru: Chan-chamayo
- Erichsoni* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 470; Mon. I, 1862, p. 21. Peru
- sparsa* Er. Arch. f. Naturg. XIII, 1847, p. 155 (nec Chevr.).

- euchalca** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 305; Mon. II, 1863, p. 131. — Jac. Cist. Ent. II, 1879, p. 518.
ab. coerulea Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 55. Bolivia, Peru
- eucosma** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 469; Mon. I, 1862, p. 72. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 253. Costa Rica, Panama
- eudoxa** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 469; Mon. I, 1862, p. 33. Cayenne
- euopta** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 307; Mon. II, 1863, p. 135. Brasilien
- Fabricii** Guér. Ic. règne anim. 1844, p. 298. — Stal, Mon. I, 1862, p. 41. Columbien, Bolivia, Ecuador
- hospes* Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 54. ? Brasilien
- facialis** Jac. Entomol. XXXI, 1898, p. 54. Brasilien
- Fairmaireana** nom. nov.
Fairmairei Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 305; Mon. I, 1862, p. 62 (nec Stal 1857).
- fallax** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 257; Mon. II, 1863, p. 133. „
- Falleni** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 309; Mon. I, 1862, p. 77. Mexiko
- fasciata** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 58; Mon. I, 1862, p. 45. — Vogel, Nunqu. ot. I, 1871, p. 121. Columbien, Venezuela
- ab. mirabilis* Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 341, t. 27, f. 4.
- fasciatipennis** Jac. Proc. Zool. Soc. Lond. 1903, II, p. 47. Ecuador
- fasciatomaculata** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 57. Minas Geraes
- avara* Stal, Mon. II, 1863, p. 92.
- fausta** Er. Arch. f. Naturg. XIII, 1847, p. 156. — Stal, Mon. I, 1862, p. 72. Peru
- fervida** F. Ent. Syst. 1775, p. 97; Spec. Ins. I, 1781, p. 119; Mant. Ins. I, 1787, p. 69. — Ol. Encycl. méth. IV, 1790, p. 699. — F. Ent. Syst. I, 1792, p. 317; Syst. El. I, 1801, p. 434. — Ill. Mag. Ent. V, 1806, p. 229 (*Chrysomela*). — Ol. Ent. V, 1807, p. 516, t. 6, f. 74. — Stal, Mon. I, 1862, p. 82. Brasilien
- ab. ochroloma* Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 56.
- figurata** Germ. Ins. spec. nov. 1824, p. 579. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 183 (*Biogramma*). — Stal, Mon. I, 1862, p. 33. „
- flavilabris** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 470; Mon. I, 1862, p. 25. Columbien
- flavimana** Jac. Proc. Zool. Soc. Lond. 1903, II, p. 33. Peru:
- flavipennis** Jac. l. c. 1878, p. 989. Vilcanota
- flavoannulata** Jac. l. c. 1903, II, p. 41, Columbien
- flavocincta** Guér. Verh. zool.-bot. Ges. Wien V, 1855, p. 604. — Stal, Mon. II, 1863, p. 119. Peru
- semicincta* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 471. Inneres Brasilien
- flavofasciata** Jac. Proc. Zool. Soc. Lond. 1905, II, p. 46. Columbien
- flavoguttata** Jac. l. c. 1878, p. 145; Biol. Centr.-Amer. Col. VI, I, 1883, p. 257, t. 14, f. 2. Costa Rica

- flavolineata* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 256; Mon. II, 1863, p. 105. Bogota
- flavomarginata* Jac. Proc. Zool. Soc. Lond. 1878, p. 146. Peru
- flavoornata* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 471; Mon. I, 1862, p. 66. Bogota
- flavopustulata* Jac. Cist. Ent. III, 1882, p. 44. Brasilien
- flavostillata* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 469; Mon. I, 1862, p. 39. „
- flavovittata* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 257; Mon. II, 1863, p. 129. „
- flavozonata* Blanch. Voy. d'Orb. Col. 1843, p. 213, t. 25, f. 3. — Stal, Mon. I, 1862, p. 40. Bolivia
- flexuosa* Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 342. — Stal, Mon. I, 1862, p. 64. Ecuador
- fraterna* Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 55; Mon. II, 1863, p. 90. Brasilien
- ab. *maculosa* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 255.
- Fruhstorferi* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 38. Espirito Santo
- Fryella* Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 57. Brasilien
- Stal, Mon. II, 1863, p. 122.
- flavocincta* Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 349 (nec Guér.).
- fulgora* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 254; Mon. I, 1862, p. 54. — Jac. Proc. Zool. Soc. Lond. 1880, p. 596. Columbien, Ecuador
- fulgurans* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 253; Mon. I, 1862, p. 24. — Steinh. Mitth. Münch. Ent. Ver. I, 1877, p. 38. Columbien
- fulvieollis* Jac. Cist. Ent. II, 1879, p. 516. — Waterh. Aid identif. Ins. II, 1882, t. 129, f. 5. Peru: Chanchamayo
- fulvicornis* Guér. Verh. zool.-bot. Ges. Wien V, 1855, p. 604. — Stal, Mon. I, 1862, p. 27. Amazonas, Ecuador
- fulvonotata* Jac. Cist. Ent. II, 1879, p. 519. — Waterh. Aid identif. Ins. II, 1882, t. 129, f. 6. Peru: Chanchamayo
- fulvopustulata* Baly, Trans. Ent. Soc. Lond. 1879, p. 195. Columbien: Medellin
- funebis* Jac. Proc. Zool. Soc. Lond. 1880, p. 597, t. 54, f. 11. Ecuador
- geminipunctata* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 309; Mon. I, 1862, p. 65. Columbien
- var. — Steinh. Mitth. Münch. Ent. Ver. I, 1877, p. 43, t. 1, f. 3.
- geometra* Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 254. Panama
- Gerstaeckeri* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 255; Mon. I, 1862, p. 32. Venezuela: Puerto Cabello
- glabrata* Jac. Cist. Ent. II, 1879, p. 518. Peru: Chanchamayo
- glaucia* Guér. Ic. règne anim. 1844, p. 300. — Er. Arch. f. Naturgesch. XIII, 1847, p. 155. — Stal, Mon. II, 1863, p. 124. Bolivia: Chiquitos
- ab. *olivacea* Guér. Ic. règne anim. 1844, p. 300.
- interpuncta* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 257.
- glaucovittata* Blanch. Voy. d'Orb. Col. 1843, p. 213, t. 25, f. 5 (sub *glaucivittata*). — Stal, Mon. II, 1863, p. 126. Bolivia
- honesta* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 257.

- glomerata* Stal, l. c. p. 253; Mon. I, 1862, p. 21. Panama:
Veragua
- Godmani* Baly, Trans. Ent. Soc. Lond. 1879, p. 194. Trinidad
- gratiosa* Jac. Proc. Zool. Soc. Lond. 1885, p. 925. Amazonas:
S. Paulo
d'Oliveira
Columbien
- Guerini* Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 54. —
Mon. I, 1862, p. 24. Brasilien:
Sao Paulo
- habenata* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 256; Mon. II, 1863, p. 98. Columbien
- Haroldi* Baly, Ent. Monthly Mag. XIII, 1877, p. 273. Rio Napo,
- Hebe* Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 344. — Stal, Mon. I, 1862, p. 73. Ecuador
- hemisphaerica* Steinh. Mitth. Münch. Ent. Ver. I, 1877, p. 39. Columbien
- Herbsti* Guér. Ic. règne anim. 1844, p. 298. — Stal, Mon. I, 1862, p. 54. Bolivia
- ab. *Germari* Guér. Ic. règne anim. 1844, p. 298.
- histrion* Ol. Ent. V, 1807, p. 587, t. 5, f. 10. — Stal, Mon. I, 1862, p. 15. Rio Janeiro
- ab. *albicincta* Germ. Ins. spec. nov. 1824, p. 581.
- histrionica* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 38. Bolivia
- hondurensis* Jac. l. c. p. 39 (sub *honduraensis*). Honduras
- Humboldti* Guér. Verh. zool.-bot. Ges. Wien V, 1855, p. 605. — Stal, Mon. I, 1862, p. 29. Amazonas:
Quixos
- hybrida* Jac. l. c. 1878, p. 991. Peru
- ab. *basinotata* Kirsch. Berl. Ent. Zeitschr. XXVII, 1883, p. 188.
- Jacobyi* Baly, Journ. Linn. Soc. Lond. XIV, 1877, p. 354. Ecuador
- Jansoni* Baly, Cist. Ent. II, 1877, p. 184. Brasilien
- Javeti* Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 342. — Stal, Mon. I, 1862, p. 44. — Jac. Rio Napo,
Ecuador
- Proc. Zool. Soc. Lond. 1880, p. 597.
- Jekeli* Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 56. — Columbien
Stal, Mon. II, 1863, p. 136.
- imitans* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 41. „
- impar* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 307; Mon. I, 1862, p. 71. — Jac. Biol. Centr.-Amer. Mexiko
Col. VI, I, 1883, p. 251, t. 14, f. 10.
- imperialis* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 258; Mon. I, 1862, p. 46. Cayenne
- Dejeani* Guér. Mag. Zool. I, 1831, t. 14.
- ab. *excellens* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 308. Ega
- inepta* Stal, l. c. p. 305; Mon. I, 1862, p. 26. Columbien
- ingenua* Baly, Ent. Monthly Mag. XIII, 1877, p. 273. „
- insignicornis* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 254; Mon. I, 1862, p. 30. — Jac. Biol. Centr.-Amer. Mexiko
Col. VI, I, 1883, p. 245, t. 14, f. 17.
- instabilis* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 256; Mon. I, 1862, p. 68. Columbien
- insularis* Jac. Proc. Zool. Soc. Lond. 1878, p. 147. — Peru
Waterh. Aid identif. Ins. II, 1882, t. 129, f. 4.
- interrupta* Blanch. Voy. d'Orb. Col. 1843, p. 213, t. 25. Bolivia
f. 4. — Stal, Mon. I, 1862, p. 20.
- ab. *sparsipennis* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 469.

Revised
1/10/1911
G. S. D. 185.
920 new
from the
original

- irrorata** Stal, l. c. XIV, 1857, p. 54; Mon. I, 1862, p. 55. Brasilien
apiata Luc. Voy. Casteln. 1859, p. 195, t. 14, f. 6.
lenticulata Motsch. Schrenck's Reisen Amurl. II, 1860, p. 185 (*Antirrhosterna*).
- jucunda** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 58; Brasilien
Mon. II, 1863, p. 95.
consobrina Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 472.
- Kollari** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 254; Brasilien
Mon. II, 1863, p. 122.
subglobosa Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 346, t. 27, f. 8.
- Kraatzii** Har. Deutsche Ent. Zeitschr. XXIV, 1880, Columbien:
p. 217. Medellín
- laeviuscula** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 473; Cayenne
Mon. II, 1863, p. 138.
- Lafertei** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 309; Columbien
Mon. I, 1862, p. 73.
- laminata** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 257; Bahía
Mon. II, 1863, p. 117.
- Landolti** Steinh. Mitth. Münch. Ent. Ver. I, 1877, p. 41, Columbien
t. 1, f. 2.
- Langsdorfi** Germ. Ins. spec. nov. 1824, p. 576. — Luc. Bahía
Voy. Casteln. 1859, p. 194. — Stal, Mon. II, 1863, p. 134.
splendida Luc. Voy. Casteln. 1859, t. 14, f. 5.
- lateralis** Jac. Proc. Zool. Soc. Lond. 1903, II, p. 44. Espirito
Santo
Bogota
- latispina** Guér. Ic. règne anim. 1844, p. 298. — Stal, Mon. I, 1862, p. 76 u. III, 1865, p. 345.
exclamationis Motsch. Schrenck's Reisen Amurl. II, 1860, p. 184, nota (*Cardiodora*).
umbonata Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 57.
- laticincta** Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 247, Guatemala
t. 15, f. 10.
- ligata** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 473; Mon. I, Mittelame-
1862, p. 75. — Jac. Biol. Centr.-Amer. Col. rika, Peru
VI, I, 1883, p. 259, t. 14, f. 13.
- lignosa** Er. Arch. f. Naturg. XIII, 1847, p. 156. — Stal, Peru
Mon. I, 1862, p. 65.
- limbata** Guér. Ic. règne anim. 1844, p. 299. Bolivia
lugubrina Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 256; Mon. II, 1863, p. 121.
- luteipennis** Steinh. Mitth. Münch. Ent. Ver. I, 1877, p. 42. Columbien
luteocincta Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 254; Bahía
Mon. II, 1863, p. 120.
- maculata** Ol. Encycl. méth. V, 1790, p. 692 (*Chrysomela*); Ent. V, 1807, p. 590, t. 5, f. 64. — Stal, Tropisches
Mon. I, 1862, p. 49. Süd-
Amerika
- maculipennis** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, Columbien
p. 54; Mon. I, 1862, p. 24.
- marginalis** Jac. Biol. Centr.-Amer. Col. VI, I, 1883, Guatemala:
p. 248, t. 15, f. 15. Cerro
Zunil
- marginicollis** Jac. Proc. Zool. Soc. Lond. 1880, p. 598, Ecuador
t. 54, f. 10.

- Mathami** Jac. Entomol. XXVIII, 1895, p. 190. Amazonas:
S. Paulo
d'Oliveira
- micans** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 309; Mon. II, 1863, p. 137. Bolivien:
Chiquitos
- militaris** Jac. Proc. Zool. Soc. Lond. 1878, p. 991. — Waterh. Aid identif. Ins. II, 1882, t. 129, f. 3. Columbien
- miniata** Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 57. — Stal, Mon. I, 1862, p. 77. Peru
- mirabilis** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 307; Mon. I, 1862, p. 52. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 248, t. 15, f. 14. Mexiko,
Guatemala
- mitis** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 472; Mon. II, 1863, p. 100. Brasilien
- modesta** Baly, Ann. Mag. Nat. Hist. (5) II, 1878, p. 86. Santarem
- moesta** Baly, Journ. Linn. Soc. Lond. XIV, 1877, p. 354. Bogota
- moneta** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 258; Mon. II, 1863, p. 136. Bahia
- munda** Er. Arch. f. Naturg. XIII, 1847, p. 156. — Stal, Mon. I, 1862, p. 73. Peru
- mundula** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 472; Mon. II, 1863, p. 99. Brasilien
- nigripes** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 55; Mon. II, 1863, p. 89. Rio Janeiro
- nigroguttata** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 54; Mon. I, 1862, p. 42. Columbien
- Wollastoni* Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 344.
- nigronotata** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 55; Mon. II, 1863, p. 89. Rio Janeiro
- nigropunctata** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 253; Mon. I, 1862, p. 41. Matto Grosso,
Napo
- lurida* Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 56.
- nigrosignata** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 55; Mon. II, 1863, p. 88. Rio Janeiro
- nigrovarians** Jac. Proc. Zool. Soc. Lond. 1903, II, p. 32. Brasilien.
- nigroviolacea** Jac. l. c. p. 43. ? Venezuela
- nitidissima** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 59; Mon. II, 1863, p. 102. Brasilien
- notata** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 56; Mon. II, 1863, p. 88. Rio Janeiro
- notaticeps** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 472; Mon. II, 1863, p. 101. Brasilien
- nympha** Stal, Mon. III, 1865, p. 337. Peru
- ab. *pulchella* Baly, Ent. Monthly Mag. XIII, 1877, p. 273. — Jac. Proc. Zool. Soc. Lond. 1880, p. 597. Ecuador
- Oberthüri** Jac. l. c. 1885, p. 926. Amazonas:
S. Paulo
d'Oliveira
- obliquefasciata** Jac. Entomol. XXVIII, 1895, p. 189. Brasilien
- obseuripennis** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 256; Mon. I, 1862, p. 84. Guyana
- occipitalis** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 254; Mon. II, 1863, p. 90. Brasilien
- ocellata** Jac. Proc. Zool. Soc. Lond. 1878, p. 991; Biol. Centr.-Amer. Col. VI, I, 1883, p. 251, t. 14, f. 4. Costarica,
Panama
- transversoplagiata** Jac. l. c. t. 15, f. 19.

- octodecimguttata* Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 349. Columbien
- Olivieri* Guér. Ic. règne anim. 1844, p. 298. — Stal. Bolivia
Mon. I, 1862, p. 20.
- opacicollis* Jac. Cist. Ent. II, 1879, p. 516. Peru: Chan-
chamayo
Columbien
- opima* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 469; Mon. I, 1862, p. 43.
- opposita* Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 256, t. 15, f. 21. Panama
- ornata* Jac. Proc. Zool. Soc. Lond. 1877, p. 516; Biol. Centr.-Amer. Col. VI, I, 1883, p. 250, t. 14, f. 9. Nicaragua:
Chontales
- pallidicornis* Jac. l. c. p. 245. Guatemala
- pallidipalpis* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 254; Mon. I, 1862, p. 58. Brasilien
- pallidocincta* Stal, Mon. III, 1865, p. 337. Columbien
- panamensis* Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 244, t. 15, f. 11. Panama
- paranae* nom. nov. Parana
- approximata* Baly, Trans. Ent. Soc. Lond. 1879, p. 194 (nec Stal).
- paraguana* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 33 (sub *paraguayensis*). — Ws. Wien. Ent. Zeit. XXXII, 1913, p. 18. Paraguay
- pardalina* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 254; Mon. I, 1862, p. 60; III, 1865, p. 344 (*Dorysterna globulifera* Mtsch. Schrenck's Reisen Amurl. II, 1860, p. 184 i. litt.). Brasilien
- Bohemani* Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 346.
- maculata* Luc. Voy. Casteln. 1857, p. 196, t. 14, f. 7. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 110 (nec Ol.).
- Stali* Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 57.
- pastica* Germ. Ins. spec. nov. 1824, p. 575. — Stal. „
Mon. II, 1863, p. 131.
- ab. *Bourcier* Guér. Verh. zool.-bot. Ges. Wien V, 1885, p. 604.
- patruelis* Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 54; Mon. I, 1862, p. 57. Bahia
- Penelope* Stal, Mon. III, 1865, p. 334 (*Chrysomela*). Peru
- peruana* Jac. Entomol. XXVIII, 1895, p. 190. Peru,
Amazonas
- pervicax* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 306; Mon. II, 1863, p. 91. Brasilien
- petulans* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 305; Mon. I, 1862, p. 22. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 243, t. 14, f. 15. Costarica,
Nicaragua
- piceofasciata* Jac. Ent. Monthly Mag. XXV, 1889, p. 204. Patria?
- piceomaculata* Jac. Entomol. XXVIII, 1895, p. 191. Amazonas:
S. Paulo
d'Olivença
- pictipennis* Jac. Proc. Zool. Soc. Lond. 1885, p. 927. „
- picturata* Jac. in Whymper, Travels Great Andes, Suppl. App. 1891, p. 84; Ann. Soc. Ent. Belg. XXXVII, 1893, p. 277. Ecuador
- placida* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 255; Mon. I, 1862, p. 57. Brasilien

- pluviata** Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 57. —
Stal, Mon. I, 1862, p. 23.
irrorata Baly, Trans. Ent. Soc. Lond. (n. s.)
IV, 1858, p. 348 (nec Stal).
porosa Jac. Proc. Zool. Soc. Lond. 1878, p. 990. —
Waterh. Aid. identif. Ins. I, 1880, t. 54, f. 4.
praetextata Jac. Proc. Zool. Soc. Lond. 1885, p. 925. Peru.
Ecuador
- prasina** Er. Arch. f. Naturg. XIII, 1847, p. 155. — Stal.
Mon. II, 1863, p. 137.
princeps Gray in Griff. Anim. Kingd. Ins. 1832, p. 149.
t. 67, f. 6. — Stal, Mon. I, 1862, p. 53. — Jac.
Biol. Centr.-Amer. Col. VI, I, 1883, p. 249. Mittel- und
tropisches
Süd-
Amerika
- magnifica* Stal, Öfv. Vet. Ak. Förh. XVII, 1860,
p. 455; Mon. III, 1865, p. 336.
superba Perty, Delect. anim. 1832, p. 106, t. 21,
f. 9. — Har. Col. Heite XIII, 1875, p. 107
(nec Thunb.)
- procax** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 253; Columbien,
Mon. I, 1862, p. 42. Venezuela
- cardinalis* Baly, Ann. Mag. Nat. Hist. (3) IV,
1859, p. 56.
promiscua Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 254; Pernambuco
Mon. I, 1862, p. 36.
- puncticollis** Kirsch, Berl. Ent. Zeitschr. XXVII, 1883, Ecuador
p. 187; Abh. Zool. Mus. Dresd. II, 1888—89,
t. 4, f. 31.
- punctipennis** Jac. Proc. Zool. Soc. Lond. 1878, p. 145; Costarica
Biol. Centr.-Amer. Col. VI, I, 1883, p. 258,
t. 14, f. 3.
- purpureofasciata** Jac. Ann. Soc. Ent. Belg. XXXVII, Bolivia
1893, p. 277.
- pura** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 256; Mon. I, Columbien,
1862, p. 55. Venezuela
- congener* Baly, Ann. Mag. Nat. Hist. (3) IV, 1859,
p. 56.
purulensis Jac. Biol. Centr.-Amer. Col. VI, I, 1883, Guatemala:
p. 246, t. 15, f. 8. Purula
- pyrrhoptera** Germ. Ins. spec. nov. 1824, p. 577. — Brasilien
Motsch. Schrenck's Reisen Amurl. II, 1860,
p. 185 (*Metallophora*). — Stal, Mon. II, 1863,
p. 135.
- Morphologie: Wandolleck. Zool. Jahrb. Anat.
XXII, 1906, p. 550.
- quadrigata** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 256; ..
Mon. III, 1865, p. 337.
- quadripustulata** Panz. in Voet. Besch. hartsch. Ins. IV, Guyana
1798, p. 105, t. 46, f. 16 (*Erotylus*). — Stal,
Mon. I, 1862, p. 47.
- cruciata* F. Syst. El. I, 1801, p. 426 (*Chrysomela*).
sinuata Er. in Schomb. Reisen Guyana III, 1848,
p. 576.
- quadrisignata** Germ. Ins. spec. nov. 1824, p. 580. — Brasilien
Stal, Mon. I, 1862, p. 85.
- quadrivittata** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 258; ..
Mon. II, 1863, p. 121.

- quatuordecimmaculata* Perty, Delect. anim. 1830, p. 106, t. 21, f. 11. — Stal. Mon. I, 1862, p. 61. Brasilien
- quatuordecimspilota* Guér. Ic. règne anim. 1844, p. 299. „
- Stal. Mon. I, 1862, p. 61.
- quatuordecimstillata* Stal. Öfv. Vet. Ak. Förh. XV, 1858, p. 473; Mon. II, 1863, p. 128. Bolivien
- quinquepunctata* Jac. Cist. Ent. III, 1882, p. 44. Columbien
- radiata* Steinh. Mitth. Münch. Ent. Ver. I, 1877, p. 46. „
- t. 1, f. 9.
- regularis* Stal. Öfv. Vet. Ak. Förh. XV, 1858, p. 473; Mon. I, 1862, p. 32. Bogota
- rixosa* Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 306; Mon. II, 1863, p. 92. Brasilien
- Rogersi* Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 254. Costarica
- duodecimguttata* Jac. l. c. t. 14, f. 20 (nec F.).
- rubropunctata* Deg. Mém. Ins. V, 1775, p. 350, t. 16, f. 10. — Retzius, Gen. et spec. Ins. 1783, p. 164 (Chrysomela). — Stal. Mon. I, 1862, p. 18. Guyana.
- haemostata* Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1688 (Chrysomela). Amazonas.
- miliaris* Ol. Encycl. méth. V, 1790, p. 691; Ent. V, 1807, p. 586, t. 5, f. 58 (Chrysomela). Ecuador
- ab. *concatenata* F. Mant. Ins. I, 1787, p. 91. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1727. — Herbst, Natursyst. Ins. Käfer VIII, 1799, p. 359, t. 136, f. 8. — F. Syst. El. II, 1801, p. 5 (Erotylus). — Ill. Mag. Ins. V, 1806, p. 231.
- catenulata* Ol. Ent. V, 1807, p. 585, t. 5, f. 57. — Baly. Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 348, t. 27, f. 7 (var. A).
- sternicornis* Frölich, Naturf. XXVI, 1792, p. 126 (Erotylus).
- ab. *monilis* Stal. Öfv. Vet. Ak. Förh. XV, 1858, p. 253.
- ab. *Osculati* Guér. Verh. zool.-bot. Ges. Wien V, 1855, p. 603.
- rudis* Har. Deutsche Ent. Zeitschr. XXIV, 1880, p. 217. Columbien:
- rugosa* Jac. Proc. Zool. Soc. Lond. 1876, p. 816. — Steinh. Mitth. Münch. Ent. Ver. I, 1877, p. 38. Medellin
- t. 1, f. 1. Columbien
- Sallei* Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 308; Mon. II, 1863, p. 104. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 255, t. 14, f. 14. Mexiko
- Salvini* Baly. Trans. Ent. Soc. Lond. (3) II, 1864, p. 225. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 255, t. 14, f. 6. Panama.
- sanguinipennis* Jac. Entomol. XXVIII, 1895, p. 189. Venezuela
- sanguipennis* Bowd. Entomol. XLIV, 1911, p. 67. Brasilien:
- sanguinipennis* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 42. Goyaz
- sapphirina* Forster, Nov. spec. Ins. I, 1771, p. 19. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1689. — Ol. Encycl. méth. V, 1790, p. 720 (Chrysomela). — Stal. Mon. II, 1863, p. 103. Cayenne
- sternicornis* Schaller. Abhandl. Hall. Ges. I, 1783, p. 276, t. I, f. 1. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1685 (Chrysomela).

- saucia* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 253; Mon. I, 1862, p. 38. Brasilien
scalaris Ol. Ent. V, 1807, p. 586, t. 5, f. 59. Surinam
scenica Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 58; Mon. II, 1863, p. 129. Venezuela,
 ab. nobilis Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 257. Columbien
 ab. pavonina Stal, l. c. XIV, 1857, p. 58. Bolivia
Schoenherri Guér. Ic. règne anim. 1844, p. 298. — Stal, Mon. I, 1862, p. 27.
scripta Jac. Entomol. XXXI, 1898, p. 53. Patria?
serupulosa Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 473; Mon. I, 1862, p. 60. Bahia
seurra Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 470; Mon. I, 1862, p. 16. Brasilien
seurris Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 470; Mon. I, 1862, p. 16. „
scutellaris Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 255; Mon. I, 1862, p. 83. Brasilien:
 brasiliensis Jac. Ent. Monthly Mag. XXV, 1889, p. 204. Sao Paulo
seladonia Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 474; Mon. II, 1863, p. 125. Cayenne
selecta Er. Arch. f. Naturg. XIII, 1847, p. 156. — Stal, Mon. I, 1862, p. 63. — Jac. Proc. Zool. Lond. 1880, p. 599. Peru,
 Ecuador
semiambita Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 255; Mon. I, 1862, p. 30. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 245, t. 15, f. 7. Mexiko,
 Guatemala
semifulva Jac. Entomol. XXVIII, 1895, p. 192. Bolivia
seminigra Jac. Proc. Zool. Soc. Lond. 1903, II, p. 35. Peru
semiviridis Jac. l. c. p. 32. Costarica
seria Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 256; Mon. I, 1862, p. 67. Bogota
servula Stal, Mon. II, 1863, p. 94. Brasilien
sesquicincta Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 254; Mon. II, 1863, p. 120. Bahia
sexguttata Jac. Proc. Zool. Soc. Lond. 1880, p. 598, t. 54, f. 9. Ecuador
sexmaculata Jac. l. c. 1877, p. 517. Peru
sexplagiata Jac. l. c. 1903, II, p. 45. „
sexspilota Jac. l. c. p. 36. Brasilien:
 Sao Paulo
Sheppardi Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 343, t. 27, f. 6. — Stal, Mon. I, 1862, p. 18. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 251. Mittel-
 Amerika
 divisa Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 253.
signiceps Stal, l. c. XIV, 1857, p. 58; Mon. II, 1863, p. 101. Brasilien
signifrons Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 308; Mon. II, 1863, p. 103. Bolivia,
 Peru
silvicola nom. nov. Amazonas:
 amazona Jac. Cist. Ent. III, 1882, p. 43 (nec Stal). Rio Maué
Simoni Jac. Proc. Zool. Soc. Lond. 1889, p. 267. Venezuela,
 Columbien
simulans Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 347. — Stal, Mon. I, 1862, p. 59. ? Brasilien
sobrina Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 54; Mon. I, 1862, p. 56. Brasilien

- spectabilis* Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 341. — Stal, Mon. I, 1862, p. 66. — Jac. Biol. Centr.-Amer. Col. VI, I, Suppl. t. 14, f. 19. Guatemala, Nicaragua, Costarica
- spectanda* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 469; Mon. I, 1862, p. 43. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 249, t. 14, f. 7. „
- specularis* Jac. Entomol. XXXI, 1898, p. 53. Patria?
- sphaerica* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 31. „
- stabilis* Jac. Biol. Centr.-Amer. Col. VI, I, Suppl. 1891, p. 256, t. 41, f. 17. Panama: Bugaba
- Staliana* nom. nov. Columbien: Medellin
- Stali* Steinh. Mitth. Münch. Ent. Ver. I, 1877, p. 44, t. 1, f. 8 (nec Baly).
- Staudingeri* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 42. Columbien
- sternalis* Jac. l. c. p. 43. Ecuador
- sticticeps* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 473; Mon. I, 1862, p. 67. Bogota
- stillata* Kirsch, Deutsche Ent. Zeitschr. XX, 1876, p. 87 (*Chrysomela*). Peru
- straminea* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 253; Mon. II, 1863, p. 118. Brasilien
- strigilata* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 257; Mon. II, 1863, p. 118. „
- subfastuosa* Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 245. Brit. Honduras, Guatemala
- submetallica* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 36. Peru
- subnotata* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 308; Mon. I, 1862, p. 69. Columbien
- sugillata* Stal, Mon. III, 1865, p. 336 (*Chrysomela*). Peru
- suturata* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 309; Mon. I, 1862, p. 70. Columbien
- taeniata* nom. nov. Peru
- cyaneofasciata* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 45 (nec Stal).
- tarsalis* Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 57; Mon. I, 1862, p. 17. Columbien, Venezuela
- terminata* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 40. Costarica
- tessellata* Ol. Ent. V, 1807, p. 585, t. 1. f. 6. — Stal, Mon. I, 1862, p. 37. Rio Janeiro
- tesseraria* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 253; Mon. I, 1862, p. 37. Montevideo, Cassapava
- testudo* Demay, Rev. Zool. 1838, p. 23. — Stal, Mon. I, 1862, p. 53. Bolivia, Peru
- Margaritae* Blanch. Voy. d'Orb. Col. 1845, p. 213, t. 25, f. 2.
- Thammi* Baly, Trans. Ent. Soc. Lond. 1879, p. 236. Peru: Chanchamayo
- Thomsoni* Baly, l. c. (n. s.) IV, 1858, p. 347. — Stal, Mon. I, 1862, p. 81. — Jac. Proc. Zool. Soc. Lond. 1880, p. 599. Amazonas, Ecuador, Peru
- transversofasciata* Jac. Cist. Ent. II, 1879, p. 517. Peru: Chanchamayo
- trivittata* Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 345, t. 27, f. 1. — Stal, Mon. II, 1863, p. 126; III, 1865, p. 327. Peru
- ucajalis* Kirsch, Deutsche Ent. Zeitschr. XX, 1876, p. 86 (*Chrysomela*). „

- undata** Deg. Mém. Ins. V, 1775, p. 350, t. 16, f. 9. — Stal, Mon. I, 1862, p. 34 (*Chrysomela*).
americana Voet. Cat. II, 1806, p. 42, t. 31, f. 20.
cruentata Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1688 (*Chrysomela*).
pustulata F. Spec. Ins. II, App. 1781, p. 498; Mant. Ins. I, 1787, p. 91. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1727 (*Erotylus*). — Ol. Encycl. méth. V, 1790, p. 191. — F. Ent. Syst. I, 2, 1792, p. 308. — Panz. in Voet. Besch. hartsch. Ins. IV, 1798, p. 34, t. 31, f. 20. — F. Syst. El. I, 1801, p. 423. — Ill. Mag. Ins. V, 1806, p. 229 (*Chrysomela*). — Ol. Ent. V, 1807, p. 584, t. 1, f. 1. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 186 (*Homalodora*).
variolosa Lichtenst. Cat. Mus. Hamb. 1795, p. 61.
ab. impustulata Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 469.
- undulata** Baly, Journ. Linn. Soc. Lond. XIV, 1877, p. 353. Columbicn
- undulatofasciata** Jac. Ent. Monthly Mag. XXV, 1889, p. 206. „
- uniformis** Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 257. Panama:
Chiriqui
- variolaris** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 306; Mon. I, 1862, p. 79. Bahia
- venezuelensis** Jac. Entomol. XXXI, 1898, p. 52. Venezuela
- ventricosa** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 306; Mon. I, 1862, p. 77. Amazonas,
Peru
- verrucosa** Baly, Journ. Linn. Soc. Lond. XIV, 1877, p. 351. Brasilien:
Neu-Freiburg
- vespertina** Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 345. — Stal, Mon. II, 1863, p. 126. Peru,
Ecuador
- vigintioplagiata** Jac. Proc. Zool. Soc. Lond. 1903, II, p. 44. Brasilien:
Espirito Santo
- vigintiunopunctata** Chevr. Mag. Zool. I, 1831, p. 13, t. 13. — Stal, Mon. I, 1862, p. 80. Brasilien
- vinula** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 255; Mon. II, 1863, p. 100. „
- viridifasciata** Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 258, t. 15, f. 16. Mexiko,
Guatemala
- viridiornata** Jac. Proc. Zool. Soc. Lond. 1903, II, p. 38. Peru
- vittaticollis** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 471; Mon. I, 1862, p. 51. Bogota
- vittatipennis** Jac. Proc. Zool. Soc. Lond. 1878, p. 990. Columbicn
- Wallisi** Steinh. Mitth. Münch. Ent. Ver. I, 1877, p. 45, t. 1, f. 4. „
- Waterhousei** Baly, Ann. Mag. Nat. Hist. (5) II, 1878, p. 87. Santarem
- Whitei** Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 348. — Stal, Mon. I, 1862, p. 64. Amazonas
- zebrata** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 56. Rio Janeiro
- zebra* Stal, Mon. I, 1862, p. 58. „
- zonata** Germ. Ins. spec. nov. 1824, p. 580. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 185 (*Sphaenosterna*). — Stal, Mon. I, 1862, p. 62.
- scutellaris* Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 55.

Subgen. **Dorysterna** Guér.

Guérin, Verh. zool.-bot. Ges. Wien V, 1855, p. 605. — Chapuis, Gen. Col. X, 1874, p. 399.

- atricollis** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 308; Brasilien
Mon. II, 1863, p. 116.
- bahiensis** Jac. Proc. Zool. Soc. Lond. 1903. II, p. 40 Bahia
(sub *bahiaensis*). — Ws. Wien. Ent. Zeit.
XXXII, 1913, p. 18.
- clavicornis** Stal, Öfv. Vet. Ak. Förh. XV, 1859, p. 306; ? Brasilien
Mon. II, 1863, p. 112.
- corynomaloides** Stal, Öfv. Vet. Ak. Förh. XV, 1858, Brasilien
p. 254; Mon. II, 1863, p. 111.
- cruentata** Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858. „
p. 339. — Stal, Mon. II, 1863, p. 114.
- Deyrollei** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 307; ? Brasilien
Mon. II, 1863, p. 116.
- dorsosignata** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 56; Rio Janeiro
Mon. II, 1863, p. 115.
- Eugenia** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 471; ? Brasilien
Mon. II, 1863, p. 113.
- ensema** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 306; „
Mon. II, 1863, p. 112.
- festiva** Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, Peru,
p. 340. — Stal, Mon. II, 1863, p. 113. Ecuador
- intermaculata** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, Rio Janeiro
p. 56; Mon. II, 1863, p. 115.
- monticola** nom. nov. Rio Napo
Bourcierii Guér. Verh. zool.-bot. Ges. Wien V,
1855, p. 605 (nec Guér. ib. p. 604). — Stal,
Mon. II, 1863, p. 111.
- pretiosa** Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858. Amazonas:
p. 340. — Stal, Mon. II, 1863, p. 114. Ega
- tibialis** Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, „
p. 339. — Stal, Mon. II, 1863, p. 114.

Subgen. **Trichomela** Chap.

Chapuis, Gen. Col. X, 1874, k. 399.

- ambigua** Er. Arch. f. Naturg. XIII, 1847, p. 156. — Stal, Peru,
Mon. II, 1863, p. 109. Ecuador
- ab. *nigrolineata* Er. Arch. f. Naturg. XIII, 1847,
p. 156.
- ab. *quinquemaculata* Er. l. c. p. 156.
- Dohrni** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 57; Columbien
Mon. II, 1863, p. 107.
- epilachnoides** Stal, Öfv. Vet. Ak. Förh. XV, 1858, „
p. 257; Mon. II, 1863, p. 107.
- fatidica** Stal, l. c. p. 108. Bogota
- notaticollis** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 257; Rio Janeiro
Mon. II, 1863, p. 110.
- subdepressa** Guér. Ic. règne anim. 1844, p. 299. — Columbien
Stal, Mon. II, 1863, p. 106.
- suturella** Guér. Verh. zool.-bot. Ges. Wien V, 1855, p. 605. Bogota
- limbatipennis* Stal, Öfv. Vet. Ak. Förh. XIV,
1857, p. 55; Mon. II, 1863, p. 106.

- xantholoma** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 56; Rio Janeiro
Mon. II, 1863 p. 110.
397

Labidomera Chevr.

Chevr. in d'Orbigny, Dict. univ. Hist. nat. III, 1843, p. 656. — Guér.
Ic. règne anim. 1844, p. 301. — Crotch, Proc. Ac. Philad. XXV, 1873,
p. 46. — Chapuis, Gen. Col. X, 1874, p. 394. — Jacoby, Biol. Centr.-
Amer. Col. VI, I, 1883, p. 240. — Linell, Journ. N. York Ent. Soc. IV,
1896, p. 195.

Subgen. Labidomera i. sp.

- clivicollis** Kirby, Fauna Bor.-Amer. IV, 1837, p. 213 Nord-
(*Chrysomela*). — Stal, Mon. II, 1863, p. 144. — Amerika,
Crotch, Proc. Ac. Philad. XXV, 1873, p. 47. — Mexiko
Townsend, Ent. Amer. II, 1886, p. 58. —
Linell, Journ. N. York Ent. Soc. IV, 1896, p. 195.
trimaculata F. Syst. Ent. 1775, p. 95; Spec. Ins.
I, 1781, p. 117; Mant. Ins. I, 1787, p. 67. —
Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790,
p. 1683. — F. Ent. Syst. I, 1792, p. 312;
Syst. El. I, 1801, p. 424. — Coqueb. Ill. Ins.
Fabr. III, 1804, p. 123, t. 28, f. 1. — Ol. Ent. V,
1807, p. 515, t. 3, f. 29 (*Chrysomela*). — Rogers,
Proc. Ac. Philad. VIII, 1854, p. 30. — Suffr.
Stett. Ent. Zeit. XIX, 1858, p. 248 (*Doryphora*)
(nec L.).
ab. Rogersi J. Lec. Journ. Ac. Philad. (n. s.) IV, Texas,
1858, p. 26. — Linell, Journ. N. York Ent. Kansas
Soc. IV, 1896, p. 195.
Biologie: Harris, Ins. injur. veget. ed. 2, 1852,
p. 117. — Coquillett, Canad. Ent. XV, 1883,
p. 21. — Beutenmüller, Ent. Amer. VI, 1890,
p. 176.
suturrella Chevr. Ic. règne anim. 1844, p. 301. — Stal, Mexiko,
Mon. II, 1863, p. 143. — Jac. Biol. Centr.- Yucatan
Amer. Col. VI, I, 1883, p. 240, t. 15, f. 5, 6.
ab. Germari Chevr. Ic. règne anim. 1844, p. 301. —
Stal, Mon. II, 1863, p. 144.

Subgen. Cryptostetha Baly.

- Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 349. — Stal, Mon. II,
1863, p. 139. — Chapuis, Gen. Col. X, 1874, p. 368, 393.
Paropsimena Motsch. Schrenck's Reisen Amurl. 1860, p. 186.
Adippe Stal, Mon. III, 1865, p. 338 (*Chrysomela*).
circumpuncta Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 474
(*Doryphora*); Mon. II, 1863, p. 143.
cyaneofasciata Jac. Entomol. XXVIII, 1895, p. 193.
dolabrata Stal, Mon. II, 1863, p. 142.
florigera Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 309
(*Doryphora*); Mon. II, 1863, p. 141.
hieroglyphica Luc. Voy. Castelnau 1857, p. 196, t. 14, Brasilien
f. 8 (*Doryphora*). — Bedel, Ann. Soc. Ent. Fr.
(6) VII, 1887. Bull. p. 110.

- imperialis** Baly, Journ. Ent. XIV, 1878, p. 355 (*Labidomera*).
infuscata Motsch. Schrenck's Reisen Amurl. II, 1860, p. 186 (*Paropsinena*).
liturifera Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 258 (*Doryphora*); Mon. II, 1863, p. 139.
marmorata Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 350, t. 27, f. 9.
maculifrons Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 309 (*Doryphora*); Mon. II, 1863, p. 142.
notatifrons Stal, Mon. II, 1863, p. 142.
oceanana Steinh. Mitth. Münch. Ent. Ver. I, 1877, p. 36.
parellina Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 258 (*Doryphora*); Mon. II, 1863, p. 139.
aenea Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 57.
procera Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 473 (*Doryphora*); Mon. II, 1863, p. 141.
rufipennis Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 58.
suturalis Baly, l. c. p. 57.
aeneoconspersa Stal, Mon. II, 1863, p. 140.
verecunda Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 309 (*Doryphora*); Mon. II, 1863, p. 140.

Rio Janeiro

Bolivia

Brasilien
Columbien
Brasilien

,,

,,

Brasilien:
Sta. Catharina

16

Euryceraea Steinh.

Steinheil, Mitth. Münch. Ent. Ver. I, 1877, p. 33.

- Badeni** Steinh. l. c. p. 33, t. 1, f. 5. Columbien
Wagneri Steinh. l. c. p. 35. Ecuador

2

Prosicela Er.

Er. Arch. f. Naturg. XIII, 1847, p. 156. — Stal, Mon. II, 1863, p. II, 151 (*Proseicela*). — Chapuis, Gen. Col. X, 1874, p. 368, 394. — Jacoby, Biol. Centr.-Amer. Col. VI, I, 1883, p. 241.

- Labidosterna* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 182.
bieruciata Jac. Proc. Zool. Soc. Lond. 1880, p. 596, t. 54, f. 6. Ecuador
brevicollis Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 242. Guatemala
egensis Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 455; Mon. II, 1863, p. 153. Amazonas
flavipennis Er. Arch. f. Naturg. XIII, 1847, p. 156. — Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 474; Mon. II, 1863, p. 153. Peru
inornata Jac. Proc. Zool. Soc. Lond. 1903, II, p. 55. Peru:
Hualлага
maculata Jac. l. c. p. 55. Peru:
Marcapata
signifera Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 474; Mon. II, 1863, p. 153. Columbien,
Guatemala,
Chevolati Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 351. Venezuela,
Peru

- simplicipennis* Jac. Proc. Zool. Soc. Lond. 1880, p. 595, Ecuador
t. 54. f. 7.
- spectabilis* Baly. Trans. Ent. Soc. Lond. (n. s.) IV. 1858. Rio Napo
p. 351.
- sublimis* Stal. Öfv. Vet. Ak. Förh. XVII. 1860.
p. 455; Mon. II. 1863. p. 152.
- vittata* F. Spec. Ins. I. 1781. p. 116; Mant. Ins. I. 1787. Guyana
p. 67. — Gmelin in L. Syst. Nat. ed. XIII. I. 4.
1790, p. 1667. — Hübn. Naturf. XXIV. 1789.
p. 37, t. 2, f. 1. — F. Ent. Syst. I. 1792, p. 310. —
Panz. in Voet. Besch. hartsch. Ins. IV. 1798.
p. 33, t. 31. f. 17. — F. Syst. El. I. 1801.
p. 424. — Ol. Ent. V. 1807. p. 511. t. 4. f. 47. —
De Tigny. Hist. Nat. Ins. (2) VIII. 1813. p. 224
(*Chrysomela*). — Stal. Öfv. Vet. Ak. Förh. XV.
1858. p. 474; Mon. II. 1863. p. 152.
- surinamensis* Voet. Cat. Syst. Col. II. 1806. p. 41.
t. 31. f. 17.
- 10

Metastyla Chap.

Chapuis. Gen. Col. X. 1874. p. 400.

- nigrofasciata* Stal. Öfv. Vet. Ak. Förh. XIV. 1857. p. 58 Rio Janeiro
(*Doryphora*); Mon. III. 1865, p. 201 u. 341.

1

Leptinotarsa Stal.

- Stal. Öfv. Vet. Ak. Förh. XV. 1858. p. 475. — Chapuis. Gen. Col. X.
1874, p. 368. 390. — Jac. Biol. Centr.-Amer. Col. VI. I. 1883. p. 227. —
Linell, Journ. N. York Ent. Soc. IV. 1896. p. 195.

Myocoryna Stal. Öfv. Vet. Ak. Förh. XV. 1858. p. 316. —
Crotch. Proc. Ac. Philad. XXV. 1873. p. 46.

Polygramma Motsch. Schrenck's Reisen Amurl. II. 1860, p. 181.

Biologie: Tower. Publ. Carnegie Inst. Washingt. XLVIII. 1906,
p. 1—320, t. 1—30. — Girault. Science N. York (n. s.) XXVI,
1907, p. 550. — Coquerell. Science N. York (n. s.) XXVI, 1907.
p. 71. — Knab. Science XXVII, 1908, p. 223. — Garman. Rep.
Kent. Exp. Stat. Bull. 130. 1907, p. 20. — Lutz. Journ. N. York
Ent. Soc. XVIII. 1910, p. 271. — Wieman. Biol. Woods Hole
XVIII, 1910, p. 180. f. — Tower. Biol. Bull. Woods Hole XVIII,
1910, p. 285 (4 f. 8 t.): XXI. 1913. p. 67. f.

Morphologie: Hegner, Journ. Morphol. Philad. XX. 1909, p. 231
(4 t.).

Parasitismus: Bethune. Canad. Ent. XLIII. 1911. p. 320. —
Yothers, Canad. Ent. XLIII, 1911, p. 418.

- Behrensi* Har. Mitth. Münch. Ent. Ver. I. 1877, p. 16. — Nieder-
Jac. Biol. Centr.-Amer. Col. VI. I. Suppl. 1891. Californien.
p. 253, t. 13. f. 13. — Linell, Journ. N. York
Ent. Soc. IV. 1896. p. 196. Mexiko
- modesta* Jac. Biol. Centr.-Amer. VI. I. 1883,
p. 229. — Tower. Publ. Carnegie Inst. XLVIII,
1906, t. 22, f. 16.

ab. *puncticollis* Jac. l. c. p. 228, t. 13, f. 12. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 15. — Knab, Science (n. s.) XXVII, 1908, p. 224.

Biologie: Dugès, Ann. Soc. Ent. Belg. XXVII, 1883, p. 144, t. 4 A; (La Natureza (2) I. 1888, p. 63, t. 7).

Belti Jac. Proc. Zool. Soc. Lond. 1879, p. 782 (*Stilodes*); Guatemala,
Biol. Centr.-Amer. Col. VI, I, 1883, p. 238, t. 13, Nicaragua
f. 18. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 11.

cacia Stal. Öfv. Vet. Ak. Förh. XV, 1858, p. 475; Mon. II, Mexiko
1863, p. 156. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 227, t. 14, f. 23. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 23, f. 8.

calceata Stal. Öfv. Vet. Ak. Förh. XV, 1858, p. 476; „
Mon. II, 1863, p. 160. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 231, t. 13, f. 14. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 23, f. 13.

vittata Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 351.

Biologie: Chap. & Cand. Mém. Soc. Sc. Liège XVI, 1861, p. 392, t. 6, f. 2.

chaleospila Stal. Öfv. Vet. Ak. Förh. XV, 1858, p. 476; „
Mon. II, 1863, p. 157. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 227, t. 13, f. 9. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 14.

chlORIZANS Suffr. Stett. Ent. Zeit. XIX, 1858, p. 248 „
(*Doryphora*). — Stal, Mon. III, 1865, p. 322. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 236.

Dahlbomi Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 317 Texas,
(*Myocoryna*); Mon. II, 1863, p. 166. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 47. — Mexiko,
Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 235, Nicaragua
t. 13, f. 23. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 196. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 5.

decemlineata Say, Journ. Ac. Philad. (3) III, 1824, p. 453 Nordamerika,
(*Chrysomela*). — Rogers, Proc. Ac. Philad. VIII, Mexiko,
1854, p. 30. — Suffr. Stett. Ent. Zeit. XIX, Costarica
1858, p. 244 (*Doryphora*). — Stal, Mon. III, 1865, p. 322. — Shimer, Pract. Ent. I, 1866, p. 84. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 47. — Kraatz, Berl. Ent. Zeitschr. XVIII, 1874, p. 442, t. 1, f. 6. — Westhoff, Ent. Nachr. IV, 1878, p. 113. — Kraatz, Ent. Nachr. IV, 1878, p. 131. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 233. — Towns, Ent. Amer. II, 1886, p. 57. — Jac. Biol. Centr.-Amer. VI, I, Suppl. 1891, p. 253, t. 13, f. 24. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 196. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 14, f. 23—30, 36, 37; t. 15, f. 12—16, 25—29, 41—44, 58—62; t. 15, f. 8; t. 23, f. 26. — Knab, Journ. N. York Ent. Soc. XV, 1907, p. 190.

- multilineata* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 316 (*Myocoryna*); Mon. II, 1863, p. 164. — Walsh, Pract. Ent. II, 1866, p. 13.
- Biologie: Walsh, Practical Ent. I, 1865, p. 1, 85, 88, 89; Amer. Ent. & Bot. I. 1868. p. 41. — Riley, First Ann. Rep. Nox. Ins. Missouri 1869, p. 101. — Shimer, Amer. Nat. III, 1870, p. 91 u. 99. — Gillman, Amer. Ent. & Bot. II, 1870, p. 84. — Saffer, Amer. Ent. & Bot. II, 1870, p. 304. — Collins, Amer. Ent. & Bot. II, 1870, p. 341. — Holman, Amer. Ent. & Bot. II, 1870, p. 370. — Saunders & Reed, Canad. Ent. III, 1871, p. 41. — Tenney, Amer. Natur. V, 1871, p. 170. — Reed, Ann. Rep. Ent. Soc. Ontar. 1872, p. 48. — Rogers, Canad. Ent. IV, 1872, p. 200. — Horn in Hayden, Geol. Surv. Montana 1872, p. 384. — Glover, Rep. Comm. Agric. 1872, p. 120. — Riley, VI. Rep. Nox. Ins. Missouri 1872, p. 11, 16. — Frauenfeld, Verh. zool.-bot. Ges. Wien XXIII, 1873, p. 183. — Gillman, Amer. Nat. VII, 1873, p. 430. — Carpenter in Hayden, Geol. Surv. Montana 1873, p. 570. — Riley, VII. Rep. Nox. Ins. Missouri 1873, p. 1. — Har. Berl. Ent. Zeitschr. XVIII, 1874, p. 444. — Provancher, Nat. Canad. III, 1874, p. 13; Proc. Ent. Soc. Lond. 1874, p. V. — Smith, Scientif. Amer. XXX, 1874, p. 306 u. 383; XXXI, 1875, p. 52. — Wicklin, Scientif. Amer. XXXI, 1875, p. 309. — Bates, Journ. Agric. Soc. (2) XI, 1875, p. 361 u. 365, t. — Perchoue, L'enn. pomme de terre, Bruxelles 1875, p. 1. — Riccardi, Ann. Soc. Modena (2) IX, 1875, p. 155, t. 2, 3. — Bourgois, Note sur Doryph. decemlineata, Rouen 1875, p. 1 (Extr. Bull. Soc. Rouen 1874). — Stal, On Colorado Skalbagger, Stockh. 1875, p. 1, f. — Lichtenstein, Ann. Soc. Ent. Fr. (5) V, 1875, Bull. p. 76. — Candèze, Ann. Soc. Ent. Belg. XVIII, 1875, C. r. p. 12. — Putzeys, l. c. p. 17. — Breyer, l. c. p. 19. — Leconte, l. c. p. 29. — Hagen, l. c. p. 30. — Putz, l. c. p. 32. — Preudhomme de Borre, l. c. p. 61; Bull. Soc. Linn. Brux. II, 1875, livr. 5 (Engl. Übersetzung in Ent. Monthly Mag. XII, 1875, p. 40). — Kiesenw. Sitzb. Ges. Isis 1875, p. 74. — Science Goss. 1875, p. 200. — Provancher, Nat. Canad. VII, 1875, p. 173, t. — Akhurst, Psyche I, 1875, p. 104. — Grote & Kaiser, Proc. Amer. Ass. XX, 4, 1875, p. 226. — Fitch, IX. Rep. Inst. N. York 1875, p. 229, t. 4, f. 6. — Riley in Potato Pests, N. York 1876, p. 108, f. 49. — Siemoni, Bull. Soc. Ent. Ital. VIII, 1876, p. 41. — D'Urban, Ent. Monthly Mag. XII, 1875—76, p. 215. — Huart, Ann. Soc. Ent. Belg. XIX, 1876, c. r. p. 101. — Kraatz, Ent. Monatsbl. I, 1876, p. 36 u. 55. — Anonymus, Ent. Nachr. II, 1876, p. 22, 93, 110. — Grote & Kaiser, Amer. Natural. X, 1876, p. 205. — Dohrn, Stett. Ent. Zeit. XXXVII,

- 1876, p. 438. — Packard, Sc. Farmer I, 1876, p. 104 u. 168. — Douglas, Ent. Monthly Mag. XIII, 1876, p. 181. — Riley, IX. Rep. Nox. Ins. Missouri 1876, p. 34. — Provancher, Natural. Canad. IX, 1877, p. 235. — Girard, Bull. Soc. Ent. Fr. (5) VII, 1877, p. 119. — Anonymus, Ent. Nachr. III, 1877, p. 147, 160, 162, 163. — Bates, Rep. Ent. Soc. Ontar. 1878, p. 77. — Borre, Ann. Soc. Ent. Belg. XX, 1878, c. r. p. 51. — Cand. l. c. p. 57. — Provancher, Natural. Canad. X, 1878, p. 185, 215, 248, 254. — Bates, Canad. Ent. X. 1878. p. 100, 137. — Crofts, Canad. Ent. X, 1878. p. 140. — Comstock, Rep. Dept. Agric. 1879, p. 245. — Drury, Canad. Ent. XI, 1879, p. 20. — Krauer, Jahrb. Ver. Württ. XXV, 1879, p. 351. — Trudy Ross. XI. 1880, p. IX—XIV. — Kunze, Amer. Nat. XIV, 1880, p. 521. — Anonymus, Amer. Ent. III, 1880, p. 116, 169, 170, 190, 191, 294, 296, 297. — Grote, Rep. Ent. Soc. Ont. 1880, p. 18. — Provancher, Natural. Canad. XII, 1881, p. 126. — Brackel-Welda, Nat. Mex. V, Riv. Cient. 1881, p. 13. — Anonymus, Ent. Monthly Mag. XVII, 1881, p. 235. — Kirby, Proc. Ent. Soc. Lond. 1881, p. IV. — Riley, Amer. Natur. XVI, 1882, p. 678. — Claypole, Amer. Natur. XVII. 1883, p. 1174. — Müller, Zool. Gart. XXIV, 1883, p. 346. — Coquillett, Canad. Ent. XV. 1883, p. 21. — Coleman, Journ. Bost. Zool. Soc. II, 1883, p. 32. — W. Saunders, Canad. Ent. XVI. 1884, p. 207. — Claypole, Proc. Amer. Ass. XXXII, 1884, p. 320. — Townsend, Ent. Amer. II, 1886, p. 57. — Anonymus, Ent. Nachr. XIII. 1887, p. 256. — Karsch, Ent. Nachr. XIII, 1887, p. 323. — Will, Ent. Nachr. XIII, 1887, p. 380. — Böhr, Jahrb. Ver. Osnabr. VII, 1889, p. 118. — — Phares, U. S. Dept. Agric. Ins. Life II, 1889, p. 22. — Webster, l. c. p. 122. — Beutenmüller, Ent. Amer. VI, 1890, p. 176. — Noble, U. S. Dept. Agric. Ins. Life V, 1891, p. 111. — Riley, l. c. VI, 1892, p. 50. — Coque-rell, Journ. N. York Ent. Soc. V, 1897, p. 149. — Lesne, Bull. Soc. Ent. Fr. 1898, p. 306. — Lampa, Ent. Tidskr. XXIV, 1902, p. 106, f. — Felt, Bull. N. York Mus. LXIV, 1903, p. 143. — Goury u. Guyon, Feuille jeun. Nat. XXXVII, 1907, p. 115. — Girault u. Rosenfeld, Psyche XIV, 1907, p. 45. — Girault, Ann. Amer. Ent. Soc. I, 1908, p. 155. — Popenoe, U. S. Dept. Agric. Ent. Bull. 82, I, 1909, p. 1, t. 1, 2. — Girault u. Zetek, Ann. Amer. Ent. Soc. IV, 1911, p. 71. — Hegner, Biol. Bull. Woods Hole XX, 1911, p. 237, 18 f.
- Morphologie: Wheeler, Journ. Morph. III, 1889, p. 291, t. 15—21. — Stevens, Public. Carnegie Inst. Washingt. 36, II, 1906, p. 33, t.
- Parasitismus: Riley, IV. Rep. Nox. Ins. Mis-
souri 1871, p. 5, t. 4—9.

Cannibalismus: Norton. Canad. Ent. XLIII, 1911, p. 385.

- defecta** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 317 (*Mygocoryna*); Mon. II, 1863, p. 165. — Westhoff. Ent. Nachr. IV, 1878, p. 117. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 234, t. 13, f. 21. — Schaeffer, Bull. Brooklyn Mus. I, 1906, p. 239. — Knab, Journ. N. York Ent. Soc. XV, 1907, p. 193. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 14, f. 10; t. 23, f. 20, 21. Mexiko, Texas
- dilecta** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 465; Mon. II, 1863, p. 159. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 230, t. 13, f. 16. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 14, f. 46—48; t. 19, f. 7—12; t. 20, f. 29—32; t. 23, f. 14. Mexiko
- distinguenda** Jac. Proc. Zool. Soc. Lond. 1877, p. 518 (*Calligrapha*); Biol. Centr.-Amer. Col. VI, I, 1883, p. 238, t. 14, f. 25. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 23, f. 12. Nicaragua, Guatemala
- Dohrni** Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 239, t. 15, f. 4. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 12. Mexiko: Yolotepec
- evanescens** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 460 (*Calligrapha*); Mon. II, 1863, p. 168. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 238, t. 15, f. 2. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 13. Nicaragua, Costarica
- flavitaris** Guér. Verh. zool.-bot. Ges. Wien V, 1855, p. 606 (*Polyspila*). — Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 476; Mon. II, 1863, p. 160. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 231, t. 14, f. 12. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 23, f. 7. Mittelamerika
- signatipennis* Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 352, t. 27, f. 2.
- flavopustulata** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 460 (*Calligrapha*); Mon. II, 1863, p. 169. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 238, t. 13, f. 17. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 10. Guatemala
- fraudulenta** Kirsch, Berl. Ent. Zeitschr. XX, 1876, p. 85 (*Chrysomela*). Peru
- Haldemani** Rogers, Proc. Ac. Philad. VIII, 1854, p. 39. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 246 u. 248 (*Doryphora*). — Stal, Mon. II, 1863, p. 167. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 47. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 235. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 196. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 6. Texas, Arizona, Mexiko
- Heydeni** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 475. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 182. — Stal, Mon. II, 1863, p. 158. — Chev. Ann. Soc. Ent. Fr. (5) VII, 1877, Bull. p. 143. — Mexiko

- Jac. Biol. Centr.-Amer. VI, 1, 1883, p. 228, t. 13, f. 11. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 7.
- Hoegei** Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 240, t. 15, f. 3. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 4. Mexiko
- juneta** Germ. Ins. spec. nov. 1824, p. 590 (*Chrysomela*). — Rogers, Proc. Ac. Philad. VIII, 1854, p. 30. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 243 (*Doryphora*). — Stal. Mon. II, 1863, p. 165. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 47. — Westhoff, Ent. Nachr. IV, 1878, p. 118. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 196. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 14, f. 38, 39; t. 23, f. 19. Östliche Vereinigte Staaten von Nordamerika
- Biologie: Riley, I. Rep. Nox. Ins. Missouri 1869, p. 105 f; Amer. Natur. XVI, 1882, p. 678. — Kraatz, Berl. Ent. Zeitschr. XVIII, 1874, p. 151. — Coquillett, Canad. Ent. XV, 1883, p. 22. — Townsend, Ent. Amer. II, 1886, p. 58. — Beutenmüller, Ent. Amer. VI, 1890, p. 176.
- Kirschi** Baly, Trans. Ent. Soc. Lond. 1879, p. 237. Peru: Chanchamayo Mexiko
- lacerata** Stal. Öfv. Vet. Ak. Förh. XV, 1858, p. 476; Mon. II, 1863, p. 157. — Chev. Ann. Soc. Ent. Fr. (5) VII, 1877, Bull. p. 143. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 228, t. 13, f. 10. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 14, f. 55—57; t. 22, f. 8.
- libatrix** Suffr. Stett. Ent. Zeit. XIX, 1858, p. 248 (*Doryphora*). — Stal. Mon. III, 1865, p. 323. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 236. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 19. — Knab, Science (n. s.) XXVII, 1908, p. 223. Mexiko, Guatemala
- ab. *violascens* Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 317 (*Myocoryna*); Mon. II, 1863, p. 168. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 236. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 19, f. 25—30; t. 22, f. 21.
- lineolata** Stal. Mon. II, 1863, p. 159. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 47. — Jac. Biol. Centr.-Amer. Col. VI, I, Suppl. 1891, p. 253, t. 41, f. 14. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 196. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 14, f. 41—45; t. 23, f. 16. Texas, Arizona, Mexiko
- Biologie: Wickham, Amer. Natur. XXIX, 1895, p. 764. — Coquerell, Psyche VII, Suppl. I, 1895, p. 11.
- litigiosa** Suffr. Stett. Ent. Zeit. XIX, 1858, p. 248 (*Doryphora*). — Stal. Mon. II, 1863, p. 167. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 17. Mexiko
- multitaeniata** Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 317 (*Myocoryna*); Mon. II, 1863, p. 164. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 233. Texas, Mexiko

- Linell, Journ. N. York Ent. Soc. IV, 1896, p. 196. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 14, f. 13—22; t. 15, f. 1—8, 17—24, 33—40, 45—57; t. 15, f. 4; t. 20, f. 16—20; t. 23, f. 30.
- var. *melanothorax* Stal, Öfv. Vet. Ac. Förh. XVI, 1859, p. 317 (*Myocoryna*); Mon. II, 1863, p. 166. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 234, t. 13, f. 22. — G. Horn, Canad. Ent. XVI, 1884, p. 128. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 196. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 15, f. 5; t. 23, f. 28. — (1918) f.
- nitidicollis* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 456; Mon. II, 1863, p. 161. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 231. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 23, f. 7. Mexiko
- novemlineata* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 456; Mon. II, 1863, p. 159. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 230. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 23, f. 9. „
- obliterata* Chev. Col. Mex. Cent. I, I, 1833, nr. 23 (*Doryphora*). — Stal, Mon. II, 1863, p. 162. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 232, t. 13, f. 15. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 23, f. 10. „
- ab. *subnotata* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 476.
- paraguensis* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 58 (sub *paraguayensis*). — Ws. Wien. Ent. Zeit. XXXII, 1913, p. 18. Paraguay
- peninsularis* G. Horn, Proc. Calif. Ac. (2) IV, 1894, p. 407. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 196. Nieder Californien, Arizona
- porosa* Baly, Trans. Ent. Soc. Lond. (n. s.) V, 1859, p. 154. Brasilien
- pudica* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 456; Mon. II, 1863, p. 162. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 232, t. 13, f. 25. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 14, f. 53, 54; t. 23, f. 11. Mexiko
- rubiginosa* Rogers, Proc. Ac. Philad. VIII, 1854, p. 30. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 245 (*Doryphora*). — Stal, Mon. II, 1863, p. 168. — Croteh, Proc. Ac. Philad. XXV, 1873, p. 47. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 237. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 196. — Schaeffer, Bull. Mus. Brookl. I, 9, 1906, p. 239. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 19, f. 19—24. Texas, Neu-Mexiko, Arizona, Mexiko
- signaticollis* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 317; Mon. II, 1863, p. 163. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 232; Suppl. 1891, p. 253, t. 13, f. 20. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 15, f. 63—67; t. 20, f. 21—24; t. 23, f. 24. Mexiko

- Morphologie: Wieman, Journ. Morph. Philad. XXI, 1910, p. 135, t. f.; p. 485, f.
- similis** Bowd. Trans. Amer. Ent. Soc. XXXVII, 1911, p. 326. Mexiko
- Stali** Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 237, t. 15, f. 1. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 9. „
- texana** Schaeffer, Bull. Mus. Brookl. I, 9, 1906, p. 239. — Knab, Journ. N. York Ent. Soc. XV, 1907, p. 193. Texas: Brownsville
- defecta* Linell, Journ. N. York Ent. Soc. IV, 1896, p. 196.
- undecimlineata* Townsend, Trans. Tex. Ac. Sc. V, 1903, p. 82.
- Biologie: Knab, Journ. N. York Ent. Soc. XV, 1907, p. 190.
- tlascalana** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 477; Mon. II, 1863, p. 158. — Jac. Biol. Centr.-Amer. VI, I, 1883, p. 239. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 22, f. 18. Mexiko
- typographica** Jac. Biol. Centr.-Amer. Col. VI, I, Suppl. 1891, p. 254, t. 41, f. 16. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 23, f. 16. „
- undecimlineata** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 316 (*Myocoryna*); Mon. II, 1863, p. 163. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 47. — Steinheil, Mitth. Ent. Ver. Münch. I, 1877, p. 32. — Westhoff, Ent. Nachr. IV, 1878, p. 118. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 234 (pars). — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 196. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 14, f. 1—12, 31—35; t. 15, f. 9—11, 30—32; t. 16, f. 1; t. 19, f. 1—6; t. 20, f. 6—15; t. 23, f. 22. Mittelamerika, Columbien, Bolivia
- decemlineata* Kraatz, Berl. Ent. Zeitschr. XVIII, 1874, t. 1, f. 5.
- ab. *angustovittata* Jac. Biol. Centr.-Amer. Col. VI, I, Suppl. 1891, p. 254, t. 41, f. 15. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 16, f. 2; t. 23, f. 23.
- Biologie: Dugès, Ann. Soc. Ent. Belg. XXVIII, 1884, p. 1, t. 1 (La Naturelleza VII, 1887, p. 308, t. 8.) — Beutenmüller, Ent. Amer. VI, 1890, p. 176. — Knab, Journ. N. York Ent. Soc. XV, 1907, p. 190.
- vittipennis** Bowd. Trans. Amer. Ent. Soc. XXXVII, 1911, p. 328. Peru
- Zetterstedti** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 316; Mon. II, 1863, p. 154. — Jac. Biol. Centr.-Amer. Col. VI, I, 1883, p. 229, t. 13, f. 19. — Tower, Publ. Carnegie Inst. XLVIII, 1906, t. 14, f. 49—52. Mexiko

Polyspila Hope.

Hope, Col. Man. III, 1840, p. 165. — Guér. Ic. règne anim. 1844, p. 302. — Chevr. in d'Orbigny, Dict. univ. X, 1847, p. 412.

Boliographa Motsch. Schrenck's Reisen Amurl. II, 1860, p. 198.

Calligrapha Er. Arch. f. Naturg. XIII, 1847, p. 158. — Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 460. — Chap. Gen. Col. X, 1874, p. 383. — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 195. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 195.

Metallographa Motsch. Schrenck's Reisen Amurl. II, 1860, p. 198.

Biologie: Hegner, Psyche XV, 1908, p. 21.

Morphologie: Jac. Proc. Zool. Soc. Lond. 1896, p. 224. — Hegner, Journ. Morph. Philad. XX, 1909, p. 231, 4 t.; Biol. Bull. Woods Hole XIX, 1910, p. 18.

- aeneopicta* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 325 Mexiko
(*Calligrapha*); Mon. III, 1865, p. 273 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 195, t. 10, f. 12 (*Calligrapha*).
- Amelia* Knab, Proc. Ent. Soc. Wash. XI, 1909, p. 86 N. York,
(*Calligrapha*). N. Jersey,
Maryland,
Virginien
- ancoralis* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 462 Mexiko
(*Calligrapha*); Mon. III, 1865, p. 278 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 197, t. 10, f. 20 (*Calligrapha*).
- annulata* Jac. Proc. Zool. Soc. Lond. 1903, 2, p. 54 Bolivia
(*Calligrapha*).
- Argus* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 324 Mittel-
(*Calligrapha*); Mon. III, 1865, p. 277 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 201 (*Calligrapha*).
ab. *familiaris* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 462; Mon. III, 1865, p. 277. — Jac. Biol. Centr.-Amer. Col. VI, 1, Suppl. 1891, t. 10, f. 19.
- bajula* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 461 Guatemala
(*Calligrapha*); Mon. III, 1865, p. 269 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 208 (*Calligrapha*).
- barda* Say, Bost. Journ. Nat. Hist. I, 1835, p. 197. — Mexiko
Stal, Mon. III, 1865, p. 323 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 204, t. 11, f. 12, 13 (*Calligrapha*).
- morbida* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 326; Mon. III, 1865, p. 285.
- bigshyana* Kirby, Fauna Bor.-Amer. IV, 1837, p. 212. — Canada,
Rogers, Proc. Ac. Phil. VIII, 1854, p. 33, t. 1, Östliche
f. 7. — Suffr. Stett. Ent. Zeit. XIX, 1858, Vereinigte
p. 264, t. 2, f. 7 (*Chrysomela*). — Linell, Journ. Staaten
N. York Ent. Soc. IV, 1896, p. 199 (*Calligrapha*).
- verrucosa* Suffr. Stett. Ent. Zeit. XIX, 1858, p. 265.

- Biologie: Coquillett, Canad. Ent. XV, 1883, p. 22.
 — Beutenmüller, Ent. Amer. VI, 1890, p. 176.
 — Hegner, Psyche XV, 1908, p. 21—24; XVI, 1909, p. 34; XVII, 1910, p. 160.
- Billbergi** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 461 (Calligrapha); Mon. III, 1865, p. 266 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 206, t. 10, f. 7 (*Calligrapha*). Mexiko
- cephalanti** Schwarz, Proc. Amer. Phil. Soc. XVII, 1878, p. 366. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 198 (*Calligrapha*). Florida: Capron
- consors** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 325 (*Calligrapha*). Peru: Lima
- conspua** Stal, l. c. XVII, 1860, p. 462; Mon. III, 1865, p. 275 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 196, t. 10, f. 17 (*Calligrapha*). Mexiko: Oaxaca
- curvilinea** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 325 (*Calligrapha*); Mon. III, 1865, p. 271 (*Chrysomela*). Chile, Peru
- decemguttata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 325 (*Calligrapha*); Mon. III, 1865, p. 200 (*Chrysomela*). Brasilien
- dislocata** Rogers, Proc. Ac. Philad. VIII, 1854, p. 32. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 258. — Stal, Mon. III, 1865, p. 264 (*Chrysomela*). — Crotch, Proc. Ac. Philad. XXV, 1873, p. 49. — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 208. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 199 (*Calligrapha*). Texas, Neu-Mexiko, Arizona, Mexiko
- diversa** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 324; Mon. III, 1865, p. 274 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 196, t. 10, f. 15 (*Calligrapha*). Mittelamerika
- elegans** Ol. Ent. V, 1807, p. 532, t. 6, f. 12. — Rogers, Proc. Ac. Philad. VIII, 1854, p. 35. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 276. — Stal, Mon. III, 1865, p. 259 (*Chrysomela*). — Crotch, Proc. Ac. Philad. XXV, 1873, p. 48. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 198 (*Calligrapha*). Vereinigte Staaten
- ab. *californica* Linell, l. c. p. 198. Californien
- elegantula** Jac. Proc. Zool. Soc. Lond. 1877, p. 519; Biol. Centr.-Amer. Col. VI, 1, 1882, p. 208, t. 14, f. 18 (*Calligrapha*). Costarica
- eupatris** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 462; Mon. III, 1865, p. 281. — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 202, t. 10, f. 22 (*Calligrapha*). Guatemala, Mexiko
- euplecta** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 462 (*Calligrapha*); Mon. III, 1865, p. 281 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 207, t. 11, f. 5 (*Calligrapha*). „
- felina** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 461 (*Calligrapha*); Mon. III, 1865, p. 269 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 206, t. 10, f. 10 (*Calligrapha*). Mexiko, Guatemala, Nicaragua
- femorata** Jac. l. c. Suppl. 1891, p. 247, t. 41, f. 4 (*Calligrapha*). Mexiko: Guerrero

- fulvipes** Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 323 (*Calligrapha*): Mon. III, 1865, p. 268 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 205; Suppl. 1891, p. 246, t. 10, f. 8 (*Calligrapha*). Mittel-Amerika
- fulvitaris** Jac. Biol. Centr.-Amer. Col. VI, 1, Suppl. 1891, p. 245, t. 41, f. 3 (*Calligrapha*). Panama: Bugaba
- geographica** Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 462 (*Calligrapha*): Mon. III, 1865, p. 276 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 196, t. 10, f. 18 (*Calligrapha*). Mexiko
- Gyllenhali** Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 324; Mon. III, 1865, p. 284. — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 206, t. 11, f. 10 (*Calligrapha*). Mexiko, Costarica
- ignara** Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 461 (*Calligrapha*): Mon. III, 1865, p. 271 (*Chrysomela*). Bolivia: Chuquisaca
- ineisa** Rogers. Proc. Ac. Philad. VIII, 1854, p. 34, t. 1, f. 12. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 273, t. 2, f. 12. — Stal. Mon. III, 1865, p. 324 (*Chrysomela*). — Crotch. Proc. Ac. Philad. XXV, 1873, p. 48. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 198 (*Calligrapha*). Kansas, Nebraska
- Kinbergi** Boh. Eugen. Resa 1858, p. 174 (*Zygogramma*). — Stal. Mon. III, 1865, p. 272 (*Chrysomela*). Ecuador
- labyrinthica** Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 324 (*Calligrapha*): Mon. III, 1865, p. 282. — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 199, t. 11, f. 1, 2, 3. — G. Horn, Canad. Ent. XVI, 1884, p. 128 (*Calligrapha*). Mexiko
- limbaticollis** Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 324; Mon. III, 1865, p. 283. — Crotch. Proc. Ac. Philad. XXV, 1873, p. 50. — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 206, t. 11, f. 8, 9. — Horn, Canad. Ent. XVI, 1884, p. 128. „
- lunata** F. Mant. I, 1787, p. 69. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1677. — Ol. Encycl. méth. V, 1790, p. 699. — F. Ent. Syst. I, 1792, p. 318; Syst. El. I, 1801, p. 435. — Ol. Ent. V, 1807, p. 517, t. 6, f. 75. — Stal. Mon. III, 1865, p. 260 (*Chrysomela*). — Crotch. Proc. Ac. Philad. XXV, 1873, p. 48. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 198 (*Calligrapha*). Östliche Vereinigte Staaten
- brunnea** Thunb. Mus. Nat. Ups. IV, 1787, p. 43, nota 5, f. 7 (*Chrysomela*).
- hybrida** Say, Journ. Ac. Philad. III, 1825, p. 449. — Rogers. Proc. Ac. Philad. VIII, 1854, p. 34, t. 1, f. 11. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 272, t. 2, f. 11 (*Chrysomela*). Biologie: Beutenmüller, Ent. Amer. VI, 1890, p. 176. — Hegner, Psyche XV, 1903, p. 21.
- marginipennis** Jac. Biol. Centr.-Amer. Col. VI, 1, Suppl. 1891, p. 247, t. 41, f. 5 (*Calligrapha*). Mexiko, Guatemala
- marmorata** F. Suppl. Ent. Syst. 1798, p. 87; Syst. El. I, 1801, p. 438 (*Chrysomela*). Cayenne

- matronalis** Er. Arch. f. Naturg. XIII, 1847, p. 158 (*Calligrapha*). — Stal, Mon. III, 1865, p. 266 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 207, t. 11, f. 17 (*Calligrapha*).
Peru,
Bolivia,
Panama
- multiguttata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 326 (*Calligrapha*); Mon. III, 1865, p. 265 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 204, t. 10, f. 5, 6. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 199 (*Calligrapha*).
Kansas,
Mexiko,
Guatemala
- Biologie: Coquillett, Canad. Ent. XV, 1883, p. 22 (sub *multiguttis*). — Beutenmüller, Ent. Amer. VI, 1890, p. 176.
- multiguttis** Stal, Mon. III, 1865, p. 261 (*Chrysomela*).
philadelphica Kirby, Fauna Bor.-Amer. IV, 1837, p. 210 (*Chrysomela*).
Canada, Ver-
ein. Staaten,
Mexiko
- scalaris* J. Lec. Ann. Lye. Nat. Hist. N. York I, 1824, p. 173, t. 11, f. 18. — Rogers, Proc. Ac. Philad. VIII, 1854, p. 32, t. 1, f. 2. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 256, t. 2, f. 2 (*Chrysomela*, nec Ol.). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 197, t. 11, f. 6. — G. Horn, Canad. Ent. XVI, 1884, p. 127. — Angell, Ent. Amer. I, 1885, p. 126, f. A—L. — Townsend, Ent. Amer. II, 1886, p. 57. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 199. — Knab, Proc. Ent. Soc. Wash. XI, 1909, p. 83 (*Calligrapha*).
Biologie: Packard, Ins. inf. trees 1881, p. 126. — Hagen, Canad. Ent. XVI, 1884, p. 120 u. 225. — Hill & Caulfield, l. c. XVI, 1884, p. 226; XVII, 1885, p. 230. — Beutenmüller, Ent. Amer. VI, 1890, p. 176.
- multipunctata** Say, Journ. Ac. Philad. III, 1824, p. 450. — Kirby, Fauna Bor.-Amer. IV, 1837, p. 212. — Rogers, Proc. Ac. Philad. VIII, 1854, p. 33. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 265 (*Chrysomela*). — Crotch, Proc. Ac. Philad. XXV, 1873, p. 49. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 199 (*Calligrapha*).
Canada,
Maryland,
Missouri
- Biologie: Hegner, Psyche XV, 1908, p. 21—24.
- multipustulata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 325 (*Calligrapha*); Mon. III, 1865, p. 275 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 198, t. 10, f. 25 (*Calligrapha*).
Mexiko,
Guatemala
- notatipennis** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 324; Mon. III, 1865, p. 283. — Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 198, t. 10, f. 25.
Mittel-
amerika
- novemmaculata** Jac. l. c. p. 198, t. 11, f. 20 (*Calligrapha*).
Guatemala
- nupta** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 323 (*Calligrapha*); Mon. III, 1865, p. 267 (*Chrysomela*).
Columbien
- pantherina** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 323 (*Calligrapha*); Mon. III, 1865, p. 268 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 205, t. 10, f. 9 (*Calligrapha*).
Mexiko,
Guatemala,
Nicaragua

- Percheroni** Guér. Voy. Coquille, Zool. II. 1830, p. 146. — Stal, Mon. III, 1865, p. 272 (*Chrysomela*).
fracta Suffr. Stett. Ent. Zeit. XIX, 1858, p. 255 (*Chrysomela*). — Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 325 (*Calligrapha*).
philadelphica L. Syst. Nat. ed. X, 1758, p. 372; ed. XII, 1767, p. 592; ed. XIII (Gmelin) I, 4, 1790, p. 1683. — Deg. Mém. V, 1775, p. 353, t. 16, f. 13. — F. Syst. Ent. 1775, p. 103; Spec. Ins. I, 1781, p. 127. — Deg. Gen. et spec. Ins. 1783, p. 164. — F. Mant. Ins. I, 1787, p. 73; Ent. Syst. I, 1792, p. 329; Syst. El. I, 1801, p. 444. — Ol. Ent. V, 1807, p. 525, t. 2, f. 22 (*Chrysomela*). — Hope, Col. Man. III, 1840, p. 165 (*Polyspila*). — Rogers, Proc. Ac. Philad. VIII, 1854, p. 33, t. 1, f. 6. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 259, t. 2, f. 6 (*Chrysomela*). — Stal, Mon. III, 1865, p. 261. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 49. — Angell, Ent. Amer. I, 1885, p. 126. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 199 (*Calligrapha*).
decipiens Web. Obs. ent. I, 1801, p. 52 (*Chrysomela*).
ruficornis Ol. Encycl. méth. V, 1790, p. 503 (*Chrysomela*).
 ab. *spiracae* Say, Journ. Ac. Philad. V, 1826, p. 297 (sub *spiracae*). — Rogers, Proc. Ac. Philad. VIII, 1854, p. 33. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 262. — Stal, Mon. III, 1865, p. 263 (*Chrysomela*). — Crotch, Proc. Ac. Philad. XXV, 1873, p. 49. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 199 (*Calligrapha*).
confinis Kirby, Fauna Bor.-Amer. IV, 1837, p. 211 (*Chrysomela*).
 Biologie: Beutenmüller, Ent. Amer. VI, 1890, p. 176. — Knab, Proc. Ent. Soc. Wash. XI, 1909, p. 87.
Pnirsa Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 462; Mon. III, 1865, p. 279. — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 201, t. 11, f. 18. — Horn, Canad. Ent. XVI, 1884, p. 128. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 199 (*Calligrapha*).
polyspila Germ. Mag. Ent. IV, 1821, p. 176. — Stal, Mon. III, 1865, p. 265 (*Chrysomela*).
vulgaris Guér. Verh. zool.-bot. Ges. Wien V, 1855, p. 606.
 Biologie: Bruch, Revista Mus. La Plata XI, 1904, p. 321, t. 2, f. 1—9 (*Calligrapha*).
praeelsis Rogers, Proc. Ac. Philad. VIII, 1854, p. 35, t. 1, f. 14. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 276, t. 2, f. 14. — Stal, Mon. III, 1865, p. 259 (*Chrysomela*). — Crotch, Proc. Ac. Philad. XXV, 1873, p. 48. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 198 (*Calligrapha*).

Venezuela,
Columbien,
Peru

Östliche
Vereinigte
Staaten,
Canada

Canada,
? Costarica

Brasilien

Canada,
Nebraska

- Biologie: Hamilton, Canad. Ent. XX, 1888, p. 66. — Beutenmüller, Ent. Amer. VI, 1890, p. 176.
- ramulifera** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 325; Mon. III, 1865, p. 278. — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 201, t. 11, f. 4 (*Calligrapha*).
Mittel-amerika, Ecuador
- scalaris* Guér. Verh. zool.-bot. Ges. Wien V, 1855, p. 606.
- rhoda** Knab, Proc. Ent. Soc. Wash. XI, 1909, p. 83 (*Calligrapha*).
Vereinigte Staaten
var. *Walshiana* Blatchl. Bull. Ind. Dept. Geol. 1, 1910, p. 1157.
- Biologie: Knab, Proc. Ent. Soc. Wash. XI, 1909, p. 84 u. 152.
- rowena** Knab, l. c. p. 85 (*Calligrapha*).
Vereinigte Staaten, Canada
- serpens** Bowd. Trans. Amer. Ent. Soc. XXXVII, 1911, p. 326 (*Calligrapha*).
Mexiko: Guanajuato
- serpentina** Rogers, Proc. Ac. Philad. VIII, 1854, p. 32, t. 1, f. 3. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 258, t. 2, f. 3. — Stal. Mon. III, 1865, p. 270 (*Chrysomela*). — Crotch. Proc. Ac. Philad. XXV, 1873, p. 49, 50. — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 203; Suppl. 1891, p. 246, t. 10, f. 11. — Linell. Journ. N. York Ent. Soc. IV, 1896, p. 199 (*Calligrapha*).
Texas, Arizona, Neu-Mexiko, Mittel-amerika, Venezuela
- ab. *mexicana* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 323.
- Biologie: Cockerell, Journ. N. York Ent. Soc. V, 1897, p. 149.
- sigmoidea** J. Lec. Proc. Ac. Philad. 1859, p. 285. — Crotch, l. c. XXV, 1873, p. 49, 50. — Linell. Journ. N. York Ent. Soc. IV, 1896, p. 199 (*Calligrapha*).
Westliche Vereinigte Staaten bis Nebraska
- similis** Rogers, Proc. Ac. Philad. VIII, 1854, p. 35, t. 1, f. 13. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 275, t. 2, f. 13. — Stal. Mon. III, 1865, p. 258 (*Chrysomela*). — Crotch, Proc. Ac. Philad. XXV, 1873, p. 48 u. 49. — Linell. Journ. N. York Ent. Soc. IV, 1896, p. 198 (*Calligrapha*).
Vereinigte Staaten
- Biologie: Coquillett, Canad. Ent. XVI, 1884, p. 22. — Beutenmüller, Ent. Amer. VI, 1890, p. 176.
- simillima** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 462 (*Calligrapha*); Mon. III, 1865, p. 274 (*Chrysomela*).
Caracas
- sponsa** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 323 (*Calligrapha*); Mon. III, 1865, p. 267 (*Chrysomela*).
Columbien
- stillatipennis** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 326 (*Calligrapha*); Mon. III, 1865, p. 285 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 208, t. 11, f. 14, 15 (*Calligrapha*).
Mexiko

- suboculata** Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 325 (*Calligrapha*); Mon. III, 1865, p. 279 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 200, t. 10, f. 13, 14, 23 (*Calligrapha*). Mittel-amerika
- Suffriani** Jac. l. c. p. 199; Suppl. 1891, p. 244, t. 11, f. 16 (*Calligrapha*). Mexiko: Guanajuato
- Sylvia** Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 462 (*Calligrapha*); Mon. III, 1865, p. 273 (*Chrysomela*). — Crotch. Proc. Ac. Philad. XXV, 1873, p. 49, 50. — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, t. 11, f. 7. — Linell. Journ. N. York Ent. Soc. IV, 1896, p. 200 (*Calligrapha*). Mexiko, Arizona
- tortilis** Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 323 (*Calligrapha*); Mon. III, 1865, p. 282 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 202, t. 10, f. 21 (*Calligrapha*). Costarica, Guatemala
- vigintimaculata** Chevr. Col. Mex. Cent. I, 1833, nr. 5. — Stal. Mon. 1865, p. 285 (*Chrysomela*). — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 203, t. 11, f. 11 (*Calligrapha*). Mexiko, Guatemala
- violaceomaculata** Jac. Proc. Zool. Soc. Lond. 1878, p. 147; Biol. Centr.-Amer. Col. VI, 1, 1882, p. 208, t. 14, f. 22; Suppl. 1891, p. 247 (*Calligrapha*). Costarica, Panama
- Wickhami** Bowd. Trans. Amer. Ent. Soc. XXXVII, 1911, p. 325 (*Calligrapha*). Texas

65

Desmogramma Er.

Er. Arch. f. Naturg. XIII, 1847, p. 157. — Chapuis. Gen. Col. X, 1874, p. 368, 400.

- apparitoria** Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 458 (*Deuterocampta*); Mon. III, 1865, p. 219. Patria?
- asella** Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 458 (*Deuterocampta*); Mon. III, 1865, p. 225. Rio Janeiro
- bigaria** Er. Arch. f. Naturg. XIII, 1847, p. 157. — Stal. Mon. III, 1865, p. 228. Peru
- bisbivittata** Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 459; Mon. III, 1865, p. 227. „
- bivia** Germ. Ins. spec. nov. 1824, p. 590. — Stal. Mon. III, 1865, p. 228 (*Chrysomela*). Brasilien
- bivittata** Ljungh, Vet. Ak. Nya Handl. 1799, p. 146, t. 2, f. 3. — Stal. Mon. III, 1865, p. 226 (*Chrysomela*). Surinam
- conjugata** F. Syst. El. I, 1801, p. 425 (*Chrysomela*). „
- brachiata** Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 310 (*Deuterocampta*); Mon. III, 1865, p. 222. Brasilien
- brunneomaculata** Bowd. Trans. Amer. Ent. Soc. XXXVII, 1911, p. 332. Venezuela
- Buckleyi** Bowd. l. c. p. 329. Ecuador
- callangensis** Bowd. l. c. p. 331 (sub *callangaensis*). Peru
- circuifata** Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 321; Mon. III, 1865, p. 207. Rio Janeiro

- conjugata* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 320; Mon. III, 1865, p. 227. — Jac. Biol. Centr.-Amer. Col. VI. 1 1883, p. 260.
- decempustulata* Jac. Proc. Zool. Soc. Lond. 1903. II, p. 52.
- decorata* Jac. l. c. 1889, p. 268.
- fastidita* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 495; Mon. III, 1865, p. 229.
- finbrigeri* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 310 (*Deuterocampta*); Mon. III, 1865, p. 220.
- foveicollis* Bowd. Trans. Amer. Ent. Soc. XXXVII, 1911, p. 331.
- histrionica* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 458 (*Deuterocampta*); Mon. III, 1865, p. 221.
- ignota* Bowd. Trans. Amer. Ent. Soc. XXXVII, 1911, p. 332 (sub *ignotus*).
- impuncticollis* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 321; Mon. III, 1865, p. 206.
- inclusa* Jac. Proc. Zool. Soc. Lond. 1903. II, p. 52.
- Jacobyi* Bowd. Trans. Amer. Ent. Soc. XXXVII, 1911, p. 328.
- laucicornis* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 311 (*Deuterocampta*); Mon. III, 1865, p. 223.
- Ljunghi* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 320; Mon. III, 1865, p. 229.
- ludiera* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 458 (*Deuterocampta*); Mon. III, 1865, p. 222.
- marginella* Jac. Proc. Zool. Soc. Lond. 1880, p. 600.
- nigripes* Jac. Ark. f. Zool. I, 1904, p. 517.
- nitidella* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 459; Mon. III, 1865, p. 227.
- obliqua* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 310 (*Deuterocampta*); Mon. III, 1865, p. 222.
- partita* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 311 (*Deuterocampta*); Mon. III, 1865, p. 223.
- peruana* Jac. Proc. Zool. Soc. Lond. 1903, II, p. 51.
- polychordia* Er. Arch. f. Naturg. XIII, 1847, p. 157. — Stal, Mon. III, 1865, p. 229.
- quadrifenestrata* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 310 (*Deuterocampta*); Mon. III, 1865, p. 221.
- quadripartita* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 458 (*Deuterocampta*); Mon. III, 1865, p. 224.
- Redtenbacheri* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 321; Mon. III, 1865, p. 206.
- reticulata* Bowd. Trans. Amer. Ent. Soc. XXXVII, 1911, p. 330.
- rubroaenea* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 310 (*Deuterocampta*); Mon. III, 1865, p. 219.
- rufofasciata* Kirsch, Berl. Ent. Zeitschr. XXVII, 1883, p. 190.
- Sahlbergi* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 311 (*Deuterocampta*); Mon. III, 1865, p. 224.
- Panama.
Columbien
- Brasilien:
Espírito
Santo
Venezuela:
San Este-
ban
Brasilien
- „
- Brasilien:
S. Catha-
rina
Rio Janeiro
- ? Süd-
amerika
Brasilien
- Rio Janeiro
Brasilien:
S. Catha-
rina
Brasilien
- Ecuador
Argentinien
Ecuador:
Rio Napo
Brasilien
- „
- Peru: Mar-
capata
Peru,
Columbien
Bahia
- Brasilien
- „
- Columbien
- Brasilien
- Ecuador
- Brasilien

- santos Bowd. Trans. Amer. Ent. Soc. XXXVII, 1911, p. 330. Brasilien:
Espírito Santo
Brasilien
- Schaumi Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 310 (*Deuterocampta*); Mon. III, 1865, p. 220. Brasilien
- semifulva Bowd. Trans. Amer. Ent. Soc. XXXVII, 1911, p. 328. Peru
- senilis Kirsch. Berl. Ent. Zeitschr. XXVII, 1883, p. 91; Abh. Mus. Dresd. 1888—89, t. 4, f. 83. Ecuador
- sericella Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 459; Mon. III, 1865, p. 230. „
- Stali Jac. Proc. Zool. Soc. Lond. 1903, II, p. 51. Brasilien
- stultia Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 311 (*Deuterocampta*); Mon. III, 1865, p. 225. „
- unicolor Bowd. Trans. Amer. Ent. Soc. XXXVII, 1911, p. 331. Nicaragua
- Westringi Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 310 (*Deuterocampta*); Mon. III, 1865, p. 219. Brasilien

48

Stilodes Chevr.

Chevr. in D'Orbigny. Dict. univ. Hist. nat. III, 1843, p. 656. — Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 58 (pars). — Chapuis, Gen. Col. X, 1874, p. 368. 390. — Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 221.

- annuligera Er. Arch. f. Naturg. XIII, 1847, p. 157 Peru
(*Deuterocampta*). — Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 59. — Stal, Mon. III, 1865, p. 197.
- antennalis Kirsch. Berl. Ent. Zeitschr. XXVII, 1883, p. 189 (*Prosicela*). Ecuador
ecuadoriensis Jac. Proc. Zool. Soc. Lond. 1903, II, p. 49. — Ws. Wien. Ent. Zeit. XXXII, 1913, p. 18.
- bogotensis Jac. Entomol. XXVIII, 1895, p. 192. Bogota
- coelebs Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 457 Mexiko,
(*Deuterocampta*); Mon. III, 1865, p. 196. — Guatemala
Jac. Biol. Centr.-Amer. Col. VI, 1, 1862, p. 223, t. 12, f. 25.
- divalis Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 457 Amazonas
(*Deuterocampta*); Mon. III, 1865, p. 197.
- ducalis Stal. Öfv. Vet. Ak. Förh. XV, 1858, p. 252 Brasilien
(*Deuterocampta*); Mon. III, 1865, p. 198.
ab. *quadriguttata* Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 60.
- flavicans (Stal) Jac. 1882
sup. 49. — fenestrata Baly, l. c. p. 59. — Stal, Mon. III, 1865, p. 196. „
flavilabris Jac. Proc. Zool. Soc. Lond. 1903, II, p. 48 Sao Paulo
(sub *flavilabrum*).
- flavofasciata Jac. l. c. p. 47. Espírito Santo
- flavomarginata Jac. l. c. 1879, p. 782. Brasilien
- Fruhstorferi Jac. l. c. 1903, II, p. 48. Espírito Santo
- fulvipennis Jac. Cist. Ent. II, 1879, p. 519. Peru; Chan-
chamayo
- fuscicornis Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 457 Amazonas
(*Deuterocampta*); Mon. III, 1865, p. 196.

- fuscolineata** Stal, Mon. III, 1865, p. 340 (*Chrysomela*).
 — Jac. Biol. Centr.-Amer. Col. VI, 1, 1883, p. 226,
 t. 13, f. 3.
Chapuisi Jac. Proc. Zool. Soc. Lond. 1880, p. 169.
- geometrae** Jac. l. c. 1903, II, p. 49.
- guttata** Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 59.
ochrostacta Stal, Mon. III, 1865, p. 193.
- humeralis** Gory in Guér. Ic. règne anim. 1844, p. 300,
 t. 49, f. 9. — Stal, Mon. III, 1865, p. 199
 (*Chrysomela*).
- leoparda** Jac. Biol. Centr.-Amer. Col. VI, 1, 1883, p. 225,
 t. 13, f. 6.
- modesta** Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 222.
- Motschulskyi** Stal, Mon. III, 1865, p. 340 (*Chrysomela*). —
 Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 224,
 t. 13, f. 4.
- Neptis** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 459
 (*Deuterocampta*); Mon. III, 1865, p. 340. —
 Jac. Biol. Centr.-Amer. Col. VI, 1, 1882, p. 224,
 t. 12, f. 24.
- nigricollis** Jac. l. c. p. 224, t. 13, f. 2.
- nigrierus** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 316
 (*Deuterocampta*); Mon. III, 1865, p. 195.
- nigromarginata** Jac. Biol. Centr.-Amer. Col. VI, 1, 1882,
 p. 223, t. 13, f. 1.
- onca** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 457
 (*Deuterocampta*); Mon. III, 1865, p. 194.
- opaca** Jac. Entomolog. XXN. 1898, p. 164.
- pallidipennis** Jac. Biol. Centr.-Amer. Col. VI, 1, 1883,
 p. 226, t. 13, f. 7.
- panamensis** Jac. l. c. p. 225.
- quadristriata** Jac. l. c. Suppl. 1891, p. 252, t. 41, f. 13.
- quatuordecimpustulata** Stal, Öfv. Vet. Ak. Förh. XVI,
 1859, p. 314 (*Deuterocampta*); Mon. III, 1865,
 p. 193.
obsoleta Baly, Ann. Mag. Nat. Hist. (3) IV, 1859,
 p. 59.
- sedecimmaculata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859,
 p. 316 (*Deuterocampta*); Mon. III, 1865,
 p. 194.
- Stali** Jac. Biol. Centr.-Amer. VI, 1, 1883, p. 225, t. 13, f. 5.
- Steinheili** Jac. Proc. Zool. Soc. Lond. 1880, p. 170, t. 18,
 f. 1.
- Stevensi** Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 457
 (*Deuterocampta*); Mon. III, 1865, p. 198.
- subguttata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 316
 (*Deuterocampta*); Mon. III, 1865, p. 194.
- sublineata** Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 316
 (*Deuterocampta*); Mon. III, 1865, p. 195.
- transversofasciata** Jac. Entomol. XXVIII, 1895, p. 192.

Mittel-
amerikaPeru:
Marcapata
Ega

Cayenne

Nicaragua,
Panama
Guatemala
Mittel-
amerikaMexiko,
GuatemalaGuatemala
ColumbienMexiko:
Jalapa
Cayenne

Brasilien

Mexiko

Panama
Panama:
Chiriqui
Cayenne

Guyana

Panama
Columbien

Amazonas

Para

Bolivia

Pernambuco

Deuterocampta Chevr.

Chevr. in D'Orbigny, Dict. univ. Hist. nat. IV, 1844, p. 715. — Er. Arch. f. Naturg. XIII, 1847, p. 157. — Chapuis, Gen. Col. X, 1874, p. 368, 392.

Linographa Motsch. Schrenck's Reisen Amurl. II, 1860, p. 198. *life mur cat*

Monocampta Motsch. l. c. p. 182. *life crucifera*

- aeneolucens* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 457; Bahia
Mon. III, 1865, p. 189.
- Argiolus* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 457; Amazonas
Mon. III, 1865, p. 191.
- atromaculata* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, Mexiko
p. 314; Mon. III, 1865, p. 177. — Jac. Biol.
Centr.-Amer. Col. VI, 1, 1882, p. 222, t. 13, f. 8.
- bimaculicollis* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, Brasilien
p. 314; Mon. III, 1865, p. 180.
- bioculata* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 313; „
Mon. III, 1865, p. 185.
- bisbilineata* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 321 „
(*Desmogramma*); Mon. III, 1865, p. 213.
- bisocetoguttata* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, Rio Janeiro
p. 315; Mon. III, 1865, p. 192.
- boliviana* Jac. Ann. Soc. Ent. Belg. XXXVII, 1893, Bolivia
p. 277.
- brachialis* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 458; Brasilien
Mon. III, 1865, p. 210.
- cinctula* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 457; Amazonas
Mon. III, 1865, p. 190.
- Cothurnix* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 459; S. Catharina
Mon. III, 1865, p. 215.
- cruciata* Baly. Ann. Mag. Nat. Hist. (3) IV. 1859, p. 60 Columbien,
(*Stilodes*). Venezuela
- staurophora* Stal, Mon. III, 1865, p. 190.
- crucigera* Sahlb. Peric. ent. 1823, p. 75, t. 4, f. 8. — Rio Janeiro
Stal, Mon. III, 1865, p. 155 (*Chrysomela*).
dissecta Germ. Ins. spec. nov. 1824, p. 593 (*Chry-*
somela).
- erux* Er. Arch. f. Naturg. XIII. 1847, p. 157. — Stal, Peru
Mon. III, 1865, p. 189.
- erux nigra* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 312; Brasilien
Mon. III, 1865, p. 172.
ab. *bimaculata* Jac. Entomol. XXXI, 1898,
p. 165.
- decaspila* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 457; Cayenne
Mon. III, 1865, p. 191.
- decorata* Perty. Delect. anim. 1832, p. 107, t. 21, f. 14. — Brasilien
Stal, Mon. III, 1865, p. 207 (*Chrysomela*).
- denticeps* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 457; „
Mon. III, 1865, p. 199.
- discerpta* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 458; Brasilien
Mon. III, 1865, p. 212.
- discicollis* Jac. Proc. Zool. Soc. Lond. 1885, p. 927. Amazonas:
S. Paulo
d'Olivença
- duodecimmaculata* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, Bolivia
p. 315; Mon. III, 1865, p. 186.
- elata* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 457; Amazonas
Mon. III, 1865, p. 190.

<i>euzona</i> Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 458; Mon. III, 1865, p. 217.	Bahia
<i>fasciata</i> Steinh. Mitth. Münch. Ent. Ver. I, 1877, p. 35.	Columbien
<i>flavicans</i> Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 456; Mon. III, 1865, p. 181. — Jac. Biol. Centr.- Amer. Col. VI, I, 1882, p. 222. (<i>Stilodes</i>) — ab. <i>hepatica</i> Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 456; Mon. III, 1865, p. 181.	Mexiko, Panama
<i>flavida</i> Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 456; Mon. III, 1865, p. 182.	Cayenne
<i>flavofimbriata</i> Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 321; Mon. III, 1865, p. 212.	Brasilien
<i>flavosignata</i> Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 313; Mon. III, 1865, p. 185.	„
<i>grammopoeila</i> Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 321; Mon. III, 1865, p. 212.	„
<i>holochalea</i> Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 457; Mon. III, 1865, p. 189.	„
<i>impietipennis</i> Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 312; Mon. II, 1863, p. 175.	„
<i>inornata</i> Jac. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 278.	Bolivia
<i>jocosa</i> Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 315; Mon. III, 1865, p. 188.	Brasilien
<i>irregularis</i> Jac. Entomol. XXXI, 1898, p. 165.	Bolivia
<i>Kraatzii</i> Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 314; Mon. III, 1865, p. 187.	Brasilien
<i>histrio</i> Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 60 (<i>Stilodes</i>).	
<i>leucomelaena</i> Perty, Delect. anim. 1832, p. 108, t. 21, f. 16. — Stal, Mon. II, 1863, p. 175.	„
<i>lineatipennis</i> Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 313; Mon. III, 1865, p. 184.	„
<i>luridipennis</i> Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 58 (<i>Elytrosphaera</i>). — Stal, Mon. III, 1865, p. 215.	„
<i>luteola</i> Stal, l. c. p. 182.	Patria?
<i>maculigera</i> Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 57 (<i>Doryphora</i>); Mon. III, 1865, p. 217.	Brasilien
<i>Macklini</i> Stal, l. c. p. 341.	„
<i>melanograpta</i> Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 456; Mon. III, 1865, p. 172.	Rio Janeiro
<i>musicalis</i> Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 315; Mon. III, 1865, p. 186, 339.	Brasilien
<i>muricata</i> Motsch. Schrenck's Reisen Amurl. II, 1860, p. 198 (<i>Linographa</i>).	
<i>mutabilis</i> Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 314; Mon. III, 1865, p. 177.	„
<i>mystica</i> Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 456; Mon. II, 1863, p. 171.	Rio Janeiro
<i>naponensis</i> Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 458; Mon. III, 1865, p. 211.	Ecuador: Napo
<i>nigrimana</i> Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 314; Mon. III, 1865, p. 180.	Brasilien
<i>nigriventris</i> Germ. Ins. spec. nov. 1824, p. 592. — Stal, Mon. III, 1865, p. 182 (<i>Chrysomela</i>).	„
<i>nigropustulata</i> Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 313; Mon. III, 1865, p. 183.	„
<i>nigrostillata</i> Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 313; Mon. III, 1865, p. 183.	„

nigrozonata Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 312; Mon. III, 1865, p. 216.	Brasilien
nitidipennis Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 315. <i>stilpnoptera</i> Stal. Mon. III, 1865, p. 209.	„
obscurimana Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 456; Mon. III, 1865, p. 181.	Cayenne
ochreatea Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 315; Mon. III, 1865, p. 179.	Brasilien
opposita Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 313; Mon. II, 1863, p. 176.	„
Pandora Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 458; Mon. III, 1865, p. 208.	Sao Paulo
pavonina Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 457; Mon. III, 1865, p. 192.	Cayenne
pellasta Stal. Mon. III, 1865, p. 180.	Brasilien
perspicillaris Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 315; Mon. III, 1865, p. 209.	„
plagiata Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 311; Mon. III, 1865, p. 217.	Bahia
porosa Baly, Trans. Ent. Soc. Lond. (n. s.) V, 1859, p. 153 (<i>Leptinotarsa</i>). — Stal. Mon. III, 1865, p. 215.	Brasilien
privigna Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 314; Mon. III, 1865, p. 187.	„
puncticollis Jac. Proc. Zool. Soc. Lond. 1903, II, p. 50.	? Brasilien
punctipennis Germ. Ins. spec. nov. 1824, p. 594 (<i>Chrysomela</i>). — Stal. Mon. III, 1865, p. 216.	Brasilien
pustulicollis Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 312; Mon. II, 1863, p. 174. — Jac. Entomolog. XXXI, 1898, p. 166. ab. <i>sedula</i> Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 312; Mon. II, 1863, p. 174.	„
quadrijuga Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 459 (<i>Desmogramma</i>); Mon. III, 1865, p. 213.	Patria? <i>Argentina</i>
quadriplagosa Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 315; Mon. III, 1865, p. 208.	Bahia
quadritaeniata Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 321 (<i>Desmogramma</i>); Mon. III, 1865, p. 214. — Kirsch, Berl. Ent. Zeitschr. XX, 1876, p. 84.	Brasilien, Peru
quadrivittis Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 459 (<i>Desmogramma</i>); Mon. III, 1865, p. 214.	Bolivia
recurrens Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 311; Mon. III, 1865, p. 218.	Bahia
rubripennis Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 315; Mon. III, 1865, p. 209.	Sao Paulo
saeva Stal. Öfv. Vet. Ak. Förh. XVI, 1859, p. 313; Mon. II, 1863, p. 171.	Brasilien
Saundersi Baly, Journ. Linn. Soc. Lond. XIV, 1878, p. 356.	„
scutaria Stal. Mon. III, 1865, p. 179 (<i>Chrysomela</i>).	„
scutellata Jac. Proc. Zool. Soc. Lond. 1903, II, p. 50.	„
segnis Stal. Mon. II, 1863, p. 173.	Rio Janeiro
semiatra Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 456; Mon. III, 1865, p. 178.	Patria?
semistriata F. Syst. Ent. 1775, p. 96; Spec. Ins. I, 1781, p. 119; Mant. I, 1787, p. 69. — Gmelin in L. Syst. Nat. I, 4, 1790, p. 1672. — Ol. Encycl. méth. V, 1790, p. 696. — F. Ent. Syst. I, 1792, p. 316; Syst. El. I, 1801, p. 433. — Ol. Ent. V, 1807, p. 516, t. 2, f. 23. — Stal. Mon. II, 1863, p. 173 (<i>Chrysomela</i>).	Brasilien

- sexmaculata* Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 315; Mon. III, 1865, p. 208. Brasilien
scenica Baly, Ann. Mag. Nat. Hist. Hist. (3) IV, 1859, p. 60 (*Stilodes*).
sempustulata Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 313; Mon. III, 1865, p. 185. „
sigillifera Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 313; Mon. III, 1865, p. 184. „
Sladenae Gahan, Proc. Zool. Soc. Lond. 1903, II, p. 255, t. 28, f. 10. Inneres Brasilien
spilophora Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 456; Mon. III, 1865, p. 188. Caracas
stauroptera Wiedem. in Germ. Mag. Ent. IV, 1821, p. 177. Brasilien
— Stal, Mon. II, 1863, p. 170 (*Chrysomela*).
striatipennisa Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 321 f. 14 (*Cosmogramma*); Mon. III, 1865, p. 214. „
Thalia Stal, Mon. III, 1865, p. 339 (*Chrysomela*). „
Thetis Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 458; Mon. III, 1865, p. 211. Ecuador:
Napo
trimaculicollis Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 314; Mon. III, 1865, p. 178. Brasilien
venustissima Perty, Delect. anim. 1832, p. 107, t. 21, f. 14 (*Chrysomela*). — Stal, Mon. III, 1865, p. 218. Bahia
vigilans Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 312; Mon. II, 1863, p. 171. Rio Janeiro
vinculata Germ. Ins. spec. nov. 1824, p. 593. — Stal, Mon. II, 1863, p. 170 (*Chrysomela*). Brasilien
-
- pallidiventris* Germ. Ins. spec. nov. 1824, p. 592. — Stal, Mon. III, 1865, p. 328. „
92

Cosmogramma Er.

Er. Arch. f. Naturg. XIII, 1847, p. 157. — Stal, Mon. III, 1865, p. 230. — Chapuis, Gen. Col. X, 1874, p. 369, 387.

Chromodora Motsch. Schrenck's Reisen Amurl. II, 1860, p. 195.

- angustofasciata* Jac. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 278. Bolivia:
Santos
Marcos
aureocincta Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 459; Mon. III, 1865, p. 231. Peru
decora Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 320. Brasilien
Ida Stal, Mon. III, 1865, p. 232.
fulvocincta Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 320; Mon. III, 1865, p. 231. „
rubrolineata Motsch. Schrenck's Reisen Amurl. II, 1860, p. 195, nota 1.
patricia Er. Arch. f. Naturg. XIII, 1847, p. 158. — Peru,
Stal, Mon. III, 1865, p. 231. Bolivia
peruana Jac. Proc. Zool. Soc. Lond. 1903, II, p. 53. Peru
unicincta Jac. l. c. p. 53. „

Leucocera Stal.

- Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 477; Mon. III, 1865, p. 201. — Chapuis, Gen. Col. X, 1874, p. 369, 388.
- aeneomicans* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 478; Mon. III, 1865, p. 202. Haiti: Port au Prince
- amarella* Suffr. Arch. f. Naturg. XXXIII, 3, 1867, p. 298. Cuba
- apiceicornis* Chevr. Rev. Zool. 1838, p. 286. — Jacq. du Val, Hist. Cuba, Ins. VII, 1856, p. 302. — Stal, Mon. III, 1865, p. 205. — Suffr. Arch. f. Naturg. XXXIII, 3, 1867, p. 289. „
- eubana* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 477; Mon. III, 1865, p. 205. — Suffr. Arch. f. Naturg. XXXIII, 1867, p. 287. „
- ferruginea* Chevr. Ann. Soc. Ent. Fr. (6) II, 1882, Bull. p. 80. ? S. Domingo
- hexaspila* Suffr. Arch. f. Naturg. XXXIII, 1867, p. 296. Cuba
- insulana* Jacq. du Val, Hist. Cuba, Ins. VII, 1856, p. 302. — Stal, Mon. III, 1865, p. 204. — Suffr. Arch. f. Naturg. XXXIII, 3, 1867, p. 284. „
- insularis* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 478; Mon. III, 1865, p. 204. Haiti
- laevicollis* Ws. Arch. f. Naturg. LI, 1885, I, p. 156, t. 8, f. 5. Portorico
- Nydia* Stal, Mon. III, 1865, p. 203. — Suffr. Arch. f. Naturg. XXXIII, 1867, 3, p. 286. Cuba
- octopustulata* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 477; Mon. III, 1865, p. 202. Haiti: Port au Prince
- optica* Suffr. Arch. f. Naturg. XXXIII, 3, 1867, p. 293. Cuba
- Poeyi* Chevr. Rev. Zool. 1838, p. 285. — Jacq. du Val, Hist. Cuba, Ins. VII, 1856, p. 302, t. II, f. 6. — Stal, Mon. III, 1865, p. 204. — Suffr. Arch. f. Naturg. XXXIII, 1867, p. 290. — Chap. Gen. Col. Atlas t. 123, f. 2. „
- quadriguttata* Chevr. Ann. Soc. Ent. Fr. (6) II, 1882, Bull. p. 80. S. Domingo
- quinquepunctata* L. Syst. Nat. ed. XII, 1767, p. 586. — Suffr. Stett. Ent. Zeit. XX, 1859, p. 40 (*Chrysomela*). Haiti: Port au Prince
- decempustulata* F. Ent. Syst. I, 1, 1792, p. 312; Syst. El. I, 1801, p. 431. — Ol. Ent. V, 1807, p. 525, t. 6, f. 87. — Stal, Mon. III, 1865, p. 201 (*Chrysomela*).
- rubropustulata* Suffr. Arch. f. Naturg. XXXIII, 3, 1867, p. 295. Cuba
- semilutea* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 459; Mon. III, 1865, p. 204. — Suffr. Arch. f. Naturg. XXXIII, 3, 1867, p. 284. „
- sexguttata* Chevr. Rev. Zool. 1858, p. 211. — Stal, Mon. III, 1865, p. 202. — Suffr. Arch. f. Naturg. XXXIII, 3, 1867, p. 287. „
- testaceipes* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 477; Mon. III, 1865, p. 203. „
- Nydia* var. Suffr. Arch. f. Naturg. XXXIII, 3, 1867, p. 286.

Eugonycha Chevr.

Chevr. in D'Orbigny, Dict. univ. III, 1843, p. 656; V, 1844, p. 490. — Chapuis, Gen. Col. X, 1874, p. 367, 389.

impieta Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 455; Brasilien
Mon. II, 1863, p. 156.

melanostoma Stal, Öfv. Vet. Ak. Förh. XVI, 1859, p. 317 Minas
(*Myocoryna*); Mon. II, 1863, p. 155. Geraes

2

Strichosa Chevr.

Chevr. in D'Orbigny, Dict. univ. III, 1843, p. 656. — Blanchard in Gay, Hist. Chile V, 1851, p. 549. — Stal, Mon. II, 1863, p. 151. — Chapuis, Gen. Col. X, 1874, p. 369, 401.

eburata Blanch. in Gay, Hist. Chile V, 1851, p. 550, Chile
t. 32, f. 4. — Stal, Mon. II, 1863, p. 151.

1

Elytrosphaera Chevr.

Chevr. in D'Orbigny, Dict. univ. III, 1843, p. 655. — Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 474. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 188. — Stal, Mon. II, 1863, p. 146. — Chap. Gen. Col. X, 1874, p. 407. — Jacoby, Biol. Centr.-Amer. Col. VI, I, 1884, p. 260.

Elytromena Motsch. Schrenck's Reisen Amurl. II, 1860, p. 188.

aeiculata Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 455; Mexiko
Mon. II, 1863, p. 148. — Jac. Biol. Centr.-Amer. Col. VI, I, 1884, p. 261.

annulata Jac. l. c. p. 262, t. 15, f. 24. Mexiko:

Yolotepec

bifasciata Jac. l. c. Suppl. 1891, p. 257, t. 41, f. 19. Mexiko:

Guerrero

breviusecula Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 474; Brasilien
Mon. II, 1862, p. 147.

Dejeani Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 58.

cupreata Jac. Proc. Zool. Soc. Lond. 1903, II, p. 59. Brasilien:
Prov. Parana

erratica Jac. Biol. Centr.-Amer. Col. VI, I, Suppl. 1891, p. 257, t. 41, f. 20. Mexiko

faceta Stal, Mon. III, 1865, p. 33s. Columbien

flammigera Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 455; Peru, Ecu-
ador

flavilatera Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 475; Patria?
Mon. II, 1865, p. 149.

fulminigera Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 475; Bogota
Mon. II, 1863, p. 148.

graphiptera Stal, Mon. III, 1865, p. 339 (*Chrysomela*). Columbien

hospes Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 475; Patria?
Mon. II, 1863, p. 150.

Jacobyi Kirsch, Berl. Ent. Zeitschr. XXVII, 1883, p. 189, Ecuador
t. 2, f. 9.

marginicollis Jac. Biol. Centr.-Amer. Col. VI, I, Suppl. 1891, p. 256, t. 41, f. 18. Mexiko

mexicana Jac. l. c. p. 261, t. 15, f. 23. „

- nivalis* Kirsch, Berl. Ent. Zeitschr. XXVII, 1883, p. 192, t. 2, f. 8. Ecuador
novorea Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 474; Mon. II, 1863, p. 146. Brasilien
confusa Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 58.
ovatula Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 455; Mon. II, 1863, p. 150. Chile
quadrinaculata Jac. Biol. Centr.-Amer. Col. VI, 1, 1884, p. 260, t. 15, f. 22. Mexiko
sculptilis Kirsch, Berl. Ent. Zeitschr. XIV, 1870, p. 376. Bogota
testudinaria Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 475; Mon. II, 1863, p. 150. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 188 (*Elytromena*). „
tibialis Jac. Biol. Centr.-Amer. Col. VI, 1, 1884, p. 241 (Prosicla); Suppl. 1891, p. 255, t. 15, f. 25. Mexiko
villica Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 455; Mon. II, 1863, p. 147. „
vittata Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1858, p. 350, t. 27, f. 5. Brasilien
ornatissima Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 455; Mon. II, 1863, p. 147.
xanthopyga Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 474; Mon. II, 1863, p. 146. „
flavipennis Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 58.
25

Ambrostoma Motsch.

Motsch. Schrenck's Reisen Amurl. II, 1860, p. 205. — Baly, Trans. Ent. Soc. Lond. 1879, p. 192, t. 2, f. 16. — Weise, Arch. Naturg. LXIV, 1898, p. 196.

- Fortunei* Baly, Journ. of Ent. I, 1860, p. 94, 301 (*Chrysomela*). China
chinense Motsch. Schrenck's Reisen Amurl. II, 1860, p. 228.
Mahesa Hope in Gray, Zool. Misc. 1831, p. 30 (*Chrysomela*). Nepal
nepalense Motsch. Schrenck's Reisen Amurl. II, 1860, p. 228.
quadrinaculatum Motsch. Bull. Mose. XVIII, 1, 1845, p. 109. — Suffr. Linn. Ent. V, 1851, p. 105 (*Chrysomela*). — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 227, t. 11, f. 11. — Mars. Abeille XVI, 1878, p. 149 (*Ambrostoma*). Ws. Ins. Deutschl. VI, 3, 1884, p. 413, nota. — Mars. Abeille XXIV, 1886, p. 42 (*Chrysomela*). — Ws. Arch. Naturg. LXIV, 1898, p. 196.
ab. purpureocupreum Jacobs, Finska Vet.-Soc. Förh. XLIII, 1901, p. 127. Daurien
ab. viridicyaneum Jacobs. l. c. p. 127. „

3

Crosita Motsch.

Motsch. Schrenck's Reisen Amurl. II, 1860, p. 190. — Baly, Trans. Ent. Soc. Lond. 1879, p. 192, t. 2, f. 15. — Mars. Abeille XXI, 1883, p. 100. — Weise, Wien. Ent. Zeit. XIII, 1894, p. 153. — Reitt. Fauna Germ. IV, 1912, p. 109.

Subgen. **Crosita** i. sp.

- afasechanica** Jacobs. Annuaire Mus. Petersb. II, 1898, p. 196, 198.
- ✓ **altaica** Gebl. Mém. Mosc. VI, 1823, p. 117; Ledeb. Reise II, 1830, p. 211; Bull. Mosc. XXI, 1848, I, p. 19 (*Chrysomela*). — Baly. Trans. Ent. Soc. Lond. 1879, p. 193. — Mars. Abeille XXI, 1883, p. 102. — Ws. Arch. Naturg. LIII, 1887, p. 174; Wien. Ent. Zeit. XIII, 1894, p. 154. — Jacobs. Annuaire Mus. Petersb. II, 1898, p. 200.
- insignis** Fisch. Cat. Karelin 1842, p. 20 (*Chrysomela*). — Motsch. Bull. Ac. Petersb. I, 1860, p. 314.
- ab. **Faldermanni** Kryn. Bull. Mosc. V, 1832, p. 170; l. c. 1834, p. 171, t. 5, f. 3. — Gebl. Bull. Mosc. 1848, I, p. 19; 1859, I, p. 511 (*Chrysomela*). — Mars. Abeille XXI, 1883, p. 103. — Ws. Wien. Ent. Zeit. XIII, 1894, p. 154. — Jacobs. Horae Ross. XXIX, 1895, p. 546. — Ws. Wien. Ent. Zeit. XV, 1896, p. 82. — Jacobs. Annuaire Mus. Petersb. II, 1898, p. 199; Käf. Russl. 1909, t. 57, f. 24.
- Marimovitchi** Zoubk. Bull. Mosc. VI, 1833, p. 337. — ? Mars. Abeille XXI, 1883, p. 102.
- ab. **petraea** Mars. l. c. p. 103.
- ✓ **Clementzæ** Jacobs. Annuaire Mus. Petersb. III, 1899, p. 10.
- ab. **aenea** Jacobs. l. c. p. 10.
- ab. **cuprascens** Jacobs. l. c. p. 10.
- ab. **cyanea** Jacobs. l. c. p. 11.
- ab. **cyaneescens** Jacobs. l. c. p. 11.
- concinna** Ws. Wien. Ent. Zeit. XIII, 1894, p. 154. — Jacobs. Annuaire Mus. Petersb. II, 1898, p. 199.
- Filchneræ** Ws. Exped. Filchner X, I, 1908, p. 92, t. 3, f. 4.
- heptapotamica** Jacobs. Hor. Ross. XXIX, 1895, p. 547; Annuaire Mus. Petersb. II, 1898, p. 199.
- Jakowlewi** Ws. Wien. Ent. Zeit. XIII, 1894, p. 154, 155. — Jacobs. Hor. Ross. XXIX, 1895, p. 546. — Ws. Wien. Ent. Zeit. XV, 1896, p. 82. — Jacobs. Annuaire Mus. Petersb. II, 1898, p. 199.
- Kowalewskyi** Gebl. Bull. Mosc. IX, 1836, p. 344, t. 5, f. 4; 1848, I, p. 22 (*Chrysomela*). — Mars. Abeille XXI, 1883, p. 104. — Ws. Wien. Ent. Zeit. XIII, 1894, p. 154. — Jacobs. Annuaire Mus. Petersb. II, 1898, p. 199; Käf. Russl. 1909, t. 57, f. 25.
- ab. **cupreoviridula** Jacobs. l. c. p. 198.
- longipes** Jacobs. l. c. p. 197, 199.
- ✓ **matronula** Ws. Wien. Ent. Zeit. XIII, 1894, p. 154, 155. — Jacobs. Annuaire Mus. Petersb. II, 1898, p. 199.
- ab. **viridula** Jacobs. l. c. p. 198.
- pigra** Ws. Wien. Ent. Zeit. XIII, 1894, p. 153, 155. — Jacobs. Annuaire Mus. Petersb. II, 1898, p. 199.
- Potanini** Jacobs. l. c. III, 1899, p. 8.
- Przewalskyi** Jacobs. l. c. II, 1898, p. 197, 199.
- Südliche Mongolei
Altai,
Kängisen-
Steppe,
Orenburg
- Dsungarei
- Sibirien
- China:
Lantschou
Tschilik
- Minussinsk
- Altai
- N. W. Mon-
golei
Ost Sibirien
N. Mongolei
- „
- N. O. Mongo-
lei
S. Mongolei

Subgen. **Pezocrosita** Jacobs.

Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 120, nota.

Kuznetzowi Jacobs. Hor. Ross. XXXV, 1900, p. 78. Prov. Jenissei

Sahlbergiana Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 120.

15

✓ **Gnathomela** Jacobs.

Jacobs. Hor. Ross. XXIX, 1895, p. 297.

Pachygnatha Weise, Deutsche Ent. Zeitschr. 1892, p. 352 (nec Sundevall).

✓ *dolens* Kraatz, Deutsche Ent. Zeitschr. XXIX, 1885, Turkestan:
p. 298, 282. — Ws. Deutsche Ent. Zeitschr. 1892, Namagan,
p. 352. — Jacobs. Käf. Russl. t. 57, f. 23. Samarkand

1

✓ **Chrysomela** L.

L. Syst. Nat. ed. X, 1758, p. 368. — Redt. Gatt. deutsch. Käferfauna 1845, p. 117. — Suffr. Linn. Ent. V, 1851, p. 1. — Baly, Trans. Ent. Soc. Lond. (3) IV, II, 1867, p. 295. — Jacq. du Val, Gen. Col. d'Eur. IV, 1868, p. 228. — Vogel in Schaaf, Nunquam otios, I, 1871, p. 82. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 46. — Chapuis, Gen. Col. X, 1874, p. 379. — Weise, Naturg. Ins. Deutschl. VI, 2, 1882, p. 339. — Marseul, Abeille XXIV, 1886, p. 1. — Fowl. Col. Brit. Isl. IV, 1890, p. 301. — Bedel, Faune Col. Bass. Seine V, 1892, p. 140. — Linell, Journ. N. York Ent. Soc. IV, 1895, p. 195. — Weise, Arch. f. Naturg. LXIV, 2, 1898, p. 192. — Everts, Col. Neerl. II, 1903, p. 429. — Reitt. Fauna Germ. IV, 1912, p. 109.

Anopachys Motsch. Schrenck's Reisen Amurl. II, 1860, p. 202.

Atechna Chev. Diet. univ. II, 1843, p. 232.

Bittotaenia Motsch. Schrenck's Reisen Amurl. II, 1860, p. 206.

Centoptera Motsch. l. c. p. 207.

Chalcoidea Motsch. l. c. p. 209.

Valid → *staphyano* *Chrysolina* Motsch. l. c. p. 210. — Mars. Abeille XXIV, 1886, p. 29.

Chrysochloa Mars. l. c. p. 26.

Chrysomorpha Motsch. Schrenck's Reisen Amurl. II, 1860, p. 204.

Colaphodes Motsch. l. c. p. 212.

Colaphoptera Motsch. l. c. p. 215.

Colaphosoma Motsch. l. c. p. 216.

Craspeda Motsch. l. c. p. 191.

Crositops Mars. Abeille XXI, 1883, p. 105.

Cystocnemis Jacobs. Deutsche Ent. Zeitschr. 1894, p. 104 (nec Motsch.).

Diochrysa Motsch. Schrenck's Reisen Amurl. II, 1860, p. 203. — Mars. Abeille XXIV, 1886, p. 164. — Ws. Arch. f. Naturg. LXIV, 1898, p. 200.

Helioskola Motsch. Schrenck's Reisen Amurl. II, 1860, p. 190.

Hoplosoma Motsch. Schrenck's Reisen Amurl. II, 1860, p. 211.

Hypericia Bedel, Faune Col. Bassin Seine V, 1892, p. 258, nota.

Lithoptera Motsch. Schrenck's Reisen Amurl. II, 1860, p. 210. — Mars. Abeille XXIV, 1886, p. 162.

Oromorpha Motsch. Schrenck's Reisen Amurl. II, 1860, p. 213.

Ovosoma Motsch. l. c. p. 214. — Mars. Abeille XXIV, 1886, p. 137.

Orostoma Motsch. l. c. p. 215.

Pleurosticha Motsch. l. c. p. 191. — Mars. Abeille XXIV, 1886, p. 64.
Polysticta Hope, Col. Man. III, 1840, p. 164. — Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 115. — Vogel, Nunquam otios. I, 1871, p. 70, 96. — Chapuis, Gen. Col. X, 1874, p. 382.
Sphaeromela Bed. Faune Col. Bass. Seine V, 1892, p. 260, nota.
Stichoptera Motsch. Schrenck's Reisen Amurl. II, 1860, p. 209. — Mars. Abeille XXIV, 1886, p. 113.
Stichosoma Motsch. Schrenck's Reisen Amurl. II, 1860, p. 208. — Mars. Abeille XXIV, 1886, p. 28.
Taeniosticha Motsch. Schrenck's Reisen Amurl. II, 1860, p. 207.
Timarchoptera Motsch. l. c. p. 188. — Mars. Abeille XXI, 1883, p. 106.
Threnosoma Motsch. Schrenck's Reisen Amurl. II, 1860, p. 213. — Mars. Abeille XXIV, 1886, p. 9.
Zeugotaenia Motsch. Schrenck's Reisen Amurl. II, 1860, p. 206. — Mars. Abeille XXIV, 1886, p. 59.
 Biologie: Osbourne, Ent. Monthly Mag. XVII, 1880, p. 150. — Ws. Naturg. Ins. Deutschl. VI. 2, 1882, p. 341. — Puton, Rev. d'Ent. IX, 1890, p. 113, 349. — Bedel, Faune Col. Bassin Seine V, 1892, p. 143. — Dollé, Rev. d'Ent. XIV, 1895, p. 20. — Puton, l. c. p. 127. — Holmgren, Zool. Jahrb. Syst. XIX, 1903, p. 437.
 Anatomie: Bordas, Ann. Sc. Nat. Zool. (8) XI, 1900, p. 362, t. 25, f. 3, 8.
 Morphologie: Friedrichs, Nova Acta Ac. Leop. LXXXV, 1906, p. 124, 7 t. — Hegner, Science N. York XXXIII, 1911, p. 71.

- abchasica Ws. Deutsche Ent. Zeitschr. 1892, p. 405. Kaukasus
- ✓ Adamsi Baly, Trans. Ent. Soc. Lond. 1879, p. 190. — Sibirien,
 Ws. Arch. f. Naturg. LIII, 1, 1887, p. 175. — Persien
 Jacobs, Finska Vet.-Soc. Förh. XLIII, 1901, p. 127.
- ✓ aegyptiaca Ol. Ent. V, 1807, p. 528, t. 6, f. 88. — Fairm. Nordafrika,
 Ann. Soc. Ent. Fr. (4) V, 1865, p. 80. — Ws. Syrien
 Deutsche Ent. Zeitschr. 1901, p. 256.
 diluta Kryn. Bull. Mosc. V, 1832, p. 171.
 Biologie: Peycrimhoff, Ann. Soc. Ent. Fr. LXXX, 1911, p. 289.
- aeneipennis Reiche, Ann. Soc. Ent. Fr. (3) VI, 1858, Karamanien,
 p. 328. Syrien,
 ✓ ab. dereticta Mars. Abeille XXV, 1887, p. 84. — Palaestina,
 Ws. Arch. Naturg. LXIV, 1898, p. 191. Sinai
 ab. subcoerulea J. Sahlb. Finska Vet.-Soc. Förh. LV, A. 19, 1913, p. 246.
- ✓ aeneuginosa Fald. Mém. Ac. Petersb. II, 1835, p. 440. — Irkutsk,
 Mars. Abeille XXV, 1887, p. 88. — Amur
 Jacobs, Finska Vet.-Soc. Förh. XLIII, 1901, p. 126.
 ab. dimidiata Ménétr. Bull. Ac. Petersb. I, 1836, p. 181. — Mars. Abeille XXV, 1887, p. 96.
 ab. instructa Motsch. Schrenck's Reisen Amurl. II, 1860, p. 228 (*Taeniosticha*). — Mars. Abeille XXV, 1887, p. 90.
 ab. regularis Motsch. Schrenck's Reisen Amurl. II, 1860, p. 228 (*Taeniosticha*). — Mars. Abeille XXV, 1887, p. 91.
 ab. tarda Motsch. Schrenck's Reisen Amurl. II, 1860, p. 228, t. 11, f. 12 (*Taeniosticha*). — Mars. Abeille XXV, 1887, p. 89.

- ✓ *affinis* F. Mant. I. 1787, p. 67. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1668. — F. Ent. Syst. I, 1792, p. 310; Syst. El. I. 1801, p. 426. — Ws. Ins. Deutschl. VI. 3, 1884, p. 373.
- ✓ *caliginosa* Ol. Ent. V. 1807, p. 521, t. 6, f. 81. — Suffr. Linn. Ent. V, 1851, p. 48. — Fairm. Ann. Soc. Ent. Fr. (3) I, 1853, p. 118. — Mars. Abeille XXV, 1887, p. 154.
- ✓ *ab. baetica* Suffr. Linn. Ent. V, 1851, p. 16.
- ✓ *ab. varipes* Suffr. l. c. p. 17.
- ✓ *afra* Er. Wagner's Reise III. 1841, p. 190. — Luc. Expl. Alg. Ent. II, 1849, p. 533, t. 45, f. 7. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 71. — Mars. Abeille XXIV, 1886, p. 12.
- africana* Jac. Proc. Zool. Soc. Lond. 1898, p. 241.
- ✓ *alata* Jacobs. Rev. Russ. d'Ent. X. 1910, p. 58.
- altimontana* Rybakow, Hor. Ross. XXIII, 1889, p. 286. — Jacobs. Hor. Ross. XXIX, 1895, p. 549. — Ws. Arch. Naturg. LXVI, I, 1900, p. 282.
- ampliocollis* Jacobs. Hor. Ross. XXIX, 1895, p. 549.
- amasiensis* Ws. Deutsche Ent. Zeitschr. 1894, p. 92.
- ✓ *americana* L. Syst. Nat. ed. X, 1758, p. 392. — F. Syst. Ent. 1775, p. 100; Spec. Ins. I, 1781, p. 124; Mant. Ins. I, 1787, p. 71. — Gmel. in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1674. — F. Ent. Syst. I, 1792, p. 323. — Rossi. Fauna Etr. ed. Hellw. 1795, p. 86. — F. Syst. El. I, 1801, p. 440. — Ol. Ent. V, 1807, p. 547, t. 7, f. 107. — Duft. Fauna Austr. III, 1825, p. 195. — Küst. Käf. Eur. I, 1844, p. 76. — Suffr. Linn. Ent. V, 1851, p. 101. — Redt. Fauna Austr. ed. 3. II. 1874, p. 472. — Ws. Ins. Deutschl. VI. 3, 1884, p. 411. — Mars. Abeille XXV, 1887, p. 103. — Seidl. Fn. Balt. ed. 2, 1891, p. 691; Fn. Transsylv. 1891, p. 774. — Bed. Faune Col. Bass. Seine V, 1892, p. 144. — Reitt. Fauna Germ. IV, 1912, p. 113.
- barbarica* Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1683.
- decemstriata* Goeze. Ent. Beytr. I, 1777, p. 301.
- nitidula* Fourer. Ent. Par. I, 1785, p. 108.
- siriata* Voet, Cat. Syst. Col. II. 1806, p. 42, t. 31, f. 21.
- ✓ *ab. lesinac* Ws. Ins. Deutschl. VI. 3, 1884, p. 411.
- ab. Desdouteti* Mars. Abeille XXV, 1887, p. 103.
- ab. Ubertini* Mars. l. c. p. 104.
- Biologie: Chap. & Cand. Mém. Soc. Liège VIII, 1853, p. 610. — Heldreich, Sitzungsber. Naturf. Fr. Berlin 1881, p. 125.
- Morphologie: Schneider, Isis 1902, p. 43 (ab. *Ubertini*).
- amethystina* Kolbe, Arch. Naturg. LII, 1886, p. 228.
- Andrewesi* Jac. Ann. Soc. Ent. Belg. XLVII, 1903, p. 95.
- ✓ *angusticollis* Motsch. Etud. Ent. IX, 1860, p. 23. — Jacobs. Hor. Ross. XXVII, 1893, p. 125. — Ws. Arch. Naturg. LXVI, I, 1900, p. 284. — Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 127.

N. W. Afrika,
Spanien,
S. Frank-
reich

Algier,
Marocco

Natal
Dsungarei
Amdo

Amasia
Umgebung
des Mittel-
ländischen
Meeres

Dalmatien

Corsica

Korea
Ostindien:
Nilgiri
Hills
Japan,
Amur

- japana* Baly, Trans. Ent. Soc. Lond. 1874, p. 171.
 — Jac. Proc. Zool. Soc. Lond. 1888, p. 345.
- armeniaca* Fald. Nouv. Mém. Mosc. V, 1837, p. 355,
 t. 12, f. 10. — Ws. Ins. Deutschl. VI, 3, 1884,
 p. 389.
- atrovirens* Friv. Adatok XIII, 1876, p. 338. — Ws. Ins.
 Deutschl. VI, 3, 1884, p. 370. — Mars. Abeille
 XXV, 1887, p. 144.
- auraria* Motsch. Schrenck's Reisen Amurl. II, 1860,
 p. 225 (*Diochrysa*). — Mars. Abeille XVI, 1878,
 p. 146; XXV, 1887, p. 167.
- aurata* Suffr. Linn. Ent. V, 1851, p. 102. — Jac. Ann.
 Soc. Ent. Belg. XL, 1896, p. 251.
- aurichalcea* Mannerh. in Hummel, Essais IV, 1825,
 p. 39. — Gebl. Ledeb. Reise II, 3, 1830, p. 212;
 Bull. Mosc. XXI, 1, 1848, p. 20. — Suffr. Linn.
 Ent. V, 1851, p. 188. — Fairm. Ann. Soc. Ent.
 Fr. (4) V, 1865, p. 67. — Heyd. Deutsche Ent.
 Zeitschr. XXIII, 1879, p. 363. — Ws. Ins.
 Deutschl. VI, 3, 1884, p. 418, nota. — Mars.
 Abeille XXIV, 1886, p. 56. — Ws. Arch.
 Naturg. LIII, 1887, p. 181. — Jac. Ann. Mus.
 Genova XXVII, 1889, p. 188.
- cupraria* Kolbe, Arch. Naturg. LII, 1, 1886,
 p. 229.
- ab. *elevata* Suffr. Linn. Ent. V, 1851, p. 189. —
 Ws. Ins. Deutschl. VI, 3, 1884, p. 418, nota;
 Arch. Naturg. LIII, 1887, p. 182.
- ab. *gibbipennis* Fald. Mém. Ac. Petersb. 1835, II,
 p. 441. — Ws. Arch. Naturg. LXIV, 1898, p. 197.
- cyaneopurpurea* Ballion, Bull. Mosc. LIII, II,
 1878, p. 379.
- ab. *lineella* Ws. Arch. Naturg. LIII, 1887, p. 182.
- ab. *nigricans* Jacobs. Hor. Ross XXXV, 1900,
 p. 100.
- ab. *Stali* Baly, Journ. of Ent. I, 1860, p. 95. —
 Ws. Arch. Naturg. LIII, 1887, p. 182.
- ab. *violaceicollis* Motsch. Etud. Ent. X, 1861,
 p. 21 (*Anopachys*). — Ws. Arch. Naturg. LIII,
 1887, p. 182.
- var. *collaris* nom. nov.
- recticollis* Ws. Arch. Naturg. LIII, I, 1887, p. 182,
 185; LXIV, 1898, p. 197 (nec Motsch.).
- japana* Mars. Abeille XXIV, 1886, p. 41 (nec
 Baly).
- quadrangulata* Motsch. Schrenck's Reisen Amurl.
 II, 1860, p. 226, t. II, f. 10. — Har. Abh.
 Bremen 1876, p. 134. — Mars. Abeille XVI,
 1878, p. 148 (*Chrysomorpha*). — Heyd. Berl.
 Ent. Zeitschr. XXIII, 1879, p. 363. — Kolbe,
 Arch. Naturg. LII, 1, 1886, p. 228. — Mars.
 Abeille XXIV, 1886, p. 55.
- angusticollis* Ws. Arch. Naturg. LIII, 1, 1887,
 p. 182, 184. — Jacobs. Finska Vet. Soc. Förh.
 XLIII, 1901, p. 127, nota.
- var. *asclepiadis* Villa, Col. Eur. dupl. 1833,
 p. 36. — Herr.-Schäff. Fauna Germ. 157, 1838.
 — Küst. Käf. Eur. I, 1844, p. 84. — Suffr.
 Linn. Ent. V, 1851, p. 187. — Motsch. Reisen

Transkau-
 kasien,
 Armenien
 Bazias

Daurien

Ostindien

Sibirien,
 Korea,
 Japan,
 China,
 Birma

Anuur, Japan

Deutsche
 Mittel-
 gebirge,
 Alpen

- Amurl. II, 1860, p. 202. — Redt. Fauna Austr. ed. 3. II, 1874, p. 476. — Ws. Ins. Deutschl. VI, 3, 1884, p. 418. — Mars. Abeille XXIV, 1886, p. 54. — Ws. Arch. Naturg. LIII, 1, 1887, p. 182, 185; LXIV, 1898, p. 197. — Reitt. Fauna Germ. IV, 1912, p. 117.
- ? *praticola* Duft. Fauna Austr. III, 1825, p. 173. — Suffr. Linn. Ent. V, 1851, p. 274.
- Villae* Cristofori, Consp. meth. 1833, p. 82.
- ab. *curina* Friv. Termesz. Fü. VII, 1883, p. 17.
- auripennis** Say, Journ. Ac. Philad. III, 1824, p. 452. — Rogers. Proc. Ac. Philad. VIII, 1854, p. 36. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 386. — Stal. Mon. III, 1865, p. 326. — Crotch. Proc. Ac. Philad. XXV, 1873, p. 50, 51. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 200.
- var. *cribraria* Rogers, Proc. Ac. Philad. VIII, 1854, p. 36. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 384. — Crotch. Proc. Ac. Philad. XXV, 1873, p. 51.
- ✓ **Balyi** Jac. Entomol. XXVI, 1893, Suppl. p. 103.
- ✓ **Banksi** F. Syst. Ent. 1775, p. 95; Ent. Syst. I, 1792, p. 310; Syst. El. I, 1801, p. 430. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1668. — Rossi, Fauna Etr. I, 1790, p. 75. — Payk. Fauna Suec. III, 1800, p. 450. — Ol. Ent. V, 1807, p. 513, t. I, f. 5. — Steph. Ill. Brit. Ent. IV, 1834, p. 343; Man, 1839, p. 309. — Küst. Käf. Eur. I, 1844, p. 79. — Suffr. Linn. Ent. V, 1851, p. 15. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 208 (*Stichosoma*). — Redt. Fauna Austr. ed. 3. II, 1874, p. 476. — Ws. Ins. Deutschl. VI, 3, 1884, p. 379. — Mars. Abeille XXIV, 1886, p. 28. — Fowl. Col. Brit. Isl. IV, 1890, p. 302, 304. — Bed. Col. Bass. Seine V, 1892, p. 144. — Reitt. Fauna Germ. IV, 1912, p. 113.
- ab. *chlorizans* Ws. Ins. Deutschl. VI, 3, 1884, p. 379.
- lepida* Suffr. Linn. Ent. V, 1851, p. 16.
- Biologie: Osborne, Ent. Monthly Mag. XVII, 1880, p. 152. — Buddeb. Soc. Ent. XX, 1905, p. 65. — Peyerimh. Ann. Soc. Ent. Fr. LXXX, 1911, p. 289.
- basilaris** Say, Journ. Ac. Philad. III, 1824, p. 451. — Stal. Mon. III, 1865, p. 325. — Crotch. Proc. Ac. Philad. XXV, 1873, p. 50. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 200.
- subseriata* J. Lec. Proc. Ac. Philad. 1860, p. 321.
- Besseri** Kryn. Bull. Mosc. V, 1832, p. 171. — Herr.-Schäff. Fauna Germ. Hft. 157, 1838. — Suffr. Linn. Ent. V, 1851, p. 73. — Fairm. Ann. Soc. Ent. Fr. (3) II, 1854, p. 320. — Jacobs. Hor. Ross. XXX, 1896, p. 118.
- ✓ **bicolor** F. Syst. Ent. 1775, p. 95; Spec. Ins. I, 1781, p. 116; Mant. Ins. I, 1787, p. 63; Ent. Syst. I, 1792, p. 310; Syst. El. I, 1801, p. 429. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1667. — Suffr. Linn. Ent. V, 1851, p. 102. —

Mehadia
Nebraska
bis Texas
u. Neu-
Mexiko

Ostindien:
Madras
England,
Frank-
reich,
Umgebung
des Mittel-
ländischen
Meeres,
Finnland

Arkansas—
bis
Oregon

Südrußland

Umgebung
des Mittel-
ländischen
Meeres

- Woll. Col. Canar. 1864, p. 400. — Ws. Ins. Deutschl. VI, 3, 1884, p. 411, nota. — Mars. Abeille XXV, 1887, p. 97.
- canariensis* Brullé in Webb & Berthelot, Canar. Ent. 1838, p. 73.
- regalis* Ol. Ent. V, 1807, p. 538, t. 7, f. 98. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 207 (*Centoptera*). — Woll. Col. Atlant. 1865, p. 358.
- ab. consularis* Er. Wagn. Reise III, 1841, p. 190, t. 8. — Küst. Käf. Eur. I, 1844, p. 77. — Ws. Ins. Deutschl. VI, 3, 1884, p. 411.
- ab. mima* Mars. Abeille XXV, 1887, p. 99.
- ab. nigropunctata* Reitt. Berl. Ent. Zeitschr. XVI, 1872, p. 175. — Kraatz, Berl. Ent. Zeitschr. XVI, 1872, p. 186. — Reitt. Verh. zool.-bot. Ges. Wien XXIV, 1874, p. 528.
- dolorosa* Fairm. Rev. Mag Zool. (3) I, 1873, p. 359.
- lusitanica* Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1688 (nec F.).
- ab. Scovitzii* Ménétr. Cat. rais. 1832, p. 235.
- Birulai** Jacobs. Mém. Ac. Petersb. (8) XVIII, 9, 1910, p. 56, t. 1 c. f. 1.
- ab. arctica* nom. nov.
- glacialis* Jacobs. l. c. p. 59, t. 1 c. f. 5 (nec Ws.).
- ab. novosibirica* Jacobs. l. c. p. 60, t. 1 c. f. 3.
- ab. Wollosowiczi* Jacobs. l. c. p. 59.
- Biologie: Jacobs. l. c. p. 60, t. 1 c. f. 6, 7.
- ✓ **Blanchei** Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 75. — Ws. Ins. Deutschl. VI, 2, 1882, p. 362, nota. — Mars. Abeille XXV, 1887, p. 141.
- Anceyi* Mars. Abeille V, 1868, p. 211; XXIV, 1886, p. 32. — Ws. Arch. Naturg. LXIV, 1898, p. 196.
- Boeberi** Har. Cat. Col. XI, 1874, p. 3415. — Jacobs. Finska, Vet. Soc. Förh. XLIII, 1901, p. 124.
- sulcata* Germ. Ins. spec. nov. 1824, p. 589 (nec Gebl.).
- Bodemeyeri** Ws. Verh. Naturf. Ver. Brünn XLVIII, 1910, p. 36.
- ab. subfasciata* Melichar, Col. Rundsch. III, 1912, p. 35.
- Bonvouloiri** Baly, Ann. Mag. Nat. Hist. (3) X, 1862, p. 23. — Jac. Ann. Soc. Ent. Belg. XL, 1896, p. 251.
- ✓ **Bowringi** Baly, Journ. of Ent. I, 1860, p. 96.
- Niobe* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 463. — Baly, Journ. of Ent. I, 1861, p. 301.
- brevilata* Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 277.
- Bruneli** Demaison, Bull. Soc. Ent. Fr. 1896, p. 12.
- ab. concolor* Demais. l. c. p. 12.
- ab. nebulosa* Demais. l. c. p. 12.
- brunneipennis** Matsumura, Journ. Coll. Agric. Sapporo IV, 1911, p. 141.
- brunnicornis** Ws. Arch. Naturg. LIII, 1, 1887, p. 175.
- ✓ **brunsvicensis** Grav. Vergl. Übers. zool. Syst. 1807, p. 135. — Ws. Ins. Deutschl. VI, 3, 1884, p. 401. — Seidl. Fauna Transsylv. 1891, p. 775.

Nordost-
Sibirien
u. Neu-
Sibirische
Inseln

Syrien,
Palaestina

Kamt-
schatka,
Ochotsk

Persien

Cypern

Ostindien

Hongkong

Turkestan

Syrien

Sachalin

Altai,
Mongolei
Mitteleuropa

- Bed. Faune Col. Bass. Seine V, 1892 p. 147.
 — Everts, Col. Neerl. II, 1903, p. 434. —
 Reitt. Fauna Germ. IV, 1912, p. 112.
centaurii Scriba. Journ. Liebh. Ent. III, 1791,
 p. 294 (nec F.).
duplicata Zenker in Germ. Mag. Ent. I, 2, 1815,
 p. 148. — Suffr. Linn. Ent. V, 1851, p. 127. —
 Fairm. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 558.
 — Redt. Fauna Austr. ed. 3. II, 1874, p. 473.
 — Mars. Abeille XXIV, 1886, p. 80. — Ws.
 Arch. f. Naturg. LXIV, 1, 1898, p. 197. —
 Reitt. Fauna Germ. IV, 1912, p. 112.
subseriepunctata Dietrich, Stett. Ent. Zeit.
 XVIII, 1857, p. 135.
 Biologie: Cornel. Stett. Ent. Zeit. XIX, 1858,
 p. 217. — Mars. Abeille XXIV, 1886, p. 5.
 Morphologie: Ws. Deutsche Ent. Zeitschr. XXX,
 1886, t. 1, f. 34.
Bungei Jacobs. Mém. Ac. Petersb. (8) XVIII, 9, 1910, Neu-Sibirien
 p. 62, t. 1 c. f. 2.
campestris Ws. Arch. Naturg. LXXVIII, 1912, p. 84. Sibirien
perforata Mars. Abeille XXV, 1887, p. 86. — Ws.
 Arch. Naturg. LIII, 1887, p. 174 (nec Gebler).
caffra Thunb. Nova Acta Upsal. VIII, 1821, p. 177. Kapland
 — Vogel in Schauf. Nunquam otios. 1, 1871, p. 86.
carinata Jac. Ann. Soc. Ent. Belg. XLVIII, 1903, p. 94. Ostindien
 ✓ *carulifex* F. Ent. Syst. I, 1, 1792, p. 325. — Gyll. Ins. Mitteleuropa,
 Suec. III, 1813, p. 462, obs. — Duft. Fauna Sibirien
 Austr. III, 1825, p. 184. — Matzek, Ber. Schles.
 Ges. 1842, p. 155. — Suffr. Linn. Ent. V, 1851,
 p. 75. — Fairm. Ann. Soc. Ent. Fr. (3) II, 1854,
 p. 321. — Redt. Fauna Austr. ed. 3. II, 1874,
 p. 473. — Seidl. Fauna Balt. 1875, p. 482. —
 Ws. Ins. Deutschl. VI, 3, 1884, p. 386. — Mars.
 Abeille XXV, 1887, p. 128. — Seidl. Fauna Balt.
 ed. 2, 1891, p. 693; Fauna Transs. 1891, p. 776.
 — Bed. Faune Col. Bass. Seine V, 1892,
 p. 146. — Everts, Col. Neerl. II, 1903 p. 433.
 — Reitt. Fauna Germ. IV, 1912, p. 10.
analis Ponza, Mém. Ac. Turin. XIII, 1805, p. 52.
 ✓ *ab. coerulescens* Suffr. Linn. Ent. V, 1851, p. 76. Rheinland,
 — Fairm. Ann. Soc. Ent. Fr. (3) II, 1854, p. 322. Frankreich
 — Brisout, Ann. Soc. Ent. Fr. (5) III, 1873,
 Bull. p. 211. — Redt. Fauna Austr. ed. 3. II,
 1874, p. 477. — Mars. Abeille XXV, 1887,
 p. 134. — Ws. Arch. Naturg. LXIV, 1898, p. 198.
ab. Konowi Ws. Deutsche Ent. Zeitschr. 1889, Mecklenburg
 p. 127; Ins. Deutschl. VI, 6, 1893, p. 1122.
 ✓ *ab. provincialis* Har. Col. Hefte XII, 1874, Frankreich
 p. 152.
aethiops Ol. Ent. V, 1807, p. 519, t. 6, f. 79 (nec F.).
 — Suffr. Linn. Ent. V, 1851, p. 18. — Fairm.
 Ann. Soc. Ent. Fr. (3) I, 1853, p. 100. — Mars.
 Abeille XXV, 1887, p. 148. — Ws. Arch. f.
 Naturg. LXIV, 1, 1898, p. 198.
 ✓ *carpathica* Fuss, Verh. Siebb. Ver. VII, 1856, p. 25, 31. — Karpathen,
 — Seidl. Fauna Transsylv. 1891, p. 772. — Ws. Transsylvanien
 Arch. f. Naturg. LXIV, 1, 1898, p. 205. —
 Reitt. Fauna Germ. IV, 1912, p. 116.

- lichenis* var. Ws. Ins. Deutschl. VI, 2, 1882, p. 350.
 var. *Gabrieli* Ws. Deutsche Ent. Zeitschr. 1903, p. 163.
 var. *Hopffgarteni* Ws. l. c. 1890, p. 39.

Altvater,
 Tatra
 Transsylvanien

Morphologie: Ws. Arch. Naturg. LXIV, 1898, p. 206; Deutsche Ent. Zeitschr. 1903, p. 61.

- ↖ *caspica* Ws. Deutsche Ent. Zeitschr. 1892, p. 406.
caucasica Ws. Ins. Deutschl. VI, 2, 1882, p. 352, nota. — Mars. Abeille XXIV, 1886, p. 39.
catenata Vogel in Schauf. Nunquam otios. I, 1871, p. 117.
cavigera J. Sahlb. Vega Exp. Vet. IV, 1885, p. 35.

Kaukasus:
 Abchasien

Kapland
 Tschuktschen-
 Halbinsel
 Europa

- ↖ *cerealis* L. Syst. Nat. ed. 12, 1767, p. 588. — F. Mant. Ins. I, 1787, p. 71; Ent. Syst. I, 1792, p. 323. — Gmel. ed. Linn. I, 4, 1790, p. 1674. — Schrank, Fauna Boica I, 1798, p. 531. — Panz. Fauna Germ. Hft. 44, 1798, p. 11. — Ol. Ent. V, 1807, p. 545, t. 7, f. 104. — Duft. Fauna Austr. III, 1825, p. 180. — Steph. III. Brit. Ent. IV, 1834, p. 346, t. 23, f. 4; Man. 1839, p. 308. — Letzn. Ber. Schles. Ges. 1841, p. 102. — Matzek, Arb. Schles. Ges. Breslau 1842, p. 156. — Küst. Käf. Eur. I, 1844, p. 75. — Suffr. Linn. Ent. V, 1851, p. 107. — Redt. Fauna Austr. ed. 3, II, 1874, p. 472. — Seidl. Fauna Balt. 1875, p. 483. — Ws. Ins. Deutschl. VI, 3, 1884, p. 413. — Mars. Abeille XXIV, 1886, p. 51. — Ws. Deutsche Ent. Zeitschr. 1890, p. 286. — Fowl. Col. Brit. Isl. IV, 1890, p. 303, 307. — Seidl. Fauna Balt. ed. 2, 1891, p. 694; Fauna Transsylv. 1891, p. 777. — Bed. Faune Col. Bass. Seine V. 1892, p. 148. — Ws. Ins. Deutschl. VI, 6, 1893, p. 1122. — Everts, Col. Neerl. II, 1903, p. 436. — Jacobs. Käf. Russl. 1909, t. 58, f. 11. — Reitt. Fauna Germ. IV, 1912, p. 117, t. 145, f. 5. — C. Schauf. in Calwer, Käferbuch, ed. 6, 1907—16 (1913), p. 939, t. 35, f. 11.

fasciata Fourcr. Ent. Par. I, 1785, p. 108.

luxurians Ol. Ent. V, 1807, p. 546, t. 7, f. 105.

↖ ab. *alternans* Panz. Fauna Germ. Hft. 67, 1799, p. 16. — Küst. Käf. Eur. II, 1844, p. 77. — Suffr. Linn. Ent. V, 1851, p. 110.

ericae Suffr. l. c. p. 110.

↖ *Megerlei* F. Syst. El. I, 1801, p. 439. — Ol. Ent. V, 1807, p. 547, t. 7, f. 106. — Duft. Fauna Austr. III, 1825, p. 180. — Redt. Fauna Austr. ed. 3, II, 1874, p. 472.

↖ *mixta* Suffr. Linn. Ent. V, 1851, p. 112. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 293.
rufolineata Motsch. Schrenck's Reisen Amurl. II, 1860, p. 227.

↖ ab. *bivittata* Schrank, Naturf. XXIV, 1789, p. 66. — Ws. Ins. Deutschl. VI, 3, 1884, p. 417.
 ab. *costata* Duf. Feuille jeun. Nat. XXXII, 1902, p. 84.

Südfrank-
 reich

- ✓ *ab. fulgens* Duf. Ann. Soc. Linn. Bordeaux 1851, p. 304. Pyrenäen
Kiesenwetteri Motsch. Schrenck's Reisen Amurl. II, 1860, p. 227. — Mars. Abeille XXIV, 1886, p. 52.
 ✓ *ab. livonica* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 227. Europa
 ✓ *ab. melanaria* Suffr. Linn. Ent. V, 1851, p. 115. — Fairm. Ann. Soc. Ent. Fr. (3) IV, 1858, p. 548. — Mars. Abeille XXIV, 1886, p. 57. Südfrankreich
 ✓ *ab. mixta* Küst. Käf. Eur. I, 1844, p. 87 ♂. Europa
cuprina & *ornata* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 227.
hacmoptera Küst. Käf. Eur. I, 1844, p. 37 ♀.
Megerlei Seidl. Fauna Balt. 1875, p. 483.
violacea Schall. Abh. Hall. Ges. I, 1783, p. 270 (nec Müller). — Gmel. ed. Linn. I, 4, 1790, p. 1684. — Seidl. Fauna Transsylv. 1891, p. 777.
 ✓ *ab. octovittata* Schrank, Naturf. XXIV, 1789, p. 66. „
Megerlei Matzek, Arb. Schles. Ges. Breslau 1842, p. 157. — Küst. Käf. Eur. I, 1844, p. 74.
 ✓ *ab. ornata* Ahr. Neue Schrift. Ges. Halle II, 2, 1812, p. 13, t. I, f. 3c. — Herr.-Schäff. Fauna Germ. 157. 1838.
cyaneoaurata Motsch. Schrenck's Reisen Amurl. II, 1860, p. 227.
ericae Motsch. l. c. p. 227.
laminula Herr.-Schäff. Fauna Germ. 157, 1838.
 Biologie: Chabon, Petit. Nouv. Ent. (2) X, 1878, p. 195. — Rosenh. Stett. Ent. Zeit. XLIII, 1882, p. 155. — Rey, Essai d'études 1887, p. 110. — Xamheu, Rev. d'Ent. XX, 1901, p. 50. — Sopp, Ent. Rec. XIV, 1902, p. 239; Natur. Journ. XI, 1902, p. 13.
 Anatomie: Bordas, Ann. Sc. Natur. Zool. (8) XI, 1900, 336, 363, t. 25, f. 9.
 ✓ *chalcites* Germ. Ins. spec. nov. 1824, p. 587. — Redt. Fauna Austr. ed. 3, II, 1874, p. 473. — Ws. Ins. Deutschl. VI, 3, 1884, p. 399. — Reitt. Fauna Germ. IV, 1912, p. 111. Istrien, Dalmatien, Ungarn, Krim,
chalcitis Suffr. Linn. Ent. V, 1851, p. 121. — Mars. Abeille XXIV, 1886, p. 61. — Seidl. Fauna Transsylv. 1891, p. 774. Sarepta, Derbent, Syrien
festiva Ménér. Cat. rais. 1832, p. 235.
 ✓ *chloromaura* Ol. Ent. V, 1807, p. 553, t. 8, f. 113. — Ws. Ins. Deutschl. VI, 3, 1884, p. 431. N. W. Spanien, Portugal
gallega Fairm. Ann. Soc. Ent. Fr. (4) I, 1861, p. 595.
 ✓ *cinctipennis* Har. Cat. Col. XI, 1874, p. 3416. — Ws. Ins. Deutschl. VI, 3, 1884, p. 390, nota. Ungarn, S. Russland
Besseri Mars. Abeille XXV, 1887, p. 122.
circumducta Suffr. Linn. Ent. V, 1851, p. 77 (nec Ménér.). — Fairm. Ann. Soc. Ent. Fr. (3) II, 1854, p. 323. — Seidl. Fauna Transsylv. 1891, p. 773, nota.

Morphologic: Baly, Trans. Ent. Soc. Lond. 1879, p. 189, t. 2, f. 13 (sub *marginata*). — Ws. Arch. Naturg. LXIV, 1900, p. 282; Verh. Naturf. Ver. Brünn XLVIII 1909 (1910), p. 36, nota.

↖ *circassicola* Reitt. Fauna Germ. IV, 1912, p. 112, nota.

↖ *Clarki* Baly, Trans. Ent. Soc. Lond. (3) II, 1864, p. 227. — Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 169 (*Polysticta*). — Vogel in Schauf. Nunquam otios. I, 1871, p. 110. — Ws. Arch. Naturg. LXX, I, 1904, p. 45.

clathrata Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 173 (*Polysticta*). — Vogel in Schauf. Nunquam otios. I, 1871, p. 108.

coarctata Ws. Arch. Naturg. LXXVIII, 1912, p. 83.

coelophoroides Vogel in Schauf. Nunquam otios. I, 1871, p. 107.

↖ *cocculans* Scriba, Journ. Liebh. Ent. III, 1791, p. 286. — Hoppe, Ent. Taschenb. 1796, p. 177. — Ws. Ins. Deutschl. VI, 3, 1884, p. 420. — Seidl. Fauna Balt. ed. 2, 1891, p. 693; Fauna Transsylv. 1891, p. 777. — Bed. Fauna Col. Bass. Seine V, 1892, p. 148. — Ws. Arch. f. Naturg. LXIV, I, 1898, p. 197. — Everts, Col. Neerl. II, 1903, p. 437. — Jacobs, Käf. Russl. 1909, t. 58, f. 8. — Reitt. Fauna Germ. IV, 1912, p. 118, t. 145, f. 6. — C. Schauf. in Calwer. Käferbuch, ed. 6, 1907—16 (1913), p. 940, t. 35, f. 8.

oblonga Duft. Fauna Austr. III, 1825, p. 188.

violacea Panz. Fauna Germ. 44, 1797, p. 8. — Ol. Ent. V, 1807, p. 522, t. 6, f. 82. — Duft. Fauna Austr. III, 1825, p. 188. — Suffr. Linn. Ent. V, 1851, p. 88. — Redt. Fauna Austr. ed. 3, II, 1874, p. 471. — Seidl. Fauna Balt. 1875, p. 483. — Mars. Abeille XXIV, 1886, p. 46. — Fowl. Col. Brit. Isl. IV, 1890, p. 308.

vitellina Schrank, Enum. 1781, p. 73.

ab. *olivaceonigra* Fleischer, Wien. Ent. Zeit. XI, 1892, p. 141. — Ws. Ins. Deutschl. VI, 6, 1893, p. 1122.

↖ var. *angelica* Reiche, Ann. Soc. Ent. Fr. (3) VI, 1858, p. 33, t. 1, f. 8. — Fairm. l. c. (4) V, 1865, p. 80. — Ws. Ins. Deutschl. VI, 3, 1884, p. 420. — Heyden. Deutsche Ent. Zeitschr. XXIX, 1885, p. 275. — Mars. Abeille XXIV, 1886, p. 49. — Ws. Arch. Naturg. LXIV, 1898, p. 197.

splendorifera Motsch. Schrenck's Reisen Amurl. II, 1860, p. 226. — Mars. Abeille XVI, 1878, p. 147.

ab. *subfastuosa* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 226, ♂. — Mars. Abeille XVI, 1878, p. 147.

↖ *coerulea* Ol. Ent. V, 1807, p. 515, t. 5, f. 73. — Germ. Reise Dalmat. 1817, p. 203. — Duft. Fauna Austr. III, 1825, p. 165. — Küst. Käf. Eur. I, 1844, p. 71. — Suffr. Linn. Ent. V, 1851, p. 32. — Redt. Fauna Austr. ed. 3, II, 1874, p. 471. — Ws. Ins. Deutschl. VI, 2, 1882, p. 347. —

W. Kaukasus
Brit. u. D.

Ostafrika,
Mozam-
bique,
Natal

Kapland,
Caffrarien

Kamerun
Natal

Mittel-
europa

Böhmen

Kaukasus,
Turco-
manien

„

Alpen,
Karpthen

- Mars. Abeille XXIV, 1886, p. 23. — Seidl. Fauna Transsylv. 1891, p. 771. — Reitt. Fauna Germ. IV, 1912, p. 116.
- Olivieri* Bed. Faune Col. Bass. Seine V, 1892, p. 148, nota. — Ws. Deutsche Ent. Zeitschr. 1897, p. 159.
- ab. *globipennis* Suffr. Linn. Ent. V, 1851, p. 36; Ann. Soc. Ent. Fr. (3) I, 1853, p. 111. — Ws. Ins. Deutschl. VI, 2, 1882, p. 349. — Mars. Abeille XXIV, 1886, p. 24. — Ws. Deutsche Ent. Zeitschr. 1899, p. 140.
- Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. I, f. 31.
- coerulipes** Har. Cat. Col. XI, 1874, p. 3417. Ostindien
- orientalis* Wiedem. Zool. Mag. I, 3, 1819, p. 179 (nec Ol.).
- compuncta** Ws. Arch. f. Naturg. LXIV, 1898, p. 191. Syrien,
aeneipennis Mars. Abeille XXV, 1887, p. 85 (nec Cypern
Reiche).
- confluens** Gerst. Monatsber. Ak. Wiss. Berl. 1855, p. 637; Peters' Reise 1862, p. 339, t. 20, f. 10 (*Polysticta*). Ostafrika,
— Ws. Arch. Naturg. LXX, 1, 1904, Kapland,
p. 45; Ergeln. 2. Deutsch. Zentralaf. - Exp. Kongo
1915, p. 168.
- dilacerata* Ancy, Natural. III, 1881, p. 485.
- Simonsi* Baly, Ent. Monthly Mag. XIV, 1878, p. 204.
- ab. *nigrosignata* Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 116 (*Polysticta*).
- adspersgata* Vogel in Schauf. Nunquam otios. I, 1871, p. 114.
- ab. *pura* nom. nov. Salisbury
- Marshalli* Jac. Trans. Ent. Soc. Lond. 1901, p. 254 (nec Clark).
- confossa** Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 76. — Algier
— Ws. Ins. Deutschl. VI, 3, 1884, p. 395. — Mars. Abeille XXV, 1887, p. 145.
- ab. *dorsalis* Ws. Ins. Deutschl. VI, 3, 1884, p. 395, nota.
- ab. *semiopaca* Fairm. Rev. Zool. (3) I, 1873, p. 357. — Mars. Abeille XXV, 1887, p. 147. — Bed. Ann. Soc. Ent. Fr. (6) V, 1885, p. 89.
- consimilis** Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 172 (*Polysticta*). — Vogel in Schauf. Nunquam otios. I, 1871, p. 106. Kapland
- convexicollis** Jacobs. Finska Vet.-Soc. Förl. XLIII, 1901, p. 122. Mongolei
- coreyrica** Suffr. Linn. Ent. V, 1851, p. 133. — Dohrn. Stett. Ent. Zeit. XXIV, 1863, p. 332. — Ws. Ins. Deutschl. VI, 3, 1884, p. 403, nota. — Mars. Abeille XXV, 1887, p. 74. Griechenland,
Sicilien
- coriacea** Suffr. Linn. Ent. V, 1851, p. 59. — Ws. Ins. Deutschl. VI, 2, 1882, p. 366, nota. — Mars. Abeille XXV, 1887, p. 146. Spanien,
Portugal
- ab. *rugipennis* Har. Col. Hefte XIV, 1875, p. 140. — Ws. Ins. Deutschl. VI, 1882, p. 366; Arch. Naturg. LXIV, 1898, p. 198.
- corrugata** Péring. Trans. S. Afr. Philos. Soc. VI, 2, 1892, p. 87. Ovampoland

- ✓ *crassieollis* Suffr. Linn. Ent. V, 1851, p. 50. — Fairm. Ann. Soc. Ent. Fr. (3) I, 1853, p. 119. — Redt. Fauna Austr. ed. 3, II, 1874, p. 476. — Ws. Ins. Deutschl. VI, 2, 1882, p. 361. — Mars. Abeille XXV, 1887, p. 160. — Seidl. Fauna Transsylv. 1891, p. 773. — Reitt. Fauna Germ. IV, 1912, p. 114. Alpen, Karpathen
- crassicornis* Helliesen. Aarsber. Stavang. Mus. XXII, 1, 1911, p. 7, 13, t. 1, f. 5, 7; t. 3, f. 3, 4. Norwegen
Morphologie: Helliesen. l. c. t. 1, f. 10.
- ✓ *crassimargo* Germ. Ins. spec. nov. 1824, p. 584. — Suffr. Linn. Ent. V, 1851, p. 23. — Redt. Fauna Austr. ed. 3, II, 1874, p. 470. — Ws. Ins. Deutschl. VI, 2, 1882, p. 359. — Mars. Abeille XXIV, 1886, p. 33. — Seidl. Fauna Transsylv. 1891, p. 772. — Reitt. Fauna Germ. IV, 1912, p. 114. Alpen, Karpathen
- ✓ *ab. viridis* Ws. Ins. Deutschl. VI, 2, 1882, p. 359. Transsylvanien
- crassipes* Luc. Expl. Alg. Ent. II, 1849, p. 533, t. 45, f. 8. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 78. — Mars. Abeille XXV, 1887, p. 154. Algier
Biologie: Peyerimh. Ann. Soc. Ent. Fr. LXXX, 1911, p. 289.
- ✓ *cretica* Ol. Ent. V, 1807, p. 518, t. 6, f. 77. — Suffr. Linn. Ent. V, 1851, p. 14. — Ws. Ins. Deutschl. VI, 1882, p. 365, nota. — Mars. Abeille XXIV, 1886, p. 69. — Heyd. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 368. — Ws. l. c. 1889, p. 60. Creta
ab. Olivieri Ws. Ins. Deutschl. VI, 2, 1882, p. 365, nota.
- ✓ *cribrosa* Ahr. Fauna Ins. Eur. I, 1812, p. 1, t. 10. — Germ. Reise Dalmat. 1817, p. 203. — Küst. Käf. Eur. I, 1844, p. 70. — Suffr. Linn. Ent. V, 1851, p. 10. — Redt. Fauna Austr. ed. 3, II, 1874, p. 477. — Ws. Ins. Deutschl. VI, 2, 1882, p. 346. — Mars. Abeille XXIV, 1886, p. 18. — Seidl. Fauna Transsylv. 1891, p. 771. Istrien, Dalmation, Croatien, Transsylvanien
- ✓ *cruentata* Suffr. Linn. Ent. V, 1851, p. 74. — Fairm. Ann. Soc. Ent. Fr. (3) II, 1854, p. 321. — Mars. Abeille XXV, 1887, p. 132. Spanien, Portugal
Graellsii Perez, An. Soc. Esp. I, 1872, p. 124, t. 2, f. 6. — Mars. Abeille XVII, 1879, p. 16. — Ws. Ins. Deutschl. VI, 3, 1884, p. 390, nota.
ab. fossulata Suffr. Ann. Soc. Ent. Fr. (3) I, 1853, p. 101. — Mars. Abeille XXV, 1887, p. 149. — Ws. Ins. Deutschl. VI, 2, 1882, p. 366, nota.
- curata* Ws. Ann. Soc. Ent. Belg. LI, 1907, p. 135. Deutsch-O. Afrika
- curvilinea* Ws. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 164; Ins. Deutschl. VI, 3, 1884, p. 389, nota. Aranjuez
- cyanella* Gebl. Ledeb. Reise II, 3, 1830, p. 213. — Mars. Abeille XXIV, 1886, p. 66. Sibirien:
- cyrtonastes* Ws. Deutsche Ent. Zeitschr. 1892, p. 413. — Jacobs. Finska Vet. Soc. Förh. XLIII, 1901, p. 124. Riddersk
- cyrtonoides* Ws. Deutsche Ent. Zeitschr. 1892, p. 139. Turkestan: Alexander-Gebirge

cyrtionoides Jac. Proc. Zool. Soc. Lond. 1885, p. 206.
daghestanica Reitt. Fauna Germ. IV, 1912, p. 111.
Danieli Roubal. Acta Soc. Ent. Boh. IX, 1912, p. 27.

Japan
 Daghestan
 Krasnaja
 Poljana
 Kapland

decempustulata Thunb. Mus. Nat. Upsal. IV, 1787, p. 44;
 Nov. Act. Upsal. VIII, 1821, p. 182. — Vogel
 in Schauf. Nunquam otios. I, 1871, p. 147.

✓ *didymata* Scriba. Journ. Liebh. Ent. I, 1791, p. 294. —
 Suffr. Linn. Ent. V, 1851, p. 131. — Fairm.
 Ann. Soc. Ent. Fr. (3) II, 1858, p. 560. — Ws.
 Ins. Deutschl. VI, 3, 1884, p. 408. — Mars.
 Abeille XXV, 1887, p. 75. — Fowl. Col. Brit.
 Isl. IV, 1890, p. 303, 308. — Bed. Fauna Col.
 Bass. Seine V, 1892, p. 147. — Ws. Arch.
 Naturg. LXIV, 1, 1898, p. 197. — Everts, Col.
 Neerl. II, 1903, p. 434. — Reitt. Fauna Germ.
 IV, 1912, p. 112.

West- und
 Südeuropa,
 Ungarn,
 Amasia

geminata Steph. Ill. Brit. Ent. IV, 1834, p. 342;
 Man. 1839, p. 310.

quinquejugis Marsh. Ent. Brit. I, 1802, p. 173.
 Biologie: Buddeberg, Jahrb. Nassau. Ver. XLI,
 1881, p. 29.

Morphologie: Ws. Deutsche Ent. Zeitschr.
 XXX, 1886, t. 1, f. 37.

✓ *diluta* Germ. Ins. spec. nov. 1824, p. 591. — Küst. Käf.
 Eur. I, 1844, p. 93. — Suffr. Linn. Ent. V, 1851,
 p. 137. — Ws. Ins. Deutschl. VI, 3, 1884,
 p. 370, nota. — Mars. Abeille XXV, 1887, p. 111.
lurida Ol. Ent. V, 1807, p. 528, t. 4, f. 49, a, b
 (nec L.).

Umgebung
 des Mittel-
 ländischen
 Meeres

Biologie: Muls. Ann. Soc. Linn. Lyon 1852,
 p. 52; Opusc. Ent. I, 1852, p. 60. — Mars.
 Abeille XXIV, 1886, p. 7. — Deville, Abeille
 XXX, 1904, p. 205.

✓ *discipennis* Fald. Mém. Ac. Petersb. II, 1835, p. 268,
 t. 4, f. 14. — Suffr. Linn. Ent. V, 1851, p. 72. —
 Fairm. Ann. Soc. Ent. Fr. (3) II, 1854, p. 320. —
 Ws. Ins. Deutschl. VI, 3, 1884, p. 377. — Mars.
 Abeille XXV, 1887, p. 118.

Armenien,
 Kirgisen-
 steppe,
 Daurien

limbata var. Kryn. Bull. Mosc. V, 1832, p. 168.

distans Csiki in Horvath, Ergebn. Zichy's Reise II, 1901,
 p. 116.

Mongolei

dissoluta Vogel in Schauf. Nunquam otios. I, 1871, p. 103.

Kapland

Dohrni Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 81. —
 Mars. Abeille XXV, 1887, p. 121. — Ws.
 Verh. Naturw. Ver. Karlsruhe XXI, 1909,
 p. 128.

Syrien

libanicola Mars. Abeille V, 1868, p. 212.

✓ *duodecimguttata* Thunb. Mus. Nat. Upsal. IV, 1787,
 p. 44, nota 17, f. 6. — Vogel in Schauf. Nun-
 quam otios. I, 1871, p. 110.

Kapland,
 Natal

quatuordecimguttata F. Suppl. Ent. Syst. 1798,
 p. 85.

✓ *duodecimistillata* Ws. Arch. Naturg. LXIV, 1898, p. 207;
 LXX, 1904, p. 45.

Usabara

eburneipennis Clark, Ann. Mag. Nat. Hist. (3) XIV,
 1864, p. 118. — Vogel in Schauf. Nunquam
 otios. I, 1871, p. 116.

Kapland

- ✓ *exanthematica* Wiedem. in Germ. Mag. Ent. IV, 1821, p. 178. — Kolbe, Arch. Naturg. LII, 1886, p. 229.
consimilis Baly, Trans. Ent. Soc. Lond. 1874, p. 172.
 ✓ *guttata* Gebl. Mém. Ac. Mosc. V, 1817, p. 316. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 229. — Baly, Trans. Ent. Soc. Lond. 1879, p. 363. — Mars. Abeille XXV, 1887, p. 163. — Rybakow. Hor. Ross. XXIII, 1889, p. 286. — Jakobs. l. c. XXVII, 1893, p. 125. — Ws. Arch. Naturg. LXIV, 1898, p. 198. — Jacobs. Käf. Russl. 1909, t. 57, f. 31 (nec F.).
taevipunctata Lewis, Cat. Col. Japan 1879, p. 28.
musiva Gebl. Ledeb. Reise II, 3, 1830, p. 215. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 210 (*Lithoptera*).
speculifera Redt. in Hügel. Kaschmir IV, 1848, p. 558.
subacnea Motsch. Reisen Amurl. II, 1860, p. 229, t. II, f. 13 (*Lithoptera*). — Mars. Abeille XVI, 1878, p. 151 (nec Suffr.).
 ab. *Marseuli* Ws. Arch. Naturg. LXIV, 1898, p. 200.
eximia Baly, Ann. Mag. Nat. Hist. (3) X, 1862, p. 20.
fallax Jacobs. Hor. Ross. XXIX, 1895, p. 551.
 ✓ *fasciata* Deg. Mém. Ins. VII, 1778, p. 662, t. 49, f. 13, 14. — Vogel in Schauf. Nunquam otios. I, 1871, p. 120.
 ✓ *alternans* F. Ent. Syst. IV, App. 1794, p. 447; Syst. El. I, 1801, p. 426. — Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 123.
linea F. Ind. Alph. Ent. Syst. 1796, p. 42.
novemvittata F. Spec. Ins. I, 1781, p. 120. — Ol. Encycl. méth. V, 1790, p. 700.
vittata F. Mant. Ins. I, 1787, p. 69; Ent. Syst. I, 1792, p. 318.
 ab. *nigrofasciata* Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 120 (*Polysticta*).
cribrosa Thunb. Nova Acta Ups. VIII, 1821, p. 179 (nec Ahr.).
pulchella Clark, l. c. p. 120.
 ab. *duodecimlineata* Thunb. Nova Acta Ups. VIII, 1821, p. 179.
lineolata Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 123 (*Polysticta*).
picturata Clark, l. c. p. 122.
 ✓ *fastuosa* Scop. Ent. Carn. 1763, p. 74. — L. Syst. Nat. ed. XII, 1767, p. 588. — F. Spec. Ins. I, 1781, p. 124; Mant. I, 1787, p. 71. — Gmel. ed. Linn. I, 4, 1790, p. 1674. — F. Ent. Syst. I, 1792, p. 324; Syst. El. I, 1801, p. 440. — Panz. Fauna Germ. 44, 1798, p. 12. — Ol. Ent. V, 1807, p. 548, t. 2, f. 17. — Gyll. Ins. Suec. III, 1813, p. 468. — Duft. Fauna Austr. III, 1825, p. 196. — Steph. Ill. Brit. Ent. IV, 1834, p. 337; Man. 1839, p. 312. — Matzek, Ber. Sches. Ges. Bresl. 1842, p. 156. — Küst. Käf. Eur. I, 1844, p. 86. — Suffr. Linn. Ent. V, 1851, p. 99. — C. G.

Sibirien,
 Japan,
 China,
 Ostindien

Mandschurei
 Amdo
 Kapland

Europa.
 Sibirien,
 Japan

Thoms. Skand. Col. VIII, 1866, p. 249. — Redt. Fauna Austr. ed. 3, II, 1874, p. 469. — Seidl. Fauna Balt. 1875, p. 483. — Ws. Ins. Deutschl. VI, 3, 1884, p. 422. — Mars. Abeille XXIV, 1886, p. 45. — Fowl. Col. Brit. Isl. IV, 1890, p. 303, 307. — Seidl. Fauna Balt. ed. 2, 1891, p. 691; Fauna Transsylv. 1891, p. 774. — Bed. Faune Col. Bass. Seine V, 1892, p. 147. — Everts, Col. Neerl. II, 1903, p. 435. — Jacobs. Käf. Russl. 1909, t. 58, f. 7. — Reitt. Fauna Germ. IV, 1912, p. 118, t. 145, f. 7. — C. Schauf. in Calwer, Käferbuch, ed. 6, 1907—16 (1913), p. 940, t. 35, f. 7.

arenea Fourer. Ent. Par. I, 1785, p. 12.

✓ *ventricosa* Suffr. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 539. — Ws. Ins. Deutschl. VI, 3, 1884, p. 422, nota. — Mars. Abeille XXIV, 1886, p. 44. — Bed. Abeille XXVIII, 1894, p. 156. — Ws. Arch. Naturg. LXIV, 1, 1898, p. 196.

✓ *ab. speciosa* L. Syst. Nat. ed. XII, 1767, p. 588.

cupreonitens Mars. Abeille XXIV, 1886, p. 46.

galeopsidis Schrank, Fauna Boica I, 1798, p. 532.

Biologie: Kaltenb. Pflanzenf. 1874, p. 484. — Osborne, Ent. Monthly Mag. XVII, 1880, p. 152. — Rosenh. Stett. Ent. Zeit. XLIII, 1882, p. 152. — Buddeb. Jahrb. Nassau. Ver. XXXVII, 1884, p. 97. — Rey, Ann. Soc. Linn. Lyon XXXIII, 1887, p. 238, t. 2, f. 27, 28, 33. — W. Kolbe, Zeitschr. Ent. Bresl. XIX, 1894, p. 14. — Kleine, Intern. Ent. Zeitschr. XXIV, 1912, p. 168; Ent. Blätter IX, 1913, p. 122, 157, 227, f. 1—3, 4—6, 9—11.

✓ *femoralis* Ol. Encycl. méth. V, 1790, p. 690; Ent. V, 1807, p. 514, t. 1, f. 72. — Suffr. Linn. Ent. V, 1851, p. 56. — Fairm. Ann. Soc. Ent. Fr. (3) I, 1853, p. 122. — Ws. Ins. Deutschl. VI, 3, 1884, p. 371. — Mars. Abeille XXV, 1887, p. 155. — Reitt. Fauna Germ. IV, 1912, p. 115.

ab. laeticula nom. nov.

lacta Ws. Ins. Deutschl. VI, 3, 1884, p. 372.

✓ *ab. Tagenii* Herr.-Schäff. Fauna Germ. 1838, 157, 9 b.

confusa Suffr. Linn. Ent. V, 1851, p. 47.

ferruginea Hornstedt, Schrift. Ges. naturf. Freunde 1788, p. 2, t. 1, f. 9.

malaccensis Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1691.

figurata Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 172.

varivestis Vogel in Schauf. Nunquam otios. I, 1871, p. 104.

guttata Vogel, l. c. p. 104.

✓ *fimbrialis* Küst. Käf. Eur. II, 1845, p. 14. — Ws. Ins. Deutschl. VI, 2, 1882, p. 344. — Mars. Abeille XXIV, 1886, p. 15. — Seidl. Fauna Transsylv. 1891, p. 771. — Ws. Arch. Naturg. LXIV, 1898, p. 195. — Reitt. Fauna Germ. IV, 1912, p. 110.

Westalpen,
Pyrenäen,
Italien,
Spanien

Mittelalpen

Malacca,
Sumatra,
Java

Kapland,
Caffrarien

Ungarn,
Österreich

- ✓ *ab. molluginis* Redt. Fauna Austr. 1849, p. 544.
fimbrialis Fuss, Verh. Siebenb. Ver. XII, 1861,
 p. 1. — Suffr. Stett. Ent. Zeit. XXX, 1869,
 p. 266. — Redt. Fauna Austr. ed. 3, II, 1874,
 p. 469.
- ✓ *var. hungarica* Fuss, Verh. Siebenb. Ver. XII,
 1861, p. 1. — Suffr. Stett. Ent. Zeit. XXX,
 1869, p. 265. — Seidl. Fauna Transsylv. 1891,
 p. 771.
fimbrialis Suffr. Linn. Ent. V, 1851, p. 7. —
 Fuss, Verh. Siebenb. Ver. VII, 1856, p. 26.
 Morphologie: Ws. Deutsche Ent. Zeitschr.
 XXX, 1886, t. 1, f. 30.
- flavomarginata** Say, Journ. Ac. Philad. III, 1824,
 p. 452. — Rogers, l. c. VIII, 1854, p. 36. —
 Suffr. Stett. Ent. Zeit. XIX, 1858, p. 387. —
 Crotch, Proc. Ac. Phil. XXV, 1873, p. 50. —
 Baly, Trans. Ent. Soc. Lond. 1879, p. 190. —
 Linell, Journ. N. York Ent. Soc. IV, 1896,
 p. 200.
 Biologie: Baker, Ent. News VI, 1895, p. 28.
- fortunata** Woll. Cat. Col. Canar. 1864, p. 402. — Mars.
 Abeille XXIV, 1886, p. 72.
- foveopunctata** Fairm. Ann. Soc. Ent. Belg. XXXII,
 1888, p. 39.
- fragariae** Woll. Ins. Mader. 1854, p. 458. t. 9, f. 7; Cat.
 Mader. Col. 1857, p. 135.
- onychina* Woll. Ann. Mag. Nat. Hist. (3) V, 1860,
 p. 459; Col. Atlantid. 1865, p. 359. — Mars.
 Abeille XXV, 1887, p. 102.
- ✓ **fuliginosa** Ol. Ent. V, 1807, p. 514, t. 1, f. 2. — Suffr.
 Linn. Ent. V, 1851, p. 59. — Ws. Ins. Deutschl.
 VI, 3, 1884, p. 394. — Mars. Abeille XXV,
 1887, p. 153. — Bedel, Col. Bass. Seine V, 1892,
 p. 145; 1899, p. 252. — Everts, Col. Neerl. II,
 1903, p. 432. — Reitt. Fauna Germ. IV,
 1912, p. 115.
 ? *coerulca* Gmelin in L. Syst. Nat. ed. XIII, 1,
 4, 1790, p. 1687.
opaca Suffr. Ann. Soc. Ent. Fr. (3) I, 1853, p. 124.
 ? *violacea* Goeze, Ent. Beytr. 1, 1777, p. 301.
 ? *violaccocoerulca* Fourcr. Ent. Par. 1, 1785,
 p. 106.
- ✓ *ab. galii* Ws. Ins. Deutschl. VI, 3, 1884, p. 394.
molluginis Suffr. Linn. Ent. V, 1851, p. 57 (nec
 Redt. 1849). — Redt. Fauna Austr. ed. 3, II,
 1874, p. 477. — Ws. Wien. Ent. Zeit. XXVI,
 1907, p. 13.
 ? *nigrita* F. Ent. Syst. I, 1792, p. 309; Syst. El. 1,
 1801, p. 429.
 Biologie: Ws. Deutsche Ent. Zeitschr. 1890,
 p. 286. — Deville, Abeille XXX, 1904, p. 205.
- fulvoaenea** Jac. Mém. Soc. Ent. Belg. VII, 1900, p. 118.
- fuscicornis** Ws. Deutsche Ent. Zeitschr. 1902, p. 406.
- gabonensis** Vogel in Schauf. Nunquam otios. I, 1871,
 p. 85.
- Dakota,
 Nebraska,
 Colorado,
 Kansas
- Kanar. Ins.
 Palma
 Yunnan
- Madeira
- Frankreich,
 Thüringen,
 Rheinland,
 Schweiz,
 Österreich
- Ostindien:
 Poonah
 Kaukasus:
 Abchasien
 Gabun

- ~ *gemma* Brullé, Canar. Ent. 1838, p. 73. — Woll. Cat. Col. Canar. 1864, p. 403. — Mars. Abeille XXV, 1887, p. 101. Canarische Inseln
- nitens* Brullé, Canar. Ent. 1838, p. 74.
- ~ *geminata* Payk. Fauna Suec. II, 1799, p. 65. — Ol. Ent. V, 1807, p. 535, t. 7, f. 95. — Gyll. Ins. Suec. III, 1813, p. 477. — Zenker in Germ. Mag. Ent. I, 2, 1815, p. 148. — Duft. Fauna Austr. III, 1825, p. 174. — Steph. III, Brit. Ent. IV, 1834, p. 341; Man. 1839, p. 310. — Matzek. Ber. Schles. Ges. 1842, p. 156. — Küst. Käf. Eur. VII, 1846, p. 86. — Suffr. Linn. Ent. V, 1851, p. 129. — Fairm. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 559. — C. G. Thoms. Skand. Col. VIII, 1866, p. 245. — Redt. Fauna Austr. ed. 3, II, 1874, p. 474. — Seidl. Fauna Balt. 1875, p. 481. — Ws. Ins. Deutschl. VI, 3, 1884, p. 403. — Jac. Proc. Zool. Soc. Lond. 1885, p. 207. — Mars. Abeille XXV, 1887, p. 78. — Seidl. Fauna Balt. ed. 2, 1891, p. 691; Fauna Transsylv. 1891, p. 775. — Bed. Col. Bass. Seine V, 1892, p. 147; 1899, p. 259. — Everts, Col. Neerl. II, 1903, p. 434. — Reitt. Fauna Germ. IV, 1912, p. 112, t. 145, f. 3. Nord- u. Mitteleuropa, Sibirien, Japan
- ♀ *approximata* Zenker in Germ. Mag. Ent. I, 2, 1815, p. 148.
- ~ *ab. cuprina* Duft. Fauna Austr. III, 1825, p. 177. — Ws. Arch. Naturg. LXIV, 1898, p. 197. Monstrosität: *bifoveolata* Brancs. Soc. Hist. Nat. Trencs. 1910, p. 190. Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. 1, f. 32.
- gensanensis* Ws. Arch. Naturg. LXVI, 1900, p. 282. Korea: Gensan
- ~ *globosa* Panz. Faun. Germ. Heft 87, 1805, p. 16. — Suffr. Linn. Ent. V, 1851, p. 52. — Fairm. Ann. Soc. Ent. Fr. (3) I, 1853, p. 120. — Redt. Fauna Austr. ed. 2, 1858, p. 911; ed. 3, II, 1874, p. 472. — Ws. Ins. Deutschl. VI, 2, 1882, p. 363. — Mars. Abeille XXV, 1887, p. 161. — Seidl. Fauna Transs. 1891, p. 773. — Reitt. Fauna Germ. IV, 1912, p. 113. Alpen, Transsylvanien
- aerea* Redt. Fauna Austr. 1849, p. 547.
- ? *aerea* Duft. Fauna Austr. III, 1825, p. 187. — Herr.-Schäff. Fauna Germ. 1838, 157, 5a. — Suffr. Linn. Ent. V, 1851, p. 52, 274.
- ~ *graminis* L. Syst. Nat. ed. X, 1758, p. 369. — F. Ent. Syst. I, 1792, p. 314; Syst. El. I, 1801, p. 422. — Ol. Ent. V, 1807, p. 538, t. 1, f. 3. — Gyll. Ins. Suec. III, 1813, p. 468. — Duft. Fauna Austr. III, 1825, p. 189 (pars). — Steph. III, Brit. Ent. IV, 1834, p. 346; Man. 1839, p. 308. — Suffr. Linn. Ent. V, 1851, p. 97. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 226. — C. G. Thoms. Skand. Col. VIII, 1866, p. 248. — Redt. Fauna Austr. ed. 3, II, 1874, p. 471. — Seidl. Fauna Balt. 1875, p. 483. — Mars. Abeille XVI, 1878, p. 148. — Ws. Ins. Deutschl. VI, 3, 1884, p. 424. — Mars. Abeille XXIV, Mitteleuropa, Sibirien

- 1886, p. 42. — Seidl. Fauna Balt. ed. 2. 1891, p. 193; Fauna Transsylv. 1891, p. 777. — Bed. Faune Col. Bass. Seine 1892, p. 148; 1899, p. 261. — Everts, Col. Neerl. II, 1903, p. 436. — Reitt. Fauna Germ. IV, 1912, p. 118, t. 145, f. 8.
- ✓ *fulgida* Steph. Ill. Brit. Ent. IV, 1834, p. 345; Man. 1839, p. 309. — Letzn. Ber. Schles. Ges. 1841, p. 105. — Matzek, l. c. 1842, p. 156.
- artemisiae* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 225, t. II, f. 9. — Mars. Abeille XVI, 1878, p. 146; XXIV, 1886, p. 43, nota.
- ab. *fulgida* F. Syst. El. I, 1801, p. 432. — Duft. Fauna Austr. III, 1825, p. 191. — Mars. Abeille XVI, 1878, p. 148.
- Biologie: Letzner, Ber. Schles. Ges. 1841, p. 105. — Laboulb. Ann. Soc. Ent. Fr. (4) X, 1870, Bull. p. 92.
- Morphologie: Ws. Deutsche Ent. Zeitschr. 1894, t. 2, f. 7.
- ✓ *grata* Fald. Nouv. Mém. Mosc. V, 1837, p. 361, t. 13, f. 2. — Mars. Abeille XXV, 1887, p. 81.
- Derbent,
Turcomanien,
Persien
Umgebung
des westlichen
Mittel-
ländischen
Meeres,
Tirol
- ✓ *grossa* F. Ent. Syst. I, 1, 1792, p. 317; Syst. El. I, 1801, p. 434. — Ol. Ent. V, 1807, p. 551, t. 3, f. 53. — Charpent. Hor. Ent. 1825, p. 233. — Küst. Käf. Eur. I, 1844, p. 91. — Suffr. Linn. Ent. V, 1851, p. 200. — Redt. Fauna Austr. ed. 3, II, 1874, p. 476. — Ws. Ins. Deutschl. VI, 3, 1884, p. 431. — Mars. Abeille XXV, 1887, p. 105. — Reitt. Fauna Germ. IV, 1912, p. 119.
- ab. *illita* Ws. Ins. Deutschl. VI, 3, 1884, p. 432.
- Biologie: Deville, Abeille XXX, 1904, p. 205. — Peyerimh. Ann. Soc. Ent. Fr. LXXX, 1911, p. 289.
- Morphologie: Chinaglia, Riv. Col. Ital. VIII, 1910, p. 31, t. 1a, f. 17.
- ✓ *grutii* Baly, Ann. Mag. Nat. Hist. (3) X, 1862, p. 22.
- ✓ *guttifera* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 229 (*Lithoptera*). — Mars. Abeille XVI, 1878, p. 152; XXV, 1887, p. 163. — Ws. Arch. Naturg. LXIV, 1, 1898, p. 199, 200.
- gemmifera* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 229.
- ✓ *nigrogemmata* Baly, Trans. Ent. Soc. Lond. 1879, p. 188.
- ab. *nigrogemmata* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 229.
- ab. *sericata* Jacobs. Finska Vet. Soc. Förh. XLIII, 1901, p. 125.
- guttipennis* Ws. Deutsche Zentralafr.-Exp. IV, 1912, p. 138.
- ✓ *gypsophilae* Küst. Käf. Eur. II, 1845, p. 71. — Suffr. Linn. Ent. V, 1851, p. 64. — Fairm. Ann. Soc. Ent. Fr. (3) II, 1854, p. 314. — Redt. Fauna Austr. ed. 3, II, 1874, p. 476. — Ws. Ins. Deutschl. VI, 3, 1884, p. 382. — Mars. Abeille XXV, 1887, p. 123. — Seidl. Fauna Balt. ed. 2. 1891, p. 692; Fauna Transsylv. 1891,
- Rangun
Amur
- Ruwenzori
- Mittel- und
Südeu-
ropa.
Klein-
asien,
Syrien,
Algier

- p. 776. — Bed. Faune Col. Bass. Seine V, 1892, p. 145; 1899, p. 253. — Everts, Col. Neerl. II, 1903, p. 431. — J. Sahlb. Medd. Fauna Flor. Fenn. XXXV, 1909, p. 152. — Poppius, l. c. p. 154. — Jacobs. Käf. Russl. 1909, t. 58, f. 5. — Helliesen. Aarsber. Stavang. Mus. XXII. 1, 1911, p. 6, 9, t. 1, f. 3; t. 2, f. 3, 4. — Reitt. Fauna Germ. IV, 1912, p. 110.
- sanguinolenta* var. Seidl. Fauna Balt. 1875, p. 482.
- ab. *Gaubii* Luc. Expl. Alg. Ent. II, 1849, p. 535, t. 45, f. 10. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 79.
- latecincta* Demaison, Bull. Soc. Ent. Fr. 1896, p. 12.
- rufomarginata* Suffr. Linn. Ent. V, 1851, p. 65.
- ab. *lucidicollis* Küst. Käf. Eur. II, 1845, p. 73. — Suffr. Linn. Ent. V, 1851, p. 66.
- Morphologie: Helliesen. Aarsber. Stavang. Mus. XXII. 1, 1911, t. 1, f. 9.
- Haagi** Vogel in Schauf. Nunquam otios. I, 1871, p. 115.
- haemochlora** Gebl. Mém. Mosc. VI, 1823, p. 120. — Jacobs. Käf. Russl. 1909, t. 57, f. 32.
- hemichlora* Germ. Ins. spec. nov. 1824, p. 591. — Mars. Abeille XXI, 1883, p. 107 (*Timarchoptera*).
- rubra* Motsch. Bull. Mosc. 1845, I, p. 109; Hor. Ross. VI, Suppl. 1872, p. 82 (*Timarcha*).
- ✓ **haemoptera** L. Syst. Nat. ed. 10, I, 1758, p. 369. — Deg. Mén. V, 1775, p. 312, t. 9, f. 13. — F. Syst. Ent. 1775, p. 96; Mant. Ins. I, 1787, p. 68. — Gmel. in L. I. 4, 1790, p. 1672. — F. Ent. Syst. I, 1792, p. 315; Syst. El. I, 1801, p. 433. — Laich. Verz. Tyrol. Ins. 1781, p. 146. — Gyll. Ins. Suec. III, 1813, p. 452. — Steph. Ill. Brit. Ent. IV, 1834, p. 347; Man. 1839, p. 308. — Suffr. Linn. Ent. V, 1851, p. 54. — Fairm. Ann. Soc. Ent. Fr. (3) I, 1853, p. 121. — Redt. Fauna Austr. ed. 3, II, 1874, p. 472. — Ws. Ins. Deutschl. VI, 2, 1882, p. 368. — Mars. Abeille XXV, 1887, p. 158. — Fowl. Col. Brit. Isl. IV, 1890, p. 302, 305. — Seidl. Fauna Balt. ed. 2, 1891, p. 692; Fauna Transsylv. 1891, p. 775. — Bed. Faune Col. Bass. Seine V, 1892, p. 145; 1899, p. 253. — Everts, Col. Neerl. II, 1903, p. 432. — Jacobs. Käf. Russl. 1909, t. 58, f. 10. — Reitt. Fauna Germ. IV, 1912, p. 113, t. 144, f. 17. — C. Schauf. in Calwer. Käferbuch, ed. 6, 1907—16 (1913), p. 933, t. 35, f. 10.
- acuticollis* Fairm. Ann. Soc. Ent. Fr. (5) VII, 1877, Bull. p. 179.
- atra* Goeze, Ent. Beytr. I, 1777, p. 301.
- atrata* Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1688.
- nigra* Fourcr. Ent. Par. I, 1785, p. 106.
- ✓ *erythroptera* Schrank, Enum. Ins. Austr. 1781, p. 70; in Füessly. Neu. Mag. I, 1782, p. 149.
- goettingensis* Schrank, Naturf. XXIV, 1789, p. 64.
- Südeuropa
- Pyrenäen,
Sardinien
- Kapland
W. Sibirien,
Mongolei
- Europa

- hottentotta* F. Ent. Syst. I, 1792, p. 309. — Payk. Fauna Suec. II, 1799, p. 64. — Duft. Fauna Austr. III, 1825, p. 194. — Küst. Käf. Eur. VII, 1846, p. 85. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 212 (*Colaphodes*).
- molluginis* Brahm. Ins.-Kal. I, 1790, p. 226. — Hoppe, Ent. Taschenb. 1797, p. 235.
- ab. *subaenea* Duft. Fauna Austr. III, 1825, p. 194.
- var. *corvina* nom. nov. Italien
- unicolor* Suffr. Linn. Ent. V, 1851, p. 55. — Fairm. Ann. Soc. Ent. Fr. (3) I, 1853, p. 122. — Ws. Ins. Deutschl. VI, 3, 1884, p. 369. — Mars. Abeille XXV, 1887, p. 159 (nec Gebler).
- ab. *Cameranoi* Piolti. Atti Ac. Torino XV, 1880, p. 378. — Ws. Ins. Deutschl. VI, 6, 1893, p. 1122. Italien, Türkei
- Biologie: Deg. Mém. V, 1775, p. 312, t. 9, f. 14, 15. — Rosenh. Stett. Ent. Zeit. XLIII, 1882, p. 148.
- Morphologie: Kempers. Tijdschr. Ent. XLV, 1902, p. 58. — Bellevoye. C. r. Assoc. franç. Avanc. sc. XXXVI, 1907 (1908), p. 641, 646.
- Hebe* Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 173 Kapland (*Polysticta*).
- lynx* Vogel in Schauf. Nunquam otios. I, 1871, p. 116.
- helopioides* Suffr. Linn. Ent. V, 1851, p. 12. — Ws. Ins. Deutschl. VI, 2, 1882, p. 344, nota. — Mars. Abeille XXIV, 1886, p. 21. Andalusien, Algier
- ✓ *hemisphaerica* Germ. Reise Dalmat. 1817, p. 204. — Duft. Fauna Austr. III, 1825, p. 178. — Suffr. Linn. Ent. V, 1851, p. 40. — Ws. Ins. Deutschl. VI, 2, 1882, p. 360. — Mars. Abeille XXIV, 1886, p. 34. — Seidl. Fauna Transsylv. 1891, p. 773. — Reitt. Fauna Germ. IV, 1912, p. 114. Alpen, Karpathen
- ab. *lacta* Ws. Ins. Deutschl. VI, 2, 1882, p. 360.
- hyacinthina* Suffr. Linn. Ent. V, 1851, p. 45. — Fairm. Ann. Soc. Ent. Fr. (3) I, 1853, p. 116. — Ws. Ins. Deutschl. VI, 3, 1884, p. 369. — Mars. Abeille XXV, 1887, p. 151. — Ws. Arch. Naturg. LXIV, 1898, p. 198. — Fiori. Riv. Col. Ital. V, 1907, p. 289. Sicilien
- ab. *cribellata* Suffr. Linn. Ent. V, 1851, p. 46. — Fairm. Ann. Soc. Ent. Fr. (3) I, 1853, p. 116. — Mars. Abeille XXV, 1887, p. 152.
- ✓ *hyperici* Forster, Nov. spec. Ins. I, 1771, p. 20. — Marsh. Ent. Brit. I, 1802, p. 173. — Steph. Ill. Brit. Ent. IV, 1834, p. 342; Man. 1839, p. 310. — Ws. Ins. Deutschl. VI, 3, 1884, p. 406. — Mars. Abeille XXV, 1887, p. 76. — Fowl. Col. Brit. Isl. IV, 1890, p. 303, 308. — Seidl. Fauna Balt. ed. 2, 1891, p. 691; Fauna Transsylv. 1891, p. 774. — Bed. Faune Col. Bass. Seine V, 1892, p. 146; 1899, p. 258 (*Hypericia*). — Everts, Col. Neerl. II, 1903, p. 434. — Reitt. Fauna Germ. IV, 1912, p. 112, t. 145, f. 4. Europa
- ✓ *fucata* F. Spec. Ins. I, 1781, p. 126; Mant. Ins. I, 1787, p. 72; Ent. Syst. I, 1792, p. 329; Syst.

- El. I, 1801, p. 444. — Ol. Ent. V, 1807, p. 535, t. 4, f. 45a, b; t. 2, f. 25a, b. — Duft. Fauna Austr. III, 1825, p. 176. — Suffr. Linn. Ent. V, 1851, p. 124. — Fairm. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 554. — C. G. Thoms. Skand. Col. VIII, 1866, p. 245. — Redt. Fauna Austr. ed. 3, II, 1874, p. 473. — Seidl. Fauna Balt. 1875, p. 481.
- gemellata* Fourcr. Ent. Par. I, 1785, p. 110. — Zenker in Germ. Mag. I, 2, 1815, p. 147. — Gyll. Ins. Suec. IV, 1827, p. 647. — Matzek, Ber. Schles. Ges. 1842, p. 156.
- viridula* Laich. Verz. Tyrol. Ins. 1781, p. 147.
- ab. ambigua* Ws. Ins. Deutschl. VI, 3, 1884, p. 407.
- ab. privigna* Ws. l. c. p. 407.
- Biologie: Rosenh. Stett. Ent. Zeit. XLIII, 1882, p. 157. — Buddeb. Jahrb. Nassau. Ver. XLI, 1888, p. 29. — Holmgren, Zool. Jahrb. Syst. XIX, 1903, p. 438.
- Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. 1, f. 35.
- hyrcana** Ws. Ins. Deutschl. VI, 3, 1884, p. 389, nota. — Kaukasus
Mars. Abeille XXV, 1887, p. 127.
- ab. chalybea* Branes. Soc. Hist. Nat. Trencsen Turkestan
XXI—XXII, 1899, p. 103.
- ab. cyanescens* Jacobs. Hor. Ross. XXVIII, Astrachan
1893 (1894), p. 159.
- Jacobyi** Baly, Ann. Mag. Nat. Hist. (5) I, 1878, p. 38. China:
Schantung
Bengalen
- inconstans** Wiedem. Zool. Mag. II, 1, 1823, p. 74.
- democratica* Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, c. r. p. 43.
- indica** Jac. Entomolog. XXVI, Suppl. 1893, p. 105. Ostindien
- inexplicabilis** Branes. Soc. Hist. Nat. Trencs. 1910, Banat
p. 189.
- inflata** nom. nov. Sicilien,
Istrien,
Dalmatien
- atra* Herr.-Schäff. Fauna Germ. 157, 1838, 8c. — Suffr. Linn. Ent. V, 1851, p. 6. — Redt. Fauna Austr. ed. 3, II, 1874, p. 476., — Ws. Ins. Deutschl. VI, 2, 1882, p. 343. — Mars. Abeille XXIV, 1886, p. 11 (nec Goeze).
- infuscipes** nom. nov. Chingan
- fuscipes* Ws. Hor. Ross. XXIV, 1890, p. 479 (nec Gmel.).
- inornata** Rogers, Proc. Ac. Philad. VIII, 1854, p. 36. — Texas,
Californien
- Suffr. Stett. Ent. Zeit. XIX, 1858, p. 384. — Stal. Mon. III, 1865, p. 326. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 50. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 200.
- instabilis** Mäklin, Öfv. Finska Vet. Soc. Förh. XIX, 1877, Sibirien
p. 30.
- interstincta** Suffr. Linn. Ent. V, 1851, p. 79. — Ws. Italien,
Sicilien,
Frankreich
- Ins. Deutschl. VI, 3, 1884, p. 386, nota. — Mars. Abeille XXV, 1887, p. 131. — Bed. Faune Col. Bass. Seine V, 1892, p. 146; 1899, p. 255.
- ab. depressa* Fairm. Ann. Soc. Ent. Fr. (3) II, 1854, p. 317. — Mars. Abeille XXV, 1887, p. 133. — Ws. Arch. Naturg. LXIV, 1898, p. 198.

ab. *subseriata* Suffr. Linn. Ent. V, 1851, p. 80.
haemoptera Rossi, Fauna Etrusca I, 1790, p. 74.

interruptofasciata Jac. Proc. Zool. Soc. Lond. 1898,
 p. 241, t. 22, f. 11 (*Atechna*).

Koenigi Jacobs. Hor. Ross. XXIX, 1895, p. 552.

Koltzei Ws. Arch. Naturg. LIII, 1, 1887, p. 179. —
 Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901,
 p. 127.

daurica Heyd. Deutsche Ent. Zeitschr. XXIX,
 1885, p. 304; XXX, 1886, p. 274 (nec Sahlb.).

Korbi Ws. Deutsche Ent. Zeitschr. 1891, p. 149.

Krishnu Baly. Ann. Mag. Nat. Hist. (3) X, 1862, p. 21.

Kuesteri Helliesen, Aarsber. Stavang. Mus. XXII, 1,
 1911, p. 7, 12, t. 1, f. 4; t. 3, f. 1, 2.

? *sanguinolenta* Küst. Käf. Eur. II, 1845, p. 269.

Kuznetzowi Jacobs. Hor. Ross. XXX, 1896, p. 434,
 nota.

latimargo Ws. Wien. Ent. Zeit. XV, 1896, p. 80.

lepida Ol. Ent. V, 1807, p. 522, t. 6, f. 83. — Suffr.
 Linn. Ent. V, 1851, p. 132. — Fairm. Ann. Soc.
 Ent. Fr. (3) VI, 1858, p. 561. — Ws. Ins.
 Deutschl. VI, 3, 1884, p. 395, nota. — Mars.
 Abeille XXV, 1887, p. 73.

ab. *Gastoni* Fairm. Ann. Mus. Genova VII, 1875,
 p. 538. — Mars. Abeille XXV, 1887, p. 74. —
 Ws. Arch. Naturg. LXIV, 1898, p. 197.

Biologie: Deville, Abeille XXX, 1904, p. 205. —
 Peyerimh. Ann. Soc. Ent. Fr. LXXX, 1911,
 p. 289 (ab. *Gastoni*).

lia Jacobs. Hor. Ross. XXIX, 1895, p. 551.

lichenis Richter, Suppl. Faun. Ins. Eur. 1, 1820, t. 6. —
 Matzek. Ber. Schles. Ges. 1842, p. 155. —
 Letzn. Verz. Käf. Schles. 1871, p. 292. — Ws.
 Ins. Deutschl. VI, 2, 1882, p. 349. — Seidl.
 Fauna Transsylv. 1891, p. 772. — Ws. Arch.
 Naturg. LXIV, 1, 1898, p. 196, 203; Deutsche
 Ent. Zeitschr. 1903, p. 161. — Jacobs. Käf.
 Russl. 1909, t. 58, f. 18.

islandica Germ. Ins. spec. nov. 1824, p. 585. —
 Fald. Nouv. Mém. Mosc. V, 1837, p. 362, t. 13,
 f. 3. — Suffr. Linn. Ent. V, 1851, p. 186 (pars).
 — Kraatz. Berl. Ent. Zeitschr. III, 1859,
 p. 293. — Motsch. Schrenck's Reisen Amurl. II,
 1860, p. 190 (*Helioskola*). — Fairm. Ann. Soc.
 Ent. Fr. (4) V, 1865, p. 66. — Redt. Fauna
 Austr. ed. 3, II, p. 470. — Mars. Abeille XXIV,
 1886, p. 26. — Reitt. Fauna Germ. IV, 1912,
 p. 116, t. 144, f. 13.

ab. *nigerrima* Ws. Ins. Deutschl. VI, 2, 1882,
 p. 350; Deutsche Ent. Zeitschr. 1890, p. 30;
 Arch. Naturg. LXIV, 1898, p. 204.

ab. *quadricollis* Ws. Ins. Deutschl. VI, 2, 1882,
 p. 350; Arch. Naturg. LXIV, 1898, p. 204.

var. *moraviaca* Ws. Ins. Deutschl. VI, 2, 1882,
 p. 350.

Schneideri Seidl. Fauna Transsylv. 1891, p. 771.

— Ws. Deutsche Ent. Zeitschr. 1903, p. 163.

islandica Letzn. Ber. Schles. Ges. 1873, p. 11.

Natal:

Malvern
 W. Turkestan
 Amur

Andalusien
 Rangun
 Schweden,
 Norwegen

Ural

Sibirien
 Frankreich,
 Spanien,
 Algier

W. Turkestan
 Iser- und
 Riesen-
 gebirge

Altvater,
 Karpthen

var. *rhypaea* Ws. Arch. Naturg. LXIV, 1898, p. 204.

var. *ahena* Germ. Ins. spec. nov. 1824, p. 586. — Letzn. Ber. Schles. Ges. 1850, p. 74. — Suffr. Linn. Ent. V, 1851, p. 184. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 65. — Ws. Arch. Naturg. LXIV, 1. 1898, p. 204.

tichenis Duft. Fauna Austr. III, 1825, p. 177.

Biologie: Ws. Deutsche Ent. Zeitschr. 1902, p. 105.

Morphologie: Ws. Deutsche Ent. Zeitschr. 1903, p. 161.

✓ *limbata* F. Syst. Ent. 1775, p. 101; Mant. Ins. I, 1787, p. 71. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1675. — F. Ent. Syst. I, 1792, p. 325. — Panz. Fauna Germ. XVI, 1794, p. 8. — Schrank, Fauna Boica I, 1798, p. 534. — Payk. Fauna Suec. II, 1799, p. 70. — F. Syst. Fl. I, 1801, p. 441. — Ol. Ent. V, 1807, p. 562, t. 1, f. 7. — Gyll. Ins. Suec. III, 1813, p. 461. — Duft. Fauna Austr. III, 1825, p. 181. — Steph. Ill. Brit. Ent. IV, 1834, p. 343; Man. 1839, p. 309. — Matzek, Übers. Arb. Schles. Ges. 1842, p. 155. — Küst. Käf. Eur. I, 1844, p. 82. — Suffr. Linn. Ent. V, 1851, p. 69. — Fairm. Ann. Soc. Ent. Fr. (3) II, 1854, p. 318. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 206 (*Zeugolaenia*). — C. G. Thoms. Skand. Col. VIII, 1866, p. 250. — Redt. Fauna Austr. ed. 3, II, 1874, p. 469. — Seidl. Fauna Balt. 1875, p. 482. — Ws. Ins. Deutschl. VI. 3, 1884, p. 375. — Mars. Abeille XXV, 1887, p. 120. — Seidl. Fauna Balt. ed. 2, 1891, p. 692; Fauna Transsylv. 1891, p. 776. — Bed. Faune Col. Bass. Seine V, 1892, p. 145; 1899, p. 254. — Everts, Col. Neerl. II, 1903, p. 432. — Jacobs. Käf. Russl. 1909, t. 58, f. 4. — Reitt. Fauna Germ. IV, 1912, p. 109, t. 144, f. 19. — C. Schauf. in Calwer, Käferbuch. ed. 6, 1907—16 (1913), p. 934, t. 35, fig. 4.

✓ *marginata* Fourcr. Ent. Par. I, 1785, p. 107.

var. *Findeli* Suffr. Linn. Ent. V, 1851, p. 70. — Redt. Fauna Austr. ed. 3, II, 1874, p. 476.

var. *Hochhuthi* Suffr. Linn. Ent. V, 1851, p. 72.

limbata var. Kryn. Bull. Mosc. V, 1832, p. 168.

var. *limbifera* Küst. Käf. Eur. IV, 1846, p. 91. — Suffr. Linn. Ent. V, 1851, p. 71. — Fairm. Ann. Soc. Ent. Fr. (3) II, 1854, p. 319. — Mars. Abeille XXV, 1887, p. 119.

Biologie: Rosenh. Stett. Ent. Zeit. XLIII, 1882, p. 149.

limbatella Ws. Arch. Naturg. LXXIII, 1907, p. 213.

limitata Küst. Käf. Eur. II, 1845, p. 72. — Suffr. Linn. Ent. V, 1851, p. 273. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 79.

linaeides Ws. Wien. Ent. Zeit. XV, 1896, p. 80.

Trans-
sylvanien
Erzherzogt.
Österreich,
Steier-
mark,
Kärnthen

Europa,
Sibirien

Alpen

Kirgisen-
steppe,
Sibirien

Südrußland,
Kaukasus

Abessinien

Spalato

Sibirien

- lineigera* Jacobs. Finska Vet. Soc. Förh. XLIII, 1901, p. 127. nota. Sibirien
- angusticollis* Jacobs. Hor. Ross. XXVII, 1893, p. 125 (nec Motsch.)
- lineoligera* Vogel in Schaaf. Nunquam otios. I, 1871, p. 123. Kapland
- lobicollis* Fairm. Rev. d'Ent. VI, 1887, p. 331. Peking
- ✓ *lucida* Ol. Ent. V, 1807, p. 553, t. 8, f. 112. — Suffr. Linn. Ent. V, 1851, p. 204. — Ws. Ins. Deutschl. VI, 3, 1884, p. 433. — Mars. Abeille XXV, 1887, p. 108. Südfrankreich, Spanien, Portugal
- chloromaura* Charp. Hor. Ent. 1825, p. 233. — Küst. Käf. Eur. II, 1845, p. 78. — Suffr. Linn. Ent. V, 1851, p. 203.
- ✓ *dichroa* Duf. Exeurs. Vall. d'Ossau 1843, p. 107.
- ✓ *lurida* L. Syst. Nat. ed. 12, 1767, p. 590. — F. Mant. Ins. I, 1787, p. 69. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1677. — F. Ent. Syst. I, 1792, p. 318; Syst. El. I, 1801, p. 435. — Steph. Ill. Brit. Ent. IV, 1834, p. 342; Man. 1839, p. 310. — Küst. Käf. Eur. I, 1844, p. 92. — Suffr. Linn. Ent. V, 1851, p. 86. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 207 (*Taeniosticha*). — Redt. Fauna Austr. ed. 3, II, 1874, p. 473. — Seidl. Fauna Balt. 1875, p. 481. — Ws. Ins. Deutschl. VI, 3, 1884, p. 378. — Mars. Abeille XXV, 1887, p. 110. — Seidl. Fauna Balt. ed. 2, 1891, p. 691; Fauna Transsylv. 1891, p. 774. — Bed. Faune Col. Bass. Seine V, 1892, p. 145; 1899, p. 257. — Everts, Col. Neerl. II, 1903, p. 431. — Reitt. Fauna Germ. IV, 1912, p. 113. Mittel-europa, Kaukasus, Kleinasien
- ✓ *striata* Fourer. Ent. Par. I, 1785, p. 105.
- ✓ *lutea* Petagna, Atti Ac. Napoli I, 1819, p. 32, t. 2, f. 15. Süd-Italien, Sicilien
- laevipennis* Suffr. Linn. Ent. V, 1851, p. 202. — Ws. Ins. Deutschl. VI, 3, 1884, p. 433. — Mars. Abeille XXV, 1887, p. 107. — Bed. Abeille, XXVIII, 1894, p. 156.
- ✓ *lucida* Charp. Hor. Ent. 1825, p. 233. — Küst. Käf. Eur. II, 1845, p. 79.
- ✓ *maetata* Fairm. Ann. Soc. Ent. Fr. (3) VII, 1859, Bull. p. 152; (4) V, 1865, p. 75. — Ws. Ins. Deutschl. VI, 3, 1884, p. 371. — Mars. Abeille XXV, 1887, p. 117. Spanien, Portugal
- madrasae* Jac. Mém. Soc. Ent. Belg. VII, 1900, p. 118. Madras
- magniceps* Sahlb. Vega Exp. Vet. IV, 1885, p. 38. N. O. Sibirien
- malayana* Jac. Ann. Mus. Genova XXXVI, 1896, p. 420. Sumatra
- ✓ *marcesitica* Germ. Ins. spec. nov. 1824, p. 585. — Suffr. Linn. Ent. V, 1851, p. 22. — Redt. Fauna Austr. ed. 3, II, 1874, p. 471. — Ws. Ins. Deutschl. VI, 2, 1882, p. 354. — Mars. Abeille XXIV, 1886, p. 36. — Seidl. Fauna Transsylv. 1891, p. 772. — Reitt. Fauna Germ. IV, 1912, p. 115. Mittel- und Ost-Alpen
- distincta* Küst. Käf. Eur. I, 1844, p. 89. — Suffr. Linn. Ent. V, 1851, p. 273. — Fairm. Ann. Soc. Ent. Fr. (3) I, 1853, p. 103. — Ws. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 156.
- subincrassata* Duft. Fauna Austr. II, 1825, p. 179.

- var. *turgida* Ws. Ins. Deutschl. VI, 2, 1882, p. 355.
- marcasitica* Bach, Käferfauna III, 1859, p. 82.
- ab. *Gerhardti* nom. nov.
- cupreopurpurea* Gerh. Deutsche Ent. Zeitschr. 1909, p. 420 (nec Costa).
- ~ ab. *pannonica* Ws. Ins. Deutschl. VI, 2, 1882, p. 355.
- ~ **marginalis** Duft. Fauna Austr. III, 1825, p. 182. — Küst. Käf. Eur. II, 1845, p. 70. — Suffr. Linn. Ent. V, 1851, p. 68. — Fairm. Ann. Soc. Ent. Fr. (3) II, 1854, p. 317. — Redt. Fauna Austr. ed. 3, II, 1874, p. 469. — Ws. Ins. Deutschl. VI, 3, 1884, p. 385. — Mars. Abeille XXV, 1887, p. 126. — Fowl. Col. Brit. Isl. IV, 1890, p. 302, 303. — Seidl. Fauna Balt. ed. 2, 1891, p. 692; Fauna Transsylv. 1891, p. 776. — Bed. Faune Col. Bass. Seine 1892, p. 145; 1899, p. 254. — Everts. Col. Neerl. II, 1903, p. 432. — Jacobs. Käf. Russl. 1909, t. 58, f. 6. — Helliesen. Aarsber. Stavang. Mus. XXII, 1, 1911, p. 7, nota. — Reitt. Fauna Germ. IV, 1912, p. 110. — C. Schauf. in Calwer. Käferbuch, ed. 6, 1907—16 (1913), p. 936, t. 35, f. 6.
- carnifex* Panz. Fauna Germ. XVI, 1794, p. 9 ♀.
- distinguenda* Steph. III. Brit. Ent. IV, 1834, p. 344; Man. 1839, p. 309.
- sanguinolenta* Donovan. Brit. Ins. IV, 1795, t. 3, i. 3, 4.
- sanguinolenta* var. Matzek, Ber. Schles. Ges. 1842, p. 155. — Seidl. Fauna Balt. 1875, p. 482.
- Biologie: Buddeb. Jahrb. Nassau. Ver. XXXVII, 1884, p. 96. — Rey, Essai d'études 1887, p. 110.
- Anatomie: Bordas, Ann. Sc. Nat. Zool. (8) XI, 1900, p. 336.
- ~ **marginata** L. Syst. Nat. ed. 10, 1758, p. 371; Fauna Suec. ed. 2, 1761, p. 529. — F. Syst. Ent. 1775, p. 101; Mant. I, 1787, p. 71. — Gmel. in L. ed. 13, I, 4, 1790, p. 1680. — F. Ent. Syst. I, 1792, p. 325; Syst. El. I, 1801, p. 441. — Panz. Fauna Germ. XVI, 1794, p. 11. — Ol. Ent. V, 1807, p. 563, t. 4, f. 54. — Gyll. Ins. Suec. III, 1813, p. 491. — Duft. Fauna Austr. III, 1825, p. 184. — Matzek, Ber. Schles. Ges. 1842, p. 155. — Küst. Käf. Eur. I, 1844, p. 83. — Suffr. Linn. Ent. V, 1851, p. 81. — Motsch. Reisen Amurl. II, 1860, p. 209 (*Chalcoidea*). — C. G. Thoms. Skand. Col. VIII, 1866, p. 246. — Redt. Fauna Austr. ed. 3, II, 1874, p. 473. — Seidl. Fauna Balt. 1875, p. 482. — Ws. Ins. Deutschl. VI, 3, 1884, p. 389. — Mars. Abeille XXV, 1887, p. 129. — Fowl. Col. Brit. Isl. IV, 1890, p. 302, 303. — Seidl. Fauna Balt. ed. 2, 1891, p. 690; Fauna Transsylv. 1891, p. 773. — Bed. Faune Col. Bass. Seine V, 1892, p. 146; 1899, p. 256. — Ws. Arch. Naturg. LXVI, 1900, p. 282. — Everts, Col. Neerl. II, 1903, p. 433. — Jacobs. Käf. Russl. 1909, t. 58, f. 12. — Reitt. Fauna Germ. IV, 1912, p. 111,

Harz, Sächs.
Schweiz,
Sudeten,
Karpathen.
Trans-
sylvanien

Mittel-
europa

Europa,
Nord-
afrika

- t. 144, f. 22. — C. Schaut. in Calwer, Käferbuch, ed. 6, 1907—16 (1913), p. 936, t. 35, f. 12.
- luteocincta* Fairm. Ann. Soc. Ent. Fr. (4) III, 1864, p. 647; (4) V, 1865, p. 79.
- ab. *cinctella* Gyll. Ins. Suec. IV, 1827, p. 650 ♂.
- dierythra* Rottb. Berl. Ent. Zeitschr. XV, 1871, p. 243 ♀.
- Purini* Jacobs. Hor. Ross. XXIX, 1895, p. 554.
- ab. *solitaria* Ws. Ins. Deutschl. VI, 5, 1884, p. 391.
- marginata* var. Gyll. Ins. Suec. IV, 1827, p. 650.
- var. *glacialis* Ws. Ins. Deutschl. VI, 3, 1884, p. 391. Alpen
- var. *circumducta* Ménétr. Mém. Ac. Petersb. II, 1835, p. 268. — Mars. Abeille XXV, 1887, p. 131. — Ws. Arch. Naturg. LXIV, 1898, p. 198. Südrussland, Turkestan, Sibirien
- songorica* Gebl. Bull. Ac. Petersb. 1843, 1, p. 39; Bull. Mosc. XXXII, 1859, 4, p. 350. — Baly, Trans. Ent. Soc. Lond. 1879, p. 189. — Ws. Deutsche Ent. Zeitschr. 1892, p. 139. — Jacobs. Hor. Ross. XXVII, 1893, p. 243.
- sulcata* Fisch. Cat. Col. Karelin 1843, p. 25. — Suffr. Linn. Ent. V, 1851, p. 82.
- Biologie: Forbes. Ent. Monthly Mag. XII, 1875, p. 135. — Xamheu, Natural. XVI, 1894, p. 77; Ann. Soc. Linn. Lyon XLIII, 1896, p. 175. — Puton, Rev. d'Ent. XV, 1896, p. 236. — Xamheu, Moeurs V, 1896, p. 153.
- Morphologie: Ws. Deutsche Ent. Zeitschr. 1892, p. 139.
- marginipicta* Vogel in Schauf. Nunquam otios. I, 1871, p. 113. Kapland
- Marshalli** Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 121 (*Polysticta*). — Vogel in Schauf. Nunquam otios. I, 1871, p. 148. „
- Mellyi** Stal. Öfv. Vet. Ak. Förh. XIV, 1857, p. 60. Thibet
- menthastri** Suffr. Linn. Ent. V, 1851, p. 90. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 292. — Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 280. — Redt. Fauna Austr. ed. 3, II, 1874, p. 471. — Seidl. Fauna Balt. 1875, p. 483. — Ws. Ins. Deutschl. VI, 3, 1884, p. 426. — Mars. Abeille XXIV, 1886, p. 47. — Fowl. Col. Brit. Isl. IV, 1890, p. 303. 307. — Seidl. Fauna Balt. ed. 2, 1891, p. 693; Fauna Transsylv. 1891, p. 777. — Bed. Faune Col. Bass. Seine V, 1892, p. 148; 1899, p. 262. — Everts, Col. Neerl. II, 1903, p. 436. — Jacobs. Käf. Russl. 1909, t. 58, f. 14. Mitteleuropa, Sibirien
- blanda* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 226. — Ws. in Schneid. u. Leder, Beitr. Kaukas. Käferf. 1878, p. 333.
- caucasica* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 225 ♂. — Mars. Abeille XVI, 1878, p. 147. Kaukasus
- coeruleans* var. Reitt. Fauna Germ. IV, 1912, p. 118, t. 145, f. 9.
- fulminans* Suffr. Linn. Ent. V, 1851, p. 92 (pars).
- graminis* Duft. Fauna Austr. III, 1825, p. 189 (pars). — Matzek, Ber. Schles. Ges. 1842, p. 156.

- ab. *croatica* Ws. Ins. Deutschl. VI, 3, 1884, p. 426. Croatien
 ✓ ab. *herbacea* Duft. Fauna Austr. III, 1825, p. 192.
 — Redt. l. c. ed. 3, II, 1874, p. 471.
recticollis Motsch. Schrenck's Reisen Amurl. II, 1860, p. 225. — Mars. Abeille XVI, 1878, p. 147. — Jacobs. Hor. Ross. XXVII, 1893, p. 125.
 ✓ ab. *resplendens* Suffr. Stett. Ent. Zeit. XVI, 1855, p. 144. Südeuropa
cribellata Motsch. Schrenck's Reisen Amurl. II, 1860, p. 226.
fulgida Motsch. l. c. p. 226.
fulminans Suffr. Linn. Ent. V, 1851, p. 92 (pars).
 — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 292.
ignita Suffr. Linn. Ent. V, 1851, p. 94.
 ab. *rugicollis* Weidenb. 12. Ber. Naturf. Vers. Augsburg 1859, p. 84.
 Biologie: Kaltenb. Pflanzenfeinde 1872, p. 472. —
 Rosenh. Stett. Ent. Zeit. XLIII, 1882, p. 154. —
 Rey, Essai d'études 1887, p. 110. — Schumann, Ill. Zeitschr. Ent. IV, 1899, p. 60. — Alisch, Ent. Jahrb. XV, 1905, p. 138.
 Morphologie: Kempers, Tijdschr. Ent. XLV, 1902, p. 59.
metallica Deg. Mém. Ins. VII, p. 661, t. 49, f. 12. — Deutsch-
 Vogel in Schauf. Nunquam otios. I, 1871, p. 83. Ostafrika
 — Ws. Arch. Naturg. LXX, 1, 1904, p. 43. bis
lusitanica Gyll. Ins. Suec. III, 1813, p. 454. Kapland
 (nec F.). — Suffr. Linn. Ent. V, 1851, p. 104.
micans Jac. Entomol. XXVI, Suppl. 1893, p. 105. China
Milleri Ws. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 162. Krain,
 Croatien
modesta Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 170 (*Polysticta*). — Vogel in Schauf. Nunquam otios. I, 1871, p. 105. Kapland
 ✓ *montana* Gebl. Bull. Mosc. XX, 1847, p. 348. — Jacobs. Sibirien
 Hor. Ross. XXXV, 1900, p. 80.
montevagans J. Lec. Bull. U. St. Geol. Surv. IV, 1878, p. 463. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 200. Rocky
 Mountains
morio Kryn. Bull. Mosc. V, 1832, p. 171. — Fald. Mém. Transsylvanien,
 Mosc. V, 1837, p. 356. — Suffr. Linn. Ent. V, 1851, p. 118. — Fairm. Ann. Soc. Ent. Fr. (3) II, 1858, p. 550. — Ws. Ins. Deutschl. VI, 3, 1884, p. 399, nota. — Mars. Abeille XXIV, 1886, Südrussland,
 p. 59. — Seidl. Fauna Transsylv. 1891, p. 774. Sibirien
 ✓ *multifida* Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 170 (*Polysticta*). — Vogel in Schauf. Nunquam otios. I, 1871, p. 109. Kapland,
 Natal
 ab. *flavosparsa* Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 174 (*Polysticta*).
mulsa Ws. Arch. Naturg. LXX, 1, 1904, p. 44. Uehe
muralis Csiki in Horvath, Zichy's Ergebn. 1901, p. 117. China
mutabilis Hope in Gray, Zool. Misc. 1831, p. 30. Persien,
coelestina Baly, Trans. Ent. Soc. Lond. 1879, p. 193 (*Crosita*). — Mars. Abeille XXI, 1883, China,
 p. 104. — Ws. Wien. Ent. Zeit. XIII, 1894, Ostindien
 p. 154.

- nigromaculata** Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 216 (*Polysticta*).
- nigrovittata** Ballion, Bull. Mosc. LIII, 2, 1878, p. 380. — Jacobs. Deutsche Ent. Zeitschr. 1894, p. 105 (*Cystocnemis*); Hor. Ross. XXIX, 1895, p. 294; Käf. Russl. 1909, t. 57, f. 19.
- nikkoensis** Jac. Proc. Zool. Soc. Lond. 1885, p. 207.
- Nikolskyi** Jacobs. Annuaire Mus. Petersb. II, 1898, p. 200; Käf. Russl. 1909, t. 57, f. 36.
- numida** Reiche, Ann. Soc. Ent. Fr. (4) IV, 1864, p. 245. — Ws. Deutsche Ent. Zeitschr. 1901, p. 256.
- aegyptiaca** Mars. Abeille XXV, 1887, p. 112.
- obovata** Jacobs. Hor. Ross. XXIX, 1895, p. 553.
- obscurifasciata** Jac. Proc. Zool. Soc. Lond. 1885, p. 208, t. 11, f. 11; 1888, p. 346. — Ws. Arch. Naturg. LXVI, 1900, p. 284.
- obscurella** Suffr. Linn. Ent. V, 1851, p. 11. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 74. — Jacq. du Val, Gen. Col. d'Eur. IV, 1868, t. 66, f. 316. — Ws. Ins. Deutschl. VI, 1, 2, 1882, p. 347, nota. — Mars. Abeille XXIV, 1886, p. 20.
- pelagica** Chev. Cat. Grenier 1863, p. 120.
- Anatomie: Bordas, Ann. Sc. Natur. Zool. (8) XI, 1900, p. 336.
- obsoleta** Brullé, Canar. Ent. 1838, p. 73. — Woll. Cat. Col. Canar. 1864, p. 401; Col. Atlantid. 1865, p. 357. — Mars. Abeille XXIV, 1886, p. 71.
- ooensis** nom. nov.
- subaenea** Suffr. Linn. Ent. V, 1851, p. 60. — Fairm. Ann. Soc. Ent. Fr. (3) I, 1853, p. 126. — Ws. Ins. Deutschl. VI, 2, 1882, p. 366. — Mars. Abeille XXV, 1887, p. 150 (nec Duft.).
- opacicolis** Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 77. — Mars. Abeille XXV, 1887, p. 146.
- opacipennis** Rogers, Proc. Ac. Philad. VIII, 1857, p. 36. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 50, 51.
- opulenta** Reiche, Voy. Galin. Abyss. III, 1850, p. 405, t. 25, f. 7. — Ws. Arch. Naturg. LXX, I, 1904, p. 43; in Sjöst. Kilimandj. I, 1909, p. 191.
- ponderosa** Gerst. in Decken's Reise III, 2, 1873, p. 278.
- Reichei** Vogel in Schauf. Nunquam otios. I, 1871, p. 86.
- sansibarica** Har. Monatsber. Ak. Wiss. Berlin 1880, p. 269. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 358.
- ab. **Tieutaini** Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 272. — Ws. Verh. Naturf. Ver. Brünn XLVIII, 1909 (1910), p. 36.
- semiviolacea** Jac. Deutsche Ent. Zeitschr. 1895, p. 178.
- var. **obesa** Vogel in Schauf. Nunquam otios. I, 1871, p. 84. — Fairm. Ann. Soc. Ent. Belg. XXVI, 1882, Bull. p. 56. — Ws. Arch. Naturg. LXX, 1904, p. 44.
- ab. **cupreolineata** Ws. Arch. Naturg. LXX, 1904, p. 44.
- Angola:
Kassai
Kuldscha
- Japan
Ostsibirien
- Algier,
Tunis,
Ägypten
W. Turkestan
Japan
- Südfrank-
reich,
N. Italien
- Canarische
Inseln
- Hochpyre-
näen
- Marokko
- Mittlere
Vereinigte
Staaten
Ostafrika
von Abes-
sinien bis
Natal
- Niger,
Togo
- Nyassa,
Quango,
Kapland
- Deutsch
Ostafrika

- ordinata** Gebl. Mém. Mosc. VI, 1823, p. 119. — Mars. Abeille XXV, 1887, p. 93. — Ws. Hor. Ross. XXIII, 1889, p. 565. S. Sibirien, China
- ✓ **oricalcia** Müller, Zool. Dan. Prodr. 1776, p. 82. — Ws. Ins. Deutschl. VI, 3, 1884, p. 398. — Fowl. Col. Brit. Isl. IV, 1890, p. 302, 305. — Everts, Col. Neerl. II, 1903, p. 450. — Reitt. Fauna Germ. IV, 1912, p. 111, t. 145, f. 2. Südschweden, Mitteleuropa, N. Italien, Sibirien
- ambulans* Fald. Mém. Ac. Petersb. 1835, 2, p. 442. — Mars. Abeille XXV, 1887, p. 95. — Ws. Arch. Naturg. LIII, 1887, p. 174; LXIV, 1898, p. 197.
- austriaca* Ol. Encycl. méth. V, 1790, p. 717.
- bulgarensis* Schrank, Enum. Ins. Austr. 1781, p. 70. — Herbst in Füessly, Arch. IV. 1783, p. 55, t. 23, f. 13. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1686. — Panz. Ent. Germ. I. 1793, p. 157. — Seidl. Fauna Transsylv. 1891, p. 773. — Jacobs. Käf. Russl. 1909, t. 58, f. 13.
- bulgarnensis* Bed. Faune Col. Bass. Seine V, 1892, p. 144; 1899, p. 257.
- incrassata* Marsh. Ent. Brit. I, 1802, p. 186.
- lamina* Matzek, Übers. Arb. Schles. Ges. 1842, p. 156. — Küst. Käf. Eur. I, 1844, p. 80. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 211 (*Hoplosoma*). — Redt. Fauna Austr. ed. 3, II, 1874, p. 473.
- olivacea* Schall. Abh. Hall. Naturf. Ges. I, 1783, p. 272. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1684.
- orichalcea* Gmelin, l. c. p. 1686. — C. Schauf. in Calwer, Käferbuch, ed. 6, 1907—16 (1913), p. 937, t. 35, f. 13.
- ab. *Dieneri* Merkl, Rov. Lapok IV, 1897, p. 209.
- ✓ ab. *laevicollis* Ol. Ent. V, 1807, p. 519, t. 6, f. 78. — Suffr. Linn. Ent. V, 1851, p. 120.
- lamina* Gyll. Ins. Suec. III, 1813, p. 478. — Steph. Ill. Brit. Ent. IV, 1834, p. 342; Man. 1839, p. 309. — C. G. Thoms. Skand. Col. VIII, 1866, p. 247.
- ✓ ab. *lamina* F. Ent. Syst. I, 1, 1792, p. 311. — Panz. Fauna Germ. 44, 1797, p. 5. — Payk. Fauna Suec. III, 1800, p. 451. — Duft. Fauna Austr. III, 1825, p. 174. — Suffr. Linn. Ent. V, 1851, p. 120. — Seidl. Fauna Balt. 1875, p. 481. — Mars. Abeille XXIV, 1886, p. 60.
- Hobsoni* Steph. Ill. Brit. Ent. IV, 1834, p. 343; Man. 1839, p. 309. — Fowl. Col. Brit. Isl. IV, 1890, p. 305.
- ab. *nigricollis* nom. nov.
- ✓ *bicolor* Gabriel, Deutsche Ent. Zeitschr. 1902, p. 60 (nec F.). Schlesien, Ungarn
- Biologie: Xamheu, Ann. Soc. Linn. Lyon XLIII, 1896, p. 173.
- ✓ **orientalis** Ol. Ent. V, 1807, p. 512, t. 5, f. 70. — Suffr. Linn. Ent. V, 1851, p. 44. — Fairm. Ann. Soc. Ent. Fr. (3) I, 1853, p. 115. — Ws. Ins. Deutschl. VI, 2, 1882, p. 366, nota Türkei, Griechenland, Kleinasien

- palliat** Vogel in Schauf. Nunquam otios. I. 1871, p. 102.
pardalina F. Spec. Ins. I. 1781, p. 106; Mant. Ins. I. 1787, p. 61; Ent. Syst. I. 1792, p. 291. — Gmel. in L. Syst. Nat. ed. 13. 1. 4. 1790, p. 1665. — Herbst, Natursyst. V, 1793, p. 311 (*Coccinella*). — F. Syst. El. I, 1801, p. 386. — Vogel in Schauf. Nunquam otios. I. 1871, p. 98.
decempustulata Thumb. Mus. Nat. Upsal. IV, 1787, f. 4.
guttata F. Ent. Syst. I. 1. 1792, p. 313. — Hope, Col. Man. III, 1840, p. 164 (*Polystricta*). — Clark. Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 169.
vigintiguttata Ol. Ent. V. 1807, p. 533, t. 7, f. 94.
ab. subcruciata Clark. Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 117.
pedestris Gebl. Mém. Mosc. VI, 1823, p. 118; Bull. Mosc. 1848, p. 25. — Mars. Abeille XXI, 1883, p. 105 (*Crositops*). — Jacobs. Käf. Russl. 1909, t. 57, f. 30.
pekinensis Fairm. Rev. d'Ent. VI, 1887, p. 331.
peregrina Herr.-Schäff. Fauna Germ. 157, 1839, 6c. — Ws. Ins. Deutschl. VI, 3, 1884, p. 397.
ab. erythromera Luc. Explor. Alg. II, Ent. 1849, p. 534, t. 45, f. 9. — Ws. Ins. Deutschl. VI, 3, 1884, p. 396.
? meridionalis Herr.-Schäff. Fauna Germ. 157, 1839, 6a.
Schotti Suffr. Linn. Ent. V, 1851, p. 39. — Fairm. Ann. Soc. Ent. Fr. (4) 1865, p. 76. — Redt. Fauna Austr. ed. 3. II, 1874, p. 477. — Mars. Abeille XXV, 1887, p. 142. — Ws. Arch. Naturg. LXIV, 1898, p. 198.
ab. Oberndorferi Brenske. Ent. Nachr. XVI, 1890, p. 14.
Morphologie: Ws. Ins. Deutschl. VI, 3, 1884, p. 397.
perforata Gebl. Ledeb. Reise II, 3, 1830, p. 216; Bull. Mosc. 1848, 1, p. 26; 1859, p. 512. — Ws. Arch. Naturg. LXXVIII, 1912, p. 84.
purpurata Fald. Bull. Mosc. IV, 1833, p. 70. — Mars. Abeille XXV, 1887, p. 87.
Turczanimoffi Har. Stett. Ent. Zeit. XXXV, 1875, p. 176; Col. Hefte XIII, 1876, p. 107. — Jacobs. Hor. Ross. XXXV, 1900, p. 80.
variolosa Motsch. Etud. Ent. III, 1854, p. 40. — Ws. Arch. Nat. LIII, 1887, p. 174. — Jacobs. Käf. Russl. 1909, t. 57, f. 28.
pertusa Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 73. — Mars. Abeille XXIV, 1886, p. 14.
Peyroni Ancey, Petites nouv. Ent. II, 1876, p. 94.
plagioderoides Vogel in Schauf. Nunquam otios. I, 1871, p. 95.
Pliginskii Reitt. Ent. Blätt. IX, 1913, p. 291.
polita L. Syst. Nat. ed. 10, 1758, p. 370. — Scop. Ent. Carn. 1763, p. 73. — F. Syst. Ent. 1775, p. 97. — Deg. Mém. V, 1775, p. 294, t. 8, f. 23. — Laich. Verz. Tyrol. Ins. 1781, p. 151. — F. Mant. Ins. I,

Kapland

,,

Altai

Peking

Tirol, Triest,

S. W. Eu-

ropa,

Algier

Neapel

W. Sibirien,

Mongolei,

Kirgisen-

Steppe

Algier

Beirut

Caffrarien

Krim

Europa,

Sibirien,

Klein-

asien,

- 1787, p. 69. — Gmel. in L. Syst. Nat. ed. 13. I, 4, 1790, p. 1677. — F. Ent. Syst. I, 1792, p. 317; Syst. El. I, 1801, p. 434. — Payk. Fauna Suec. II, 1899, p. 54. — Ol. Ent. V, 1807, p. 553, t. 3, f. 37. — Gyll. Ins. Suec. III, 1813, p. 456. — Duft. Fauna Austr. III, 1825, p. 172. — Steph. III. Brit. Ent. IV, 1834, p. 345; Man. 1839, p. 309. — Matzek, Übers. Arb. Schles. Ges. 1842, p. 157. — Küst. Käf. Eur. I, 1844, p. 90. — Suffr. Linn. Ent. V, 1851, p. 116. — C. G. Thoms. Skand. Col. VIII, 1866, p. 249. — Redt. Fauna Austr. ed. 3, II, 1874, p. 470. — Ws. Ins. Deutschl. VI, 3, 1884, p. 430. — Mars. Abeille XXV, 1887, p. 109. — Fowl. Col. Brit. Isl. IV, 1890, p. 302, 305. — Seidl. Fauna Balt. ed. 2, 1891, p. 693; Fauna Transsylv. 1891, p. 776. — Bed. Faune Col. Bass. Seine V, 1892, p. 147; 1899, p. 260. — Everts, Col. Neerl. II, 1903, p. 436. — Ws. Verh. Naturw. Ver. Karlsruhe XXI, 1909, p. 128. — Reitt. Fauna Germ. IV, 1912, p. 119, t. 145, f. 11.
- var. Jacobs. Deutsche Ent. Zeitschr. 1894, p. 105.
- ab. *epipleuralis* Jacobs. Hor. Ross. XXIX, 1895, p. 554.
- ab. *Kafkana* Reitt. Deutsche Ent. Zeitschr. 1898, p. 359; Fauna Germ. IV, 1912, p. 117.
- Biologie: Osborne, Ent. Monthly Mag. XVII, 1880, p. 152. — Rosenh. Stett. Ent. Zeit. XLIII, 1882, p. 158. — Xamheu, Moeurs V, 1896, p. 151. — Alisch, Ent. Jahrb. XV, 1905, p. 138. — Fanales u. Ragusa, Nat. Sicil. XVIII, 1906, p. 220.
- Morphologie: Kempers, Tijdschr. Ent. XLV, 1902, p. 59.
- polyops** Vogel in Schauf. Nunquam otios. I, 1871, p. 111.
- Poretzkyi** Jacobs. Hor. Ross. XXX, 1896, p. 434.
- poricollis** Motsch. Schrenck's Reisen Amurl. II, 1860, p. 228 (*Taeniosticha*).
- ✓ **porphyrea** Fald. Nouv. Mém. Mosc. V, 1837, p. 354, t. 12, f. 9. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 76. — Ws. Ins. Deutschl. VI, 2, 1882, p. 352, nota. — Mars. Abeille XXIV, 1886, p. 38. — Ws. Deutsche Ent. Zeitschr. 1892, p. 406.
- ✓ **porosa** Gebhl. Ledeb. Reise II, 3, 1830, p. 217; Nouv. Mém. Mosc. II, 1832, p. 75; Bull. Mosc. 1848, p. 351. — Mars. Abeille XXIV, 1886, p. 17.
- postviolacea** Mars. l. c. XXV, 1887, p. 100.
- problematica** Vogel in Schauf. Nunquam otios. I, 1871, p. 107.
- progressa** Vogel, l. c. p. 105.
- Przewalskii** Jacobs. Hor. Ross. XXIX, 1895, p. 551.
- pseudoaenea** Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 74.
- pterosticha** Fisch. Cat. Karelin 1842, p. 25.
- pulla** Swartz in Schönh. Syn. Ins. I, 2, 1808, p. 253, nota y. — Vogel in Schauf. Nunquam otios. I, 1871, p. 113.
- Sibirien,
Syrien,
Mesopotamien
- Kapland
Ural
Mongolei
- Kaukasus
- Daurien
- Algier
Kapland
- „
Amdo
Tanger
Sibirien
Caffrarien,
Natal

- nigra* Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 121 (*Polysticta*).
- ✓ *purpurascens* Germ. Fauna Ins. Eur. V, 1822, p. 6. — Suffr. Linn. Ent. V, 1851, p. 24. — Redt. Fauna Austr. ed. 3, II, 1874, p. 471. — Ws. Ins. Deutschl. VI, 2, 1882, p. 357. — Mars. Abeille XXIV, 1886, p. 35. — Ws. Deutsche Ent. Zeitschr. XXX, 1887, p. 185. — Seidl. Fauna Transsylv. 1891, p. 772. — Bed. Faune Col. Bass. Seine V, 1899, p. 250. — Everts, Col. Neerl. II, 1903, p. 432. — Reitt. Fauna Germ. IV, 1912, p. 115, t. 144, f. 15.
- crassimargo* Duft. Fauna Austr. III, 1825, p. 178, — Herr.-Schäff. Fauna Germ. 157, 1838, 10a.
- Dahli* Matzek, Übers. Arb. Schles. Ges. 1842, p. 155.
- ab. *avia* Ws. Deutsche Ent. Zeitschr. XXXI, 1887, p. 185. Karpathen
- ✓ *pyrenaica* Duf. Exc. Vall. d'Ossau 1843, p. 106 (*Ti-marcha*). — Perris, Ann. Soc. Ent. Fr. (4) IV, 1864, p. 310. — Ws. Ins. Deutschl. VI, 2, 1882, p. 366, nota. — Mars. Abeille XXV, 1887, p. 149. Pyrenäen
- carbonaria* Suffr. Linn. Ent. V, 1851, p. 49. — Fairm. Ann. Soc. Ent. Fr. (3) I, 1853, p. 118.
- ab. *bigorrensis* Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 77. — Mars. Abeille XXV, 1887, p. 159.
- ab. *cantabrica* Heyd. Berl. Ent. Zeitschr. XIV, 1870, p. 170. — Ws. Ins. Deutschl. VI, 2, 1882, p. 366, nota. Asturien
- Biologie: Xamheu, Moeurs VI, 1896, p. 121; Rev. d'Ent. XVII, 1898, p. 58.
- Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. 1, f. 28.
- ✓ *pyrrhopyga* Stal. Öfv. Vet. Ak. Förh. XIV, 1857, p. 60.
- ✓ *quadrigemina* Suffr. Linn. Ent. V, 1851, p. 125. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 294. — Redt. Fauna Austr. ed. 3, II, 1874, p. 477. — Ws. Ins. Deutschl. VI, 3, 1884, p. 404. — Mars. Abeille XXV, 1887, p. 78. — Seidl. Fauna Transsylv. 1891, p. 775. — Reitt. Fauna Germ. IV, 1912, p. 112. Ostindien
Frankreich,
Deutsch-
land,
Öster-
reich, Süd-
europa,
Nordafrika
- gemellata* Rossi, Fauna Etr. Mant. I, 1792, p. 30. — Duft. Fauna Austr. III, 1825, p. 176. — Bed. Faune Col. Bass. Seine V, 1892, p. 146, nota; 1899, p. 258 (nec Fourer.)
- ✓ ab. *indigena* Ws. Ins. Deutschl. VI, 3, 1884, p. 405.
- var. *alternata* Suffr. Linn. Ent. V, 1851, p. 127. Biologie: Peyerimh. Ann. Soc. Ent. Fr. LXXX, 1911, p. 289. Corsica,
Italien
- Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. 1, f. 33 (*alternata*).
- ✓ *Reitteri* Ws. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 163; Ins. Deutschl. VI, 3, 1884, p. 378, nota. Kaukasus
- relucens* Rosenh. Beitr. Ins. Eur. I, 1847, p. 62. — Suffr. Linn. Ent. V, 1851, p. 114. — Redt. Fauna Tirol

Austr. ed. 3, II, 1874, p. 477. — Ws. Ins. Deutschl. VI, 3, 1884, p. 417. — Mars. Abeille XXIV, 1886, p. 53. — Daniel, Münch. Kol. Zeitschr. I, 1903, p. 254. — Reitt. Fauna Germ. IV, 1912, p. 117.

repanda Wiedem. in Germ. Mag. Ent. IV, 1821, p. 179. — Vogel in Schauf. Nunquam otios. I, 1871, p. 103.

Reuleauxi Brenske, Ent. Nachr. XVI, 1890, p. 14.

revestita Vogel in Schauf. Nunquam otios I, 1871, p. 98. — Ws. Denkschr. med.-naturw. Ges. Jena XIII, 1908, p. 145.

guttata var. Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 169.

Roborowskii Jacobs. Hor. Ross. XXIX, 1895, p. 550.

Roddi Jacobs. l. c. XXX, 1896, p. 432.

Rossia Ill. Mag. Ins. I, 1802, p. 415. — Küst. Käf. Eur. II, 1845, p. 75. — Herr.-Schäff. Fauna Germ. 157, 1838, 1 g. — Ws. Ins. Deutschl. VI, 3, 1884, p. 370. — Seidl. Fauna Balt. ed. 2, 1891, p. 692; Fauna Transsylv. 1891, p. 775. — Helliesen, Aarsber. Stavang. Mus. XXII, 1, 1911, p. 6, t. 1, f. 1. — Reitt. Fauna Germ. IV, 1912, p. 110.

Rossii Suffr. Linn. Ent. V, 1851, p. 38. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 213 (*Oromorpha*). — Redt. Fauna Austr. ed. 3, II, 1874, p. 476. — Mars. Abeille XXV, 1887, p. 140.

sanguinolenta Rossi, Fauna Etr. I, 1790, p. 77 (nec L.).

Biologie: Rosenh. Stett. Ent. Zeit. XLIII, 1882, p. 157.

Rosti Ws. Deutsche Ent. Zeitschr. 1892, p. 406.

ruandana Ws. Deutsche Zentralafr.-Exp. IV, 1912, p. 137.

rubrica Desbr. Frelon VII, 1899, p. 44 (sub *rubricus*).

rufa Duft. Fauna Austr. III, 1825, p. 186. — Suffr. Linn. Ent. V, 1851, p. 26 ♀. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 292. — Redt. Fauna Austr. ed. 3, II, 1874, p. 470. — Ws. Ins. Deutschl. VI, 2, 1882, p. 352. — Mars. Abeille XXIV, 1886, p. 37. — Seidl. Fauna Transsylv. 1891, p. 772. — Reitt. Fauna Germ. IV, 1912, p. 115, t. 144, f. 14.

Dahli Suffr. Linn. Ent. V, 1851, p. 28 ♂.

menthae Duft. Fauna Austr. III, 1825, p. 187. — Redt. Fauna Austr. ed. 3, II, 1874, p. 472.

metallica Küst. Käf. Eur. IX, 1847, p. 93.

opulenta Suffr. Linn. Ent. V, 1851, p. 30.

pachysoma Hubenth. Ent. Blätt. VII, 1911, p. 192.

squalida Suffr. Linn. Ent. V, 1851, p. 31.

Morphologie: Reineck, Zeitschr. wiss. Insektenbiol. VI, 1910, p. 66.

rufilabris Fald. Mém. Ac. Petersb. II, 1835, p. 443. — Mars. Abeille XXV, 1887, p. 94. — Jacobs.

Finska Vet. Soc. Förh. XLIII, 1901, p. 124.

ab. *discriminata* Jacobs. l. c. p. 124.

ab. *perfecta* Jacobs. l. c. p. 124.

Caffrarien

Südl. Italien
Kapland

Amdo
Ural
Alpen,
Apen-
ninen

Kaukasus:
Abchasien
N. W. Ruanda
Oran
Harz. Sächs.
Schweiz,
Sudeten,
Karpa-
then,
Mittel- und
Ostalpen,
Trans-
sylvanien

Sibirien,
Mongolei

coll. 1905 in Pannonia
Küst. Käf. Eur. IX, 1847, p. 93

- ✓ **rufoaenea** Suffr. Linn. Ent. V, 1851, p. 122. — Fairm. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 533. — Ws. Ins. Deutschl. VI, 3, 1884, p. 400. — Mars. Abeille XXIV, 1886, p. 62. — Bed. Faune Col. Bass. Seine V, 1892, p. 144; 1899, p. 256. — Reitt. Fauna Germ. IV, 1912, p. 111.
ab. *fallaciosa* Ws. Ins. Deutschl. VI, 3, 1884, p. 401.
- rufofemorata** Heyd. Berl. Ent. Zeitschr. XIV, 1870, p. 171. — Ws. Ins. Deutschl. VI, 3, 1884, p. 373, nota; Arch. Naturg. LXIV, 1898, p. 198.
caliginosa var. Mars. Abeille XXV, 1887, p. 154.
- ruginosa** Fairm. Rev. Mag. Zool. (3) I, 1873, p. 356. — Mars. Abeille XXV, 1887, p. 144.
- rugulosa** Gebbl. Bull. Mosc. VIII, 1841, 4, p. 620.
- rutilans** Woll. Cat. Canar. Col. 1864, p. 402; Col. Atlantid. 1865, p. 358. — Mars. Abeille XII, 1874, p. 435; XXV, 1887, p. 73.
- ✓ **sacrum** Ws. Hor. Ross. XXIV, 1890, p. 479, nota. — Jacobs. I. c. XXVII, 1893, p. 243.
- ✓ **Sahlbergi** Mén. Cat. rais. 1832, p. 235. — Fald. Nouv. Mém. Mosc. V, 1837, p. 358, t. 12, f. 11. — Ws. Ins. Deutschl. VI, 3, 1884, p. 369, nota; Deutsche Ent. Zeitschr. 1889, p. 60. — Mars. Abeille XXIV, 1886, p. 71. — Jacobs. Käf. Russl. 1909, t. 57, f. 15.
cupreopunctata Reiche, Ann. Soc. Ent. Fr. (3) VI, 1858, p. 30.
ab. *venefica* Ws. Ins. Deutschl. VI, 3, 1884, p. 369, nota.
Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. I, f. 29.
- ✓ **salviae** Germ. Ins. spec. nov. 1824, p. 586. — Sahlb. in Thon. Arch. II, 1, 1829, p. 30. — Küst. Käf. Eur. I, 1844, p. 81. — Suffr. Linn. Ent. V, 1851, p. 135. — Fairm. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 564. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 206 (*Bittotaenia*). — Redt. Fauna Austr. ed. 3, II, 1874, p. 473. — Ws. Ins. Deutschl. VI, 3, 1884, p. 409. — Mars. Abeille XXV, 1887, p. 82. — Seidl. Fauna Transsylv. 1891, p. 774. — Reitt. Fauna Germ. IV, 1912, p. 111.
cuprina Redt. Fauna Austr. 1849, p. 548.
sculptipennis Fald. Nouv. Mém. Mosc. V, 1837, p. 359, t. 13, f. 1. — Mars. Abeille XXV, 1887, p. 83. — Ws. Arch. Naturg. LXIV, 1898, p. 197.
- ✓ **sanguineocincta** Crotch. Ordnance Surv. Penins. Sinai XI, Zool. 2, 1871, p. 268.
- ✓ **sanguinolenta** L. Syst. Nat. ed. 10, 1758, p. 371. — F. Syst. Ent. 1775, p. 101. — Laich. Verz. Tyrol. Ins. 1781, p. 159. — F. Mant. I, 1787, p. 71. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1680. — F. Ent. Syst. I, 1792, p. 325; Syst. El. I, 1801, p. 441. — Panz. Fauna Germ. 16, 1794, p. 10. — Payk. Fauna Suec. II, 1799, p. 52. — Ol. Ent. V, 1807, p. 561, t. 1, f. 8. — Gyll. Ins. Suec. III, 1813, p. 460. — Duft. Fauna Austr. III, 1825, p. 182. —
- Frankreich,
Spanien,
Portugal,
Nassau,
Elsass
- Asturien
- Algier
- Altai
Canarische
Inseln
- Turkestan
- Transkau-
kasien,
Klein-
asien,
Sporaden,
Syrien
- Kärnten,
Dalmatien,
N. Italien,
Kaukasus,
Klein-
asien,
Syrien
- Sinai
- Europa,
Algier,
Canarische
Inseln

- Matzek, Übers. Arb. Schles. Ges. 1842, p. 155.
 — Küst. Käf. Eur. II, 1845, p. 69. — Suffr.
 Linn. Ent. V, 1851, p. 65. — Fairm. Ann. Soc.
 Ent. Fr. (3) II, 1854, p. 315. — Motsch.
 Schrenck's Reisen Amurl. II, 1860, p. 209
 (*Stichoptera*). — Woll. Cat. Canar. Col. 1864,
 p. 399. — C. G. Thoms. Skand. Col. VIII, 1866,
 p. 250. — Redt. Fauna Austr. ed. 3, II, 1874,
 p. 469. — Seidl. Fauna Balt. 1875, p. 482. —
 Ws. Ins. Deutschl. VI, 3, 1884, p. 384. — Mars.
 Abeille XXV, 1887, p. 124. — Fowl. Col. Brit.
 Isl. IV, 1890, p. 302, 303. — Seidl. Fauna Balt.
 ed. 2, 1891, p. 692; Fauna Transsylv. 1891,
 p. 776. — Everts, Col. Neerl. II, 1903, p. 431. —
 ? Dittrich, Zeitschr. Ent. Breslau XXXII, 1907,
 p. XVI. — ? Helliesen Aarsber. Stavang. Mus.
 XXII, 1, 1911, p. 7, t. 1, f. 2, 6; t. 2, f. 1, 2. —
 Reitt. Fauna Germ. IV, 1912, p. 110, t. 144,
 f. 21. — C. Schauf. in Calwer, Käferbuch, ed.
 6, 1907—16 (1913), p. 936, t. 35, f. 5.
rubromarginata Deg. Mém. V, 1775, p. 298, t. 8,
 f. 26.
 ? *sanguinea* Brullé in Webb u. Berth. Canar.
 Ent. 1838, p. 73.
 ab. *epipteurica* Reitt. Fauna Germ. IV, 1912, p. 110, nota. Asturien
 Biologie: Letzn. Arb. Schles. Ges. XXXVII,
 1859, p. 95.
 Morphologie: Kempers, Tijdschr. Ent. XLV,
 1902, p. 58. — Helliesen, Aarsber. Stavang. Mus.
 XXII, 1, 1911, t. 1, f. 8.
Schewyrewi Jacobs. Hor. Ross. XXIX, 1895, p. 547. Tomsk
Schneideri Ws. Ins. Deutschl. VI, 2, 1882, p. 349. Tatra
 Mars. Abeille XXIV, 1886, p. 28. — Ws. Arch.
 Naturg. LXIV, 1898, p. 196, 206. — Reitt.
 Fauna Germ. IV, 1912, p. 116.
 Morphologie: Ws. l. c. p. 206.
scorodon Mars. Abeille XXIV, 1886, p. 12. Algier
seutellaris Linell, Proc. U. St. Nat. Mus. XVIII, 1896, Ostafrika
 p. 695.
sellata Ws. Deutsche Ent. Zeitschr. 1894, p. 92. Amasia,
 Mesopo-
 tamien
semifulva Jac. Entomol. XXVI, Suppl. 1893, p. 106. Ostindien
semirufa Fairm. Ann. Soc. Ent. Belg. XXXVII, 1894, Mozam-
 p. 335 (*Polysticta*). bique
separata Baly, Journ. of Ent. I, 1860, p. 96. Ostindien
septentrionalis Ménétr. in Middend. Reise II, 1, 1851, Novaja
 p. 73, t. 3, f. 10. — Mäkl. Sv. Vet. Ak. Handl. Zemlja,
 XVIII, 1881, p. 16. — J. Sahlb. Vega Exp. Arktisches
 Vet. V, 1885, p. 39. — Jacobs. Mém. Ac. Sibirien
 Petersb. (8) XVIII, 9, 1910, p. 64.
 ab. *sculpturata* Jacobs. Hor. Ross. XXIX, 1895, p. 548; Mém. Ac. Petersb. (8) XVIII, 9, 1910, p. 64.
 ab. *tundralis* Jacobs. l. c. p. 64, t. 1c, f. 4.
seriatipora Fairm. Ann. Soc. Ent. Fr. (4) VII, 1867, Algier
 p. 415. — Bed. l. c. (6) VIII, 1888, p. 287.

- edughensis* Fairm. Rev. Mag. Zool. (3) I, 1873, p. 357.
 Biologie: Peyerimh. Ann. Soc. Ent. Fr. LXXX, 1911, p. 289.
- seriepunctata* Ws. Arch. Naturg. LIII, 1, 1887, p. 176. — Amur
 Jac. Entomol. XXIII, 1890, p. 116.
- sexlineata* Thunb. Nova Acta Upsal. VIII, 1821, p. 179. — Kapland
 Vogel in Schauf. Nunquam otios. I, 1871, p. 121.
- soluta* Clark. Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 123 (*Polysticta*).
- siamensis* Jac. Mém. Soc. Ent. Belg. VII, 1900, p. 119. Siam
- sibirica* Ws. Arch. Naturg. LIII, 1, 1887, p. 177. — Jac. Amur
 Entomol. XXIII, 1890, p. 116.
- difficilis* Jacobs. Finska Vet.-Ac. Förh. XLIII, 1901, p. 126. Daurien
- sirentensis* Meier. Ent. Nachr. XXVI, 1900, p. 78. Abruzzan
- sogdiorum* Ws. Deutsche Ent. Zeitschr. 1892, p. 138. Turkestan
- solata* Fairm. Rev. Mag. Zool. (3) VII, 1879, p. 218. Bou Saada
- solida* Ws. Arch. Naturg. LXIV, 1, 1898, p. 207. Korea:
 Gensan
- spectabilis* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 223, t. 11, f. 7. — Mars. Abeille XVI, 1878, p. 145. — Jacobs. Käf. Russl. 1909, t. 57, f. 14. Kamtschatka
- stachydis* Gené. Mem. Acc. Turin (2) I, 1839, p. 79, t. 2, f. 17. — Suffr. Linn. Ent. V, 1851, p. 136. — Italien,
 Fairm. Ann. Soc. Ent. Fr. (3) VI, 1858, p. 565. Corsica,
 — Ws. Ins. Deutschl. VI, 3, 1884, p. 382, nota. Sardinien,
 — Mars. Abeille XXV, 1887, p. 99. Andalusien
- staphylea* L. Syst. Nat. ed. 10, 1758, p. 370. — F. Nord- und
 Syst. Ent. 1775, p. 97. — Laich. Verz. Tyrol. Mittel-
 Ins. 1781, p. 151. — Schrank, Enumer. 1781, europa,
 p. 71. — F. Mant. I, 1787, p. 69. — Gmel. Sibirien,
 in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1677. Nord-
 — F. Ent. Syst. I, 1792, p. 317; Syst. El. I, 1801, amerika
 p. 434. — Payk. Fauna Suec. II, 1799, p. 53.
 — Ol. Ent. V, 1807, p. 544, t. 4, f. 40. —
 Gyll. Ins. Suec. III, 1813, p. 455. — Duft.
 Fauna Austr. III, 1825, p. 172. — Steph.
 Ill. Brit. Ent. IV, 1834, p. 344; Man. 1839,
 p. 309. — Matzek, Übers. Arb. Schles. Ges.
 1842, p. 157. — Küst. Käf. Eur. I, 1844,
 p. 88. — Suffr. Linn. Ent. V, 1851, p. 20. —
 Motsch. Schrenck's Reisen Amurl. II, 1860,
 p. 210 (*Chrysolina*). — C. G. Thoms. Skand.
 Col. VIII, 1866, p. 250. — Redt. Fauna Austr.
 ed. 3, II, 1874, p. 470. — Ws. Ins. Deutschl.
 VI, 3, 1884, p. 380. — Mars. Abeille XXIV,
 1886, p. 29. — Fowl. Col. Brit. Isl. IV, 1890,
 p. 302, 304. — Seidl. Fauna Balt. ed. 2, 1891,
 p. 693; Fauna Transsylv. 1891, p. 776. —
 Bed. Faune Col. Bass. Seine V, 1892, p. 144;
 1899, p. 252. — Everts, Col. Neerl. II, 1903,
 p. 431. — Jacobs. Käf. Russl. 1909, t. 58, f. 15.
 — Knab, Ent. News XXII, 1911, p. 306. —
 Reitt. Fauna Germ. IV, 1912, p. 113, t. 144,
 f. 20. — C. Schauf. in Calwer, Käferbuch, ed. 6,
 1907—16 (1913), p. 935, t. 35, f. 15.
- cuprea* Deg. Mém. V, 1775, p. 294, t. 8, f. 24.

- rubrocuprea* Fourcr. Ent. Par. I, 1785, p. 108.
ab. subferruginea Suffr. Linn. Ent. V, 1851, p. 21 ♀.
- lepida* Steph. Ill. Brit. Ent. IV, 1834, p. 341; Man. 1839, p. 310.
- ab. Sharpi* Fowl. Col. Brit. Isl. IV, 1890, p. 304. England
 Morphologie: Sharp & Muir, Trans. Ent. Soc. Lond. 1912, p. 564.
- var. Lederi* Ws. in Schneid. u. Leder, Beitr. Kaukas. Käferf. 1878, p. 332; Verh. Naturf. Ver. Brünn XVII, 1879, p. 76; Ins. Deutschl. VI, 3, 1884, p. 381. — Mars. Abeille XXIV, 1886, p. 31. Kaukasus
- var. daurica* Gebl. Nouv. Mém. Mosc. 1832, 2, p. 73. Sibirien.
 — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 229. — Mars. Abeille XVI, 1878, p. 152; XXIV, 1886, p. 31. — Ws. Arch. Naturg. LIII, 1, 1887, p. 178.
- ab. palliata* Jacobs. Finska Vet. Soc. Förh. XLIII, 1901, p. 125 (nec Vogel). Ochotsk
- Stevensi* Baly, Ann. Mag. Nat. Hist. (3) X, 1862, p. 23. — Birma
 Jac. Ann. Mus. Genova XXVII, 1889, p. 188.
- ✓ *stictica* Stal. Öfv. Vet. Ak. Förh. XIV, 1857, p. 59. — Java, Pulo
 Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 296. Pinang
- striata* F. Spec. Ins. I, 1781, p. 122; Mant. Ins. I, 1787, p. 70; Ent. Syst. I, 1792, p. 321; Syst. El. I, 1801, p. 426. — Gmel. in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1676. — Ol. Encycl. V, 1790, p. 701; Ent. V, 1807, p. 527, t. 2, f. 14 a, b. — Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 117 (*Polysticta*). — Vogel in Schauff. Nunquam otios. I, 1871, p. 119. Kapland
- subcostata* Gebl. Bull. Mosc. XXI, 1848, 3, p. 27. — Mars. W. Sibirien
 Abeille XXIV, 1886, p. 64. — Jacobs. Hor. Ross. XXXV, 1900, p. 81.
- subopaca* Rogers. Proc. Ac. Philad. VIII, 1854, p. 36. — N. York
 Suffr. Stett. Ent. Zeit. XIX, 1858, p. 335. — bis Texas
 Stal. Mon. III, 1865, p. 326. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 200.
- subsulcata* Mannerh. Bull. Mosc. XXVI, 3, 1853, p. 254. Alaska
 — Rogers. Proc. Ac. Philad. VIII, 1854, p. 35.
 — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 383. —
 Stal. Mon. III, 1865, p. 327. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 50. — Linell, Journ. N. York Ent. Soc. IV, 1896, p. 200.
- Biologie: Kincaid, Proc. Washingt. Ac. Sc. II, 1900, p. 377, t. 26, f. 1—7.
- ✓ *Suffriani* Fairm. Ann. Soc. Ent. Fr. (3) VII, 1859, p. 282. Corsica,
 — Ws. Ins. Deutschl. VI, 3, 1884, p. 430, nota. Sardinien
 — Mars. Abeille XXIV, 1886, p. 56.
- Biologie: Deville, Abeille XXX, 1904, p. 205.
- ✓ *sulcicollis* Fairm. Rev. d'Ent. VI, 1887, p. 330. Peking
- ✓ *sumatrensis* Jac. Notes Leyd. Mus. VI, 1884, p. 25. Sumatra
- ✓ *superba* Thunb. Mus. Nat. Ac. Upsal. IV, 1787, p. 44, nota 10. — Ws. Arch. Naturg. LXX, 1, 1904, p. 46; in Sjoest. Kilimandj. I, 1909, p. 191. Ostafrika
americana Vogel in Schauff. Nunquam otios. I, 1871, p. 95. von Nu-
 bien bis
 Natal

- limbolata* Reiche, Voy. Galin. III, 1850, p. 405, t. 25, f. 8. — Chap. Ann. Mus. Genova XV, 1879, p. 11. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 11.
- salisburyensis* Jac. Trans. Ent. Soc. Lond. 1901, p. 255. — Ws. Deutsche Ent. Zeitschr. 1902, p. 404.
- ab. *intersersa* Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 394. — Ws. Deutsche Ent. Zeitschr. 1902, p. 404. Kilima-ndjaro
- ab. *rubripennis* Ws. Arch. Naturg. LXX, 1, 1904, p. 46. Abessinien
- sylvatica* Gebl. Mém. Mosc. VI, 1823, p. 148. — Germ. Ins. spec. nov. 1824, p. 587. — Gebl. Bull. Mosc. XXI, 1848, p. 29. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 191 (*Pleurosticha*). — Mars. Abeille XXIV, 1886, p. 65. Sibirien
- syriaca* Ws. Ins. Deutschl. VI, 3, 1884, p. 408, nota. — Mars. Abeille XXV, 1887, p. 78. — Ws. Arch. Naturg. LXIV, 1898, p. 197. Syrien
- Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. 1, f. 36.
- taeniolata* Vogel in Schauf. Nunquam otios. I, 1871, p. 119. Caffrarien
- tagana* Suffr. Linn. Ent. V, 1851, p. 9. — Ws. Ins. Deutschl. VI, 2, 1882, p. 347, nota. — Mars. Abeille XXIV, 1886, p. 16. Spanien, Portugal
- Templetoni* Baly, Journ. of Ent. 1860, p. 93; 1861, p. 301. Ceylon
- Jole* Stal, Öfv. Vet. Ak. Förb. XVII, 1860, p. 463.
- ab. *Gahani* Jac. Entomol. XXII, 1899, p. 81.
- tetraspilota* Vogel in Schauf. Nunquam otios. I, 1871, p. 121. Kapland
- thalassina* Reiche, Ann. Soc. Ent. Fr. (3) VI, 1858, p. 29. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 78. — Mars. Abeille XXV, 1887, p. 157. Syrien
- tianshanica* Jacobs. Rev. Russe d'Ent. X, 1910, p. 59. Thianschan
- tibialis* Jacobs. Hor. Ross. XXIX, 1895, p. 548; XXXV, 1900, p. 81. Minussinsk
- timarchoides* Brisout, Ann. Soc. Ent. Fr. (6) II, 1882, Bull. p. 179. — Mars. Abeille XXIV, 1886, p. 17. Ost-Pyre-näen
- Tolli* Jacobs. Mém. Ac. Petersb. (8) XVIII, 9, 1910, p. 54. Nordost-Sibirien
- ab. *rufipes* Ménétr. Middend. Reise, Zool. II, Col. 1851, p. 56, t. 3, f. 9 (i. litt.). — J. Sahlb. Vega Exp. Vet. IV, 1885, p. 37. — Jacobs. Käf. Russl. 1909, t. 57, f. 29.
- tonkinae* Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 372. Tonkin
- tortipennis* Fairm. l. c. (4) V, 1865, p. 72. — Mars. Abeille XXIV, 1886, p. 13. Algier
- transvaalensis* Jac. Trans. Ent. Soc. Lond. 1901, p. 253 (sub *transvalense*). Transvaal
- trichopila* Csiki in Horvath, Zichy's Ergebn. II, 1901, p. 117. China
- tricolor* Vogel in Schauf. Nunquam otios. I, 1871, p. 118. Caffrarien
- tschungarica* Jacobs. Rev. Russe d'Ent. X, 1910, p. 58. Dsungarei

- turanica* Reitt. Verh. Naturf. Ver. Brünn XXVII, 1888, p. 31.
- ✓ *turca* Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 74. — Mars. Abeille XXIV, 1886, p. 70. — Ws. Ins. Deutschl. VI, 6, 1893, p. 1122.
- vernalis* var. Ws. l. c. VI, 2, 1882, p. 365.
- turgaica* Jacobs. Rev. Russe d'Ent. X, 1910, p. 59.
- ✓ *umbratilis* Ws. Deutsche Ent. Zeitschr. XXXI, 1887, p. 185; Ins. Deutschl. VI, 6, 1893, p. 1122.
- atra* Matzek, Übers. Arb. Schles. Ges. 1842, p. 154 (nec Herr.-Schäff.).
- ? *Dahli* Herr.-Schäff. Fauna Germ. 157, 1838, 5c. — Suffr. Linn. Ent. V, 1851, p. 274.
- ab. olivicolor* nom. nov.
- ✓ *olivacea* Suffr. Linn. Ent. V, 1851, p. 53. — Fairm. Ann. Soc. Ent. Fr. (3) I, 1853, p. 120. — Redt. Fauna Austr. ed. 3, II, 1874, p. 477. — Ws. Ins. Deutschl. VI, 2, 1882, p. 362. — Mars. Abeille XXV, 1887, p. 158. — Seidl. Fauna Transsylv. 1891, p. 773. — Reitt. Fauna Germ. IV, 1912, p. 114, t. 144, f. 16 (nec Schaller).
- undulata* Gebl. Bull. Mosc. VI, 1833, p. 308; XXI, 1848, p. 29. — Mars. Abeille XXV, 1887, p. 92.
- ✓ *unicolor* Gebl. Bull. Ac. Petersb. III, 1845, p. 105; Bull. Mosc. XXXIII, 1860, III, p. 34.
- immarginata* Rybak. Hor. Ross. XVIII, 1884, p. 135. — Jacobs. Hor. Ross. XXXV, 1900, p. 82, nota.
- urbana* Csiki in Horvath, Zichy's Ergebn. II, 1901, p. 117.
- ussuriensis* Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 126, nota.
- aeruginosa* Ws. Arch. Naturg. LIII, 1, 1887, p. 180 (nec Fald.).
- vagecincta* Fairm. Ann. Mus. Genova VII, 1875, p. 538.
- ✓ *varians* Schall. Abh. Naturf. Ges. Halle 1783, p. 271, t. 9, f. 13. — F. Mant. Ins. I, 1787, p. 68; Ent. Syst. I, 1, 1792, p. 315. — Panz. Fauna Germ. 44, 1798, p. 9. — F. Syst. El. I, 1801, p. 433. — Ol. Ent. V, 1807, p. 536, t. 7, f. 96. — Gyll. Ins. Suec. III, 1813, p. 471. — Steph. III. Brit. Ent. IV, 1834, p. 347; Man. 1839, p. 308. — Matzek, Übers. Arb. Schles. Ges. 1842, p. 156. — Küst. Käf. Eur. IX, 1847, p. 94. — Suffr. Linn. Ent. V, 1851, p. 33. — Redt. Fauna Austr. ed. 3, II, 1874, p. 471. — Ws. Ins. Deutschl. VI, 3, 1884, p. 428. — Mars. Abeille XXIV, 1886, p. 25. — Fowl. Col. Brit. Isl. IV, 1890, p. 302, 305. — Seidl. Fauna Balt. ed. 2, 1891, p. 693; Fauna Transsylv. 1891, p. 777. — Bed. Faune Col. Bass. Seine V, 1892, p. 147; 1899, p. 259 (*Sphaeromela*). — Everts. Col. Neerl. II, 1903, p. 435. — Fiori, Riv. Col. Ital. V, 1907, p. 289. — Reitt. Fauna Germ. IV, 1912, p. 116, t. 145, f. 10.
- hyperici* C. G. Thoms. Skand. Col. VIII, 1866, p. 251. — Seidl. Fauna Balt. 1875, p. 483.
- margarita* Ol. Encycl. méth. V, 1790, p. 709.
- Araxes,
Turcme-
nien
Türkei,
Bulgarien
- Prov. Turgei
Erzgebirge,
Sudeten,
Karpathen,
Istrien
- Altai,
Barnaul
Dsungarei
- Sibirien
Ussuri
- Kéruan
Europa,
Algier,
Sibirien

Marshami Donov. Brit. Ins. VII, 1798, t. 286, f. 1. — Marsh. Ent. Brit. I, 1802, p. 173.

viridiaenea Marsh. l. c. p. 184.

ab. *aethiops* F. Ent. Syst. I, 1, 1792, p. 309.

ab. *centaura* Herbst in Füessly, Arch. IV, 1783, p. 56, t. 23, f. 15.

centaurei F. Mant. Ins. I, 1787, p. 68; Ent. Syst. I, 1, 1792, p. 315. — Panz. Fauna Germ. 44, 1798, p. 10.

incerta Meissner, Ent. Blätt. III, 1907, p. 129.

ab. *pratensis* Ws. Ins. Deutschl. VI, 3, 1884, p. 429.

hyperici Deg. Mém. V, 1775, p. 312, t. 9, f. 13.

Biologie: Deg. l. c. p. 312, t. 9, f. 14—17. —

Letzn. Bericht Schles. Ges. 1852, p. 92. —

Rupertsberger, Verh. zool.-bot. Ges. Wien XX,

1870, p. 840. — Osborne, Ent. Monthly Mag.

XVII, 1880, p. 151. — Hacker, Wien. Ent.

Zeit. VII, 1888, p. 55. — C. Schenkling, Ill.

Zeitschr. Ent. V, 1900, p. 7. — Meissner, Ent.

Wochenbl. XXIV, 1907, p. 151.

Morphologie: Meissner, Zeitschr. Insektenbiol.

II, 1906, p. 352; IV, 1908, p. 339, 408.

✓ *variolosa* Petagna, Atti Ac. Sc. Napoli I, 1819, p. 19. — Ws. Ins. Deutschl. VI, 3, 1884, p. 382, nota. — Jacobs. Käf. Russl. 1909, t. 57, f. 28.

Sicilien,
S. Italien

melanostigma Herr.-Schäff. Fauna Germ. 157, 1838.

sicula Lefebure, Ann. Soc. Linn. Paris VI, 1827, p. 104.

Sparshalli Steph. Ill. Brit. Ent. V, 1835, App.

p. 425. — Curtis Ann. Nat. Hist. V, 1840,

p. 282. — Suffr. Linn. Ent. V, 1851, p. 62. —

Fairm. Ann. Soc. Ent. Fr. (3) II, 1854, p. 314. —

Mars. Abeille XXV, 1887, p. 116.

vermiculosa Mars. l. c. XXIV, 1886, p. 19.

Algier:
Blidah,
Umgebung
des Mittel-
ländischen
Meeres

✓ *vernalis* Brullé, Expéd. Morée III, 1836, p. 269, t. 44, f. 7. — Suffr. Linn. Ent. V, 1851, p. 41. — Fairm. Ann. Soc. Ent. Fr. (3) I, 1853, p. 114. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 214 (*Ovosoma*). — Ws. Ins. Deutschl. VI, 2, 1882, p. 364, 366. — Mars. Abeille XXV, 1887, p. 143. — Seidl. Fauna Transsyv. 1891, p. 772. — Reitt. Fauna Germ. IV, 1912, p. 114.

bicolor Germ. Mag. Ent. I, 2, 1813, p. 148. —

Herr.-Schäff. Fauna Germ. 157, 1838. — Küst.

Käf. Eur. I, 1844, p. 78 (nec F.).

ab. *florea* Herr.-Schäff. Fauna Germ. 157, 1838, 7a. — Suffr. Linn. Ent. V, 1851, p. 275.

? *incerta* Herr.-Schäff. l. c. 7b. — Suffr. l. c. p. 275.

✓ ab. *gallica* Ws. Ins. Deutschl. VI, 2, 1882, p. 365, 366, nota.

Pyrenäen

ab. *Heri* Herr.-Schäff. Fauna Germ. 157, 1838

(164, t. 2a). — Küst. Käf. Eur. II, 1845, p. 76. —

Suffr. Linn. Ent. V, 1851, p. 43. — Fairm. Ann.

Soc. Ent. Fr. (3) I, 1853, p. 115. — Redt. Fauna

- Austr. ed. 3, II, 1874, p. 476. — Ws. Ent. Monatsbl. II, 1880, p. 102.
- abitalica* Ws. Ins. Deutschl. VI, 2, 1882, p. 365. Italien
- ab. ottomana* Ws. Cat. Col. Eur. 1906, p. 554. Türkei
- turca* Ws. Ins. Deutschl. VI, 2, 1882, p. 365 (nec Fairm.).
- Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. I, f. 27.
- vidua* Rogers, Proc. Ac. Philad. VIII, 1854, p. 36. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 387. — Oregon
- Stal, Mon. III, 1865, p. 327.
- ✓ *vigintimaculata* Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 169 (*Polysticta*). — Jac. I. c. (7) I, 1898, p. 354. Kapland, Natal, Transvaal
- vicenaria* Vogel in Schauf. Nunquam otios. I, 1871, p. 101.
- ✓ *vigintipustulata* Thunb. Mus. Nat. Upsal. IV, 1787, p. 44, nota 16; Nova Acta Upsal. VIII, 1821, p. 182. — Vogel in Schauf. Nunquam otios. I, 1871, p. 100. — Jac. Ann. Mag. Nat. Hist. (7) I, 1898, p. 354. „
- vigintiguttata* Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 169 (*Polysticta*).
- ✓ *vigintiquatuorsignata* Thunb. in Schönh. Syn. Ins. I, 2, 1808, p. 241, Anm. o. — Clark. Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 118 (*Polysticta*). — Vogel in Schauf. Nunquam otios. I, 1871, p. 117. Kapland
- ✓ *violacea* Müll. Zool. Danic. Prodr. 1776, p. 81. Europa
- ✓ *diversipes* Bed. Faune Col. Bass. Seine V, 1892, p. 147; 1899, p. 251.
- fuscipes* Gmelin in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1672.
- ✓ *goettingensis* L. Fauna Suec. ed. 2, 1761, p. 506; Syst. Nat. ed. 12, 1767, p. 586. — Laich. Verz. Tyrol. Ins. I. 1781, p. 145. — Panz. Ent. Germ. I, 1795, p. 156; Fauna Germ. 44, 1797, p. 3. — Gyll. Ins. Suec. III, 1813, p. 453. — Duft. Fauna Austr. III, 1825, p. 186. — Steph. III. Brit. Ent. IV, 1834, p. 348; Man. 1839, p. 308. — Küst. Käf. Eur. I, 1844, p. 72. — Matzek, Übers. Arb. Schles. Ges. 1842, p. 155. — Suffr. Linn. Ent. V, 1851, p. 35. — C. G. Thoms. Skand. Col. VIII, 1866, p. 251. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 216 (*Colaphosoma*). — Redt. Fauna Austr. ed. 3, II, 1874, p. 472. — Ws. Ins. Deutschl. VI, 3, 1884, p. 374. — Fowl. Col. Brit. Isl. IV, 1890, p. 302, 306. — Scidl. Fauna Balt. ed. 2, 1891, p. 693; Fauna Transsylv. 1891, p. 776; Wien Ent. Zeit. XXV, 1906, p. 278. — Reitt. Fauna Germ. IV, 1912, p. 116, t. 14, f. 18 (nec L. 1758).
- goettingensis* F. Syst. Ent. 1775, p. 94; Spec. Ins. I. 1781, p. 116; Ent. Syst. I, 1792, p. 309; Syst. El. I, 1801, p. 429 (pars).
- haemoptera* F. Ent. Syst. I, 1792, p. 315. — Payk. Fauna Suec. II, 1799, p. 52. — Ol. Ent. V, 1807, p. 520, t. 6, f. 80.
- vulgatissima* Schrank, Enumerat. 1781, p. 69. — Jacobs. Käf. Russl. 1909, t. 58, f. 9 (nec L.)

- nigrita* Townson, Travels Hongr. App. 1797, p. 459.
- ab. *Sturmi* Westh. Käf. Westf. 1882, p. 268.
- ? *obscurata* F. Suppl. Ent. Syst. 1798, p. 85; Syst. El. I, 1801, p. 430. — Duft. Fauna Austr. III, 1825, p. 195. — Herr.-Schäff. Fauna Germ. 157, 1838.
- ab. *polonica* Ws. Ins. Deutschl. VI, 3, 1884, p. 374.
- ~ *virgata* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 224, t. 11, f. 8 (*Diochrysa*). — Mars. Abeille XVI, 1878, p. 145. — Ws. Ins. Deutschl. VI, 3, 1884, p. 425, nota. — Mars. Abeille XXV, 1887, p. 166. — Jac. Proc. Zool. Soc. Lond. 1888, p. 346. — Ws. Arch. Naturg. LXIV, 1898, p. 200.
- ~ *viridana* Küst. Käf. Eur. I, 1844, p. 85. — Suffr. Linn. Ent. V, 1851, p. 95. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 293. — Ws. Ins. Deutschl. VI, 3, 1884, p. 426, nota.
- chloris* Luc. Expl. Alg. Ent. II, 1849, p. 537, t. 45, f. 11. — Mars. Abeille XXIV, 1886, p. 49.
- palustris* Suffr. Linn. Ent. V, 1851, p. 96. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 226.
- ab. *auropurpurea* Fairm. Ann. Soc. Ent. Fr. (3) VIII, 1859, p. 282; (4) V, 1865, p. 80.
- ab. *cupreopurpurea* Costa, Atti Acc. Napoli (2) I, 1838, p. 49.
- ~ ? *ignita* Ol. Ent. V, 1807, p. 524, t. 6, f. 86. — Suffr. Stett. Ent. Zeit. XVI, 1855, p. 143, nota; Ann. Soc. Ent. Fr. (3) VI, 1858, p. 535, nota I.
- ab. *sardoa* Ws. Ins. Deutschl. VI, 3, 1884, p. 426, nota.
- Biologie: Fanales & Ragusa, Natural. Sicil. XVIII, 1906, p. 220. — Peyerimh. Ann. Soc. Ent. Fr. LXXX, 1911, p. 289.
- Morphologie: Schneider, Isis 1902, p. 43.
- ~ *Vishnu* Hope in Gray, Zool. Misc. 1831, p. 30. — Baly, Trans. Ent. Soc. Lond. 1879, p. 189, t. 2, f. 14.
- cingulata* Baly, Journ. of Ent. I, 1860, p. 97; 1861, p. 301.
- vulpectula* Vogel in Schauf. Nunquam otios. I, 1871, p. 112.
- vulpina* F. Spec. Ins. I, 1781, p. 122; Mant. I, 1787, p. 70. — Gmelin in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1677. — Ol. Encycl. méth. V, 1790, p. 701. — F. Ent. Syst. I, 1792, p. 321; Syst. El. I, 1801, p. 436. — Ol. Ent. V, 1807, p. 534, t. 3, f. 31a, b. — Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 174 (*Polysticta*). — Vogel in Schauf. Nunquam otios. I, 1871, p. 111.
- octopustulata* Thunb. Mus. Nat. Upsal. IV, 1787, p. 44, nota 14; Nova Acta Upsal. VIII, 1821, p. 181.
- ab. *bipustulata* Thunb. Mus. Nat. Upsal. IV, 1787, p. 44, nota 13; Nova Acta Upsal. VIII, 1821, p. 181.

Amur,
Korea

Umgebung
des Mittel-
ländischen
Meeres

Corsica
Sicilien

Sardinien

Nepal

Kapland

,,

- ab. *coccinelloides* Thunb. Mus. Nat. Upsal. IV, 1787, p. 44, f. 5; Nova Acta Upsal. VIII, 1821, p. 180.
ebraea F. Suppl. Ent. Syst. 1798, p. 86; Syst. El. I, 1801, p. 432.
Wallacei Baly, Ann. Mag. Nat. Hist. (3) X, 1862, p. 21. Mandschurei
Weisei Friv. Termesz. Füzet. VII, 1883, p. 16. Mehadia
yessoensis Matsumura, Journ. Coll. Agric. Sapporo IV, Insel
 1911, p. 142 (sub *yezoensis*). Sachalin
-
- auraria** Motsch. Schrenck's Reisen Amurl. II, 1860, p. 226. Mongolei
carbonata Boisd. Voy. Astrol. Col. 1835, p. 580. Australien
costalis Ol. Ent. V, 1807, p. 513, t. 5, f. 71. Teneriffa
Duperreyi Montrouz. Ann. Soc. Agr. Lyon VII, 1857, Neucale-
 p. 68. donien
lepida Brull. Expéd. Mor. III, Zool. 1832, p. 270, t. 44, Griechenland
 f. 8. — Ws. Ins. Deutschl. VI, 3, 1884, p. 380.
difficilis Motsch. Schrenck's Reisen Amurl. II, 1869, p. 228. Westsibirien
liturata Swartz in Schönh. Syn. Ins. I, 2, 1808, p. 241, ? Canton
 nota n, t. 4, f. 8.
nepalensis Hope in Gray, Zool. Misc. 1831, p. 30. Nepal
nitida Philippi, Stett. Ent. Zeit. XXV, 1864, p. 391. Chile
obscura Philippi, l. c. p. 392. "
perforata Redt. in Hügel, Kaschmir. Ins. IV, 1848, Kaschmir
 p. 557 (nec Gebl.)
quadristriata Philippi, l. c. p. 392. Chile
rufomarginata Baly, Trans. Ent. Soc. Lond. 1879, p. 191 Mesopo-
 (nec Suffr.). tamien
splendidula F. Syst. El. I, 1801, p. 440. — Ol. Ent. V, Sumatra
 1807, p. 555, t. 8, f. 114.
undata F. Mant. I, 1787, p. 55. — Gmelin in L. Syst. Nat. Kapland
 ed. 13, I, 4, 1790, p. 1649. — F. Ent. Syst. I, 1792, p. 271. — Herbst, Käf. V, 1793, p. 292. —
 F. Syst. El. I, 1801, p. 362 (*Coccinella*). —
 Vogel in Schaaf. Nunquam otios. I, 1871, p. 147.
 335

Chrysochloa Hope.

- Hope, Col. Man. II, 1840, p. 165. — Guérin, Ic. règne anim. Ins. 1844, p. 302. — Bedel, Abeille XXVII, 1890—92, p. 156. — Weise, Arch. Naturg. LXIV, 1898, p. 196. — Reitter, Fauna Germ. IV, 1912, p. 109.
Oreina, Motsch. Schrenck's Reisen Amurl. II, 1860, p. 202. — Chap. Gen. Col. X, 1874, p. 382.
Orina Ws. Ins. Deutschl. VI, 3, 1884, p. 434.

Subgen. Allorinula nom. nov.

- Allorina* Ws. Arch. Naturg. LXVIII, 1902, I, p. 104. — Reitt. Fauna Germ. IV, 1912, p. 119 (nec Burm.).
collucens Dan. Münch. Kol. Zeitschr. I, 1903, p. 180, f. 2a. Cottische
 — Ws. l. c. II, 1904, p. 234. — Dan. l. c. II, 1904, Alpen
 p. 236.
 ab. *fenestrellana* Dan. l. c. I, 1903, p. 180, f. 2b.
 ab. *vesulina* Dan. l. c. p. 180.
 ab. *viridifulgens* Dan. l. c. p. 181.

- rugulosa* Suffr. Linn. Ent. V, 1851, p. 181. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 63. — Redt. Fauna Austr. ed. 3, II, 1874, p. 478 (*Chryso-mela*). — Ws. Ins. Deutschl. VI, 3, 1884, p. 438, 443, t. 1, f. 2. — Mars. Abeille XXV, 1887, p. 179. — Seidl. Fauna Balt. ed. 2, 1891, p. 694; Fauna Transsylv. 1891, p. 778. — Ws. Arch. Naturg. LXIV, 1898, p. 201; l. c. LXVI, 1900, p. 283. — Dan. Münch. Kol. Zeit. I, 1903, p. 181, f. 3. — Ws. l. c. II, 1904, p. 234. — Reitt. Fauna Germ. IV, 1912, p. 119.
- luctuosa* var. Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 290.
- ? *nobilis* Walzl. Isis 1839, 3, p. 226.
- tristis* Baly, Trans. Ent. Soc. Lond. 1879, p. 183 (pars).
- ab. *Gaertneri* Ws. Deutsche Ent. Zeitschr. Tatra 1894, p. 250.
- ab. *nigritula* Ws. l. c. p. 250.
- Biologie: Ws. Deutsche Ent. Zeitschr. 1894, p. 250; l. c. 1902, p. 103.
- ✓ *tristis* F. Ent. Syst. I, 1, 1792, p. 315. — Küst. Käf. Eur. XIII, 1848, p. 89. — Baly, Trans. Ent. Soc. Lond. 1879, p. 183, t. 2, f. 7 (pars). — Ws. Ins. Deutschl. VI, 3, 1884, p. 437, 441, t. 1, f. 1. — Mars. Abeille XXV, 1887, p. 178. — Seidl. Fauna Balt. ed. 2, 1891, p. 694; Fauna Transsylv. 1891, p. 778. — Ws. Arch. Naturg. LXIV, 1898, p. 201. — Dan. Münch. Kol. Zeitschr. I, 1903, p. 180, f. 1. — Jacobs. Käf. Russl. 1909, t. 58, f. 16. — Reitt. Fauna Germ. IV, 1912, p. 119, t. 145, f. 12.
- coerulea* Bed. Faune Col. Bass. Seine V, 1892, p. 148; 1899, p. 263 (nec Ol.).
- ✓ *haemoptera* Panz. Fauna Germ. 44, 1797, p. 7.
- ✓ *luctuosa* Ol. Ent. V, 1807, p. 549, t. 3, f. 35. — Duft. Fauna Austr. III, 1825, p. 166. — Suffr. Linn. Ent. V, 1851, p. 182. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 290. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 64. — Redt. Fauna Austr. ed. 3, II, 1874, p. 475. — Kraatz, Ent. Monatsbl. II, 1880, p. 37. — Ws. l. c. p. 98; Deutsche Ent. Zeitschr. XXVII, 1883, p. 243, 248.
- ab. *auricollis* Stierl. Soc. Ent. I, 1887, p. 138.
- ab. *cuprina* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 243; Ins. Deutschl. VI, 3, 1884, p. 441.
- ab. *smaragdina* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 243; Ins. Deutschl. VI, 3, 1884, p. 441.
- ab. *tenebrosa* Ws. l. c. p. 441.
- Biologie: Champion u. Chapman, Trans. Ent. Soc. Lond. 1901, p. 9, t. 1, f. 4, a, 6 (var. *smaragdina*). — Ws. Deutsche Ent. Zeitschr. 1902, p. 105. — Champ. Trans. Ent. Soc. Lond. 1903, p. 245, t. 10, 11. — Ws. Münch. Kol. Zeitschr. II, 1904, p. 235.
- Finnland,
Ural,
Lausitz,
Böhmen,
Kar-
pathen,
Trans-
sylvanien,
Balkan
- Tatra
- „
- Frankreich,
Pyrenäen,
Alpen,
Jura,
Banat,
Trans-
sylvanien
- Seealpen,
Monte Rosa
M. Rosa,
St. Gott-
hardt
Westalpen
- Pyrenäen

Subgen. **Romalorina** Ws.

Weise, Cat. Col. Eur. 1906, p. 279. — Reitt. Fauna Germ. IV, 1912, p. 119.

- ✓ *alpestris* Schumm. Arb. Schles. Ges. 1843, p. 197. — Ws. Ent. Monatsbl. II, 1880, p. 99; Deutsche Ent. Zeitschr. XXVII, 1883, p. 212; Ins. Deutschl. VI, 3, 1884, p. 438, 446, t. 1, f. 4; Deutsche Ent. Zeitschr. 1891, p. 374; l. c. 1894, p. 251. — Seidl. Fauna Transsylv. 1891, p. 778. — Jacobs. Käf. Russl. 1909, t. 58, f. 19. — Reitt. Fauna Germ. IV, 1912, p. 120. — C. Schauf. in Calwer, Käferbuch, ed. 6. 1907—16 (1913), p. 944, t. 35, f. 19. Altvater, Karpathen, Alpen
- intricata* var. Suffr. Linn. Ent. V, 1851, p. 181. ab. *bicolora* Ws. Ins. Deutschl. VI, 3, 1884, p. 447. Altvater
- ab. *fontinalis* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 212; Ins. Deutschl. VI, 3, 1884, p. 447. „
- ab. *modesta* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 212; Ins. Deutschl. VI, 3, 1884, p. 447. „
- ab. *olivacea* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 212; Ins. Deutschl. VI, 3, 1884, p. 447. „
- ab. *rivularis* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 212; Ins. Deutschl. VI, 3, 1884, p. 446. „
- var. *nigrina* Suffr. Linn. Ent. V, 1851, p. 176. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 282. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 61. — Baly, Trans. Ent. Soc. Lond. 1879, p. 176. — Ws. Deutsche Ent. Zeitschr. 1891, p. 374; Ins. Deutschl. VI, 6, 1893, p. 1122. Pyrenäen
- ab. *Putoni* Ws. Deutsche Ent. Zeitschr. 1891, p. 374. „
- var. *polymorpha* Kraatz, Ent. Monatsbl. II, 1880, p. 35, 99, nota 1. — Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 212; Ins. Deutschl. VI, 3, 1884, p. 447. — Reineck, Zeitschr. wiss. Ins.-Biol. II, 1906, p. 21. — Reitt. Fauna Germ. IV, 1912, p. 120, t. 145, f. 14. Thüringen, Harz, Iser- und Riesengebirge, Böhmerwald
- speciosa* Suffr. Linn. Ent. V, 1851, p. 172 (pars).
- ab. *umbrosa* Ws. Ins. Deutschl. VI, 3, 1884, p. 447. Riesengeb., Schwarzw.
- ✓ ab. *vinariensis* Ws. Deutsche Ent. Zeitschr. 1901, p. 240. Weimar, Beskiden
- var. *punctatissima* Suffr. Linn. Ent. V, 1851, p. 174. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 278. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 59. — Ws. Arch. Naturg. LXVI, 1, 1900, p. 283. Karpathen, Transsylvanien, Alpen, Balkan
- ab. *anthrisci* Ws. l. c. p. 283.
- ✓ ab. *banatica* Ws. Ins. Deutschl. VI, 3, 1884, p. 447. Banat
- ab. *Bodemeyeri* Ws. Arch. Naturg. LXVI, 1, 1900, p. 283. Transsylvanien

Biologie: Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 215, 216 (*alpestris*); XXIX, 1885, p. 403 (*polymorpha*); 1897, p. 394 (*alpestris*). — Reineck, Zeitschr. Ins. Biol. II, 1906, p. 21 (*polymorpha*).

- ✓ **basilea** Gebl. Mém. Mosc. VI, 1823, p. 122. — Germ. Ins. spec. nov. 1824, p. 594. — Gebl. Ledeb. Reise II, 3, 1830, p. 212 (*Chrysomela*). — Ws. Ent. Monatsbl. II, 1880, p. 100; Ins. Deutschl. VI, 3, 1884, p. 439, 465, nota, t. 1, f. 9a. — Mars. Abeille XXV, 1887, p. 176. — Jacobs, Hor. Ross. XXXV, 1901, p. 82, 100.
- foveolata* Fald. Bull. Mosc. VI, 1833, p. 69.
- ab. *aeneoviridis* Jacobs, Hor. Ross. XXXV, 1901, p. 100.
- ab. *nigrocoerulea* Jacobs, l. c. p. 100.
- ab. *sulcata* Gebl. Mém. Mosc. VI, 1823, p. 123. — Baly, Trans. Ent. Soc. Lond. 1879, p. 180.
- ab. *virens* Jacobs, Hor. Ross. XXXV, 1901, p. 100.
- ✓ **bifrons** F. Ent. Syst. I, 1, 1792, p. 314; Syst. El. I, 1801, p. 432. — Suffr. Linn. Ent. V, 1851, p. 160 (*Chrysomela*). — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 279. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 50. — Baly, Trans. Ent. Soc. Lond. 1879, p. 179, t. 2, f. 3. — Kraatz, Ent. Monatsbl. II, 1880, p. 36. — Ws. l. c. p. 99; Deutsche Ent. Zeitschr. XXVII, 1883, p. 244, 249; Ins. Deutschl. VI, 3, 1884, p. 438, 461, t. 1, f. 9. — Mars. Abeille XXV, 1887, p. 172. — Seidl. Fauna Transsylv. 1891, p. 778. — Ws. Arch. Naturg. LXIV, 1898, p. 201. — Reitt. Fauna Germ. IV, 1912, p. 121.
- monticola* Duft. Fauna Austr. III, 1825, p. 167. — Redt. Fauna Austr. ed. 3, II, 1874, p. 475.
- ab. *aenescens* Suffr. Linn. Ent. V, 1851, p. 161. — Ws. Ins. Deutschl. VI, 3, 1884, p. 462.
- ab. *aerosa* Ws. Ins. Deutschl. VI, 3, 1884, p. 461.
- luctuosa* Baly, Trans. Ent. Soc. Lond. 1879, p. 179.
- ab. *Stussineri* Ws. Ins. Deutschl. VI, 3, 1884, p. 461.
- vittigera* Baly, Trans. Ent. Soc. Lond. 1879, p. 179.
- var. *decora* Richter, Suppl. Fauna Ins. Eur. I, 1820, p. 7, t. 7. — Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 213, 249; Ins. Deutschl. VI, 3, 1884, p. 439, 462. — Seidl. Fauna Transsylv. 1891, p. 779. — Ws. Arch. Naturg. LXVI, 1900, p. 283. — Reitt. Fauna Germ. IV, 1912, p. 121.
- virescens* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 213.
- ab. *aurata* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 213.
- ab. *cyanescens* Ws. l. c. p. 213.
- ✓ **gloriosa** F. Spec. Ins. II, App. 1781, p. 497; Mant. Ins. I, 1787, p. 71; Ent. Syst. I, 1, 1792, p. 324; Syst. El. I, 1801, p. 440. — Panz. Fauna Germ. 23, 1794, p. 14. — Ol. Ent. V, 1807, p. 545, t. 7, f. 103. — Duft. Fauna Austr. III, 1825, p. 168

Altai,
Daurien,
Gebirge
West-
sibiriens

Alpen

Karawanken,
Krain,
Schweiz

Sudeten.
Balkan

Sudeten

„
Alpen.
Pyrenäen

(pars). — Suffr. Linn. Ent. V, 1851, p. 165 (*Chrysomela*). — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 280. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 53. — Redt. Fauna Austr. ed. 3, II, 1874, p. 477. — Kraatz, Ent. Monatsbl. II, 1880, p. 35. — Ws. l. c. p. 99; Deutsche Ent. Zeitschr. XXVII, 1883, p. 244, 249; Ins. Deutschl. VI, 3, 1884, p. 439, 450. — Mars. Abeille XXV, 1887, p. 171. — Seidl. Fauna Transsylv. 1891, p. 779. — Reitt. Fauna Germ. IV, 1912, p. 121.

phalerata Redt. Fauna Austr. 1849, p. 549.

pretiosa Redt. l. c. ed. 3, II, 1874, p. 474.

speciosa Baly, Trans. Ent. Soc. Lond. 1879, p. 175, t. 2, f. 1. — Kraatz, Ent. Monatsbl. II, 1880, p. 36.

ab. *nubila* Ws. Ins. Deutschl. VI, 3, 1884, p. 450.

ab. *virgo* Ws. l. c. p. 450.

✓ var. *excellens* Ws. l. c. p. 439, 451. — Dan. Münch. Kol. Zeitschr. I, 1903, p. 182.

Mt. Rosa

✓ *speciosa* F. Syst. Ent. 1775, p. 101; Spec. Ins. I, 1781, p. 124; Mant. Ins. I, 1778, p. 71; Ent. Syst. I, I, 1792, p. 224; Syst. El. I, 1801, p. 441. — Panz. Fauna Germ. 23, 1794, p. 15. — Ol. Ent. V, 1807, p. 543, t. 7, f. 101.

superba Suffr. Linn. Ent. V, 1851, p. 168. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 55. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 282. — Baly, Trans. Ent. Soc. Lond. 1879, p. 176 (pars). — Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 246, 249 (nec Ol.).

ab. *illustris* Dan. l. c. p. 182.

Penninische
Alpen

var. *pretiosa* Suffr. Linn. Ent. V, 1851, p. 167. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 55. — Ws. Ins. Deutschl. VI, 3, 1884, p. 450.

Alpen,
Jura

speciosa Suffr. Linn. Ent. V, 1851, p. 172 (pars). — Redt. Fauna Austr. ed. 3, II, 1874, p. 474.

✓ ab. *atramentaria* Ws. Deutsche Ent. Zeitschr. 1891, p. 374.

Alpen

nigrina Suffr. Linn. Ent. V, 1851, p. 176 (pars).

— Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 282.

— Baly, Trans. Ent. Soc. Lond. 1879, p. 176. —

Ws. Ins. Deutschl. VI, 3, 1884, p. 451.

ab. *discolor* Ws. l. c. p. 451.

✓ *venusta* Suffr. Linn. Ent. V, 1851, p. 175 (pars).

✓ *venusta* Redt. Fauna Austr. ed. 3, II, 1874, p. 474.

✓ ab. *lugdunensis* Ws. in Sjöst. Kilimandj. I, 191, nota 1.

Lyon,
Reculot

superba Ol. Encycl. méth. V, 1790, p. 705; Ent. V, 1807, p. 544, t. 7, f. 102. — Ws. Ins. Deutschl. VI, 3, 1884, p. 450 (nec Thunb.).

ab. *venusta* Suffr. Linn. Ent. V, 1851, p. 175 (pars). — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 279. — Baly, Trans. Ent. Soc. Lond. 1879, p. 176 (var.). — Ws. Ins. Deutschl. VI, 3, 1884, p. 450.

Alpen

Biologie: Perroud. Ann. Soc. Linn. Lyon II, 2, 1855. p. 402 (*superba*). — Stierlin, Mitth. Schweiz. Ent. Ges. III, 1868, p. 15. — Bleuze. Petit. Nouv. Ent. I, 1874, p. 435; Ent. Monthly Mag. XI, 1874, p. 135, 156; Ent. Nachr. I, 1875, p. 24. — Mayet. Petit. Nouv. Ent. I, 1874, p. 443 (*venusta*). — Mars. Abeille XXV, 1887, p. 169 (*superba*). — Champ. u. Chapman, Trans. Ent. Soc. Lond. 1901, p. 9, t. 1, f. 1. — Dufour, Ann. Stat. Besse 1909, III, 4, p. 185 (*nigrina*).

intricata Germ. Ins. spec. nov. 1824, p. 596. — Schumm. Arb. Schles. Ges. 1843. p. 197. — Suffr. Linn. Ent. V, 1851, p. 180. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 290. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 63. — Redt. Fauna Austr. ed. 3, II, 1874, p. 475. — Baly, Trans. Ent. Soc. Lond. 1879, p. 182, t. 2, f. 5. — Ws. Ent. Monatsbl. II, 1880, p. 98; Deutsche Ent. Zeitschr. XXVII, 1883, p. 211, 248; Ins. Deutschl. VI, 3, 1884, p. 438, 444, t. 1, f. 3. — Mars. Abeille XXV, 1887, p. 177. — Seidl. Fauna Balt. ed. 2, 1891, p. 694; Fauna Transsylv. 1891, p. 778. — Reitt. Fauna Germ. IV, 1912, p. 120, t. 145, f. 13.

ab. *amethystina* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 211.

ab. *seminigra* Ws. l. c. p. 211.

var. *Anderschii* Duft. Fauna Austr. III, 1825, p. 166. — Redt. Fauna Austr. 1849, p. 549; ed. 2, 1858, p. 914; ed. 3, II, 1874, p. 475. — Ws. Ent. Monatsbl. II, 1880, p. 98.

aurulenta Suffr. Linn. Ent. V, 1851, p. 179. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 62.

ab. *cacaliae* Duft. Fauna Austr. III, 1825, p. 165. Biologie: Ws. Deutsche Ent. Zeitschr. 1897, p. 394.

liturata Scop. Ent. Carn. 1763, p. 73 (*Coccinella*). — Suffr. Linn. Ent. V, 1851, p. 170. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 56. — Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 248; Ins. Deutschl. VI, 3, 1884, p. 438, 457. — Mars. Abeille XXV, 1887, p. 171. — Reitt. Fauna Germ. IV, 1912, p. 120.

phalerata Germ. Fauna Ins. Eur. 16, 1834, p. 13. — Kraatz, Ent. Monatsbl. II, 1880, p. 36.

speciosa var. Baly, Trans. Ent. Soc. Lond. 1879, p. 176.

variabilis Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 245; Ins. Deutschl. VI, 3, 1884, p. 439, 455, t. 1, f. 6. — Seidl. Fauna Transsylv. 1891, p. 778. — Ws. Deutsche Ent. Zeitschr. 1894, p. 251. — Krauss, Wien. Ent. Zeit. XVIII, 1899, p. 205. — Reitt. Fauna Germ. IV, 1912, p. 121.

gloriosa Baly, Trans. Ent. Soc. Lond. 1879, p. 178, t. 2, f. 2.

ab. *balcanica* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 245.

Sudeten,
Karpathen,
Balkan

Alpen

Kärnthen,
Krain

Mittel- und
Ostalpen,
Transsylvanien,
Balkan

- pretiosa* Ws. l. c. p. 245, 249; Ins. Deutschl. VI. 3, 1884, p. 456.
- ✓ *ab. Weisei* Krauss. Wien. Ent. Zeit. XVIII. 1899, p. 205.
- Biologie: Krauss, l. c. p. 205.
- ✓ *viridis* Duft. Fauna Austr. III. 1825, p. 167. — Redt. Fauna Austr. 1849, p. 549. ♀. — Ws. Ent. Monatsbl. II. 1880, p. 100; Deutsche Ent. Zeitschr. XXVII. 1883, p. 246, 249; Ins. Deutschl. VI. 3, 1884, p. 439, 465, t. 1, f. 10. — Seidl. Fauna Transsylv. 1891, p. 779. — Reitt. Fauna Germ. IV. 1912, p. 122.
- nivalis* Heer in Froebel u. Heer, Mitth. Erdk. I. 1834, p. 46. — Suffr. Linn. Ent. V. 1851, p. 163. — Fairm. Ann. Soc. Ent. Fr. (4) V. 1865, p. 51. — Redt. Fauna Austr. ed. 3, II. 1874, p. 474, ♀. — Baly. Trans. Ent. Soc. Lond. 1879, p. 177, t. 2, f. 4. — Mars. Abeille XXV. 1887, p. 173. — Ws. Arch. Naturg. LXIV. 1898, p. 201.
- ✓ *ab. Heeri* Suffr. Linn. Ent. V. 1851, p. 164. — Ws. Deutsche Ent. Zeitschr. XXVII. 1883, p. 246.
- ab. ignita* Comolli, Col. nov. Novocom. 1837, p. 49. — Küst. Käf. Eur. 13, 1848, p. 90. ♀. — Suffr. Linn. Ent. V. 1851, p. 164. — Ws. Deutsche Ent. Zeitschr. XXVII. 1883, p. 246.
- ab. lugubris* Ws. l. c. p. 246; Ins. Deutschl. VI. 3, 1884, p. 465.
- ab. mirifica* Ws. Deutsche Ent. Zeitschr. XXVII. 1883, p. 244 (*decora* var.); Ins. Deutschl. VI. 3, 1884, p. 465.
- ab. splendens* Suffr. Linn. Ent. V. 1851, p. 164. — Ws. Deutsche Ent. Zeitschr. XXVII. 1883, p. 246.
- var. *Merkli* Ws. Ins. Deutschl. VI. 3, 1884, p. 439, 466.
- ab. transsylvanica* Ws. l. c. p. 466; Deutsche Ent. Zeitschr. 1894, p. 251.
- ✓ *vittigera* Suffr. Linn. Ent. V. 1851, p. 166. — Kraatz. Berl. Ent. Zeitschr. III. 1859, p. 279. — Fairm. Ann. Soc. Ent. Fr. (4) V. 1865, p. 53. — Kraatz. Ent. Monatsbl. II. 1880, p. 36. — Ws. l. c. p. 100; Deutsche Ent. Zeitschr. XXVII. 1883, p. 246, 249; Ins. Deutschl. VI. 3, 1884, p. 439, 458, t. 1, f. 8. — ? Seidl. Fauna Transsylv. 1891, p. 779. — Ws. Deutsche Ent. Zeitschr. 1894, p. 252. — Reitt. Fauna Germ. IV. 1912, p. 122.
- ? *bifrons* Duft. Fauna Austr. III. 1825, p. 193 (nec F.).
- ✓ *ab. glacialis* Ws. Ins. Deutschl. VI. 3, 1884, p. 459.
- ab. maritima* Dan. Münch. Kol. Zeitschr. I. 1903, p. 184.
- Biologie: Champ. u. Chapm. Trans. Ent. Soc. Lond. 1901, p. 15, t. 1, f. 3, a—i.
- Anatomic: Champ. u. Chapm. l. c. t. 2, f. 1—4.
- Vogesen,
Alpen
- Trans-
sylvanien
Banat,
Tatra
- West- und
Mittel-
alpen,
Balkan
- Seecalpen

Subgen. *Protorina* Ws.

Weise, Deutsche Ent. Zeitschr. 1894, p. 252. — Reitt. Fauna Germ. IV, 1912, p. 119. — *Binnh* 1938

- ✓ *Ludovicæ* Muls. Mém. Ac. Lyon IV, 1854, p. 18; Opusc. Ent. VII, 1856, p. 12, t. f. 1. — Suffr. Stett. Ent. Zeit. XXVII, 1866, p. 98. — Ws. Ent. Monatsbl. II, 1880, p. 100; Deutsche Ent. Zeitschr. XXVII, 1883, p. 250; Ins. Deutschl. VI, 3, 1884, p. 440, 470, t. 1, f. 11a. — Mars. Abeille XXV, 1887, p. 186. — Ws. Deutsche Ent. Zeitschr. 1894, p. 255. Pyrenäen
- nigriceps* Fairm. Ann. Soc. Ent. Fr. (3) IV, 1856, p. 545; (4) V, 1865, p. 69. — Redt. Fauna Austr. ed. 3, II, 1874, p. 477.
- Morphologie: Ws. Deutsche Ent. Zeitschr. 1894, t. 2, t. 4.
- melanocephala* Duft. Fauna Austr. III, 1825, p. 170. — Ws. Deutsche Ent. Zeitschr. 1894, p. 252, 254, 256. Mittel- und Ostalpen
- Peirolerii* Suffr. Linn. Ent. V, 1851, p. 158. — Redt. Fauna Austr. ed. 2, 1858, p. 914. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 289 (pars). — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 49.
- melanocephala* Suffr. Stett. Ent. Zeit. XXII, 1861, p. 433 (pars).
- ab. *melancholica* Heer, Neujahrsbl. Nat. Ges. Zürich 1845, p. 17, f. 11. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 289. — Heyd. Jahresber. Ges. Graubünd. 1863, p. 47. — Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 246, 248; Ins. Deutschl. VI, 3, 1884, p. 440, 472; Deutsche Ent. Zeitschr. 1894, p. 252, 256.
- Morphologie: Ws. l. c. t. 2, f. 1.
- Peirolerii* Bassi, Ann. Soc. Ent. Fr. III, 1834, p. 465, t. 11, f. 9 ♂. — Ws. Deutsche Ent. Zeitschr. 1894, p. 256. — Reitt. Fauna Germ. IV, 1912, p. 122. Westalpen, Gran Sasso
- nigriceps* Suffr. Stett. Ent. Zeit. XXII, 1861, p. 432 (nec Fairm.).
- melanocephala* Kiesenw. Berl. Ent. Zeitschr. V, 1861, p. 392. — Redt. Fauna Austr. ed. 3, II, 1874, p. 474. — Ws. Ent. Monatsbl. II, 1880, p. 100; Deutsche Ent. Zeitschr. XXVII, 1883, p. 250; Ins. Deutschl. VI, 3, 1884, p. 470, t. 1, f. 12.
- Morphologie: Ws. Deutsche Ent. Zeitschr. 1894, t. 2, f. 2.
- ✓ *plagiata* Suffr. Stett. Ent. Zeit. XXII, 1861, p. 436. — Fuss, Verh. Siebenb. Ver. XII, 1861, p. 161. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 70. — Kiesenw. Berl. Ent. Zeitschr. XIII, 1869, p. 308. — Ws. Ent. Monatsbl. II, 1880, p. 101; Deutsche Ent. Zeitschr. XXVII, 1883, p. 250; Ins. Deutschl. VI, 3, 1884, p. 440, 473, t. 1, f. 14; Deutsche Ent. Zeitschr. XXXI, 1887, p. 185. — Mars. Abeille XXV, 1887, p. 189. — Seidl. Karpathen, Trans-sylvanien

- Fauna Transsylv. 1891, p. 779. — Ws. Deutsche Ent. Zeitschr. 1894, p. 256. — Reitt. Fauna Germ. IV, 1912, p. 122.
- melanocephala* Fuss, Verh. Siebenb. Ver. III, 1852, p. 136; VII, 1856, p. 5.
- ab. *distinctissima* Ulanowski, Soc. Ent. I, 1886, p. 22; Kosmos Lemberg XII, 1887, p. 340. — Ws. Deutsche Ent. Zeitschr. 1894, p. 256. Galizien
- melanocephala* Suffr. Linn. Ent. V, 1851, p. 178.
- ab. *dorsalis* Ws. Deutsche Ent. Zeitschr. XXXII, 1887, p. 186; 1894, p. 256.
- ab. *rufipes* Ws. l. c. 1894, p. 256. Tatra
- var. *commutata* Suffr. Stett. Ent. Zeit. XXII, 1861, p. 435. — Ws. Deutsche Ent. Zeitschr. 1891, p. 375; Ins. Deutschl. VI, 6, 1893, p. 1123; Deutsche Ent. Zeitschr. 1894, p. 255, 256. Ostalpen
- var. *croatica* Ws. l. c. 1905, p. 80. Croatien
- Biologie: Schultze, Deutsche Ent. Zeitschr. XXX, 1886, p. 29. — Ws. l. c. p. 30.
- Morphologie: Ws. l. c. 1894, t. 2, f. 3.
- retenta* Ws. Deutsche Ent. Zeitschr. 1894, p. 256. Steiermark
- commutata* Ws. l. c. 1891, p. 375.
- Morphologie: Ws. l. c. 1894, t. 2, f. 5.

Subgen. Chrysochloa i. sp.

Alpaeixena Motsch. Schrenck's Reisen Amurl. II, 1860, p. 203.

- var. *cacaliae* Schrank in Füessly, Neuest. Mag. II, 4, 1785, p. 317; Fauna Boica I, 1798, p. 527. — Ol. Ent. V, 1807, p. 545, t. 7, f. 109. — Suffr. Linn. Ent. V, 1851, p. 150. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 283. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 43. — Redt. Fauna Austr. ed. 3, II, 1874, p. 476. — Baly, Trans. Ent. Soc. Lond. 1879, p. 184, t. 2, f. 8. — Bourgeois, Ann. Soc. Ent. Fr. (5) IX, 1879, Bull. p. 72. — Kraatz, Ent. Monatsbl. II, 1880, p. 37. — Ws. l. c. p. 101; Deutsche Ent. Zeitschr. XXVII, 1883, p. 250; Ins. Deutschl. VI, 3, 1884, p. 440, 475, t. 1, f. 15. — Mars. Abeille XXV, 1887, p. 179. — Seidl. Fauna Transsylv. 1891, p. 779. — Jacobs. Käf. Russl. 1909, t. 58, f. 17. — Reitt. Fauna Germ. IV, 1912, p. 123, t. 145, f. 15. — C. Schauf. in Calwer, Käferbuch, ed. 6, 1907—16 (1913), p. 946, t. 35, f. 17. Alpen
- alpina* Web. Obs. Ent. 1801, p. 57. — Ws. Arch. Naturg. LXIV, 1898, p. 202.
- gloriosa* Germ. Ins. spec. nov. 1824, p. 595.
- tristis* Hope, Col. Man. III, 1840, p. 165 (nec F.). — Ws. Deutsche Ent. Zeitschr. 1902, p. 105.
- ab. *coeruleolincata* Duft. Fauna Austr. III, 1825, p. 169. — Redt. Fauna Austr. 1849, p. 550.
- ab. *nubigena* Ws. Ins. Deutschl. VI, 3, 1884, p. 476.
- ab. *resplendens* Dan. Münch. Kol. Zeitschr. I, 1903, p. 182. Ampezzo

- ab. *senilis* Dan. l. c. p. 183.
- ab. *sumptuosa* Redt. Fauna Austr. 1849, p. 550.
- tristis* Duft. Fauna Austr. III, 1825, p. 165. — Suffr. Linn. Ent. V, 1851, p. 154. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 283. — Redt. Fauna Austr. ed. 3. II, 1874, p. 475. — Ws. Ent. Monatsbl. II, 1880, p. 101.
- var. *macra* Ws. Ins. Deutschl. VI, 3, 1884, p. 476.
- var. *bohémica* Ws. Deutsche Ent. Zeitschr. 1889, p. 127; Ins. Deutschl. VI, 6, 1893, p. 1124.
- ✓ var. *senecionis* Schummel, Arb. Schles. Ges. 1843, p. 198. — Suffr. Linn. Ent. V, 1851, p. 152. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 284. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 45. — Ws. Ent. Monatsbl. II, 1880, p. 101; Deutsche Ent. Zeitschr. XXVII, 1883, p. 214; Ins. Deutschl. VI, 3, 1884, p. 476.
- Gleissneri* Suffr. Linn. Ent. V, 1851, p. 151.
- elongata* Suffr. l. c. p. 152.
- ab. *cyanipennis* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 215.
- ab. *fraudulenta* Ws. l. c. p. 215. — Reitt. Fauna Germ. IV, 1912, p. 123, t. 145, f. 15a.
- ab. *Janaceki* Ws. Deutsche Ent. Zeitschr. 1896, p. 110.
- ab. *lissahorensis* Ws. l. c. p. 110; Arch. Naturg. LXVI, 1, 1900, p. 183.
- ab. *tristicula* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 215.
- var. *tussilaginis* Suffr. Linn. Ent. V, 1851, p. 155. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 283. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 47.
- Biologie: Letzner, Arb. Schles. Ges. XXXIV, 1856, p. 106. — Kaltenb. Pflanzenfeinde 1874, p. 321. — Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 215. — Champ. u. Chapman, Trans. Ent. Soc. Lond. 1901, p. 8, 16, t. 1, f. 2.
- Anatomie: Bordas, Ann. Sc. Natur. Zool. (8) XI, 1900, p. 336, t. 24, f. 9.
- elegans* Aragona, De quib. Col. 1830, p. 27. — Herr.-Schäff. Fauna Germ. 157, 1838, 11. — Baly, Trans. Ent. Soc. Lond. 1870, p. 187. — Ws. Ent. Monatsbl. II, 1880, p. 101; Deutsche Ent. Zeitschr. XXVII, 1883, p. 250; Ins. Deutschl. VI, 3, 1884, p. 440.
- Genei* Suffr. Linn. Ent. V, 1851, p. 146. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 42. — Mars. Abeille XXV, 1887, p. 184. — Ws. Arch. Naturg. LXIV, 1898, p. 202.
- ✓ *elongata* Suffr. Linn. Ent. V, 1851, p. 146. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 286. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 42. — Redt. Fauna Austr. ed. 3. II, 1874, p. 475. — Baly, Trans. Ent. Soc. Lond. 1879, p. 185, t. 2, f. 17. — Kraatz, Ent. Monatsbl. II, 1889, p. 38. — Ws. l. c. p. 102; Deutsche Ent. Zeitschr. XXVII, 1883, p. 250; Ins. Deutschl.
- Seealpen
Alpen
- Steiermark
Böhmerwald
- Sudeten,
Karpathen
- Mähren,
Trans-
sylvanien
Mähren,
Balkan
Sudeten
- Pyrenäen.
Westalpen
- Westalpen
- Alpen

- VI, 3, 1884, p. 440, 485. t. 1, f. 17. — Mars. Abeille XXV, 1887, p. 184. — Reitt. Fauna Germ. IV, 1912, p. 123.
- ↙ *aenea* Suffr. Linn. Ent. V, 1851, p. 147.
 ab. *cyanea* Suffr. l. c. p. 147.
 Morphologie: Sharp & Muir, Trans. Ent. Soc. Lond. 1912, p. 563, t. 73, f. 209.
- ↙ *frigida* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 247, 250; Ins. Deutschl. VI, 3, 1884, p. 440, 487, t. 1, f. 18. Mittel-alpen
- monticola* Suffr. Linn. Ent. V, 1851, p. 149 (nec Duft.). — Kraatz, Berl. Ent. Zeitschr. III, 1858, p. 288. — Kiesenw. l. c. V, 1861, p. 392. — Heyd. Jahresber. Ges. Graubünd. 1863, p. 47. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 43. — Ws. Ent. Monatsbl. II, 1880, p. 102. — Mars. Abeille XXV, 1887, p. 185. — Ws. Arch. Naturg. LXIV, 1898, p. 202. — Reitt. Fauna Germ. IV, 1912, p. 123.
- ab. *cupreata* Ws. Deutsche Ent. Zeitschr. XXXI, 1887, p. 304.
- ab. *Kiesenwetteri* Ws. Ins. Deutschl. VI, 3, 1884, p. 487.
- ab. *rhaetica* Ws. l. c. p. 487.
- ↙ *speciosissima* Scop. Ent. Carn. 1763, p. 74 (*Coccinella*). — Suffr. Linn. Ent. V, 1851, p. 142. — Letzn. Arb. Schles. Ges. 1852, p. 87. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 286. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 39. — Redt. Fauna Austr. ed. 3. II, 1874, p. 475. — Baly, Trans. Ent. Soc. Lond. 1879, p. 186, t. 2, f. 9. — Ws. Ent. Monatsbl. II, 1880, p. 101; Deutsche Ent. Zeitschr. XXVII, 1883, p. 214, 250; Ins. Deutschl. VI, 3, 1884, p. 440, 480, t. 1, f. 16. — Mars. Abeille XXV, 1887, p. 181. — Seidl. Fauna Transsylv. 1891, p. 780. — Reitt. Fauna Germ. IV, 1912, p. 123. Alpen, Deutsche Mittelgebirge
- gloriosa* Duft. Fauna Austr. III, 1825, p. 168 (pars). — Redt. Fauna Austr. 1849, p. 550.
- speciosa* Germ. Ins. spec. nov. 1824, p. 596. — Schummel, Arb. Schles. Ges. 1843, p. 195.
- pretiosa* Letzn. l. c. 1852, p. 88.
- viridis* Letzn. l. c. p. 88.
- ab. *fuscoaenea* Schumm. Arb. Schles. Ges. 1843, p. 196. — Letzn. l. c. 1852, p. 88. Altvater, Riesengebirge
- fuscocuprea* Letzn. l. c. 1852, p. 88.
- nigroaenea* Letzn. l. c. p. 88.
- ↙ ab. *Letzneri* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 214. Sudeten, Thüringer Wald
- ignita* Letzn. Arb. Schles. Ges. 1852, p. 88.
- ab. *nigrescens* Letzn. l. c. p. 88. — Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 214. Sudeten
- ab. *Schummeli* Ws. l. c. p. 214. „
- tristis* Ol. Ent. V, 1807, p. 550, t. 1, f. 12. — Letzn. l. c. 1852, p. 88. „
- coerulescens* Letzn. l. c. p. 88.
- nigrocoerulea* Letzn. l. c. p. 88. „
- ab. *violacea* Letzn. l. c. p. 88. „
- ab. *viridescens* Letzn. l. c. p. 88. „

- var. *silesiaca* Ws. Ins. Deutschl. VI, 3, 1884, p. 481. Riesen-
gebirgs-
kamm
- fuscoacnea* Suffr. Linn. Ent. V, 1851, p. 141. —
Letzn. Arb. Schles. Ges. 1852, p. 89. — Ws. Ent.
Monatsbl. II, 1880, p. 101.
- ? *viridiaenea* Letzn. Arb. Schles. Ges. 1852,
p. 89.
- var. *juncorum* Suffr. Linn. Ent. V, 1851, p. 145. Trans-
— Kraatz, Berl. Ent. Zeitschr. III, 1859, sylvanien,
p. 287. — Fairm. Ann. Soc. Ent. Fr. (4) V, Karpathen
1865, p. 40. „
- ab. *carpathica* Kraatz, Berl. Ent. Zeitschr. III,
1859, p. 288. — Ws. Ins. Deutschl. VI, 3, 1884,
p. 481.
- var. *convergens* Suffr. Linn. Ent. V, 1851, p. 145. Pyrenäen
— Kraatz, Berl. Ent. Zeitschr. III, 1859,
p. 294. — Fairm. Ann. Soc. Ent. Fr. (4) V,
1865, p. 41. — Ws. Ins. Deutschl. VI, 3, 1884,
p. 481.
- var. *troglodytes* Kiesw. Berl. Ent. Zeitschr. V, Mt. Rosa
1861, p. 291.
- Biologie: Letzner, Arb. Schles. Ges. 1852, p. 87.
— Calloni, Bull. Soc. Ent. Ital. XXI, 1889, p. 46.
- splendidula* Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 81. Pyrenäen
— Ws. Ent. Monatsbl. II, 1880, p. 101; Deutsche
Ent. Zeitschr. XXVII, 1883, p. 250; Ins.
Deutschl. VI, 3, 1884, p. 440, 475. nota. t. 1,
f. 16a.
- Fairmairiana* Gozis, Rev. d'Ent. I, 1882, p. 206.
- ab. *Fairmairei* Ws. Ins. Deutschl. VI, 3, 1884,
p. 475, nota.
- ✓ *virgulata* Gerni, Ins. spec. nov. 1824, p. 596. — Kraatz, Pyrenäen,
Berl. Ent. Zeitschr. III, 1859, p. 283. — Fairm. Alpen,
Ann. Soc. Ent. Fr. (4) V, 1865, p. 48. — Ws. Balkan,
Deutsche Ent. Zeitschr. XXVII, 1883, p. 250; Altvater,
Ins. Deutschl. VI, 3, 1884, p. 439, 468, t. 1, f. 11. Glatz,
— Seidl, Fauna Transsylv. 1891, p. 779. — Karpathen,
Reitt. Fauna Germ. IV, 1912, p. 122. Trans-
sylvanien
- alcyonca* Suffr. Linn. Ent. V, 1851, p. 156. —
Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 283. —
Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 48. —
Baly, Trans. Ent. Soc. Lond. 1879, p. 182, t. 2,
f. 6. — Kraatz, Ent. Monatsbl. II, 1880, p. 37.
— Ws. l. c. p. 101; Deutsche Ent. Zeitschr.
XXVII, 1883, p. 213. — Mars. Abeille XXV,
1887, p. 176. — Ws. Arch. Naturg. LXIV, 1898,
p. 201.
- ab. *candens* Ws. Ins. Deutschl. VI, 3, 1884, p. 468.
- ab. *orientalis* Ws. Arch. Naturg. LXVI, 1, 1900, Transsylv.
p. 283. Alpen
- ab. *Papei* Ws. Deutsche Ent. Zeitschr. XXXI, Susten-Pass
1887, p. 364.
- ab. *praefica* Ws. Ins. Deutschl. VI, 3, 1884, Altvater
p. 468.
- ab. *serena* Ws. l. c. p. 468. „
- Anatomie: Bordas, Ann. Sc. Natur. Zool. (8)
XI, 1900, p. 336.

Cystocnemis Motsch.

Motsch. Schrenck's Reisen Amurl. II, 1860, p. 179. — Jacobson, Hor. Ross. XXIX, 1895, p. 924 (nec Jacobs. Deutsche Ent. Zeitschr. 1894, p. 103).

- discoidea** Gebl. Ledeb. Reise II. 3, 1890, p. 213 (*Chrysomela*); Bull. Mosc. XXI, 1, 1848, p. 23 (*Entomoscelis*). — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 179. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 266. — Mars. Abeille XXVI, 1888, p. 28 (*Entomoscelis*). — Jacobs. Hor. Ross. XXIX, 1895, p. 296. Westsibirien, Altai
- ab. concolor* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 266. — Mars. Abeille XXVI, 1888, p. 28. — Jacobs. Deutsche Ent. Zeitschr. 1894, p. 105. — Ws. Arch. Naturg. LXIV, 1898, p. 202. Tarbagatai
- Gebleri** Jacobs. Annuaire Mus. Petersb. I, 1896 (1897), p. 75; Käf. Russl. 1909, t. 57, f. 17. Sibirien: Riddersk

2

Cecchiniola Jacobs.

Jacobson, Hor. Ross. XXXVIII, 1908, p. 624.

- platyseclidina** Jacobs. Annuaire Mus. Petersb. III, 1898, p. 201 (*Chrysomela*); Hor. Ross. XXXVIII, 1908, p. 626, t. 7, f. 5. Krim

1

Sphaerolina Baly.

Baly, Trans. Ent. Soc. Lond. 1871, p. 400. — Chapuis, Gen. Col. X, 1874, p. 368, 378.

- rajah** Guér. Rev. Zool. 1840, p. 41; Voy. Deless. II, Zool. 1843, p. 64 (*Lina*). Ostindien
- Templetoni** Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 60 (*Lina*). — Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 356. — Ws. Deutsche Ent. Zeitschr. 1902, p. 110, nota. Ceylon

2

Eumela Baly. *Strom* 1835 *F. 2* *1835*

Eumela Baly.

Baly, Trans. Ent. Soc. Lond. 1875, p. 23. — Weise, Deutsche Ent. Zeitschr. 1902, p. 109.

- assamensis** Ws. l. c. p. 110. Assam
- cyanicollis** Hope in Gray, Zool. Misc. 1831, p. 29 (*Chrysomela*). — ? Duviv. Ann. Soc. Ent. Belg. XXXV, 1891, C. r. p. 43. — Ws. Deutsche Ent. Zeitschr. 1902, p. 110. Ostindien
- Davidis** Fairm. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 134 (*Sphaerolina*); (6) VI, 1886, p. 356. — Ws. Deutsche Ent. Zeitschr. 1902, p. 110. Central-China
- tonkinensis** Ws. l. c. p. 110. Tonkin: Mts. Maouson

4

Paralina Baly.

Baly. Trans. Ent. Soc. Lond. (n. s.) V, 1859, p. 155. — Chapuis, Gen. Col. X, 1874, p. 368, 377.

- fallaciosa** Stal, Nova Acta Upsal. (3) IV, 1, 1862, p. 5, Ostindien
nota.
indica Hope in Gray, Zool. Misc. 1831, p. 29 (*Chrysomela*). Himalaya
— Baly, Trans. Ent. Soc. Lond. (n. s.) V, 1859,
p. 155. — Duviv. Ann. Soc. Ent. Belg. XXXV,
1891, C. r. p. 43.
caschmirensis Redt. in Hügel, Kaschmir IV,
1848, p. 558 (*Chrysomela*).
elata Stal. Öfv. Vet. Ak. Förh. 1857, p. 60 (*Lina*).
2

Aesernia Stal.

Stal, Öfv. Vet. Ak. Förh. XVII. 1860, p. 455. — Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 287. — Chapuis, Gen. Col. X, 1874, p. 368, 405.
Promechus Boisd. Voy. Astrol. Col. 1835, p. 575. — Chevr. Dict. univ. III, 1843, p. 656 i. litt.

- arcuata** Clav. Ann. Soc. Ent. Belg. LVI, 1912, p. 294. Neuguinea
✓ **australica** Jac. Notes Leyd. Mus. IX, 1887, p. 300. Queensland
corallipes Gestro, Ann. Mus. Genova VII, 1875, p. 1025. — Niederlän-
Ws. Nova Guinea IX, Zool. 3, 1912, p. 428. disch Neu-
guinea
costata Jac. Entomol. XXXIX, 1906, p. 2. Neuguinea
formosa Gest. Ann. Mus. Genova VIII, 1876, p. 524; X, Neuguinea
1877, p. 649. — Ws. Nova Guinea IX, Zool. 3, Niederl. u.
1912, p. 428. Deutsch
Gestroi Jac. Entomol. XXXIX, 1906, p. 25. Neuguinea
Brit.
Helleri Clav. Ann. Soc. Ent. Belg. LVI, 1912, p. 294. Neuguinea
latefasciata Jac. Notes Leyd. Mus. IX, 1887, p. 301. Neuguinea,
Australien
magnifica Baly, Trans. Ent. Soc. Lond. (3) I, 1863, Neuguinea
p. 618; (3) IV, 2, 1867, p. 287.
Meeki Jac. Entomol. XXXIX, 1906, p. 1. „
moutana Heller, Abh. Mus. Dresd. XIII, 3, 1910, p. 41. „
pulchella Gest. Ann. Mus. Genova VIII, 1876, p. 524; Sorong
X, 1877, p. 650.
regalis Baly, Trans. Ent. Soc. Lond. (3) I, 1863, p. 618; Aru-
(3) IV, 2, 1867, p. 288. Inseln
sculpturata Heller, Abh. Mus. Dresd. XIII, 3, 1910, Brit.
p. 42, f. 16. Neuguinea
splendens Guér. Voy. Coquille II, 1830, p. 144; Ic. règne Neuguinea
anim. t. 49, f. 4. — Blanch. Voy. Pôle Sud,
Zool. IV, 1853, p. 333, t. 19, f. 9 (*Phyllocharis*).
— Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867,
p. 290.
? **tricolor** Chevr. Voy. Coquille II, Zool. 1830,
p. 145.
Biologie: Lucas, Ann. Soc. Ent. Fr. (6) II, 1882,
Bull. p. 165 (*tricolor*).
splendida Boisd. Voy. Astrol. Col. 1835, p. 575 (*Pro- „*
mechus). — Blanch. Voy. Pôle Sud, Zool. IV,
1853, p. 332, t. 19, f. 2 (*Phyllocharis*). — Baly,
Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 289.

- sumptuosa** Gest. Ann. Mus. Genova VIII, 1876, p. 523; X, 1877, p. 647.
Whitei Baly, Journ. of Ent. I, 1851, p. 293; Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 289, t. 52, f. 6. — Chap. Gen. Col. X, 1874, Atl. t. 123, f. 6. — Gest. Ann. Mus. Genova VIII, 1875, p. 1027.

Insel Misori:
 Korido
 Neuguinea:
 Waigëu

18

Aesernoides Jac.

Jacoby, Ent. Monthly Mag. XXI, 1885, p. 223.

- ✓ **nigrofasciata** Jac. l. c. p. 223 (*nigrofasciatus*). — Lea, Rep. Australas. Ass. 1902, p. 394.

Queensland,
 N. S. Wales

1

✓ Pseudomela Baly.

Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1857, p. 87. — Weise, Deutsche Ent. Zeitschr. 1895, p. 348.

angolensis Ws. l. c. p. 348.

ferruginipes Ws. l. c. 1902, p. 102.

Murrayi Ws. l. c. 1895, p. 348.

- ✓ **Murrayi** Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1857, p. 88; (3) II, 1864, p. 225. — Ws. Deutsche Ent. Zeitschr. 1902, p. 102; Deutsche Zentralafr.-Exp. IV, 1912, p. 136.

ferruginea Vogel, Nunquam ot. I, 1871, p. 144 (pars) (*Ceralces*).

- ✓ **nigripennis** Jac. Proc. Zool. Soc. Lond. 1900, p. 241. — Ws. Deutsche Zentralafr.-Exp. IV, 1912, p. 136; Erg. zweit. Deutschen Zentralafr.-Exp. Zool. I, 1915, p. 170.

Quango
 Ashante,
 Altcalabar
 Altcalabar,
 Kamerun,
 Aruwimi

Kamerun,
 Congo,
 Ruwen-
 zori

4

✓ Ceralces Gerst.

Gerst. Monatsb. Ak. Wiss. Berl. 1855, p. 637; Peters' Reise 1862, p. 338. — Vogel in Schauf. Nunquam otios. I, 1871, p. 144. — Chapuis, Gen. Col. X, 1874, p. 368, 402. — Weise, Deutsche Ent. Zeitschr. 1895, p. 347, 348.

affinis Ws. Arch. Naturg. LXIV, I, 2, 1903, p. 207.

Deutsch
 Ostafrika
 Somaliland

apicatus Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, C. r. p. 125 (*Plagiodes*); Ann. Soc. Ent. Fr. (6) VII, 1887, p. 358 (*Chrysomela*). — Ws. Arch. Naturg. LXX, 1904, p. 44. — Achard, Bull. Soc. Ent. Fr. 1914, p. 72.

- ✓ **ferrugineus** Gerst. Monatsb. Ak. Wiss. Berl. 1855, p. 637; Peters' Reise 1861, p. 339, t. 20, f. 9. — Baly, Trans. Ent. Soc. Lond. (3) II, 1864, p. 225. — Vogel in Schauf. Nunquam ot. I, 1871, p. 144 (pars). — Ws. Deutsche Ent. Zeitschr. 1895, p. 349. — Aulmann, Mitt. Zool. Mus. Berl. V, 1910, p. 263.

Ostafrika

Biologie: Aulmann, l. c. p. 263, f. 4.

longulus Ws. Deutsche Zentralafr.-Exp. IV, 1912, p. 137.
natalensis Baly, Trans. Ent. Soc. Lond. (n. s.) IV, 1857, p. 88 (*Pseudomela*). — Vogel in Schauf. Nunquam otios. I, 1871, p. 146. — Ws. Deutsche Ent. Zeitschr. 1895, p. 349.

Victoria-See
 Ostafrika

- ab. *variabilis* Gestro. Ann. Mus. Genova XXXV, 1895, p. 453. — Achard, Bull. Soc. Ent. Fr. 1914, p. 72. Gallaland
- crebrepunctatus* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 359. — Ws. Arch. Naturg. LXX, 1904, p. 44. — Achard, Bull. Soc. Ent. Fr. 1914, p. 72.
- ab. *sansibarensis* Ws. Deutsche Ent. Zeitschr. 1895, p. 349.
- natalensis* var. Gerst. Arch. Naturg. XXXVII, 1871, I, p. 82; Decken's Reise III, 2, 1873, p. 277.
- occidentalis* Ws. Arch. Naturg. LXX, I, 1904, p. 42. Togo
- Pechueli* Karsch, Berl. Ent. Zeitschr. XXVI, 1882, Chinchoxo
- p. 397, t. 4, f. 10.

6

Chondromela Ws.

Weise, Deutsche Ent. Zeitschr. 1915, p. 435.

Mjoebergi Ws. l. c. p. 435.

N. W. Au-
stralien

1

III. Phaetonini.

Weise, Deutsche Ent. Zeitschr. 1915, p. 435.

Colaphellus nom. nov.

- Colaphus* Redt. Gatt. deutsch. Käferf. 1845, p. 116. — Weise, Ins. Deutschl. VI, 2, 1882, p. 303. — Everts, Col. Neerl. II, 1903, p. 448 (nec Chevr.).
- Colaspidema* Redt. Fauna Austr. ed. 3, II, 1874, p. 484. — Reitt. Fauna Germ. IV, 1912, p. 125.
- Colaspidema* (pars) Lef. Ann. Soc. Ent. Fr. (5) IV, 1874, p. 335. — Chap. Gen. Col. X, 1874, p. 365. — Mars. Abeille XXVI, 1888, p. 61.
- ab. *alpinus* Gebl. Bull. Mosc. VI, 1833, p. 307 (*Chrysomela*); 1848, I, p. 38. — Ws. Arch. Naturg. LIII, I, 1887, p. 173; LXIV, 1898, p. 202. Altai,
Kjachta
- ab. *apicalis* Ménétr. Mém. Ac. Petersb. VI, 1849, p. 270. — Lef. Ann. Soc. Ent. Fr. (5) IV, 1874, p. 343. — Mars. Abeille XXVI, 1888, p. 70 (*Colaspidema*). Persien,
Kleinasien,
Syrien,
Palaestina
- Bowringi* Baly. Ann. Mag. Nat. Hist. (3) XV, 1865, p. 35. N. China
- foveolatus* Gebl. Bull. Mosc. XXI, 1848, III, p. 36. — Ws. W.-Sibirien:
Kusnezsk
- Ins. Deutschl. VI, 3, 1884, p. 536 nota (*Sclero-
phaedon*). — Jacobs. Hor. Ross. XXXV, 1900, p. 86, nota 7.
- Hoeffti* Ménétr. Cat. rais. 1832, p. 235. — Fald. Fauna Transcauc. II, 1837, p. 365, t. 13, f. 4. — Lef. Ann. Soc. Ent. Fr. (5) IV, 1874, p. 344 (*Colaspidema*). Südrussland,
Armenien,
Kleinasien
- Ws. in Schneid. u. Leder, Beitr. Kaukas. Käferf. 1878, p. 334; Ins. Deutschl. VI, 2, 1882, p. 305, nota 2. — Mars. Abeille XXVI, 1888, p. 69 (*Colaspidema*).

nitidicollis Ws. Hor. Ross. XXIII, 1889, p. 601.

pulchellus Luc. Expl. Alg. Ent. II, 1849, p. 517, t. 46, f. 4. — Lef. Ann. Soc. Ent. Fr. (5) IV, 1874, p. 342 (*Colaspidema*). — Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 254. — Mars. Abeille XXVI, 1888, p. 67 (*Colaspidema*).

✓ **sophiae** Schall. Abh. Hall. Ges. I, 1783, p. 272. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1668. — Panz. Fauna Germ. XXV, 1795, p. 10; Ent. Germ. I, 1795, p. 166. — F. Syst. El. I, 1801, p. 445. — Ill. Mag. Ins. I, 1802, p. 416. — Ol. Ent. V, 1807, p. 537, t. 7, f. 97. — Gyll. Ins. Suec. III, 1813, p. 475 (*Chrysomela*). — Küst. Käf. Eur. IX, 1847, p. 99. — Redt. Fauna Austr. 1849, p. 556. — Lef. Ann. Soc. Ent. Fr. (5) IV, 1874, p. 345. — Redt. Fauna Austr. ed. 3, II, 1874, p. 484. — Seidl. Fauna Balt. 1875, p. 485. — Moraw. Hor. Ross. I, 1881, p. 164. — Ws. Ins. Deutschl. VI, 2, 1882, p. 305. — Mars. Abeille XXVI, 1888, p. 68. — Seidl. Fauna Balt. ed. 2, 1891, p. 696; Fauna Transsylv. 1891, p. 781. — Everts, Col. Neerl. II, 1903, p. 449. — Jacobs, Käf. Russl. 1909, t. 58, f. 31. — Reitt. Fauna Germ. IV, 1912, p. 125, t. 144, f. 7.

erythropus Gmelin in L. Syst. Nat. ed. 13, I, 4, 1790, p. 1690 (*Chrysomela*).

rufipes Herbst in Füessly, Arch. V, 1783, p. 59 (*Chrysomela*).

✓ **viennensis** Schrank, Enum. Ins. Austr. 1781, p. 74. — Ws. Deutsche Ent. Zeitschr. XXVI, 1882, p. 157; Ins. Deutschl. VI, 2, 1882, p. 517; 6, 1893, p. 1131; Arch. Naturg. LIII, 1, 1887, p. 174.

ab. **iconiensis** Pic. Echange XVII, 1901, p. 35. — Ws. Wien. Ent. Zeit XXXII, 1913, p. 220. Biologie: Mulder, Landbouw Cour. 1860, N. 37; 1861, N. 37. — Ritsema Tijdschr. Ent. XXIII, 1879—80, p. 139, 251, t. 9, f. 5—10. — Goury et Guyon, Feuille jeun. Natur. XXXVII, 1907, p. 96, 117.

✓ **tenuipes** Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 254. — Mars. Abeille XXVII, 1889, p. 148.

9

Amdo
Marocco,
Algier,
Sinai

Niederlande,
Deutsch-
land.
Oester-
reich,
Italien,
Osteuropa,
Klein-
asien

Marocco:
Casa-
blanca

Colaspidema Lap.

Laporte in Silberm. Rev. I, 1833, p. 19, 21 (*Colaspidea*). — Fairm. in Jacq. du Val, Gen. Col. d'Eur. IV, 1868, p. 235. — Lef. Ann. Soc. Ent. Fr. (5) III, 1873, Bull. p. 197; (5) IV, 1874, p. 335 (pars). — Chapuis, Gen. Col. X, 1874, p. 365. — Redt. Fauna Austr. ed. 3, II, 1874, p. 484. — Ws. Ins. Deutschl. VI, 2, 1882, p. 303, nota. — Mars. Abeille XXVI, 1888, p. 61. — Bedel, Faune Col. Bass. Seine V, 1892, p. 156. — Everts, Col. Neerl. II, 1903, p. 449. — Reitt. Fauna Germ. IV, 1912, p. 124.

Colaphus Chev. Dict. univ. Hist. nat. IV, 1844, p. 85.

Subgen. Colaspidema i. sp.

✓ **atrum** Ol. Encycl. méth. V, 1790, p. 719; Ent. VI, 1808, p. 889, t. 2, f. 22 (*Chrysomela*). — Latr. Hist. Nat. Crust. Ins. XI, 1804, p. 392. — Joly, Ann.

Westeuropa,
Marocco,
Algier

- Sc. Nat. III, 2, 1844, p. 10 (*Colaspis*). — Küst. Käf. Eur. XV, 1848, p. 94. — Lef. Ann. Soc. Ent. Fr. (5) IV, 1874, p. 337, 346, t. 6, f. 12, 15—17. — Ws. Ins. Deutschl. VI, 2, 1882, p. 304, nota. — Mars. Abeille XXVI, 1888, p. 66. — Bed. Faune Col. Bass. Seine V, 1892, p. 156; 1899, p. 273. — Everts, Col. Neerl. II, 1903, p. 449.
- ab. *barbarum* F. Ent. Syst. I, 1792, p. 326 (*Chrysomela*); Syst. El. I, 1801, p. 415 (*Colaspis*). — Lap. Hist. Nat. II, 1840, p. 514. — Luc. Expl. Alg. Ent. II, 1849, p. 516.
- ab. *maculicollis* Lef. Ann. Soc. Ent. Fr. (5) III, 1873, Bull. p. 198 (*immat.*).
- Biologie: Touchy, Bull. Soc. agric. Hérault I, 5, 1828, p. 5 (*Eumolp. obscurus*). — Dufour, Ann. Soc. Ent. Fr. VI, 1836, p. 372. — Daube, l. c. V, 1835, Bull. p. 45; VI, 1837, Bull. p. 49. — Joly, Ann. Sc. Nat. (3) II, 1844, p. 5, t. 3, 4; Hist. d'un petit Ins. 1844, i, t. 1, 2. — Lef. Ann. Soc. Ent. Fr. (5) IV, 1874, p. 331, t. 6, f. 1—9. — Rousanet, Bull. Ins. agric. VIII, 1883, Nr. 9. — Roule, Bull. Soc. Hist. nat. Toulouse XXXV, 1902, p. 121; Progr. agr. vitic. 1903, p. 1. —

Subgen. Colaphomega Reitt.

Reitt. Fauna Germ. IV, 1912, p. 124.

- | | |
|--|------------------------------|
| discoidale Fairm. Ann. Soc. Ent. Belg. XXXV, 1891, C. r. p. 304. — Ws. in Sjöst. Kilimandj.-Exp. I, Col. 1909, p. 190. | Somaliland,
Meru |
| Dufouri Perez Arc. Ins. nuev. Espan. 1865, p. 20 (<i>Colaphus</i>). — Lef. Ann. Soc. Ent. Fr. (5) IV, 1874, p. 337, 341. — Ws. Ins. Deutschl. VI, 2, 1882, p. 304, nota. — Mars. Abeille XXVI, 1888, p. 65. | Spanien |
| rufifrons Ol. Ent. V, 1807, p. 532, t. 6, f. 93 (<i>Chrysomela</i>). — Luc. Expl. Alg. Ent. II, 1849, p. 516. — Fairm. in Jacq. du Val, Gen. Col. d'Eur. IV, 1868, t. 68, f. 323. — Lef. Ann. Soc. Ent. Fr. (5) IV, 1874, p. 337, 340. — Ws. Ins. Deutschl. VI, 2, 1882, p. 304, nota. — Mars. Abeille XXVI, 1888, p. 64. | Algier |
| signatipenne Guér. Ic. règne anim. 1829—44, p. 296. — Luc. Explor. Algérie, Ent. II, 1849, p. 517, t. 46, f. 5. — Lef. Ann. Soc. Ent. Fr. (5) IV, 1874, p. 337, 338. — Ws. Ins. Deutschl. VI, 2, 1882, p. 304. — Mars. Abeille XXVI, 1888, p. 63. | Marocco,
Algier,
Tunis |
| ab. <i>plagiatum</i> Ws. Ins. Deutschl. VI, 2, 1882, p. 304, nota. | |

- ? **duodecimpunctatum** Motsch. Etud. Ent. IX, 1860, p. 41 (*Colaphus*). — Amur

Gastrophysa Chev 1837 Barb + Rind 707 B. all. Brockh

✓ **Gastroidea Hope.** G + H 1874 200000

Hope, Col. Man. III, 1840, p. 164 (*Gastroidea*). — Weise, Ins. Deutschl. VI, 2, 1882, p. 306. — Fowler, Col. Brit. Isl. IV, 1890, p. 313. — Bedel, Faune Col. Bass. Seine V, 1892, p. 155. — Everts, Col. Neerl. II, 1903, p. 449. — Reitt. Fauna Germ. IV, 1912, p. 124.

Gastrophysa Chev. Dict. univ. III, 1843, p. 656; VI, 1845, p. 34. — Redt. Gatt. deutsch. Käferf. 1845, p. 116. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 179. — Fairm. in Jacq. du Val, Gen. Col. d'Eur. IV, 1868, p. 234. — Chap. Gen. Col. X, 1874, p. 367, 369. — Mars. Abeille XXVI, 1888, p. 71.

- | | |
|---|------------------------------------|
| <i>aenea</i> Melsh. Proc. Ac. Philad. III, 1846, p. 175 (<i>Gastrophysa</i>). — Stal. Mon. III, 1865, p. 329. | Pennsylvanien |
| <i> analis</i> Reitt. Deutsche Ent. Zeitschr. 1890, p. 396. | Bosnien |
| ✓ <i>atrocyanea</i> Motsch. Schrenck's Reisen Amurl. II, 1860, p. 222, t. II, f. 3. — Baly, Trans. Ent. Soc. Lond. 1874, p. 175. — Mars. Abeille XVI, 1878, p. 142; XXVI, 1888, p. 73. | Ostsibirien, China, Japan |
| <i>cyanea</i> Melsh. Proc. Ac. Philad. III, 1846, p. 175 (<i>Gastrophysa</i>). — Rogers, l. c. VIII, 1854, p. 38. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 398. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 51. | Mittlere und südliche Ver. Staaten |
| <i>ab. caesia</i> Rog. Proc. Philad. VIII, 1854, p. 38. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 397. Biologie: Beutenmüller, Ent. Amer. VI, 1890, p. 176. — Girault, Psyche XV, 1908, p. 6. | Californien |
| <i>dissimilis</i> Say, Journ. Ac. Philad. III, 1824, p. 450. — Rogers, Proc. Ac. Philad. VIII, 1854, p. 38. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 395 (<i>Chrysomela</i>). — Stal. Mon. III, 1865, p. 286. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 51. Biologie: Baker, Ent. News VI, 1895, p. 28. Morphologie: Mc. Cracker, Journ. exper. Zool. Baltim. III, 1906, p. 321. | Missouri |
| <i>lenta</i> Ws. Arch. Naturg. LIII, 1887, p. 174. | Sibirien |
| <i>alpina</i> Suffr. Linn. Ent. V, 1851, p. 239. — Küst. Käf. Eur. XXV, 1852, p. 98. — Ws. Ins. Deutschl. VI, 2, 1882, p. 308. — Mars. Abeille XXVI, 1888, p. 77 (nec Gebl.). | |
| <i>Mannerheimi</i> Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 252. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 137 (<i>Phytodecta</i>). — Ws. l. c. 1894, p. 72. | Amur, China |
| <i>amoena</i> Ws. Hor. Ross. XXIII, 1889, p. 602. <i>Popovi</i> Mars. Abeille XXVI, 1888, p. 78. | |
| <i>suturalis</i> Motsch. Schrenck's Reisen Amurl. 1860, p. 222 (<i>Gastrophysa</i>). | |
| <i>suturella</i> Fairm. Rev. d'Ent. VI, 1887, p. 339; VII, 1888, p. 154. | |
| ✓ <i>polygoni</i> L. Syst. Nat. ed. 10, 1758, p. 370; Fauna Suec. ed. 2, 1761, p. 520. — Müll. Fauna Friedrichsd. 1764, p. 8. — Deg. Mém. V, 1775, p. 322. — F. Syst. Ent. 1775, p. 100. — Goeze, Beytr. 1777, p. 260. — Schrank, Enum. 1781, p. 77. Laich. Verz. Tyr. Ins. 1781, p. 154. — F. Spec. Ins. I, 1781, p. 123; Mant. Ins. I, 1787, p. 70. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1676. — F. Ent. Syst. I, 1792, p. 322; | Europa, Sibirien, Nordamerika |

Syst. El. I, 1801, p. 439 (*Chrysomela*). — Payk. Fauna Suec. II, 1799, p. 61. — Ol. Ent. V, 1807, p. 576, t. 3, f. 36 (*Phaedon*). — Gyll. Ins. Suec. III, 1813, p. 474. — Duft. Fauna Austr. III, 1825, p. 208 (*Chrysomela*). — Steph. Ill. Brit. IV, 1834, p. 326; Man. 1839, p. 312. — Küst. Käf. Eur. VII, 1846, p. 87. — Suffr. Linn. Ent. V, 1851, p. 237; Stett. Ent. Zeit. XIX, 1858, p. 398. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 51. — Redt. Fauna Austr. ed. 3, II, 1874, p. 481. — Ws. Ins. Deutschl. VI, 2, 1882, p. 308. — Mars. Abeille XXVI, 1888, p. 75. — Fowl. Col. Brit. Isl. IV, 1890, p. 313. — Seidl. Fauna Balt. ed. 2, 1891, p. 696; Fauna Transsylv. 1891, p. 781. — Bed. Faune Col. Bass. Seine V, 1892, p. 156; 1899, p. 273. — Hamilton, Trans. Amer. Ent. Soc. XXI, 1894, p. 397. — Everts, Col. Neerl. II, 1903, p. 450. — Jacobs. Käf. Russl. 1909, t. 58, f. 26. — Reitt. Fauna Germ. IV, 1912, p. 125, t. 144, f. 9.

coeruleipennis Say, Journ. Ac. Philad. V, 1825, p. 297.

ab. *ruficollis* F. Spec. Ins. I, 1781, p. 128; Ent. Syst. I, 1792, p. 323. — Suffr. Linn. Ent. V, 1851, p. 238.

Biologie: Chap. et Cand. Mém. Soc. Sc. Liège VIII, 1853, p. 612. — Heeger, Sitzber. Ak. Wiss. Wien XI, 1854, p. 927, t. 1. — Letzn. Ber. Arb. Schles. Ges. 1855, p. 104. — Bond, Proc. Ent. Soc. Lond. 1868, p. 41. — Kaltenb. Pflanzenfeinde II, 1872, p. 511. — Chap. Gen. Col. X, 1874, p. 370. — Webster, Insect Life II, 1890, p. 275. — Beutenmüller, Ent. Amer. VI, 1890, p. 176.

✓ *unicolor* Marsh. Ent. Brit. I, 1802, p. 185. — Gyll. in Schönh. Syn. Ins. I, 2, 1808, p. 258, nota b (*Chrysomela*). — ? Steph. Ill. Brit. Ent. IV, 1834, p. 336; Man. 1839, p. 312 (*Phratora*).

janthina Suffr. Linn. Ent. V, 1851, p. 240. — Perez Arcas, Ins. nuev. Espan. 1865, p. 21. — Mars. Abeille XXVI, 1888, p. 74.

Naceiroi Graells, Mem. Map. Geol. Espan. 1858, p. 100, t. 5, f. 12 (*Colaphus*).

✓ *viridula* Deg. Mém. V, 1775, p. 311. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1688. — Ol. Ent. V, 1807, p. 575, t. 9, f. 133. — C. G. Thoms. Skand. Col. VIII, 1866, p. 269. — Seidl. Fauna Balt. 1875, p. 486. — Ws. Ins. Deutschl. VI, 2, 1882, p. 307. — Fowl. Col. Brit. Isl. IV, 1890, p. 313. — Seidl. Fauna Balt. ed. 2, 1891, p. 696; Fauna Transsylv. 1891, p. 781. — Bed. Faune Col. Bass. Seine V, 1892, p. 156. — Everts, Col. Neerl. II, 1903, p. 450. — Reitt. Fauna Germ. IV, 1912, p. 125, t. 144, f. 8.

formosa Say, Journ. Ac. Philad. III, 1824, p. 451. — Rogers, Proc. Ac. Philad. VIII, 1854, p. 39. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 399.

England,
Spanien,
Portugal

Nord- u.
Mittel-
europa,
Kaukasus,
Sibirien,
N. Ame-
rika

raphani Herbst in Füessly, Arch. V, 1783, p. 59, t. 23, f. 21. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1690. — F. Ent. Syst. I, 2, 1792, p. 19; Syst. El. I, 1801, p. 430. — Payk. Fauna Suec. II, 1799, p. 62. — Gyll. Ins. Suec. III, 1820, p. 472. — Duft. Fauna Austr. III, 1825, p. 208 (*Chrysomela*). — Steph. Ill. Brit. Ent. IV, 1834, p. 336; Man. 1839, p. 312. — Suffr. Linn. Ent. V, 1851, p. 239. — Küst. Käi. Eur. VII, 1846, p. 88. — Redt. Fauna Austr. ed. 3, II, 1874, p. 481. — Mars. Abeille XXVI, 1888, p. 76.

rumicis Schrank in Füessly, N. Mag. II, 4, 1785, p. 318.

ab. *cyaneus* Ws. Arch. Naturg. LXIV, 1898, S. O. Europa
p. 189.

var. *pennina* Ws. Ins. Deutschl. VI, 2, 1882, Mittelalpen
p. 307.

alpina Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 392.

Biologie: Heeger, Sitzber. Ak. Wiss. Wien XI, 1854, p. 927, t. 1. — Letzn. Ber. Arb. Schles. Ges. 1855, p. 106; 1859, p. 96. — Kawall, Stett. Ent. Zeit. XXII, 1861, p. 123. — Kaltenb. Pflanzenfeinde II, 1872, p. 513. — Osborne, Ent. Monthly Mag. XV, 1878, p. 106; XVI, 1879, p. 49; XVII, 1880, p. 49, 150; XVIII, 1881, p. 128; Ent. Nachr. VII, 1881, p. 31. — Girard, Ann. Soc. Ent. Fr. (6) I, 1881, Bull. p. 64. — Osborne, Ent. Nachr. VIII, 1882, p. 23. — Vion, Bull. Soc. Linn. N. Fr. VII, 1884, p. 26. — Luc. Ann. Soc. Ent. Fr. (6) VII, 1887, Bull. p. 148. — Beutenmüller, Ent. Amer. VI, 1890, p. 176. — Goury et Guyon, Feuille jeun. Natural. XXXVII, 1907, p. 181. — Kleine, Intern. Ent. Zeitschr. Guben V, 1911, p. 63, 70.

Morphologie: Kempers, Tijdschr. v. Ent. XLV, 1902, p. 59. — Hirschler, Anz. Ak. Wiss. Krakau 1909, p. 284. — Sharp & Muir, Trans. Ent. Soc. Lond. 1912, p. 564.

Parthenogenesis: Osborne, Nature XX, 1879, p. 430; XXII, 1880, p. 509; Ent. Monthly Mag. XVII, 1880, p. 127. — Mac Lachlan, Proc. Ent. Soc. Lond. 1881, p. XXVII.

amphibia Motsch. Schrenck's Reisen Amurl. II, 1860, p. 222. — ? Mars. Abeille XXVI, 1888, p. 76.

ruficeps Gebl. Bull. Ac. Petersb. III, 1845, p. 106; Bull. Mosc. XXIII, 3, 1860, p. 35.

virescens Gebl. Bull. Ac. Petersb. I, 1843, p. 39; Bull. Mosc. XXII, 4, 1859, p. 351.

Kirgisen-
steppe
Dsungarei

Tarbagatai

Phaedon Latr.

Latr. in Cuvier, Règne anim. ed. 2, V, 1829, p. 151. — Redt. Gatt. deutsch. Käferfauna 1845, p. 116. — Fairm. in Jacq. du Val, Gen. Col. d'Eur. IV, 1868, p. 233. — Chapuis, Gen. Col. X, 1874, p. 367, 371. — Weise, Ins. Deutschl. VI, 3, 1884, p. 538. — Letzn. Ber. Schles. Ges. 1883 (1884),

p. 311. — Marseul, Abeille XXVI, 1888, p. 83. — Fowler, Col. Brit. Isl. IV, 1890, p. 314. — Bedel, Fauna Col. Bass. Seine V, 1892, p. 152. — Jacobson, Hor. Ross. XXXV, 1900, p. 89. — Everts, Col. Neerl. II, 1903, p. 443. — Reitter, Süßwasserf. Deutschl. 1909, p. 219; Fauna Germ. IV, 1912, p. 128.

Subgen. *Phaedon* i. sp.

Emmetrus Motsch. Schrenck's Reisen Amurl. II, 1860, p. 221.

Orthosticha Motsch. l. c. p. 196.

✓ *affinis* Guér. Ic. règne anim. 1829—44, p. 302. — Stal, Mon. III, 1865, p. 317.

Uruguay,
Argen-
tinien,
Bolivia

✓ *armoraciae* L. Syst. Nat. ed. 10, 1758, p. 369. — C. G. Thoms. Skand. Col. VIII, 1866, p. 272. — Ws. Ins. Deutschl. VI, 3, 1884, p. 547. — Mars. Abeille XXVII, 1889, p. 97. — Jacobs. Deutsche Ent. Zeitschr. 1894, p. 105. — Hamilton. Trans. Amer. Ent. Soc. XXI, 1894, p. 397. — Ws. Arch. Naturg. LXIV, 1898, p. 203. — Everts, Col. Neerl. II, 1903, p. 444. — Reitt. Süßwasserf. Deutschl. 1909, p. 220; Fauna Germ. IV, 1912, p. 134. — Sharp. Ent. Monthly Mag. XLVI, 1910, p. 5.

Europa,
Sibirien,
Japan,
N. Amerika

✓ *betulae* Küst. Käf. Eur. VII, 1846, p. 91 (*Phaedon*). — Suffr. Linn. Ent. V, 1851, p. 250. — Seidl. Fauna Balt. 1875, p. 486; ed. 2, 1891, p. 700; Fauna Transsylv. 1891, p. 786. — Fowl. Col. Brit. Isl. IV, 1890, p. 315.

cochleariae Panz. Fauna Germ. 44, 1797, p. 15. — Payk. Fauna Suec. II, 1799, p. 75. — Gyll. Ins. Suec. III, 1813, p. 479. — Sahlb. Ins. Fenn. II, 1834, p. 202. — Crotch. Proc. Ac. Philad. XXV, 1873, p. 53. — Redt. Fauna Austr. ed. 3, II, 1874, p. 483.

? *gomphoceros* Steph. Ill. Brit. Ent. IV, 1834, p. 333; Man. 1839, p. 312.

parvulus Duft. Fauna Austr. III, 1825, p. 213. — Suffr. Linn. Ent. V, 1851, p. 251.

veronicae Bed. Faune Col. Bass. Seine V, 1892, p. 153; 1899, p. 269.

var. *salicinus* Heer. Neujaarsbl. Nat. Ges. Zürich 1845, p. 17, f. 12 (*Chrysomela*). — Suffr. Linn. Ent. V, 1851, p. 254. — Mars. Abeille XXVII, 1889, p. 98.

Alpen,
Pyrenäen

✓ var. *concinus* Steph. Ill. Brit. Ent. IV, 1834, p. 334; Man. 1839, p. 312. — Suffr. Linn. Ent. V, 1851, p. 256. — C. G. Thoms. Skand. Col. VIII, 1866, p. 274. — Fairm. in Jacq. du Val, Gen. Col. d'Eur. IV, 1868, t. 67, f. 321. — Redt. Fauna Austr. ed. 3, II, 1874, p. 483. — Seidl. Fauna Balt. 1875, p. 486. — Ws. Ins. Deutschl. VI, 3, 1884, p. 574. — Mars. Abeille XXVII, 1889, p. 99. — Fowl. Col. Brit. Isl. IV, 1890, p. 316. — Bed. Faune Col. Bass. Seine V, 1892, p. 153; 1899, p. 269. — Everts, Col. Neerl. II, 1903, p. 445. — Sharp, Ent. Monthly Mag. XLVI, 1910, p. 5.

Nord- u.
Ostsee-
Küste,
Sibirien

- ab. *inauratus* Mäklin, K. Sv. Vet. Ak. Handl. (2) XVIII, 1881, 4, p. 15. Sibirien
- Biologie: Cornelius, Stett. Ent. Zeit. XXIV, 1863, p. 122. — Fryer, Entomol. XIV, 1881, p. 44. — Hart, l. c. p. 187. — Fitch, l. c. p. 187. — Billups, l. c. p. 236. — Lewcock u. Wood, Entomol. XV, 1882, p. 22, 46. — Weise, Ins. Deutschl. VI. 3, 1884, p. 539. — Ormerod, IX. Rep. observ. injur. Ins. 1886, p. 55. — Marseul, Abeille XXVI. 1888, p. 84. — Goury u. Guyon, Feuille jeun. Natur. XXXVI, 1906, p. 67; XXXVII, 1907, p. 44, 45, 98. — Sharp, Ent. Monthly Mag. XLVI. 1910, p. 5.
- assamensis* Jac. Mém. Soc. Ent. Belg. VII. 1900, p. 120. Assam
- auritus* Germ. Ins. spec. nov. 1824, p. 589. Brasilien
- ✓ *bonariensis* Boh. Eugen. Resa. Ins. 1858, p. 175. — ? Motsch. Schrenck's Reisen Amurl. II, 1860, p. 196 (*Orthosticha*). — Stal. Mon. III. 1865, p. 320. — Berg, Stett. Ent. Zeit. XLII. 1881, p. 64; Exped. Rio Negro (Patagonien) Zool. 1881, p. 108. Argentinien
- ✓ *brassicae* Baly, Trans. Ent. Soc. Lond. 1874, p. 174. Japan
- ✓ *cochleariae* F. Ent. Syst. I. 1, 1792, p. 330; Syst. El. I, 1801, p. 445. — Ol. Ent. V. 1807, p. 579, t. 9, f. 137. — Duft. Fauna Austr. III, 1825, p. 213. Europa, Klein-
- Suffr. Linn. Ent. V, 1851, p. 252. — C. G. Thoms. Skand. Col. VIII, 1866, p. 272. — Ws. Ins. Deutschl. VI, 3, 1884, p. 545. — Letzn. Ber. Schles. Ges. 1883 (1884), p. 12. — Mars. Abeille XXVII, 1889, p. 100. — Seidl. Fauna Balt. ed. 2, 1891, p. 700; Fauna Transsylv. 1891, p. 786. — Fowl. Col. Brit. Isl. IV. 1890, p. 315, 316. — Bed. Faune Col. Bass. Seine V, 1892, p. 153; 1899, p. 270. — Everts, Col. Neerl. II, 1903, p. 444. — Reitt. Süßwasserf. Deutschl. 1909, p. 220. — Sharp, Ent. Monthly Mag. XLVI. 1910, p. 6. — Reitt. Fauna Germ. IV, 1912, p. 134. — C. Schauf. in Calwer. Käferbuch, ed. 6. 1907—16 (1913), p. 958, t. 35, f. 29. asien
- egenus* Gyll. Ins. Suec. IV, 1827, p. 649. — Ws. Ent. Monatsbl. II, 1880, p. 102.
- eruca* Panz. Fauna Germ. 21, 1794, p. 2 (*Altica*).
- galeopsis* Letzn. Ber. Schles. Ges. 1848, p. 10; 1883 (1884), p. 12.
- gramicus* Redt. Fauna Austr. ed. 3. II, 1874, p. 483.
- omissus* Sahlb. Ins. Fenn. II, 1834, p. 203. — Kraatz, Berl. Ent. Zeitschr. XVI, 1872, p. 272. — Seidl. Fauna Balt. 1875, p. 486.
- ab. *hederae* Suffr. Linn. Ent. V, 1851, p. 254. — Letzn. Ber. Schles. Ges. 1883 (1884), p. 12.
- ab. *neglectus* Sahlb. Ins. Fenn. II, 1834, p. 204. — Kraatz, Berl. Ent. Zeitschr. XX, 1876, p. 187. — Mars. Abeille XVI, 1878, p. 155. — Letzn. Ber. Schles. Ges. 1883 (1884), p. 12.
- auratus* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 231. — Jacobs. Finska Vet. Soc. Förh. XLIII, 1901, p. 130, nota.

ab. *smaragdinus* Letzn. Ber. Schles. Ges. 1883 (1884), p. 12.

var. *obesus* Ws. Ins. Deutschl. VI, 3, 1884, p. 546.

grammicus Suffr. Linn. Ent. V, 1851, p. 254. — Letzn. Ber. Schles. Ges. 1883 (1884), p. 13.

Biologie: Letzner, Ber. Arb. Schles. Ges. 1853, p. 209, t. 2, f. 28—30. — Nowicki, Verh. zool.-bot. Ges. Wien XXIV, 1874, p. 364. — Leprieur, Ann. Soc. Ent. Fr. (5) IX, 1879, Bull. p. 81. — Ws. Ins. Deutschl. VI, 3, 1884, p. 539. — Fitch, Entomolog. XVII, 1884, p. 212. — Lampa, Ent. Tidskr. XII, 1891, p. 144; XIII, 1892, p. 21. — Korff, Prakt. Bl. Pflanzenbau VI, 1908, p. 92, 129.

Morphologie: Bellevoye, C. r. Ass. franç. Sc. XXXVI, 1907 (1908), p. 641, 646. — Portschinsky, Naturfreund (Petersburg) V, 1910, p. 176.

Alpen, Karpathen, Deutsche Mittelgebirge

✓ *confinis* Klug, Preisverz. 1829, p. 10 (*Chrysomela*). — Stal, Mon. III, 1865, p. 317.

✓ *consimilis* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 469; Mon. III, 1865, p. 318.

cyanesens Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 470; Mon. III, 1865, p. 320. — Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 188, t. 9, f. 21.

✓ *cyanopterus* Guér. Je. règne anim. Ins. 1829—44, p. 302, t. 49, f. 11. — Stal, Mon. III, 1865, p. 316. — Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 189, t. 10, f. 4.

fuscus Jac. l. c. Suppl. 1891, p. 241.

✓ *fuscipes* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 469; Mon. III, 1865, p. 319.

✓ *gramicus* Duft. Fauna Austr. III, 1825, p. 215. — Ws. Ins. Deutschl. VI, 3, 1884, p. 544. — Mars. Abeille XXVII, 1889, p. 104.

✓ *incertus* Baly, Trans. Ent. Soc. Lond. 1874, p. 175.

laevigatus Duft. Fauna Austr. III, 1825, p. 214. — Ws. Ins. Deutschl. VI, 3, 1884, p. 543. — Seidl. Fauna Balt. ed. 2, 1891, p. 700; Fauna Transsylv. 1891, p. 786. — Bed. Faune Col. Bass. Seine V, 1892, p. 152. — Everts, Col. Neerl. II, 1903, p. 444. — Reitt. Süßwasserf. Deutschl. 1909, p. 220; Fauna Germ. IV, 1912, p. 133.

galeopsis Seidl. Fauna Balt. 1875, p. 486.

gramicus Redt. Fauna Austr. 1849, p. 555.

sabulicola Suffr. Linn. Ent. V, 1851, p. 248. — Redt. Fauna Austr. ed. 3, II, 1874, p. 483. — Mars. Abeille XXVII, 1889, p. 103.

ab. *violaceus* Ws. Ins. Deutschl. VI, 3, 1884, p. 543.

var. *caucasicus* Ws. l. c. p. 543.

menthae Woll. Cat. Col. Canar. 1864, p. 404. — Mars. Abeille XXVII, 1889, p. 96.

mexicanus Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 189, t. 9, f. 20.

multipunctatus Jac. l. c. Suppl. 1891, p. 242.

Sao Paulo

Rio

Janeiro

Mittelamerika

Chile,

Mexiko

„
Columbien,
Venezuela
Oesterreich,
Sarepta

Japan

Alpen,

Pyrenäen,

Deutsche

Mittel-

gebirge,

Kar-

pathen,

N. Russ-

land

Kaukasus

Canarische

Inseln

Mexiko:

Vera Cruz

Mexiko:

Guerrero

- nigripes* Jac. Trans. Ent. Soc. Lond. 1897, p. 258. Insel
Grenada
Californien
- oviformis* J. Lec. Proc. Ac. Philad. 1861, p. 357. —
Crotch. l. c. XXV, 1873, p. 53 (*Plagiodes*).
pertinax Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 469; Brasilien
Mon. III, 1865, p. 318.
- prasinellus* J. Lec. Proc. Ac. Philad. 1861, p. 358. —
Crotch. l. c. XXV, 1873, p. 52, 53 (*Plagiodes*).
rubripes Philippi. Stett. Ent. Zeit. XXV, 1864, p. 390. Valdivia
seminarginatus Latr. Voy. Humb. Ins. I. 1811, p. 233, Peru,
t. 23, f. 11. — Germ. Mag. Ent. I, 2, 1815, Brasilien
p. 129 (*Chrysomela*). — Stal. Mon. III, 1865,
p. 333.
- seticornis* Jac. Biol. Centr.-Amer. VI, 1, Suppl. 1891, Mexiko:
p. 241. Durango
splendicans Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 470; Cuba
Mon. III, 1865, p. 320.
- splendidus* Suffr. Arch. Naturg. XXXIII, 1867,
3, p. 300.
- stilpnus* Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 470; Peru
Mon. III, 1865, p. 319.
- vafer* Stal. Mon. III, 1865, p. 316.
- varicolor* Jac. Biol. Centr.-Amer. VI, 1, Suppl. 1891, Adelaide
p. 241. Mexiko
- viridis* Melsh. Proc. Ac. Philad. III, 1846, p. 175 (*Gastro-
physa*). — Rogers, l. c. VIII, 1854, p. 38. — Vereinigte
Suffr. Stett. Ent. Zeit. XIX, 1858, p. 396 Staaten
(*Chrysomela*). — Crotch. Proc. Ac. Philad.
XXV, 1873, p. 53 (*Plagiodes*).
var. *aeruginosus* Suffr. Stett. Ent. Zeit. XIX,
1858, p. 395.
Biologie: Chittenden, U. S. Dept. Agric. Ent.
Bull. LXVI, 1, 1907, p. 1, 2, p. 16 (*aeruginosus*):
l. c. LXVI, 7, 1909, p. 94.
- orphanus* Er. Arch. Naturg. VIII, 1842, 1, p. 232. Adelaide

(*Hemiphaedon* Jacobs.)

Jacobson, Finska Vet.-Soc. Förh. XLIII, 1901, p. 131.

- subtilis* Ws. Arch. Naturg. LXVI, 1900, p. 285. — Transcas-
pian
Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901,
p. 131.

(*Paraphaedon* Sharp.)

Sharp, Ent. Monthly Mag. XLVI, 1910, p. 4.

- tumidulus* Germ. Ins. spec. nov. 1824, p. 588. — Steph. Westeuropa,
Ill. Brit. Ent. IV, 1834, p. 334; Man. 1839, Algier
p. 313. — Suffr. Linn. Ent. I, 1851, p. 249. —
Ws. Ins. Deutschl. VI, 3, 1884, p. 545, nota. —
Mars. Abeille XXVI, 1888, p. 92. — Fowl. Col.
Brit. Isl. IV, 1890, p. 315. — Bed. Faune Col.
Bass. Seine V, 1892, p. 152; 1899, p. 268. —
Everts. Col. Neerl. II, 1903, p. 444.
ignitus Reiche, Ann. Soc. Ent. Fr. (4) IV, 1864,
p. 246.

Biologie: Hart, Entomol. XV, 1882, p. 213. — Peyerimhoff, Ann. Soc. Ent. Fr. LXXX, 1911, p. 289.

(Neophaedon Jacobs.)

Jacobson, Hor. Ross. XXXV, 1901, p. 90, nota.

- pyritosus** Rossi, Mant. I. 1792, p. 31. — Ol. Ent. V, 1807, p. 580, t. 9, f. 138. — Suffr. Linn. Ent. V, 1851, p. 246 (*Chrysomela*). — Kraatz, Berl. Ent. Zeitschr. XIX, 1875, p. 366; XX, 1876, p. 185. — Ws. Ins. Deutschl. VI, 3, 1884, p. 541. — Letzn. Ber. Schles. Ges. 1883 (1884), p. 12. — Mars. Abeille XXVI, 1888, p. 94. — Seidl. Fauna Balt. ed. 2, 1891, p. 699; Fauna Transsylv. 1891, p. 786. — Bed. Faune Col. Bass. Seine V, 1892, p. 152; 1899, p. 268. — Ws. Arch. Naturg. LXIV, 1898, p. 203. — Everts, Col. Neerl. II, 1903, p. 443. — Reitt. Süßwasserf. Deutschl. 1909, p. 220. — Jacobs. Käf. Russl. 1909, t. 57, f. 33. — Reitt. Fauna Germ. IV, 1912, p. 133.
- graminicola** Drap. Ann. gén. Sc. phys. Brux. I, 1819, p. 53, t. 4, f. 6. — Duft. Fauna Austr. III, 1825, p. 214. — Ws. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 156.
- graminis** Panz. Fauna Germ. 61, 1799, p. 4 (*Altica*). — Ill. Mag. Ins. VI, 1807, p. 164. — Ws. Arch. Naturg. LXVI, 1900, p. 286.
- hederac** Mars. Abeille XXVI, 1888, p. 93 (nec Suffr.). — Ws. Arch. Naturg. LXIV, 1898, p. 203.
- orbicularis** Redt. Fauna Austr. ed. 3, II, 1874, p. 482.
- ab. **alutaceus** Fleischer, Wien. Ent. Zeit. XXVIII, 1909, p. 271.
- ab. **coerulescens** Ws. Arch. Naturg. LXVI, 1900, p. 286.
- Biologie: Rosenh. Stett. Ent. Zeit. XLIII, 1882, p. 161.
- 35
- Mittel- u. Südeuropa, Nordafrika, Kleinasien, Mesopotamien, Turkestan, Buchara
- Turkestan
- Spanien

Sternoplatys Motsch.

- Motsch. Schrenck's Reisen Amurl. II, 1860, p. 220. — Jacobson, Hor. Ross. XXXV, 1900, p. 90.
- baicalicus** Ws. Arch. Naturg. LXVI, 1900, p. 285.
- Clementzi** Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 131, nota.
- Deubeli** Ws. Arch. Naturg. LXVI, 1900, p. 285. — Jacobs. Hor. Ross. XXXV, 1900, p. 90, nota.
- Fausti** Ws. Ins. Deutschl. VI, 3, 1884, p. 540, nota; Arch. Naturg. LIII, 1887, p. 189. — Mars. Abeille XXVI, 1888, p. 96 (*Phaedon*).
- ab. **completus** Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 131.
- Transbaikalien
N. Mongolei
- Transsylvanien
Ochotsk

- fulvipes* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 220. — Ws. Arch. Naturg. LIII, 1887, p. 188. — Jacobs. Käf. Russl. 1909, t. 57, f. 38.
 ab. *piceipes* Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 133, nota.
- hemisphaericus* Ws. Arch. Naturg. LIII, 1887, p. 187.
- longulus* Ws. Hor. Ross. XXIV, 1890, p. 480, nota.
- Motshulskyi Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 133, nota.
- seguis* Ws. Ins. Deutschl. VI, 3, 1884, p. 540. — Seidl. Fauna Transsylv. 1891, p. 786. — Jacobs. Hor. Ross. XXXV, 1901, p. 90, nota. — Reitt. Süßwasserf. Deutschl. 1909, p. 219; Fauna Germ. IV, 1912, p. 133.
- ab. *hederae* Kraatz, Deutsche Ent. Zeitschr. XX, 1876, p. 185 (*Phaedon*).
- pyritosus* Duft. Fauna Austr. III, 1825, p. 211 (*Chrysomela*).
- Szmolayii* Mars. Abeille XXVII, 1889, p. 103. — Ws. Arch. Naturg. LXIV, 1898, p. 203 (*Phaedon*).
- atricus* Mars. Abeille XXVII, 1889, p. 102 (*Phaedon tatrensis*). — Ws. Arch. Naturg. LXIV, 1898, p. 203.
- ab. *obscurus* Ws. Ins. Deutschl. VI, 3, 1884, p. 540.
- Tolli Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 132, nota.
- Weisei Csiki in Horváth, Zichy's Reise II, 1901, p. 118.
- Amur
 Wladiwostok
 W. Turkestan: Alai
 Transbaikalien
 Alpen, Karpathen, Transsylvanien
 Oestl. arctisches Sibirien
 Mongolei

Sclerophaedon Ws.

Weise. Ins. Deutschl. VI, 2, 1882, p. 303; VI, 3, 1884, p. 534. — Everts, Col. Neerl. II, 1903, p. 443. — Reitt. Süßwasserf. Deutschl. 1909, p. 219; Fauna Germ. IV, 1912, p. 128.

Phaedon Motsch. Schrenck's Reisen Amurl. II, 1860, p. 221.

- carniolicus* Germ. Ins. spec. nov. 1824, p. 588. — Duft. Fauna Austr. III, 1825, p. 211 (*Chrysomela*). — Küst. Käf. Eur. IX, 1847, p. 96 (*Phaedon*). — Suffr. Linn. Ent. V, 1851, p. 245 (*Chrysomela*). — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 221. — Redt. Fauna Austr. ed. 3, II, 1874, p. 482. — Ws. Deutsche Ent. Zeitschr. XIX, 1875, p. 365; Ins. Deutschl. VI, 3, 1884, p. 536. — Mars. Abeille XXVI, 1888, p. 88 (pars). — Ws. Deutsche Ent. Zeitschr. 1891, p. 159; Ins. Deutschl. VI, 6, 1893, p. 1132. — Everts, Col. Neerl. II, 1903, p. 443. — Reitt. Süßwasserf. Deutschl. 1909, p. 219; Fauna Germ. IV, 1912, p. 132.
- ab. *obscurus* Ws. Ins. Deutschl. VI, 3, 1884, p. 536.
- ab. *transsylvanicus* Fuss, Verh. Siebenb. Ver. XII, 1861, p. 169.
- Mittel- und Ostalpen, Sudeten, Karpathen, Transsylvanien
 Transsylvanien

- ab. *violaceus* Fleisch. Wien. Ent. Zeit. XXXI. 1912, p. 103.
- Biologie: Märkel, Allgem. Naturh. Zeitschr. Isis 1857, p. 171. — Ws. Ins. Deutschl. VI. 3, 1884, p. 535.
- carpathicus* Ws. Deutsche Ent. Zeitschr. XIX, 1875, p. 366; Ins. Deutschl. VI. 3, 1884, p. 537; Deutsche Ent. Zeitschr. 1891, p. 159; Ins. Deutschl. VI. 6, 1893, p. 1131; Deutsche Ent. Zeitschr. 1904, p. 47. Karpathen
- Kenderesyi* Kiesw. Deutsche Ent. Zeitschr. XXIII, 1879, p. 256. — Mars. Abeille XXVI, 1888, p. 89. — Ws. Arch. Naturg. LXIV, 1898, p. 202.
- orbicularis* Suffr. Linn. Ent. V, 1851, p. 243. — Mars. Abeille XXVI, 1888, p. 90. — Ws. Deutsche Ent. Zeitschr. 1891, p. 159; Ins. Deutschl. VI. 6, 1893, p. 1131; Arch. Naturg. LXIV, 1898, p. 203; Deutsche Ent. Zeitschr. 1904, p. 47. — Reitt. Süßwasserf. Deutschl. 1909, p. 219. — Jacobs. Käf. Russl. 1909, t. 57, f. 27. — Reitt. Fauna Germ. IV, 1912, p. 132. Harz, Thüringen, Mittel- u. Ostalpen
- Biologie: Weise. Deutsche Ent. Zeitschr. 1904, p. 47.
- 3

Cyrtonus Latr.

- Latr. in Cuvier, Règne anim. ed. 2, V, 1829, p. 143. — Chevr. Dict. univ. IV, 1844, p. 561. — Fairm. Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 535. — Motschulsky, Reisen Amurl. II, 1860, p. 189. — Fairm. in Jacq. du Val, Gen. Col. d'Eur. IV, 1868, p. 227. — Chapuis, Gen. Col. X, 1874, p. 417. — Weise, Ins. Deutschl. VI. 2, 1882, p. 342, nota. — Fairm. Ann. Soc. Esp. Hist. nat. XII, 1883, p. 251. — Mars. Abeille XXI, 1883, p. 3. — Bedel, Faune Col. Bass. Seine V, 1892, p. 140.
- angusticollis* Fairm. Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 543; Ann. Soc. Esp. XII, 1883, p. 267. — Mars. Abeille XXI, 1883, p. 26. Andalusien
- Arcasi* Fairm. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 361. Granada
- brevis* Fairm. Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 547; Ann. Soc. Esp. XII, 1883, p. 261. — Mars. Abeille XXI, 1883, p. 23. Catalonien; Montserrat
- canalisternus* Mars. l. c. p. 20. — Fairm. Ann. Soc. Esp. XII, 1883, p. 269. Portugal; Braganza
- contractus* Fairm. Natural. II, 1882, p. 19; Ann. Soc. Esp. XII, 1883, p. 255. Andalusien
- coruscans* Vuillefr. Abeille V, 1868, p. 295. — Fairm. Ann. Soc. Esp. XII, 1883, p. 257. — Mars. Abeille XXI, 1883, p. 10. Portalegre, Asturien
- cupreovirens* Perez Arcas, Ann. Soc. Esp. I. 2, 1872, p. 134, t. 3, f. 3. — Fairm. l. c. XII, 1883, p. 263. — Mars. Abeille XXI, 1883, p. 17. Catalonien; Moncado
- curtulus* Fairm. Ann. Soc. Esp. XII, 1883, p. 262. Eborá
- curtus* Fairm. Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 547; Ann. Soc. Esp. XII, 1883, p. 260. — Mars. Abeille XXI, 1883, p. 16. Serra de Geres, Asturien
- cylindricus* Mars. l. c. p. 25. — Fairm. Ann. Soc. Esp. XII, 1883, p. 271. Granada

- denticulatus** Chevr. Abeille I. 1872, Nouv. et Faits p. 132. — Mars. l. c. XXI, 1883, p. 12. — Fairm. Ann. Soc. Esp. XII, 1883, p. 253. Castilien
- dorsolineatus** Fairm. l. c. p. 256. Andalusien
- Dufouri** Dufour, Ann. Soc. Ent. Fr. (2) V, 1847, Bull. p. 103. — Fairm. l. c. (2) VIII, 1850, p. 546; Ann. Soc. Esp. XII, 1883, p. 266. — Mars. Abeille XXI, 1883, p. 26. — Jacobs. Käf. Russl. 1909, t. 57, f. 11. Südfrankreich, Pyrenäen, Portugal
- coarctatus* Muls. Mém. Ac. Lyon II, 1847, p. 413.
- Ehlersi** Fairm. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 361. Murcia
- elegans** Germ. Mag. Ent. I, 1813, p. 127 (*Eumolpus*). — Fairm. Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 541. — Fairm. in Jacq. du Val, Gen. Col. d'Eur. IV, 1868, t. 66, f. 315. — Fairm. Ann. Soc. Esp. XII, 1883, p. 258. — Mars. Abeille XXI, 1883, p. 10. Portugal
- eumolpus** Fairm. Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 545; Ann. Soc. Esp. XII, 1883, p. 266. — Mars. Abeille XXI, 1883, p. 14. Andalusien: Ronda
- Fairmairei** Rosenh. Thiere Andalus. 1856, p. 315. — Fairm. Ann. Soc. Esp. XII, 1883, p. 253. Andalusien: Yunquera
- gibbicollis** Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 73; Ann. Soc. Esp. XII, 1883, p. 264. — Mars. Abeille XXI, 1883, p. 24. Tanger
- gratiosus** Rosenh. Thiere Andalus. 1856, p. 314. — Mars. Abeille XXI, 1883, p. 13. — Fairm. Ann. Soc. Esp. XII, 1883, p. 253. Andalusien: Yunquera
- Heydeni** Fairm. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 361. Asturien
- major** Fairm. Ann. Soc. Esp. XII, 1883, p. 252. Alicante
- majoricensis** Breit, Verh. zool.-bot. Ges. Wien LVIII, 1908, p. 64. Mallorca
- Martorelli** Fairm. Ann. Soc. Ent. Fr. (5) X, 1880, Bull. p. 27; Ann. Soc. Esp. XII, 1883, p. 265. Estremadura
- minor** Fairm. l. c. p. 267. Andalusien: Ronda
- montanus** Fairm. Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 542. — Graells, Mem. Ac. Madrid I, 2, 1851, p. 150, t. 8, f. 11. — Mars. Abeille XXI, 1883, p. 15. — Fairm. Ann. Soc. Esp. XII, 1883, p. 259. Central-Spanien
- Biologie: Ws. Deutsche Ent. Zeitschr. 1906, p. 405.
- Morphologie: Ws. l. c. XXXI, 1886, t. I, f. 50.
- oomorphus** Fairm. Natural. II, 1882, p. 19; Ann. Soc. Esp. XII, 1883, p. 268. Pajares
- Pazi** Fairm. l. c. p. 254 ♀. Alicante
- plumbeus** Fairm. Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 540. — Mars. Abeille XXI, 1883, p. 11. — Fairm. Ann. Soc. Esp. XII, 1883, p. 253. Cartagena, Lorca
- puncticeps** Fairm. Natural. II, 1882, p. 19; Ann. Soc. Esp. XII, 1883, p. 261. Albarracin
- punctipennis** Fairm. Ann. Soc. Ent. Fr. (3) V, 1857, p. 744. — Mars. Abeille XXI, 1883, p. 21. — Fairm. Ann. Soc. Esp. XII, 1883, p. 257. Ostpyrenäen
- punctulatus** Fairm. l. c. p. 268. Guarda

- ✓ **rotundatus** Herr.-Schäff. Fauna Germ. 157, 1833, 4c. — Muls. Mém. Ac. Lyon II, 1847, p. 411, f. 1—3. — Fairm. Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 539. — Mars. Abeille XXI, 1883, p. 20. — Fairm. Ann. Soc. Esp. XII, 1883, p. 256. Biologie: Muls. et Wachanru, Mém. Ac. Lyon II, 1847, p. 401. — Fairm. Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 537. — Chap. Gen. Col. X, 1874, p. 418. — Mars. Abeille XXI, 1883, p. 5.
- ruficornis** Fairm. Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 544. — Graells, Mem. Ac. Madrid I, 2, 1851, p. 151, t. 8, f. 12. — Mars. Abeille XXI, 1883, p. 19. — Fairm. Ann. Soc. Esp. XII, 1883, p. 266.
- scutellatus** Fairm. l. c. p. 264.
- strictus** Fairm. l. c. p. 262.
- sycophanta** Fairm. l. c. p. 263.
- thoracicus** Fairm. Ann. Soc. Ent. Fr. (2) VIII, 1850, p. 544. — Mars. Abeille XXI, 1883, p. 18. — Fairm. Ann. Soc. Esp. XII, 1883, p. 259.
- versicolor** Mars. Abeille XXI, 1883, p. 22. — Fairm. Ann. Soc. Esp. XII, 1883, p. 270.

Südfrank-
reich.
Nordöst-
liches
Spanien

Mittel- u.
Südspanien

Braganza
Toledo
Alicante
Andalusien

Lissabon

38

Oreothassa Jacobs.

Jacobson, Hor. Ross. XXXV, 1900, p. 86, 89.

Martjanowi Jacobs. l. c. p. 88; Käf. Russl. 1909, t. 57, f. 12. W. Sibirien

1

Hydrothassa Thoms.

C. G. Thoms. Skand. Col. VIII, 1866, p. 279. — Weise, Ins. Deutschl. VI, 3, 1884, p. 523. — Fowler, Col. Brit. Isl. IV, 1890, p. 318. — Bedel, Faune Col. Bass. Seine V, 1892, p. 140. — Jacobs, Hor. Ross. XXXV, 1900, p. 89. — Everts, Col. Neerl. II, 1903, p. 442. — Reitt, Süßwasserf. Deutschl. 1909, p. 218; Fauna Germ. IV, 1912, p. 128.

Eremosis Gozis, Rev. d'Ent. I, 1882, p. 207.

- ✓ **analis** L. Syst. Nat. ed. 12, 1767, p. 592. — F. Syst. Ent. 1775, p. 104; Spec. Ins. I, 1781, p. 130; Mant. Ins. I, 1787, p. 75. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1681. — F. Ent. Syst. I, 1792, p. 326. — Panz. Fauna Germ. 6, 1794, p. 13. — Payk. Fauna Suec. II, 1799, p. 72. — F. Syst. El. I, 1801, p. 442. — Gyllh. Ins. Suec. III, 1813, p. 492. — Duft. Fauna Anstr. III, 1825, p. 197. — Matzek, Ber. Schles. Ges. 1842, p. 156. — Suffr. Linn. Ent. V, 1851, p. 83. — C. G. Thoms. Skand. Col. VIII, 1866, p. 247. — Redt. Fauna Austr. ed. 3, II, 1874, p. 472. — Ws. Ins. Deutschl. VI, 3, 1884, p. 393. — Mars. Abeille XXV, 1887, p. 135. — Seidl. Fauna Balt. ed. 2, 1891, p. 690; Fauna Transsylv. 1891, p. 773. — Everts, Col. Neerl. II, 1903, p. 433. — Reitt, Fauna Germ. IV, 1912, p. 111, t. 145, f. 1 (*Chrysomela*).
schach F. Ent. Syst. I, 1792, p. 326; Syst. El. I, 1801, p. 441.

Europa

- ab. *lomata* Herbst in Füessly, Arch. IV, 1783, p. 54, t. 23, f. 8. — Gmelin in L. Syst. Nat. ed. XIII, 1, 4, 1790, p. 1686.
- ✓ ab. *analis* Schrank. Enum. Ins. Austr. 1781, p. 80. *schach* Panz. Faun. Germ. 16, 1794, p. 12. — Ol. Ent. V, 1807, p. 565, t. 8, f. 122. — Duft. Fauna Austr. III, 1825, p. 196. — Redt. Fauna Austr. ed. 3, II, 1874, p. 473.
- ab. *prasina* Suffr. Linn. Ent. V, 1851, p. 85. Biologie: Rosenh. Stett. Ent. Zeit. XLIII, 1882, p. 156.
- ✓ *glabra* Herbst in Füessly, Arch. IV, 1783, p. 60. — Gyll. Ins. Suec. III, 1813, p. 494. — Ws. Ent. Monatsbl. II, 1880, p. 102. — Seidl. Fauna Balt. ed. 2, 1891, p. 699; Fauna Transsylv. 1891, p. 784. — Bed. Faune Col. Bass. Seine V, 1899, p. 267, nota 3. Europa, Sibirien
- egena* Suffr. Linn. Ent. V, 1851, p. 265. *Umhangii* Wenck. Cat. Col. Alsace 1866, p. 133. — Ws. Deutsche Ent. Zeitschr. XXX, 1886, p. 249.
- ✓ ab. *aucta* F. Mant. I, 1787, p. 72. — Gmelin in L. Syst. Nat. ed. XIII, 1, 4, 1790, p. 1680. — F. Ent. Syst. I, 1792, p. 326. — Panz. Fauna Germ. 16, 1794, p. 14. — Payk. Fauna Suec. II, 1799, p. 72. — Gyll. Ins. Suec. III, 1813, p. 494. — Duft. Fauna Austr. III, 1825, p. 198. — Suffr. Linn. Ent. V, 1851, p. 264 (*Chrysomela*). — Küst. Käf. Eur. IX, 1847, p. 98 (*Prasocuris*). — C. G. Thoms. Skand. Col. VIII, 1866, p. 280. — Redt. Fauna Austr. ed. 3, II, 1874, p. 485. — Seidl. Fauna Balt. 1875, p. 487. — Fowl. Col. Brit. Isl. IV, 1890, p. 318. — Ws. Ins. Deutschl. VI, 3, 1884, p. 525. — Mars. Abeille XXVII, 1889, p. 133. — Bed. Faune Col. Bass. Seine V, 1892, p. 151; 1899, p. 267. — Everts, Col. Neerl. II, 1903, p. 442. — Reitt. Süswasserf. Deutschl. 1909, p. 218; Fauna Germ. IV, 1912, p. 132, t. 146, f. 4.
- ✓ ab. *hispanica* Graells, Mem. Ac. Madrid I, 2, 1851, p. 152, t. 8, f. 10a, b. Spanien
- Biologie: Chapuis et Candèze, Mém. Soc. Sc. Liège VIII, 1853, p. 612. — Cornelius, Stett. Ent. Zeit. XVIII, 1857, p. 167. — Kaltenbach, Pflanzenf. 1874, p. 7. — Chap. Gen. Col. X, 1874, p. 372.
- Fairmairei Bris. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 423. — Ws. Ins. Deutschl. VI, 3, 1884, p. 520. — Mars. Abeille XXVII, 1889, p. 119, 123 (*Phratora*). — Bed. Abeille XXXII, 1894, p. 156. — Ws. Arch. Naturg. LXIV, 1898, p. 195, nota, 203.
- planiuscula* Ws. Deutsche Ent. Zeitschr. XXXI, 1887, p. 188. Spanien: Reynosa, Escorial
- flavocincta* Brullé, Expéd. Morée III, 1832, p. 271, t. 44, f. 9. — Suffr. Linn. Ent. V, 1851, p. 266 (*Chrysomela*). — Küst. Käf. Eur. XXV, 1852, p. 99 (*Helodes*). — Ws. Ins. Deutschl. VI, 3, 1884, p. 526, nota. — Mars. Abeille XXVII, 1889, p. 134. Dalmatien, Griechenland

hannoverana F. Syst. Ent. 1775, p. 102; Spec. Ins. I, 1781, p. 126; Mant. I, 1787, p. 72. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1681 (sub *hannoveriana*). — F. Ent. Syst. I, 1792, p. 326; Syst. El. I, 1801, p. 443. — Panz. Fauna Germ. 16, 1794, p. 16. — Ol. Ent. V, 1807, p. 567, t. 8, f. 125. — Steph. Ill. Brit. Ent. V, 1835, p. 425; Man. 1839, p. 311 (*hannoveriana*). — Küst. Käf. Eur. IX, 1847, p. 97 (*Prasocuris*). — Suffr. Linn. Ent. V, 1851, p. 267. — Redt. Fauna Austr. ed. 3, II, 1874, p. 486. — Letzn. Ber. Schles. Ges. LIII, 1875, p. 177. — Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 251; Ins. Deutschl. VI, 3, 1884, p. 528. — Mars. Abeille XXVII, 1889, p. 137. — Fowl. Col. Brit. Isl. IV, 1890, p. 318, 319. — Seidl. Fauna Balt. ed. 2, 1891, p. 699; Fauna Transsylv. 1891, p. 785. — Everts. Col. Neerl. II, 1903, p. 442. — Reitt. Süßwasserf. Deutschl. 1909, p. 218; Fauna Germ. IV, 1912, p. 132, t. 146, f. 4.

ranunculi Herbst in Füessly, Arch. IV, 1784, p. 55, t. 23, f. 12.

ab. *calthae* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 252; Ins. Deutschl. VI, 3, 1884, p. 528.

hannoveriana Herbst in Füessly, Arch. IV, 1784, p. 54. — Gyll. Ins. Suec. III, 1813, p. 495.

ab. *degenerata* Mäklin. K. Sv. Vet. Ak. Handl. (2) XVIII, 4, 1881, p. 16.

ab. *germanica* Ws. Deutsche Ent. Zeitschr. 1883, p. 252.

hannoverana C. G. Thoms. Skand. Col. VIII, 1866, p. 280.

ab. *potentillae* Herbst in Füessly, Arch. IV, 1784, p. 55, t. 23, f. 11. — Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 252.

Biologie: Cornelius. Stett. Ent. Zeit. XVIII, 1857, p. 167. — Kaltenb. Pflanzenf. I, 1872, p. 10. — Ws. Ins. Deutschl. VI, 3, 1884, p. 525. — W. Kolbe. Zeitschr. Ent. Breslau XXV, 1900, p. 19.

marginella L. Syst. Nat. ed. 10, 1758, p. 371. — F. Syst. Ent. 1775, p. 102; Spec. Ins. I, 1781, p. 125; Mant. Ins. I, 1787, p. 72. — Herbst in Füessly, Arch. IV, 1784, p. 54, t. 23, f. 9. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1681. — F. Ent. Syst. I, 1792, p. 326. — Panz. Fauna Germ. 16, 1794, p. 15. — Payk. Fauna Suec. II, 1799, p. 73 (pars). — F. Syst. El. I, 1801, p. 442. — Ol. Ent. V, 1807, p. 566, t. 3, f. 35. — Gyll. Ins. Suec. III, 1813, p. 495 (pars). — Duft. Fauna Austr. III, 1825, p. 197 (*Chrysomela*). — Küst. Käf. Eur. VII, 1846, p. 94 (*Helodes*). — Suffr. Linn. Ent. V, 1851, p. 266. — C. G. Thoms. Skand. Col. VIII, 1866, p. 282. — Redt. Fauna Austr. ed. 3, II, 1874, p. 485. — Ws. Ins. Deutschl. VI, 3, 1884, p. 527. — Mars. Abeille XXVII, 1889, p. 136. — Fowl. Col. Brit. Isl. IV, 1890, p. 318. — Seidl.

Nord- u.
Mittel-
europa

Novaja
Zemlja

Nord- u.
Mittel-
europa,
Sibirien

Fauna Balt. ed. 2, 1891, p. 699; Fauna Transsylv. 1891, p. 785. — Bed. Faune Col. Bass. Seine V, 1892, p. 151; 1899, p. 267. — Everts, Col. Neerl. II, 1903, p. 442. — Reitt, Süßwasserf. Deutschl. 1909, p. 218. — Jacobs, Käf. Russl. 1909, t. 58, f. 30. — Reitt, Fauna Germ. IV, 1912, p. 131, t. 146, f. 3. — C. Schauf. in Calwer, Käferbuch, ed. 6, 1907—16 (1913), p. 955, t. 35, f. 30.

Biologie: Deg. Mém. V, 1775, p. 167. — Cornelius, Stett. Ent. Zeit. XVIII, 1857, p. 167. — Kaltenb. Pflanzenf. I, 1872, p. 7; III, 1874, p. 769. — Ws. Ins. Deutschl. VI, 3, 1884, p. 525. — Vion, Bull. Soc. Linn. N. Fr. VII, 1884, p. 26.

nana Vogel in Schauf. Nunquam otios. I, 1871, p. 140 (Prasocuris).

Kapland

oblongiuscula Fairm. Ann. Soc. Ent. Belg. XXVIII, 1884, C. r. p. 69. — Mars, Abeille XXVII, 1889, p. 134.

Batna

Suffriani Küst. Käf. Eur. XXV, 1852, p. 100 (*Helodes*). — Ws. Ins. Deutschl. VI, 3, 1884, p. 526. — Mars, Abeille XXVII, 1889, p. 135.

Corsica,

Sardinien

pumila Reiche, Ann. Soc. Ent. Fr. (4) II, 1862, p. 298. — Har. Mitth. Münch. Ent. Ver. I, 2, 1877, p. 122. — Ws. Ent. Monatsbl. II, 1880, p. 102.

9

↘ **Apterocuris** Jacobs.

Jacobson, Hor. Ross. XXXV, 1900, p. 85.

↘ **sibirica** Gebl. Ledeb. Reise II, 3, 1830, p. 218; Bull. Mosc. XXI, 1, 1848, p. 33 (*Phratora*). — Mars, Abeille XXVII, 1889, p. 138 (*Prasocuris*). — Jacobs, Hor. Ross. XXXV, 1900, p. 86; Käf. Russl. 1909, t. 57, f. 35.

West-

sibirien

ab. *aurichalcea* Jacobs, l. c. p. 86.

ab. *cyanea* Jacobs, l. c.

ab. *purpurea* Jacobs, l. c.

ab. *violacea* Jacobs, l. c.

1

↘ **Prasocuris** Latr.

Latr. Hist. Nat. Crust. Ins. III, 1802, p. 224. — Fairm. in Jacq. du Val. Gen. Col. d'Eur. IV, 1868, p. 233. — Chapuis, Gen. Col. X, 1874, p. 367, 372 (pars). — Weise, Ins. Deutschl. VI, 3, 1884, p. 529. — Mars, Abeille XXVII, 1889, p. 128. — Fowler, Col. Brit. Isl. IV, 1890, p. 319. — Bedel. Faune Col. Bass. Seine V, 1892, p. 140. — Jacobs, Hor. Ross. XXXV, 1900, p. 89. — Everts, Col. Neerl. II, 1903, p. 441. — Reitter, Süßwasserf. Deutschl. 1909, p. 218; Fauna Germ. IV, 1912, p. 123.

Helodes Payk. Fauna Suec. II, 1799, p. 84.

Hellodes Redt. Gatt. deutsch. Käferf. 1845, p. 116.

distincta Luc. Expl. Alg. Zool. 1849, p. 539, t. 46, f. 1. — Ws. Ins. Deutschl. VI, 3, 1884, p. 531, nota: — Mars, Abeille XXVII, 1889, p. 142.

Umgebung
des Mittel-
ländischen

- ab. *marginicollis* Suffr. Linn. Ent. V. 1851, p. 270 (*Chrysomela*). — Fairm. in Jacq. du Val, Gen. Col. d'Eur. IV. 1868. t. 68, f. 322.
- ab. *pallidithorax* Pic, Echange XVII. 1901, p. 59.
- ab. *suturella* Reiche, Ann. Soc. Ent. Fr. (3) VI. 1858. p. 38. t. 1, f. 9. — Mars. Abeille XXVII. 1889. p. 143. — Ws. Arch. Naturg. LXIV. 1898. p. 203.
- ↗ *junci* Brahm. Ins. - Kalend. I. 1790. p. 62. — Ws. Ins. Deutschl. VI. 3. 1884. p. 533. — Fowl. Col. Brit. Isl. IV. 1890. p. 319. — Seidl. Fauna Balt. ed. 2. 1891. p. 699; Fauna Transsylv. 1891. p. 785. — Bed. Faune Col. Bass. Seine V. 1892. p. 151; 1899. p. 266. — Everts. Col. Neerl. II. 1903. p. 442. — Reitt. Fauna Germ. IV. 1912. p. 132. t. 146. f. 6.
- ↗ *beccabungae* Ill. in Schneid. Neneest. Mag. I. 5. 1794. p. 600. — Panz. Fauna Germ. 25. 1796. p. 11 (*Chrysomela*). — Payk. Fauna Suec. III. 1900. p. 451 (*Helodes*). — Gyll. Ins. Suec. III. 1813. p. 500. — Steph. III. Brit. Ent. IV. 1834. p. 353; Man. 1839. p. 311. — Küst. Käf. Eur. VII. 1846. p. 93. — Suffr. Linn. Ent. V. 1851. p. 272. — C. G. Thoms. Skand. Col. VIII. 1866. p. 283. — Seidl. Fauna Balt. 1875. p. 487. — Mars. Abeille XXVII. 1889. p. 139. — Reitt. Süßwasserf. Deutschl. 1909. p. 218. — Jacobs. Käf. Russl. 1909. t. 57. f. 16.
- violacea* F. Ent. Syst. I. 2. 1792. p. 11 (*Crioceris*); Syst. El. I. 1801. p. 470 (*Helodes*). — Ol. Ent. V. 1807. p. 594. t. 1. f. 2. — Duft. Fauna Austr. III. 1825. p. 237. — Redt. Fauna Austr. ed. 3. II. 1874. p. 485.
- ab. *atra* Duft. Fauna Austr. III. 1825. p. 237. Biologie: Letzn. Arb. Schles. Ges. 1857. p. 130. — Cornelius. Stett. Ent. Zeit. XXIV. 1863. p. 119. — Mars. Abeille IV. 1867. p. 34. — Perris. Abeille VII. 1870. p. 35. — Ws. Ins. Deutschl. VI. 3. 1884. p. 531.
- obliquata* Crotch. Proc. Ac. Philad. XXV. 1873. p. 51. 52.
- ovalis* Blatchley. Bull. Ind. Dept. Geol. I. 1910. p. 1151.
- ↗ *phellandrii* L. Syst. Nat. ed. 10. 1758. p. 376 (*Chrysomela*). — F. Ent. Syst. I. 2. 1792. p. 11 (*Crioceris*). — Payk. Fauna Suec. II. 1799. p. 84 (*Helodes*). — F. Syst. El. I. 1801. p. 469. — Latr. Hist. Nat. Crust. Ins. III. 1802. p. 59. — Ol. Ent. V. 1807. p. 594. t. 1. f. 1a, b. — Gyll. Ins. Suec. III. 1813. p. 499. — Duft. Fauna Austr. III. 1825. p. 236. — Steph. III. Brit. IV. 1834. p. 352; Man. 1839. p. 311. — Küst. Käf. Eur. VII. 1846. p. 92. — C. G. Thoms. Skand. Col. VIII. 1866. p. 283. — Crotch. Proc. Ac. Philad. XXV. 1873. p. 51. — Redt. Fauna Austr. ed. 3. II. 1874. p. 485. — Ws. Ins. Deutschl. VI. 3. 1884. p. 531. — Mars. Abeille XXVII. 1889. p. 141. — Fowl. Col. Brit. Isl. IV. 1890. p. 319, 320. — Seidl. Fauna Balt. ed. 2. 1891. p. 699; Fauna Transsylv. 1891. p. 785. —

Meeres

Europa,
Nord-
afrika

Illinois
Indiana
Europa,
Sibirien.
Nord-
amerika

Bed. Faune Col. Bass. Seine V, 1892, p. 151; 1899, p. 266. — Hamilton. Trans. Amer. Ent. Soc. XXI, 1894, p. 397. — Everts, Col. Neerl. II, 1903, p. 442. — Reitt. Süßwasserf. Deutschl. 1909, p. 218; Fauna Germ. IV, 1912, p. 132, t. 146, f. 5.

ab. *cicutæ* Ws. Deutsche Ent. Zeitschr. XXVII, 1883, p. 252.

ab. *sii* Ws. l. c. p. 252.

Biologie: Boie, Stett. Ent. Zeit. XI, 1850, p. 360. — Cornelius, l. c. XVIII, 1857, p. 404. — Letzn. Arb. Schles. Ges. 1857, p. 127. — Löw, Verh. zool.-bot. Ges. Wien XVI, 1866, p. 956. — Bellevoye, Abeille VII, 1870, Nouv. et faits p. 29, 74. — Kaltenb. Pflanzenf. I, 1872, p. 10. — Ws. Ins. Deutschl. VI, 3, 1884, p. 530. — Beutenmüller, Ent. Amer. VI, 1890, p. 176. — W. Kolbe, Zeitschr. Ent. Breslau XIX, 1894, p. 15. — Loisele. Feuille jeun. Natur. XXXVI, 1905, p. 133. — Rupertsb. Ent. Blätt. VI, 1910, p. 33.

Morphologie: Kempers, Tijdschr. v. Ent. XLV, 1902, p. 59.

Varendorffi Ws. Arch. Naturg. LXIX, 1903, p. 205.

Oranje-Freistaat

vicina Luc. Expl. Alg. Zool. 1849, p. 539, t. 46, f. 2. — Ws. Ins. Deutschl. VI, 3, 1884, p. 534, nota. — Mars. Abeille XXVII, 1889, p. 139. — Seidl. Fauna Transsylv. 1891, p. 785.

Spanien, Portugal, Sicilien, Algier

litigiosa Rosenh. Thiere Andalus. 1856, p. 323.

ab. *chalybea* Suffr. Linn. Ent. V, 1851, p. 271.

ab. *hispanica* Ws. Ins. Deutschl. VI, 3, 1884, p. 534, nota.

vittata Ol. Ent. V, 1807, p. 595, t. 1, f. 3 (*Helodes*). — Stal, Mon. III, 1865, p. 287.

Nord-Amerika

septentrionis Demaison, Bull. Soc. Ent. Fr. 1902, p. 24. — Jacobs. l. c. p. 174.

trivittata Say, Journ. Ac. Philad. V, 1826, p. 289 (*Helodes*). — Rogers, Proc. Ac. Philad. VIII, 1854, p. 38 (*Chrysomela*). — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 393.

varipes Crotch, Proc. Ac. Philad. XXV, 1873, p. 51. — Horn, Trans. Amer. Ent. Soc. XIII, 1886, p. 140.

Biologie: Beutenmüller, Ent. Amer. VI, 1890, p. 176.

Weisei Reitt. Wien. Ent. Zeit. XX, 1901, p. 163, t. 3, f. 8. Altai

9

Plagioderæ Redt. Genotype Armer

Redt. Gatt. deutsch. Käferf. 1845, p. 116. — Chevr. Dict. univ. X, 1847, p. 233. — Er. Arch. Naturg. XIII, 1847, I, p. 158 (pars). — Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 298. — Fairm. in Jacq. du Val, Gen. Col. d'Eur. IV, 1868, p. 232. — Chapuis, Gen. Col. X, 1874, p. 369, 374. — Jacoby, Biol. Centr.-Amer. VI, 1, 1882, p. 189. — Weise, Ins. Deutschl. VI, 3, 1884, p. 549. — Marseul, Abeille XXVI, 1888, p. 79. — Fowler, Col.

Brit. Isl. IV, 1890, p. 314. — Bedel, Faune Col. Bass. Seine V, 1892, p. 141. — Weise, Arch. Naturg. LXIV, 1898, p. 211. — Everts, Col. Neerl. II, 1903, p. 445. — Reitt, Fauna Germ. IV. 1912, p. 124, 125.

Linamorpha Motsch. Schrenck's Reisen Amurl. II, 1860, p. 197.

Plagiomorpha Motsch. l. c. p. 200.

Plagiosterna Motsch. l. c. p. 196. — Ws. Arch. Naturg. LXIV, 1898, p. 210.

aeneiventris Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 467; Mon. III, 1865, p. 305. — Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 190. Guatemala bis Costa-rica

aerea Eydoux, Rev. Zool. 1839, p. 267. — Desmarest, Voy. Bonite I, 1841, p. 325, t. 2, f. 41. Manila

aethiopica Thunb. Mus. Nat. Ac. Ups. IV, 1787, p. 43. Kapland

nota 1; Nov. Act. Ups. VIII, 1821, p. 177. — Vogel in Schauf. Nunquam otios. I, 1871, p. 134. *Trimeni* Baly, Ann. Mag. Nat. Hist. (3) X, 1862, p. 25.

areata Er. Arch. Naturg. XIII, 1847, 1, p. 159. — Stal, Mon. III, 1865, p. 308. Peru

arizonae Crotch, Proc. Ac. Philad. XXV, 1873, p. 52, 53. — Jac. Biol. Centr.-Amer. VI, 1, Suppl. 1891, p. 243. Arizona, Mexiko

bicolor Ws. Hor. Ross. XXIII, 1889, p. 606; Arch. Naturg. LXIV, 1898, p. 212. Kanssu

bistripunctata Duviv. Ann. Soc. Ent. Belg. XXIX, 1885, C. r. p. 118. — Jac. Biol. Centr.-Amer. VI, 1, Suppl. 1891, p. 242, t. 41, f. 1. Mexiko, Costarica

caffa Ws. Ann. Soc. Ent. Belg. LI, 1907, p. 135. Transvaal: Pretoria; Rhodesia; Umtali

opacicollis Ws. Deutsche Ent. Zeitschr. 1905, p. 328.

thoracica Vogel in Schauf. Nunquam otios. I, 1871, p. 136 (pars).

calabarica nom. nov. Altcalabar

cognata Baly, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 36. — Vogel in Schauf. Nunquam otios. I, 1871, p. 149 (nec Stal).

californica Rogers, Proc. Ac. Philad. VIII, 1854, p. 37. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 392 (*Chrysomela*). — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 200 (*Plagiomorpha*). — Stal, Mon. III, 1865, p. 332. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 52. Californien

cerea Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 466; Mon. III, 1865, p. 297. Brasilien

var. *atritarsis* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 468; Mon. III, 1865, p. 298. — Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 192. Amerika, Venezuela

Chapuisi Jac. Ann. Mus. Genova XXII, 1865, p. 31. Brit. Neu-guinea

chilacoridea Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 468; Mon. III, 1865, p. 309. Columbien

chinensis Ws. Arch. Naturg. LXIV, 1898, p. 212. Shanghai

chloroptera Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 467; Mon. III, 1865, p. 303. Brasilien

circellaris Er. Arch. Naturg. XIII, 1847, p. 159. — Stal, Mon. III, 1865, p. 311. Peru

circumlita Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 467; Mon. III, 1865, p. 302. Brasilien

type erythroptera
type californica
type rufolimbata [cognata] ✓

- circumsepta* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 466; Mon. III, 1865, p. 300. — Brasilien
- coelestina* Baly, Trans. Ent. Soc. Lond. (3) II, 1864, p. 229. — Ws. Arch. Naturg. LXIV, 1898, p. 212. — Hongkong
- cognata* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 468; Mon. III, 1865, p. 310. — Rio Janeiro
- congesta* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 467; Mon. III, 1865, p. 305. — Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 191, t. 9, f. 24. — Mexiko, Guatemala
- cuprea* Baly, Trans. Ent. Soc. Lond. (3) II, 1865, p. 229. — Vogel in Schauf. Nunquam otios. I, 1871, p. 149. — Jac. Ann. Mag. Nat. Hist. (7) I, 1898, p. 354. — Ngami See, Transvaal
- discicollis* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 468; Mon. III, 1865, p. 308. — Caracas
- egregia* Gerst. Monatsber. Ak. Berl. 1855, p. 637; Peters' Reise 1862, p. 340, t. 20, f. 11. — Vogel in Schauf. Nunquam otios. I, 1871, p. 136. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 361. — Ws. Arch. Naturg. LXIV, 1898, p. 211. — Ostafrika
- rufolimbata* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 196, nota 1.
- encausta* Klug, Preisverz. 1829, p. 10. — Stal, Mon. III, 1865, p. 304. — Brasilien
- Germani* Guér. Verh. zool.-bot. Ges. Wien V, 1855, p. 607.
- erythroptera* Blanch. in Gay, Hist. Chile V, 1851, p. 549, t. 32, f. 3 (*Lina*). — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 197 (*Linamorpha*). — Stal, Mon. III, 1865, p. 296. — Har. Col. Heft. XIV, 1875, p. 103. — Chile, Argentinien
- Biologie: Bruch, Revista Mus. La Plata XI, 1904, p. 317, t. 1, f. 1—10.
- ferrugata* Ws. Arch. Naturg. LXIV, 1898, p. 211; in Sjöst. Kilimandj. I, 1909, p. 192. — Ashanti, Kili- mandjaro
- flavilimbata* Stal, Mon. III, 1865, p. 300. — Rio Janeiro
- flavomaculata* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 467; Mon. III, 1865, p. 306. — Columbien
- florescens* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 468; Mon. III, 1865, p. 306. — Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 193, t. 10, f. 1. — Horn, Canad. Ent. XVI, 1884, p. 128. — Columbien Mexiko
- fulgentula* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 468; Mon. III, 1865, p. 310. — Alegretto
- fulvimargo* Quedenf. Berl. Ent. Zeitschr. XXXVI, 1891, p. 173. — Ws. Arch. Naturg. LXIV, 1898, p. 211. — Deutsch Ostafrika
- fuscitarsis* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 467; Mon. III, 1865, p. 302. — Brasilien: Sta Catharina
- janthinoptera* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 467; Mon. III, 1865, p. 303. — Bogota
- inclusa* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 252. — Java
- jucunda* Klug, Preisverz. 1829, p. 10 (*Chrysomela*). — Stal, Mon. III, 1865, p. 298. — Brasilien
- encausta* Guér. Verh. zool.-bot. Ges. Wien V, 1855, p. 607.

- laticlavata* Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 467; Mon. III, 1865, p. 302. Rio Janeiro
- maculatella* Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 467; Mon. III, 1865, p. 305. — Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 190, t. 9, f. 25. Guatemala
- marginata* Baly. Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 299. Neuguinea
- marginipennis* Jac. Ann. Mus. Genova XXVII, 1889, p. 188. — Ws. Arch. Naturg. LXIV, 1898, p. 212. Tenasserim
- micantipennis* Stal. Öfv. Vet. Ak. Förh. XV, 1858, p. 251. Ceylon
- nitentula* Stal. l. c. XVII, 1860, p. 467; Mon. III, 1865, p. 301. Para
- novempunctata* Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 466; Mon. III, 1865, p. 299. Columbien
- obscuripennis* Jac. Biol. Centr.-Amer. VI, 1, Suppl. 1891, p. 243. Mexiko:
- opacicollis* Ws. Arch. Naturg. LXIX, 1903, p. 205; in Acapulco
- Sjöst. Kilimandj. I. Col. 1909, p. 102. Deutsch Ost-
- ornata* Jac. Proc. Zool. Soc. Lond. 1889, p. 268. afrika
- Venezuela:
- San
- Esteban
- pallida* Baly. Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 299. Amboina
- philippinensis* Duviv. Ann. Soc. Ent. Belg. XXIX, 1885, C. r. p. 118. Philippinen
- praeinsecta* Er. Arch. Naturg. XIII, 1847, p. 158. — Stal, Peru
- Mon. III, 1865, p. 301. „
- praetexta* Er. Arch. Naturg. XIII, 1847, p. 158. — Stal, „
- Mon. III, 1865, p. 301. „
- prasiniipennis* Er. Arch. Naturg. XIII, 1847, p. 158. — Stal. Mon. III, 1865, p. 309.
- punctigera* Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 466; Mon. III, 1865, p. 298. — Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 190, t. 9, f. 22. Mexiko,
- purpurea* Linell. Proc. U. S. Nat. Mus. XX, 1898, p. 482. Guatemala
- quadriraculata* Jac. Proc. Zool. Soc. Lond. 1880, p. 171; Biol. Centr.-Amer. VI, 1, 1882, p. 193. Utah
- quadriplagiata* Jac. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 279. Costarica
- riparia* Jac. Ann. Mus. Genova XXII, 1885, p. 31. Bolivia
- rufescens* Gyll. in Schönh. Syn. Ins. I, 2, 1808, p. 267, nota f. — Ws. Arch. Naturg. LXVI, 1898, p. 212. Neuguinea
- ab. *virescens* Hope in Gray, Zool. Misc. 1831, p. 31 (*Coccinella*). — Ws. Arch. Naturg. LXIV, 1898, p. 212. Ostindien,
- ab. *cinctipennis* Baly, Ann. Mag. Nat. Hist. (4) X, 1862, p. 26. Ceylon
- sanguinea* Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 466; Mon. III, 1865, p. 296. Bolivia:
- seabricula* Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 466; Mon. III, 1865, p. 297. — Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 194. Chiquitos
- Mexiko.
- Guatemala
- semivittata* Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 467; Mon. III, 1865, p. 304. — Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 190, t. 9, f. 23. „
- septempunctata* Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 466; Mon. III, 1865, p. 297. Brasilien:
- Cassapava

- septemvittata* Stal. Öfv. Vet. Ak. Förh. XV. 1858. p. 252. China
Severini Ws. Arch. Naturg. LXIX. 1903. p. 204. Tschinde
sexmaculata Jac. Proc. Zool. Soc. Lond. 1880. p. 595. Ecuador
t. 54. f. 12.
sexnotata Stal. Öfv. Vet. Ak. Förh. XVII. 1860. p. 468; Columbien
Mon. III. 1865. p. 307.
speciosella Stal. Öfv. Vet. Ak. Förh. XVII. 1860. p. 468; Columbien:
Mon. III. 1865. p. 307. Honda
subglobosa Hope in Gray. Zool. Misc. 1831. p. 31 (*Coccinella*). Nepal
submarginata F. Syst. El. I. 1801. p. 425 (*Chrysomela*). — Natal,
Vogel in Schaaf. Nunquam otios. I. 1871. p. 135. Caffrarien
viridivittata Baly. Ann. Mag. Nat. Hist. (3)
X. 1862. p. 26.
subparallela Ws. Arch. Naturg. LXX. 1904. p. 164. Kamerun,
Ituri
taeniata Guér. Verh. zool.-bot. Ges. Wien V. 1855. Amazonas
p. 607. — Stal. Mon. III. 1865. p. 299.
thoracica F. Syst. El. I. 1801. p. 426 (*Chrysomela*). — Tropisches
Vogel in Schaaf. Nunquam otios. I. 1871. W. Afrika
p. 136 (pars).
thymaloides Stal. Öfv. Vet. Ak. Förh. XVII. 1860. Mittel-
p. 468; Mon. III. 1865. p. 311. — Jac. Biol. Amerika
Centr.-Amer. VI. 1. 1882. p. 191. — Linell.
Proc. U. S. Nat. Mus. XX. 1898. p. 482.
tumens Stal. Öfv. Vet. Ak. Förh. XVII. 1860. p. 468; Peru
Mon. III. 1865. p. 303.
unicolor Jac. Biol. Centr.-Amer. VI. 1. 1882. p. 192. Mexiko:
Chiapas
uniformis Jac. l. c. p. 192. Mexiko,
Guatemala
versicolora Laichart. Verz. Tirol. Ins. I. 1781. p. 148 Europa,
(*Chrysomela*). — Gredler. Käf. Tirol 1863. p. 429. Nord-
— Ws. Ins. Deutschl. VI. 3. 1884. p. 550. — Fowl. afrika,
Col. Brit. Isl. IV. 1890. p. 314. — Bed. Faune Sibirien,
Col. Bass. Seine V. 1892. p. 153; 1899. p. 270. — Japan
Ws. Arch. Naturg. LXIV. 1898. p. 212. —
Everts. Col. Neerl. II. 1903. p. 445. — Jacobs.
Käf. Russl. 1909. t. 58. f. 27. — Reitt. Fauna
Germ. IV. 1912. p. 126. — C. Schaaf. in Calwer.
Käferbuch. ed. 6. 1907—16 (1913). p. 960,
t. 35. f. 27.
armoraciae F. Syst. Ent. 1775. p. 103 (nec L.); USA ?
Spec. Ins. I. 1781. p. 127; Mant. Ins. I. 1787.
p. 73; Ent. Syst. I. 1792. p. 330; Syst. El. I.
1801. p. 445. — Herbst in Füessly. Arch. VII.
1786. t. 44. f. 7. — Gmelin in L. Syst. Nat.
ed. XIII. I. 4. 1790. p. 1673. — Panz. Fauna
Germ. 44. 1797. p. 14. — Ol. Ent. V. 1807.
p. 578. t. 4. f. 55a. b. — Gyll. Ins. Suec. III.
1813. p. 474. — Duft. Fauna Austr. III. 1825.
p. 212 (*Chrysomela*). — Steph. Ill. Brit. Ent.
IV. 1834. p. 332; Man. 1839. p. 313. — Küst.
Käf. Eur. VII. 1846. p. 89. — Suffr. Linn.
Ent. V. 1851. p. 242. — Redt. Fauna Austr.
ed. 3, II. 1874. p. 482. — Mars. Abeille XXVII.
1889. p. 82. — Seidl. Fauna Balt. ed. 2. 1891.
p. 605; Fauna Transsylv. 1891. p. 781.

cognata Herbst in Füessly, Arch. IV, 1783, p. 58. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1690.

salicis Panz. Ent. Germ. 1795, p. 172. — C. G. Thoms. Skand. Col. VIII, 1866, p. 271.

similis Herbst in Füessly, Arch. IV, 1783, p. 58. ab. *clavicornis* Steph. Ill. Brit. Ent. IV, 1834, p. 332; Man. 1839, p. 313.

var. *distincta* Baly, Trans. Ent. Soc. Lond. 1874, p. 174. — Heyd. Berl. Ent. Zeitschr. XXIII, 1879, p. 362.

Japan

Biologie: Letzner. Arb. Schles. Ges. 1852, p. 91. — Heeger, Sitzungs. Ak. Wiss. Wien XI, 1853, p. 930, t. 2. — Cornelius, Stett. Ent. Zeit. XVIII, 1857, p. 170. — Wood, Entomol. XV, 1882, p. 22. — Ws. Ins. Deutschl. VI, 3, 1884, p. 550. — Mars. Abeille XXVII, 1889, p. 80. — Judeich, Forstins. I, 2, 1889, p. 600. — Weber, Ill. Zeitschr. Ent. IV, 1899, p. 330. — Xamheu, Ann. Soc. Linn. Lyon XLIX, 1902, p. 1. — Cecconi, Bull. Soc. Ent. Ital. XXXVI, 1904, p. 103. — Pylinov. Simferopoli Jest. muz. I, 1912, p. 20.

Morphologie: Bellevoye, C. r. Ass. franç. avanc. Sc. XXXVI, 1907 (1908), p. 641, f. 8.

viridimaculata Jac. Biol. Centr.-Amer. VI, 1, Suppl. 1891, p. 242, t. 41, f. 2.

Panama:

Chiriqui

viridipennis Stal. Öfv. Vet. Ak. Förh. XVIII, 1860, p. 468; Mon. III, 1865, p. 310. — Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 193.

Brasilien.

Nicaragua

vitticollis Jac. l. c. p. 191.

Guatemala

✓ *Walleri* Baly, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 36. — Vogel, Nunquam ot. I, 1871, p. 150.

Zambesi

cajennensis F. Suppl. Ent. Syst. 1798, p. 87; Syst. El. I, 1801, p. 438 (*Chrysomela*).

Cayenne

circumscripta Gyll. in Schönh. Syn. Ins. I, 2, 1808, p. 268, nota g (*Chrysomela*).

Patria?

dimidiata Ol. Encycl. méth. V, 1790, p. 702 (*Chrysomela*).

Cayenne

miniaticollis Hope in Gray. Zool. Misc. 1831, p. 30 (*Chrysomela*).

Nepal

pallidiventris Germ. Ins. spec. nov. 1824, p. 592 (*Chrysomela*).

Brasilien

transversa Ol. Ent. V, 1807, p. 577, t. 9, f. 134.

Ostindien

86

Pseudoparopsis Blackb.

Blackb. Trans. Roy. Soc. S. Austral. XXIII, 1899, p. 99.

ioptera Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 246. — Lea, Rep. Australas. Ass. 1902, p. 411, 413.

Queensland

ab. *nitidipennis* Blackb. Trans. Roy. Soc. S. Austr. XXIII, 1899, p. 99. — Lea, Rep. Australas. Ass. 1902, p. 412 (nec Boisd.).

Lownei Baly, Trans. Ent. Soc. Lond. (3) I, 1863, p. 622 (*Plagiodera*). — Blackb. Trans. Roy. Soc. S. Austral. XXIII, 1899, p. 100.

N. S. Wales

Lounii Lea, Rep. Austral. Ass. 1902, p. 394.

Melasoma Steph.

Steph. Ill. Brit. Ent. IV, 1834, p. 350; Man. 1839, p. 303, 307. — Redt. Gatt. deutsch. Käferf. 1845, p. 116. — Vogel in Schauf. Nunquam otios. I, 1871, p. 137. — Weise, Ins. Deutschl. VI, 3, 1884, p. 551. — Fowl. Col. Brit. Isl. IV, 1890, p. 308. — Everts, Col. Neerl. II, 1903, p. 445. — Reitt. Fauna Germ. IV, 1912, p. 124, 126.

Lina Redt. Fauna Austr. 1849, p. 551. — Fairm. in Jacq. du Val, Gen. Col. d'Eur. IV, 1868, p. 230. — Chap. Gen. Col. X, 1874, p. 369, 375. — Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 193. — Mars. Abeille XXVI, 1888, p. 1. — Seidl. Fauna Balt. ed. 2. 1891, p. 694.

Melosoma Bed. Faune Col. Bass. Seine V, 1892, p. 141.

Biologie: Kirby u. Spence. Introduct. to Entomol. II, 1817, p. 279. — Latr. Hist. Nat. Crust. Ins. XI, 1803, p. 332. — Ratzeburg, Forstins. I, 1837, p. 241. — Westw. Introduct. Classific. Ins. I, 1838, p. 388, f. 48. — Chapuis et Candèze, Mém. Soc. Liège VIII, 1853, p. 610. — Weise, Ins. Deutschl. VI, 3, 1884, p. 553.

Morphologie, Anatomie: Bordas, Ann. Sc. Nat. Zool. (8) XI, 1900, p. 382. — Jacobs. Hor. Ross. XXXVIII, 1906, p. LX.

Subgen. Linacidea Motsch.

Motsch. Schrenck's Reis. Amurl. II, 1860, p. 199.

Adamsi Baly, Trans. Ent. Soc. Lond. (3) II, 1864, p. 229.

Chusan

aenea L. Syst. Nat. ed. 10, 1758, p. 369. — F. Syst. Ent. 1775, p. 104; Spec. Ins. I, 1781, p. 130; Mant. I, 1787, p. 75; Ent. Syst. I, 1792, p. 329; Syst. El. I, 1801, p. 444. — Gmelin in L. Syst. Nat. ed. XIII. I, 4, 1790, p. 1670. — Rossi, Fauna Etr. I, 1790, p. 78. — Panz. Fauna Germ. 25, 1795, p. 9. — Payk. Fauna Suec. II, 1799, p. 59. — Ol. Ent. V, 1807, p. 556, t. 8, f. 116a, b. — Gyll. Ins. Suec. III, 1813, p. 467. — Duft. Fauna Austr. III, 1825, p. 192 (*Chrysomela*). — Steph. Ill. Brit. Ent. IV, 1834, p. 351; Man. 1839, p. 307. — Ratzeb. Forstins. I, 1837, p. 246, t. 20, f. 13. — Küst. Käf. Eur. II, 1845, p. 83. — Suffr. Linn. Ent. V, 1851, p. 191 (*Chrysomela*). — C. G. Thoms. Skand. Col. VIII, 1866, p. 253. — Redt. Fauna Austr. ed. 3. II, 1874, p. 479. — Ws. Ins. Deutschl. VI, 3, 1884, p. 554. — Mars. Abeille XXVI, 1888, p. 6. — Fowl. Col. Brit. Isl. IV, 1890, p. 309. — Seidl. Fauna Balt. ed. 2. 1891, p. 694; Fauna Transsylv. 1891, p. 780. — Everts, Col. Neerl. II, 1903, p. 446. — Jacobs. Käf. Russl. 1909, t. 58, f. 22. — Reitt. Fauna Germ. IV, 1912, p. 126, t. 146, f. 10.

Europa,
Sibirien,
Japan

fuscicornis F. Spec. Ins. I, 1781, p. 126; Mant. I, 1787, p. 73. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1670.

ab. *bicolor* Schilsky, Deutsche Ent. Zeitschr. 1908, p. 603.

- coerulcoviola* Deg. Mém. V, 1775, p. 316.
 — Payk. Fauna Suec. II, 1799, p. 59. —
 Gyll. Ins. Suec. III, 1813, p. 467 (*Chrysomela*).
 ? *amethystina* Gmelin in L. Syst. Nat. ed. XIII,
 I, 4, 1790, p. 1688 (*Chrysomela*).
betulae Scop. Ent. Carn. 1763, p. 71 (*Coccinella*).
haemorrhoidalis Müll. Zool. Dan. Prodr. 1776,
 p. 81. — Kraatz, Deutsche Ent. Zeitschr. XXVI,
 1882, p. 156. — Ws. Ins. Deutschl. VI, 3, 1884,
 p. 554. — Bed. Faune Col. Bass. Seine V, 1892,
 p. 154; 1899, p. 270 (nec L.).
violacea Ol. Encycl. méth. V, 1790, p. 718.
ab. cupraria nom. nov.
vitellinae Scop. Ent. Carn. 1763, p. 71 (*Cocci-*
nella). — Ws. Ins. Deutschl. VI, 3, 1884, p. 554.
 Biologie: Deg. Mém. V, 1775, p. 316. — Sommer-
 ville, Ent. Monthly Mag. VII, 1870, p. 108. —
 Baudi, Bull. Soc. Ent. Ital. XII, 1880, p. 247. —
 W. Kolbe, Zeitschr. Ent. Breslau XIX, 1894,
 p. 15. — Hacker, Wien. Ent. Zeit. XVIII, 1899,
 p. 36. — Auhmann, Mitt. Zool. Mus. Berl. V,
 1911, p. 265. f. 11.

aeneipennis Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 61. Nord-China

Subgen. *Microdera* Steph.

Steph. Ill. Brit. Ent. IV, 1834, p. 351; Man. 1839, p. 307.

Macrolina Motsch. Schrenck's Reisen Amurl. II, 1860, p. 198.

- alpina* Zett. Ins. Lapp. 1840, p. 226. — Suffr. Linn. Schweden,
 Ent. V, 1851, p. 194. — Küst. Käf. Eur. XXV, Norwegen
 1852, p. 97. — C. G. Thoms. Skand. Col. VIII,
 1866, p. 257. — Letzn. Ber. Schles. Ges. LIII,
 1875, p. 175. — Ws. Ins. Deutschl. VI, 3, 1884,
 p. 560, nota. — Seidl. Fauna Balt. ed. 2, 1891,
 p. 695; Fauna Transsylv. 1891, p. 780.
collaris L. Syst. Nat. ed. 10, 1758, p. 371. — F. Syst. Nord- u.
 Ent. 1775, p. 98; Spec. Ins. I, 1781, p. 121; Mittel-
 Mant. I, 1787, p. 69; Ent. Syst. I, 1792, europa,
 p. 319; Syst. El. I, 1801, p. 435. — Deg. Mém. Sibirien
 V, 1775, p. 302. — Gmelin in L. Syst. Nat. ed.
 XIII, I, 4, 1790, p. 1680. — Schrank. Enum. 1781,
 p. 76. — Ol. Ent. V, 1807, p. 564, t. 8, f. 121. —
 Gyll. Ins. Suec. III, 1813, p. 459. — Duft. Fauna Austr. III, 1825, p. 185. — Letzn. Ber.
 Schles. Ges. 1844, p. 69. — Küst. Käf. Eur. II,
 1845, p. 87. — Suffr. Linn. Ent. V, 1851,
 p. 192. — C. G. Thoms. Skand. Col. VIII, 1866,
 p. 256. — Redt. Fauna Austr. ed. 3, II, 1874,
 p. 478. — Letzn. Ber. Schles. Ges. LIII, 1875,
 p. 175. — Ws. Ins. Deutschl. VI, 3, 1884,
 p. 560. — Mars. Abeille XXVI, 1888, p. 7. —
 Seidl. Fauna Balt. ed. 2, 1891, p. 695; Fauna
 Transsylv. 1891, p. 780. — Bed. Faune Col.
 Bass. Seine V, 1892, p. 155; 1899, p. 271. —
 Everts, Col. Neerl. II, 1903, p. 447. — Reitt.
 Fauna Germ. IV, 1912, p. 126, t. 146, f. 14.
elymi Voet, Cat. Syst. II, 1806, p. 39, t. 30, f. 1.

- Escheri* Heer, Obs. Ent. 1836, p. 31, t. 6, f. 9. —
 Letzn. Ber. Schles. Ges. LIII, 1875, p. 176.
salicis F. Syst. Ent. I, 1792, p. 319.
 ab. *aurica* Motsch. Schrenck's Reisen Amurl.
 II, 1860, p. 224.
 ab. *geniculata* Duft. Fauna Austr. III, 1825,
 p. 185.
 ab. *thoracica* Ws. Ins. Deutschl. VI, 3, 1884,
 p. 560.
alpina Redt. Fauna Austr. ed. 3, II, 1874,
 p. 478, nota 3.
 Biologie: Heer, Obs. Ent. 1836, p. 31, t. 6
 (sub *alpina*). — Letzn. Ber. Schles. Ges. LIII,
 1875, p. 176. — Everts, Tijdschr. Ent. XLIV,
 1901, Versl. p. 69.
 Anatomie: Bordas, Ann. Sc. Nat. Zool. (8)
 XI, 1900, p. 383.
- eruentipennis* Jacq. du Val, Hist. Cuba VII, 1857, p. 125, Cuba
 t. 11, f. 7 (*Lina*). — Stal, Mon. III, 1865,
 p. 295 (*Plagiodes*). — Suffr. Arch. Naturg.
 XXXIII, 3, 1867, p. 299 (*Chrysomela*).
- cuprea* F. Syst. Ent. 1775, p. 96; Spec. Ins. I, 1781, Nord- u.
 t. 11, f. 7 (*Lina*). — Stal, Mon. III, 1865, Mittel-
 p. 315; Syst. El. I, 1801, p. 432. — Deg. Mém. europa,
 Ins. V, 1775, p. 305. — Gmelin in L. Syst. Nat. Sibirien
 ed. XIII, I, 4, 1790, p. 1670. — Panz. Fauna
 Germ. 25, 1795, p. 8. — Payk. Fauna Suec. II,
 1899, p. 56. — Ol. Ent. V, 1807, p. 555, t. 8,
 f. 115. — Gyll. Ins. Suec. III, 1813, p. 464. —
 Duft. Fauna Austr. III, 1825, p. 171. — Küst.
 Käf. Eur. II, 1845, p. 82. — Suffr. Linn. Ent. V,
 1851, p. 195. — Redt. Fauna Austr. ed. 3, II,
 1874, p. 479. — Fein, Zeitschr. Ent. Breslau (2)
 X, 1884, p. XXII. — Ws. Ins. Deutschl. VI,
 3, 1884, p. 555. — Mars. Abeille XXVI, 1888,
 p. 10. — Seidl. Fauna Balt. ed. 2, 1891, p. 695;
 Fauna Transsylv. 1891, p. 780. — Bed. Faune
 Col. Bass. Seine V, 1892, p. 155. — Everts,
 Col. Neerl. II, 1903, p. 447. — Reitt. Fauna
 Germ. IV, 1912, p. 126, t. 146, f. 11.
- humeralis* Eschsch. Mém. Ac. Petr. VI, 1818,
 p. 465. — Germ. Mag. Ent. IV, 1821, p. 399.
 ab. *ruficaudis* Deg. Mém. V, 1775, p. 305. —
 Gyll. Ins. Suec. III, 1813, p. 464. — C. G.
 Thoms. Skand. Col. VIII, 1866, p. 254. —
 Seidl. Fauna Balt. 1875, p. 485.
- ab. *sarmatica* Ws. Arch. Naturg. LIII, 1887, Minsk
 p. 187, nota.
- Biologie: Letzn. Ber. Schles. Ges. 1857, p. 123. —
 Cornelius, Stett. Ent. Zeit. XVIII, 1857, p. 162.
 — Rupertsb. Natur u. Offenb. XXI, 1875,
 p. 569, f. 12, 13. — Omerod, Proc. Ent. Soc.
 Lond. 1882, p. XIX. — Mars. Abeille XXVI,
 1888, p. 3.
- depressa* Suffr. Stett. Ent. Zeit. XIX, 1858, p. 390 Mexiko,
 (*Chrysomela*). — Stal, Mon. III, 1865, p. 295 Honduras,
 (*Plagiodes*). — Jac. Biol. Centr.-Amer. VI, 1, Guatemala
 1882, p. 194; Suppl. 1891, p. 244, t. 10, f. 3.

- ✓ *discolor* Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 60 (*Lina*). — Vogel in Schauf. Nunquam otios. I, 1871, p. 138 (*Plagiodera*).
divisa Jac. Proc. Zool. Soc. Lond. 1887, p. 83.
Dohrni Jac. Stett. Ent. Zeit. LXIV, 1903, p. 295.
elegans Ws. Deutsche Zentralaf.-Exp. IV, 1912, p. 139.
fasciata Ws. l. c. p. 139.
formosana Bates, Proc. Zool. Soc. Lond. 1866, p. 354.
Kraatz Ws. Arch. Naturg. LXIV, 1898, p. 213. *chrysomela*
 ✓ *lapponica* L. Syst. Nat. ed. 10. 1758, p. 317. — F. Syst. Ent. 1775, p. 99; Spec. Ins. I, 1781, p. 123; Mant. I, 1787, p. 70; Ent. Syst. I, 1792, p. 322; Syst. El. I, 1801, p. 437. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1679. — Panz. Fauna Germ. 23, 1794, p. 13. — Payk. Fauna Suec. II, 1899, p. 57. — Ol. Ent. V, 1807, p. 559, t. 1, f. 9 a, b. — Gyll. Ins. Suec. III, 1813, p. 463. — Gebl. Mém. Mosc. VI, 1823, p. 124; Ledeb. Reise II, 2, 1830, p. 214; Bull. Mosc. XXI, 1, 1848, p. 32. — Steph. III. Brit. Ent. IV, 1834, p. 351; Man. 1839, p. 307. — Küst. Käf. Eur. II, 1845, p. 85. — Suffr. Linn. Ent. V, 1851, p. 196; Stett. Ent. Zeit. XIX, 1858, p. 400. — Pfeil, Stett. Ent. Zeit. XIX, 1858, p. 215. — Thoms. Skand. Col. VIII, 1866, p. 254. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 52, 53. — Redt. Fauna Austr. ed. 3, II, 1874, p. 479. — Letzn. Ber. Schles. Ges. LIII, 1875, p. 170. — Ws. Ins. Deutschl. VI, 3, 1884, p. 556. — Mars. Abeille XXVI, 1888, p. 12. — Seidl. Fauna Balt. ed. 2, 1891, p. 695; Fauna Transsylv. 1891, p. 780. — Bed. Faune Col. Bass. Seine V, 1892, p. 155. — Hamilton, Trans. Amer. Ent. Soc. XXI, 1894, p. 398. — Everts, Col. Neerl. II, 1903, p. 447. — Jacobs. Käf. Russl. 1909, t. 57, f. 26. — Reitt. Fauna Germ. IV, 1912, p. 127, t. 146, f. 12.
ab. altaica Ws. Ins. Deutschl. VI, 3, 1884, p. 557.
lapponica var. g Gebl. Bull. Mosc. III, 1, 1848, p. 32.
unicolor Mars. Abeille XXVI, 1888, p. 13. — Ws. Arch. Naturg. LXIV, 1898, p. 202. — Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 133.
 ✓ *ab. bulgharensis* F. Suppl. Ent. Syst. 1798, p. 88; Syst. El. I, 1801, p. 444. — Gyll. Ins. Suec. III, 1813, p. 466. — Küst. Käf. Eur. II, 1845, p. 84.
coerulea Gradl, Ent. Nachr. VII, 1881, p. 306. — Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 156.
lapponica var. Gebl. Bull. Mosc. III, 1, 1848, p. 32. — Suffr. Linn. Ent. V, 1851, p. 197. — Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 156.
lapponica Redt. Fauna Austr. ed. 3, II, 1874, p. 479 ♂.

Kapland,
 Transvaal,
 Natal
 Ceylon
 Kamerun:
 Barombi
 Ruwenzori:
 Beni
 Beni, Albert-
 See
 Formosa
 Kamerun
 Nordeuropa,
 u. Mittel-
 europa,
 Sibirien,
 China,
 Japan

- ab. *cruciata* Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 133.
- ab. *curvilinea* Deg. Mém. V, 1775, p. 302, t. 9, f. 3. — Küst. Käf. Eur. II, 1845, p. 84.
- ab. *litua* Mars. Abeille XXVI, 1888, p. 13. — Ws. Arch. Naturg. LXIV, 1898, p. 202.
- ab. *multipunctata* Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 133.
- ab. *quadripustulata* Jacobs. Hor. Ross. XXXV, 1900, p. 90.
- ab. *violaceipennis* Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 133.
- var. *interrupta* F. Syst. El. I, 1801, p. 438. — Ol. Ent. V, 1807, p. 558, t. 8, f. 119. — Rogers. Proc. Ac. Philad. VIII, 1854, p. 37. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 388 (*Chrysomela*). — Stal. Mon. III, 1865, p. 293 (*Plagiodera*).
- ab. *quadripunctata* Suffr. Stett. Ent. Zeit. XIX, 1858, p. 389. — Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 133.
- Biologie: Märkel. Isis 1857, p. 171. — Kawall, Stett. Ent. Zeit. XXVIII, 1867, p. 124. — Letzner, Ber. Schles. Ges. LIII, 1875, p. 172. — Beutenmüller, Ent. Amer. VI, 1890, p. 176. — Garman, Kentucky Exper. Stat. Bull. 120, 1905, p. 59.
- Morphologie: Mc. Cracken, Journ. Exper. Zool. Baltimore III, 1906, p. 321.
- Dimorphismus: Mc. Cracken, Journ. Exper. Zool. Baltimore II, 1905, p. 117, t.
- laticollis** Ws. Deutsche Zentralafr.-Exp. IV, 1912, p. 133.
- lineatopunctata** Forst. Nov. spec. Ins. 1771, p. 22.
- novaboracensis* Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1689.
- scripta* F. Syst. El. I, 1801, p. 438. — Ol. Ent. V, 1807, p. 559, t. 8, f. 120. — Rogers, Proc. Ac. Philad. VIII, 1854, p. 37. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 339 (*Chrysomela*). — Stal. Mon. III, 1865, p. 294 (*Plagiodera*). — Crotch, Proc. Ac. Philad. XXV, 1873, p. 52, 53. — Jac. Biol. Centr.-Amer. VI, 1, 1882, p. 194, t. 10, f. 2. — Towns. Amer. Ent. II, 1886, p. 58.
- variegata* Ol. Encycl. méth. V, 1790, p. 719.
- ab. *confluens* Rogers, Proc. Ac. Philad. VIII, 1854, p. 37. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 391 (*Chrysomela*). — Stal. Mon. III, 1865, p. 331. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 53 (*Plagiodera*).
- Biologie: Chap. u. Cand. Mém. Soc. Liège VIII, 1853, p. 611. — Dugès, Ann. Soc. Ent. Belg. XXX, 1886, p. 34, t. 2, f. 17—30. — Bruner, Bull. Dept. Agric. Ent. XIII, 1887, p. 34. — Beutenmüller, Ent. Amer. VI, 1890, p. 176. — Baker, Ent. News VI, 1895, p. 28. — Webster, Journ. N. York Ent. Soc. V, 1897, p. 202. — Lowe, Bull. N. York Exper. Stat. 143, 1898,

Nord-
amerika,
Sibirien

Ruwenzori
Nord-
amerika,
Mexiko

- p. 5, t. 1—6. — Garman, Kentucky Exper. Stat. Bull. 120, 1905, p. 55.
- Morphologie: Mc. Cracken, Journ. Exper. Zool. Baltimore IV, 1907, p. 221, t.
- Parasitismus: Knab, Psyche XVI, 1909, p. 34.
- ✓ *livida* Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 252. — Guinea
Vogel in Schauf. Nunquam I, 1871, p. 138. —
Jac. Novit. Zool. I, 1894, p. 524.
- spinata* Karsch, Berl. Ent. Zeitschr. XXVI, 1882, p. 397, t. 4, f. 5. — Ws. Arch. Naturg. LXX, 1904, p. 164. Chinchoxo
- ? *unicolor* Jac. Novit. Zool. I, 1849, p. 524. Kuilu,
ab. *discoidalis* Jac. l. c. p. 524. Sierra Leone
- ✓ *lutescens* Thunb. Mus. Nat. Ups. IV, 1787, p. 43, nota 6 Caffrarien
(*Chrysomela*). — Vogel in Schauf. Nunquam otios. I, 1871, p. 138 (*Plagiodera*).
- maculicollis* Jac. Entomol. XXXII, 1890, p. 117, t. 1, f. 9. China:
Chang-Yang
- madagascariensis* Vogel in Schauf. Nunquam otios. I, 1871, p. 138, nota. Madagaskar
- nigritarsis* Jac. Ent. Monthly Mag. XXI, 1885, p. 226. Delagoa Bai
- nubila* Ws. Deutsche Zentralafr.-Exp. IV, 1912, p. 139. Beni
- obsoleta* Say, Journ. Ac. Philad. III, 1824, p. 435 (*Helodes*). — Rogers, Proc. Ac. Philad. VIII, 1854, Westliche
p. 37. — Suffr. Stett. Ent. Zeit. XIX, 1858, Vereinigte
p. 391 (*Chrysomela*). — Stal. Mon. III, 1865, Staaten
p. 332. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 52, 53.
- obscuripes* Ws. Ergebn. zweit. Deutsch. Zentralafr.-Exp. I, 7, 1915, p. 168. Kongo:
Ubangi
- octodecimpunctata* Jac. Proc. Zool. Soc. Lond. 1888, China:
Kiukiang
- quadrilineata* Jac. l. c. 1900, p. 243. Matabeleland
- salicivora* Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, Kiangsi
p. 40.
- ab. *completa* Jacobs, Annuaire Mus. Petersb. VIII, 1904, p. XV. Mandschurei
- ab. *deflorata* Jacobs, l. c. p. XV.
- tibialis* Ws. Arch. Naturg. LXIV, 1898, p. 213. Mozambique
- ✓ *vigintipunctata* Scop. Ent. Carn. 1763, p. 78 (*Coccinella*). Mittel-
— F. Syst. Ent. 1775, p. 105; Spec. Ins. I, europa,
1781, p. 131; Mant. I, 1787, p. 75; Ent. Syst. II, Sibirien,
1793, p. 21 (*Galleruca*): Syst. El. I, 1801, Japan
p. 442. — Bergsträsser, Nomencl. I, 1778.
- p. 87, t. 13, f. 10. — Schrank, Enum. 1781, p. 74. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1682. — Brahm, Ins.-Kalend. I, 1790, p. 152. — Panz. Fauna Germ. VI, 1793, p. 10 (*Chrysomela*). — Rossi, Fauna Etrusca I, 1795, p. 81. — Schrank, Fauna Boica I, 1798, p. 535. — Ol. Ent. V, 1807, p. 557, t. 8, f. 118. — Duft. Fauna Austr. III, 1825, p. 171. — Steph. Ill. Brit. Ent. IV, 1834, p. 351; Man. 1839, p. 307. — Küst. Käf. Eur. II, 1845, p. 86. — Suffr. Linn. Ent. V, 1851, p. 194. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 198 (*Macrolina*). — Redt. Fauna Austr. ed. 3, II,

- 1874, p. 478. — Heyd. Deutsche Ent. Zeitschr. XXIII, 1879, p. 363. — Ws. Ins. Deutschl. VI, 3, 1884, p. 558. — Mars. Abeille XXVI, 1888, p. 9. — Seidl. Fauna Balt. ed. 2. 1891, p. 695; Fn. Transs. 1891, p. 780. — Bed. Faune Col. Bass. Seine V, 1892, p. 154. — Everts, Col. Neerl. II, 1903, p. 447. — Schulze, Berl. Ent. Zeitschr. LVI, 1911, p. 139, f. 21, 24, 26, 27. — Reitt. Fauna Germ. IV, 1912, p. 127, t. 146, f. 13.
- vigintimaculata* Bergstr. Nomencl. I, 1778, p. 87, t. 13, f. 10. — Harrer, Beschr. Ins. Schöff. 1784, p. 157.
- ab. *costella* Mars. Abeille XXVI. 1888, p. 10. — Schulze, Berl. Ent. Zeitschr. LVI, 1911, p. 144, fig. 1—IV, 21—28. — Hass. l. c. LVIII, 1913, p. 100.
- ab. *Deegeneri* Schulze, Intern. Ent. Zeitschr. Guben V, 1911, p. 153; Berl. Ent. Zeitschr. LVI, 1911, f. 3.
- ab. *extrema* Schulze, Intern. Ent. Zeitschr. Guben V, 1911, p. 153; Berl. Ent. Zeitschr. LVI, 1911, f. 5.
- ab. *incontaminata* Heyd. Hor. Ross. XXI, 1887, p. 263. — Schulze, Berl. Ent. Zeitschr. LVI, 1911, f. 1.
- diluta* Mars. Abeille XXVI, 1888, p. 10. — Schulze, Berl. Ent. Zeitschr. LVI, 1911, f. 2, 23.
- ab. *melaina* Schulze, Intern. Ent. Zeitschr. Guben V, 1911, p. 153; Berl. Ent. Zeitschr. LVI, 1911, f. 4.
- ab. *miniata* Auel, Zeitschr. wiss. Insektenbiol. V, 1909, p. 318.
- ab. *pustulata* Ws. Ins. Deutschl. VI, 3, 1884, p. 559. — Schulze, Berl. Ent. Zeitschr. LVI, 1911, f. 1, 3, 4.
- octodecimpunctata* L. Syst. Nat. ed. 12, 1767, p. 582 (*Coccinella*).
- ab. *quadripunctata* Schulze, Intern. Ent. Zeitschr. Guben V, 1911, p. 153.
- Biologie: Letzn. Arb. Schles. Ges. XXXV, 1857, p. 125. — Scholz, Ent. Wochenbl. XXIV, 1907, p. 70, 73, 77, f. 1—7. — Auel, Zeitschr. wiss. Insektenbiol. V, 1909, p. 317. — Klossowski, Intern. Ent. Zeitschr. Guben IV, 1910, p. 123, fig.

Subgen. *Melasoma* i. sp.

- ab. *populi* L. Syst. Nat. ed. 10, 1758, p. 370. — F. Syst. Ent. 1775, p. 96; Spec. Ins. I, 1781, p. 119 (pars); Mant. I, 1787, p. 69; Ent. Syst. I, 1792, p. 316; Syst. El. I, 1801, p. 433. — Deg. Mém. V, 1775, p. 290, t. 8, f. 16. — Schrank, Enum. 1781, p. 68. — Laich. Verz. Tyrol. Ins. 1781, p. 149. — Gmelin in L. Syst. Nat. ed. XIII, 1, 4, 1790, p. 1678. — Payk. Fauna Suec. II, 1899, p. 55. — Ol. Ent. V, 1807, p. 551, t. 7, f. 110. — Gyll. Ins. Suec. III, 1813, p. 457. — Duft. Fauna Austr. III, 1825, p. 170.

Europa,
Nord-
afrika,
W. u. N.
Asien,
China,
Japan

— Ratzeb. Forstins. I. 1837, p. 245, t. 20, f. 4 (*Chrysomela*). — Steph. Ill. Brit. Ent. IV, 1834, p. 350; Man. 1839, p. 307. — Küst. Käf. Eur. II, 1845, p. 80 (*Lina*). — Suffr. Linn. Ent. V, 1851, p. 197 (*Chrysomela*). — Redt. Fauna Austr. ed. 3, II. 1874, p. 478. — Robinson, Rep. Dulwich Soc. IV, 1881, p. 41. — Ws. Ins. Deutschl. VI, 3, 1884, p. 563. — Mars. Abeille XXVI, 1888, p. 14. — Fowl. Col. Brit. Isl. IV, 1890, p. 309. — Seidl. Fauna Balt. ed. 2, 1891, p. 695; Fauna Transsylv. 1891, p. 781. — Bed. Faune Col. Bass. Seine V, 1892, p. 155; 1899, p. 272. — Everts, Col. Neerl. II, 1903, p. 447. — Jacobs. Käf. Russl. 1909, t. 58, f. 20. — Reitt. Fauna Germ. IV, 1912, p. 127, t. 146, f. 15.
ab. *Janaceki* Reitt. Wien. Ent. Zeit. XI, 1892, p. 240. — Jacobs. Hor. Ross. XXIX, 1895, p. 554.

Biologie: Deg. Mém. Ins. V, 1775, p. 290, t. 8, f. 18—22. — Ratzeb. Forstins. I. 1837, p. 200. — Westw. Introd. I, 1839, p. 398, f. 48. — Klingelh. Stett. Ent. Zeit. IV, 1843, p. 85. — Chap. et Cand. Mém. Soc. Liège VIII, 1853, p. 610, t. 9, f. 7. — Chap. Gen. Col. X, 1874, p. 357. — Haase, Ent. Nachr. IV, 1878, p. 228. — Riley, Am. Ent. III, 1880, p. 159, f. 61—64. — Osborne, Ent. Monthly Mag. XVII, 1880, p. 152. — Altum, Dankelm. Zeit. XIV, 1882, p. 608. — Kittel, Correspbl. Ver. Regensb. XXXVIII, 1884, p. 30. — Biro, Rov. Lap. II, 1885, p. 96. — Meinert, Ent. Tidsskr. VII, 1886, p. 191. — Grunert, Forstl. Bl. XXIII, 1886, p. 337. — Judeich, Forstins. II, 1, 1889, p. 598. — Hacker, Wien. Ent. Zeit. XVIII, 1899, p. 36. — Bothe, Ill. Zeitschr. Ent. IV, 1899, p. 220. — Kempers, Ent. Ber. IV, 1902, p. 18. — Noel, Le Natur. XXXI, 1909, p. 133. — Peyerimh. Ann. Soc. Ent. Fr. LXXX, 1911, p. 290.

Anatomie: Bordas, Ann. Sc. Nat. Zool. (8) XI, 1900, p. 383. — Berlese, Riv. Patolog. veget. IX, 1902, p. 317. — Semichon, Bull. Soc. Ent. Fr. 1913, p. 366.

Morphologie: Kempers, Tijdschr. Ent. XLV, 1902, p. 59. — Wandolleek, Zool. Jahrb. Anat. XXII, 1906, p. 551, f. G. — Bellevoye, C. r. Ass. franç. avanc. Sc. XXXVI, 1907 (1908), p. 641, 646, f. 8. — Chinaglia, Riv. Col. Ital. VI, 1908, p. 169, t. 1, f. 18, 19, 22, 23; VIII, 1910, p. 31, t. 1a, f. 16. — Hollande, Arch. Anat. Microsc. Paris XIII, 1911, p. 302; Arch. Zool. Expér. (5) VI, 1911, p. 303.

Parasitismus: Rabaud, Feuille jeun. Natur. XXXIX, 1909, p. 101.

✓ *saliceti* Ws. Ins. Deutschl. VI, 3, 1884, p. 565. — Seidl. Fauna Balt. ed. 2, 1891, p. 695; Fauna Transsylv. 1891, p. 781. — Bed. Faune Col. Bass. Seine V, 1892, p. 155; 1899, p. 272. — Everts,

Europa

- Col. Neerl. II, 1903, p. 447. — Reitt. Fauna Germ. IV, 1912, p. 127.
- tremulae* Suffr. Linn. Ent. V, 1851, p. 198. — Küst. Käf. Eur. II, 1852, p. 81 (Nachdruck). — C. G. Thoms. Skand. Col. VIII, 1866, p. 255. — Kirsch, Berl. Ent. Zeitschr. XIV, 1870, p. 218. — Redt. Fauna Austr. ed. 3, II, 1874, p. 478. — Seidl. Fauna Balt. 1875, p. 485. — Mars. Abeille XXVI, 1888, p. 15. — Ws. Arch. Naturg. LXIV, 1898, p. 202.
- ab. nigripennis* Reitt. Wien. Ent. Zeit. XIII, 1894, p. 192.
- Biologie: Weise, Deutsche Ent. Zeitschr. 1901, p. 87.
- Morphologie: Ws. l. c. XXX, 1886, t. 1, f. 49.
- tremulae* F. Mant. I, 1787, p. 69; Ent. Syst. I, 1792, p. 317; Syst. El. I, 1801, p. 434. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1678. — Payk. Fauna Suec. II, 1899, p. 55. — Ol. Ent. V, 1807, p. 552, t. 7, f. 111. — Gyll. Ins. Suec. III, 1813, p. 458. — Duft. Fauna Austr. III, 1825, p. 170. — Zett. Ins. Lapp. 1828, p. 226. — Steph. Ill. Brit. Ent. IV, 1834, p. 350; Man. 1839, p. 307. — Küst. Käf. Eur. II, 1845, p. 81 (Erster Druck). — Redt. Fauna Austr. 1849, p. 551. — Suffr. Stett. Ent. Zeit. V, 1851, p. 198. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 52, 53. — Ws. Ins. Deutschl. VI, 3, 1884, p. 564. — Seidl. Fauna Balt. ed. 2, 1891, p. 695; Fauna Transsylv. 1891, p. 781. — Bed. Faune Col. Bass. Seine V, 1892, p. 155; 1899, p. 272. — Everts, Col. Neerl. II, 1903, p. 447. — Jacobs. Käf. Russl. 1909, t. 58, f. 21. — Reitt. Fauna Germ. IV, 1912, p. 127, t. 146, f. 16.
- longicollis* Suffr. Linn. Ent. V, 1851, p. 199. — Küst. Käf. Eur. XXV, 1852, p. 96. — C. G. Thoms. Skand. Col. VIII, 1866, p. 255. — Kirsch, Berl. Ent. Zeitschr. XIV, 1870, p. 218. — Redt. Fauna Austr. ed. 3, II, 1874, p. 478. — Seidl. Fauna Balt. 1875, p. 485. — Mars. Abeille XXVI, 1888, p. 15. — Fowl. Col. Brit. Isl. IV, 1890, p. 310.
- Biologie: Ratzeb. Forstins. I, 1837, p. 200, t. 20, f. 3. — Klingelh. Stett. Ent. Zeit. IV, 1843, p. 86. — Tinseau, Feuille jeun. Natur. VI, 1876, p. 105. — Pennell, Entomol. XV, 1882, p. 46. — Kittel, Correspbl. Ver. Regensb. XXXVIII, 1884, p. 30. — Luc. Ann. Soc. Ent. Fr. (6) VI, 1886, Bull. p. 181. — Judeich, Forstins. II, 1, 1889, p. 596. — Beutenmüller, Ent. Amer. VI, 1890, p. 176. — Altum, Dankehm. Zeit. XXIII, 1891, p. 40; Zeitschr. Forst- u. Jagdwes. 1899, p. 217. — Jacobs. Käf. Russl. 1905, p. 58, fig.
- Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. 1, f. 58. — Graber, Denkschr. Ak. Wiss. Wien IV, 1889, p. 119, t. 4, f. 28, 34. — Terre, C. r. Soc. Biol. 1898, p. 955. — Belle-

Europa,
Sibirien,
Nord-
amerika,

- voye, C. r. Ass. franç. avanc. Sc. XXXVI,
1907 (1908), p. 641, 646.
Parasitismus: Bugnion, Bull. Soc. Vaud. (2)
XVII, 1881, p. 17, t. 1, 2.

rubricollis Philippi, Stett. Ent. Zeit. XXV, 1864, p. 391. Chile
35

✓ *Gastrolina* Baly.

Baly, Ann. Mag. Nat. Hist. (3) IV, 1859, p. 61. — Chapuis, Gen. Col. X,
1874, p. 368, 376. — Harold, Deutsche Ent. Zeitschr. XXI, 1877, p. 362. —
Mars. Abeille XXVI, 1888, p. 17.

- Linastica* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 200.
japana Jac. Proc. Zool. Soc. Lond. 1885, p. 210, t. 11, Japan
f. 12. — Ws. Arch. Naturg. LIII, 1, 1887, p. 187.
✓ *japonica* Har. Deutsche Ent. Zeitschr. XXI, 1877, p. 362. Japan
peltoidea Gebl. Nouv. Mém. Mosc. II, 1832, p. 74. Sibirien,
Motsch. Schrenck's Reisen Amurl. II, 1860, p. 200 N. China
(*Linastica*). — Heyd. Deutsche Ent. Zeitschr.
XXVIII, 1884, p. 292. — Mars. Abeille XXVI,
1888, p. 19. — Jacobs. Käf. Russl. 1909, t. 57,
f. 18.
depressa Baly, Ann. Mag. Nat. Hist. (3) IV,
1859, p. 61.
ab. cimeæ Jacobs. Finska Vet.-Soc. Förh. XLIII,
1901, p. 134.
✓ *thoracica* Baly, Trans. Ent. Soc. Lond. (3) II, 1864, Amur,
p. 228. — Mars. Abeille XXVI, 1888, p. 18. Japan
4

✓ *Synerga* Ws.

Weise, Arch. Naturg. LXVI, 1900, p. 283.

- ✓ *modesta* F. Ent. Syst. I, 1792, p. 323. China,
bella Jac. Entomol. XXIII, 1890, p. 253; Ann. Himalaya
Soc. Ent. Belg. XL, 1896, p. 250.
angelica Baly, Sec. Yarkand Miss. 1878, p. 29.
1

✓ *Agasta* Hope.

Hope, Col. Man. III, 1840, p. 177. — Baly, Trans. Ent. Soc. Lond. (3) IV,
2, 1867, p. 298. — Chapuis, Gen. Col. X, 1874, p. 367, 405.

- ✓ *formosa* Hope, Col. Man. III, 1840, p. 177, t. 2, f. 3. — China,
Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, Ostindien,
p. 298. — Chap. Gen. Col. Atlas, t. 123, f. 4. — Hinter-
Baly, Cist. Ent. II, 1879, p. 436. — Duviv. indien,
Ann. Soc. Ent. Belg. XXXV, 1891, C. r. p. 44. Java
1

Omolina Ws.

Weise in Sjöst. Kilimandj. I, Col. 7, 1909, p. 192.

Sjoestedti Ws. l. c. p. 192.

Kilimandjar^o

Phaedonia Ws.

Weise, Arch. Naturg. LXIV, I, 2, 1898, p. 210, 211.

Plagiodera Vogel in Schauf. Nunquam otios. I, 1871, p. 132. —
Ws. Arch. Naturg. LXIV, 1898, p. 210.

- ↙ **areata** F. Ent. Syst. I. 1792, p. 327. — Ol. Ent. V, 1807, Westafrika
p. 566, t. 8, f. 124. — Ws. Arch. Naturg.
LXIV, 1898, p. 213.
- circumcincta* Sahlb. in Thon, Arch. Ent. II, 1,
1829, p. 28, t. 2, f. 38 (*Chrysomela*). — Vogel
in Schauf. Nunquam otios. I, 1871, p. 133 (pars).
Sahlbergi Vogel, l. c. p. 132.
- ↙ ab. *Sahlbergi* Klug, Erman's Reise, Atl. 1835,
p. 49. — Ws. Ergebn. zweit. deutsch. Zentral-
afr.-Exp. I, 1915, p. 168.
- limbalis* Vogel, Nunqu. otios. I, 1871, p. 133.
- ↙ var. *impolita* Gerst. Arch. f. Naturg. XXXVII, Ostafrika
1871, p. 82. — Vogel in Schauf. Nunquam
otios. I, 1871, p. 134. — Ws. Arch. f. Naturg.
LXIV, 1898, p. 213.
- ↙ *circumcincta* Vogel, l. c. p. 133 (pars).
peripherica Vogel, l. c. p. 133.
- 1

Palimbola Ws.

Weise, Deutsche Ent. Zeitschr. 1900, p. 449.

- ↙ **nigripes** Ws. l. c. p. 450. Deutsch Ost-
afrika
- 1

Mesoplatys Baly.

Baly, Trans. Ent. Soc. Lond. 1875, p. 23. — Weise, Arch. Naturg. LXIV,
1898, p. 212.

Entomoscelis Vogel in Schauf. Nunquam otios. I, 1871, p. 123.

- ↙ **cincta** Ol. Encycl. méth. V. 1790, p. 712; Ent. V, 1807, Guinea
p. 563, t. 2, f. 18 (*Chrysomela*).
senegalensis F. Ent. Syst. I. 1792, p. 319;
Syst. El. I, 1801, p. 436 (*Chrysomela*). —
Vogel in Schauf. Nunquam otios. I, 1871,
p. 124 (*Entomoscelis*).
Biologie: Xamheu, Ann. Soc. Linn. Lyon LI,
1904 (1905), p. 159 (*Entomoscelis*).
- ↙ **nossibiana** Brancs. Jahresh. Ver. Trencsén XIV—XV, Nossibé,
1893, p. 245. — Fairm. Mém. Soc. Zool. Fr. XII, Madagas-
1899, p. 28 (*Entomoscelis*). — Ws. in Voeltzkow, kar
Reise Ostaf. II, 1910, p. 431.
- cincta* Alluaud, Bull. Soc. Ent. Fr. 1899, p. 379.
- ↙ **ochroptera** Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 60. — Mittel- und
Vogel in Schauf. Nunquam otios. I, 1871, Südafrika
p. 124. — Fairm. Ann. Soc. Ent. Fr. (6) VII,
1887, p. 360 (*Entomoscelis*). — Ws. Arch.
Naturg. LXIV, 1898, p. 213; in Sjöst. Kili-
mandj. I, Col. 7, 1909, p. 191.

Machomena Dub.

Dubois, Echange III, 1887, p. 25. — Jacobson, Hor. Ross. XXXV, 1900, p. 88.

Acanthodon Weise, Ent. Monatsbl. II, 1880, p. 76 (nec Guér.).

- ✓ *lineata* Gené, Mem. Acc. Torino (2) II, 1839, p. 80, t. 2, f. 18. — Suffr. Linn. Ent. V, 1851, p. 227 Corsica,
(*Chrysomela*). — Ws. Ins. Deutschl. VI, 3, Sardinien
1884, p. 504, nota. — Mars. Abeille XXVI,
1888, p. 52 (*Goniocena*).
Morphologie: Ws. Deutsche Ent. Zeitschr.
1894, t. 2, f. 8.

1

Ageniosa Ws.

Weise, Denkschr. med.-naturw. Ges. Jena XIII, 1908, p. 146.

Chrysomela Vogel in Schauf. Nunquam otios. I, 1871, p. 82 (pars).

- Achilles* Vogel, l. c. p. 90. — Ws. Denkschr. med.- Kapland,
naturw. Ges. Jena XIII, 1908, p. 147. Natal
- alutacea* Vogel in Schauf. Nunquam otios. I, 1871, Kapland
p. 90. — Ws. Denkschr. med.-naturw. Ges.
Jena XIII, 1908, p. 146.
- Badeni* Vogel in Schauf. Nunquam otios. I, 1871, p. 87. —
Ws. Denkschr. med.-naturw. Ges. Jena XIII,
1908, p. 147. „
- Livingstonei* Jac. Proc. Zool. Soc. Lond. 1900,
p. 240.
- electoralis* Vogel in Schauf. Nunquam otios. I, p. 87. — Natal
Ws. Denkschr. med.-naturw. Ges. Jena XIII,
1908, p. 146.
- natalensis* Jac. Proc. Zool. Soc. Lond. 1898,
p. 240.
- frontalis* Ws. Denkschr. med.-naturw. Ges. Jena XIII, Klein Na-
1908, p. 147. maland
- heptas* Vogel in Schauf. Nunquam otios. I, 1871, p. 89. — Kapland,
Ws. Denkschr. med.-naturw. Ges. Jena XIII, Natal
1908, p. 147.
- ✓ *immaculata* Ol. Encycl. méth. V, 1790, p. 695. — Vogel Kapland
in Schauf. Nunquam otios. I, 1871, p. 88. —
Ws. Denkschr. med.-naturw. Ges. Jena XIII,
1908, p. 147.
- levis* Vogel in Schauf. Nunquam otios. I, 1871, p. 93. „
- melancholia* Vogel, l. c. p. 94. Natal
- ✓ *natalensis* Vogel, l. c. p. 88. — Ws. Denkschr. med.- „
naturw. Ges. Jena XIII, 1908, p. 146, nota.
- nugaria* Vogel in Schauf. Nunquam otios. I, 1871, p. 91. Kapland,
Caffrarien
- observanda* Vogel, l. c. p. 90. Natal
- ocelligera* Clav. Ann. Soc. Ent. Belg. LIII, 1909, p. 392. Umbugwe
- ✓ *perlustrata* Vogel in Schauf. Nunquam otios. I, 1871, Kapland,
p. 91. — Ws. Denkschr. med.-naturw. Ges. Caffrarien
Jena XIII, 1908, p. 146.
- praestans* Vogel in Schauf. Nunquam otios. I, 1871, p. 89. Kapland
- propinqua* Vogel, l. c. p. 92. Caffrarien
- saevorum* Vogel, l. c. p. 93. „

simpliciusecula Vogel, l. c. p. 94.

Kapland
Caffrarien

suppleta Vogel, l. c. p. 92.

Natal

triloris Vogel, l. c. p. 95.

20

Chersomela Ws.

Weise, Beitr. Land- u. Süßwasserr. D.-Südwestaf. I, 1914, p. 260.

hottentotta Ws. l. c. p. 261.

D. Südwest-
afrika

1

Liomela Ws.

Weise, Arch. Naturg. LXXVIII, I, 2, 1912, p. 84.

splendida Ws. l. c. p. 85.

D. Ostafrika

1

Strumatophyma Baly.

Baly, Trans. Ent. Soc. Lond. 1871, p. 400. — Chapuis, Gen. Col. X, 1874, p. 414, 415.

undulatipennis Clark, Trans. Ent. Soc. Lond. (3) II, 5, 1865, p. 415 (*Chalcolampra*). — Blackb. Proc.

W. u. S.
Australien

Linn. Soc. N. S. Wales (2) IV, 1889, p. 479.

verrucosa Clark, Journ. of Ent. II, 1864, p. 250, t. 12, f. 2 (*Chalcolampra*).

Nördl.
Australien.

2

Micromela Baly.

Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 260.

eupripennis Baly, l. c. p. 261.

Melbourne

1

Cyclomela Baly.

Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 257. — Chapuis, Gen. Col. X, 1874, p. 369, 403.

Paropsipacha Motsch. Schrenck's Reisen Amurl. II, 1860, p. 192.

nitida Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 257, t. 14, f. 9.

Moreton Bai

metallica Motsch. Schrenck's Reisen Amurl. II, 1860, p. 192. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 3, 1899, p. 520.

1

Cyclonoda Baly.

Baly, Journ. Linn. Soc. Lond. XIII, 1878, p. 474.

pilula Clark, Journ. of Ent. II, 1864, p. 251, t. 12, f. 4 (*Chalcomela*).

W. Austra-
lien

subpunctata Clark, Trans. Ent. Soc. Lond. (3) II, 5, 1865, p. 417 (*Chalcomela*).

Champion
Bai

2

Chalcomela Baly.

- Baly, Trans. Ent. Soc. Lond. (n. s.) III. 7, 1856, p. 258; (3) IV, 2, 1867, p. 296. — Chapuis, Gen. Col. X, 1874, p. 369, 404.
- eupreosplendens** Lea, Rep. Australas. Ass. 1902, p. 395. Torres-Strasse: Thursday Insel
- ✓ **eximia** Baly, Trans. Ent. Soc. Lond. (n. s.) III. 7, 1856, p. 260, t. 14, f. 7. — Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1888, p. 1491. Queensland: Somerset, Port Denison
- fulvipes** Jac. Stett. Ent. Zeit. LVI, 1895, p. 70. Queensland
- illudens** Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 259. — Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1889, p. 279. Queensland, N. S. Wales
- ✓ **insignis** Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 259. Queensland, Somerset, Port Denison
- intermedia** Baly, l. c. (3) IV, 2, 1867, p. 296. Mysol, Ceram
- nigripennis** Baly, l. c. p. 297. Waigöu
- ornatissima** Baly, Journ. of Ent. I. 1861, p. 294. Queensland, N. S. Wales
- rubripustulata** Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 297. Neuguinea
- Sloanei** Blackb. Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 356. N. S. Wales: Richmond River
- sulcata** Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 258, t. 14, f. 8. Australien
- ✓ **tricolor** Lea, Rep. Australas. Ass. 1902, p. 396. N. Queensland: Cairns
- variegata** Jac. Ann. Soc. Ent. Belg. XLII, 1898, p. 367. N. S. Wales: Richmond River
- ✓ **viridimicans** Lea, Rep. Australas. Ass. 1902, p. 395. N. Queensland: Cairns
- viridipennis** Ws. Nova Guinea V, Zool. 2, 1908, p. 313. Neuguinea: Manokwari

Carystea Baly.

- Baly, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 33; Trans. Ent. Soc. Lond. 1875, p. 24. — Chapuis, Gen. Col. X, 1874, p. 380.
- australica** Blackb. Trans. Roy. Soc. S. Austr. XVI, 1893, p. 199. Fraser Range
- ✓ **fulvilabris** Germ. Linn. Ent. III, 1848, p. 238 (*Chryso-mela*). — Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 247. Adelaide
- inornata** Baly, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 33. W. Australien
- ✓ **Jansoni** Baly, l. c. p. 33. „
- micans** Baly, Ent. Monthly Mag. XIII, 1876, p. 80. „

- sapphira* F. Syst. El. I, 1801, p. 432. — Boisd. Voy. Australien
Astrol. Col. 1835. p. 578 (*Chrysomela*).
✓ *Waterhousei* Baly, Trans. Ent. Soc. Lond. (3) I, 1863. „
p. 620: Ann. Mag. Nat. Hist. (3) XV, 1865,
p. 33.

7

Aphilon Sharp.

Sharp, Ent. Monthly Mag. XIII, 1876, p. 100. — Broun, Man. N. Zealand
Col. I, 1881, p. 629. — Lefèvre, Mém. Soc. Liège (2) XI, 1885, p. 162.

- convexum* Broun, Man. N. Zealand Col. V, 1893, p. 1310. Neuseeland
enigma Sharp, Ent. Monthly Mag. XIII, 1876, p. 100. „
Broun, Man. N. Zealand Col. I, 1881, p. 629.
laticolle Broun, Ann. Mag. Nat. Hist. (6) XII, 1893, „
p. 392.
latulum Broun, Man. N. Zealand Col. V, 1893, p. 1310. „
minutum Broun, l. c. I, 1881, p. 631. „
praestans Broun, l. c. V, 1893, p. 1309. „
pretiosum Broun, l. c. I, 1881, p. 630. „
punctatum Broun, l. c. p. 630. „
scutellare Broun, l. c. VII, 1893, p. 1501. „

9

Caccomolpus Sharp.

Sharp, Trans. Roy. Dublin Soc. (2) III, 1886, p. 447. — Broun, Man.
N. Zealand Col. V, 1893, p. 1308.

- globosus* Sharp, Trans. Roy. Dublin Soc. (2) III, 1886, Neuseeland
p. 447, t. 13, f. 23. — Broun, Man. N. Zealand
Col. V, 1893, p. 1308.
maculatus Broun, l. c. p. 1309. „
ornatus Broun, Bull. N. Zeal. Inst. I, 1910, p. 77. „
plagiatus Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, „
p. 448. — Broun, Man. N. Zealand Col. V, 1893,
p. 1308.
pullatus Broun, l. c. p. 1309. „

5

IV. Dicranosternini.

Weise, Deutsche Ent. Zeitschr. 1915, p. 436. „

Paropsites Chap. Gen. Col. X, 1874, p. 441 (pars).

Dicranosterna Motsch.

Motsch. Schrenck's Reisen Amurl. II, 1860, p. 193. — Weise, Arch.
Naturg. LXVII, 1901, I, 2, p. 167.

Paropsis Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 67. — Blackb.
Trans. Roy. Soc. S. Austral. (2) IX, 1894, p. 220 (pars).

- ✓ *aeraria* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 72. — Queensland
Blackb. Proc. Linn. Soc. N. S. Wales XXVI,
1901, p. 187, 189.

- ✓ *foraminosa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 73.
 ✓ *immaculata* Marsh. Trans. Linn. Soc. Lond. IX, 1808.
 p. 291, t. 25, f. 4. — Boisd. Voy. Astrol. Col.
 1835, p. 565. — Blackb. Proc. Linn. Soc.
 N. S. Wales XXVI, 1901, p. 187, 190. — Ws.
 Arch. Naturg. LXVII, 1901, p. 168.
 ab. *bipagiata* Boh. Eugen. Resa 1859, p. 173. —
 Blackb. Proc. Linn. Soc. N. S. Wales XXVI,
 1901, p. 186, 190.
 ✓ *oblonga* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 72.
 ✓ *picea* Ol. Ent. V, 1807, p. 599, t. 1, f. 3. — Latr. Encycl.
 méth. X, 1825, p. 11. — Motsch. Schrenck's
 Reisen Amurl. II, 1860, p. 193. — Blackb. Proc.
 Linn. Soc. N. S. Wales XXVI, 1901, p. 187,
 190. — Ws. Arch. Naturg. LXVII, 1901, p. 168.
 Atropos Stal, Öfv. Vet. Ak. Förh. XVII, 1860,
 p. 465. — Blackb. Proc. Linn. Soc. N. S. Wales
 XXVI, 1901, p. 186, 190.
 ✓ *semipunctata* Chap. Ann. Soc. Ent. Belg. XX, 1877,
 p. 72. — Blackb. Proc. Linn. Soc. N. S. Wales
 XXVI, 1901, p. 187.
subovalis Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 72.

Queensland
 Queensland,
 N. S. Wa-
 les.
 Victoria

Queensland
 Queensland,
 N. S. Wa-
 les

..

Carpentaria

7

Sterromela Ws.

Weise, Deutsche Ent. Zeitschr. 1915, p. 436.

Paropsis Chap. u. Blackb.

- insignita* Newm. Entomol. 1842, p. 414. — Blackb. Proc.
 Linn. Soc. N. S. Wales XXIII, 1898, p. 226, 243.
interlita Newm. Entomol. 1842, p. 414. — Blackb.
 Proc. Linn. Soc. N. S. Wales XXIII, 1898,
 p. 226, 242.
 ✓ *subcostata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 75. —
 Blackb. Proc. Linn. Soc. N. S. Wales XXIII,
 1898 (1899), p. 657, 663.
 ✓ *trimaiculata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 76.
 — Blackb. Proc. Linn. Soc. N. S. Wales XXIII,
 1898, p. 226, 243.

Victoria
 Victoria,
 N. S. Wa-
 les
 Tasmanien,
 N. S. Wa-
 les
 S. Australia,
 Victoria

4

Trochalodes Ws.

Weise, Arch. Naturg. LXVII, 1901, p. 167.

Paropsis Chap. et Blackb.

- ✓ *abdominalis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 71.
 — Blackb. Proc. Linn. Soc. N. S. Wales XXVI,
 1901, p. 189.
anomala Blackb. l. c. p. 187, 191.
bipuncticollis Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 70.
 — Blackb. Proc. Linn. Soc. N. S. Wales XXVI,
 1901, p. 188.
 ✓ *Circe* Stal, Öfv. Vet.-Ak. Förh. XVII, 1860, p. 464. —
 Blackb. Proc. Linn. Soc. N. S. Wales XXVI,
 1901, p. 188.
coccinelloides Ol. Ent. V, 1807, p. 601, t. 1, f. 7.

N. S. Wales:
 Murrum-
 bidgée
 N. S. Wales
 Australien
 Queensland:
 Moreton
 Bai
 Australien

- conjungens* Blackb. Horn's Exped. II. 1896, p. 304; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 189. Zentral-Australien
- contracta* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 70. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 189. Queensland: Rockhampton
- fulvoguttata* Baly, Journ. of Ent. II, 1864, p. 298. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 188. Adelaide
- globata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 71. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 186. Queensland
- globulosa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 71. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 189. Australien
- hastata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 72. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 188. W. Australien
- ✓ *hemisphaerica* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 71 (*hemisphaerica*). — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 189. — Ws. Fauna S. W. Australiens II, 1908, p. 7. „
- ✓ *lateralis* Blackb. Trans. Roy. Soc. S. Austral. XVI, 1893, p. 201. Nilpena
- ✓ *mimula* Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 189. Australien
- palmensis* Blackb. Horn's Exped. II, 1896, p. 305; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 189. Zentral-Australien
- Philomela* Blackb. l. c. p. 189, 194 ♂. Tasmanien
- Polyxo* Blackb. l. c. p. 188, 192 ♂. N. S. Wales: Richmond River
- rubeola* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 71. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 186. S. Australien: Adelaide
- Selene* Blackb. l. c. p. 188, 193 ♂. N. Queensland
- Stali* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 70. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 188. Queensland: Rockhampton
- umbrata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 70. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 188. „
-
- Echo* Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 187, 190 ♀. N. Queensland
- pedestris* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 71. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 186. Queensland: Wide Bai
- suspiciosa* Baly, Journ. of Ent. II, 1864, p. 297. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 186. Melbourne

Lioplacis Chevr.

- Leioplacis* Chevr. Diet. univ. III, 1843, p. 656. — Stal, Mon. III, 1865, p. 312. — Chapuis, Gen. Col. X, 1874, p. 435, 437.
- elliptica* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 469 Brasilien (*Gavirga*); Mon. III, 1865, p. 313.

- paupera** Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 469 (Gavirga); Mon. III, 1865, p. 313. Brasilien, Montevideo

2

V. Paropsini.

Weise, Deutsche Ent. Zeitschr. 1915, p. 436.

Paropsites Chap. Gen. Col. X, 1874, p. 441 (pars).

Paropsis Ol.

Ol. Ent. V, 1807, p. 596, t. 1. — Latr. in Cuvier, Règne anim. ed. 2. V, 1829, p. 149. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 194. — Baly, Journ. of Ent. II, 1864, p. 291, Sect. 1; Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 278 (pars). — Chapuis, Gen. Col. X, 1874, p. 442 (pars); Ann. Soc. Ent. Belg. XX, 1877, p. 67, 1. Gruppe. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 220, 1. Gruppe. — Weise, Arch. Naturg. LXVII, 1901, p. 165, 166.

Coccinelloides Latr. Gen. Crust. et Ins. III, 1807, p. 58.

Notoclea Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 284.

- aeiculata** Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 68. Australien
Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 167.
- advena** Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224, 230; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 166. ? S. W. Australien
- affinis** Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224, 229; Proc. Linn. Soc. N. S. Wales (3) VI, 1901, p. 167 ♀. N. S. Wales
- amboinensis** F. Syst. El. I, 1801, 433 (*Chrysomela*). — Ol. Ent. V, 1807, p. 598, t. 1, f. 2. Tasmanien, N. S. Wales
atomaria Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 286, t. 24, f. 3. — Boisd. Voy. Astrol. Col. 1835, p. 562. — Baly, Journ. of Ent. II, 1864, p. 300. — Ws. Arch. Naturg. LXVII, 1901, p. 166.
- Charybdis* Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 162, 164, 178.
- angusticollis** Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224, 230; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 166. N. S. Wales
- ✓ **atomaria** Ol. Ent. V, 1807, p. 598, t. 1, f. 1. Australien
- ✓ **Augusta** Blackb. l. c. 1901, p. 165, 173. Victoria,
Parryi Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 223. N. S. Wales
- bella** Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 226, 236; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 171 ♂. Australien
- Blandina** Blackb. l. c. 1901, p. 172, 184 ♀. W. Australien
- ✓ **Bovilli** Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 224, 231; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 168. N. Territor. of S. Australia

- ✓ *carnosa* Baly, Journ. of Ent. II, 1864, p. 307. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 226; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 172. Adelaide
- Cassiope* Blackb. l. c. 1901, p. 172, 186 ♀. West-australien
Queensland
- cerea* Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224, 228; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 167 ♂.
- colorata* Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 225, 232; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 170 ♀. „
- ✓ *confusa* Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 169. S. Australia
- convexa* Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 226, 235; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 172. „
- deserti* Blackb. Horn's Exped. II, 1896, p. 303; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 172. Zentral-Australien
- dilatata* Er. Arch. Naturg. VIII, 1842, p. 226. — Gerst. l. c. XXXIII, 1867, p. 293. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 222, 224; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 166, 169, 180. — Clark, 1930, NZ Journ. Sci. 123. Tasmanien
- elytrura* Blackb. l. c. 1901, p. 168, 178. W. Australien
- formosa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 69. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 165. Sydney.
S. Australia
- geographica* Baly, Journ. of Ent. II, 1864, p. 303. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 225; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 170. Adelaide,
N. S. Wales
- gibbosa* Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 225; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 169. Australien
- glauca* Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 225, 232; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 171. Victoria
- Hygea* Blackb. l. c. 1901, p. 166, 176 ♀. N. Queens-
land
- ✓ *incarnata* Er. Arch. Naturg. VIII, 1842, p. 226. — Gerst. l. c. XXXIII, 1867, p. 293. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 164, 168, 177. Tasmanien
- reticulata* var. Baly, Journ. of Ent. II, 1864, p. 300.
- insularis* Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 168. „
- intermedia* Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 226, 237; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 171 ♀. N. S. Wales
- irrorata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 69. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 226; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 169. N. W. Au-
stralien
- latissima* Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 226, 235; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 171 ♂. S. Australia

- latona* Blackb. l. c. 1901, p. 171, 184 ♀. W. Australia
Victoria
- longicornis* Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224, 228; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 166.
- Lownei* Baly, Journ. of Ent. II, 1864, p. 294. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 223; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 167, 177. Sydney
- ab. *nigroscutata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 68.
- ✓ *lutea* Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 286, t. 24, f. 4. — Baly, Journ. of Ent. II, 1864, p. 304. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 225. N. S. Wales,
Victoria,
Tasmanien
- consimilis* Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 183.
- ✓ — ab. *aegrola* Boisd. Voy. Astrol. Col. 1835, p. 563.
- ✓ *maculata* Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 287, t. 24, f. 5. — Boisd. Voy. Astrol. Col. 1835, p. 566. — Baly, Journ. of Ent. II, 1864, p. 301. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 225; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 170. Queensland,
N. S. Wales,
Victoria
- Manto* Blackb. l. c. 1901, p. 166, 174. N. S. Wales
- ✓ *marmorea* Ol. Ent. V, 1807, p. 599, t. 1, f. 4. — Baly, Journ. of Ent. II, 1864, p. 302. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 225; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 170. Victoria
- Mintha* Blackb. l. c. 1901, p. 169, 180 ♂. N. Queens-
land
- ✓ *montana* Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 223, 226; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 166. N. S. Wales
- ab. *debilitata* Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224, 227; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 166, 175 ♀.
- morbillosa* Boisd. Voy. Astrol. Col. 1835, p. 562. N. S. Wales,
S. Australia
- consimilis* Baly, Journ. of Ent. II, 1864, p. 306. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 225.
- lutea* Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 164, 183.
- mutabilis* Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 226, 234; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 171. S. Australia
- mystica* Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 226, 233; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 171. „
- ✓ *obsoleta* Ol. Ent. V, 1807, p. 600, t. 1, f. 5. — Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 288, t. 24, f. 8. — Baly, Journ. of Ent. II, 1864, p. 309. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 226; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 172. Queensland,
N. S. Wales,
Victoria,
S. Australia
- Charybdis* Stal, Öfv. Vet.-Ak. Förh. XVII, 1860, p. 466. — Ws. Arch. Naturgesch. LXVII, 1901, p. 166.

- Omphale** Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 168, 179 ♀. N. Queensland
- ornata** Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 288, t. 24, f. 7. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 168. O. Australien, S. Neuguinea
- miliaris* Boisd. Voy. Astrol. Col. 1835, p. 566. — Ws. Arch. Naturg. LXVII, 1901, p. 166.
- ✓ **Paphia** Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 464. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 169. — Ws. Arch. Naturg. LXVII, 1901, p. 166. Queensland
- pantherina** Fauv. Bull. Soc. Linn. Normand. VII, 1862, p. 177. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 165. Sydney
- Parryi** Baly. Journ. of Ent. II, 1862, p. 296. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 165, 174. Queensland bis Victoria
- ✓ **porosa** Er. Arch. Naturg. VIII, 1842, p. 226. — Baly. Journ. of Ent. II, 1864, p. 310. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 226; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 172, 185. Tasmanien
- ✓ **propinqua** Baly. Journ. of Ent. II, 1864, p. 306. — Blackb. Trans. Roy. Soc. Austral. XVIII, 1894, p. 225; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 170. Adelaide
- quadrimaculata** Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 287, t. 24, f. 6. Australien
- reticulata* var. Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 164.
- ✓ **reticulata** Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 285, t. 24, f. 2. — Baly. Journ. of Ent. II, 1864, p. 299. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 168. Queensland, N. S. Wales, Victoria
- granulosa* Boisd. Voy. Astrol. Col. 1835, p. 564. — Ws. Arch. Naturg. LXVII, 1901, p. 166.
- sanguinipennis* Germ. Linn. Ent. III, 1848, p. 233.
- ✓ **roseola** Baly. Journ. of Ent. II, 1864, p. 308. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 225; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 172. S. Australia
- rubidipes** Blackb. l. c. 1901, p. 171, 183 ♀. Tasmanien
- rufitarsis** Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 68. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 169. N. S. Wales
- ✓ **tasmanica** Baly. Journ. of Ent. II, 1864, p. 294. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 166. Tasmanien
- ✓ **Thyone** Blackb. l. c. 1901, p. 169, 182 ♀. N. W. Australien
- variegata** Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 226, 233; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 171. N. S. Wales

- ✓ *variolosa* Marsh. Trans. Linn. Soc. Lond. IX, 1803, p. 285, t. 24, f. 1. — Germ. Linn. Ent. III, 1848, p. 233. — Baly, Journ. of Ent. II, 1864, p. 293. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 167. S. Australia, Victoria, N. S. Wales
- Morphologie: Sharp and Muir, Trans. Ent. Soc. Lond. 1912, p. 564, t. 74, f. 210, 210a.
- Wilsoni* Baly, Journ. of Ent. II, 1864, p. 295. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 224; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 167. S. Australia, Victoria, Tasmanien
- testacea* Germ. Linn. Ent. III, 1848, p. 234. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 164.
- yilgarnensis* Blackb. l. c. XVI, 1891, p. 545; Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 226; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 172. W. Australia
- Zietzi* Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 226, 236; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 172. S. Australia
-
- aspera* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 91. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896, p. 640; XXVI, 1901, p. 169. Sydney, Port Denison
- rugulosa* Boisd. Voy. Astrol. Col. 1835, p. 565. Australien
- sospita* Blackb. l. c. 1901, p. 169, 181 ♀. N. Queensland

64

Procris Ws.

Weise, Arch. Naturg. LXVII, 1901, p. 165, 166.

Paropsis Chap. et Blackb.

- ✓ *pictipennis* Boh. Eugen. Resa 1859, p. 173. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 659, 671 (*Paropsis*). — Ws. Arch. Naturg. LXVII, 1901, p. 167. N. S. Wales Victoria
- minor* Boisd. Voy. Astrol. Col. 1835, p. 572. — Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 100.
- ab. *laeta* Ws. Arch. Naturg. LXVII, 1901, p. 167.
- trifasciata* Boisd. Voy. Astrol. Col. 1835, p. 568 (*Paropsis*). — Ws. Arch. Naturg. LXVII, 1901, p. 167. N. S. Wales
- minor* Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 659, 674 (*Paropsis*) (nec Marsh.).

2

Paropsisterna Motsch.

Motsch. Schrenck's Reisen Amurl. II, 1860, p. 193. — Weise, Arch. Naturg. LXVII, 1901, p. 167; Deutsche Ent. Zeitschr. 1903, p. 108.

Paropsis Chap. et Blackb.

- ✓ *aequalis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 79. Victoria:
- stygia* var. Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 223, 235, 236. Gippsland

- ✓ *angustipes* Blackb. l. c. 1898, p. 225, 236. Victoria:
Alpine
Region
Victoria
- ✓ *beata* Newm. Entomol. 1842, p. 414. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 224, 230. N. S. Wales
var. *rubrosignata* Boh. Eugen. Resa 1859, p. 172. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 230.
var. *testaceipes* Blackb. l. c. p. 230. N.W. Australia
- ✓ *brunnea* Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 291, t. 25, f. 3 (*Notoclea*). — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 225, 233. N. S. Wales, Victoria
- Clotho* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 464.
- complexa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 74. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 225, 240. Queensland, N. S. Wales
- conjugata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 75. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 223. S. Australia
- difficilis* Blackb. l. c. p. 225, 237 ♂. Queensland
- duicior* Blackb. l. c. p. 224, 231. W. Australien
- ✓ *elliptica* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 79. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 225, 233. „
- erudita* Newm. Entomol. 1842, p. 415. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 224, 233. N. S. Wales, Victoria
- ✓ *Galathea* Blackb. l. c. XXIII, 1898 (1899), p. 659, 676. W. Australien
- ✓ *gemina* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 76. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 225, 241. S. Australia: Adelaide
- incerta* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 80. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 227, 249. Australien
- testacea* Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 289, t. 24, f. 10. — Boisd. Voy. Astrol. Col. 1835, p. 567 (nec Ol.).
- ✓ *inspersa* Newm. Entomol. 1842, p. 415. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 251. Victoria
- ✓ *intacta* Newm. Entomol. 1842, p. 414. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 225, 242. Victoria, S. Australia
- polyglypta* Germ. Linn. Ent. III, 1848, p. 232.
ab. *Froggatti* Blackb. Proc. N. S. Wales XXIII, 1898, p. 221, 241 ♀.
- ✓ *intertincta* Clark, Trans. Ent. Soc. Lond. (3) II, 1865, p. 411. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 660, 680. W. Australien
- ab. *erubescens* Blackb. l. c. p. 681.
- ✓ *irina* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 82 ♂. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 226, 245. Queensland, Victoria
- striata* Ws. Deutsche Ent. Zeitschr. 1903, p. 108 ♀.

- ✓ *irrisa* Newm. Entomol. 1842, p. 415. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 488, 495. Victoria
- ✓ *lineata* Marsh. Trans. Linn. Soc. Lond. IX. 1808, p. 293, t. 25, f. 9. — Er. Arch. Naturg. VIII. 1842, p. 118, nota 3. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 657, 663. Tasmanien, Victoria
- ✓ *liturata* Marsh. Trans. Linn. Soc. Lond. IX. 1808, p. 292, t. 25, f. 5 (*Noloclea*). — Boisd. Voy. Astrol. Col. 1835, p. 566. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 225, 237. N. S. Wales, Victoria
- ab. *badia* Boisd. Voy. Astrol. Col. 1835, p. 566.
? *australasiae* F. Syst. El. I, 1801, p. 426 (*Chrysomela*). — ? Ol. Ent. V, 1807, p. 603, t. 1, f. 11.
- ✓ — ab. *sydnensis* Fauv. Bull. Soc. Linn. Normand. VII, 1862, p. 179.
- madida* Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 251, 254. S. Australia
- mentitrix* Blackb. l. c. p. 225, 239. N. S. Wales
- mera* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 74. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 224, 229. Tropisches Queensland
- ✓ *morio* F. Mant. I. 1787, p. 66; Ent. Syst. I, 1792, p. 308; Syst. El. I, 1801, p. 424. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1667. — Ol. Ent. V, 1807, p. 511, t. 4, f. 48 (*Chrysomela*). — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 223, 227. Tasmanien, S. Australia, Victoria, N. S. Wales
- ✓ — ab. *fallax* Newm. Entomol. 1842, p. 415.
- ✓ *nigerrima* Germ. Linn. Ent. III, 1848, p. 231. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 225, 238. S. Australia, Victoria
- ✓ — ab. *alternata* Germ. Linn. Ent. III, 1848, p. 232. var. *pieta* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 74. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 239. W. Australien
- nigrita* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 82. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 521. S. Australia, Victoria
- nigrostillata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 77. var. *inspersa* var. Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 254. Victoria
- ✓ *nigrovittata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 76. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 227, 248. W. u. S. Australien, Victoria, N. S. Wales
- ✓ *nueca* Er. Arch. Naturg. VIII, 1842, p. 227. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 226, 243. Tasmanien, Victoria, N. S. Wales
- ✓ *nupta* Blackb. l. c. p. 251, 252. S. Australia
- ✓ *obliterata* Er. Arch. Naturg. VIII, 1842, p. 229. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 659, 675. N. S. Wales
- ✓ *octolineata* Gory in Guér. Ic. règne anim. 1829–44, p. 300, t. 49, f. 7. Sydney
- ✓ — *vittipennis* Boh. Eugen. Resa 1859, p. 172. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 224, 229.

- ✓ *oetomaculata* Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 294, t. 25, f. 10 (*Notoclea*). — Boisd. Voy. Astrol. Col. 1835, p. 572. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 226, 245. Ganz Australien, südl. Neu-guinea
- oetosignata* Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 465. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 224, 232. Victoria
- ✓ *opaciceps* Blackb. l. c. p. 251, 255. W. Australien
- pachyta* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 80. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 227, 249. N. S. Wales
- pluvialis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 77. *stictica* var. Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 253. Sydney
- proxima* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 80. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 486. Queensland
- pulverulenta* Blackb. l. c. XXIII, 1898 (1899), p. 659, 676. N. S. Wales
- ? *defecta* Chap. Ann. Soc. Belg. XX, 1877, p. 86. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 676.
- purpureoviridis* Clark. Journ. of Ent. II, 1864, p. 259. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 223, 227. N. W. Australien
- ab. *Iris* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 74.
- remota* Germ. Linn. Ent. III, 1848, p. 234. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 251, 252. S. Australia
- rufipes* F. Syst. El. I, 1801, p. 430. — Ol. Ent. V, 1807, p. 601, t. 1, f. 8 (*Chrysomela*).
- ✓ — *circumdata* Newm. Entomol. 1842, p. 415. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 226, 245. Tasmanien, Victoria
- ✓ *rufobrunnea* Blackb. l. c. p. 225, 234. N. S. Wales
- semivittata* Blackb. l. c. p. 224, 232. N. S. Wales
- ✓ *sexpustulata* Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 293, t. 25, f. 8 (*Notoclea*). — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 193. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 224, 231. Queensland, N. S. Wales, Victoria
- spadicea* nom. nov. Australien
- ab. *badia* Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 227, 247.
- stictica* Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 290, t. 25, f. 1. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 251, 253. N. S. Wales, Victoria
- stygia* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 73. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 223, 235. Victoria
- ab. *trivittata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 76.
- subcincta* Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 226, 244. W. u. S. Australien
- tenebrosa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 73. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 223. Queensland

- ✓ *tessellata* Clark, Trans. Ent. Soc. Lond. (3) II, 1865, p. 408. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 250, 251. W. u. S. Australia
- ✓ *variabilis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 76. — Blackb. Trans. Roy. Soc. S. Austral. XVI, 1893, p. 202; Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 227, 248; 1899, p. 657, 663. W. u. S. Australia
- gracilipes* Blackb. l. c. XXIII, 1898, p. 226, 249. N. S. Wales
- ✓ *semifumata* Blackb. l. c. XXVI, 1901, p. 189, 195. "
- ✓ *tigrina* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 90. — Blackb. Proc. Linn. Soc. N. S. Wales XX, 1897, p. 183. "

55

Chrysophtharta Ws.

Weise, Arch. Naturg. LXVII, 1901, p. 166.

Paropsis Chap. et Blackb.

- ✓ *agricola* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 75. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 487, 491. Tasmanien
- albicans* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 80. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 486. Queensland
- ✓ *annularis* Blackb. l. c. p. 489, 509. N. S. Wales
- Atalanta* Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 257, 261. Victoria, N. S. Wales
- ab. ? fuscata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 85. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 657.
- aurea* Blackb. l. c. XXIV, 1899 (1900), p. 488, 497. Tasmanien
- basalis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 76. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 488, 496. W. Australien
- ✓ *bimaculata* Ol. Ent. V, 1807, p. 600, t. 1, f. 6. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 487, 495. Tasmanien, Victoria
- ✓ *captiosa* Clark, Trans. Ent. Soc. Lond. (3) II, 1865, p. 406. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 489, 505. W. Australien
- amoena* Clark, Trans. Ent. Soc. Lond. (3) II, 1865, p. 405.
- cassidoides* Boisd. Voy. Astrol. Col. 1835, p. 570. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 521. S. Australien
- cernua* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 81. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 256, 257. Sydney
- ✓ *chlorotica* Ol. Ent. V, 1807, p. 604, t. 1, f. 13. Australien
- citrina* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 79. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 486. N. S. Wales
- ✓ *Cloelia* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 464. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 487, 491. Tasmanien, Victoria, N. S. Wales, Queensland

- crocata* Boisd. Voy. Astrol. Col. 1835, p. 564. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 221; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 164. — Ws. Arch. Naturg. LXVII, 1901, p. 166.
Waterhousei Baly, Journ. of Ent. II, 1864, p. 296. — Blackb. Trans. Roy. Soc. S. Austral. XVIII, 1894, p. 226; Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 189.
- debilis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 80. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 490, 512.
- ✓ *decolorata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 81. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 489, 503.
- defflorata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 79. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 222.
- ✓ *fastidiosa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 81. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 489, 506.
2. ✓ *flaveola* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 80. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 489, 506.
- geniculata* Boisd. Voy. Astrol. Col. 1835, p. 567. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 256, 259.
- ✓ *gloriosa* Blackb. l. c. XXIV, 1899 (1900), p. 489, 510.
- ✓ *hectica* Boisd. Voy. Astrol. Col. 1835, p. 569. — Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 79. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 488, 498.
- ✓ *inconstans* Blackb. l. c. p. 488, 502.
- interstitialis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 80. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 257, 263.
- Jo* Blackb. l. c. p. 257, 260.
- ✓ *laesa* Germ. Linn. Ent. III. 1848, p. 235. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 487, 493.
- ? *amica* Newm. Entomol. 1842, p. 415.
- conferta* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 81.
- ✓ *lignea* Er. Arch. Naturg. VIII, 1842, p. 227. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 256, 257.
- ab. *ornaticollis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 75. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 258.
- ✓ *lucidula* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 81. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 659, 673.

S. Australia,
Victoria

Tasmanien,
W. Australia-
lien

Ganz Australia-
lien, Tas-
manien

W. Australia-
lien

W. Australia-
lien. N. S.
Wales,
Queens-
land

Queensland:
Port
Denison

N. S. Wales

Victoria
Tasmanien,
S. Australia-
lia, Victo-
ria, N. S.
Wales

W. u. S. Au-
stralia,
N. S. Wa-
les

Australien

N. S. Wales

Tasmanien,
S. Australia-
lia,
Victoria
N. S. Wales

Tasmanien

Victoria,
N. S. Wales

N. S. Wales,
Victoria

- maculicollis* Clark, Trans. Ent. Soc. Lond. (3) II, 1865, p. 407. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 505. W. Australien
- ✓ *M-fuscum* Boh. Eugen. Resa 1859, p. 174. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 183, 189. N. S. Wales, Victoria
- ✓ *Minerva* Blackb. l. c. XXIV, 1899 (1900), p. 487, 494. Australien
- ✓ *nobilitata* Er. Arch. Naturg. VIII, 1842, p. 228. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 490, 511. Tasmanien
- notata* Ol. Ent. V, 1807, p. 604, t. 1, f. 14. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898, p. 263. Australien
- ✓ *obovata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 78. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 488, 496. Tasmanien, Victoria, N.S.Wales, Queensland
- ab. *vulgaris* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 78.
- ✓ *pallida* Ol. Ent. V, 1807, p. 602, t. 1, f. 9. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 488, 502. S. W. Australien
- ✓ *pictipes* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 68. — Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 169. — Ws. Arch. Naturg. LXVII, 1901, p. 166. N. S. Wales, Queensland
- proxima* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 80. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 486. Queensland
- purpureoaurca* Clark, Trans. Ent. Soc. Lond. (3) II, 1865, p. 407. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 513. W. Australien
- ✓ *raucicollis* Blackb. l. c. p. 488, 501. S. Australia
- ✓ *rufescens* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 83. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 489, 507. S. Australia, Victoria, N. S. Wales
- Simsoni* Blackb. l. c. p. 488, 500. Tasmanien
- tenella* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 83. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 486. Australien
- testacea* Ol. Ent. V, 1807, p. 602, t. 1, f. 10. — ? Motsch. Schrenck's Reisen Amurl. II, 1860, p. 194 (*Niliosoma*). — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 521. Australien
- ✓ *variicollis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 82. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 487, 490. Tasmanien, Victoria

Trachymela Ws.

Weise, Fauna S. W. Austral. II, 1, 1908, p. 8.

Paropsis Chap. et Blackb.

- acclivis* Blackb. Trans. Roy. Soc. S. Austral. XXXI, 1907, p. 296, 297. King Insel
- abjecta* Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 655, 666. N. S. Wales
- adelaidae* Blackb. l. c. XXII, 1897, p. 167, 173. S. Australia

- alpina* Blackb. l. c. XXI, 1896 (1897), p. 679, 690. Alpen von Victoria
- alta* Blackb. l. c. p. 679, 688. S. Australia
- ✓ *alticola* Blackb. l. c. p. 656, 672. "
- arcula* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 90. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 182. Australien
- armata* Blackb. l. c. XXI, 1896 (1897), p. 645, 648. N. S. Wales
- ✓ *asperula* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 95. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 679. Queensland: Rockhampton
- baldiensis* Blackb. l. c. p. 654, 659. Victoria, N.S. Wales
- ✓ *bicolora* Blackb. l. c. XXII, 1897, p. 168, 179. N. S. Wales
- blanda* Blackb. l. c. p. 166, 170. "
- borealis* Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 678, 691. N. Territor. v. S. Australia
- brevissima* Blackb. l. c. XXII, 1897, p. 167, 175. N. S. Wales
- caliginosa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 92. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 654. Queensland
- cancellata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 95. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 640. Queensland: Brisbane
- carpentariae* Blackb. l. c. XXII, 1897, p. 168, 178. N. Queensland
- ✓ *castanea* Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 292, t. 25, f. 7 (*Notoclea*). — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 166. Queensland bis S. Australia
- ✓ *var. tuberculata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 94. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 166. — Ws. Arch. Naturg. LXVII, 1901, p. 168.
- catenata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 93. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 166. Queensland bis Victoria
- Chapuisi* Blackb. Proc. Linn. Soc. XXI, 1896 (1897), p. 645, 649 (nec Duviv. 1884). Australien
- comma* Blackb. l. c. XXI, 1896 (1897), p. 654, 657; Trans. Roy. Soc. S. Austral. XXXI, 1907, p. 297. Tasmanien
- convexicollis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 93. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 640. N. S. Wales: Parao River
- coriaria* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 92. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 640. Melbourne
- corrugata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 96. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 640. Sydney
- costipennis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 96. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 678. "
- ✓ *ereberrima* Blackb. l. c. XXII, 1897, p. 166, 171. W. u. S. Australia
- crebra* Blackb. l. c. p. 182, 184. Känguru-Insel
- cribrata* Blackb. l. c. XXI, 1896 (1897), p. 656, 670. S. Australia

- cygnicola* Blackb. l. c. XXII, 1897, p. 167, 174. S. W. Australien
- declivis* Blackb. l. c. XXI, 1896 (1897), p. 656, 671. N. S. Wales
- diffusa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 91. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 182. Australien
- exarata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 93. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 657. Queensland, W. Australien
- ✓ *explanata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 94. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 654. S. W. Australien
- exul* Blackb. l. c. p. 655, 665. N. S. Wales
- extranea* Blackb. l. c. p. 644, 647. „
- ferrugata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 92. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 655. Tasmanien
- foveata* Blackb. l. c. p. 655, 662. N. S. Wales
- funata* Blackb. l. c. XXII, 1897, p. 167, 177. S. Australia
- ✓ *funerea* Blackb. Horn's Exp. II, 1896, p. 306: Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 644. Zentral-Australien
- fusconotata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 94. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 640. W. Australien
- ✓ *granaria* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 95. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 677. W. Australien
- graphica* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 96. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 645. N. S. Wales
- grossa* Blackb. l. c. p. 678, 682. „
- Hartmeyer* Ws. Fauna S. W. Austral. II, 1, p. 7. S. W. Australien
- impressa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 91. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 166. N. S. Wales
- inaequalis* Blackb. l. c. XXI, 1896 (1897), p. 679, 689. S. Australia
- incurva* Clark, Trans. Ent. Soc. Lond. (3) II, 1865, p. 412. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 168. Champion Bai
- infuscata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 93. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 640. Australien
- ✓ *inops* Blackb. l. c. XXII, 1897, p. 166, 168. N. S. Wales
- ✓ *inornata* Blackb. l. c. XXI, 1896 (1897), p. 679, 688. W. Australien
- insolens* Blackb. l. c. p. 644, 645. „
- interioris* Blackb. l. c. p. 678, 683. Zentral-Australien
- invalida* Blackb. l. c. p. 656, 675. N. S. Wales: Blaue Berge
- karattae* Blackb. l. c. p. 645, 651. Känguru-Insel
- ✓ *laeviventris* Blackb. l. c. p. 645, 652. S. Australia
- ✓ *latipes* Blackb. Proc. Linn. Soc. N. S. Wales XVI, 1891, p. 546; XXI, 1896 (1897), p. 645. Alpen von Victoria
- leai* Blackb. l. c. XXI, 1896 (1897), p. 678, 685. N. S. Wales
- lima* Blackb. l. c. p. 656, 675. Victoria

- litigiosa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 93. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 640. N. Queens-land: Port Denison
- maculiceps* Blackb. l. c. p. 678, 686. S. Australia
- malevola* Blackb. l. c. p. 678, 684. Australien
- mediocris* Blackb. l. c. p. 655, 667. N. S. Wales
- melanospila* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 92. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 654. Victoria, N. S. Wales
- mixta* Blackb. l. c. p. 654, 661. Alpen von Victoria
- montuosa* Blackb. l. c. p. 655, 663. Australien
- morosa* Blackb. l. c. p. 677, 680. Känguru-Insel
- multiseriata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 90. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 181. Sydney
- nervosa* Clark, Trans. Ent. Soc. Lond. (3) II, 1865, p. 413. Champion Bai
- nodosa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 96. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 168. N. S. Wales, Victoria
- notabilis* Blackb. l. c. XXI, 1896 (1897), p. 679, 692. N. S. Wales
- orbicularis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 90. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 182. Queensland, N. S. Wales
- obscurella* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 90. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 181. N. S. Wales: Parao River
- papuligera* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 465. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 644. Australien
- ✓ *papulosa* Er. Arch. Naturg. VIII, 1842, p. 228. Tasmanien
- pardalis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 97. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 640. Australien
- perparvula* Clark, Trans. Ent. Soc. Lond. (3) II, 1865, p. 413. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 640. Champion Bai
- ✓ *piecola* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 92. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 654. Australien
- prodroma* Blackb. l. c. XXII, 1897, p. 167, 174. Victoria
- ✓ *propria* Blackb. l. c. XXI, 1896 (1897), p. 656, 669. S. Australia
- ✓ *punctata* Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 292, t. 25, f. 6. — Boisd. Voy. Astrol. Col. 1835, p. 568. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 656. W. u. S. Australien, Victoria
- ✓ *punctipennis* Blackb. l. c. XXII, 1897, p. 166, 169. N. S. Wales, Victoria
- ✓ *pustulifera* Blackb. l. c. XXI, 1896 (1897), p. 678, 687. N. W. Australien
- pustulosa* Blackb. l. c. p. 654, 660. Victoria
- raucipennis* Blackb. l. c. p. 645, 650. S. Australia
- ✓ *regularis* Blackb. l. c. XVI, 1891, p. 547; XXI, 1896 (1897), p. 654. Alpen von Victoria
- rosea* Blackb. l. c. p. 655, 664. Victoria
- ruficollis* Blackb. l. c. p. 656, 668. N. S. Wales

- rufonigra* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 97. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 640. Australien
- ✓ *rugosa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 91. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 645. Victoria: Gippsland
- ? *papulenta* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 91. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 640.
- papulosa* Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 465 (nec Er.).
- rugulosior* Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 677, 679. S. Australia
- rustica* Blackb. l. c. p. 645, 652. N. S. Wales
- scabra* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 91. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 645. Australien
- scalaris* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 96. — Blackb. Proc. Linn. Soc. XXII, 1897, p. 168. Victoria: Gippsland
- ✓ *semiglobosa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 97. — Blackb. Proc. Linn. Soc. XXII, 1897, p. 168. Adelaide
- seriata* Germ. Linn. Ent. III, 1848, p. 234. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 678. „
- ✓ *serpiginosa* Er. Arch. Naturg. VIII, 1842, p. 228. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 654. Tasmanien
- simplex* Blackb. l. c. XXII, 1897, p. 182, 184. N. W. Australien
- simulans* Blackb. l. c. XXI, 1896 (1897), p. 655, 666. Sydney
- Sloanei* Blackb. l. c. p. 678, 681. N. S. Wales
- solitaria* Blackb. l. c. p. 656, 674. Victoria
- ✓ *sordida* Blackb. l. c. p. 655, 661. S. Australia
- spilota* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 94. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 640. Australien
- squiresensis* Blackb. Trans. Roy. Soc. S. Austral. XVI, 1893, p. 202; Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 644, 647. N. W. Australien: Squires Berg
- sternalis* Blackb. l. c. p. 644, 646. N. Territor. v. S. Australia
- ✓ *stigma* Blackb. l. c. p. 677, 680. Australien
- strigosa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 97. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 678, 686. N. S. Wales, W. Australien
- ✓ *sublimbata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 94. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 645. Adelaide
- sublineata* Boh. Eugen. Resa 1859, p. 174. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 182. Sydney
- sylvicola* Blackb. l. c. XXI, 1896 (1897), p. 654, 658. N. S. Wales
- Tatei* Blackb. l. c. p. 656, 671. Victoria
- tineticollis* Blackb. l. c. p. 678, 684. W. Australia
- transversalis* Blackb. l. c. p. 655, 676. S. Australia
- verrucicollis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 95. — Blackb. Proc. Linn. Soc. N. S. Wales XXI, 1896 (1897), p. 655. Sydney

- verrucipennis* Clark, Trans. Ent. Soc. Lond. (3) II, 1865, p. 414. Champion
Bai
- ✓ *verrucosa* Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 290, t. 25, f. 2. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 167. Australien
- versuta* Blackb. l. c. XXII, 1897, p. 166, 172. Victoria, N. S. Wales
- vibex* Blackb. l. c. p. 168, 179. S. W. Australien
- victoriae* Blackb. l. c. XXI, 1896 (1897), p. 656, 673. Victoria
- vomica* Blackb. l. c. p. 679, 693. N. W. Australien
- vulpina* Blackb. l. c. XXII, 1897, p. 168, 176. S. W. Australien
- whittonensis* Blackb. l. c. XXI, 1896 (1897), p. 656, 669, 121. N. S. Wales

Paropsides Motsch.

Motsch. Schrenck's Reisen Amurl. II, 1860, p. 192. — Chapuis, Gen. Col. X, 1874, p. 442, 445. — Mars. Abeille XXVII, 1889, p. 144. — Weise, Arch. Naturg. LXVII, 1901, p. 166, 168.
Paropsis auctorum.

Subgen. *Aparopsis* Ws.

Weise, Nova Guinea V, 1908, p. 315.

- marginata* Ws. l. c. p. 315. Niederländ. Neuguinea

Subgen. *Paropsides* i. sp.

- coccinella* Ws. Nova Guinea V, 1908, p. 214. Andai
- ✓ *duodecimpustulata* Gebl. in Hummel, Essais ent. IV, 1825, p. 54 (*Paropsis*). — Jac. Proc. Zool. Soc. Lond. 1888, p. 348. — Mars. Abeille XXVII, 1889, p. 145. — Jacobs. Hor. Ross. XXVII, 1892 (1893), p. 123, fig. 1—13. — Ws. Arch. Naturg. LXVII, 1901, p. 169. — Jacobs. Käf. Russl. 1909, t. 57, f. 39. Ostsibirien, China
- ✓ ab. *hieroglyphica* Gebl. in Hummel, Essais ent. IV, 1825, p. 55. — Jac. Proc. Zool. Soc. Lond. 1888, p. 348. — Mars. Abeille XXVII, 1889, p. 146. — Jacobs. Hor. Ross. XXVII, 1892 (1893), p. 123. — Ws. Arch. Naturg. LXVII, 1901, p. 169. — Jacobs. Käf. Russl. 1909, t. 57, f. 40.
- maculicollis* Jac. Entomol. XXIII, 1890, p. 118, t. 1, f. 10. China
- monticola* Ws. Verh. Naturf. Ver. Brünn XLVIII, 1910, p. 37. Neuguinea: Sattelberg
- nigripicta* Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 279 (*Paropsis*). Aru-Inseln
- ✓ *nigrofasciata* Jac. Proc. Zool. Soc. Lond. 1888, p. 348. China, Korea
- nigropunctata* Jac. Ann. Mus. Genova XXXII, 1892, p. 918. Birma: Carin Cheba
- pardalis* Jac. Ann. Mus. Genova XXXII, 1892, p. 918. Birma: Carin Cheba
- pellex* Ws. Arch. Naturg. LXVII, 1901, p. 170. Somerset

- quinquemaclata* Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 280 (*Paropsis*). Batchian
- ✓ *sinuata* Ws. Arch. Naturg. LXVII, Juli 1901, p. 169. N. Queens-
nitidissima Blackb. Proc. Linn. Soc. N. S. land:
Wales XXVI, August 1901, p. 188 (*Paropsis*). Cooktown
- ✓ *umbrosa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 77. — Tasmanien,
Blackb. Proc. Linn. Soc. N. S. Wales XXIII, Victoria,
1898 (1899), p. 658, 667 (*Paropsis*). N. S. Wa-
les
- Wallacei* Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, Neuguinea:
p. 280 (*Paropsis*). Doré

- Chapuisi* Duviv. Not. Leyd. Mus. VI, 1884, p. 95 Sumbawa
(*Paropsis*).
- Chennelli* Baly, Cist. Ent. II, 1877, p. 438 (*Paropsis*). Assam
- ioptera* Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, Neuguinea:
p. 279 (*Paropsis*). Doré, Misol
- Schlegeli* Duviv. Not. Leyd. Mus. VI, 1884, p. 93 (*Parop- Salwatti*
sis).
- sumatrensis* Duviv. l. c. p. 98 (*Paropsis*). Sumatra
- vigintipustulata* Duviv. l. c. p. 96 (*Paropsis*). Aru-Inseln

20

Philhydronopa Ws.

Weise, Arch. Naturg. LXVII, 1901, p. 166, 170.

- aeneipennis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 82. Queensland:
— Blackb. Proc. Linn. Soc. N. S. Wales XXIII, Rock-
1898(1899), p. 659, 671 (*Paropsis*). hampton
- aenea* Blackb. Trans. Roy. Soc. S. Austral.
XIII, 1890, p. 143.
- ✓ *subaenea* Ws. Arch. Naturg. LXVII, 1901, p. 170. Victoria

2

Faex Ws.

Weise, Arch. Naturg. LXVII, 1901, p. 165, 168.

- ✓ *notatipennis* Chap. Ann. Soc. Ent. Belg. XX, 1877, Sydney
p. 77. — Blackb. Proc. Linn. Soc. N. S. Wales
XXIII, 1898 (1899), p. 657, 683 (*Paropsis*).
- signata* Boisd. Voy. Astrol. Col. 1835, p. 571. — Blackb. N. S. Wales
Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 657 (*Paropsis*).
- ✓ *coadnuta* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 86. — Blackb. Proc. Linn. Soc. S. Australia,
N. S. Wales XXIII, 1898 (1899), p. 660, 684. Victoria
- subfasciata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 85. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII,
1898 (1899), p. 660, 682 (*Paropsis*).
- ✓ *transversomaculata* Clark, Trans. Ent. Soc. Lond. (3) II, W. u. S. Au-
1865, p. 410. — Blackb. Proc. Linn. Soc. stralia
N. S. Wales XXIII, 1898 (1899), p. 660, 681
(*Paropsis*).

4

Pyrgo Ws.

Weise, Arch. Naturg. LXVII, 1901, p. 166, 171.

Paropsis Chap. et Blackb.

- ✓ *amabilis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 85. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 661, 687. Queensland, N. S. Wales
- anxia* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 78. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 658, 669. W. Australien
- ✓ *apicata* Clark, Trans. Ent. Soc. Lond. (3) II, 1865, p. 405. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 662, 694. „
- Arethusa* Blackb. l. c. p. 661, 689.
- basicollis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 88. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 183, 186. N. S. Wales
- ✓ *Calypso* Blackb. l. c. XXIII, 1898 (1899), p. 660, 679. „
- Clio* Blackb. l. c. p. 661, 686. Victoria
- convexa* Ws. Deutsche Ent. Zeitschr. 1902, p. 368. Tonkin
- ✓ *Daphne* Blackb. l. c. p. 661, 687. W. Australien
- delicatula* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 78. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 662, 695. Tasmanien, S. Australia, Victoria
- dimidiata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 89.
- ✓ *Dryope* Blackb. l. c. XXIV, 1899 (1900), p. 514, 516. Sydney
- personata* Ws. Arch. Naturg. LXVII, 1901, p. 173. S. Australia, Victoria
- excisipennis* Blackb. Proc. Linn. Soc. N. S. Wales XXVI, 1901, p. 196. W. Australien
- eyrensis* Blackb. l. c. XXII, 1897, p. 183, 188. Zentral-Australien
- ✓ *festiva* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 83. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 661, 691. S. Australia, Victoria, N. S. Wales
- ✓ *Hamadryas* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 465. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 514, 515. N. S. Wales
- ab. flavitarsis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 75.
- Hebe* Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 660, 677 (*Paropsis*). — Ws. Deutsche Ent. Zeitschr. 1906, p. 204. „
- ✓ *Hera* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 465. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 658, 665. W. Australien, S. Australia, Victoria, Queensland
- ? *virens* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 83. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 656.
- obtusata* Ws. Fauna S. W. Austral. II, 1, 1908, p. 10.
- Irene* Blackb. l. c. p. 662, 699. S. Australia
- jucunda* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 84. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 662, 692. W. Australien

- ✓ *lepida* Er. Arch. Naturg. VIII, 1842, p. 230. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 661, 690.
 ab. *fraterna* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 86. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 656.
 ab. *tritaceniata* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 465.
- longula* Ws. Arch. Naturg. LXVII, 1901, p. 172.
- Lucina* Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 514, 517.
- mansuetata* Ws. Arch. Naturg. LXVII, 1901, p. 174.
- Medea* Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 662, 693.
- mediovitata* Clark. Trans. Ent. Soc. Lond. (3) II, 1865, p. 404. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 661, 690.
 ab. *scaphoides* Blackb. l. c. p. 691.
- ✓ *modesta* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 83. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 661, 691.
- navicula* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 87. — Ws. Fauna S. W. Austral. II, 1, 1908, p. 10.
- apicata* var. Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 656, 694.
- nigritula* Clark. Trans. Ent. Soc. Lond. (3) II, 1865, p. 411. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 663, 697.
- ✓ *nigroconspersa* Clark. Trans. Ent. Soc. Lond. (3) II, 1865, p. 409. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 658, 669.
- ✓ *nigropicta* Clark. Trans. Ent. Soc. Lond. (3) II, 1865, p. 412. — Blackb. Trans. Roy. Soc. S. Austral. XVI, 1893, p. 202; Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 183, 187.
- ✓ *Niobe* Blackb. l. c. XXIII, 1898 (1899), p. 662, 696. — Ws. Fauna S. W. Austr. II, 1, 1908, p. 8.
- obtusata* Ws. Arch. Naturg. LXVII, 1901, p. 172.
- oceanica* Boisd. Voy. Astrol. Col. 1835, p. 580 (*Chrysomela*). — Ws. Arch. Naturg. LXVII, 1901, p. 171.
- ✓ — ab. *Lachesis* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 465. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 183, 185.
- ✓ — ab. *picturata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 89. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 182. — Ws. Arch. Naturg. LXVII, 1901, p. 171.
- Oenone* Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 663, 699.
- ✓ *orphana* Er. Arch. Naturg. VIII, 1842, p. 229. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 658, 670. — Ws. Fauna S. W. Austral. II, 1, 1908, p. 9.
orphanula Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 78. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 656.

Tasmanien,
 S. Australia,
 Victoria

Australien
 S. Australia

Australien
 W. Australien

„

„

„

„

„

„

„

S. Australia,
 Victoria
 Tasmanien,
 Victoria,
 N. S. Wales

Zentral-Au-
 stralien

Tasmanien,
 Victoria

- pallidula* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 89. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 181. Adelaide
- ✓ *Pandora* Blackb. l. c. XXIV, 1899 (1900), p. 514, 517. W. Australien
- ✓ *perplexa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 73. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 183, 186. S. Australia, Victoria
- posticalis* Blackb. Horn's Exp. II, 1896, p. 306; Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 660, 685. Zentral-Australien
- ✓ *quadrizonata* Blackb. l. c. XXII, 1897, p. 183, 186. Victoria: Alpen
- rostralis* Blackb. l. c. XXIV, 1899 (1900), p. 514, 519. S. Australia
- ✓ *rubiginosa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 88. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 183. „
- rufopicta* Blackb. Trans. Roy. Soc. S. Austral. XV, 1892, p. 237; Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 183, 188. W. Australien
- ✓ *scutifera* White in Grey, Journ. Exp. N. W. u. W. Austral. App. F. 1841, II, p. . — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 662, 693. „
- amoenula* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 85. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 656.
- sanguineotincta* Clark, Trans. Ent. Soc. Lond. (3) II, 1865, p. 409.
- spectabilis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 88. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 181. N. S. Wales
- ✓ *subapicalis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 86. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 661, 688. W. Australien
- ✓ *substriata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 84. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 661, 686. — Ws. Fauna S. W. Austral. II, 1, 1908, p. 9. „
- ab. bipunctata* Ws. l. c. p. 9.
- ✓ *suturalis* Germ. Linn. Ent. III, 1848, p. 235. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 658, 670. — Ws. Fauna S. W. Austral. II, 1, 1908, p. 9. W. u. S. Australia
- ? *ustulata* Boisd. Voy. Astrol. Col. 1835, p. 511 (nec Ol.).
- ab. clara* Ws. l. c. p. 9.
- ? *ustulata* Ol. Ent. V, 1807, p. 603, t. 1, f. 12.
- tarsalis* Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 183, 189. Victoria
- ✓ *tetraspilota* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 89. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 182, 185. S. Australia, Victoria
- ab. diemensis* Blackb. l. c. p. 185. Tasmanien
- trilineata* Boisd. Voy. Astrol. Col. 1835, p. 579 (*Chrysomela*). — Ws. Arch. Naturg. LXVII, 1901, p. 171. S. Australia, Victoria
- ab. pulchella* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 89. — Blackb. Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 183. — Ws. Fauna S. W. Austral. II, 1, 1908, p. 10, nota.

- venusta* Er. Arch. Naturg. VIII. 1842. p. 221. — Blackb. Tasmanien
Proc. Linn. Soc. N. S. Wales XXIV, 1899
(1900), p. 521.
- venustula* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 84. — Australien
Blackb. Proc. Linn. Soc. N. S. Wales XXIII,
1898 (1899), p. 657.
- Vesta* Blackb. l. c. XXIV, 1899 (1900), p. 514, 518. Victoria
- viridula* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 84. Sydney
chlorotica Boisd. Voy. Astrol. Col. 1835, p. 569.
— Blackb. Proc. Linn. Soc. N. S. Wales XXIII,
1898 (1899), p. 656 (nec Ol.).
-
- aemula* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 84. — Australien
Blackb. Proc. Linn. Soc. N. S. Wales XXIV,
1899 (1900), p. 521.
- Calliope* Blackb. l. c. XXIII, 1898 (1899), p. 660, 679. Tasmanien
complicata Blackb. l. c. p. 659, 673. N. S. Wales
- depressa* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 87. — Queensland
Blackb. Proc. Linn. Soc. N. S. Wales XXIII,
1898 (1899), p. 658, 667.
- discoidalis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 82. „
Blackb. Proc. Linn. Soc. N. S. Wales XXIII,
1898 (1899), p. 657.
- fuscitarsis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 85. — Australien
Blackb. Proc. Linn. Soc. N. S. Wales XXIII,
1898 (1899), p. 657.
- interrupta* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 84. N. S. Wales
— Blackb. Proc. Linn. Soc. N. S. Wales XXIII,
1898 (1899), p. 659, 677.
- livida* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 90. — Adelaide
Blackb. Proc. Linn. Soc. N. S. Wales XXII,
1897, p. 181.
- ✓ *minor* Marsh. Trans. Linn. Soc. Lond. IX, 1808, p. 289., Australien
t. 24, f. 9. — Ws. Arch. Naturg. LXVII, 1901,
p. 167.
- mitis* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 83. „
Blackb. Proc. Linn. Soc. N. S. Wales XXIV,
1899 (1900), p. 521.
- partita* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 82. „
Blackb. Proc. Linn. Soc. N. S. Wales XXIII,
1898 (1899), p. 657.
- scaphula* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 87. — N. S. Wales
Blackb. Proc. Linn. Soc. N. S. Wales XXIII,
1898 (1899), p. 658, 666.
- scutellata* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 86. — Queensland,
Blackb. Proc. Linn. Soc. N. S. Wales XXIII, N. S. Wa-
1898 (1899), p. 658, 665. les
- stillatipennis* Chap. Ann. Soc. Ent. Belg. XX, 1877, Australien
p. 85. — Blackb. Proc. Linn. Soc. N. S. Wales
XXIII, 1898 (1899), p. 657.
- subaenescens* Chap. Ann. Soc. Ent. Belg. XX, 1877, N. S. Wales
p. 84. — Blackb. Proc. Linn. Soc. N. S. Wales
XXIII, 1898 (1899), p. 657.
- ✓ *suturella* Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 89. — Australien
Blackb. Proc. Linn. Soc. N. S. Wales XXII,
1897, p. 183.
- ✓ *tenuicornis* Blackb. l. c. XXIII, 1898 (1899), p. 659, 672. N. S. Wales

- turbata** Chap. Ann. Soc. Ent. Belg. XX, 1877, p. 87. — Blackb. Proc. Linn. Soc. N. S. Wales XXIII, 1898 (1899), p. 659, 667. W. Australien
- vicina** Boisd. Voy. Astrol. Col. 1835, p. 570. — Blackb. Proc. Linn. Soc. N. S. Wales XXIV, 1899 (1900), p. 521. Australien

75

VI. Phyllodectini.

Weise, Deutsche Ent. Zeitschr. 1915, p. 436.

Phytodecta Kirby.

Kirby, Fauna Bor.-Amer. IV, 1837, p. 213. — Chevr. Dict. univ. III, 1843, p. 656. — Weise, Ins. Deutschl. VI, 3, 1884, p. 488. — Bed. Faune Col. Bass. Seine V, Cat. 1899, p. 263. — Jacobson, Hor. Ross. XXXV, 1900, p. 89. — Reitt. Fauna Germ. IV, 1912, p. 128.

Gonioctena Redt. Gatt. deutsch. Käferf. 1845, p. 116. — Chevr. Dict. univ. VI, 1845, p. 268. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 180. — Fairm. in Jacq. du Val, Gen. Col. d'Eur. IV, 1868, p. 230. — Chap. Gen. Col. X, 1874, p. 432. — Mars. Abeille XXVI, 1888, p. 29. — Bed. Faune Col. Bass. Seine V, 1892, p. 140. — Everts, Col. Neerl. II, 1903, p. 437.

Subgen. Phytodecta i. sp.

- ✓ **affinis** Gyll. in Schönh. Syn. Ins. I, 3, 1808, p. 257, nota 7; Ins. Suec. III, 1813, p. 485. — Zett. Ins. Lapp. 1828, p. 229. — Suffr. Linn. Ent. V, 1851, p. 218 (pars) (*Chrysomela*). — Mannh. Bull. Mosc. 1852, p. 369. — C. G. Thoms. Skand. Col. VIII, 1866, p. 263. — Ws. Ins. Deutschl. VI, 3, 1884, p. 500, nota. — Mars. Abeille XXVI, 1888, p. 41 (pars). — Fowl. Col. Brit. Isl. IV, 1890, p. 313. — Seidl. Fauna Balt. ed. 2, 1891, p. 697. — Ws. Ins. Deutschl. VI, 6, 1893, p. 1130.
- ab. *arcticus* Mannh. Bull. Mosc. 1853, III, p. 257. — Rogers, Proc. Ac. Philad. VIII, 1854, p. 35. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 382. — Stal, Mon. III, 1865, p. 329. — Croteh. Proc. Ac. Philad. XXV, 1873, p. 52. — Hamilton, Trans. Amer. Ent. Soc. XXI, 1894, p. 398.
- Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. 1, f. 42.
- chrysomeloides** Jac. Ann. Mus. Genova XXVII, 1889, p. 189. Birma: Bhamo
- ✓ **flavicornis** Suffr. Linn. Ent. V, 1851, p. 215. — Ws. Ins. Deutschl. VI, 3, 1884, p. 496 (pars). — Mars. Abeille XXVI, 1888, p. 45. — Seidl. Fauna Transsylv. 1891, p. 783. — Ws. Ins. Deutschl. VI, 6, 1893, p. 1124, 1128. — Everts, Col. Neerl. II, 1903, p. 439. — Reitt. Fauna Germ. IV, 1912, p. 129. Bergländer v. Mitteleuropa

tibialis var. *lurida* Duft. Fauna Austr. III, 1825, p. 202.

Morphologie: Ws. Deutsche Ent. Zeitschr. 1894, t. 2, f. 15.

flavipennis Jac. Proc. Zool. Soc. Lond. 1888, p. 347.

Fortunei Baly, Trans. Ent. Soc. Lond. (3) II, 1864, p. 228.

fulvus Motsch. Etud. Ent. IX, 1860, p. 41. — Kraatz,

Deutsche Ent. Zeitschr. XXIII, 1879, p. 136.

— Mars. Abeille XXVI, 1888, p. 47. — Ws. Ins.

Deutschl. VI, 6, 1893, p. 1127.

gracilicornis Kraatz, Deutsche Ent. Zeitschr. XXIII,

1879, p. 135. — Jac. Proc. Zool. Soc. Lond.

1885, p. 210? — Mars. Abeille XXVI, 1888,

p. 37. — Ws. Ins. Deutschl. VI, 6, 1893, p. 1129.

✓ *Kaufmanni* Miller, Verh. zool.-bot. Ges. Wien XXX,

1880, p. 7. — Mars. Abeille XXVI, 1888, p. 46.

— Ws. Ins. Deutschl. VI, 6, 1893, p. 1125,

1128; Deutsche Ent. Zeitschr. 1903, p. 163. —

Reitt. Fauna Germ. IV, 1912, p. 129.

flavicornis var. Ws. Ins. Deutschl. VI, 3, 1884,

p. 496.

ab. *infernalis* Penecke, Wien. Ent. Zeit. XX,

1901, p. 20.

ab. *seminigra* Ws. Ins. Deutschl. VI, 6, 1893,

p. 1126.

Morphologie: Ws. Deutsche Ent. Zeitschr.

1886, t. I, f. 40 (sub *flavicornis*); 1894, p. 267.

✓ *limacanus* Schrank, Enum. 1781, p. 69 (*Chrysomela*). —

Ws. Ins. Deutschl. VI, 3, 1884, p. 498; VI, 6,

1893, p. 1130. — Reitt. Fauna Germ. IV, 1912,

p. 129.

affinis Gebl. Ledeb. Reise II, 3, 1830, p. 211.

decempunctatus Laich. Verz. Tyrol. Ins. I,

1781, p. 152. — *Scut. 1879 Journ. - 1879 f. 10*

? *dispar* Ol. Ent. V, 1807, p. 573, t. 9, f. 131, a—c.

tibialis Duft. Fauna Austr. III, 1825, p. 202

(pars).

triandrae Suffr. Linn. Ent. V, 1851, p. 216. —

C. G. Thoms. Skand. Col. VIII, 1866, p. 261

(pars). — Kraatz, Zeitschr. f. Ent. Breslau

(n. s.) VII, 1879, p. 49; Berl. Ent. Zeitschr.

XXIII, 1879, p. 135, nota. — Seidl. Fauna

Balt. 1875, p. 484. — Mars. Abeille XXVI,

1888, p. 43. — Seidl. Fauna Balt. ed. 2, 1891,

p. 697; Fauna Transylv. 1891, p. 783. —

Ws. Deutsche Ent. Zeitschr. 1892, p. 414. —

Everts, Col. Neerl. II, 1903, p. 438.

✓ ab. *decastigma* (*tibialis* var.) Duft. Fauna Austr.

III, 1825, p. 203. — Suffr. Linn. Ent. V, 1851,

p. 221. — Kraatz, Zeitschr. f. Ent. Breslau

(n. s.) VII, 1879, p. 52.

✓ ab. *Kraatzii* Westh. Käf. Westfal. 1881, p. 273.

ab. *melanocnema* Jacobs. Hor. Ross. XXX,

1896, p. 436.

ab. *nigrolocanus* Czwal. Deutsche Ent. Zeit-

schr. 1885, p. 256.

✓ ab. *orientalis* Ws. Ins. Deutschl. VI, 3, 1884,

p. 498.

China:

Kiukiang

N. China

Amur

Ostsibirien,

? Japan

Westfalen,

Mittel- u.

Ostalpen,

Karpathen

Nord- u.

Mittel-

europa,

Sibirien

277

Ural

- ✓ *ab. satanas* Westh. Käf. Westfal. 1881, p. 273.
 var. *Bergrothi* Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 128. Jenissei
ab. correspondens Jacobs. l. c. p. 128. Sibirien
ab. simplex Jacobs. l. c. p. 128. "
 Biologie: Rosenhauer, Stett. Ent. Zeit. XLIII, 1882, p. 150.
 Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. 1, f. 41.
- nigroplagiatus** Baly, Ann. Mag. Nat. Hist. (3) X, 1862, p. 28. — Jac. Proc. Zool. Soc. Lond. 1885, p. 210. Japan
- ✓ **nivosus** Suffr. Linn. Ent. V, 1851, p. 222. — Fairm. in Jacq. du Val, Gen. Col. d'Eur. IV, 1868, t. 67, f. 318. — Letzn. Arb. Schles. Ges. 1864, p. 142. Alpen, Pyrenäen
 — Kraatz, Zeitschr. f. Ent. Breslau (n. s.) VII, 1879, p. 54. — Ws. Ins. Deutschl. VI, 3, 1884, p. 501. — Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 86. — Mars. Abeille XXVI, 1888, p. 45. — Ws. Deutsche Ent. Zeitschr. 1891, p. 160; Ins. Deutschl. VI, 6, 1893, p. 1129. — Jacobs. Käf. Russl. 1909, t. 58, f. 25. — Reitt. Fauna Germ. IV, 1912, p. 129.
- affinis* Gradl, Ent. Nachr. XXIV, 1882, p. 330.
- ✓ *ab. aethiops* Heyd. Ent. Nachr. XXV, 1883, p. 53.
- funestus* Ws. Ins. Deutschl. VI, 3, 1884, p. 501.
- ab. marginatus* Gradl, Ent. Nachr. XXIV, 1882, p. 330.
- clytroides* Gradl, l. c. p. 330.
- ab. nanus* Gradl, l. c. p. 330.
- octopunctatus* Gradl, l. c. p. 330.
- ab. personatus* Ws. Ins. Deutschl. VI, 3, 1884, p. 501.
- bicolor* Heyd. Ent. Nachr. XXV, 1883, p. 53 (nec Kraatz).
- ✓ *nigricollis* Gradl, Ent. Nachr. XXIV, 1882, p. 330.
- ab. ruficollis* Ws. Deutsche Ent. Zeitschr. 1891, p. 160.
- ab. rufulus* Kraatz, Zeitschr. f. Ent. Bresl. (n. s.) VII, 1879, p. 55.
- ab. tyrolensis* Gradl, Ent. Nachr. XXIV, 1882, p. 330.
- ab. stenomera* Dufour, Act. Soc. Linn. Bord. XVII, 1851, p. 53.
- apicalis* Heyd. Ent. Nachr. XXV, 1883, p. 53.
- Eppelsheimi* Ws. Ins. Deutschl. VI, 3, 1884, p. 501.
- Biologie: Letzn. Arb. Schles. Ges. 1864, p. 143.
 Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. 1, f. 43.
- ✓ **rubripennis** Baly, Ann. Mag. Nat. Hist. (3) X, 1862, p. 28. — Kraatz, Berl. Ent. Zeitschr. XXIII, 1879, p. 137. — Mars. Abeille XXVI, 1888, p. 48. — Ws. Ins. Deutschl. VI, 6, 1893, p. 1127. Japan
 — Jacobs. Hor. Ross. XXVIII, 1894, p. 245. — Ws. Deutsche Ent. Zeitschr. 1896, p. 295.

ab. *tenebrosus* Ws. Verh. Naturf. Ver. Brünn XLVIII, 1910, p. 37.

Morphologie: Ws. Deutsche Ent. Zeitschr. 1894, t. 2, f. 16.

✓ *rufipes* Deg. Mém. V, 1775, p. 295, t. 8, f. 25. — Payk. Fauna Suec. II, 1799, p. 69. — Gyll. Ins. Suec. III, 1813, p. 486. — Kirby, Fauna Bor.-Amer. 1837, p. 213. — Steph. Ill. Brit. Ent. IV, 1834, p. 329; Man. 1839, p. 311. — Suffr. Linn. Ent. V, 1851, p. 210; Stett. Ent. Zeit. XIX, 1858, p. 381. — C. G. Thoms. Skand. Col. VIII, 1866, p. 261. — Koltze & Kraatz, Berl. Ent. Zeitschr. XVI, 1872, p. 161. — Kraatz, Zeitschr. f. Ent. Bresl. (n. s.) VII, 1879, p. 45. — Redt. Fauna Austr. ed. 3, II, 1874, p. 480. — Ws. Ins. Deutschl. VI, 3, 1884, p. 495. — Jac. Proc. Zool. Soc. Lond. 1885, p. 210. — Mars. Abeille XXVI, 1888, p. 37. — Fowl. Col. Brit. Isl. IV, 1890, p. 311. — Seidl. Fauna Balt. ed. 2, 1891, p. 697; Fauna Transsylv. 1891, p. 782. — Bed. Faune Col. Bass. Seine V, 1892, p. 149; 1899, p. 264. — Ws. Ins. Deutschl. VI, 6, 1893, p. 1129. — Everts, Col. Neerl. II, 1903, p. 438. — Reitt. Fauna Germ. IV, 1912, p. 128.

decemnotatus Marsh. Ent. Brit. 1802, p. 175. — Donovan. Nat. Hist. Brit. Ins. XI, 1804, t. 373, f. 1.

fulvipes Duft. Fauna Austr. III, 1825, p. 199.

ab. *conjunctus* Reineck, Zeitschr. wissenschaft. Insectenbiol. VI, 1910, p. 66.

ab. *serpunctatus* F. Mant. I, 1787, p. 70; Ent. Syst. I, 1792, p. 320; Syst. El. I, 1801, p. 436. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1679. — Suffr. Linn. Ent. V, 1851, p. 211. Biologie: Chap. et Cand. Mém. Soc. Liège VIII, 1853, p. 613. — Letzn. Ber. Schles. Ges. 1884, p. 308. — Hacker, Wien. Ent. Zeit. XVIII, 1899, p. 35.

Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. 1, f. 39.

salicis Motsch. Schrenck's Reisen Amurl. II, 1860, p. 223, t. 11, f. 5. — Mars. Abeille XVI, 1878, p. 144. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 136. — Mars. Abeille XXVI, 1888, p. 42. — Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 128.

sibiricus Ws. Ins. Deutschl. VI, 6, 1893, p. 1128.

ab. *fraternus* Jacobs. Hor. Ross. XXXV, 1900, p. 82.

ab. *Sundmani* Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 128.

Morphologie: Ws. Deutsche Ent. Zeitschr. 1894, t. 2, f. 14.

sobrinus nom. nov.

sorbi Motsch. Schrenck's Reisen Amurl. II, 1860, p. 223, t. 11, f. 6. — Mars. Abeille XVI, 1878, p. 144. — Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 136. — Jacobs. Hor. Ross. XXVIII, 1894, p. 245. — Ws. Deutsche Ent.

Nord- u.
Mittel-
europa,
Sibirien,
Japan,
Nord-
amerika

Europa

Ostsibirien

Westsibirien,
Transbai-
kalien

Daurien

- Zeitschr. 1896, p. 295. — Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 128, nota (nec Grimmer).
- tredecimmaculatus** Jac. Proc. Zool. Soc. Lond. 1888, p. 347. China
- nigrosparsus** Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 373 (*Paropsides*). — Jac. Entomol. XXIII, 1890, p. 118.
- ✓ **viminalis** L. Syst. Nat. ed. 10, 1758, p. 371; Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1678. — F. Syst. Ent. 1775, p. 98; Spec. Ins. I, 1781, p. 121; Mant. I, 1787, p. 69; Ent. Syst. I, 1792, p. 319. — Payk. Fauna Suec. II, 1799, p. 68. — Ol. Ent. V, 1807, p. 572, t. 9, f. 130. — Gyll. Ins. Suec. III, 1813, p. 487. — Duft. Fauna Austr. III, 1825, p. 200. — Suffr. Linn. Ent. V, 1851, p. 211; Stett. Ent. Zeit. XIX, 1858, p. 399 (*Chrysomela*). — C. G. Thoms. Skand. Col. VIII, 1866, p. 259. — Redt. Fauna Austr. ed. 2, III, 1874, p. 481. — Kraatz. Deutsche Ent. Zeitschr. XXIII, 1879, p. 135, nota; Zeitschr. f. Ent. Bresl. (n. s.) VII, 1879, p. 46. — Ws. Ins. Deutschl. VI, 3, 1884, p. 491. — Heyd. Deutsche Ent. Zeitschr. XXX, 1886, p. 86. — Mars. Abeille XXVI, 1888, p. 39. — Fowl. Col. Brit. Isl. IV, 1890, p. 311. — Seidl. Fauna Balt. ed. 2, 1891, p. 697; Fauna Transsylv. 1891, p. 782. — Bed. Faune Col. Bass. Seine V, 1892, p. 149; 1899, p. 263. — Ws. Ins. Deutschl. V, 6, 1893, p. 1124, 1129. — Everts, Col. Neerl. II, 1903, p. 438. — Reitt. Fauna Germ. IV, 1912, p. 129, t. 145, f. 17.
- collaris** Gradl, Ent. Nachr. XXIV, 1882, p. 329.
- fridrichsdalensis** Müll. Fauna Fridr. 1764, p. 8 (*Chrysomela*).
- oculatus** Gradl, Ent. Nachr. XXIV, 1882, p. 329.
- signatus** Scop. Ent. Carn. 1763, p. 74 (*Chrysomela*).
- ✓ ab. **Baaderi** Panz. Fauna Germ. 24, 1794, p. 14 ♂. — Duft. Fauna Austr. III, 1825, p. 200. — Suffr. Linn. Ent. V, 1851, p. 214. — Kraatz, Zeitschr. f. Ent. Bresl. (n. s.) VII, 1879, p. 48. — Reitt. Fauna Germ. IV, 1912, p. 129, t. 145, f. 17b.
- ✓ ab. **bicolor** Kraatz, Zeitschr. f. Ent. Bresl. (n. s.) VII, 1879, p. 49.
- reniplagiatus** Penecke, Wien. Ent. Zeit. XX, 1901, p. 20.
- ✓ ab. **calcaratus** F. Ent. Syst. I, 2, 1792, p. 19; Syst. El. I, 1801, p. 431. — Duft. Fauna Austr. III, 1825, p. 201. — Suffr. Linn. Ent. V, 1851, p. 214. — Reitt. Fauna Germ. IV, 1912, p. 129, t. 145, f. 17c.
- haemorrhoidalis** Scop. Ent. Carn. 1763, p. 72 (*Coccinella*). — F. Syst. Ent. 1775, p. 102. — Kraatz, Zeitschr. f. Ent. Bresl. (n. s.) VII, 1879, p. 49.
- nigerrimus** Gradl, Ent. Nachr. XXIV, 1882, p. 329.

Nord- u.
Mittel-
europa,
Sibirien,
Nord-
amerika

- ✓ *ab. cinctus* Ws. Ins. Deutschl. VI, 3, 1884, p. 492.
 ✓ *Baaderi* Panz. Fauna Germ. 59, 1798, p. 2 ♀. —
 Duft. Fauna Austr. III, 1825, p. 201 (*Chryso-*
mela).
nigrescens Gradl, Ent. Nachr. XXIV, 1882,
 p. 329.
ab. collaris Ws. Arch. Naturg. LIII, 1887, Amur
 p. 186 (sub *rufipes*); Ins. Deutschl. VI, 6, 1893,
 p. 1129.
 ✓ *ab. decempunctatus* L. Syst. Nat. ed. 10, 1758, Europa
 p. 371; Gmelin in L. Syst. Nat. ed. XIII, I, 4,
 1790, p. 1678. — Scop. Ent. Carn. 1763, p. 76
 (*Coccinella*). — F. Syst. Ent. 1775, p. 99;
 Spec. Ins. I, 1781, p. 121; Mant. I, 1787, p. 69;
 Ent. Syst. I, 1792, p. 320; Syst. El. I, 1801,
 p. 436. — Steph. Ill. Brit. Ent. IV, 1834, p. 338;
 Man. 1839, p. 311. — Suffr. Linn. Ent. V, 1851,
 p. 214. — Kraatz, Zeitschr. f. Ent. Bresl. (n. s.)
 VII, 1879, p. 48. — Reitt. Fauna Germ. IV,
 1912, p. 129. t. 145. f. 17a.
basipunctatus Gradl, Ent. Nachr. XXIV, 1882,
 p. 329.
nigripes Deg. Mém. V, 1775, p. 269.
quadrimaculatus Heyd. Ent. Nachr. XXV,
 1883, p. 53.
quadripunctatus Heyd. l. c. p. 53.
 ✓ *ab. Gradli* Heyd. l. c. p. 53. Europa
fulvus Gradl, Ent. Nachr. XXIV, 1882, p. 329
 (nec Motsch.).
viminalis Panz. Fauna Germ. 78, 1801, p. 3.
ab. pallidipes Ws. Ins. Deutschl. VI, 6, 1893, Amur
 p. 1129.
ab. rufus Kraatz, Deutsche Ent. Zeitschr. XXIII,
 1879, p. 139. — Ws. Ins. Deutschl. VI, 6, 1893,
 p. 1129. „
ab. transitorius Jacobs. Finska Vet.-Soc. Förh.
 XLIII, 1901, p. 129. Daurien
 Biologie: Letzn. Arb. Schles. Ges. 1855, p. 109.
 — Cornel. Stett. Ent. Zeit. XVIII, 1857,
 p. 165. — Mars. Abeille XXVI, 1888, p. 32. —
 W. Kolbe, Zeitschr. f. Ent. Bresl. XX, 1895, p. 7.
 Morphologie: Ws. Deutsche Ent. Zeitschr.
 XXX, 1886, t. 1, f. 38.
-
- aeneipennis* Baly, Ann. Mag. Nat. Hist. (3) X, 1862, N. China
 p. 27.
dichrous Fairm. Rev. d'Ent. VII, 1888, p. 153. Peking
flavoplagiatus Jac. Entomol. XXIII, 1890, p. 117, China:
 t. 1, f. 8. Changyang
flexuosus Baly, Trans. Ent. Soc. Lond. (n. s.) V, 1859, N. China
 p. 156.
inconditus Ws. Arch. Naturg. LXIV, 1898, p. 213. Pedong
quadriplagiatus Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, Moupin
 p. 75.
robustus Jac. Proc. Zool. Soc. Lond. 1885, p. 209. Japan
scutellaris Baly, Ann. Mag. Nat. Hist. (3) X, 1862, N. China
 p. 27.
scutellaris Sahlb. Vega Exp. 1885, p. 55. Behring
thoracicus Baly, Ann. Mag. Nat. Hist. (3) X, 1862, p. 27. N. China

Subgen. **Spartophila** Steph.

Steph. Ill. Brit. Ent. IV, 1834, p. 340; Man. 1839, p. 310. — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 180. — Weise, Ins. Deutschl. VI, 3, 1884, p. 503 (*Spartiophila*). — Reitt. Fauna Germ. IV, 1912, p. 128.

A. *Spartoxena* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 180.
Spartomena Reitt. Fauna Germ. IV, 1912, p. 128.

akbesianus Fairm. Ann. Soc. Ent. Fr. (6) IV, 1884, p. 175. — Mars. Abeille XXVI, 1888, p. 53. Akbés

✓ *fornicatus* Brüggen. Abh. Naturf. Ver. Bremen III, 1873, p. 518. — Ws. Ins. Deutschl. VI, 3, 1884, p. 503; VI, 6, 1893, p. 1130. — Jacobs. Käf. Russl. 1909, t. 58, f. 24. — Reitt. Fauna Germ. IV, 1912, p. 129, t. 145, f. 20. England, Schlesien, Baiern, Oesterreich, Ungarn, Süd-europa, Kleinasien, Mesopotamien, Syrien, Nordafrika

✓ *searpunctatus* Panz. Fauna Germ. 26, 1796, p. 2. — Ol. Ent. V, 1807, p. 571, t. 9, f. 129. — Duft. Fauna Austr. III, 1825, p. 204. — Steph. Ill. Brit. Ent. IV, 1834, p. 339; Man. 1839, p. 311. — Küst. Käf. Eur. XIII, 1848, p. 91. — Suffr. Linn. Ent. V, 1851, p. 223. — Redtb. Fauna Austr. ed. 3. II, 1874, p. 480. — Mars. Abeille XXVI, 1888, p. 56. — Seidl. Fauna Balt. ed. 2, 1891, p. 697; Fauna Transsylv. 1891, p. 783.

ab. innolatus Ws. Ins. Deutschl. VI, 3, 1884, p. 505.

ab. piceus Ws. l. c. p. 505.

Biologie: Heeger, Isis 1848, p. 322, t. 3. — Künstler, Verh. zool.-bot. Ges. Wien XXI, 1871, p. 45. — Kaltenb. Pflanzenfeinde I, 1872, p. 120.

Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. 1, f. 44.

Gobanzi Reitt. Wien. Ent. Zeit. XXI, 1902, p. 141. — Daniel, Münch. Kol. Zeitschr. I, 1903, p. 254 (*variabilis* var.). — Fiori, Riv. Ital. I, 1903, p. 59.

ab. lagarinensis Halbherr, Pubbl. Mus. Rovereto XLV, 1908, p. 33.

Leseleuci Mars. Abeille XXVI, 1888, p. 55.

rossolus Mars. l. c. p. 57.

✓ *variabilis* Ol. Encycl. méth. V, 1790, p. 708; Ent. V, 1807, p. 568, t. 8, f. 127, a—d. — Ws. Ins. Deutschl. VI, 3, 1884, p. 503, nota; VI, 6, 1893, p. 1130; Deutsche Ent. Zeitschr. 1891, p. 160. — Bateson, Proc. Zool. Soc. Lond. 1895, p. 850, t. 47. — Doncaster, Proc. Zool. Soc. Lond. 1905, II, p. 528. — Reineck, Deutsche Ent. Zeitschr. 1911, p. 479, t. 5, f. 3—7. — Reitt. Fauna Germ. IV, 1912, p. 128, nota.

caprae Ill. Mag. Ins. I, 1802, p. 413.

✓ *ab. aegrotus* F. Suppl. Ent. Syst. 1798, p. 87; Syst. El. I, 1801, p. 437. — Ol. Ent. V, 1807, p. 530, t. 6, f. 90. — Suffr. Linn. Ent. V, 1851, p. 228 (*Chrysomela*). — Reineck, Deutsche Ent. Zeitschr. 1911, p. 480, t. 5, f. 13, 14.

ab. bilunatus Rein. l. c. p. 479, t. 5, f. 8.

ab. binotaticeps Pic, Echange XXVII, 1911, p. 98. Asturien

- ab. *Grandini* Desbr. Abeille VII, 1870, p. 132.
 ~ ab. *ictericus* Ws. Deutsche Ent. Zeitschr. 1891.
 p. 160. — Rein. l. c. 1911, p. 479, t. 5, f. 1.
 ~ ab. *irroratus* Ws. Deutsche Ent. Zeitschr. 1891.
 p. 160. — Rein. l. c. 1911, p. 480, t. 5, f. 15.
 ab. *Koltzei* Ws. Deutsche Ent. Zeitschr. 1891.
 p. 160. — Rein. l. c. 1911, p. 480, t. 5, f. 19.
 ab. *luteonotatus* Pic, Echange XXVIII, 1912.
 p. 3. Andalusien
 ab. *marginatus* Rein. Deutsche Ent. Zeitschr.
 1911, p. 480, t. 5, f. 16, 17. Asturien
 ab. *Narasi* Fuente, Bull. Inst. Catalon. 1901,
 p. 6. — Rein. Deutsche Ent. Zeitschr. 1911,
 p. 480. Zaragoza
 ~ ab. *sextnotatus* F. Suppl. Ent. Syst. 1798, p. 86;
 Syst. El. I, 1801, p. 437. — Ws. Deutsche
 Ent. Zeitschr. 1891, p. 160. — Rein. l. c. 1911,
 p. 479, t. 5, f. 2.
 ~ ab. *spartii* Ol. Ent. V, 1807, p. 563, t. 9, f. 128,
 a, b. — Ws. Deutsche Ent. Zeitschr. 1891,
 p. 160. — Rein. l. c. 1911, p. 479, t. 5, f. 9, 10.
 ab. *unipunctatus* Ol. Encycl. méth. V, 1790,
 p. 708.
 Biologie: Peyerimh. Ann. Soc. Ent. Fr. LXXX,
 1911, p. 289.
 Morphologie: Ws. Deutsche Ent. Zeitschr.
 1894, t. 2, f. 18. — Doncaster, Proc. Zool.
 Soc. Lond. 1905, II, 528.
 Mimetismus: Chapm. Ent. Monthly Mag. XLV,
 1909, p. 186.

B. *Spartophila* i. sp.

- ~ *olivaceus* Forster, Nov. spec. Ins. I, 1771, p. 23. — Europa
 Marsh. Ent. Brit. I, 1802, p. 181 (*Chrysomela*).
 — Ws. Ins. Deutschl. VI, 3, 1884, p. 506. —
 Fowl. Col. Brit. Isl. IV, 1890, p. 311, 312. —
 Seidl. Fauna Balt. ed. 2, 1891, p. 697; Fauna
 Transsylv. 1891, p. 783. — Bed. Faune Col.
 Bass. Seine V, 1892, p. 149; 1899, p. 264. —
 Ws. Ins. Deutschl. VI, 6, 1893, p. 1130. —
 Everts, Col. Neerl. II, 1903, p. 439. — Reitt.
 Fauna Germ. IV, 1912, p. 130, t. 145, f. 21.
 ~ ab. *flavicans* F. Mant. I, 1787, p. 72; Ent.
 Syst. I, 1792, p. 328; Syst. El. I, 1801, p. 429. —
 Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790,
 p. 1681. — Ol. Ent. V, 1807, p. 604, t. 1, f. 15.
rufitarsis Marsh. Ent. Brit. I, 1802, p. 182.
 ab. *vernalis* Forster, Nov. spec. Ins. I, 1771,
 p. 23. — Gmelin in L. Syst. Nat. ed. XIII, I,
 4, 1790, p. 1688.
 ~ ab. *litura* F. Syst. Ent. 1775, p. 102; Spec.
 Ins. I, 1781, p. 126; Mant. I, 1787, p. 72; Ent.
 Syst. I, 1792, p. 328; Syst. El. I, 1801, p. 429. —
 Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790,
 p. 1681. — Payk. Fauna Suec. II, 1799, p. 74. —
 Panz. Fauna Germ. 78, 1801, p. 6. — Marsh.
 Ent. Brit. I, 1802, p. 182. — Ol. Ent. V, 1807,
 p. 574, t. 9, f. 132. — Gyll. Ins. Suec. III,
 1813, p. 481. — Duft. Fauna Austr. III, 1825,

- p. 207. — Küst. Käf. Eur. IX, 1847, p. 95. — Suffr. Linn. Ent. V, 1851, p. 225. — C. G. Thoms. Skand. Col. VIII, 1866, p. 267. — Redt. Fauna Austr. ed. 3, II, 1874, p. 480. — Mars. Abeille XXVI, 1888, p. 58.
- ab. *nigricans* Ws. Ins. Deutschl. VI, 3, 1884, p. 507.
- areatus* Bed. Faune Col. Bass. Seine V, 1892, p. 265.
- obscurissimus* Pic. Echange XXIII, 1907, p. 146.
- Biologie: Chap. et Cand. Mém. Soc. Liège VIII, 1853, p. 614. — Letzn. Arb. Schles. Ges. 1857, p. 126.
- Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. 1, f. 45. — Kempers, Tijdschr. Ent. XLV, 1902, p. 59. — Sharp & Muir, Trans. Ent. Soc. Lond. 1912, p. 565.
- Weisei** Reitt. Deutsche Ent. Zeitschr. XXX, 1886, p. 71. — Mars. Abeille XXVII, 1889, p. 147. — Ws. Ins. Deutschl. VI, 6, 1893, p. 1130. Portugal
- C. Goniomena* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 180.
- ✓ **pallidus** L. Syst. Nat. ed. 10, 1758, p. 370 (*Chrysomela*). — Suffr. Linn. Ent. V, 1851, p. 234. — C. G. Thoms. Skand. Col. VIII, 1866, p. 264. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 52. — Redt. Fauna Austr. ed. 3, II, 1874, p. 481. — Ws. Ent. Monatsbl. II, 1880, p. 76; Ins. Deutschl. VI, 3, 1884, p. 510; VI, 6, 1893, p. 1131. — Mars. Abeille XXVI, 1888, p. 51. — Fowl. Col. Brit. Isl. IV, 1890, p. 311, 312. — Seidl. Fauna Balt. ed. 2, 1891, p. 697; Fauna Transsylv. 1891, p. 783. — Hamilton, Trans. Amer. Ent. Soc. XXI, 1894, p. 398. — Everts, Col. Neerl. II, 1903, p. 439. — Reitt. Fauna Germ. IV, 1912, p. 130.
- dispar* Payk. Fauna Suec. II, 1799, p. 66. — Gyll. Ins. Suec. III, 1813, p. 482 (pars).
- padi* Deg. Mém. V, 1775, p. 301, t. 9, f. 2.
- rufipes* Rogers, Proc. Ac. Philad. VIII, 1854, p. 35. — Horn, Canad. Ent. VIII, 1876, p. 191.
- ab. *borealis* Ws. Ins. Deutschl. VI, 3, 1884, p. 510.
- ✓ ab. *decipiens* Ws. l. c. p. 510.
- ab. *frontalis* Ol. Ent. V, 1807, p. 565, t. 8, f. 123. — Suffr. Linn. Ent. V, 1851, p. 235.
- ab. *nigripennis* Ws. Deutsche Ent. Zeitschr. XXXI, 1887, p. 364; Ins. Deutschl. VI, 6, 1893, p. 1126.
- Biologie: Cornel. Stett. Ent. Zeit. XXVIII, 1857, p. 19. — Frauenfeld, Verh. zool.-bot. Ges. Wien XXII, 1872, p. 394. — Mars. Abeille XXVI, 1888, p. 33. — Donisthorpe, Ent. Rec. XXI, 1909, p. 208.
- Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. 1, f. 47. Nordeuropa,
Bergland
v. Mittel-
europa,
Sibirien,
Nord-
amerika

- ✓ *quinquepunctatus* F. Mant. I. 1787, p. 72; Ent. Syst. I, 1792, p. 327; Syst. El. I. 1801, p. 443. — Gmelin in L. Syst. Nat. ed. XIII. I, 4, 1790, p. 1681. — Suffr. Linn. Ent. V, 1851, p. 231. — C. G. Thoms. Skand. Col. VIII. 1866, p. 266. — Redt. Fauna Austr. ed. 3, II, 1874, p. 481. — Ws. Ent. Monatsbl. II. 1880, p. 76; Ins. Deutschl. VI, 3, 1884, p. 508; VI. 6. 1893, p. 1130. — Mars. Abeille XXVI. 1888, p. 49. — Seidl. Fauna Balt. ed. 2, 1891, p. 697; Fauna Transsylv. 1891, p. 783. — Bed. Faune Col. Bass. Seine V, 1892, p. 149; 1899, p. 265. — Penecke, Wien. Ent. Zeit. XVII, 1898, p. 254. — Everts, Col. Neerl. II. 1903, p. 439. — Reitt. Fauna Germ. IV, 1912, p. 130. t. 145, f. 22.
- decempunctatus* Schrank, Enum. 1781, p. 75 (*Chrysomela*) (nec L.).
- dispar* Payk. Fauna Suec. II, 1799, p. 20. — Gyll. Ins. Suec. III. 1813, p. 482. — Redt. Fauna Austr. 1849, p. 557 (pars).
- sorbi* Grimmer, Steierm. Col. 1841, p. 47.
- ab. *aucupariae* Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 128.
- sorbi* Ws. Ins. Deutschl. VI, 3, 1884, p. 508. — Penecke, Wien. Ent. Zeit. XVII, 1898, p. 254.
- ab. *flavicollis* Duft. Fauna Austr. III, 1825, p. 206. — Suffr. Linn. Ent. V, 1851, p. 233. — Penecke, Wien. Ent. Zeit. XVII, 1898, p. 254.
- ab. *flavipennis* Krauss, Wien. Ent. Zeit. XIX, 1900, p. 241.
- ab. *melanopterus* Penecke, Wien. Ent. Zeit. XVII, 1898, p. 254.
- ✓ ab. *nigriventris* Pen. l. c. p. 254.
- ab. *obscurus* Grimmer, Steierm. Col. 1841, p. 48. — Pen. Wien. Ent. Zeit. XVII, 1898, p. 254.
- ab. *padi* Pen. l. c. p. 245.
- ✓ ab. *unicolor* Ws. Ins. Deutschl. VI, 3, 1884, p. 508. — Pen. Wien. Ent. Zeit. XVII, 1898, p. 254.
- dispar* Duft. Fauna Austr. III, 1825, p. 204. Biologie: Cornelius, Stett. Ent. Zeit. XI, 1850, p. 19. — Dietrich, Bull. Mosc. XXXVII, 1864, p. 218. — Frauenfeld, Verh. zool.-bot. Ges. Wien XXII, 1872, p. 394. — Mars. Abeille XXVI, 1888, p. 33. — Ws. Ins. Deutschl. VI, 3, 1884, p. 490.
- Morphologie: Ws. Deutsche Ent. Zeitschr. XXX, 1886, t. 1, f. 46. — Sharp & Muir, Trans. Ent. Soc. Lond. 1912, p. 564.
- simplex* Suffr. Stett. Ent. Zeit. XIX, 1858, p. 383.

Nord- u.
Mittel-
europa,
Sibirien

Vereinigte
Staaten

Cercyonops Jacobs.

Jacobson, Hor. Ross. XXXV, 1900, p. 83, 89; Finska Vet.-Soc. Förh. XLIII, 1901, p. 129.

✓ *caraganae* Gebl. Mém. Mosc. VI, 1823, p. 121. — Germ. Altai
Ins. spec. nov. 1824, p. 592. — Gebl. Ledeb.

Reise II, 3, 1830, p. 212; Bull. Mosc. XIV, 1841, p. 621; XXI, 1848, p. 34, 85 (*Chrysomela*). — Mars. Abeille XXVI, 1888, p. 60 (*Gonioctena*). — Ws. Ins. Deutschl. VI, 6, 1893, p. 1130 (*Phytodecta*). — Jacobs. Hor. Ross. XXXV, 1900, p. 84; Finska Vet.-Soc. Förh. XLIII, 1901, p. 129; Käf. Russl. 1909, t, 57, f. 34.

ab. *hieroglyphica* Jacobs. Hor. Ross. XXXV, 1900, p. 84.

ab. *limbata* Jacobs. l. c. p. 84.

ab. *Menetriesi* Gebl. Bull. Mosc. XIV, 1841, p. 621; XXI, 1848, p. 35. — Jacobs. Horae Ross. XXXV, 1900, p. 84.

ab. *sesquialtera* Jacobs. l. c. p. 84.

ab. *simplex* Jacobs. l. c. p. 84.

Biologie: Shurawski, Rev. russe d'Ent. VIII, 1908, p. 135.

1

Centroscelis Vogel.

Vogel in Schauf. Nunquam otios. I, 1871, p. 125. — Chapuis, Gen. Col. X, 1874, p. 432, 434.

Anomomera Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 360. — Ws. Deutsche Ent. Zeitschr. 1900, p. 450. — Jac. Trans. Ent. Soc. Lond. 1901, p. 253.

bisquinquepustulata Vogel in Schauf. Nunquam otios. I, 1871, p. 130. Kapland

inenarrabilis Vogel, l. c. p. 127. Kapland, Natal

✓ *laevigata* Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 120 (*Polysticta*). Kapland

polychroma Vogel in Schauf. Nunquam otios. I, 1871, p. 129.

ab. *binotata* Vogel, l. c. p. 129.

ab. *Murrayi* Baly. Trans. Ent. Soc. Lond. (3) II, 1864, p. 228 (*Gonioctena*). Altcalabar

ab. *nigroaenea* Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 121 (*Polysticta*).

ab. *transversalis* Vogel in Schauf. Nunquam otios. I, 1871, p. 130.

✓ *macularis* Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 119 (*Polysticta*). — Vogel in Schauf. Nunquam otios. I, 1871, p. 128. Kapland

ab. *tristieha* Klug, Preisverz. 1829, p. 16.

tristria Vogel in Schauf. Nunquam otios. I, 1871, p. 128.

melanaspis Vogel, l. c. p. 131.

Natal

✓ *notata* F. Spec. Ins. I, 1781, p. 122; Mant. I, 1787, p. 70. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1676. — F. Ent. Syst. I, 1792, p. 321; Syst. El. I, 1801, p. 437. — Ol. Ent. V, 1807, p. 534, t. 2, f. 15 a, b (*Chrysomela*). — Clark, Ann. Mag. Nat. Hist. (3) XIV, 1864, p. 170 (*Polysticta*). — Vogel, Nunquam otios. I, 1871, p. 126.

Transvaal

Ches. 1827-427
Ches. 1843
Type notata F

- tenuelimbata** Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, Somaliland
p. 360 (*Anomomera*).
trifibulata Vogel in Schauf. Nunquam otios. I, 1871, Kapland
p. 131.

8

Coccimela Ws.

Weise, Arch. Naturg. LXIV, 1898, p. 209.

✓ **fulgida** Ws. l. c. p. 209.

Usambara

ab. *thoracica* Ws. l. c. p. 209.

1

Phyllodecta Kirby.

Kirby, Fauna Bor.-Amer. IV, 1837, p. 216. — Weise, Ins. Deutschl. VI, 3
1884, p. 511. — Fowler, Col. Brit. Isl. IV, 1890, p. 316. — Bedel, Faune
Col. Bass. Seine V, 1892, p. 140. — Jacobs, Hor. Ross. XXXV, 1900,
p. 89. — Everts, Col. Neerl. II, 1903, p. 440. — Reitter, Fauna Germ. IV,
1912, p. 127.

Phratora Redt. Gatt. deutsch. Käferf. 1845, p. 116. — Fairm.
in Jacq. du Val, Gen. Col. d'Eur. IV, 1868, p. 231. — Chap.
Gen. Col. X, 1874, p. 435. — Mars. Abeille XXVII, 1889, p. 114.
— Seidl. Fauna Balt. ed. 2 et Fn. Transsylv. 1891, p. 175.

Biologie: Marshall, Bull. Soc. Acclim. Fr. LI, 1904, p. 19.

Morphologie: Retzius, Biol. Unters. XIV, 1909, p. 58, t. 18,
f. 5—7.

Subgen. **Chaetocera** Ws.

Weise, Ins. Deutschl. VI, 3, 1884, p. 514. — Reitt. Fauna Germ. IV,
1912, p. 130.

inhonestus Ws. l. c. p. 514, nota. — Mars. Abeille XXVII,
1889, p. 121.

Kiachta,

? Sarepta

Morphologie: Ws. Deutsche Ent. Zeitschr.
1890, t. 2 (3), f. 2.

longulus Motsch. Schrenck's Reisen Amurl. II, 1860,
p. 229, t. 11, f. 14. — Mars. Abeille XVI,
1878, p. 152; XXVII, 1889, p. 120.

Kamt-

schatka,

Daurien

vulgatissimus L. Syst. Nat. ed. 10, 1758, p. 370 (*Chrysomela*); Gmelin in L. Syst. Nat. ed. XIII, I, 4,
1790, p. 1675. — Scop. Ent. Carn. 1763, p. 71
(*Coccinella*). — F. Ent. Syst. 1775, p. 104;
Spec. Ins. I, 1781, p. 130; Mant. I, 1787, p. 75. —
Duft. Fauna Austr. III, 1825, p. 210. — Suffr.
Linn. Ent. V, 1851, p. 258 (*Chrysomela*). —
Fairm. in Jacq. du Val, Gen. Col. d'Eur. IV,
t. 67, f. 319. — Cornel. Stett. Ent. Zeit. XVIII,
1857, p. 402. — ? Wollast. Canar. Col. 1864,
p. 405. — C. G. Thoms. Skand. Col. VIII,
1866, p. 276. — Crotch, Proc. Ac. Philad. XXV,
1873, p. 52. — Redt. Fauna Austr. ed. 3, II,
1874, p. 484. — Ws. Ins. Deutschl. VI, 3, 1884,
p. 514; Deutsche Ent. Zeitschr. XXVIII,
1884, p. 156. — Mars. Abeille XXVII, 1889,
p. 122. — Fowl. Col. Brit. Isl. IV, 1890, p. 317.
— Seidl. Fauna Balt. ed. 2, 1891, p. 698;
Fauna Transsylv. 1891, p. 784. — Bed. Faune

Europa,

Sibirien,

Nord-

amerika

- Col. Bass. Seine V, 1892, p. 150; 1899, p. 265. — Hamilton, Trans. Amer. Ent. Soc. XXI, 1894, p. 398. — Everts, Col. Neerl. II, 1903, p. 440. — Jacobs, Käf. Russl. 1909, t. 58, f. 29. — Reitt. Fauna Germ. IV, 1912, p. 131.
- coerulescens* Küst. Käf. Eur. XIV, 1848, p. 100. — Ws. Deutsche Ent. Zeitschr. 1894, p. 156.
- unicolor* Marsh. Ent. Brit. I, 1802, p. 185. — Steph. Ill. Brit. Ent. IV, 1834, p. 336; Man. 1839, p. 312.
- vitellinae* Gyll. Ins. Suec. III, 1813, p. 497 (pars). ab. *aestivus* Ws. Ins. Deutschl. VI, 3, 1884, p. 515.
- ab. *obscurus* Ws. l. c. p. 515.
- ? var. *interstitialis* Mannh. Bull. Mosc. 1853, III, p. 259. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 400 (*Phratora*). — Stal, Mon. III, 1865, p. 331. — Hamilton, Trans. Amer. Ent. Soc. XXI, 1894, p. 398.
- Biologie: Deg. Mém. V, 1775, p. 401, t. 9, f. 27—33. — Cornel. Stett. Ent. Zeit. XVIII, 1857, p. 392. — Curtis, Farm. Ins. 1860, p. 103, f. 167; Entomol. XVII, 1884, p. 239. — Judeich, Forstins. I, 1889, p. 600. — Eckstein, Dankelm. Zeit. XXII, 1890, p. 145, fig. — Beutenmüller, Ent. Amer. VI, 1890, p. 176. — Altum, Dankelm. Zeit. XXIII, 1891, p. 34; Zeitschr. f. Forst- u. Jagdwesen 1899, p. 217.
- Morphologie: Ws. Deutsche Ent. Zeitschr. 1890, t. 2 (3), f. 1. — Sharp & Muir, Trans. Ent. Soc. Lond. 1912, p. 565.

Alaska

Subgen. *Phyllodecta* i. sp.

- abdominalis* Baly, Cist. Ent. II, 1878, p. 375; Sec. Yarkand Miss. 1878, p. 29.
- atrovirens* Cornel. Stett. Ent. Zeit. XVIII, 1857, p. 400. — Redt. Fauna Austr. ed. 3, II, 1874, p. 484. — Ws. Ins. Deutschl. VI, 3, 1884, p. 522. — Mars. Abeille XXVII, 1889, p. 127. — Seidl. Fauna Balt. ed. 2, 1891, p. 698; Fauna Transsylv. 1891, p. 784. — Everts, Col. Neerl. II, 1903, p. 441. — Reitt. Fauna Germ. IV, 1912, p. 131.
- Biologie: Cornel. Stett. Ent. Zeit. XVIII, 1857, p. 392.
- Morphologie: Ws. Deutsche Ent. Zeitschr. 1890, t. 2 (3), f. 7.
- ✓ *laticollis* Suffr. Linn. Ent. V, 1851, p. 262. — Cornel. Stett. Ent. Zeit. XVIII, 1857, p. 403. — Redt. Fauna Austr. ed. 3, II, 1874, p. 485. — Har. Col. Hefte XV, 1876, p. 174. — Mars. Abeille XVI, 1878, p. 154. — Ws. Deutsche Ent. Zeitschr. XXVI, 1882, p. 158; Ins. Deutschl. VI, 3, 1884, p. 520. — Mars. Abeille XXVII, 1889, p. 126. — Seidl. Fauna Balt. ed. 2, 1891, p. 698; Fauna Transsylv. 1891, p. 784. — Everts, Col. Neerl. II, 1903, p. 441. — Reitt. Fauna Germ. IV, 1912, p. 131.

Murree

Holland,
Mittel- u.
Nord-
deutsch-
landEuropa,
Klein-
asien,
Armenien,
Libanon,
Sibirien

? *altaicus* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 230. — Mars. Abeille XVI, 1878, p. 153.
cavifrons C. G. Thoms. Skand. Col. VIII, 1866, p. 278. — Seidl. Fauna Balt. 1875, p. 488. — Ws. Ent. Monatsbl. II, 1880, p. 102. — Fowl. Col. Brit. Isl. IV, 1890, p. 317.

Biologie: Cornel. Stett. Ent. Zeit. XVIII, 1857, p. 392.

Morphologie: Ws. Deutsche Ent. Zeitschr. XXVI, 1882, p. 158; 1890, t. 2 (3), f. 6.

multipunctatus Jac. Entomol. XXIII, 1890, p. 117.

obtusicollis Motsch. Schrenck's Reisen Amurl. II, 1860, p. 230, t. II, f. 15. — Mars. Abeille XVI, 1878, p. 153; XXVII, 1889, p. 122.

China

Amur

✓ *polaris* Schneider, Aarsh. Tromsø Mus. IX, 1886, p. 66; XII, 1889, p. 73. — Seidl. Fauna Balt. ed. 2, 1891, p. 698; Fauna Transsylv. 1891, p. 784.

Norwegen

Morphologie: Ws. Deutsche Ent. Zeitschr. 1890, t. 2 (3), f. 4 (*sub norvegica*).

tibialis Suffr. Linn. Ent. V, 1851, p. 259. — Cornel. Stett. Ent. Zeit. XVIII, 1857, p. 399. — Seidl. Fauna Balt. 1875, p. 487. — Ws. Arch. f. Naturg. LIII, 1887, p. 174. — Mars. Abeille XXVII, 1889, p. 124. — Everts, Col. Neerl. II, 1903, p. 440. — Reitt. Fauna Germ. IV, 1912, p. 131.

Mittel-

europa

viennensis Ws. Deutsche Ent. Zeitschr. XXVI, 1882, p. 157; Ins. Deutschl. VI, 3, 1884, p. 517. — Seidl. Fauna Balt. ed. 2, 1891, p. 698; Fn. Transsylv. 1891, p. 784.

vulgatissimus var. Kellner, Berl. Ent. Zeitschr. XVII, 1873, p. 217. — Redt. Fauna Austr. ed. 3, II, 1874, p. 484.

ab. *coeruleus* Ws. Ins. Deutschl. VI, 3, 1884, p. 517.

ab. *Cornelii* Ws. Deutsche Ent. Zeitschr. XXVI, 1882, p. 157; Ins. Deutschl. VI, 3, 1884, p. 517.

Biologie: Cornel. Stett. Ent. Zeit. XVIII, 1857, p. 396. — Ws. Ins. Deutschl. VI, 3, 1884, p. 513. — Judeich, Forstins. I, 1889, p. 600.

Morphologie: Ws. Deutsche Ent. Zeitschr. 1890, t. 2 (3), f. 3.

✓ *vitellinae* L. Syst. Nat. ed. 10, 1758, p. 370. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1676 (*Chrysomela*). — Panz. Fauna Germ. 44, 1798, p. 16 (*Galleruca*). — Ol. Ent. V, 1807, p. 575, t. 4, f. 56 a, b. — Gyll. Ins. Suec. III, 1813, p. 497 (pars). — Duft. Fauna Austr. III, 1825, p. 209. — Steph. Ill. Brit. Ent. IV, 1834, p. 335; Man. 1839, p. 312. — Küst. Käf. Eur. VII, 1846, p. 90 (pars). — Suffr. Linn. Ent. V, 1851, p. 261. — C. G. Thoms. Skand. Col. VIII, 1866, p. 276. — Redt. Fauna Austr. ed. 3, II, 1874, p. 484. — Ws. Deutsche Ent. Zeitschr. XXVI, 1882, p. 158; Ins. Deutschl. VI, 3, 1884, p. 518. — Mars. Abeille XXVII, 1889, p. 125. — Fowl. Col. Brit. Isl. IV, 1890, p. 317, 318. — Seidl. Fauna Balt. ed. 2, 1891, p. 698; Fauna

Europa,

Sibirien,

Nord-

amerika

- Transsyly. 1891, p. 784. — Bed. Faune Col. Bass. Seine V. 1892, p. 150; 1899, p. 265. — Hamilton, Canad. Ent. XXVIII, 1896, p. 263. — Everts, Col. Neerl. II, 1903, p. 441. — Jacobs. Käf. Russl. 1909, t. 58, f. 28. — Reitt. Fauna Germ. IV, 1912, p. 131, t. 146, f. 1.
- angusticollis* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 230. — Mars. Abeille XVI, 1878, p. 153.
- latipennis* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 230, t. 11, f. 16. — Mars. Abeille XVI, 1878, p. 154.
- ab. *brevicollis* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 230. — Mars. Abeille XVI, 1878, p. 155.
- ? *funestus* Fald. Nouv. Mém. Mosc. V, 1837, p. 363.
- ab. *major* Stierl. Mitth. Schweiz. Ent. Ges. II, 1863, p. 65.
- ab. *nigricus* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 230. — Mars. Abeille XVI, 1878, p. 153.
- Biologie: Westw. Introd. I, 1839, p. 389, f. 48. — Chap. et Cand. Mém. Soc. Liège VIII, 1853, p. 612. — Letzn. Arb. Schles. Ges. 1855, p. 106. — Cornel. Stett. Ent. Zeit. XVIII, 1857, p. 392. — Altum, Dankelm. Zeit. XI, 1879, p. 20; XII. 1880, p. 217, 482; XIV, 1882, p. 607. — Schneid.-Sparre, Ent. Tidskr. VI, 1885, p. 147, 215. — Omerod, Rep. nox. Ins. 1885, p. 93; 1890, p. 138. — Judeich, Forstins. I, 1889, p. 600. — Rörig, Ill. Woch. Ent. II, 1897, p. 657. — Weber, Ill. Zeitschr. Ent. IV, 1899, p. 330. — Wickström, Medd. Soc. Fauna Flora Fenn. 28 A, 1902, p. 49.
- Morphologie: Ws. Deutsche Ent. Zeitschr. 1890, t. 2 (3), f. 5. — Sharp & Muir, Trans. Ent. Soc. Lond. 1912, p. 565, t. 74, f. 212 a—b.

11

Tinosia Ws.

Weise, Nova Guinea II, Zool. 1908, p. 313, nota.

fasciata Ws. l. c. p. 313, nota.

Aru-Inseln

1

Clidonotus Chap.

Chapuis, Gen. Col. X, 1874, p. 414.

- ✓ *gibbosus* Baly, Ann. Mag. Nat. Hist. (3) X, 1862, p. 25
(*Stethomela*). — Chap. Gen. Col. X, Atlas t. 123, f. 1.

1

N. S. Wales:
Richmond
u. Dawsons
Fluss

Stethomela Baly.

Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 251; (3) IV, 2, 1867, p. 291. — Chapuis, Gen. Col. X, 1874, p. 429, 431.

aeneipennis Baly, Journ. of Ent. I, 1861, p. 293; Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 292. Batchian

- Balyi** Jac. Stett. Ent. Zeit. LVI, 1895, p. 68. Queensland:
Cooktown
- basalis** Jac. Ann. Mus. Genova XXII, 1885, p. 25. Neuguinea:
Epa Berg
Queensland
- caudata** Blackb. Trans. Roy. Soc. S. Austral. XV, 1892, p. 237. — Lea, Rep. Australas. Ass. 1902, p. 417.
- Chapuisi** Jac. Ann. Mus. Genova XXII, 1885, p. 29. Brit. Neu-
guinea
- chlorophaua** Lea, Rep. Australas. Ass. 1902, p. 416, 417 ♂. N. S. Wales:
Clarence
Fluss
- consimilis** Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 291. Ceram,
Amboina
- cornuta** Baly, Cist. Ent. II, 1875, p. 50. — Lea, Rep. Australas. Ass. 1902, p. 417. Queensland:
Port
Bowen
- discorufa** Lea, l. c. p. 414, 417. N. Queens-
land
- grandis** Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 292. Neuguinea:
Doré
- flavomarginata** Jac. Ann. Soc. Ent. Belg. XLII, 1898, p. 369. Deutsch Neu-
guinea:
Stephans-
ort
- fraternalis** Baly, Cist. Ent. II, 1875, p. 49. — Lea, Rep. Australas. Ass. 1902, p. 417. Queensland:
Port
Bowen
- fulvicollis** Jac. Ann. Mus. Genova XXII, 1885, p. 27. — Lea, Rep. Australas. Ass. 1902, p. 417. Somerset
- fulvitaris** Jac. Ann. Soc. Ent. Belg. XLII, 1898, p. 369. N. Queens-
land:
Barron
Falls,
Cairns
- ab. *cupripes* Lea, Rep. Australas. Ass. 1902, p. 415, 417; Proc. Roy. Soc. Victoria XXII, 2, 1909 (1910), p. 152.
- Hauseri** Ws. Nova Guinea IX, Zool. 1912, p. 428, nota. Neuguinea:
Sattelberg
- lateralis** Lea, Rep. Australas. Ass. 1902, p. 414, 417. N. Queens-
land:
Cairns
- limbata** Baly, Cist. Ent. II, 1875, p. 50. — Lea, Rep. Australas. Ass. 1902, p. 417. Australien
- marginata** Jac. Not. Leyd. Mus. VI, 1884, p. 7. Aru-Inseln
- olivacea** Jac. Stett. Ent. Zeit. LVI, 1895, p. 69. Queensland
- pallata** Jac. Ann. Mus. Genova XXII, 1885, p. 26. — Ws. Nova Guinea V, Zool. 1908, p. 314. Aru-Inseln,
Niederl.
Neuguinea
- papuana** Jac. Ann. Mus. Genova XXII, 1885, p. 27. Brit.
Neuguinea
- Parryi** Baly, Trans. Ent. Soc. Lond. (3) II, 1864, p. 227. Australien
- Lea, Rep. Australas. Ass. 1902, p. 417.
- poroptera** Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 253. — Lea, Rep. Australas. Ass. 1902, p. 417. N. S. Wales,
Queens-
land
- ab. *foveipennis* Jac. Ann. Soc. Ent. Belg. XLII, 1898, p. 368. — Lea, Proc. Roy. Soc. Victoria XXII, 2, 1909 (1910), p. 151.

- prasina* Baly, Trans. Ent. Soc. Lond. (n. s.) III, 1856, p. 252. — Lea, Rep. Australas. Ass. 1902, p. 416, 417. Australien
- quadripustulata* Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 294. Misol
- scintillans* Baly, Journ. of Ent. I, 1861, p. 294; Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 291. — Ws. Nova Guinea IX, Zool. 1912, p. 428, nota. Neuguinea: Sattelberg, Doré
- semiviolacea* Jac. Ann. Mus. Genova XXII, 1885, p. 30. — Ws. Nova Guinea IX, Zool. 1912, p. 427. Neuguinea: Fly u. Digul Fluss
- submetallica* Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 252, t. 14, f. 5. — Lea, Rep. Australas. Ass. 1902, p. 417. Queensland: Moreton Bai
- T-splendens* Lea, l. c. p. 415, 417. N. S. Wales: Tweed Fluss
- variabilis* Baly, Trans. Ent. Soc. Lond. (3) I, 1863, p. 622; (3) IV, 2, 1867, p. 293, t. 5*, f. 8. — Ws. Nova Guinea IX, Zool. 1912, p. 427. Niederl. Neuguinea
- varians* Jac. Ann. Mus. Genova XXII, 1885, p. 28. Brit. Neuguinea: Ins. Yule
- viridissima* Jac. Stett. Ent. Zeit. LVI, 1895, p. 68. Queensland

32

Calomela Hope.

Hope, Coleopt. Man. III, 1840, p. 166.

Australica Chev. Dict. univ. Hist. nat. II, 1842, p. 358; III, 1843, p. 656. — Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 241, t. 14, f. 5a, b, c. — Chap. Gen. Col. X, 1874, p. 429.

Lamproptera Motsch. Schrenck's Reisen Amurl. II, 1860, p. 217.

Tetratica Motsch. l. c. p. 201.

- aeneonitens* Clark, Trans. Ent. Soc. Lond. (3) II, 5, 1865, p. 416. Champion Bai
- amethystina* Lea, Rep. Australas. Ass. 1902, p. 407, 413. W. Australien
- apicalis* Blackb. Proc. Linn. Soc. N. S. Wales XIII, 1888, p. 1489. Nordterrit. v. S. Australien
- Bartoni* Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 245. Melbourne
- Biologie: Froggatt, Proc. Linn. Soc. N. S. Wales XVIII, 1893, p. 39.
- cephalotes* Lea, Rep. Australas. Ass. 1902, p. 407, 413. N. W. Australien
- cingulata* Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 245. W. Australien
- circumfusa* Baly, l. c. p. 251. Australien
- coelestis* Lea, Rep. Australas. Ass. 1902, p. 404, 413. Queensland: Port Denison
- colorata* Germ. Linn. Ent. III, 1848, p. 237. — Gerst. Arch. f. Naturg. XXIII, 1857, p. 372. S. Australia
- Mac Leayi* Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 244.

- ✓ *crassicornis* F. Syst. Ent. 1775, p. 99; Spec. Ins. I, 1781, p. 122; Mant. I, 1787, p. 70; Ent. Syst. I, 1792, p. 321; Syst. El. I, 1801, p. 437. — Gmelin in L. Syst. ed. XIII, I, 4, 1790, p. 1677. — Ol. Ent. V, 1807, p. 529, t. 4, f. 44 a, b (*Chrysomela*). — Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 243 (*Australica*). — Lea, Rep. Australas. Ass. 1902, p. 412, 413.
- ✓ *Curtisi* Kirby, Trans. Linn. Soc. Lond. XII, 2, 1818, p. 473, t. 23, f. 12. — Boisd. Voy. Astrol. Col. 1835, p. 577 (*Chrysomela*). — Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 243 (*Australica*). — Lea, Rep. Australas. Ass. 1902, p. 411.
- ? ab. *gloriosa* Lea, l. c. p. 410, 413.
- ab. *punctipes* Germ. Linn. Ent. III, 1848, p. 236 (*Chrysomela*). — Blackb. Proc. Linn. Soc. N. S. Wales XIII, 1888, p. 1490. — Lea, Rep. Australas. Ass. 1902, p. 411.
- Digglei* Baly, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 34. — Lea, Rep. Australas. Ass. 1902, p. 412, 413.
- dilaticornis* Jac. Ann. Mus. Genova XLI, 1905, p. 480.
- distinguenda* Blackb. Proc. Linn. Soc. N. S. Wales XIII, 1888, p. 1490.
- erudita* Baly, Ann. Mag. Nat. Hist. (3) X, 1862, p. 24.
- eyrei* Blackb. Proc. Linn. Soc. N. S. Wales XV, 1890, p. 155.
- flavescens* Blackb. l. c. p. 358. — Lea, Rep. Australas. Ass. 1902, p. 412, 413.
- fugitiva* Lea, l. c. p. 405, 413.
- geniculata* Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 248. — Lea, Rep. Australas. Ass. 1902, p. 412.
- imperialis* Blackb. Trans. Roy. Soc. S. Austral. XVI, 1893, p. 201. — Lea, Rep. Australas. Ass. 1902, p. 413.
- intemerata* Lea, l. c. p. 406, 413.
- interruptofasciata* Baly, Trans. Ent. Soc. Lond. (3) I, 1863, p. 620.
- ✓ *juneta* Lea, Rep. Australas. Ass. 1902, p. 409, 413.
- ✓ *lauta* Blackb. Horn's Exp. II, 1896, p. 302.
- Mac Leayi* Boisd. Voy. Astrol. Col. 1835, p. 577. — Gerst. Arch. Naturg. XXIII, 1857, p. 372.
- ✓ *maculicollis* Boisd. Voy. Astrol. Col. 1835, p. 578 (*Chrysomela*). — Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 246 (*Australica*). — Motsch. Schrenck's Reisen Amurl. II, 1860, p. 217 (*Lamproptera*). — Lea, Rep. Australas. Ass. 1902, p. 413.
- monochromatea* Lea, Rep. Australas. Ass. 1902, p. 406, 413.
- Queensland,
Moreton
Bai
- N. S. Wales,
S. Austral.,
Victoria,
W. Austral.,
Tasmanien
- Sydney
- Moreton Bai,
N. S. Wales
- Brit. Neu-
guinea:
Haveri
- Nordterritor.
v. S. Au-
stralia
- N. S. Wales:
Dawson's
Fluss
- S. Australia
- N. S. Wales:
Richmond
Fluss
- Wide Bai
- N. Queens-
land:
Cairns
- N. S. Wales
- Somerset
Australien
- N. S. Wales
Zentral-
Australien
Australien
- Victoria,
N. S. Wa-
les,
W. Austra-
lia
- Queensland:
Barron
Falls

- nigra* Lea, l. c. p. 403, 413. Queensland:
Rock-
hampton
- nigripennis* Lea, l. c. 408, 413. N. S. Wales
- nitidipennis* Boisd. Voy. Astrol. Col. 1835, p. 579. —
Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7,
1856, p. 262. Australien
- ✓ *pallida* Baly, l. c. p. 248. — Lea, Rep. Australas. Ass. N. S. Wales,
1902, p. 412, 413. Queens-
land
- parilis* Lea, l. c. p. 409, 413. N. S. Wales
- paropsoides* Clark, Journ. of Ent. II, 1864, p. 251.
- ✓ *pulchella* Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, N. S. Wales.
1856, p. 250. — Lea, Rep. Australas. Ass. Galston
1902, p. 412, 413.
- punctifrons* Lea, l. c. p. 405, 413. Queensland:
Rock-
hampton
- ✓ *pyrrhocephala* Clark, Journ. of Ent. II, 1864, p. 251. Australien
- ✓ *ruficeps* Boisd. Voy. Astrol. Col. 1835, p. 578 (*Chryso-*
— Baly, Trans. Ent. Soc. Lond. (n. s.)
III, 7, 1856, p. 247 (*Australica*). — Motsch.
Schrenck's Reisen Amurl. II, 1860, p. 201
(*Tetratica*). — Lea, Rep. Australas. Ass. 1902,
p. 412, 413. N. S. Wales
- ab. *capitata* Jac. Ent. Monthly Mag. XXI, Queensland:
1885, p. 224. — Lea, Rep. Australas. Ass. 1902, Rock-
p. 412. hampton
- ✓ *satelles* Blackb. Trans. Roy. Soc. S. Austral. XVI, 1893, W. Australia
p. 200. — Lea, Rep. Australas. Ass. 1902,
p. 412, 413.
- sexmaculata* Jac. Ent. Monthly Mag. XXI, 1885, p. 224. Neuguinea:
Port
Moresby
- suturalis* Jac. Ann. Mus. Genova XXII, 1885, p. 25. — Somerset.
Lea, Rep. Australas. Ass. 1902, p. 412, 413. N. W. Au-
stralien
- ✓ *tarsalis* Blackb. Proc. Linn. Soc. N. S. Wales XIII, Nordterr. v.
1888, p. 1490. — Lea, Rep. Australas. Ass. S. Austr-
1902, p. 421. lia,
Queens-
land
- transversa* Baly, Trans. Ent. Soc. Lond. (3) I, 1863, Moreton Bai
p. 621.
- unicolor* Jac. Not. Leyd. Mus. VI, 1884, p. 8. Timor
- violacea* Jac. Proc. Zool. Soc. Lond. 1880, p. 171, t. 18, Neuguinea
f. 2.
- viridipennis* Lea, Rep. Australas. Ass. 1902, p. 408, 413. N. W. Au-
stralien
- vittata* Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, N. S. Wales
p. 250 (*Australica*). — Lea, Rep. Australas.
Ass. 1902, p. 412, 413.

Augomela Baly.

- Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 253; (3) IV, 2, 1867.
p. 294.
- aevrata* Blackb. Proc. Linn. Soc. N. S. Wales XIII, Nordterrit. v.
1888, p. 1489. S. Australia

- dives** Baly, Trans. Ent. Soc. Lond. (n. s.) V, 1859, p. 157;
(3) IV, 2, 1867, p. 294.
- elegans** Baly, l. c. (n. s.) III, 7, 1856, p. 256.
- flavicornis** Jac. Novit. Zool. I, 1894, p. 285.
- ✓ **hypochalea** Germ. Linn. Ent. III, 1848, p. 236 (*Chryso-*
mela). — Baly, Trans. Ent. Soc. Lond. (n. s.)
III, 7, 1856, p. 255.
- ignita** Jac. Ann. Soc. Ent. Belg. XLII, 1898, p. 368. —
Lea, Rep. Australas. Ass. 1902, p. 417. —
Blackb. Trans. Roy. Soc. S. Austral. XXVII,
1903, p. 309. — Lea, Proc. Roy. Soc. Victoria
XXII, 2, 1910, p. 152.
- iridea** Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856,
p. 254.
- ornata** Baly, l. c. V, 1859, p. 156.
- pretiosa** Baly, l. c. III, 7, 1856, p. 256.
- pyroptera** Baly, l. c. p. 254.
- splendens** M.' Leay in King, Surv. II, App. 1827, p. 452
(*Notoclea*). — Baly, Trans. Ent. Soc. Lond.
(n. s.) III, 7, 1856, p. 262. — Blackb. Proc.
Linn. Soc. N. S. Wales XXIV, 3, 1899, p. 520;
Trans. Roy. Soc. S. Austral. XXV, 2, 1901,
p. 131.
- 11

Neuguinea
N. S. Wales:
Clarence
Fluss
Queensland
Victoria,
N. S. Wales
N. S. Wales,
Victoria,
S. Australia
Queensland,
N. S. Wa-
les
Moreton Bai
Adelaide
N. S. Wales:
Richmond
Fluss
Australien

Platymela Baly.

- Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7, 1856, p. 241. — Chapuis,
Gen. Col. X, 1874, p. 428, 430.
- Blackburni** Jac. Ann. Soc. Ent. Belg. XLII, 1898, p. 370.
- fulvoplagiata** Jac. Ann. Mus. Genova XLI, 1905, p. 479.
- ✓ **sticticollis** Baly, Trans. Ent. Soc. Lond. (n. s.) III, 7,
1856, p. 241.
- unilineata** Baly, l. c. p. 242.
- 4

N. S. Wales:
Richmond
Fluss
Neuguinea:
Paumotu-
Fluss
Melbourne
Moreton Bai

Paralepta Baly.

- Baly, Journ. Linn. Soc. Lond. XIII, 1878, p. 474.
- foveicollis** Baly, l. c. p. 475.
- 1

N. S. Wales

Ateratocerus Blackb.

- Blackburn, Proc. Linn. Soc. N. S. Wales XV, 1891, p. 357.
- intricatus** Blackb. l. c. p. 357.
- 1

N. S. Wales:
Richmond
Fluss

Pyxis Chevr.

Pixis Chevr. Dict. univ. Hist. nat. III, 1843, p. 656; X, 1847, p. 667.

Pyxis, Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 463; Mon. III, 1865, p. 289. — Chapuis, Gen. Col. X, 1874, p. 439. — Jacoby. Biol. Centr.-Amer. VI, 1, 1884, p. 262.

- atriceps* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 463; Mon. III, 1865, p. 291. Brasilien
- bogotensis* Kirsch, Berl. Ent. Zeitschr. XIV, 1870, p. 377. Bogota
- clavigera* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 463; Mon. III, 1865, p. 291. Rio Janeiro
- columbina* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 463; Mon. III, 1865, p. 291. „
- erotyloides* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 463; Mon. III, 1865, p. 290. Brasilien
- Holmgreni* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 463; Mon. III, 1865, p. 290. „
- indiga* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 463; Mon. III, 1865, p. 290. — Jac. Biol. Centr.-Amer. VI, 1, 1884, p. 262. Mexiko
- Proteus* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 463; Mon. III, 1865, p. 292. Brasilien

8

Limenta Stal.

Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 468; Mon. III, 1865, p. 311. — Chapuis, Gen. Col. X, 1874, p. 435, 438.

- servula* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 468; Mon. III, 1865, p. 312. Brasilien

1

Gavirga Stal.

Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 469; Mon. III, 1865, p. 313. — Chapuis, Gen. Col. X, 1874, p. 435, 436.

- atratura* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 469; Mon. III, 1865, p. 315. Rio Janeiro
- Clarki* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 469; Mon. III, 1865, p. 316. Brasilien
- concinuula* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 469; Mon. III, 1865, p. 313. „
- fasciata* Ws. Deutsche Ent. Zeitschr. 1906, p. 203. Bolivia: Mapiri
- limbatella* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 469; Mon. III, 1865, p. 315. — Ws. Deutsche Ent. Zeitschr. 1906, p. 203. Bolivia
- peruana* Ws. l. c. p. 203. Peru
- Steini* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 469; Mon. III, 1865, p. 314. Brasilien
- subcineta* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 469; Mon. III, 1865, p. 314. „
- trispila* Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 469; Mon. III, 1865, p. 315. „

9

Trochalonota Westw.

Westwood in Guér. Mag. Zool. 1833, Cl. IX, Ins. t. 95. — Stal, Mon. III, 1865, p. 292. — Chapuis, Gen. Col. X, 1874, p. 439, 440.

badia Germ. Ins. spec. nov. 1824, p. 581 (*Chrysomela*). — Brasilien
Westw. Mag. Zool. 1833, Cl. IX, t. 95. — Stal,
Mon. III, 1865, p. 293.

coccinelloides Sturm, Cat. Ins.-Samml. 1826,
p. 81, t. 4, f. 38 (*Chrysomela*).

I

VII. Phyllocharini.

Weise, Deutsche Ent. Zeitschr. 1915, p. 436.

Lycariites Chap. Gen. Col. X, 1875, p. 420.

Phyllocharites Chap. l. c. p. 422.

Lygaria Stal.

Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 59. — Jacoby, Novit. Zool. I, 1894, p. 521. — Weise, Deutsche Ent. Zeitschr. 1895, p. 349; 1900, p. 269.

Lygaria Chap. Gen. Col. X, 1874, p. 420.

Westermanni Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 59. Assam

I

Oidosoma Quedf.

Quedenfeldt, Berl. Ent. Zeitschr. XXXVI, 1891, p. 172. — Weise, Deutsche Ent. Zeitschr. 1900, p. 269.

Oidosoma i. sp.

africanum Jac. Novit. Zool. I, 1894, p. 521 (*Lygaria*).

angusticollis Ws. Deutsche Ent. Zeitschr. 1895, p. 351
(*Lygaria*).

ceralces Ws. l. c. p. 349 (*Lygaria*).

✓ **congoense** Jac. Proc. Zool. Soc. Lond. 1900, p. 242
(*Plagiödera*).

discoidale Jac. Novit. Zool. I, 1894, p. 522. — Ws.
Deutsche Ent. Zeitschr. 1895, p. 351 (*Lygaria*).

✓ **limbipenne** Quedf. Berl. Ent. Zeitschr. XXXVI, 1891,
p. 173.

plagiatum Ws. Deutsche Ent. Zeitschr. 1895,
p. 350 (*Lygaria*).

nigripes Ws. l. c. p. 350 (*Lygaria*).

ornatum Baly, Journ. of Ent. I, 1860, p. 198. — Vogel,
Nunqu. ot. I, 1871, p. 150 (*Ceralces*). — Jac.
Proc. Zool. Soc. Lond. 1900, p. 242. — Ws.
Arch. f. Naturg. LXIX, 1903, p. 206.

ab. **pectorale** Ws. l. c. p. 206.

scutellatum Jac. Novit. Zool. I, 1894, p. 522 (*Lygaria*).

Kuilu

Kamerun,

Angola

Quango

Kongo

Kuilu

Quango

Ngami See

Tschinde

Deutsch-
OstafrikaDeutsch Ost-
afrika,

Mozambik,

Natal

- mutabile* Kolbe in Stuhlmann. Ostafrika, IV, 1898, p. 334 (*Lygaria*).
 ab. *bimaculatum* Kolbe, l. c. p. 334.
 ab. *cinctum* Ws. Deutsche Ent. Zeitschr. 1900, p. 270.
 ab. *concolor* Ws. l. c. p. 269.
 ab. *tripunctatum* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 360 (*Centroscelis*). — Ws. Deutsche Ent. Zeitschr. 1900, p. 269.
terminatum Jac. Proc. Zool. Soc. Lond. 1900, p. 241 Kamerun (*Lygaria*).
Walleri Baly. Trans. Ent. Soc. Lond. (3) II, 1864, p. 226. — Vogel in Schauff. Nunquam otios. I, 1871, p. 151 (*Ceralces*). — Jac. Proc. Zool. Soc. Lond. 1900, p. 442 (*Lygaria*). Deutsch * Ostafrika, Mozambik, Natal
robustum Ws. Deutsche Ent. Zeitschr. 1895, p. 331 (*Lygaria*).
rufescens Quedf. Berl. Ent. Zeitschr. XXXVI, 1891, p. 173.

Stigmomela Csiki.

Csiki, Wien. Ent. Zeit. XXIII, 1904, p. 85.

Stictomela Ws. Arch. f. Naturg. LXIV, 1898, p. 208; Deutsche Ent. Zeitschr. 1900, p. 26 (nec Gorham).

- ✓ *coccinella* Fairm. Ann. Soc. Ent. Fr. (5) VII, 1887, p. 359. (Deutsch Ostafrika)
varians Ws. Arch. f. Naturg. LXIV, 1898, p. 208.
 ab. *halysoides* Ws. Deutsche Ent. Zeitschr. 1900, p. 270.
 ✓ ab. *hieroglyphicum* Ws. l. c. p. 270.
 ab. *deminutum* nom. nov.
spilotum Ws. l. c. p. 270.

13

Chalcolampra Blanch.

Blanchard, Voy. Pôle Sud IV, Zool. 1853, p. 328. — Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 180, t. 14, f. 4 a, b; (3) IV, 2, 1867, p. 281. — Chapuis, Gen. Col. X, 1874, p. 423, 425 (pars) — Jac. Not. Leyd. Mus. VI, 1884, p. 26. — Jacobs. Hor. Ross. XXXV, 1900, p. 89.

Phola Ws. Hor. Ross. XXIV, 1890, p. 482.

Phyllophila Stal, Öfv. Vet. Ak. Förh. XIV, 1857, p. 59.

Promechus Chev. Dict. univ. X, 1847, p. 481 (pars).

- ✓ *adelaidae* Blackb. Proc. Linn. Soc. N. S. Wales XIV, 1890, p. 479. Adelaide
 ✓ *adelioides* Lea. Rep. Australas. Ass. 1902, p. 384, 391. N. S. Wales
aenea Boisd. Voy. Astrol. Col. 1835, p. 576 (*Promechus*). Tasmanien,
 ✓ *acervata* Germ. Linn. Ent. III, 1848, p. 238 S. Australia,
 (*Chrysomela*). — Baly, Trans. Ent. Soc. Lond. Victoria
 (n. s.) III, 5, 1855, p. 184, t. 14, f. 4. — Blackb. Trans. Roy. Soc. S. Austral. XVI, 1893, p. 200.
convexa Blanch. Voy. Pôle Sud IV, Zool. 1853, p. 329, t. 19, f. 6.

- ✓ *arthritica* Lea, Rep. Australas. Ass. 1902, p. 385, 391. W. Australien
Australien
Adelaide
- atropha* Lea, l. c. p. 386, 391.
- chalybeata* Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 185.
- consimilis* Lea, Rep. Australas. Ass. 1902, p. 384, 391. W. Australien
Tasmanien,
Victoria
- constricta* Er. Arch. f. Naturg. VIII, 1842, p. 230 (*Chrysomela*). — Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 182.
- strigipennis* White, Stokes Voy. App. 1846, p. 512, t. 2, f. 9 (*Australica*).
- Cybele* Stal. Öfv. Vet. Ak. Förh. XVII, 1860, p. 464.
- decempustulata* Baly, Trans. Ent. Soc. Lond. (3) I, 1863, p. 619; (3) IV, 2, 1867, p. 281, t. 5*, f. 3.
- distinguenda* Blackb. Proc. Linn. Soc. N. S. Wales XIV, 1890, p. 482. Victoria
- ✓ *gyrata* Lea, Rep. Australas. Ass. 1902, p. 388, 391. N. S. Wales
Brisbane.
- Hursti* Blackb. Proc. Linn. Soc. N. S. Wales XIV, 1890, p. 480. — Lea, Rep. Australas. Ass. 1902, p. 391. N. S. Wales
- impar* Lea, l. c. p. 385, 391. S. W. Australien
Champion-Bai
- laticollis* Clark, Trans. Ent. Soc. Lond. (3) II, 5, 1865, p. 416.
- luteicornis* Er. Arch. f. Naturg. VIII, 1842, p. 231 (*Chrysomela*). Tasmanien
- marmorata* Baly, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 35. Moreton-Bai
- nana* Ws. Fauna S. W. Austral. II, 1, 1908, p. 10. S. W. Australien
- ✓ *oblonga* Lea, Rep. Australas. Ass. 1902, p. 387, 391. N. S. Wales
- octodecimguttata* F. Syst. Ent. 1775, p. 100; Spec. Ins. I, 1781, p. 123; Mant. I, 1787, p. 70; Ent. Syst. I, 1792, p. 322; Syst. El. I, 1801, p. 439. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1676. — Donovan, Epit. Ins. N. Holl. 1800, t. 2, f*. — Boisd. Voy. Astrol. Col. 1835, p. 575. — Baly, Trans. Ent. Soc. (n. s.) III, 5, 1855, p. 186; (3) IV, 2, 1867, p. 281. Australien.
Malacca,
Ceylon
- Keyserlingi* Ws. Hor. Ross. XXIV, 1890, p. 482 (*Phola*). — Jac. Ann. Soc. Ent. Belg. XL, 1896, p. 254. China
- sedecimpustulata* Stal. Öfv. Vet. Ak. Förh. XIV, 1857, p. 59 (*Phyllophila*). Pulo Penang
- var. Jac. Not. Leyd. Mus. VI, 1884, p. 27.
- pacifica* Er. Arch. f. Naturg. VIII, 1842, p. 231 (*Chrysomela*). — Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 186. Tasmanien
- ✓ *parallela* Germ. Linn. Ent. III, 1848, p. 237 (*Chrysomela*). S. Australia
- Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 183. — Lea, Rep. Australas. Ass. 1902, p. 391.
- podagrosa* Lea, l. c. p. 388, 391. Mt. Kosciusko
- punctifrons* Lea, l. c. p. 389, 391. N. S. Wales:
Forest
Reefs
- ✓ *pustulata* Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 181, t. 14, f. 6. Victoria

- ✓ **repens** Germ. Linn. Ent. III, 1848, p. 237 (*Chrysomela*). — Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 184. — Lea, Rep. Australas. Ass. 1902, p. 390, 391. Victoria
- rufinoda** Lea, Proc. Linn. Soc. N. S. Wales XXIX, 1904, p. 106. Tasmanien
- ✓ **rufipes** Jac. Ent. Monthly Mag. XXI, 1885, p. 225. — Lea, Rep. Australas. Ass. 1902, p. 391. Queensland
- rustica** Blackb. Trans. Roy. Soc. S. Austral. XIII, 1890, p. 138. S. W. Australien
- ✓ **simillima** Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 185. — Lea, Rep. Australas. Ass. 1902, p. 389, 391. — Ws. Fauna S. W. Austral. II, 1, 1908, p. 10. „
- speculifera** Sharp, Trans. Ent. Soc. Lond. 1882, p. 98. — Broun, Bull. N. Zeal. Inst. I, 1910, p. 77. Neuseeland
- soror** Lea, Rep. Australas. Ass. 1902, p. 386, 391. S. W. Australien
- ✓ **thoracica** Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 183, t. 14, f. 4. — Lea, Rep. Australas. Ass. 1902, p. 390, 391. S. Australia Tasmanien
- violaceipennis** Jac. Not. Leyd. Mus. VI, 1884, p. 26. Sumatra
- viticis** Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 39. China: Kiangsi
- xanthorrhoeae** Lea, Rep. Australas. Ass. 1902, p. 387, 391. S. W. Australien

36

Phyllocharis Dalm.

Dalman, Ephem. Ent. 1824, p. 20. — Latr. in Cuvier, Règne anim. ed. 2, V, 1829, p. 148. — Chevr. Dict. univ. III, 1843, p. 656. — Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 170; (3) IV, 2, 1867, p. 282. — Chapuis, Gen. Col. X, 1874, p. 423.

- abdominalis** Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 286. Neuguinea: Doré
- acroleuca** Baly, Journ. of Ent. I, 1861, p. 291. — Lea, Rep. Australas. Ass. 1902, p. 402, 403. Queensland, N. S. Wales
- apicalis** Baly, Trans. Ent. Soc. Lond. (3) I, 1863, p. 617; (3) IV, 2, 1867, p. 284. Neuguinea: Doré
- biceps** Lea, Rep. Australas. Ass. 1902, p. 398, 403. Brisbane
- ab. *alternata* Lea, l. c. p. 400, 403.
- bicincta** Guér. Voy. Coquille, Zool. II, 1830, Col. p. 145; Icon. règne anim. Ins. 1844, p. 296, t. 49, f. 3. — Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 284. Amboina, Neuguinea
- immaculicollis** Blanch. Voy. Pôle Sud, Zool. IV, 1853, p. 331, t. 18, f. 19.
- ✓ **cyanicornis** F. Syst. Ent. 1775, p. 99; Spec. Ins. I, 1781, p. 121; Mant. I, 1787, p. 69; Ent. Syst. I, 1792, p. 320; Syst. El. I, 1801, p. 436. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1678. — Ol. Ent. V, 1807, p. 541, t. 4, f. 46 (*Chrysomela*). — Dalm. Ephem. Ent. 1824, p. 21. — Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 171. — Lea, Rep. Australas. Ass. 1902, p. 402, 403. Queensland bis Tasmanien
- ab. *confluens* Jac. Ent. Monthly Mag. XXI, 1885, p. 225.

- ab. *Klugi* M^r Leay, King's Surv. Austral. App. II, 1827, p. 453. — Boisd. Voy. Astrol. Col. 1835, p. 574. — Blanch. Voy. Pôle Sud IV, Zool. 1853, p. 332, t. 19, f. 1.
- ✓ *cyanipes* F. Syst. Ent. 1775, p. 98; Spec. Ins. I, 1781, p. 121; Mant. I, 1787, p. 69; Ent. Syst. I, 1792, p. 320; Syst. El. I, 1801, p. 436. — Gmelin in L. Syst. Nat. ed. XIII. I, 4, 1790, p. 1678. — Ol. Ent. V, 1807, p. 541, t. 4, f. 50. — Dalm. Ephem. Ent. 1824, p. 21. — Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 172; (3) IV, 2, 1867, p. 282. — Lea, Rep. Australas. Ass. 1902, p. 403. — Ws. Nova Guinea IX, Zool. 3, 1912, p. 427.
- ab. *callizona* Dalm. Ephem. Ent. 1824, p. 22.
- ab. *cyanipennis* Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 174, t. 14, f. 1. — Gerst. Arch. f. Naturg. XXII, 1856, p. 264.
- ab. *cyanitarsis* Blanch. in Cuvier, Règne anim. 1844, t. 73, f. 1.
- decemmaculata* Lea, Rep. Australas. Ass. 1902, p. 400, 403.
- ab. *immaculata* Lea, l. c. p. 401, 403.
- eximia* Baly, Ann. Mag. Nat. Hist. (5) 1, 1878, p. 39.
- ✓ *flexuosa* Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 175. — Lea, Rep. Australas. Ass. 1902, p. 402, 403.
- fulvifrons* Jac. Ann. Soc. Ent. Belg. XLII, 1898, p. 366.
- ✓ *gracilis* Jac. l. c. p. 366. — Lea, Proc. Roy. Soc. Victoria XXII, 2, 1910, p. 152.
- ficus* Lea, Rep. Australas. Ass. 1902, p. 401, 403.
- hieroglyphica* Lea, l. c. p. 401, 403.
- hilaris* Lea, l. c. p. 397, 403.
- janthinipennis* Lea, l. c. p. 397, 403.
- Jansoni* Baly, Ann. Mag. Nat. Hist. (5) 1, 1878, p. 39. — Jac. Ann. Mus. Genova XXII, 1885, p. 23. — Lea, Rep. Australas. Ass. 1902, p. 402, 403.
- impressicollis* Jac. Ann. Mus. Genova XXII, 1885, p. 24.
- leoparda* Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 173.
- marmorata* Lea, Rep. Australas. Ass. 1902, p. 398, 403.
- melanospila* Baly, Journ. of Ent. I, 1862, p. 290. — Lea, Rep. Australas. Ass. 1902, p. 402 (*melanocephala*), 403. — Blackb. Proc. Roy. Soc. S. Austral. XXVII, 1903, p. 399.
- nigricornis* F. Syst. Ent. 1775, p. 98; Spec. Ins. I, 1781, p. 121; Mant. I, 1787, p. 69; Ent. Syst. I, 1792, p. 318; Syst. El. I, 1801, p. 435. — Gmelin in L. Syst. Nat. ed. XIII. I, 4, 1790, p. 1680. — Donovan, Epit. Ins. N. Holl. 1802, t. 2. — Ol. Ent. V, 1807, p. 540, t. 4, f. 43 (*Chrysomela*). — Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 175.

Nenguinea,
Nordau-
stralien:
Port
Essington

Wide Bai

Rockham-
ton
S. Queens-
land, N. S.
Wales,
Victoria
N. S. Wales
S. Queens-
land, N. S.
Wales

N. Queens-
land

“
“
“

Moreton Bai

N. S. Wales:
Richmond
Fluss
Queensland,
N. S. Wa-
les

Queensland

- ✓ *ornata* Baly, Journ. of Ent. I, 1862, p. 290. — Lea, Rep. Australas. Ass. 1902, p. 402, 403. S. Queens-
land
- ✓ *sinuata* Ol. Ent. V, 1807, p. 543, t. 7, f. 100 (*Chrysomela*). Neuguinea,
— Boisd. Voy. Astrol. Col. 1835, p. 573. — N. Australia-
lien
- cyanipes* Blanch. Voy. Pôle Sud IV, 1853, p. 330, t. 18, f. 18.
- ab. *papuana* Ws. Nova Guinea IX, Zool. 3, 1912, p. 427. Etna Bai
- undulata* L. Amoen. acad. VI, 1763, p. 393. — F. Syst. Ent. 1775, p. 100; Spec. Ins. I, 1781, p. 123; Java,
Mant. I, 1787, p. 70; Ent. Syst. I, 1792, p. 322; Timor,
Syst. El. I, 1801, p. 483. — Thunb. Mus. Nat. Hinter-
Ups. IV, 1787, p. 44, f. 8. — Gmelin in L. Syst. indien
Nat. ed. XIII, I, 4, 1790, p. 1679. — Ol. Ent. V, 1807, p. 542, t. 7, f. 99 (*Chrysomela*). —
Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 283; Ann. Soc. Ent. Fr. 1889 (1890), p. 488.
- violaceipennis* Baly, Journ. of Ent. I, 1862, p. 292; Niederl.
Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 283. Neuguinea
- Ws. Nova Guinea V, Zool. 2, 1908, p. 314.
- viridiaenea* Baly, Trans. Ent. Soc. Lond. (3) IV, 2, 1867, p. 286. Ceram
- Wallacei* Baly, Journ. of Ent. I, 1862, p. 292; Trans. Batchian
Ent. Soc. Lond. (3) IV, 2, 1867, p. 285.
- javanica* Thunb. Mus. Nat. Ups. IV, 1787, p. 44, nota 9. Java
28

Phyllocharoides Jac.

Jacoby, Novit. Zool. I, 1894, p. 285.

- abdominalis* Jac. l. c. p. 286; Ann. Mus. Genova XLI, Deutsch u.
1905, p. 480. Brit. Neu-
guinea

1

Johannica Blackb.

Blackburn, Trans. Roy. Soc. S. Austral. X, 1887, p. 287.

Diphyllocera Westw. Trans. Ent. Soc. Lond. V, 1849, p. 213.
— Baly, l. c. (n. s.) III, 5, 1855, p. 170, 176. — Chapuis, Gen. Col. X, 1874, p. 423, 424 (nec White).

- ✓ *gemellata* Westw. Trans. Ent. Soc. Lond. (1) V, 1849, N. S. Wales:
p. 214, t. 22, f. 1. — Baly, l. c. (n. s.) III, 5, Richmond
1855, p. 176. — Lea, Rep. Australas. Ass. Fluss
1902, p. 402.
- ✓ *striata* Waterh. Trans. Ent. Soc. Lond. 1875, p. 206. Australien
2

Eulina Baly.

Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 170, 180, t. 14, f. 3a, b, c.
— Chapuis, Gen. Col. X, 1874, p. 426.

Curtisi Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, N. S. Wales:
p. 180, t. 14, f. 3. — Lea, Proc. Linn. Soc. Sydney
N. S. Wales XXIII, 1899, p. 644.

vittata Lea, l. c. p. 644. N. S. Wales

2

Acacicola Lea.

Lea, Rep. Australas. Ass. 1902. p. 392.

tristis Lea, l. c. p. 392.N. S. Wales:
Forest
Reefs

1

Allocharis Sharp.

Sharp, Trans. Ent. Soc. Lond. 1882, p. 98. — Broun, Man. N. Zeal. Col. V, 1893, p. 1306.

limbata Broun, l. c. p. 1307.

Neuseeland

marginata Sharp, Trans. Ent. Soc. Lond. 1882, p. 99. —

,,

Broun, Man. N. Zeal. Col. V, 1893, p. 1306.

Biologie: Purdie, N. Zeal. Journ. II, 1884, p. 166.

morosa Broun, Man. N. Zeal. Col. V, 1893, p. 1307.

,,

3

Blaptea Ws.

Weise, Deutsche Ent. Zeitschr. 1915. p. 436.

Balyi Har. Col. Hefte XIV, 1875, p. 140 (*Melastyla*). Columbien

1

VIII. Timarchini.

Weise, Deutsche Ent. Zeitschr. 1915, p. 436.

*Sturm 1826. / 202.***Timarcha** Latr.

Latr. in Cuvier, Règne anim. ed. 2. V, 1829, p. 150. — Steph. III. Brit. Ent. IV, 1834, p. 348; Man. 1839, p. 303. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 251. — Stal. Mon. I, 1862, p. 7. — Fairm. Gen. Col. d'Eur. IV, 1868, p. 226; Ann. Soc. Ent. Fr. (5) III, 1873, p. 143. — Chap. Gen. Col. X, 1874, p. 409. — Ws. Ins. Deutschl. VI, 2, 1882, p. 314. — Mars. Abeille XXI, 1883, p. 27. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 75. — Ws. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 227. — Fowler, Col. Brit. Isl. IV, 1890, p. 299. — Bedel, Faune Col. Bass. Seine V, 1892, p. 139. — Everts, Col. Neerl. II, 1903, p. 427. — Reitt. Fauna Germ. IV, 1912, p. 108.

Timarchostoma Motsch. Schrenck's Reisen Amurl. II, 1860, p. 187.

Biologie: Westw. Introd. Classif. Ins. I, 1839, p. 388, f. 48. — Chap. & Cand. Mém. Soc. Liège VIII, 1853, p. 608; Chap. Gen. Col. X, 1874, p. 411. — Ws. Ins. Deutschl. VI, 2, 1882, p. 300. — Mars. Abeille XXI, 1883, p. 30. — Buddeberg, Jahrb. Nassau. Ver. XXXVIII, 1885, p. 101.

Morphologie: Friedrichs, Nova Acta Leop. LXXXV, 1906, p. 124, 7 t.

A. Timarcha i. sp.**apricaria** Walzl. Reise Span. 1835, p. 83. — Fairm.

Andalusien

Ann. Soc. Ent. Fr. (5) III, 1873, p. 200. —

Ws. Ins. Deutschl. VI, 2, 1882, p. 320.

Biologie: Rosenh. Stett. Ent. Zeit. XLIII, 1882, p. 162.

aragonica Balbi, Riv. Ital. XII, 1892, p. 50.

Aragonien

416 1826. p. 202. m. 1826. p. 202. m. 1826. p. 202. m. 1826. p. 202. m.

- ✓ *balearica* Gory. Icon. règne anim. 1829—44, p. 300, t. 49, f. 8. — Perez Arc. Ins. nuev. Espan. 1865, p. 17. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 153. — Ws. Ins. Deutschl. VI, 2, 1882, p. 318. — Mars. Abeille XXI, 1883, p. 38, 78. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 80. Balearen
- brachydera* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 165. — Ws. Ins. Deutschl. VI, 2, 1882, p. 326. — Mars. Abeille XXI, 1883, p. 33, 46. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 91. Algier:
Biskra
- catalaunensis* Fairm. l. c. p. 100. Catalanien
- cerdo* Stal. Öfv. Vet. Ak. Förh. XVII. 1860, p. 455; Mon. I, 1862, p. 8. Westliches Nordamerika
- corallipes* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 191. — Ws. Ins. Deutschl. VI, 2, 1882, p. 328, nota. — Mars. Abeille XXI, 1883, p. 37, 72. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 106. Algier.
Atlas
- crassaticollis* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 166. — Mars. Abeille XXI, 1883, p. 66. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 91. Algier
- elliptica* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 180. — Ws. Ins. Deutschl. VI, 2, 1882, p. 332, nota. — Mars. Abeille XXI, 1883, p. 68. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 101. Balearen
- endora* Buquet, Rev. Zool. 1840, p. 243. — Lucas, Expl. Alg. II, 1849, p. 533, t. 45, f. 6. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 190. — Ws. Ins. Deutschl. VI, 2, 1882, p. 328, nota. — Mars. Abeille XXI, 1883, p. 86. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 105. Algier:
Bona
- ✓ *fallax* Perez Arc. Ins. nuev. Esp. 1865, p. 20. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 155. — Ws. Ins. Deutschl. VI, 2, 1882, p. 319. — Mars. Abeille XXI, 1883, p. 83. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 82. Spanien,
Portugal
- ✓ var. *Piochardi* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 525. — Ws. Ins. Deutschl. VI, 2, 1882, p. 319. — Mars. Abeille XXI, 1883, p. 80. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 82. Barcelona
- ✓ *Bruleriei* Fairm. (sub *Brulerii*) Ann. Soc. Ent. Fr. (5) III, 1873, p. 154 (nec Bell.).
var. *strophium* Ws. Deutsche Ent. Zeitschr. XXXII, 1888, p. 124. Aragonien,
Neu
Castilien
- ✓ *geniculata* Germ. Ins. spec. nov. 1824, p. 582. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 187. — Ws. Ins. Deutschl. VI, 2, 1882, p. 331, nota. — Mars. Abeille XXI, 1883, p. 73. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 103. Asturien,
Galicien,
N. Portu-
gal
- Morphologie: Sharp & Muir, Trans. Ent. Soc. Lond. 1912, p. 565, t. 74, f. 211.
- ✓ *globipennis* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 186. — Ws. Ins. Deutschl. VI, 2, 1882, p. 333, nota. — Mars. Abeille XXI, 1883, p. 63. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 102. Madrid,
San
Sebastian
- ✓ *goettingensis* L. Syst. Nat. ed. 10, 1758, p. 368. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1667. — F. Syst. Ent. 1775, p. 94; Spec. Ins. I, 1781, p. 116 (pars); Mant. Ins. I, 1787, p. 67. — Europa

- Laich. Verz. Tyrol. Ins. I, 1781, p. 144.
 — Payk. Fauna Suec. II, 1799, p. 51. —
 Ol. Ent. V, 1807, p. 510, t. 5, f. 68. —
 Bed. Faune Col. Bass. Seine V, 1892, p. 142;
 1899, p. 250.
angusticollis Duft. Fauna Austr. III, 1825,
 p. 163.
crassipes Grimmer, Steierm. Colcopt. 1841,
 p. 47.
coriaria Laich. Verz. Tyrol. Ins. I, 1781, p. 143.
 — F. Ent. Syst. I, 1792, p. 369; Syst. El. I,
 1801, p. 424. — Panz. Ent. Germ. I, 1795,
 p. 156; Fauna Germ. 44, 1797, p. 2. — Gyll.
 Ins. Suec. III, 1813, p. 451. — Duft. Fauna
 Austr. III, 1825, p. 163 (*Chrysomela*). —
 Steph. Ill. Brit. Ent. IV, 1834, p. 349; Man. 1839,
 p. 308. — Herr.-Schäff. Fauna Germ. 156,
 1838, p. 22a. — Küst. Käf. Eur. IX, 1847,
 p. 92. — Motsch. in Schrenck's Reisen Amurl. II,
 1860, p. 187 (*Timarchostoma*). — C. G.
 Thoms. Skand. Col. VIII, 1866, p. 243. —
 Fairm. Ann. Soc. Ent. Fr. (5) III, 1873,
 p. 184. — Redt. Fauna Austr. ed. 3, II, 1874,
 p. 468. — Mars. Abeille XXI, 1883, p. 55.
 — Fairm. Anal. Soc. Esp. XIII, 1884, p. 102. —
 Seidl. Fauna Balt. ed. 2, 1891, p. 689; Fauna
 Transsylv. 1891, p. 769. — Everts. Col. Neerl.
 II, 1903, p. 429. — Jacobs. Käf. Russl. 1909,
 t. 58, f. 2. — Reitt. Fauna Germ. IV, 1912,
 p. 108.
 ab. *rugosa* Duft. Fauna Austr. III, 1825,
 p. 162.
tenebricosa Herbst in Füessly, Arch. V, 1783,
 p. 51, t. 23, f. 7.
violaceonigra Deg. Mém. V, 1775, p. 298. —
 Ws. Ins. Deutschl. VI, 2, 1882, p. 331. —
 Fowl. Col. Brit. Isl. IV, 1890, p. 300, 301.
 — Seidl. Wien. Ent. Zeit. XXV, 1906,
 p. 280.
 ab. *aerea* Fairm. Ann. Soc. Ent. Fr. (5) III,
 1873, p. 185.
 var. *Bruleriei* Bellier, Ann. Soc. Fr. (4) X, 1870,
 Bull. p. 27. Südfrank-
 reich
gallica Fairm. Ann. Soc. Ent. Fr. (5) III,
 1873, p. 182. — Ws. Ins. Deutschl. VI, 2, 1882,
 p. 333, nota. — Mars. Abeille XXI, 1883, p. 35,
 54. — Fairm. Anal. Soc. Esp. XIII, 1884,
 p. 102. Südfrank-
 reich,
 Italien
laevigata Herr.-Schäff. Fauna Germ. 156,
 1838, p. 22. (nec L.).
 ? *scutellaris* Walzl, Reise Spanien 1835, Andalusien
 p. 84.
 var. *Schenklingi* Meier, Ent. Nachr. XXVI, Abruzeen
 1900, p. 161.
 ab. *Fracassii* Meier, l. c. p. 78, 161.
 Biologie: Rosenh. Stett. Ent. Zeit. XLIII,
 1882, p. 163. — Mars. Abeille XXI, 1883, p. 30.

- Buddeb. Jahrb. Nassau. Ver. XXXVIII, 1885, p. 104; XLI, 1888, p. 24. — Xamheu, Ann. Soc. Linn. Lyon XLIX, 1902, p. 40 (*gallica*).
- Morphologie: Bellevoye, C. r. Ass. franç. avanc. XXXVI. 1907 (1908), p. 641, 646, 647. — Hollande, Arch. Anat. Microsc. XIII, 1911, p. 225, f. 23; p. 263, 269, 272, 279, 283, 296, 301, 303; Arch. Zool. Exper. (5) VI, 1911, p. 301.
- Anatomie: Bordas, Ann. Sc. nat. Zool. (8) XI, 1900, p. 401, t. 28, f. 6.
- gravis** Rosenh. Thiere Andal. 1856, p. 316. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 170. — Mars. Abeille XXI, 1883, p. 91. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 94. Sierra Nevada
- var. *Camoensi* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 171; Anal. Soc. Esp. XIII, 1884, p. 95. Portugal
- var. *chalcosoma* Fairm. Gen. Col. d'Eur. IV, 1868, Cat. p. 261; Ann. Soc. Ent. Fr. (5) III, 1873, p. 170, 523; Anal. Soc. Esp. XIII, 1884, p. 95. Balearen
- var. *validicornis* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 172 ♂. — Mars. Abeille XXI, 1883, p. 59. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 94. Portugal
- Henoni** Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 167 ♂. — Ws. Ins. Deutschl. VI, 2, 1882, p. 326. Algier: Constantine
- Mars. Abeille XXI, 1883, p. 67. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 92. Mittel- u. Spanien
- hispanica** Herr.-Schäff. Fauna Germ. 156, 1838, p. 22b. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 156. — Ws. Ins. Deutschl. VI, 2, 1882, p. 319. — Mars. Abeille XXI, 1883, p. 84. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 83. Spanien
- var. *calceata* Perez Arcas, Ins. nuev. Espan. 1865, p. 18. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 158. — Ws. Ins. Deutschl. VI, 2, 1882, p. 319. — Mars. Abeille XXI, 1883, p. 39, 90. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 86. Portugal: Portalegre
- var. *erosa* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 157. — Ws. Ins. Deutschl. VI, 2, 1882, p. 319. — Mars. Abeille XXI, 1883, p. 86. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 85. Cuença
- var. *laevisterna* Fairm. Natural. II, 1880, p. 332. — Mars. Abeille XXI, 1883, p. 87. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 84. Madrid, Aragonien
- var. *rugipennis* Perez Arcas, Ins. nuev. Espan. 1865, p. 54; Anal. Soc. Esp. I, 2, 1872, p. 123. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 157. — Ws. Ins. Deutschl. VI, 2, 1882, p. 319.
- var. *sobrina* Fairm. Anal. Soc. Esp. XIII, 1884, p. 85. Cuença
- var. *tenuicornis* Fairm. Natural. II, 1880, p. 332. — Mars. Abeille XXI, 1883, p. 88. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 86 ♀. Valencia
- var. *transversicollis* Fairm. l. c. p. 87 ♂. Cordoba

- insignis** Guér. Ann. Soc. Ent. Fr. (3) VII, 1859, Bull. p. 190. — Fairm. l. c. (5) III, 1873, p. 192, 527. — Ws. Ins. Deutschl. VI, 2, 1882, p. 328. — Mars. Abeille XXI, 1883, p. 41. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 106. Algier:
Constantine
- ✓ **insparsa** Rosenh. Thiere Andal. 1856, p. 318. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 149. — Ws. Ins. Deutschl. VI, 2, 1882, p. 320. — Mars. Abeille XXI, 1883, p. 82. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 79. Andalusien
- interstitialis** Fairm. Ann. Soc. Ent. Fr. (4) I, 1861, p. 594; (5) III, 1873, p. 181. — Ws. Ins. Deutschl. VI, 2, 1882, p. 332, nota. — Mars. Abeille XXI, 1883, p. 69. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 101. O. Pyrenäen,
Sevannen
- Biologie: Xamheu. Natural. XII, 1890, p. 193; Ann. Soc. Linn. Lyon XL, 1893, p. 140.
- intricata** Haldem. Proc. Ac. Philad. VI, 1853, p. 363. — Rogers. l. c. VIII, 1856, p. 31, t. i. f. 1. — Suffr. Stett. Ent. Zeit. XIX, 1858, p. 251, t. 2, f. 1. — Stal. Mon. I, 1862, p. 8. — Crotch. Proc. Ac. Philad. XXV, 1873, p. 46. Oregon,
N. Californien
- ab. *intertexta* Haldem. Proc. Ac. Philad. VI, 1853, p. 364.
- Kiesenwetteri** Kraatz. Deutsche Ent. Zeitschr. XXIII, 1879, p. 382. — Ws. Ins. Deutschl. VI, 1882, p. 318. — Mars. Abeille XXI, 1883, p. 79. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 80. Jaen
- ✓ **laevigata** L. Syst. Nat. ed. 12, 1767, p. 678 ♀; Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1997. — F. Spec. Ins. I, 1781, p. 323; Mant. I, 1787, p. 211; Ent. Syst. I, 1792, p. 111; Syst. El. I, 1801, p. 146 (*Tenebrio*). — Ol. Ent. V, 1807, p. 509, t. 5, f. 66. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 164. — Ws. Ins. Deutschl. VI, 2, 1882, p. 326. — Mars. Abeille XXI, 1883, p. 48. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 90. Algier,
Tripolis
- ✓ **latipes** L. Syst. Nat. ed. 12, 1767, p. 678 ♂ (*Tenebrio*).
- punctella** Mars. Abeille VI, 1870, p. 387; XXI, 1883, p. 45. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 90.
- Biologie: ? Brunetti. Ent. Monthly Mag. XVI, 1880, p. 235. — Xamheu, Moers VI, 1896, p. 136 (*punctella*).
- Leselœuci** Mars. Abeille XXI, 1883, p. 62. Spanien
- ✓ **lugens** Rosenh. Thiere Andal. 1856, p. 319. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 159. — Kraatz. Deutsche Ent. Zeitschr. XXIII, 1879, p. 381. — Ws. Ins. Deutschl. VI, 2, 1882, p. 319. — Mars. Abeille XXI, 1883, p. 88. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 88. Sierra
Nevada
- marginicollis** Rosenh. Thiere Andal. 1856, p. 317. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 150. — Ws. Ins. Deutschl. VI, 2, 1882, p. 320. — Mars. Abeille XXI, 1883, p. 81. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 79. Andalusien

- Escalerae* Kuntzen, Deutsche Ent. Zeitschr. 1911, p. 216.
- var. *splendida* Perez Arc. Anal. Soc. Esp. I, 2, 1872, p. 121, t. 2, f. 5; Abeille XVII, 1879, p. 15. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 151. — Ws. Ins. Deutschl. VI, 2, 1882, p. 321; Deutsche Ent. Zeitschr. 1901, p. 350.
- ab. *nevadensis* Fairm. Anal. Soc. Esp. XIII, 1884, p. 81. Sierra Nevada
- ✓ *maritima* Perris, Ann. Soc. Ent. Fr. (3) III, 1855. Bull. p. 79. — Fairm. l. c. (5) III, 1873, p. 188. — Ws. Ins. Deutschl. VI, 2, 1882, p. 331, nota. — Mars. Abeille XXI, 1883, p. 71. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 104. — Bed. Faune Col. Bass. Seine V, 1892, p. 142. Küste von W. Frankreich
- melitensis* Ws. Ins. Deutschl. VI, 2, 1882, p. 318. — Mars. Abeille XXI, 1883, p. 81. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 76. Malta
- montana* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 174. — Ws. Ins. Deutschl. VI, 2, 1882, p. 329, nota. — Mars. Abeille XXI, 1883, p. 65. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 96. Macedonien
- ✓ *monticola* Duf. Exeurs. Vallée d'Ossau 1843, p. 53; Act. Soc. Linn. Bordeaux XVII, 1851, p. 353. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 185. — Ws. Ins. Deutschl. VI, 2, 1882, p. 332, nota. — Mars. Abeille XXI, 1883, p. 61. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 102. Pyrenäen
- ab. *cyaneescens* Fairm. Ann. Soc. Ent. Fr. (4) I, 1861, p. 593; (5) III, 1873, p. 186. — Mars. Abeille XXI, 1883, p. 61.
- ab. *recticollis* Fairm. Ann. Soc. Ent. Fr. (4) I, 1861, p. 592; (5) III, 1873, p. 186. — Mars. Abeille XXI, 1883, p. 61.
- ✓ *nieaensis* Villa, Suppl. Col. Eur. dupl. 1835, p. 49. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 168. — Ws. Ins. Deutschl. VI, 2, 1882, p. 324. — Mars. Abeille XXI, 1883, p. 51. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 92. — Reitt. Fauna Germ. IV, 1912, p. 108, nota. Tirol, Italien, Südfrankreich, Türkei
- ? *intermedia* Herr.-Schäff. Fauna Germ. 156, 1838, p. 21c. Spanien
- italica* Herr.-Schäff. l. c. p. 22 f.
- Biologie: Friedrichs, Zeitschr. Ins.-Biol. I, 1905, p. 457.
- oblongula* Fairm. Natural. II, 1880, p. 332. — Mars. Abeille XXI, 1883, p. 57. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 98 ♀. Spanien
- ✓ *parvicollis* Rosenh. Thiere Andal. 1856, p. 320. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 148. — Ws. Ins. Deutschl. VI, 2, 1882, p. 320. — Mars. Abeille XXI, 1883, p. 77. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 79. Andalusien
- ✓ var. *coarcticollis* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 147. — Ws. Ins. Deutschl. VI, 2, 1882, p. 320. — Mars. Abeille XXI, 1883, p. 37, 75. — Fairm. Anal. Soc. Esp. XIII, 1874, p. 77. Murcia, Andalusien

- var. *Heydeni* Ws. Ins. Deutschl. VI, 2, 1882, p. 321, nota. — Mars. Abeille XXI, 1883, p. 77. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 78.
- var. *Seidlitzii* Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 383. — Ws. Ins. Deutschl. VI, 2, 1882, p. 320. — Mars. Abeille XXI, 1883, p. 76. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 78.
- Paulinoi** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 383. — Ws. Ins. Deutschl. VI, 2, 1882, p. 320. — Mars. Abeille XXI, 1883, p. 74. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 76.
- Peresa** Peyerimh. Bull. Soc. Ent. Fr. 1908, p. 124.
- Perezi** Fairm. Anal. Soc. Esp. XIII, 1884, p. 103.
- hispanica* Perez Arcas, Anal. Soc. Esp. I, 2, 1872, p. 123 (nec. H.-Schäff.).
- ~ *pimelioides* Herr.-Schäff. Fauna Germ. 156, 1838, p. 21a. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 164, 525. — Chevr. l. c. (5) IV, 1874, Bull. p. 111. — Ws. Ins. Deutschl. VI, 2, 1882, p. 326. — Mars. Abeille XXI, 1883, p. 48. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 91. — Bono, Nat. Sicil. VIII, 1889, p. 24, 44, 72.
- ab. *amethystipes* Chevr. Ann. Soc. Ent. Fr. (5) III, 1873, p. 206.
- Pontaviceei** Mars. Abeille XXI, 1883, p. 67 ♂.
- ~ **pratensis** Duft. Fauna Austr. III, 1825, p. 162. — Herr.-Schäff. Fauna Germ. 156, 1838, p. 22d. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 178. — Redt. Fauna Austr. ed. 3, II, 1874, p. 468. — Ws. Ins. Deutschl. VI, 2, 1882, p. 329. — Mars. Abeille XXI, 1883, p. 59. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 99. — Seidl. Fauna Transsylv. 1891, p. 769. — Reitt. Fauna Germ. IV, 1912, p. 108.
- var. *dubitabilis* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 183. — Mars. Abeille XXI, 1883, p. 58. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 101.
- var. *globulata* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 526; Anal. Soc. Esp. XIII, 1884, p. 100.
- ? *venosula* Ws. Ins. Deutschl. VI, 2, 1882, p. 325. — Mars. Abeille XXI, 1883, p. 57. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 96.
- var. *Olivieri* Fairm. Gen. Col. d'Eur. IV, 1868, Cat. p. 261; Ann. Soc. Ent. Fr. (5) III, 1873, p. 177. — Ws. Ins. Deutschl. VI, 2, 1882, p. 336. — Mars. Abeille XXI, 1883, p. 56. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 98. — Reitt. Fauna Germ. IV, 1912, p. 108.
- ~ *coriaria* Ol. Ent. V, 1807, p. 509, t. 5, f. 67a, b (nec Laich.).
- ~ var. *parnassia* Fairm. Gen. Col. d'Eur. IV, 1868, Cat. p. 261; Ann. Soc. Ent. Fr. (5) III, 1873, p. 179. — Ws. Ins. Deutschl. VI, 2, 1882, p. 332, nota. — Mars. Abeille XXI, 1883, p. 60. ? Fairm. Anal. Soc. Esp. XIII, 1884, p. 99.
- Alpujarras
- Sierra Nevada
- Portugal
- Djurdjura
- Aragonien, Sierre de Gredos
- Sardinien, Sicilien
- Apulien
- Escorial
- Ostalpen, Transsylvanien, Dalmatien
- ? Italien
- Armenien, Kleinasien,
- ? Istrien, ? Krain
- Konstantinopel
- Griechenland: Helikon, Parnass, Taygetos

- punica** Lucas, Expl. Alger Ent. II, 1849, p. 532, t. 45, f. 5. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 191. — Ws. Ins. Deutschl. VI, 2, 1882, p. 327. — Mars. Abeille XXI, 1883, p. 72. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 106. Algier
- var. **maroccana** Ws. Ins. Deutschl. VI, 2, 1882, p. 325, nota. — Mars. Abeille XXI, 1883, p. 42. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 88. Marocco
- riffensis** Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, Bull. p. 193. N. Marocco
- ✓ **rugosa** L. Syst. Nat. ed. 12, 1767, p. 678 (*Tenebrio*). — F. Ent. Syst. I, 1792, p. 308; Syst. El. I, 1801, p. 424 (*Chrysomela*). — Ol. Ent. V, 1807, p. 507, t. 5, f. 65. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 161. — Ws. Ins. Deutschl. VI, 2, 1882, p. 326. — Mars. Abeille XXI, 1883, p. 43. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 89. Algier.
? Andalusien
- ab. **rufipes** Ws. Ins. Deutschl. VI, 2, 1882, p. 326. Morphologie: Bellevoye, C. r. Ass. frañç. avanc. XXXVI, 1907 (1908), p. 641.
- ✓ var. **generosa** Er. in Wagner, Reise III, 1841, p. 189, t. 8. — Küst. Käf. Eur. I, 1844, p. 69. — Ws. Ins. Deutschl. VI, 2, 1882, p. 327.
- ab. **Kobelti** Heyd. Ber. Senckenb. Ges. 1882 (1883), p. 221. Oran
- Biologie: Lesne, Echange IX, 1893, p. 43; Ann. Soc. Ent. Fr. LXIII, 1893, Bull. p. 71. Marocco:
- ✓ var. **ventricosa** Ws. Ins. Deutschl. VI, 2, 1882, p. 327, nota. — Mars. Abeille XXI, 1883, p. 44. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 89. Casa-blanca
- rugosula** Rosenh. Thiere Andal. 1856, p. 321. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 201. — Ws. Ins. Deutschl. VI, 2, 1882, p. 333, nota. Andalusien
- Biologie: Rosenh. Stett. Ent. Zeit. XLIII, 1882, p. 162. — Mars. Abeille XXI, 1883, p. 30.
- ✓ **rugulosa** Herr.-Schäff. Fauna Germ. 156, 1838, p. 22c. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 189, 527. — Ws. Ins. Deutschl. VI, 2, 1882, p. 334. — Mars. Abeille XXI, 1883, p. 70. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 104. — Seidl. Fauna Transsylv. 1891, p. 770. — Reitt. Fauna Germ. IV, 1912, p. 108. Mähren,
Galizien,
Rumänien,
Ungarn,
Siebenbürgen
- ✓ var. **Lomnickii** Mill. Verh. zool.-bot. Ges. Wien XVII, 1867, p. 503, 551. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 527. — Ws. Ins. Deutschl. VI, 2, 1882, p. 335. — Seidl. Fauna Transsylv. 1891, p. 770.
- globata** Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 177. — Mars. Abeille XXI, 1883, p. 53. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 97, 105.
- sagrensis** Kuntzen, Deutsche Ent. Zeitschr. 1911, p. 215. Andalusien:
Granada

- ✓ *sardea* Villa, Suppl. Col. Eur. dupl. 1835, p. 50. — Ws. Corsica,
Ins. Deutschl. VI, 2, 1882, p. 329, nota. — Sardinien
Mars. Abeille XXI, 1883, p. 64. — Fairm.
Anal. Soc. Esp. XIII, 1884, p. 97.
Prunneri Herr.-Schäff. Fauna Germ. 156,
1838, p. 22 e. — Fairm. Ann. Soc. Ent. Fr. (5)
III, 1873, p. 175.
sublaevis Fairm. Ann. Soc. Ent. Fr. (5) III,
1873, p. 174. — Ws. Ins. Deutschl. VI, 2,
1882, p. 329, nota. — Mars. Abeille XXI,
1883, p. 52. — Fairm. Anal. Soc. Esp. XIII,
1884, p. 97.
- ✓ *scabra* Ol. Ent. V, 1807, p. 507, t. 2, f. 16. — Ws. Ins. Alger,
Deutschl. VI, 2, 1882, p. 325. Marocco
- ✓ *scabripennis* Fairm. Gen. Col. d'Eur. IV,
1868, Cat. p. 261; Ann. Soc. Ent. Fr. (5) III,
1873, p. 161. — Mars. Abeille VII, 1869, p. 388;
XXI, 1883, p. 42. — Fairm. Anal. Soc. Esp.
XIII, 1884, p. 88.
- ✓ *sericea* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 153. — Mittel- u.
Ws. Ins. Deutschl. VI, 2, 1882, p. 319. — Mars. Süd-
Abeille XXI, 1883, p. 79. — Fairm. Anal. Soc. spanien
Esp. XIII, 1884, p. 81.
ab. *Ehlersi* Ws. Ins. Deutschl. VI, 2, 1882, p. 319.
- sicelidis* Reiche, Ann. Soc. Ent. Fr. (3) VIII, 1860, Sicilien
p. 736. — Fairm. l. c. (5) III, 1873, p. 176. —
Ws. Ins. Deutschl. VI, 2, 1882, p. 329, nota. —
Mars. Abeille XXI, 1883, p. 65. — Fairm.
Anal. Soc. Esp. XIII, 1884, p. 97.
- sinuaticollis* Fairm. Ann. Soc. Ent. Fr. (4) I, 1861, Pyrenäen
p. 595; (5) III, 1873, p. 179. — Ws. Ins.
Deutschl. VI, 2, 1882, p. 331, nota. — Mars.
Abeille XXI, 1883, p. 62.
Morphologie: Bellevoye, C. r. Ass. franç.
avanc. XXXVI, 1907 (1908), p. 646.
- ✓ *strangulata* Fairm. Ann. Soc. Ent. Fr. (4) I, 1861, Pyrenäen
p. 594; Gen. Col. d'Eur. IV, 1868, t. 66, f. 314;
Ann. Soc. Ent. Fr. (5) III, 1873, p. 173, 526. —
Ws. Ins. Deutschl. VI, 2, 1882, p. 331, nota. —
Mars. Abeille XXI, 1883, p. 54. — Fairm.
Anal. Soc. Esp. XIII, 1884, p. 96.
- ✓ *tenebricosa* F. Syst. Ent. 1775, p. 94; Spec. Ins. I, 1781, Mittel- u.
p. 116; Mant. I, 1787, p. 66; Syst. El. I, 1801, Süd-
p. 423. — Laich. Verz. Tyrol. Ins. I, 1781, europa,
p. 151. — Rossi, Fauna Etr. I, 1790, p. 74. — Japan
Panz. Fauna Germ. 44, 1797, p. 1. — Marsh.
Ent. Brit. I, 1802, p. 169 (*Chrysomela*). —
Ill. Mag. Ins. I, 1802, p. 410. — Herr.-Schäff.
Fauna Germ. 156, 1838, p. 21b. — Fairm.
Ann. Soc. Ent. Fr. (5) III, 1873, p. 169. —
Redt. Fauna Austr. ed. 3, II, 1874, p. 468. —
Baly, Trans. Ent. Soc. Lond. 1874, p. 171. —
Ws. Ins. Deutschl. VI, 2, 1882, p. 321. —
Mars. Abeille XXI, 1883, p. 49. — Fairm.
Anal. Soc. Esp. XIII, 1884, p. 93. — Fowl.
Col. Brit. Isl. IV, 1890, p. 300. — Seidl. Fauna
Transsylv. 1891, p. 769. — Bed. Faune Col.

- Bass. Seine V, 1892, p. 142; 1899, p. 249. — Everts, Col. Neerl. II, 1903, p. 429. — Jacobs. Käf. Russl. 1909, t. 58, f. 1. — Reitt. Fauna Germ. IV, 1912, p. 108, t. 144, f. 11.
- angulicollis* Motsch. Bull. Mosc. 1849, 3, p. 151.
- angusticollis* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 170; Anal. Soc. Esp. XIII, 1884, p. 93.
- grossa* Müll. Zool. Dan. Prodr. 1776, p. 81.
- iberica* Motsch. Bull. Mosc. 1849, 3, p. 152.
- laevigata* Duft. Fauna Austr. III, 1825, p. 161, — Steph. Ill. Brit. Ent. IV, 1834, p. 348; Man. 1839, p. 308. — Küst. Käf. Eur. IX, 1847, p. 91. — Redt. Fauna Austr. ed. 3, II, 1874, p. 468.
- subcyanea* Motsch. Bull. Mosc. 1849, 3, p. 152.
- tenebrioides* Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1667.
- unicolor* Herbst in Füessly, Arch. VII, 1786, p. 161, t. 44, f. 12.
- ab. *semipolita* Chevr. Cat. Gren. 1863, p. 120. Italien
- Fairm. Anal. Soc. Esp. XIII, 1884, p. 94. Circassien
- var. *circassica* Reitt. Fauna Germ. IV, 1912, p. 108, nota.
- Biologie: F. Ent. Syst. 1775, p. 94. — Wilson, Ann. Mag. Nat. Hist. VI, 1833, p. 533, fig. — Westw. Introd. Class. Ins. I, 1839, p. 388, f. 48. — Kaltenb. Pflanzenfeinde II, 1872, p. 307 (sub *laevigata*). — Mars. Abeille XXI, 1883, p. 30. — Buddeb. Jahrb. Nassau. Ver. XXXVIII, 1885, p. 101; XLI, 1888, p. 23; XLIV, 1891, p. 42.
- Morphologie: Pantel, Bull. Soc. Ent. Fr. 1899, p. 174. — Wandolleck, Zool. Jahrb. XXII, 1906, p. 548, f. E. — Chinaglia, Riv. Col. Ital. VIII, 1910, p. 30, t. 1a, f. 21, 22. — Carlier u. Evans, Congrès intern. d'Ent. 1910, II, p. 137. — Sharp & Muir, Trans. Ent. Soc. Lond. 1912, p. 566.
- tingitana* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 159. Tanger
- Ws. Ins. Deutschl. VI, 2, 1882, p. 320. — Mars. Abeille XXI, 1883, p. 89. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 87.
- turbida* Er. in Wagner, Reise III, 1841, p. 189, t. 8. — Küst. Käf. Eur. I, 1844, p. 68. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 163. — Ws. Ins. Deutschl. VI, 2, 1882, p. 327. — Mars. Abeille XXI, 1883, p. 44. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 90. Algier, Tunis
- punctatella* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 163.
- vermiculata* Fairm. Natural. II, 1880, p. 332. — Mars. Abeille XXI, 1883, p. 85. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 83. Portugal

B. *Metallotimarcha* Motsch.

Motsch. Schrenck's Reisen Amurl. II, 1860, p. 187.

- asturiensis** Kraatz, Deutsche Ent. Zeitschr. XXIII, 1879, p. 384. — Ws. Ins. Deutschl. VI, 2, 1882, p. 337, nota. — Mars. Abeille XXI, 1883, p. 92. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 107. Asturien,
Portugal:
Sierra
Estrella
- convexifrons* Fairm. Natural. II, 1880, p. 322. — Mars. Abeille XXI, 1883, p. 95. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 107 ♂.
- chloropus** Germ. Ins. spec. nov. 1824, p. 585. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 193. — Ws. Ins. Deutschl. VI, 2, 1882, p. 337, nota. — Mars. Abeille XXI, 1883, p. 94. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 108. Portugal
- gallaeciana* Chevr. Rev. Zool. 1840, p. 17. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 528.
- ab. trapezicollis* Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 196. — Ws. Ins. Deutschl. VI, 2, 1882, p. 337, nota. — Mars. Abeille XXI, 1883, p. 93. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 109.
- ? *ab. semilaevis* Fairm. l. c. p. 105 ♂.
- ✓ *var. Gougeleti* Fairm. Ann. Soc. Ent. Fr. (3) VII, 1859, Bull. p. 216; (5) III, 1873, p. 194. — Ws. Ins. Deutschl. VI, 2, 1882, p. 337, nota. — Mars. Abeille XXI, 1883, p. 91. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 108. La Granja
Asturien,
Galicien
- geniculata* Herr.-Schäff. Fauna Germ. 156, 1838, p. 24b.
- ✓ **corinthia** Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 197. — Ws. Ins. Deutschl. VI, 2, 1882, p. 336, nota. — Mars. Abeille XXI, 1883, p. 97. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 111. Dalmatien
- ✓ **gibba** Hagenbach, Nova Acta Leop. Carol. XII, 1825, p. 487, t. 45, f. 11. — Ws. Ins. Deutschl. VI, 2, 1882, p. 338; Deutsche Ent. Zeitschr. 1890, p. 30. — Seidl. Fauna Transsylv. 1891, p. 770. — Reitt. Fauna Germ. IV, 1912, p. 109. Krain
- ✓ *globosa* Herr.-Schäff. Fauna Germ. 156, 1838, p. 23c. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 198. — Redt. Fauna Austr. ed. 3, II, 1874, p. 468. — Mars. Abeille XXI, 1883, p. 98 (*metallica* var.). — Fairm. Anal. Soc. Esp. XIII, 1884, p. 111.
- ✓ **Hummeli** Fald. Nouv. Mém. Mosc. V, 1837, p. 351, t. 12, f. 7. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 199, 528. — Ws. Ins. Deutschl. VI, 2, 1882, p. 336, nota. — Mars. Abeille XXI, 1883, p. 100. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 111. Kaukasus
- ab. armeniaca* Fald. Nouv. Mém. Mosc. V, 1837, p. 352, t. 12, f. 8. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 200. — Mars. Abeille XXI, 1883, p. 99. — Ws. in Schneid. u. Leder, Beitr. Kaukas. Käferf. 1878, p. 331.
- janthinipes** Fairm. Natural. II, 1880, p. 333. — Mars. Abeille XXI, 1883, p. 97. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 109 ♂. Portugal

- ✓ *lusitanica* F. Spec. Ins. I, 1781, p. 116. — Ol. Encycl. méth. V, 1790, p. 690. — Ill. Mag. Ins. I, 1802, p. 411. — Ol. Ent. V, 1807, p. 510, t. 5, f. 69, a, b. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 195. — Mars. Abeille XXI, 1883, p. 96. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 110.
occidentalis Herr.-Schäff. Fauna Germ. 156, 1838, p. 23a.
 ✓ *scortea* Germ. Ins. spec. nov. 1824, p. 585. — Ws. Ins. Deutschl. VI, 2, 1882, p. 336, nota.
 ✓ *metallica* Laich. Verz. Tyrol. Ins. 1781, p. 144. — Herbst in Füessly, Arch. IV, 1783, p. 55, t. 23, f. 14. — F. Ent. Syst. I, 1, 1792, p. 311. — Panz. Ent. Germ. I, 1795, p. 157; Fauna Germ. 46, 1797, p. 4. — Duft. Fauna Austr. III, 1825, p. 164. — Herr.-Schäff. Fauna Germ. 156, 1838, p. 23b. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 198. — Redt. Fauna Austr. ed. 3, II, 1874, p. 468. — Ws. Ins. Deutschl. VI, 2, 1882, p. 336. — Mars. Abeille XXI, 1883, p. 98. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 111. — Seidl. Fauna Transsylv. 1891, p. 770. — Bed. Faune Col. Bass. Seine V, 1892, p. 142; 1899, p. 250. — Everts, Col. Neerl. II, 1903, p. 428. — Jacobs. Käf. Russl. 1909, t. 58, f. 3. — Reitt. Fauna Germ. IV, 1912, p. 109, t. 144, f. 12.
 ab. *splendens* Matzek, Übers. Arb. Schles. Ges. 1842, p. 154.
 ab. *Wendleri* Fleischer, Wien. Ent. Zeit. XXVIII, 1909, p. 32.
 Biologie: Rosenh. Stett. Ent. Zeit. XLIII, 1882, p. 163. — Ws. Ins. Deutschl. VI, 2, 1882, p. 316. — Mars. Abeille XXI, 1883, p. 30.
sphaeroptera Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 192. — Ws. Ins. Deutschl. VI, 2, 1882, p. 337, nota. — Mars. Abeille XXI, 1883, p. 95. — Fairm. Anal. Soc. Esp. XIII, 1884, p. 108.

aerea Herr.-Schäff. Fauna Germ. 156, 1838, p. 24a. Dalmatien
immarginata Herr.-Schäff. l. c. p. 24c. — Ws. Ins. Deutschl. VI, 2, 1882, p. 337, nota. — Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 202. Patria?
Kawakami Matsumura, Journ. Agric. Sapporo IV, 1911, p. 141. Sachalin

67

Timarchida Ganglb.

- Ganglb. Verh. zool.-bot. Ges. Wien XLVII, 1897, p. 571. — Reitt. Fauna Germ. IV, 1912, p. 124.
 ✓ *Deubeli* Ganglb. Verh. zool.-bot. Ges. Wien XLVII, 1897, p. 572. — Reitt. Fauna Germ. IV, 1912, p. 124. Transsylvanien
 ✓ *Flecki* Reitt. l. c. p. 124. Walachei

2

Pseudolina Jac.

Jacoby, Ann. Soc. Ent. Belg. XL, 1896, p. 252.

indica Jac. l. c. p. 253.

N. W. Ost-
indien

1

Iscadida Chevr.

Chevr. Dict. univ. Hist. nat. III, 1843, p. 655.

Horatopyga Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 251. —
Vogel in Schauf. Nunquam otios. I, 1871, p. 77. — Chapuis,
Gen. Col. X, 1874, p. 409, 412.

caligata Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 251. —
Vogel in Schauf. Nunquam otios. I, 1871, p. 79.

Caffraria,
Natal

carinata Baly, Ent. Monthly Mag. XIV, 1877—78, p. 204.

Kapland

mniszeehi Vogel in Schauf. Nunquam otios. I, 1871, p. 78.

„

nodulipennis Woll. Journ. of Ent. I, 1861, p. 144 (*Chrysomela*). — Vogel in Schauf. Nunquam ot. I,
1871, p. 148.

„

✓ **ornata** Baly, Ent. Monthly Mag. XIII, 1876, p. 79.

Kamerun

Reinecki Ws. Arch. f. Naturg. LXX, 1904, p. 163.

Natal:

Durban

Saundersi Baly, Ent. Monthly Mag. XIII, 1876, p. 79.

Kapland:

Algoa Bai

Schaufussi Vogel in Schauf. Nunquam otios. I, 1871,
p. 79.

Natal,

Kapland

✓ **sejuncta** Baly, Ent. Monthly Mag. XIII, 1876, p. 79.

Natal:

Grahams-

town

Stali Vogel in Schauf. Nunquam otios. I, 1871, p. 80.

Caffraria

✓ **strumifera** Stal, Öfv. Vet. Ak. Förh. XV, 1858, p. 251. —
Vogel in Schauf. Nunquam otios. I, 1871, p. 78.

Kapland,

Natal

11

Algoala Jac.

Jacoby, Proc. Zool. Soc. Lond. Juni 1904, 1, p. 268.

Phaulosis Ws. Arch. f. Naturg. LXX, Juli 1904, p. 162.

fulvicollis Jac. Proc. Zool. Soc. Lond. 1904, 1, p. 268.

Kapland:

aeneipennis Ws. Arch. f. Naturg. LXX, 1904,
p. 163.

Algoa Bai

1

Timarchella Jac.

Jacoby, Proc. Zool. Soc. Lond. 1904, 1, p. 268.

Phaulosis Achard, Bull. Soc. Ent. Fr. 1914, p. 72.

✓ **Braunsi** Jac. l. c. p. 269.

Kapland:

Willowmore

1

Cyrtonastes Fairm.

Fairm. Ann. Soc. Ent. Fr. (5) IV, 1874, p. 42. — Weise, Deutsche Ent.
Zeitschr. XXVIII, 1884, p. 227. — Mars. Abeille XXVII, 1889, p. 105.

aeneomicans Fairm. Ann. Soc. Ent. Fr. (5) IV, 1874, Syrien
p. 43. — Mars. Abeille XXVII, 1889, p. 108.

- coreyreus** Mars. l. c. p. 107. Corfu
cytherias Pic, Echange XIX, 1903, p. 147. Kythera
phaedonoides Fairm. Ann. Soc. Ent. Fr. (5) IV, 1874, Beirut
p. 44. — ? Mars. Abeille XXVII, 1889, p. 109. ? Mesopotamien
seriatoporus Fairm. Ann. Soc. Ent. Fr. (5) X, 1880, Kreta
p. 243. — Mars. Abeille XXVII, 1889, p. 111.
Weisei Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, Corfu,
p. 121. — Mars. Abeille XXVII, 1889, p. 107. Akarnanien
6

Potania Ws.

- Weise, Hor. Ross. XXIII, 1889, p. 603.
assamensis Baly, Cist. Ent. II, 1879, p. 437 (*Entomoscelis*). — Jac. Ann. Soc. Ent. Belg. XL, 1896, Assam:
p. 253. — Ws. Deutsche Ent. Zeitschr. 1905, Khasia
p. 216. Hills
polita Ws. Hor. Ross. XXIII, 1889, p. 604. China:
Szechuan
collaris Ws. Deutsche Ent. Zeitschr. 1905, p. 216. Ostindien:
Darjeeling

3

Semenowia Ws.

- Weise, Hor. Ross. XXIII, 1889, p. 605.
chaleea Ws. l. c. p. 605. China:
Amdo

1

Entomoscelis Chevr.

- Chevr. Dict. univ. Hist. nat. III, 1843, p. 656; V, 1844, p. 335. — Redt. Gatt. deutsch. Käferf. 1845, p. 116; Fauna Austr. 1849, p. 552. — Fairm. Gen. Col. d'Eur. IV, 1868, p. 225. — Chap. Gen. Col. X, 1874, p. 419. — Ws. Ins. Deutschl. VI, 2, 1882, p. 309. — Mars. Abeille XXVI, 1888, p. 20. — Bed. Faune Col. Bass. Seine V, 1892, p. 139. — Reitt. Fauna Germ. IV, 1912, p. 124.

- adonidis** Pallas. Reisen I, 2, 1771, p. 463. — F. Spec. Ins. I, 1781, p. 117; Mant. I, 1787, p. 67; Ent. Syst. I, 1792, p. 312; Syst. El. I, 1801, p. 431. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1683. — Schreber, Naturf. 29, 1802, p. 128, t., f. 17—19. — Ol. Ent. V, 1807, p. 560, t. 4, f. 41. — Suffr. Linn. Ent. V, 1851, p. 207. — Crotch, Proc. Ac. Philad. XXV, 1873, p. 51. — Redt. Fauna Austr. ed. 3, II, 1874, p. 479. — Ws. Ins. Deutschl. VI, 2, 1882, p. 310. — Mars. Abeille XXVI, 1888, p. 24. — Seidl. Fauna Balt. ed. 2, 1891, p. 696; Fauna Transsylv. 1891, p. 782. — Hamilton, Trans. Amer. Ent. Soc. XXI, 1894, p. 397. — Jacobs. Käf. Russl. 1909, t. 58, f. 23. — Reitt. Fauna Germ. IV, 1912, p. 125, t. 144, f. 10.
trilineata F. Gen. Ins. Mant. 1777, p. 219.
ab. *Hammarstroemi* Jacobs. Finska Vet.-Soc. Förh. XLIII, 1901, p. 118.
ab. *spuria* Jacobs. Hor. Ross. XXX, 1896, p. 107.
- Südfrankreich,
Baiern,
Thüringen,
Österreich,
Ungarn,
Südost-Europa,
Persien,
Sibirien,
Nordamerika

ab. *Varentzowi* Jacobs. l. c. XXIX, 1895, p. 546.

var. Bed. Bull. Soc. Ent. Fr. 1912, p. 359.

Biologie: Künstler, Verh. zool.-bot. Ges. Wien XXI, 1871, p. 45 (Sep.). — Kraatz, Ent. Monatsbl. I, 1876, p. 39. — Weidenbach, l. c. p. 57. — Koppen, Schäd. Ins. 1880, p. 274. — Ws. Ins. Deutschl. VI, 2, 1882, p. 312. — Tórnósvary, Rov. Lap. I, 1884, p. 42. — Lesne, Ann. Soc. Ent. Fr. (6) X, 1890, p. 177, f. 1—9. — Sajo, Ill. Woch. Ent. I, 1896, p. 87. — Goury u. Guyon, Feuille jeun. Nat. XXXVI, 1906, p. 144. — Mayet, l. c. p. 167. — Krasilnik, Bessar. selisk choz. 1909, p. 462.

berytensis Reiche, Ann. Soc. Ent. Fr. (3) VI, 1858, p. 36. — Ws. Ins. Deutschl. VI, 2, 1882, p. 312, nota 2.

sacra Ol. Encycl. méth. V, 1790, p. 709. — Mars. Abeille XXVI, 1888, p. 25.

cornea Abeille, Bull. Soc. Ent. Fr. 1897, p. 43.

densepunctata Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 259.

discipennis Fairm. Natural. XXV, 1903, p. 36.

✓ *erythrocnema* Jacobs. Hor. Ross. XXVII, 1893, p. 241.

goliath Abeille, Bull. Soc. Ent. Fr. 1897, p. 42.

metallica Baly, Ent. Monthly Mag. XXV, 1888, p. 85.

✓ *orientalis* Motsch. Schrenck's Reisen Amurl. II, 1860, p. 222, t. 11, f. 4. — Kraatz, Berl. Ent. Zeitschr. XXIII, 1879, p. 266. — Mars. Abeille XVI, 1878, p. 143; XXVI, 1888, p. 26.

ab. *rufipennis* Kraatz, Berl. Ent. Zeitschr. XXIII, 1879, p. 266.

✓ *rumicis* F. Mant. I, 1787, p. 70; Ent. Syst. I, 1792, p. 321; Syst. El. I, 1801, p. 437. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1677. — Suffr. Linn. Ent. V, 1851, p. 205. — Ws. Ins. Deutschl. VI, 2, 1882, p. 313, nota 3. — Mars. Abeille XXVI, 1888, p. 23.

✓ *sacra* L. Syst. Nat. ed. 10, 1758, p. 372. — F. Syst. Ent. 1775, p. 102; Spec. Ins. I, 1781, p. 126; Mant. I, 1787, p. 72; Ent. Syst. I, 1792, p. 328. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1684. — Towns. Travel. Hung. App. 1797, p. 460. — Ws. Ins. Deutschl. VI, 1882, p. 312. — Reitt. Fauna Germ. IV, 1912, p. 125.

adonidis var. Schrank, Naturf. XXIV, 1789, p. 66. — F. Ent. Syst. I, 1792, p. 312. — Duft. Fauna Austr. III, 1825, p. 199 (*Chrysomela*). — Redt. Fauna Austr. 1849, p. 552.

dorsalis F. Gen. Ins. Mant. 1777, p. 220; Spec. Ins. I, 1781, p. 117; Mant. I, 1787, p. 67. — Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1683. — Suffr. Linn. Ent. V, 1851, p. 208 (*Chrysomela*). — Redt. Fauna Austr. ed. 3. II, 1874, p. 479. — Mars. Abeille XXVI, 1888, p. 25. — Seidl. Fauna Transsylv. 1891, p. 782.

Syrien,
Palästina

Algier:
Biskra
Madagaskar:
Majunga
Madagaskar
W. Turkestan
Syrien:
Akbés
Sikkim
Amur,
Korea

Süd-
spanien,
Nord-
afrika

Elsass,
Österreich,
Ungarn,
Süd-
europa.
Merw

melanostoma Gmelin in L. Syst. Nat. ed. XIII, I, 4, 1790, p. 1673.

Biologie: Lionet, Rech. d'anat. 1760, p. 124, t. 12, f. 19—30. — Sajo, Ill. Woch. Ent. I, 1896, p. 87.

suturalis Ws. Ins. Deutschl. VI, 2, 1882, p. 312, nota 1. — Mars. Abeille XXVI, 1888, p. 26.

unicolor Fairm. Natural. XXV, 1903, p. 37.

13

Griechenland, Krim
Madagaskar

Xenomela Ws.

Weise, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 226, 227. — Marseul, Abeille XXVII, 1889, p. 111. — Jacobs. Hor. Ross. XXVIII, 1894, p. 239; XXIX, 1895, p. 272.

Subgen. *Xenomela* i. sp.

Dohrni Solsky, Trudy Ross. XIII, 1881, p. 81. — Heyd. Deutsche Ent. Zeitschr. XXXI, 1887, p. 306

(*Entomoscelis*). — Ws. l. c. p. 335. — Jacobs. Hor. Ross. XXVIII, 1894, p. 239; XXIX, 1895, p. 273; Käf. Russl. 1909, t. 57, f. 13.

Kraatzii Ws. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 227. — Mars. Abeille XXVII, 1889, p. 112.

fulvipes Ballion, Bull. Mosc. LIII, 1, 1878, p. 383 ♂ (*Chrysomela*). — Jacobs. Hor. Ross. XXIX, 1895, p. 274.

marginicollis Ballion, Bull. Mosc. LIII, 1, 1878, p. 382 ♀ (*Chrysomela*).

Regeli Jacobs. Annuaire Mus. Petersb. II, 1896, p. 74.

Turkestan,
Taschkent

Kuldja,
Dsungarei

Turkestan,
Taschkent

Subgen. *Oreomela* Jacobs.

Jacobson, Hor. Ross. XXIX, 1895, p. 272, 274.

Bergi Jacobs. Rev. Russe d'Ent. X, 1910, p. 55.

celyphoides Jacobs. Annuaire Mus. Petersb. II, 1896, p. 76.

clypealis Jacobs. Finska Vet. Soc. Förh. XLIII, 1901, p. 119.

Fausti Ws. Deutsche Ent. Zeitschr. XXIX, 1885, p. 23 ♀. — Jacobs. Hor. Ross. XXVIII, 1894, p. 240; XXIX, 1895, p. 277, 297; Finska Vet.-Soc. Förh. XLIII, 1901, p. 120.

fuscipes Ws. Deutsche Ent. Zeitschr. XXIX, 1885, p. 407 ♂. — Mars. Abeille XXVII, 1889, p. 113. — Jacobs. Hor. Ross. XXVIII, 1894, p. 240; XXIX, 1895, p. 277; Käf. Russl. 1909, t. 57, f. 22 (♀).

Heydeni Ws. Deutsche Ent. Zeitschr. XXIX, 1885, p. 406. — Mars. Abeille XXVII, 1889, p. 112. — Ws. Deutsche Ent. Zeitschr. 1890, p. 23. — Jacobs. Hor. Ross. XXVIII, 1894, p. 240; XXIX, 1895, p. 276; Käf. Russl. 1909, t. 57, f. 21 (♂).

Ferghana
Dsungarei
W. Turke-
stan:
Schamsi

Tschaar-
tasch,
Issyk-kul

Samarkand,
Turke-
stan:
Tschaar-
tasch

Turkestan

- Jacobsoni** Semenow, Hor. Ross. XXVIII, 1894, p. 546. — Turkestan
Jacobs. l. c. XXIX, 1895, p. 276.
- Koltzei** Ws. Wien. Ent. Zeit. XV, 1896, p. 81. Issyk-kul
- Przewalskii** Jacobs. Annuaire Mus. Petersb. II, 1896, Thian-Schan
p. 76.
- Semenowi** Jacobs. Hor. Ross. XXIX, 1895, p. 277, Turkestan
278 ♀.
- Suworowi** Jacobs. Rev. Russe d'Ent. X, 1910, p. 56. Dsungarei
- Trotzinae** Jacobs. Hor. Ross. XXVIII, 1894, p. 239, Turkestan:
240; XXIX, 1895, p. 277, 278, ♂. Alai
- Weisei** Jacobs. l. c. p. 278, 280, ♂. Turkestan:
? *ovipennis* Ballion, Bull. Mosc. LIII, 1, 1878, Issyk-kul
p. 384 (*Chrysomela*). — Jacobs. Hor. Ross.
XXIX, 1895, p. 270, 281.

16

Lamprolina Baly.

- Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, p. 170, 177, t. 14,
f. 2, a—d. — Chapuis, Gen. Col. X, 1874, p. 423, 426.
- ✓ **aeneipennis** Boisd. Voy. Astrol. Col. 1835, p. 574 N. S. Wales:
(*Phyllocharis*). — Baly, Trans. Ent. Soc. Sydney
Lond. (n. s.) III, 5, 1855, p. 177, t. 14, f. 2. —
Lea, Rep. Australas. Ass. 1902, p. 394.
- ab. *perplexa* Baly, Trans. Ent. Soc. Lond. (n. s.)
III, 7, 1856, p. 261. Richmond
Fluss
- binotata** Lea, Rep. Australas. Ass. 1902, p. 393. N. S. Wales:
Inverell
- discoidalis** Baly, Ann. Mag. Nat. Hist. (3) XV, 1865, p. 34. Moreton Bai
- grandis** Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, 1855, Australien
p. 178.
- ✓ **impressicollis** Baly, Cist. Ent. II, 1875, p. 49. Queensland:
Rock-
hampton,
W. Australia-
lien
- Jansonii** Baly, l. c. p. 48. Rockhampton
- micans** Lea, Rep. Australas. Ass. 1902, p. 393. Queensland:
Cairns
- puncticollis** Baly, Trans. Ent. Soc. Lond. (n. s.) III, 5, N. S. Wales
1855, p. 179.
- ✓ **simillima** Baly, l. c. p. 178. — Lea, Rep. Australas. Queensland,
Ass. 1902, p. 394. N.S. Wales
- unicolor** Jac. Ent. Monthly Mag. XXI, 1885, p. 225. Australien

10

Xenolina Jac.

Jacoby, Ann. Mus. Genova XLI, 1904 (1905), p. 481.

- marginata** Jac. l. c. p. 481. Brit. Neu-
guinea:
Ighibirei

Richmondia Jac.

Jacoby, Ann. Soc. Ent. Belg. XLII, 1898, p. 371.

- Olliffi** Blackb. Proc. Linn. Soc. N. S. Wales XVI, 1891, N. S. Wales
p. 544 (*Spilopyra*). — Lea, Proc. Roy. Soc.
Victoria XXII, 2, 1910, p. 152.
camelus Jac. Ann. Soc. Ent. Belg. XLII, 1898,
p. 371.

1

Microtheca Stal.

Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 464; Mon. III, 1865, p. 288. —
Chaptuis, Gen. Col. X, 1874, p. 423, 427.

columbiana Steinh. Mitth. Münch. Ent. Ver. I, 1877, Columbien
p. 47.

ochroloma Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 464; Brasilien
Mon. III, 1865, p. 288.

picea Guér. Ic. règne anim. Ins. 1829—44, p. 302 Uruguay:
(*Prasocuris*). — Stal, Mon. III, 1865, p. 289. Maldonado

piceitarsis Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 464; Brasilien

semilaevis Stal, Öfv. Vet. Ak. Förh. XVII, 1860, p. 464; Montevideo
Mon. III, 1865, p. 288. — Chap. Gen. Col. X,
1874, Atlas t. 123, f. 5 (*sublaevis*).

5

Planagetes Chevr.

Chev. Dict. univ. Hist. nat. III, 1843, p. 656; X, 1847, p. 235.

diaperioides Chevr. l. c. III, 1843, p. 656 i. litt. Brasilien

1

Abrarius Fairm.

Fairm. Ann. Soc. Ent. Belg. XLVI, 1902, p. 261.

cribrosus Fairm. l. c. p. 261. Madagaskar

1

Pandona Chevr.

Chev. Dict. univ. Hist. nat. IX, 1847, p. 437.

Pandora Chevr. l. c. III, 1843, p. 656 (nec Eschsch.).

orbicularis Chevr. l. c. p. 656 i. litt. Brasilien

1

2454

Index.

Tribus, Genera, Subgenera.

- Abrarius Fairm. 220
 Acacicola Lea 203
Acanthodon Ws. 149
 Aesernia Stal 111
 Aesernoides Jac. 112
 Agasta Hope 147
 Ageniosa Ws. 149
 Algoala Jac. 215
 Allocharis Sharp 203
Allorina Ws. 98
Allorinula Ws. 98
Alpaeixena Motsch. 106.
 Ambrostoma Motsch. 54
 Anomomera Fairm. 186
Anopachys Motsch. 56
Antirrhosterna Motsch. 10
Aparopsis Ws. 170
 Aphilon Sharp 152
 Apterocuris Jacobs. 130
Atechna Chevr. 56
 Ateratocerus Blackb. 195
 Augomela Baly 194
Australica Chevr. 192

 Barymela Ws. 4
Biogramma Motsch. 10
Bittolaenia Motsch. 56
 Blaptea Ws. 203
Boliographa Motsch. 38

 Cacomolphus Sharp 152
Calligrapha Er. 38
 Calomela Hope 192
 Cardiodora Motsch. 10
 Carystea Baly 151
 Cecchiniola Jacobs. 110
Centoptera Motsch. 56
 Centroscelis Vogel 186
 Ceralces Gerst. 112
 Cereyonops Jacobs. 185
Chaetocera Ws. 187
Chalcoidea Motsch. 56
 Chalcolampra Blanch. 198
 Chalcomela Baly 151
 Chersomela Ws. 150

 Chondromela Ws. 113
 Chrysochloa Hope 98
Chrysochloa Ws. 106
Chrysochloa Mars. 56
Chrysolina Motsch. 56
 Chrysomela L. 56
Chrysomela Vogel 149
Chrysomelinae 3
Chrysomelini Ws. 10
Chrysomorpha Motsch. 56
 Chrysophtharta Ws. 163
Chromodora Motsch. 51
 Clidonotus Chap. 190
 Coccimela Ws. 187
Coccinelloides Latr. 155
 Colaphellus Ws. 113
Colaphodes Motsch. 56
Colaphomega Reitt. 115
Colaphoptera Motsch. 56
Colaphosoma Motsch. 56
Colaphus Chevr. 114
Colaphus Redt. 113
 Colaspidema Lap. 114
Colaspidema Redt. 113
 Cosmogramma Er. 51
Craspeda Motsch. 56
 Crosita Motsch. 54
Crositops Mars. 56
Cryptostetha Baly 28
 Cyclomela Baly 150
 Cyclonoda Baly 150
 Cyrtanastes Fairm. 215
 Cyrtonus Latr. 125
 Cystocnemis Motsch. 110
Cystocnemis Jacobs. 56

 Desmogramma Er. 44
 Deuterocampta Er. 48
 Diceranosterna Motsch. 152
Diceranosternini Ws. 152
Diphyllocera Westw. 202
Dlochrysa Motsch. 56
 Doryphora Ill. 10
Dorysterna Guér. 27
Dorysterna Motsch. 10
Doryprosopa Motsch. 10

Elytromena Motsch. 53
Elytrosphaera Chevr. 53
Emmetrus Motsch. 118
Entomoscelis Chevr. 216
Entomoscelis Vogel 148
Eremosis Gozis 127
Eugonycha Chevr. 53
Eulina Baly 202
Eumela Baly 110
Euparochia Motsch. 10
Euryceraea Steinh. 29

Faex Ws. 171

Gastroidea Hope 116
 Gastrolina Baly 147
Gastrophysa Chevr. 116
 Gavirga Stal 196
 Gnathomela Jacobs. 56
Gonioctena Redt. 176
Goniomena Motsch. 184

Helioctola Motsch. 56
Hellodes Redt. 130
Helodes Payk. 130
Hemiphaedon Jacobs. 122
 Hispostoma Ws. 4
Homalodora Motsch. 10
Hoplosoma Motsch. 56
Horatopyga Stal 215
Hydrothassa Thoms. 127
Hypericia Bed. 56

Johannica Blackb. 202
 Iscadida Chevr. 215

Labidomera Chevr. 28
Labidosterna Motsch. 29
 Lamprolina Baly 219
Lamproptera Motsch. 192
Leioplacis Chevr. 154
 Leptinotarsa Stal 30
 Leucocera Stal 52
 Limenta Stal 196
Lina Redt. 138
Linaeidea Motsch. 138
Linamorphia Motsch. 133
Linastica Motsch. 147
Linographa Motsch. 48
Linostoma Motsch. 10
 Liomela Ws. 150
 Lioplacis Stal 154
 Lithoptera Motsch. 56
Lycaria Chap. 197
 Lygaria Stal 197

Machomena Dub. 149
Macrolina Motsch. 139
 Megistomela Chap. 9

Melasoma Steph. 138, 144
Melosoma Bed. 138
Mesoplatys Baly 148
Metallographa Motsch. 38
Metallophora Motsch. 10
Metallotimarcha Motsch. 213
 Metastyla Chap. 30
Microdera Steph. 139
 Micromela Baly 150
 Microtheca Stal 220
Monocampa Motsch. 48
Myocoryna Stal 30

Neophaedon Jacobs. 123
Notoclea Marsh. 155

Oidosoma Qued. 197
 Omolina Ws. 147
Oreina Motsch. 98
 Orina Ws. 98
Orcomela Jacobs. 218
 Oreothassa Jacobs. 127
Orthodora Motsch. 10
Orthosticha Motsch. 118
Ovomorpha Motsch. 56
Ovosoma Motsch. 56
Ovostoma Motsch. 56 m

Pachygnatha Ws. 56
 Palimbola Ws. 148
 Pandona Chevr. 220
 Pandora Chevr. 220
 Paralepta Baly 195
 Paralina Baly 111
Paraphaedon Sharp 122
Paropsimena Motsch. 28
 Paropsides Motsch. 170
 Paropsini Ws. 155
Paropsipacha Motsch. 150
Paropsis auct. 152, 153, 155, 159,
 163, 165, 172
 Paropsis Ol. 155
 Paropsisterna Motsch. 159
Paropsites Chap. 152, 155.
Pezocrosita Jacobs. 56
 Phaedon Latr. 118
Phaedon Motsch. 124
 Phaedonia Ws. 148
Phaedonini Ws. 113
Phratora Redt. 187
Phaulosis Ws. 215
Phaulosis Ach. 215
 Philhydronopa Ws. 171
 Phola Ws. 198
 Phyllocharini Ws. 197
 Phyllocharis Dalm. 200
 Phyllocharoides Jac. 202
 Phylloocta Kirby 187, 188
 Phyllodectini Ws. 176

Phyllophila Stal 198
Phytodecta Kirby 176
Pixis Chevr. 196
Plagioderia Redt. 132
Plagioderia Vogel 148
Plagiomorpha Motsch. 133
Plagiosterna Motsch. 133
Planagetes Chevr. 220
Platymela Baly 195
Pleurosticha Motsch. 57
Polygramma Motsch. 30
Polyspila Hope 38
Polysticta Hope 57
Potania Ws. 216
Prasocuris Latr. 130
Procris Ws. 159
Promechus Boisd. 111
Promechus Chevr. 198
Prosicla Er. 29
Protorina Ws. 105
Pseudolina Jac. 215
Pseudomela Baly 112
Pseudoparopsis Blackb. 137
Pyrgo Ws. 172
Pyxis Stal 196

Richmondia Jac. 220
Ronalorina Ws. 100

Sclerophaedon Ws. 124
Semenovia Ws. 216
Spartiophila Ws. 182
Spartomena Reitt. 182
Spartophila Steph. 182
Spartorena Motsch. 182
Sphaenosterna Motsch. 10
Sphaerolina Baly 110

Sphaeromela Bed. 57
Spilopyra Blackb. 167
Sternoplatys Motsch. 123
Sterromela Ws. 153
Stethomela Baly 190
Stichoptera Motsch. 57
Stichosoma Motsch. 57
Stichtaenia Motsch. 10
Sticiomela Ws. 198
Stigmomeia Csiki 198
Stilodes Chevr. 46
Strichosa Chevr. 53
Strumatophyma Baly 150
Synerga Ws. 147

Taeniosticha Motsch. 57
Tetratica Motsch. 192
Threnosoma Motsch. 57
Timarcha Latr. 203
Timarchella Jac. 215
Timarchida Ganglb. 214
Timarchini Ws. 203
Timarchoptera Motsch. 57
Timarchosoma Jac. 4
Timarchostoma Motsch. 203
Trachymela Ws. 165
Trichomela Chap. 27
Tritania Motsch. 4
Trochalodes Ws. 153
Trochalonota Westw. 197

Xenolina Jac. 219
Xenomela Ws. 218

Zygogramma Chevr. 4
Zygomrammini Ws. 4
Zeugotaenia Motsch. 57

Species, Varietates.

abchastica Ws. 57
abdominalis Baly (Phylloch.) 200
abdominalis Baly (Phyllopect.) 188
abdominalis Chap. (Trochal.) 153
abdominalis Jac. (Phyllocharoid.) 202
abjecta Blackb. 165
acclivis Blackb. 165
acervata Blackb. (Augom.) 194
acervata Germ. (Chalcol.) 198
Achilles Vog. 149
aciculata Chap. (Parops.) 155
aciculata Stal (Elytrosph.) 53
acroleuca Baly 200
acuminata Ol. 10
acuticollis Fairm. 74
Adamsi Baly (Chrysom.) 57
Adamsi Baly (Melasom.) 138

adelaidae Blekb. (Chalcol.) 198
adelaidae Blekb. (Trachym.) 165
adelioides Lea 198
Adippe Stal 28
adonidis Pall. 216
adspersgata Vog. 66
advena Blackb. 155
ab. aegrota Boisd. 157
ab. aegrotus F. 182
aegyptiaca Ol. (Chrysom.) 57
aegyptiaca Mars. (Chrysom.) 83
aemula Chap. (Pyrgo) 175
aemula Stal (Dor.) 10
aenea Boisd. (Chalcol.) 198
aenea Jac. (Dor.) 10
aenea L. (Melasom.) 138
aenea Melsh. (Gastroid.) 116
ab. aenea Jacobs. (Crosita) 55

- aenea* Baly (Labidom.) 29
aenea Blekb. (Philhydron.) 171
aenea Fourcr. (Chrysom.) 70
aenea Sffr. (Chrysochl.) 108
aeneipennis Baly (Melas.) 139
aeneipennis Baly (Phytod.) 181
aeneipennis Baly (Stethom.) 190
aeneipennis Boisd. (Lamprol.) 219
aeneipennis Chap. (Philhydr.) 171
aeneipennis Rehe (Chrysom.) 57
aeneipennis Mars (Chrysom.) 66
aeneipennis Ws. (Phaulos.) 215
aeneiventris Stal 133
aeneoconspersa Stal 29
aeneofasciata Jac. 10
aeneofasciata Jac. 14
aeneolucens Stal 48
aeneomicans Frm. (Crytonast.) 215
aeneomicans Stal (Leuc.) 52
aeneonitens Clark 192
aeneonotata Stal 10
aeneopicta Stal 38
aeneoplagiata Stal 11
aeneoornata Stal 10
 ab. *aeneoviridis* Jacobs. 101
aeneovittata Stal 4
 ab. *aenescens* Sffr. 101
aequalis Chap. 159
aeraria Chap. 152
aerea Eyd. (Plagiod.) 133
aerea H. Schffr. (Tim.) 214
 ab. *aerea* Frm. (Tim.) 205
aerea Dft. (Chrys.) 72
aerea Ws. (Chrys.) 72
aerifera Stal 11
 ab. *aerosa* Ws. 101
aeruginosa Fald. 57
aeruginosa Ws. 94
 var. *aeruginosus* Sffr. 122
 ab. *aestivus* Ws. 188
aestuans L. 11
aethiopica Thunb. 133
 ab. *aethiops* F. (Chrys.) 95
 ab. *aethiops* Heyd. (Phytod.) 178
aethiops Ol. (Chrys.) 62
affinis Blekb. (Parops.) 155
affinis F. (Chrys.) 58
affinis Guér. (Phaed.) 119
affinis Gyll. (Phytod.) 176
affinis Gebl. (Phytod.) 177
affinis Gradl. (Phytod.) 178
afra Er. 58
africana Jac. 58
africanum Jac. 197
aggregata Stal 8
agricola Chap. 163
ahena Stal (Dor.) 11
 var. *ahena* Germ. (Chrys.) 78
akbesianus Frm. 182
alasehanica Jacobs. 55
alatavica Jacobs. 58
albicans Chap. 163
albicincta Germ. 18
albovirens Stal 11
alcyonea Sffr. 109
alpestris Schumm. 100
alpina Blekb. (Trachym.) 166
alpina Zett. (Melasom.) 139
alpina Kiesw. (Gastroid.) 118
alpina Rdtb. (Melasom.) 140
alpina Sffr. (Gastroid.) 116
alpina Web. (Chrysochl.) 106
alpinus Gebl. 113
alta Blekb. 166
altaica Gebl. (Crosit.) 55
 ab. *altaica* Ws. (Melas.) 141
altaicus Motsch. 189
 ab. *alternans* Panz. 63
alternans F. 69
alternata Kirsch (Zygogr.) 4
 var. *alternata* Sffr. (Chrys.) 87
 ab. *alternata* Germ. (Paropsist.) 161
 ab. *alternata* Lea (Phylloch.) 200
alticola Blackb. 166
altimontana Ryb. 58
alumna Stal 11
alutacea Vog. 149
 ab. *alutaceus* Fleisch. 123
amabilis Baly (Dor.) 11
amabilis Chap. (Pyrgo) 172
amanda Stal 5
amarella Stal 52
amasiensis Ws. 58
amazona Stal 11
amazona Jac. 24
ambigua Er. (Dor.) 27
 ab. *ambigua* Ws. (Chrys.) 76
ambitiosa Stal 11
amboinensis F. 155
ambulans Fald. 84
Amelia Knab 38
americana L. (Chrys.) 58
americana Voet (Dor.) 26
americana Vog. (Chrys.) 92
amethystina Kolbe (Chrys.) 58
amethystina Lea (Calom.) 192
 ab. *amethystina* Ws. (Chrysochl.)
 † 103
amethystina Gmel. (Melas.) 139
 ab. *amethystipes* Chevr. 209
amica Newm. 164
amicta Jac. 11
amoena Stal (Dor.) 11
amoena Clark (Chrysoph.) 163
amoena Ws. (Gastroid.) 116
amoenula Chap. 174
amphibia Motsch. 118
ampla Stal 11

- amplicollis* Jacobs. 58
analis L. (Hydroth.) 127
analis Reitt. (Gastroid.) 116
analis Ponza (Chrys.) 62
analis Schrank (Hydroth.) 128
anastomozans Perty 11
Anceyi Mars. 61
anchoralis Baly 11
ancoralis Stal 38
 var. *Anderschii* Dft. 103
andicola Ws. 11
Andrewesi Jac. 58
 var. *angelica* Rehe (Chrys.) 65
angelica Baly (Synerga) 147
angolensis Ws. 112
angulata Stal 11
angulicollis Motsch. 212
angusticollis Ws. 197
angusticollis Blackb. (Parops.) 155
angusticollis Fairm. (Cyrton.) 125
angusticollis Mtsch. (Chrys.) 58
angusticollis Dft. (Tim.) 205
angusticollis Frm. (Tim.) 212
angusticollis Jacobs. (Chrys.) 79
angusticollis Motsch. (Phyllodect.) 190
angusticollis Ws. (Chrys.) 59
angustipes Blackb. 160
angustofasciata Jac. 51
 ab. *angustovittata* Jac. 37
annularis Blackb. 163
annulata Jac. (Elytrosph.) 53
annulata Jac. (Polyspil.) 38
 ab. *annulata* Er. (Dor.) 11
annuligera Er. 46
anomala Blackb. 153
antennalis Jac. (Dor.) 12
antennalis Kirsch (Stilod.) 46
 ab. *anthrisci* Ws. 100
anxia Chap. 172
apiata Luc. 19
apicalis Baly (Phylloch.) 200
apicalis Blackb. (Calom.) 192
apicalis Mén. (Colaphell.) 113
apicalis Heyd. (Phytod.) 178
apicata Chap. 172
apicatus Fairm. 112
apicicornis Chevr. 52
apparitoria Stal 44
appendiculata Stal 5
approximata Stal (Dor.) 12
approximata Baly (Dor.) 21
approximata Zenek. (Chrys.) 72
apricaria Wäldt 203
aragonica Balbi 203
Arangoi Steinh. 12
Arcasi Fairm. 125
 ab. *arctica* Ws. 61
 ab. *arcticus* Mannh. 176
arcuata Clav. (Aesern.) 111
arcuata Ol. (Dor.) 12
arcuigera Stal 5
arcula Chap. 166
areata Er. (Plagiod.) 133
areata F. (Phaedonia) 148
areatus Bed. 184
Arethusa Chap. 172
Argiolus Stal 48
Argus Stal 38
arizonae Crotch 133
arizonica Schaeff. 5
argentinensis Jac. 5
armata Blackb. 166
armeniaca Fald. (Chrys.) 59
 ab. *armeniaca* Fald. (Tim.) 213
armoraciae L. (Phaedon) 119
armoraciae F. (Plagiod.) 136
artemisiae Motsch. 73
arthritica Lea 199
 var. *asclepiadis* Vill. 59
asella Stal 44
aspera Chap. 159
asperula Chap. 166
assamensis Baly (Potan.) 216
assamensis Jac. (Phaedon) 120
assamensis Ws. (Eumela) 110
assimilis Stal 5
asturiensis Kraatz 213
Atalanta Blackb. 163
atomaria Ol. 155
atomaria Marsh. 155
 ab. *atra* Dft. (Prasoc.) 131
atra Goeze (Chrys.) 74
atra Matz. (Chrys.) 94
atra H. Schffr. (Chrys.) 76
atratura Stal 196
atriceps Stal 196
atricollis Stal 27
 var. *atrilarsis* Stal 133
atrocyanea Motsch. 116
atromaculata Stal 48
atrophia Lea 199
Atropos Stal 153
atrovirens Cornel. (Phyllodect.) 188
atrovirens Friv. (Chrys.) 59
atrum Ol. 114
 ab. *aucta* F. 128
 ab. *aucupariae* Jacobs. 185
augur Stal 12
Augusta Blackb. 155
aulica Ol. 12
aurantiacomaculata Blanch. 12
auraria Mtsch. (Chrys.) 59
auraria Mtsch. (Chrys.) 98
aurata Sffr. (Chrys.) 59
 ab. *aurata* Ws. (Chrysochl.) 101
auratus Motsch. 120
aurea Blackb. 163

- aureocincta* Stal 51
aurichalcea Mannh. (Chrys.) 59
ab. aurichalcea Jacobs. (Apteroec.) 130
ab. auricollis Stierl. 99
aurilinea Stal 5
auripennis Say 60
auritus Germ. 120
ab. aurocuprea Fairm. 97
aurulenta Sffr. 103
australasiae F. 161
austratica Blackb. (Caryst.) 151
austratica Jac. (Aesern.) 111
austriaca Ol. 84
avara Stal 16
ab. avia Ws. 87
axillaris Germ. 12

ab. Baaderi Panz. 180
Baaderi Panz. 181
Badeni Steinh. (Eurycer.) 29
Badeni Vog. (Agenios.) 149
badia Germ. (Trochal.) 197
ab. badia Boisd. (Paropsist.) 161
badia Blekb. (Paropsist.) 162
ab. baetica Sffr. 58
bahiensis Jac. 27
baicalicus Ws. 123
bajula Stal 38
ab. balcanica Ws. 103
balearica Gory 204
baldiensis Blackb. 166
Balyi Har. (Blaptea) 203
Balyi Jac. (Chrys.) 60
Balyi Jac. (Stethom.) 191
Balyi Stal (Dor.) 12
ab. banatica Ws. 100
Banksi F. 60
barbarica Gmel. 58
ab. barbarum F. 115
barda Say 38
Bartletti Jac. 12
Bartoni Baly 192
basalis Chap. (Chrysoph.) 163
basalis Jac. (Stethom.) 191
basicollis Chap. 172
basilea Gebl. 101
basilaris Say 60
ab. basinotata Kirsch 18
basipunctatus Gradl 181
Batesi Baly 12
beata Newm. 160
beccabungae Ill. 131
Behrensi Har. 30
bella Baly (Dor.) 12
bella Blackb. (Parops.) 155
bella Jac. (Synerga) 147
Belti Jac. 31
Bergi Jacobs. 218

var. Bergrothi Jacobs. 178
berytensis Rehe 217
Besseri Kryn. 60
Besseri Mars 64
betulae Küst. (Phaedon) 119
betulae Scop. (Melasom.) 139
biannulata Jac. 12
biceps Lea 200
bicincta Guér. 200
bicolor F. (Chrys.) 60
bicolor Jac. (Dor.) 12
bicolor Ws. (Plagiod.) 133
ab. bicolor Gabr. (Chrys.) 84
ab. bicolor Kraatz (Phytod.) 180
ab. bicolor Schilsk. (Melas.) 138
bicolor Germ. (Chrys.) 95
bicolor Heyd. (Phytod.) 178
bicolora Blekb. (Trachym.) 166
ab. bicolora Ws. (Chrysochl.) 100
bieruciata Jac. 29
bifasciata F. (Dor.) 12
bifasciata Jac. (Elytrosph.) 53
bifasciata Guér. (Dor.) 11
biforis Germ. 13
m. biforecolata Brancs. 72
bifrons F. 101
bifrons Dft. 104
bigenera Stal 5
bigaria Er. 44
bigata Germ. 13
ab. bigorrensis Fairm. 87
biguttata Stal 13
bilimbata Stal 13
Billbergi Stal 39
bilunata Baly 13
bimaculata Ol. (Chrysoph.) 163
ab. bimaculata Jac. (Deut.) 48
ab. bimaculatum Kolbe 198
bimaculicollis Stal 48
binotata Lea (Lamprol.) 219
ab. binotata Vog. (Centrose.) 186
ab. binoticeps Pic 182
ab. binotatus Rein. 182
bioculata Stal 48
biplagiata Jac. (Dor.) 13
ab. biplagiata Boh. (Dieran.) 153
ab. bipunctata Ws. 174
bipuncticollis Chap. 153
ab. bipustulata Thunb. 97
biremis Stal 13
Birulai Jacobs. 61
bisbilineata Stal 48
bisbimaculata Jac. 13
bisbivittata Stal 44
bisocetoguttata Stal 48
bisquinquepustulata Vog. 186
bistriguttata Jac. 13
bivia Germ. 44
bivittata Guér. (Dor.) 13

- bivittata Ljungh (Desmogr.) 44
 ab. *bivittata* Schrnk (Chrys.) 63
bivittatum Ws. 4
bivittaticollis Baly 13
Blackburni Jac. 195
blaes Stal 13
Blanchei Fairm. 61
blanda Blackb. (Trachym.) 166
blanda Stal (Dor.) 13
blanda Motsch. (Chrys.) 81
Blandina Blackb. 155
Bodemeyeri Ws. (Chrys.) 61
 ab. *Bodemeyeri* Ws. (Chrysochl.) 100
Boeberi Har. 61
bogotensis Jac. (Stilod.) 46
bogotensis Kirsch (Pyxis) 196
Bohemani Stal 13
Bohemani Baly 21
 var. *bohemica* Ws. 107
boliviana Har. (Dor.) 13
boliviana Jac. (Deut.) 48
boliviana Jac. (Dor.) 11
bonariensis Boh. 120
Bonvouloiri Baly (Chrys.) 61
Bonvouloiri Stal (Dor.) 13
borealis Blekb. (Trachym.) 166
 ab. *borealis* Ws. (Phytod.) 184
Boucardi Jac. 13
 ab. *Bourcieri* Guér. 21
Bourcieri Guér. 27
Bovilli Blackb. 155
Bowringi Baly (Chrys.) 61
Bowringi Baly (Colaphell.) 113
brachialis Stal 48
brachiata Stal 44
brachydera Fairm. 204
brasiliensis Jac. (Zygogr.) 5
brasiliensis Jac. (Dor.) 24
brassicae Baly 120
Braunsi Jac. 215
brevicollis Jac. (Prosic.) 29
 ab. *brevicollis* Motsch. (Phyllod.) 190
brevifasciata Jac. 13
brevilata Heyd. 61
brevis Fairm. 125
brevispina Steinh. 13
brevissima Blackb. 166
breviuscula Stal 53
 ab. *Bruleriei* Bell. 205
Bruleriei Fairm. 204
Brulerii Fairm. 204
Bruneli Demais. 61
brunnea Marsh. (Paropsist.) 160
brunnea Thunb. (Polyspil.) 40
brunneipennis Jac. (Dor.) 13
brunneipennis Matsum. (Chrys.) 61
brunneolineata Jac. 13
brunneomaculata Bowd. 44
brunneostriata Jac. 13
brunnicornis Ws. 61
brunsvicensis Grav. 61
Buckleyi Baly (Dor.) 13
Buckleyi Bowd. (Desmogr.) 44
bulgarensis Schrnk. 84
bulgarensis Bed. 84
bullata Stal 13
Bungei Jacobs. 62
 ab. *bulgharensis* F. 141
Burmeisteri Jac. 5
cacaliae Schrnk. 106
 ab. *cacaliae* Dft. 103
cacica Stal 31
 ab. *caesia* Rog. 116
caffra Thunb. (Chrys.) 62
caffra Ws. (Plagiod.) 133
cajennensis F. 137
calabarica Ws. 133
 ab. *calcaratus* F. 180
calceata Stal (Leptinot.) 31
 var. *calceata* Perez (Tim.) 206
californica Rog. (Plagiod.) 133
 ab. *californica* Linell (Polysp.) 39
caligata Stal 215
caliginosa Chap. (Trachym.) 166
caliginosa Ol. (Chrys.) 58
callangensis Bowd. 44
Calliope Blackb. 175
 ab. *callizona* Dalm. 201
Calypso Blackb. 172
 ab. *calthae* Ws. 129
camelus Jac. 220
 ab. *Cameranoi* Piolti 75
 var. *Camoensi* Fairm. 206
campestris Ws. 62
canalisternus Mars. 125
canariensis Brullé 61
cancellata Chap. (Trachym.) 166
cancellata Gmel. (Megistom.) 10
 ab. *candens* Ws. 109
 ab. *cantabrica* Heyd. 87
 ab. *capitata* Jac. 194
capreae Ill. 102
captiosa Clark 163
caraganae Gebl. 185
carbonaria Sffr. 87
carbonata Boisd. 98
cardinalis Baly 22
carinata Baly (Iscaud.) 215
carinata Jac. (Chrys.) 62
carnifex F. 62
carnifex Panz. 80
carniolicus Germ. 124
carnosa Baly (Parops.) 156
carnosa Stal (Dor.) 13
carolina Stal 13
carpathica Fuss (Chrys.) 62

- ab. *carpathica* Kr. (Chrysochl.) 109
carpathicus Ws. 125
carpentariae Blackb. 166
caschmirensis Redt. 11/
caspica Ws. 63
cassidea Er. 13
cassidoides Boisd. 163
Cassiope Blackb. 156
 ab. *casta* Rog. 9
castanea Jac. (Dor.) 13
castanea Marsh. (Trachym.) 166.
catalaunensis Fairm. 204
catenata Chap. (Trachym.) 166
catenata Vog. (Chrys.) 63
catenulata Ol. 23
caucasica Mtsch. 81
caucasica Ws. 63
 var. *caucasicus* Ws. 121
caudata Blackb. 191
cavifrons Thoms. 189
cavigera Sahlb. 63
celsa Er. 13
celyphoides Jacobs. 218
 ab. *centaurea* Hbst. 95
centaurei F. 95
centaurii Scriba 62
cephalanti Schwarz 39
cephalotes Lea 192
ceralces Ws. 197
cerdo Stal 204
cerea Blackb. (Parops.) 156
cerea Stal (Plagiod.) 133
cerealis L. 63
cernua Chap. 163
chalea Ws. 216
chalcites Germ. 64
chalciis Sffr. 64
chalcoloma Stal 13
 var. *chalcosoma* Fairm. 206
chalcospila Stal 31
 ab. *chalybea* Brancs. (Chrys.) 76
 ab. *chalybea* Sffr. (Prasoc.) 132
chalybeata Baly 199
chalybeofasciata Bowd. 14
Championi Jac. 5
Chapuisi Baly (Dor.) 14
Chapuisi Duviv. (Paropsid.) 171
Chapuisi Jac. (Plagiod.) 133
Chapuisi Jac. (Stethom.) 191
Chapuisi Blackb. (Trachym.) 166
Chapuisi Jac. (Stilod.) 47
Charybdis Blackb. 155
Charybdis Stal 157
chelone Perty 14
Chennelli Baly 171
Chevrolati Stal (Dor.) 14
Chevrolati Baly (Prosicel.) 29
chilocoridea Stal 133
chinense Motsch. 54
chinensis Ws. 133
chloris Luc. 97
chlorizans Sffr. (Leptinot.) 31
 ab. *chlorizans* Ws. (Chrys.) 60
chloromaura Ol. 64
chloromaura Charp. 79
chlorophana Lea 191
chloroptera Stal 133
chloropus Germ. 213
chlorotica Ol. (Chrysopht.) 163
chlorotica Boisd. (Pyrgo) 175
chontalensis Jac. 14
chrysomeloides Jac. (Dor.) 14
chrysomeloides Jac. (Phytod.) 176
 ab. *ciculae* Ws. 132
 ab. *cimeæ* Jacobs. 147
cincta Germ. (Dor.) 14
cincta Ol. (Mesopl.) 148
cincta Alluaud (Mesopl.) 148
 ab. *cinclella* Gyll. 81
cinctipennis Har. (Chrys.) 64
 ab. *cinctipennis* Baly (Plagiod.) 135
 ab. *cinctipennis* Stal (Dor.) 14
cinctula Stal 48
 ab. *cinctum* Ws. 198
 ab. *cinctus* Ws. 181
cingulata Baly (Calom.) 192
cingulata Baly (Chrys.) 97
cinxia Stal 12
 var. *circassica* Reitt. 212
circassicola Reitt. 65
Circe Stal 153
circellaris Er. 133
circuita Stal 44
circumcincta Sahlb. 148
circumcincta Vog. 147
circumdata Stal 14
circumdata Newm. 162
 var. *circumducta* Mén. 81
circumducta Sffr. 64
circumflexa Stal 14
circumfusa Baly 192
circumlita Stal 133
circumpuncta Stal 28
circumscripta Gyll. 137
circumsepta Stal 134
Cisseis Stal 14
citrina Chap. 163
citrinella Kirsch 14
 ab. *clara* Ws. 174
Clarki Baly (Chrys.) 65
Clarki Jac. (Dor.) 14
Clarki Stal (Gavirg.) 196
clathrata Clark (Chrys.) 65
clathrata Jac. (Zygogr.) 5
Clavareani Bowd. 5
clavicornis Stal (Dor.) 27
 ab. *clavicornis* Steph. (Plagiod.)

- clavigera* Stal 196
Clementzæ Jacobs. 55
Clementzi Jacobs. 123
eliens Stal 14
Clio Blackb. 172
clivicollis Kirby 28
Cloelia Stal 163
Clotho Stal 160
clypealis Jacobs. 218
chytroides Gradl 178
coadnuta Chap. 171
coarctata Ws. 65
coarctatus Muls. 126
 var. *coarcticollis* Fairm. 208
coccinella Frm. (Oid.) 198
coccinella Ws. (Paropsid.) 170
coccinelloides Ol. (Trochal.) 153
coccinelloides Panz. (Dor.) 14
 ab. *coccinelloides* Thunb. (Chrys.) 98
coccinelloides Sturm (Trochalonot.) 197
cochleariae F. 120
cochleariae Panz. 120
coelebs Stal 46
coelestina Baly (Chrys.) 82
coelestina Baly (Plagioid.) 134
coelestis Lea 192
coelophoroides Vog. 65
coerulans Scriba 65
coerulea Ol. 65
coerulea Baly (Dor.) 16
coerulea Bd. (Chrysochl.) 99
coerulea Gmel. (Chrys.) 71
coerulea Gradl (Melasom.) 141
coeruleipennis Say 117
 ab. *coeruleolineata* Dft. 106
coeruleoviolacea Deg. 139
coeruleovittata Jac. 5
coerulipes Har. 66
 ab. *coerulescens* Sffr. (Chrys.) 62
 ab. *coerulescens* Ws. (Phaedon) 123
coerulescens Küst. (Phyllocl.) 188
coerulescens Letzn. (Chrysochl.) 108
 ab. *coeruleus* Ws. 189
cognata Stal (Plagioid.) 134
cognata Stal (Zygogr.) 5
cognata Baly (Plagioid.) 133
cognata Hbst. (Plagioid.) 137
collaris L. (Melasom.) 139
collaris Ws. (Potan.) 216
 var. *collaris* Ws. (Chrys.) 59
 ab. *collaris* Ws. (Phytod.) 181
collaris Gradl (Phytod.) 180
collucens Dan. 98
colorata Blackb. (Parops.) 156
colorata Germ. (Calom.) 192
colombica Guér. 14
columbiana Steinh. 220
columbina Stal 196
comes Stal 5
comica Stal 14
comma Blackb. 166
 var. *commutata* Sffr. 106
commutata Ws. 106
compater Stal 14
 ab. *completa* Jacobs. 143
 ab. *completus* Jacobs. 123
complexa Chap. 160
complicata Blackb. 175
compuncta Ws. 66
 ab. *concatenata* F. 23
concinna Ws. 55
concinna Stal 196
 var. *concinna* Steph. 113
 ab. *concolor* Demais. (Chrys.) 61
 ab. *concolor* Kraatz (Cystocn.) 110
 ab. *concolor* Ws. (Oidos.) 198
conferta Chap. 164
confinis Klug (Phaedon) 121
confinis Kirby (Polysp.) 42
confluens Gerst. (Chrys.) 66
 ab. *confluens* Jac. (Phylloch.) 200
 ab. *confluens* Rog. (Melasom.) 142
confossa Fairm. 66
confusa Blackb. (Parops.) 156
confusa Baly (Elytrosph.) 54
congener Stal 14
congener Baly 22
congesta Stal 134
congoense Jac. 197
congregata Guér. 14
congrex Stal 5
conjugata Chap. (Paropsist.) 160
conjugata Stal (Desmogr.) 45
conjugata F. (Desmogr.) 44
conjuncta Rog. 5
 ab. *conjunctus* Reineck 179
conjungens Blackb. 154
connexa Jac. 14
consimilis Baly (Stethom.) 191
consimilis Clark (Chrys.) 66
consimilis Lea (Chalcid.) 199
consimilis Stal (Phaedon) 121
consimilis Baly (Chrys.) 69
consimilis Baly (Parops.) 157
consimilis Blackb. (Parosp.) 157
 ab. *consobrina* Stal 19
consors Stal (Dor.) 14
consors Stal (Polysp.) 39
conspata Stal 39
constricta Er. 199
 ab. *consularis* Er. 61
continua J. Lec. 5
contracta Chap. 154
contractus Fairm. 125
 var. *convergens* Sffr. 109
convexa Blackb. (Parops.) 156
convexa Stal (Zygogr.) 5

- convexa* Ws. (Pyrgo) 172
convexa Blanch. (Chalcol.) 198
convexicollis Chap. (Trachym.) 166
convexicollis Jacobs. (Chrys.) 66
convexifrons Fairm. 213
convexum Broun 152
conviva Stal 14
corallipes Fairm. (Tim.) 204
corallipes Guér. (Aesern.) 111
Corbyi Guér. 14
coreyreus Mars. 216
coreyrica Sffr. 66
coriacea Sffr. 66
coriaria Chap. (Trachym.) 166
coriaria Laich. (Tim.) 205
coriaria Ol. (Tim.) 209
corinthia Fairm. 213
cornea Abeille 217
ab. Cornelli Ws. 189
cornuta Baly 191
ab. correspondens Jacobs. 178
corrugata Chap. (Trachym.) 166
corrugata Pér. (Chrys.) 66
coruscans Stal (Dor.) 14
coruscans Vuillefr. (Cyrtion.) 125
var. corvina Ws. 75
corynomaloides Stal 27
costalis Ol. 98
costata Jac. (Aesern.) 111
costata Jac. (Dor.) 14
ab. costata Duf. (Chrys.) 63
ab. costella Mars. 144
costipennis Chap. 166
Cothurnix Stal 48
crassaticollis Fairm. 204
crassicornis Sffr. 67
crassicornis F. (Calom.) 193
crassicornis Hellies. (Chrys.) 67
crassimargo Germ. 67
crassimargo Dft. 87
crassipes Luc. (Chrys.) 67
crassipes Grimm. (Tim.) 205
creberrima Blackb. 166
crebra Blackb. 166
crebrepunctatus Fairm. 113
cretica Ol. 67
ab. cribellata Sffr. 75
cribellata Mtsch. 82
var. cribraria Rog. 60
cribrata Blackb. 166
cribrosa Ahr. 67
cribrosa Thunb. 69
var. croatica Ws. (Chrysochl.) 106
ab. croatica Ws. (Chrys.) 82
crocata Boisd. 164
cruciata Baly (Dent.) 48
cruciata Stal (Dor.) 14
ab. cruciata Jacobs. (Melasom.) 142
cruciata F. (Dor.) 22
crucigera Sahlb. 48
cruentata Sffr. (Chrys.) 67
cruentata Baly (Dor.) 27
cruentata Gmel. (Dor.) 26
cruentipennis Duviv. 140
crux Er. 48
crux nigra Stal 48
cubana Stal 52
ab. cupraria Germ. (Dor.) 10
ab. cupraria Ws. (Melasom.) 139
cupraria Kolbe (Chrys.) 59
ab. cuprascens Jacobs. 55
cuprea Baly (Plagiod.) 134
cuprea F. (Melasom.) 140
cuprea Deg. (Chrys.) 91
cupreata Jac. (Elytroph.) 53
ab. cupreata Ws. (Chrysochl.) 108
ab. cupreolineata Ws. 83
cupreonitens Mars. 70
cupreopunctata Rehe 89
ab. cupreopurpurea Costa 97
cupreopurpurea Gerh. 80
cupreosplendens Lea 151
cupreovirens Perez 125
ab. cupreoviridula Jacobs. 55
ab. cuprina Dft. (Chrys.) 72
ab. cuprina Ws. (Chrysochl.) 99
cuprina Mtsch. (Chrys.) 64
cuprina Rdtb. (Chrys.) 89
cupripennis Baly 150
ab. cupripes Lea 191
curata Ws. 67
curticollis Stal 15
Curtisi Baly (Eulina) 202
Curtisi Kirby (Calom.) 193
curtulus Fairm. 125
curtus Fairm. 125
curvatolineata Jac. 6
curvilinea Stal (Polysp.) 39
curvilinea Ws. (Chrys.) 67
ab. curvilinea Deg. (Melasom.) 142
cyanea Melsh. (Gastroid.) 116
ab. cyanea Jacobs. (Apteroc.) 130
ab. cyanea Jacobs. (Crosita) 55
ab. cyanea Sffr. (Chrysochl.) 108
cyarella Gebl. 67
cyaneocavata Motsch. 64
cyaneofasciata Jac. (Labidom.) 28
cyaneofasciata Stal (Dor.) 15
cyaneofasciata Jac. (Dor.) 25
cyaneopurpurea Ball. 59
cyanescens Stal (Phaedon) 121
ab. cyanescens Fairm. (Tim.) 208
ab. cyanescens Jacobs. (Chrys.) 76
ab. cyanescens Jacobs. (Crosita) 55
ab. cyanescens Ws. (Chrysochl.) 101
ab. cyanescens Ws. (Gastroid.) 118
cyanicollis Hope 110
cyanicornis F. 200

- ab. *cyanipennis* Baly (Phylloch.) 201
 ab. *cyanipennis* Ws. (Chrysochl.) 107
cyanipes F. 201
cyanipes Blanch. 202
 ab. *cyanitarsis* Blanch. 201
cyanopterus Guér. 121
Cybele Stal 199
cygnicola Blackb. 166
cylindricus Mars. 125
Cynthia Stal 15
cyrtanastes Ws. 67
cyrtanoides Jac. 68
cyrtanoides Ws. 67
cytherias Pic 216

daghestanica Reitt. 68
Dahlbomi Stal 31
Dahli H. Schffr. 94
Dahli Matz. 87
Dahli Sffr. 88
Dalmani Stal 9
Danieli Roub. 68
Daphne Blackb. 172
 var. *daurica* Gebl. (Chrys.) 92
 ab. *daurica* Mtsch. (Melasom.) 140
daurica Heyd. (Chrys.) 77
Davidis Fairm. 110
debilis Chap. 164
 ab. *debilitata* Blackb. 157
decaspila Stal 48
 ab. *decastigma* Dft. 177
decemguttata Stal 39
decemlineata Say 31
decemlineata Kraatz 37
decemmaculata Lea 201
decemnotatus Marsh. 201
 ab. *decempunctatus* L. 181
decempunctatus Laich. 177
decempunctatus Schrnk. 185
decempustulata Baly (Chalcol.) 199
decempustulata Jac. (Desmogr.) 45
decempustulata Jac. (Zygogr.) 6
decempustulata Thunb. (Chrys.) 68
decempustulata F. (Leuc.) 52
decempustulata Thunb. (Chrys.) 85
decemsignata Stal 15
decemstillata Stal 15
decemstriata Goeze 58
decens Stal 15
decipiens Baly (Dor.) 15
 ab. *decipiens* Ws. (Phytod.) 184
decipiens Web. (Polysp.) 42
declivis Blackb. 167
decolorata Chap. 164
decora Klug (Zygogr.) 6
decora Stal (Cosmogr.) 51
 var. *decora* Richt. (Chrysochl.) 101

decorata Jac. (Desmogr.) 45
decorata Jac. (Dor.) 15
decorata Perty (Dent.) 48
decurrens Stal 15
 ab. *degenerata* Mäkl. 129
 ab. *Degeneri* Schulze 144
defecta Stal (Leptinot.) 34
defecta Chap. (Paropsist.) 162
defecta Linell (Leptinot.) 37
deflorata Chap. (Chrysophyt.) 164
 ab. *deflorata* Jacobs. (Melasom.) 143
Degeeri Stal 15
Degandei Baly 15
Dejeani Germ. Dor. 15
Dejeani Baly (Elytrosph.) 53
Dejeani Guér. (Dor.) 18
deleta Klug 6
delicatula Chap. 172
 ab. *deminutum* Ws. 198
democratica Duviv. 76
densepunctata Fairm. 217
denticeps Stal 48
denticulatus Chevr. 126
depressa Chap. (Pyrgo) 175
depressa Sffr. (Melasom.) 140
 ab. *depressa* Fairm. (Chrys.) 76
depressa Baly (Gastrol.) 147
 ab. *derelicta* Mars. 57
 ab. *Desdouteti* Mars. 58
deserti Blackb. 156
Deubeli Ganglb. (Timarchid.) 214
Deubeli Ws. (Sternopl.) 123
Deyrollei Stal 27
diagonalis Stal 15
diaproides Chevr. 220
dichroa Duf. 79
dichrous Fairm. 181
didymata Scriba 68
 ab. *diemensis* Blackb. 174
 ab. *Dieneri* Merkl 84
dierythra Rottb. 81
Digglesi Baly 193
difficilis Blackb. (Paropsist.) 160
difficilis Motsch. (Chrys.) 98
difficilis Stal (Dor.) 15
difficilis Jacobs. (Chrys.) 91
diffusa Chap. 167
dilacerata Ancy 66
dilatata Er. 156
dilaticollis Stal 15
dilaticornis Jac. 193
dilecta Stal 34
diluta Germ. (Chrys.) 68
diluta Kryn. (Chrys.) 57
diluta Mars. (Melasom.) 144
dimidiata Chap. (Pyrgo) 172
dimidiata Ol. (Plagiod.) 137
 ab. *dimidiata* Mén. (Chrys.) 57
discerpta Stal 48

- discicollis Jac. (Deut.) 48
 discicollis Stal (Plagiod.) 134
 discifera Stal 15
 discipennis Fairm. (Entomosc.) 217
 discipennis Fald. (Chrys.) 68
 discoidale Jac. (Oidos.) 197
 discoidale Fairm. (Colaspidem.) 115
 discoidalis Baly (Lamprol.) 219
 discoidalis Chap. (Pyrgo) 175
 ab. *discoidalis* Jac. (Melasom.) 143
 discoidea Gebl. 110
 discolor Stal (Melasom.) 141
 ab. *discolor* Ws. (Chrysochl.) 102
 discoptera Stal 15
 discorufa Lea 191
 discrepans Stal 15
 ab. *discriminata* Jacobs. 88
 dislocata Rog. 39
dispar Dft. 185
dispar Ol. 177
dispar Payk. 184
dispar Payk. 185
 disrupta Rog. 6
 dissecta Stal (Dor.) 15
dissecta Germ. (Deut.) 48
 dissimilis Say 116
 dissoluta Vog. 68
 distans Csiki 68
 distincta Luc. (Prasoc.) 130
 var. *distincta* Baly (Plagiod.) 137
 ab. *distincta* Guér. (Dor.) 12
distincta Küst. (Chrys.) 79
 ab. *distinctissima* Ulan. 106
 distinguenda Blackb. (Calom.) 193
 distinguenda Blackb. (Chalcol.) 199
 distinguenda Jac.-(Leptinot.) 34
distinguenda Steph. (Chrys.) 80
 divalis Stal 46
 diversa Stal 39
 diversipes Stal (Dor.) 15
diversipes Bed. (Chrys.) 96
 dives Baly 195
 divisa Jac. (Melasom.) 141
divisa Stal (Dor.) 24
 Dohrni Fairm. (Chrys.) 68
 Dohrni Jac. (Leptinot.) 34
 Dohrni Jac. (Melasom.) 141
 Dohrni Solsky (Xenom.) 218
Dohrni Stal (Dor.) 27
 dolabrata Stal 28
 dolens Kraatz 56
dolorosa Fairm. 61
 ab. *dorsalis* Ws. (Chrysochl.) 106
 ab. *dorsalis* Ws. (Chrys.) 66
dorsalis Fairm. (Entomosc.) 217
 dorsolineatus Fairm. 126
 dorsomaculata Jac. 15
 dorsosignata Stal 27
 Dryope Blackb. 172
 var. *dubitabilis* Fairm. (Tim.) 209
 dubitabilis Stal (Dor.) 11
 ducalis Stal 46
 Dufouri Duf. (Cyrton.) 126
 Dufouri Perez (Colaspid.) 115
 dulcior Blackb. 160
 dulcis Stal 6
 duodecimguttata F. (Dor.) 15
 duodecimguttata Thunb. (Chrys.) 68
duodecimguttata Jac. (Dor.) 23
 ab. *duodecimincata* Thunb. 69
 duodecimmaculata Stal 48
 duodecimpunctatum Motsch. 115
 duodecimpustulata Gebl. 170
 duodecimsignata Stal 15
 duodecimstillata Ws. 68
 duodevigintiguttata Baly 15
 Duperreyi Montr. 98
duplicata Zenk. 62
 durangensis Jac. 6
 ebraca F. 98
 eburata Blanch. 53
 eburneipennis Clark 68
 Echo Blackb. 154
 ecuadoriensis Jac. (Dor.) 15
ecuadoriensis Jac. (Stilod.) 46
edughensis Fairm. 91
 egensis Stal 29
egenus Gyll. 120
 egregia Gerst. 134
 Ehlersi Fairm. (Cyrton.) 126
 ab. *Ehlersi* Ws. (Tim.) 211
 elata Stal (Deut.) 48
 elata Stal (Paralina) 111
 electoralis Vog. 149
 elegans Arrag. (Chrysochl.) 107
 elegans Baly (Augom.) 195
 elegans Ol. (Polysp.) 39
 elegans Ws. (Melasom.) 141
 elegantula Jac. 39
 ab. *elevata* Sffr. 59
 elliptica Chap. (Paropsist.) 160
 elliptica Fairm. (Tim.) 204
 elliptica Stal (Liopl.) 154
 elongata Sffr. 107
elongata Sffr. 107
 elegantula Jac. 15
 elymi Voet 139
 elytrura Blackb. 156
 encausta Klug 134
encausta Guér. 134
 endora Buq. 204
 enigma Sharp 152
 epilachnoides Stal 27
 ab. *epipleuralis* Jacobs. 86
 ab. *epipleurica* Rtt. 90
Eppelsheimi Ws. 178

- ericæ* Motsch. 64
ericæ Sffr. 63
Erichsoni Stal 15
 var. *erosa* Fairm. 296
erotyloides Stal 196
erratica Jac. 53
 ab. *erubescens* Blackb. 160
erueæ Panz. 120
crudita Baly (Calom.) 193
erudita Newm. (Paropsist.) 160
erythrocnema Jacobs. 217
 ab. *erythromera* Luc. 85
erythroptera Blanch. (Plagiod.) 134
erythroptera Schrnk. (Chrys.) 74
erythropus Gmel. 114
Escalerae Kuntz. 208
Escheri Heer 140
euchalca Stal 16
eucosma Stal 16
endoxa Stal 16
Eugenia Stal 27
eumolpus Fairm. 126
euopta Stal 16
eupatris Stal 39
Euphrosyne Baly 14
euplecta Stal 39
 ab. *eurina* Friv. 60
eusema Stal 27
euzona Stal 49
evanescens Stal 34
exanthematica Wied. 69
exarata Chap. 167
 var. *excellens* Ws. (Chrysochl.) 102
 ab. *excellens* Stal (Dor.) 18
excisipennis Blackb. 172
exclamationis F. (Zygogr.) 6
exclamationis Motsch. (Dor.) 19
eximia Baly (Chalcom.) 151
eximia Baly (Phylloch.) 201
explanata Chap. 167
extranea Blackb. 167
 ab. *extrema* Schulze 144
exul Blackb. 167
eyrei Blackb. 193
eyrensis Blackb. 172

Fabricii Guér. 16
faceta Stal 53
facialis Jac. 16
Fairmaireana Ws. 16
Fairmairei Bris. (Hydroth.) 128
Fairmairei Rosh. (Cyrton.) 126
 ab. *Fairmairei* Ws. (Chrysochl.) 109
Fairmairei Stal (Dor.) 14
Fairmairei Stal (Dor.) 16
Fairmairiana Gozis 109
 ab. *Faldermanni* Kryn. 55
fallaciosa Stal (Paralin.) 111
 ab. *fallaciosa* Ws. (Chrys.) 89

fallax Jacobs. (Chrys.) 69
fallax Perez (Tim.) 204
fallax Stal (Dor.) 16
 ab. *fallax* Newm. (Paropsist.) 161
Falleni Stal 16
 ab. *familiaris* Stal 38
fasciata Deg. (Chrys.) 69
fasciata Stal (Dor.) 16
fasciata Steinh. (Deut.) 49
fasciata Ws. (Gavirga) 196
fasciata Ws. (Melasom.) 141
fasciata Ws. (Tinos.) 190
fasciata Fourer. (Chrys.) 63
fasciatipennis Jac. (Dor.) 66
fasciatipennis Jac. (Zyg.) 6
fasciatomaculata Stal 16
fastidiosa Chap. 164
fastidita Stal 45
fastuosa Scop. 69
fatidica Stal 27
fausta Er. 16
Fausti Ws. (Sternopl.) 123
Fausti Ws. (Xenomel.) 218
felina Stal 39
femoralis Ol. 70
femorata Jac. 39
fenestrata Baly 46
 ab. *fenestrella* Dan. 98
ferrugata Chap. (Trachym.) 167
ferrugata Ws. (Plagiod.) 134
ferruginea Chevr. (Leuc.) 52
ferruginea Hornst. (Chrys.) 70
ferruginea Vog. (Pseudom.) 112
ferrugineus Gerst. 112
ferruginipes Ws. 112
fervida F. 16
festiva Baly (Dor.) 27
festiva Chap. (Pyrgo) 172
festiva F. (Zyg.) 9
festiva Mén. (Chrys.) 64
ficus Lea 201
figurata Clark (Chrys.) 70
figurata Germ. (Dor.) 16
Filchneræ Ws. 55
fimbrialis Küst. 70
fimbrialis Fuss 71
fimbrialis Sffr. 71
fimbrigera Stal 45
 var. *Findeli* Sffr. 78
flammigera Stal 53
flaveola Chap. 164
flavescens Blackb. 193
flavicans Stal (Deut.) 49
 ab. *flavicans* F. (Phytod.) 183
 ab. *flavicollis* Dft. 185
flavicornis Jac. (Augom.) 195
flavicornis Sffr. (Phytod.) 176
flavida Stal 49
flavilabris Jac. (Stilod.) 46

- flavilabris Stal (Dor.) 16
 flavilatera Stal 53
 flavilimbria Stal 134
 flavimana Jac. 16
 flavipennis Er. (Prosc.) 29
 flavipennis Jac. (Dor.) 16
 flavipennis Jac. (Phytod.) 177
 ab. *flavipennis* Krauss (Phytod.) 185
flavipennis Baly (Elytrosph.) 54
 flavitarsis Guér. (Leptinot.) 34
 ab. *flavitarsis* Chap. (Pyrgo) 172
 flavivittis Stal 6
 flavoannulata Jac. 16
 flavocincta Brull. (Hydroth.) 128
 flavocincta Guér. (Dor.) 16
flavocincta Baly (Dor.) 17
 flavofasciata Jac. (Dor.) 16
 flavofasciata Jac. (Stilod.) 46
 flavofimbriata Stal 49
 flavoguttata Jac. 16
 flavolineata Stal 17
 flavolorata Stal 6
 flavomaculata Stal 134
 flavomarginata Jac. (Dor.) 17
 flavomarginata Jac. (Steth.) 191
 flavomarginata Jac. (Stilod.) 46
 flavomarginata Say (Chrys.) 71
 flavoornata Stal 17
 flavoplagiatus Jac. 181
 flavopustulata Jac. (Dor.) 17
 flavopustulata Stal (Leptin.) 34
 flavosignata Stal 49
 ab. *flavosparsa* Clark 83
 flavostillata Stal 17
 flavotaeniata Stal 6
 flavovittata Stal 17
flavovittata Stal 13
 flavozonata Blanch. 17
 Flecki Rtt. 214
 flexuosa Baly (Dor.) 17
 flexuosa Baly (Phylloch.) 201
 flexuosus Baly 181
 ab. *florca* H. Schffr. 95
 florigera Stal 28
 flosculosa Stal 134
 ab. *fontinalis* Ws. 100
 foraminosa Chap. 153
 formosa Chap. (Parops.) 156
 formosa Gest. (Aesern.) 111
 formosa Hope (Agasta) 147
formosa Say (Gastroid.) 117
 formosana Bates 141
 fornicatus Brügg. 182
 fortunata Woll. 71
 Fortunei Baly (Ambrost.) 54
 Fortunei Baly (Phytod.) 177
 ab. *fossulata* Sffr. 67
 foveata Blackb. 167
 foveicollis Baly (Paralept.) 195
 foveicollis Bowd. (Desmogr.) 45
foveipennis Jac. 191
 foveolata Fald. 101
 foveolatus Gebl. 113
 foveopunctata Fairm. 71
 ab. *Fracassii* Meier 205
fracta Sffr. 42
 fragariae Woll. 71
 fraterna Stal (Dor.) 17
 ab. *fraterna* Chap. (Pyrgo) 173
 fraternalis Baly 191
 ab. *fraternus* Jacobs. 179
 fraudulentata Kirsch (Leptin.) 34
 ab. *fraudulenta* Ws. (Chrysochl.) 107
fridrichsdalensis Müll. 180
 frigida Ws. 108
 ab. *Froggatti* Blackb. 160
 frontalis Ws. (Ageniosa) 149
 ab. *frontalis* Ol. (Phytod.) 184
 Fruhstorferi Jac. (Dor.) 17
 Fruhstorferi Jac. (Stilod.) 46
 Fryella Baly 17
fucata F. 75
 fugitiva Lea 193
 ab. *fulgens* Duf. 64
 fulgentula Stal 134
 fulgida Ws. (Coccim.) 187
 ab. *fulgida* F. (Chrys.) 73
fulgida Motsch. (Chrys.) 82
fulgida Steph. (Chrys.) 73
 fulgora Stal 17
 fulgurans Stal 17
 fuliginosa Ol. 71
fulminans Sffr. 81, 82
 fulminigera Stal 53
 fulvicollis Jac. (Algoala) 215
 fulvicollis Jac. (Dor.) 17
 fulvicollis Jac. (Stethom.) 191
 fulvicornis Guér. 17
 fulvifrons Jac. 201
 fulvilabris Germ. 151
 fulvimargo Quedf. 134
 fulvipennis Jac. 45
 fulvipes Ball. (Xenom.) 218
 fulvipes Jac. (Chalcom.) 151
 fulvipes Motsch. (Sternopl.) 124
 fulvipes Stal (Polysp.) 40
fulvipes Dft. (Phytod.) 179
 fulvitarsis Jac. (Polysp.) 40
 fulvitarsis Jac. (Stethom.) 191
 fulvoaenea Jac. 71
 fulvocincta Stal 51
 fulvoguttata Baly 154
 fulvonotata Jac. 17
 fulvoplagiata Jac. 195
 fulvopustulata Baly 17
 fulvus Motsch. 177
fulvus Gradl 181
 fumata Blackb. 167

funebis Jac. 17
funerea Blackb. 167
funestus Fald. (Phyllod.) 190
funestus Ws. (Phytod.) 178
fuscicornis Stal (Stilod.) 46
fuscicornis Ws. (Chrys.) 71
fuscicornis F. (Melasom.) 138
fuscipes Stal (Phaedon) 121
fuscipes Ws. (Xenom.) 218
fuscipes Gmel. (Chrys.) 96
fuscipes Ws. (Chrys.) 76
fuscitarsis Chap. (Pyrgo) 175
fuscitarsis Stal (Plagiod.) 134
ab. fuscoaenea Schumm. 108
fuscoaenea Sffr. 109
fuscocuprea Letzn. 108
fuscoleata Stal 47
fusconotata Chap. 167
ab. fuscula Chap. 163
fusculus Jac. 121

gabonensis Vog. 71
var. Gabrieli Ws. 63
ab. Gaertneri Ws. 99
ab. Gahani Jac. 93
Galathea Blackb. 160
galeopsidis Schrnk. 70
galeopsis Letzn. 120
galeopsis Seidl. 121
ab. galii Ws. 71
gallaeciana Chevr. 213
gallega Fairm. 64
ab. gallica Ws. (Chrys.) 95
gallica Fairm. (Tim.) 205
ab. Gastoni Fairm. 77
ab. Gaubili Luc. 74
Gebleri Jacobs. 110
gemellata Westw. (Johann.) 202
gemellata Fourcr. (Chrys.) 76
gemellata Rossi (Chrys.) 87
gemina Brullé (Chrys.) 72
gemina Chap. (Paropsist.) 160
geminata Payk. 72
geminata Steph. 68
geminipunctata Stal 17
gemmifera Motsch. 73
Genei Sffr. 107
var. generosa Er. 210
geniculata Baly (Calom.) 193
geniculata Boisd. (Chrysopht.) 164
geniculata Germ. (Tim.) 204
ab. geniculata Dft. (Melas.) 140
geniculata H. Schffr. (Tim.) 213
gensanensis Ws. 72
geographica Baly (Parops.) 156
geographica Stal (Polysp.) 40
geometra Jac. 17
geometrae Jac. 47
ab. Gerhardti Ws. 80

ab. germanica Ws. 129
ab. Germari Chevr. (Hydroth.) 129
ab. Germari Guér. (Dor.) 18
Germari Guér. (Plagiod.) 134
Gerstaeckeri Stal 17
Gestroi Jac. 111
gibba Hagenb. 213
gibbicollis Fairm. 126
ab. gibbipennis Fald. 59
gibbosa Blackb. 156
gibbosus Baly 190
glabra Hbst. 128
glabrata Jac. 17
ab. glacialis Ws. (Chrys.) 81
ab. glacialis Ws. (Chrosochl.) 104
glacialis Jacobs. (Chrys.) 61
glauca Blackb. 156
glaucina Guér. 17
glaucovittata Blanch. 17
Gleissneri Sffr. 107
globata Chap. (Trochal.) 154
globata Fairm. (Tim.) 210
globipennis Fairm. (Tim.) 204
ab. globipennis Sffr. (Chrys.) 66
globosa Panz. (Chrys.) 72
globosa H. Schffr. (Tim.) 213
globosus Sharp 152
var. globulata Fairm. 209
globulosa Chap. 154
glomerata Stal 18
gloriosa Blackb. (Chrysopht.) 164
gloriosa F. (Chrysochl.) 101
ab. gloriosa Lea (Calom.) 193
gloriosa Baly (Chrysochl.) 103
gloriosa Germ. (Chrysochl.) 106
gloriosa Dft. (Chrysochl.) 108
Gobanzi Rtt. 182
Godmani Baly 18
goettingensis L. (Tim.) 204
goettingensis F. (Chrys.) 96
goettingensis L. (Chrys.) 96
goettingensis Schrnk. (Chrys.) 74
goliath Abeille 217
gomphoceros Steph. 119
var. Gougeleti Fairm. 213
gracilicornis Kraatz 177
gracilipes Blackb. 163
gracilis Jac. (Pylloch.) 201
gracilis Jac. (Zygogr.) 6
ab. Gradli Heyd. 181
Graellsii Perez 67
gramicus Dft. 121
gramicus Rdtb. 120, 121
graminicola Drap. 123
graminis L. (Chrys.) 72
graminis Dft. (Chrys.) 81
graminis Panz. (Phaedon) 123
grammicus Sffr. 121
grammopoeila Stal 49

granaria Chap. 167
 ab. *Grandini* Desbr. 183
grandis Baly (Lamprol.) 219
grandis Baly (Stethom.) 191
granulosa Boisd. 158
graphica Chap. 167
graphiptera Stal 53
grata Fald. 73
gratiosa Jac. 18
gratiosus Rosh. 126
gravis Rosh. 206
grossa Blackb. (Trachym.) 167
grossa F. (Chrys.) 73
grossa Müll. (Tim.) 212
Grutii Baly 73
Guerini Stal 18
guttata Baly (Stilod.) 47
guttata F. (Chrys.) 85
guttata Gebl. (Chrys.) 69
guttata Vog. (Chrys.) 70
guttaticollis Stal 6
guttifera Motsch. 73
guttipennis Ws. 73
guttulosa Stal 6
Gyllenhali Stal 40
gypsophilae Küst. 73
gyrata Lea 199

Haagi Vog. 74
habenata Stal 18
haemochlora Gebl. 74
haemoptera L. (Chrys.) 74
haemoptera F. (Chrys.) 96
haemoptera Küst. (Chrys.) 64
haemoptera Rossi (Chrys.) 77
haemoptera Panz. (Chrysochl.) 99
haemorrhoidalis Müll. (Melasom.) 139
haemorrhoidalis Scop. (Phytod.) 180
haemostata Gmel. 23
Haldemani Rog. 34
 ab. *halyzioides* Ws. 198
Hamadryas Stal 172
 ab. *Hammarstroemi* Jacobs. 216
hannoverana F. 129
hannoveriana Hbst. 129
Haroldi Baly 18
Hartmeyer Ws. 167
hastata Chap. 154
Hauseri Ws. 191
Hebe Baly (Dor.) 18
Hebe Blackb. (Pyrgo) 172
Hebe Clark (Chrys.) 75
hectica Boisd. 164
 ab. *hederæ* Sffr. (Phaedon) 120
hederæ Kraatz (Sternopl.) 124
hederæ Mars. (Phaedon) 123
 ab. *Heeri* Sffr. 104
Helleri Clav. 111

helopioides Sffr. 75
hemichlora Germ. 74
hemisphaerica Chap. (Trochal.) 154
hemisphaerica Germ. (Chrys.) 75
hemisphaerica Steinh. (Dor.) 18
hemisphaericus Ws. 124
Henoni Fairm. 206
 ab. *hepatica* Stal 49
heptapotamica Jacobs. 55
heptas Vog. 149
Hera Stal 172
 ab. *herbacea* Dft. 82
Herbsti Guér. 18
 ab. *Heri* H. Schffr. 95
heterothecæ Linell 6
hexagramma Stal 6
hexaspilota Sffr. 52
Heydeni Fairm. (Cryton.) 126
Heydeni Stal (Leptinot.) 34
Heydeni Ws. (Xenom.) 218
 var. *Heydeni* Ws. (Tim.) 209
hieroglyphica Lea (Phylloch.) 201
hieroglyphica Luc. (Labidom.) 28
 ab. *hieroglyphica* Gebl. (Paropsist.) 170
 ab. *hieroglyphica* Jacobs. (Cercyon.) 186
 ab. *hieroglyphicum* Ws. 198
hilaris Lea 201
hispanica H. Schffr. (Tim.) 206
 ab. *hispanica* Graells (Hydroth.) 128
 ab. *hispanica* Ws. (Prasoc.) 132
hispanica Per. (Tim.) 209
histrion Ol. (Dor.) 18
histrion Baly (Deut.) 49
histrionica Jac. (Dor.) 18
histrionica Stal (Desmogr.) 45
Hobsoni Steph. 84
 var. *Hochhuthi* Sffr. 78
Hoefi Mén. 113
Hoegei Jac. 35
Holmgreni Stal 196
holochalca Stal 49
hondurensis Jac. 18
honesta Stal 17
 var. *Hopffgarteni* Ws. 63
hospes Stal (Elytrosph.) 53
hospes Stal (Dor.) 16
hottentotta Ws. (Chersom.) 150
hottentotta F. (Chrys.) 75
hova Duviv. 4
Humboldti Guér. 18
Hummeli Fald. 213
 var. *hungarica* Fuss 70 71
humeralis Gory (Stilod.) 47
humeralis Esch. (Melas.) 140
Hursti Blackb. 199
hyacinthina Sffr. 75
hybrida Jac. (Dor.) 18

hybrida Say (Polysp.) 40

Hygea Blackb. 156

hyperici Forst. 75

hyperici Deg. 95

hyperici Thoms. 94

hypochoalca Germ. 195

hypocrita Jac. 6

hyrcana Ws. 76

Jacobsoni Sem. 219

Jacobyi Baly (Chrys.) 76

Jacobyi Baly (Dor.) 18

Jacobyi Bowd. (Desmogr.) 45

Jacobyi Kirsch (Elytr.) 53

Jakowlewii Ws. 55

ab. *Janaceki* Rtt. (Melas.) 145

ab. *Janaceki* Ws. (Chrysochl.) 107

Jansonii Baly (Caryst.) 151

Jansonii Baly (Dor.) 18

Jansonii Baly (Lamprol.) 219

Jansonii Baly (Phylloch.) 201

janthina Sffr. 117

janthinipennis Lea 201

janthinipes Fairm. 213

janthinoptera Stal 134

japana Jac. (Gastrol.) 147

japana Baly (Chrys.) 58

japana Mars. (Chrys.) 59

japonica Har. 147

javanica Thunb. 202

Javeti Baly 18

iberica Motsch. 212

ab. *iconicnsis* Pic 114

ab. *ictericus* Ws. 183

Jekeli Baly 18

ignara Stal 40

ignita Jac. (Augom.) 195

ab. *ignita* Com. (Chrysochl.) 104

ignita Letzn. (Chrysochl.) 108

ignita Ol. (Chrys.) 97

ignita Sffr. (Chrys.) 82

ignitus Rche. 122

ignota Bowd. 45

ab. *illita* Ws. 73

illudens Baly 151

ab. *illustris* Dan. 102

imitans Jac. 18

immaculata Marsh. (Dicran.) 153

immaculata Ol. (Agen.) 149

ab. *immaculata* Lea (Phylloch.) 201

immaculicollis Blanch. 200

immarginata H. Schffr. (Tim.) 214

immarginata Ryb. (Chrys.) 94

impar Lea (Chalcol.) 199

impar Stal (Dor.) 18

imperialis Baly (Labidom.) 29

imperialis Blackb. (Calom.) 193

imperialis Stal (Dor.) 18

impicta Stal 53

impictipennis Stal 49

var. *impolita* Gerst. 148

impressa Chap. 167

impressicollis Baly (Lamprol.) 219

impressicollis Jac. (Phylloch.) 201

impuncticollis Stal 45

ab. *impustulata* Stal 26

inaequalis Blackb. 167

ab. *inauratus* Mäkl. 120

incarnata Er. 156

incerta Chap. (Paropsist.) 160

incerta Meissn. (Chrys.) 95

incerta H. Schffr. (Chrys.) 95

incertus Baly 121

incisa Rog. 40

inclusa Jac. (Desmogr.) 45

inclusa Stal (Plagiod.) 134

inconditus Ws. 181

inconstans Blackb. (Chrysoph.) 164

inconstans Wied. (Chrys.) 76

ab. *incontaminata* Heyd. 144

incrassata Marsh. 84

incurva Clark 167

indica Hope (Paralin.) 111

indica Jac. (Chrys.) 76

indica Jac. (Pseudolin.) 215

indica Voet (Dor.) 14

indiga Stal 196

ab. *indigena* Ws. 87

inenarrabilis Vog. 186

inepta Stal 18

inexplicabilis Brancs. 76

ab. *infernalis* Pen. 177

inflata Ws. 76

infusca Chap. (Trachym.) 167

infusca Mtsch. (Labidom.) 29

infuscipes Ws. 76

ingenua Baly 18

inhonestus Ws. 187

ab. *innotatus* Ws. 182

inops Blackb. 167

inornata Baly (Caryst.) 151

inornata Blackb. (Trachym.) 167

inornata Jac. (Deut.) 49

inornata Jac. (Prosic.) 29

inornata Rog. (Chrys.) 76

intacta Newm. 160

intemerata Lea 193

interioris Blackb. 167

interlita Newm. 153

intermaculata Stal 27

intermedia Baly (Chalcom.) 151

intermedia Blackb. (Parops.) 156

intermedia H. Schffr. (Tim.) 208

interpuncta Stal 17

interrupta Blanch. (Dor.) 18

interrupta Chap. (Pyrgo) 175

var. *interrupta* F. (Melas.) 142

interruptofasciata Baly (Calom.) 193

- interruptofasciata Jac. (Chrys.) 77
 interstineta Sffr. 76
 interstitialis Chap. (Chrysoph.) 164
 interstitialis Fairm. (Tim.) 207
 interstitialis Jac. (Zyg.) 6
 var. *interstitialis* Mannh. (Phyllo-
 dect.) 188
 ab. *intertexta* Hald. 207
 intertineta Clark 160
 ab. *interversa* Fairm. 93
 intricata Germ. (Chrysochl.) 103
 intricata Hald. (Tim.) 207
 intricatus Blackb. 195
 insignicornis Stal 18
 insignis Baly (Chalcom.) 151
 insignis Guér. (Tim.) 207
insignis Fisch. (Crosita) 55
 insignita Newm. 153
 insolens Blackb. 167
 inspersa Rosh. 207
 inspersa Newm. 160
 instabilis Mäkl. (Chrys.) 76
 instabilis Stal (Dor.) 18
 ab. *instructa* Motsch. 57
 insulana Duv. 52
 insularis Blackb. (Parops.) 156
 insularis Jac. (Dor.) 18
 insularis Stal (Leuc.) 52
 invalida Blackb. 167
 Jo Blackb. 164
 jocosa Stal 49
 Jole Stal 93
 ioptera Baly (Paropsid.) 171
 ioptera Baly (Pseudopar.) 137
 Irene Blackb. 172
 iridea Baly 195
 irina Chap. 160
 ab. *Iris* Chap. 162
 irregularis Jac. 49
 irrisa Newm. 161
 irrorata Chap. (Parops.) 156
 irrorata Stal (Dor.) 19
 irrorata Baly (Dor.) 22
 ab. *irroratus* Ws. 183
islandica Germ. 77
islandica Letzn. 77
 ab. *italica* Ws. (Chrys.) 96
italica H. Schffr. (Tim.) 208
 junci Brahm 131
 jucunda Chap. (Pyrgo) 172
 jucunda Klug (Plagiod.) 134
 jucunda Stal (Dor.) 19
 var. *juncorum* Sffr. 109
 juncta Germ. (Leptinot.) 35
 juncta Lea (Caiom.) 193
 ab. *Kafkana* Rtt. 86
 karattae Blackb. 167
 Kaufmanni Mill. 177
 Kawakami Matsum. 214
Kenderesyi Kiesw. 125
Keyserlingi Ws. 199
 Kinbergi Boh. 40
 Kiesenwetteri Kraatz (Tim.) 207
 ab. *Kiesenwetteri* Ws. (Chrysochl.)
 108
Kiesenwetteri Motsch. (Chrys.) 64
 Kirschi Baly 35
 ab. *Klugi* M'Leay 201
 ab. *Kobelti* Heyd. 210
 Koenigi Jacobs. 77
 Kollari Stal 19
 Koltzei Ws. (Chrys.) 77
 Koltzei Ws. (Xenom.) 219
 ab. *Koltzei* Ws. (Phytod.) 183
 ab. *Konowi* Ws. 62
 Korbi Ws. 77
 Kowalewskyi Gebl. 55
 Kraatzi Har. (Dor.) 19
 Kraatzi Stal (Deut.) 49
 ab. *Kraatzi* Westh. (Phytod.) 177
Kraatzi Ws. (Xenom.) 218
 Krishnu Baly 77
 Kuesteri Hellies. 77
 Kuznetzowi Jacobs. (Chrys.) 77
 Kuznetzowi Jacobs. (Crosita) 56
 labyrinthica Stal 40
 lacerata Stal 35
 ab. *Lachesis* Stal 173
 laesa Germ. 164
 ab. *laeta* Ws. (Chrys.) 75
 ab. *laeta* Ws. (Procris.) 159
laeta Ws. (Chrys.) 70
 ab. *laeticula* Ws. 70
 laevicollis Ws. (Leuc.) 52
 ab. *laevicollis* Ol. (Chrys.) 84
 laevigata Clark (Centros.) 186
 laevigata L. (Tim.) 207
laevigata Dft. (Tim.) 212
laevigata H. Schffr. (Tim.) 205
 laevigatus Dft. 121
 laevipennis Sffr. 79
 laevipunctata Lewis 63
 var. *laevisterna* Fairm. 206
 laeviuscula Stal 19
 laeviventris Blackb. 167
 Lafertei Stal 19
 ab. *lagarinensis* Halbh. 182
 ab. *lamina* F. 84
lamina Gyll. 84
lamina Matz. 84
 laminata Stal 19
laminula H. Schffr. 64
 Landolti Steinh. 19
 Langsdorfi Germ. 19
 lapponica L. 141
lapponica Rdtb. 141

latecineta Demais. 74
latefasciata Jac. 111
lateralis Blackb. (Trochal.) 154
lateralis Jac. (Dor.) 19
lateralis Lea (Stethom.) 191
latiavlavia Stal 135
laticolle Broun 152
laticollis Clark (Chalcol.) 199
laticollis Ws. (Melas.) 142
laticollis Sffr. (Phyllodect.) 188
latimargo Ws. 77
latipennis Motsch. 190
latipes Blackb. (Trachym.) 167
latipes L. (Tim.) 207
latispina Guér. 19
latissima Blackb. 156
lativittis Jac. 19
Latona Blackb. 157
latulum Broun 152
lauta Blackb. 193
lausicornis Stal 45
Leai Blackb. 167
 var. *Lederi* Ws. 92
lemur Stal 7
lenta Ws. 116
lenticulata Motsch. 19
lentiginosa Stal 7
leoparda Baly (Phylloch.) 201
leoparda Jac. (Stilod.) 47
lepida Brull. (Chrys.) 98
lepida Er. (Pyrgo) 173
lepida Ol. (Chrys.) 77
lepida Steph. (Chrys.) 92
lepida Sffr. (Chrys.) 60
lepidula Stal 7
Leseleuci Mars. (Phyt.) 182
Leseleuci Mars. (Tim.) 207
 ab. *Lesinae* Ws. 58
 ab. *Letzneri* Ws. 108
leucomelaena Perty 49
levis Vog. 149
lia Jacobs. 77
libanicola Mars. 68
libatrix Sffr. 35
lichenis Richt. 77
lichenis Dft. 78
ligata Stal 19
lignea Er. 164
lignosa Er. 19
lima Blackb. 167
limbalis Vog. 148
limbata Baly (Stethom.) 191
limbata Broun (Alloch.) 203
limbata F. (Chrys.) 78
limbata Guér. (Dor.) 19
 ab. *limbata* Jacobs. (Cercyon.) 186
limbatella Stal (Gavirga) 196
limbatella Ws. (Chrys.) 78
limbaticollis Stal 40

limbatipennis Stal 27
 var. *limbifera* Küst. 78
limbipenne Quedf. 197
limbolata Rehe. 93
limitata Küst. 78
linaeides Ws. 78
linca F. 69
lineata Gené (Machom.) 149
lineata Marsh. (Paropsist.) 161
lineatipennis Bowd. (Zyg.) 7
lineatipennis Stal (Deut.) 49
lineatopunctata Forst. 142
 ab. *lineella* Ws. 59
lineigera Jacobs. 78
lineolata Stal (Leptinot.) 35
lineolata Clark (Chrys.) 69
lineoligera Vog. 79
Linnaeanus Schrnk. 177
Linnei Stal 9
 ab. *lissahorensis* Ws. 107
litigiosa Chap. (Trachym.) 168
litigiosa Sffr. (Leptinot.) 35
litigiosa Rosh. (Prasocur.) 132
 ab. *litua* Mars. 142
 ab. *litura* F. 183
litrata Marsh. (Paropsist.) 161
litrata Scop. (Chrysocchl.) 103
litrata Swartz (Chrys.) 98
lithrifera Stal 29
Ljunghi Stal 45
livida Chap. (Pyrgo) 175
livida Stal (Melas.) 143
Livingstonei Jac. 149
 ab. *lironica* Motsch. 64
lobicollis Fairm. 79
 ab. *lomata* Hbst. 128
 var. *Lomnickii* Mill. 210
longicollis Sffr. 146
longicornis Blackb. 157
longipes Jacobs. 55
longula Ws. 173
longulus Motsch. (Phyllod.) 187
longulus Ws. (Ceralc.) 112
longulus Ws. (Sternopl.) 124
Lounii Lea 137
Lownei Baly (Parops.) 157
Lownei Baly (Pseudopar.) 137
lucida Ol. 79
lucida Charp. 79
 ab. *lucidicollis* Küst. 74
lucidula Chap. 164
Lucina Blackb. 173
luctuosa Baly 101
luctuosa Ol. 99
ludiera Stal 45
Ludovicae Muls. 105
 ab. *lugdunensis* Ws. 102
lugens Rosh. 207
lugubrina Stal 19

- ab. *lugubris* Ws. 104
lunata F. 40
lurida L. (Chrys.) 79
lurida Baly (Dor.) 20
lurida Dft. (Phytod.) 177
lurida Ol. (Chrys.) 68
luridipennis Baly 49
lusitanica F. (Tim.) 214
lusitanica Gmel. (Chrys.) 61
lusitanica Gyll. (Chrys.) 82
lutea Marsh. (Parops.) 157
lutea Petagn. (Chrys.) 79
lutea Blackb. (Parops.) 157
luteicornis Er. 199
luteipennis Steinh. 19
luteocincta Stal (Dor.) 19
luteocincta Fairm. (Chrys.) 81
luteola Stal 49
 ab. *luteonotatus* Pic 183
lutescens Thunb. 143
luxurians Ol. 63
lynx Vog. 75
- Mac Leayi Boisd. 193
Mac Leayi Baly 192
 var. *macra* Ws. 107
mactata Fairm. 79
macularis Clark 186
maculata Jac. (Prosic.) 29
maculata Marsh. (Parops.) 157
maculata Ol. (Dor.) 19
maculata Luc. (Dor.) 21
maculatella Stal 135
maculatissima Stal 9
maculatus Broun 152
maculiceps Blackb. 168
 ab. *maculicolle* Lef. 115
maculicollis Blackb. (Trachym.) 168
maculicollis Clark (Chrysoph.) 165
maculicollis Jac. (Melas.) 143
maculicollis Jac. (Paropsid.) 170
maculicollis Jac. (Zyg.) 7
maculigera Stal 49
maculifrons Stal 29
maculipennis Stal 19
 ab. *maculosa* Stal 17
madagascariensis Jac. (Barym.) 4
madagascariensis Vog. (Melas.) 143
madida Blackb. 161
madrasae Jac. 79
Maeklini Stal 49
magica Stal 7
magniceps Sahlb. 79
magnifica Baly (Aesern.) 111
magnifica Stal (Dor.) 22
Mahesa Hope 54
major Fairm. (Cyrton.) 126
 ab. *major* Stierl. (Phyllodect.) 190
majoricensis Breit 126
- malaccensis* Gmel. 70
malayana Jac. 79
malvae Stal 7
malveola Blackb. 168
Mannerheimi Stal 116
mansueta Ws. 173
Manto Blackb. 157
marcasitica Germ. 79
marcasitica Bach 80
margarita Ol. 94
Margaritae Blanch. 25
marginalis Dft. (Chrys.) 80
marginalis Jac. (Dor.) 19
marginata Baly (Plagiod.) 135
marginata Jac. (Stethom.) 191
marginata Jac. (Xenolin.) 219
marginata L. (Chrys.) 80
marginata Sharp (Alloch.) 203
marginata Ws. (Aparops.) 170
marginata Fourcr. (Chrys.) 78
 ab. *marginatus* Grادل (Phytod.) 178
 ab. *marginatus* Reineck (Phytod.) 183
marginatum Ws. 4
marginella Jac. (Desmog.) 45
marginella L. (Hydroth.) 129
marginipicta Vog. 81
marginicollis Jac. (Dor.) 19
marginicollis Jac. (Elytrosph.) 53
marginicollis Rosh. (Tim.) 207
 ab. *marginicollis* Sffr. (Prasoc.) 131
marginicollis Ball. (Xenom.) 218
marginipennis Jac. (Plagiod.) 135
marginipennis Jac. (Polysp.) 40
maritima Perr. (Tim.) 208
 ab. *maritima* Dan. (Chrysochl.) 104
marmorata Baly (Chalcol.) 199
marmorata F. (Polysp.) 40
marmorata Lea (Phylloch.) 201
marmorata Baly (Labidom.) 29
marmorea Ol. 157
 var. *maroccana* Ws. 210
 ab. *Marseuli* Ws. 69
Marshalli Clark 81
Marshalli Jac. 66
Marshami Donov. 95
Martjanowi Jacobs. 127
Martorelli Fairm. 126
Mathami Jac. 20
matronalis Er. 41
matronula Ws. 55
Maximowitchi Zoubk. 55
Medea Blackb. 173
mediocris Blackb. 168
mediovittata Clark 173
Meeki Jac. 111
Megerlei F. 63
Megerlei Matz. 64
Megerlei Seidl. 64

- ab. melaina* Schulze 144
ab. melanaria Sffr. 64
melanaspis Vog. 186
melancholica Vog. (Agen.) 149
ab. melancholica Heer (Chrysochl.) 105
melanocephala Dft. 105
melanocephala Fuss 106
melanocephala Kiesw. 105
melanocephala Sffr. 105
melanocephala Sffr. 106
ab. melanocnema Jacobs. 177
melanographa Stal 49
ab. melanopterus Pen. 185
 var. *melanothorax* Stal 36
melanospila Baly (Phylloch.) 201
melanospila Chap. (Trachym.) 168
melanospila Stal (Megist.) 9
melanostigma H. Schff. 95
melanostoma Stal (Eugon.) 53
melanostoma Gmel. (Entom.) 218
melitensis Ws. 208
Mellyi Stal 81
ab. Menctriesi Gebl. 186
menthae Woll. (Phaedon) 121
menthae Dft. (Chrys.) 88
menthastri Sffr. 81
mentitrix Blackb. 161
mera Chap. 161
meridionalis H. Schff. 85
 var. *Merkli* Ws. 104
metallica Baly (Entom.) 217
metallica Deg. (Chrys.) 82
metallica Laich. (Tim.) 214
metallica Küst. (Chrys.) 88
metallica Mtsch. (Cyclom.) 150
mexicana Jac. (Elytroph.) 53
mexicana Jac. (Zyg.) 7
ab. mexicana Stal (Polysp.) 43
mexicanus Jac. 121
M-fuscum Boh. 165
micans Baly (Caryst.) 151
micans Jac. (Chrys.) 82
micans Lea (Lamprol.) 219
micans Stal (Dor.) 20
micantipennis Stal 135
miliaris Boisd. (Parops.) 158
miliaris Ol. (Dor.) 23
militaris Jac. (Dor.) 20
militaris Jac. (Zyg.) 7
Milleri Ws. 82
ab. mina Mars. 61
minula Blackb. 154
Minerva Blackb. 165
miniata Baly (Dor.) 20
ab. miniata Auel (Melas.) 144
miniaticollis Hope 137
minor Fairm. (Cyrtion.) 126
minor Marsh. (Pyrgo) 175
minor Blackb. (Procris) 159
minor Boisd. (Procris) 159
Mintha Blekb. 157
minutum Broun 152
Mjoebergi Ws. 113
mirabilis Stal 20
ab. mirabilis Baly 16
ab. mirifica Ws. 104
mitis Chap. (Pyrgo) 175
mitis Stal (Dor.) 20
mixta Blackb. (Trachym.) 168
ab. mixta Küst. (Chrys.) 64
mixta Sffr. (Chrys.) 63
Mniszechi Stal (Zyg.) 7
Mniszechi Vog. (Iscaed.) 215
modesta Baly (Dor.) 20
modesta Chap. (Pyrgo) 173
modesta Clark (Chrys.) 82
modesta F. (Synerga) 147
modesta Jac. (Stilod.) 47
modesta Jac. (Leptinot.) 30
moesta Baly (Dor.) 20
ab. moesta Ws. (Chrysochl.) 100
ab. molluginis Redt. 71
molluginis Brahm 75
molluginis Sffr. 71
moneta Stal 20
ab. monilis Stal 23
monochromatea Lea 193
montana Blackb. (Parops.) 157
montana Fairm. (Tim.) 208
montana Gebl. (Chrys.) 82
montana Hell. (Aesern.) 111
montanus Fairm. 126
montevagans J. Lec. 82
monticola Duf. (Tim.) 208
monticola Ws. (Paropsid.) 170
monticola Dft. (Chrysochl.) 101
monticola Sffr. (Chrysochl.) 108
montuosa Blackb. 168
 var. *moraviaca* Ws. 77
morbida Stal 38
morbillosa Boisd. (Parops.) 157
morbillosa Stal (Zyg.) 7
morio F. (Paropsist.) 161
morio Kryn. (Chrys.) 82
morosa Blackb. (Trachym.) 168
morosa Broun (Alloch.) 203
Motschulskyi Jacobs. (Sternopl.) 124
Motschulskyi Stal (Stilod.) 47
mulsa Ws. 82
multifida Clark 82
multigera Stal 9
multiguttata Stal 41
multiguttis Stal 41
multilineata Stal 32
multipunctata Chevr. (Megist.) 9
multipunctata Say (Polysp.) 41

ab. *multipunctata* Jacobs. (Melas.) 142

multipunctatus Jac. (Phaedon) 121

multipunctatus Jac. (Phyllod.) 189

multipustulata Stal 41

multiseriata Chap. 168

multitaeniata Stal 35

multivia Stal 7

munda Er. 20

mundula Stal 20

muralis Csiki 82

Murrayi Baly (Pseudom.) 112

ab. *Murrayi* Baly (Centrosec.) 186

Murrayi Ws. (Pseudom.) 112

muricata Motsch. 49

musicalis Stal 49

musiva Gebl. 69

mutabilis Blackb. (Parops.) 157

mutabilis Hope (Chrys.) 82

mutabilis Stal (Deut.) 49

mutabile Kolbe 198

myops Stal 7

mystica Blackb. (Parops.) 157

mystica Stal (Deut.) 49

Naceiroi Graells 117

nana Vog. (Hydroth.) 130

nana Ws. (Chalcid.) 199

ab. *nana* Gradl 178

naponensis Stal 49

natalensis Baly (Ceralc.) 112

natalensis Vog. (Agenios.) 149

natalensis Jac. (Agenios.) 149

ab. *Navasi* Fuente 183

navicula Chap. 173

ab. *nebulosa* Demais. 61

ab. *neglectus* Sahlb. 120

nepalensis Hope 98

nepalense Motsch. 54

Neptis Stal 47

nervosa Clark 168

var. *nevadensis* Fairm. 208

nicaeensis Villa 208

nicaraguensis Jac. 7

nigerrima Germ. (Paropsist.) 161

ab. *nigerrima* Ws. (Chrys.) 77

nigerrimus Gradl 180

nigra Lea (Calom.) 194

nigra Clark (Chrys.) 87

nigra Fourer. (Chrys.) 74

ab. *nigrescens* Letzn. (Chrysochl.) 108

nigrescens Gradl (Phytod.) 181

ab. *nigricans* Jacobs. (Chrys.) 59

ab. *nigricans* Ws. (Phytod.) 184

nigriceps Fairm. 105

nigriceps Sffr. 105

nigricollis Jac. (Stilod.) 47

ab. *nigricollis* Ws. (Chrys.) 84

nigricollis Gradl (Phytod.) 178

nigricornis F. 201

nigricrus Stal 47

ab. *nigricrus* Motsch. 190

nigrimana Stal 49

var. *nigrina* Sffr. 100

nigrina Sffr. 102

nigripennis Baly (Chalcid.) 151

nigripennis Jac. (Pseudom.) 112

nigripennis Lea (Calom.) 194

ab. *nigripennis* Rtt. (Melas.) 146

ab. *nigripennis* Ws. (Phytod.) 184

nigripes Jac. (Desmog.) 45

nigripes Jac. (Phaedon) 122

nigripes Stal (Dor.) 20

nigripes Ws. (Oidos.) 197

nigripes Ws. (Palimb.) 148

nigripes Deg. (Phytod.) 181

nigripicta Baly 170

nigrita Chap. (Paropsist.) 161

nigrita F. (Chrys.) 71

nigrita Jac. (Barym.) 4

nigrita Towns. (Chrys.) 97

nigritarsis Jac. 143

nigritula Clark (Pyrgo) 173

ab. *nigritula* Ws. (Chrysochl.) 99

nigriventris Germ. (Deut.) 49

ab. *nigriventris* Pen. (Phytod.) 185

ab. *nigroaenea* Clark (Centr.) 186

nigroaenea Letzn. (Chrysochl.) 108

ab. *nigrocoerulea* Jacobs. 101

nigrocoerulea Letzn. 108

nigroconspersa Clark 173

nigrofasciata Jac. (Aesernoid.) 112

nigrofasciata Jac. (Paropsid.) 170

nigrofasciata Stal (Metast.) 30

ab. *nigrofasciata* Clark (Chrys.) 69

ab. *nigrogenmata* Motsch. 73

nigrogenmata Baly 73

nigroguttata Stal 20

ab. *nigrolineata* Er. 27

ab. *nigrolocmus* Czwil. 177

nigronotata Stal 20

nigromaculata Quedf. 83

nigromarginata Jac. 47

nigropicta Clark 173

nigroplagiatus Baly 178

nigropunctata Jac. (Paropsid.) 170

nigropunctata Stal (Dor.) 20

ab. *nigropunctata* Rtt. (Chrys.) 61

nigropustulata Stal 49

ab. *nigrosentata* Chap. 157

ab. *nigrosignata* Stal (Dor.) 20

ab. *nigrosignata* Clark (Chrys.) 66

nigrosparvus Fairm. 180

nigrostillata Chap. (Paropsist.) 161

nigrostillata Stal (Deut.) 49

nigrovarians Jac. 20

nigroviolacea Jac. 20

nigrovittata Chap. (Paropsist.) 161

nigrovittata Ball. (Chrys.) 83
 nigrozonata Stal 50
 nikkoensis Jac. 83
 Nikolskyi Jacobs. 83
 nitens Brullé 72
 Niobe Blackb. (Pyrgo) 173
 Niobe Stal (Chrys.) 61
 nitentula Stal 135
 nitida Baly (Cyclom.) 150
 nitida Phil. (Chrys.) 98
 nitidella Stal 45
 nitidicollis Stal (Leptinot.) 36
 nitidicollis Ws. (Colaphell.) 114
 nitidipennis Bois. (Calom.) 194
 nitidipennis Stal (Deut.) 50
 ab. *nitidipennis* Blackb. (Pseudo-
 par.) 137
 nitidissima Stal (Dor.) 20
 nitidissima Blackb. (Paropsid.) 171
 nitidula Fourer. 58
 nivalis Kirsch (Elytrosph.) 54
 nivalis Heer (Chrysochl.) 104
 nivosus Sffr. 178
 ab. *nobilis* Stal (Dor.) 24
 nobilis Waltl (Chrysochl.) 99
 nobilitata Er. 165
 nodosa Chap. 168
 nodulipennis Woll. 215
 norvegica Ws. 189
 nossibiana Brancs. 148
 notabilis Blackb. 168
 notata F. (Centrosc.) 186
 notata Ol. (Chrysoph.) 165
 notata Stal (Dor.) 20
 notaticeps Stal 20
 notaticollis Stal 27
 notatifrons Stal 29
 notatipennis Chap. (Faex) 171
 notatipennis Stal (Polysp.) 41
 novemlineata Stal 36
 novemlorata Stal 7
 novemmaculata Jac. 41
 novempunctata Stal 135
 novemstriata Stal 7
 novemtaeniata Stal 7
 novemvirgata Stal 7
 novemvittata F. 69
 noverca Stal 54
 novoboracensis Gmel. 142
 ab. *novosibirica* Jacobs. 61
 ab. *nubigena* Ws. 106
 nubila Ws. (Melas.) 143
 ab. *nubila* Ws. (Chrysochl.) 102
 nucca Er. 161
 nugaria Vog. 149
 numida Rehe. 83
 nupta Blackb. (Paropsist.) 161
 nupta Stal (Polysp.) 41
 Nydia Stal 52

nympa Stal 20
 ab. *Oberndorferi* Brenske 85
 Oberthüri Jac. 20
 var. *obesa* Vog. 83
 var. *obesus* Ws. 121
 obliqua Stal 45
 obliquata Crotch 131
 obliterated Chevr. (Leptinot.) 36
 obliterated Er. (Paropsist.) 161
 obliquefasciata Jac. 20
 oblonga Chap. (Dieran.) 153
 oblonga Lea (Chalcol.) 199
 oblonga Dft. (Chrys.) 65
 oblongiuscula Fairm. 130
 oblongula Fairm. 208
 obovata Chap. (Chrysoph.) 165
 obovata Jacobs. (Chrys.) 83
 obscura Phil. 98
 obscurata F. 97
 obscurella Chap. (Trachym.) 168
 obscurella Sffr. (Chrys.) 83
 obscurimana Stal 50
 obscuripennis Jac. (Plagiol.) 135
 obscuripennis Stal (Dor.) 20
 obscuripes Ws. 143
 obscurissimus Pic 184
 obscurofasciata Jac. (Chrys.) 83
 obscurofasciata Jac. (Zyg.) 7
 ab. *obscurus* Grimm. (Phytod.) 185
 ab. *obscurus* Ws. (Phyllod.) 188
 ab. *obscurus* Ws. (Scleroph.) 124
 ab. *obscurus* Ws. (Sternopl.) 124
 observanda Vog. 149
 obsoleta Brullé (Chrys.) 83
 obsoleta Ol. (Parops.) 157
 obsoleta Say (Melas.) 143
 obsoleta Baly (Stilod.) 47
 obtusicollis Motsch. 189
 obtusata Ws. (Pyrgo) 173
 obtusata Ws. (Pyrgo) 172
 oceanana Steinh. 29
 occidentalis Ws. (Ceralec.) 113
 occidentalis H. Schff. (Tim.) 214
 occipitalis Stal 20
 oceanica Bois. 173
 ocellata Jac. 20
 ocelligera Clav. 149
 ochreata Stal 50
 ochroloma Stal (Microth.) 220
 ab. *ochroloma* Stal (Dor.) 16
 ochroptera Stal 148
 ochrostacta Stal 47
 octodecimguttata Baly (Dor.) 21
 octodecimguttata F. (Chalcol.) 199
 octodecimpunctata Jac. 143
 octodecimpunctata L. 144
 octoguttata Deg. 11
 octolineata Gory 161

- octomaculata Marsh. (Paropsist.) 162
octomaculata F. (Dor.) 11
octopunctatus Gradl 178
octopustulata Stal (Leucoc.) 52
octopustulata Thunb. (Chrys.) 97
octosignata Stal 162
octostigma Hbst. 11
 ab. *octovittata* Schrnk. 64
oculatus Gradl 180
Oenone Blackb. 173
olivacea Jac. (Stethom.) 191
 ab. *olivacea* Guér. (Dor.) 17
 ab. *olivacea* Ws. (Chrysochl.) 100
olivacea Schall. (Chrys.) 84
olivacea Sffr. (Chrys.) 94
 ab. *olivaceonigra* Fleisch. 65
olivaceus Forst. 183
 ab. *olivicolor* Ws. 94
Olivieri Guér. (Dor.) 21
 var. *Olivieri* Fairm. (Tim.) 209
 ab. *Olivieri* Ws. (Chrys.) 67
Olivieri Bed. (Chrys.) 66
Olliffi Blackb. 220
omissus Sahlb. 120
Omphale Blackb. 158
onca Stal 47
onychina Woll. 71
ooensis Ws. 83
oomorphus Fairm. 126
opaca Jac. (Stilod.) 47
opaca Sffr. (Chrys.) 71
opaceps Blackb. 162
opacicolis Fairm. (Chrys.) 83
opacicolis Jac. (Dor.) 21
opacicolis Ws. (Plagiod.) 135
opacipennis Rog. 83
opifera Stal 7
opima Stal 21
opposita Jac. (Dor.) 21
opposita Stal (Deut.) 50
optica Sffr. 52
opulenta Rehe. 83
opulenta Sffr. 88
orbicularis Chap. (Trachym.) 168
orbicularis Sffr. (Scleroph.) 125
orbicularis Chevr. (Pandona) 220
orbicularis Redt. (Phaedon) 123
ordinata Gebl. 84
orcalcia Müll. 84
orichalcea Gmel. 84
orientalis Motsch. (Entomosc.) 217
orientalis Ol. (Chrys.) 84
 ab. *orientalis* Ws. (Chrysochl.) 109
 ab. *orientalis* Ws. (Phytod.) 177
orientalis Wied. (Chrys.) 66
ornata Baly (Augom.) 195
ornata Baly (Iscaed.) 215
ornata Baly (Phylloch.) 202
ornata Jac. (Dor.) 21
ornata Jac. (Plagiod.) 135
ornata Jac. (Zyg.) 7
ornata Marsh. (Parops.) 158
 ab. *ornata* Ahr. (Chrys.) 64
ornata Mtsch. (Chrys.) 64
 ab. *ornaticollis* Chap. 164
ornatissima Baly (Chalcom.) 151
ornatissima Stal (Elytrosph.) 54
ornatum Baly 197
ornatus Broun 152
orphana Er. 173
orphanula Chap. 173
orphanus Er. 122
 ab. *Osculati* Guér. 23
 ab. *ottomana* Ws. 96
ovalis Blackb. 131
ovatula Stal 54
oviformis J. Lec. 122
ovipennis Ball. 219
pachysoma Hubenth. 88
pachyta Chap. 162
pacifica Er. 199
 ab. *padi* Pen. 185
padi Deg. 184
palliata Jac. (Stethom.) 191
palliata Vog. (Chrys.) 85
 ab. *palliata* Jacobs. (Chrys.) 92
pallida Baly (Calom.) 194
pallida Baly (Plagiod.) 135
pallida Chap. (Chrysoph.) 165
 ab. *pallida* Bland (Zyg.) 5
pallidicornis Jac. 21
pallidipalpis Stal 21
pallidipennis Jac. 47
 ab. *pallidipes* Ws. 181
 ab. *pallidithorax* Pic 131
pallidiventris Germ. (Deut.) 51
pallidiventris Germ. (Plagiod.) 137
pallidocincta Stal 21
pallidula Chap. 174
pallidus L. 184
palmensis Blackb. 154
palustris Sffr. 97
panamensis Jac. (Dor.) 21
panamensis Jac. (Stilod.) 47
Pandora Blackb. (Pyrgo) 174
Pandora Stal (Deut.) 50
 ab. *pannonica* Ws. 80
pantherina Fauv. (Parops.) 158
pantherina Stal (Polyspil.) 41
 ab. *Papei* Ws. 109
Paphia Stal 158
papuana Jac. (Stethom.) 191
 ab. *papuana* Ws. (Pylloch.) 202
papulenta Chap. 169
papuligera Stal 168
papulosa Er. 168

- papulosa Stal 169
 paraguana Jac. (Dor.) 21
paraguayensis Jac. (Dor.) 21
paraguayensis Jac. (Leptinot.) 36
 paraguensis Jac. (Leptinot.) 36
 parallela Germ. 199
 paranae Ws. 21
 pardalina F. (Chrys.) 85
 pardalina Stal (Dor.) 21
 pardalis Chap. (Trachym.) 168
 pardalis Jac. (Paropsid.) 170
 parellina Stal 29
 parilis Lea 194
 var. *parnassia* Fairm. 209
 paropsoidea Clark 194
 Parryi Baly (Parops.) 158
 Parryi Baly (Stethom.) 191
Parryi Blackb. (Parops.) 155
 partita Chap. (Pyrgo) 175
 partita Stal (Desmogr.) 45
 parvicollis Rosh. 208
 parvulus Dft. 119
 pastica Germ. 21
 patricia Er. 51
 patruelis Stal 21
 Paulinoi Kraatz 209
 paupera Stal 155
 pavonina Stal (Deut.) 50
 ab. *pavonina* Stal (Dor.) 24
 Paykulli Stal 9
 Pazi Fairm. 126
 Pechueli Karsch 113
 ab. *pectorale* Ws. 197
 pedestris Chap. (Trochal.) 154
 pedestris Gebl. (Chrys.) 85
 pekinensis Fairm. 85
pelagica Chevr. 83
 pellex Ws. 170
 peltasta Stal 50
 peltoides Gebl. 147
 Penelope Stal 21
 peninsularis Horn 36
 var. *pennina* Ws. 118
 Percheroni Guér. 42
 peregrina H. Schff. 85
 Peresa Peyerimh. 209
 Perezi Fairm. 209
 ab. *perfecta* Jacobs. 88
 perforata Gebl. 85
 perforata Redt. 98
perforata Mars. 62
peripherica Vog. 148
 perlustrata Vog. 149
 perparvula Clark 168
 perplexa Chap. (Pyrgo) 174
 ab. *perplexa* Baly (Lamprol.) 219
 personata Stal (Zyg.) 7
personata Ws. (Pyrgo) 172
 ab. *personatus* Ws. 178
 perspicillaris Stal 50
 pertinax Stal 122
 pertusa Fairm. 85
 peruana Jac. (Cosmogr.) 51
 peruana Jac. (Desmogr.) 45
 peruana Jac. (Dor.) 21
 peruana Ws. (Gavirga) 196
 pervicax Stal 21
 ab. *petraea* Mars. 55
 petulans Stal 21
 Peyrolerii Bassi 105
Peyrolerii Sffr. 105
 Peyroni Ancey 85
 phaetonoides Fairm. 216
 ab. *phalerata* Perty (Dor.) 12
phalerata Germ. (Chrysochl.) 103
phalerata Redt. (Chrysochl.) 102
 phellandrii L. 131
 philadelphia L. 42
philadelphia Kirb. 41
 philippinensis Duviv. 135
 Philomela Blackb. 154
 picea Guér. (Microth.) 220
 picea Ol. (Dicran.) 153
 piceicollis Stal 8
 ab. *picipes* Jacobs. 124
 piceitarsis Stal 220
 piceofasciata Jac. 21
 piceola Chap. 168
 piceomaculata Jac. 21
 ab. *piceus* Ws. 182
 var. *picta* Chap. 161
 pictipennis Boh. (Procris) 159
 pictipennis Jac. (Dor.) 21
 pictipes Chap. 165
 picturata Jac. (Dor.) 21
 ab. *picturata* Chap. (Pyrgo) 173
 pigra Ws. 55
 pilula Clark 150
 pimelioides H. Schff. 209
 var. *Piochardi* Fairm. 204
 placida Stal 21
 plagiata Stal (Deut.) 50
 plagiata Sffr. (Chrysochl.) 105
 ab. *plagiatum* Ws. (Colasp.) 115
plagiatum Ws. (Oidos.) 197
 plagiatus Sharp 152
 plagioderoides Vog. 85
planiuscula Ws. 128
 platyscelidina Jacobs. 110
 Pliginskii Rtt. 85
 plumbeus Fairm. 126
 pluvialis Chap. 162
 pluviata Baly 22
 Pnirsa Stal 42
 podagrosa Lea 199
 Pödei Chevr. 52
 polaris Schneid. 189
 polita L. (Chrys.) 85

- polita Ws. (Potan.) 216
 ab. *polonica* Ws. 97
 polychordia Er. 45
polychroma Vog. 186
 polyglypta Germ. 160
 polygoni L. 116
 var. *polymorpha* Kraatz 100
 polyops Vog. 86
 polyspila Germ. 42
 Polyxo Blackb. 154
ponderosa Gerst. 83
 Pontavicei Mars. 209
 popa Stal 8
Popovi Mars. 116
 populi L. 144
 poricollis Motsch. 85
 Poretzkyi Jacobs. 85
 poroptera Baly 191
 porosa Baly (Deut.) 50
 porosa Baly (Leptinot.) 36
 porosa Er. (Parops.) 158
 porosa Gebl. (Chrys.) 86
 porosa Jac. (Dor.) 22
 porphyrea Fald. 86
 posticalis Blackb. 174
 postviolacea Mars. 86
 Potanini Jacobs. 55
 ab. *potentillae* Hbst. 129
 praecelsis Rog. 42
 praecincta Er. 135
 ab. *praeifica* Ws. 109
 praestans Broun (Aphil.) 152
 praestans Vog. (Agen.) 149
 praetexta Er. (Plagiod.) 135
 praetexta Jac. (Dor.) 22
 prasina Baly (Stethom.) 192
 prasina Er. (Dor.) 22
 ab. *prasina* Sffr. (Hydroth.) 128
 prasinellus Lec. 122
 prasinipennis Er. 135
 pratensis Dft. (Tim.) 209
 ab. *pratensis* Ws. (Chrys.) 95
praticola Dft. 60
 pretiosa Baly (Augom.) 195
 pretiosa Baly (Dor.) 27
 var. *pretiosa* Sffr. (Chrys.ochl.) 102
pretiosa Letzn. 108
pretiosa Redt. 102
pretiosa Ws. 104
 pretiosum Broun 152
 princeps Gray 22
 privigna Stal (Deut.) 50
 ab. *privigna* Ws. (Chrys.) 76
 problematica Vog. 86
 procax Stal 22
 procera Stal 29
 prodroma Blackb. 168
 progressa Vog. 86
 promiscua Stal 22
 propinqua Baly (Parops.) 158
 propinqua Vog. (Agen.) 149
 propria Blackb. 168
 Proteus Stal 196
 ab. *provincialis* Har. 62
 proxima Chap. (Chrysophth.) 165
 proxima Chap. (Paropsist.) 162
Pruneri H. Schff. 211
 Przewalskyi Jacobs. (Chrys.) 86
 Przewalskyi Jacobs. (Cros.) 55
 Przewalskyi Jacobs. (Oreom.) 219
 pseudoaenea Fairm. 86
 pterosticha Fisch. 86
 pudica Stal 36
 pulchella Baly (Calom.) 194
 pulchella Gerst. (Aeserv.) 111
 ab. *pulehella* Chap. (Pyrgo) 174
pulehella Baly (Dor.) 20
pulehella Clark (Chrys.) 69
 pulchellus Luc. 114
 ab. *pulehra* Coqueb. 9
pulera F. 8
 pulla Swartz 86
 pullatus Broun 152
 pulverulenta Blackb. 162
pumila Reche. 130
 punctata Marsh. 168
punctatella Fairm. 212
 punctatissima Ol. (Megist.) 10
 var. *punctatissima* Sffr. (Chrys.ochl.) 100
 punctatum Broun 152
punctella Mars. 207
 puncticeps Fairm. 126
 puncticollis Baly (Lamprol.) 219
 puncticollis Jac. (Deut.) 50
 puncticollis Kirsch (Dor.) 22
 ab. *puncticollis* Jac. (Leptinot.) 31
 punctifrons Lea (Calom.) 194
 punctifrons Lea (Chalcid.) 199
 punctigera Stal 135
 punctipennis Blackb. (Trachym.) 168
 punctipennis Fairm. (Cyrton.) 126
 punctipennis Germ. (Deut.) 50
 punctipennis Jac. (Dor.) 22
 ab. *punctipes* Germ. 193
 punctulatus Fairm. 126
 punica Luc. 210
 pura Stal (Dor.) 22
 ab. *pura* Ws. (Chrys.) 66
Purini Jacobs. 81
 purpurascens Germ. 87
purpurata Fald. 85
 purpurea Linell (Plagiod.) 135
 ab. *purpurea* Jacobs. (Apteroc.) 130
 purpureoaurata Clark 165
 ab. *purpureocupreum* Jacobs. 54
 purpureofasciata Jac. 22
 purpureoviridis Clark 162

purulensis Jac. 22
pustulata Baly (Chalcol.) 199
 ab. *pustulata* Ws. (Melas.) 144
pustulata F. (Dor.) 26
pustulicollis Stal 50
pustulifera Blackb. 169
pustulosa Blackb. (Trachym.) 168
pustulosa Stal (Zyg.) 8
 ab. *Puloni* Ws. 100
pyrenaica Duf. 87
pyritosus Rossi (Phaed.) 123
pyritosus Dft. (Sternopl.) 124
pyroptera Baly 195
pyrrhocephala Clark 194
pyrrhoptera Germ. 22
pyrrhopyga Stal 87

 var. *quadrangulata* Motsch. 59
 ab. *quadicollis* Ws. 77
quadrifenestrata Stal 45
quadrigata Stal 22
quadrigemina Sffr. 87
quadriguttata Chev. (Leuc.) 52
 ab. *quadriguttata* Baly (Stilod.) 46
quadriimpressa Motsch. 54
quadrijuga Stal 50
quadrilineata Jac. (Melas.) 143
quadrilineata Stal (Zyg.) 8
quadrilorata Stal 8
quadrimalaculata Jac. (Elytrosph.) 54
quadrimalaculata Jac. (Plagiod.) 135
quadrimalaculata Marsh. (Parops.) 158
quadrimalaculatus Heyd. 181
quadripartita Stal 45
quadriplagiata Jac. 135
quadriplagiatus Fairm. 181
quadriplagosa Stal 50
 ab. *quadripunctata* Schulze 144
 ab. *quadripunctata* Sffr. 142
quadripunctatus Heyd. 181
quadripustulata Baly (Stethom.) 192
quadripustulata Panz. (Dor.) 22
 ab. *quadripustulata* Jacobs. (Melas.) 142
quadrisignata Germ. 22
quadri-triata Jac. (Stilod.) 47
quadristriata Phil. (Chrys.) 98
quadritaeniata Stal 50
quadrivittata Latr. (Zyg.) 9
quadrivittata Stal (Dor.) 22
quadrivittis Stal 50
quadrizonata Blackb. 174
quagga Hbst. 14
quatuordecimguttata F. 68
quatuordecimoculata Perty 23
quatuordecimpustulata Stal 47

quatuordecimspilota Guér. 23
quatuordecimstillata Stal 23
Quenseli Stal 8
quinquejugis Marsh. 68
quinquemaculata Baly (Paropsid.) 171
 ab. *quinquemaculata* Er. (Dor.) 27
quinquepunctata Jac. (Dor.) 23
quinquepunctata L. (Leuc.) 52
quinquepunctatus F. 185
quinquevirgata Stal 8
quinquevittata Stal 8

radiata Steinh. 23
rajah Guér. 110
ramulifera Stal 43
ramunculi Hbst. 129
raphani Hbst. 118
raucicollis Blackb. 165
raucipennis Blackb. 168
 ab. *recticollis* Fairm. (Tim.) 208
recticollis Motsch. (Chrys.) 82
recticollis Ws. (Chrys.) 59
recurrens Stal 50
Redtenbacheri Stal 45
regalis Baly (Aesern.) 111
regalis Ol. (Chrys.) 61
Regeli Jacobs. 218
regularis Blackb. (Trachym.) 168
regularis Stal (Dor.) 23
 ab. *regularis* Motsch. (Chrys.) 57
Reichei Vog. 83
Reinecki Ws. 215
Reitteri Ws. 87
relucens Rosh. 87
remota Germ. 162
reniplagiatus Pen. 180
repanda Wied. 88
repens Germ. 200
 ab. *resplendens* Dan. (Chrysocbl.) 106
 ab. *resplendens* Sffr. (Chrys.) 82
retenta Ws. 106
reticulata Bowd. (Desmog.) 45
reticulata F. (Megist.) 10
reticulata Marsh. (Parops.) 158
Reuleauxi Brenske 88
revestita Vog. 88
 ab. *rhactica* Ws. 108
 var. *rhipaca* Ws. 78
rhoda Knab 43
riffensis Fairm. 210
riparia Jac. 135
 ab. *rivularis* Ws. 100
rivulosa Stal 8
rixosa Stal 23
Roborowskyi Jacobs. 88
robustus Jac. 181
robustum Ws. 198

- Roddi Jacobs. 88
 Rogersi Jac. (Dor.) 23
 ab. *Rogersi* J. Lec. (Labidom.) 28
 rosea Blackb. 168
 roseola Baly 158
 Rossia Ill. 88
Rossii Sffr. 88
 rossolus Mars. 182
 Rosti Ws. 88
 rostralis Blackb. 174
 rotundatus H. Schff. 127
 rowena Knab 43
 ruandana Ws. 88
 rubeola Chap. 154
 rubidipes Blackb. 158
 rubiginosa Chap. (Pyrgo) 174
 rubiginosa Rog. (Leptinot.) 36
rubra Mtsch. 74
 rubrica Desbr. 88
 rubricollis Phil. 147
 rubripennis Baly (Phytod.) 178
 ab. *rubripennis* Ws. (Chrys.) 93
 rubripes Phil. 122
 rubripustulata Baly 151
 rubroaenea Stal 45
rubrocuprea Fourcr. 92
rubrolineata Motsch. 51
 rubromarginata Deg. 90
 rubropunctata Deg. 23
 rubropustulata Sffr. 52
 var. *rubrosignata* Boh. 160
 rudis Har. 23
 rufa Dft. 88
 rufescens Chap. (Chrysoph.) 165
 rufescens Gyll. (Plagiod.) 135
rufescens Qued. (Oidos.) 198
 ab. *ruficaudis* Deg. 140
 ruficeps Boisd. (Calom.) 194
 ruficeps Gebl. (Gastroid.) 118
 ruficollis Blackb. (Trachym.) 168
 ab. *ruficollis* Ws. (Phytod.) 178
 ruficornis Fairm. (Cyrton.) 127
ruficornis Ol. (Polysp.) 42
 rufifrons Ol. 115
 rufilabris Fald. 88
 rufinoda Lea 200
 ab. *rufipennis* Kraatz (Entom.) 217
rufipennis Baly (Labidom.) 29
 rufipes Deg. (Phytod.) 179
 rufipes F. (Paropsist.) 162
 rufipes Jac. (Chalcol.) 200
 ab. *rufipes* Ws. (Chrysochl.) 106
 ab. *rufipes* Ws. (Tim.) 210
rufipes Hbst. (Colaph.) 114
rufipes Mén. (Chrys.) 93
rufipes Rog. (Phytod.) 184
 rufitarsis Chap. (Parops.) 158
rufitarsis Marsh. (Phytod.) 183
 rufoaenea Sffr. 89
 rufobrunnea Blackb. 162
 rufofasciata Kirsch 45
 rufofemorata Heyd. 89
rufolimbata Motsch. 134
rufolineata Motsch. 63
 rufomarginata Baly 98
rufomarginata Sffr. 74
 rufonigra Chap. 169
 rufopicta Blackb. 174
 ab. *rufulus* Kraatz 178
 ab. *rufus* Kraatz 181
 ab. *rugicollis* Weid. 82
 ruginosa Fairm. 89
 var. *rugipennis* Perez (Tim.) 206
 ab. *rugipennis* Har. (Chrys.) 66
 rugosa Chap. (Trachym.) 169
 rugosa L. (Tim.) 210
 rugosa Jac. (Dor.) 23
rugosa Dft. (Tim.) 205
 rugosula Rosh. 210
 rugulosa Boisd. (Parops.) 159
 rugulosa Gebl. (Chrys.) 89
 rugulosa H. Schff. (Tim.) 210
 rugulosa Sffr. (Chrysochl.) 99
 rugulosior Blackb. 169
 rumicis F. (Entom.) 217
rumicis Schrnk. (Gastroid.) 118
 rustica Blackb. (Chalcol.) 200
 rustica Blackb. (Trachym.) 169
 rustica Stal (Zyg.) 8
 rutilans Woll. 89

sabulicola Sffr. 121
 sacarum Ws. 89
 sacra L. 217
sacra Ol. 217
 saeva Stal 50
 saevorum Vog. 149
 sagrensis Kuntz. 210
 Sahlbergi Mén. (Chrys.) 89
 Sahlbergi Stal (Desmogr.) 45
 ab. *Sahlbergi* Klug (Phaedonia) 148
Sahlbergi Vog. (Phaedonia) 148
 Sahlbergiana Jacobs. 56
 saliceti Ws. 145
 var. *salicinus* Heer 119
 salicis Mtsch. (Phytod.) 179
salicis F. (Melas.) 140
salicis Panz. (Plagiod.) 137
 salicivora Fairm. 143
salisburyensis Jac. 93
 Sallei Stal 23
 salviae Germ. 89
 Salvini Baly 23
sanguinea Brullé 90
 sanguineocincta Crotch 89
 sanguineotincta Clark 174
 sanguinipennis Jac. (Dor.) 23
sanguinipennis Germ. (Parops.) 158

sanguinipennis Jac. (Dor.) 23
sanguinolenta L. 89
sanguinolenta Donov. 80
sanguinolenta Küst. 77
sanguinolenta Rossi 88
sanguinosa Stal 135
sanguipennis Bowd. 23
sansibarica Har. 83
 ab. *sansibarensis* Ws. 113
santos Bowd. 46
sapphira F. 152
sapphirina Forst. 23
sardea Villa 211
 ab. *sardoa* Ws. 97
 ab. *sarmatica* Ws. 140
 ab. *satanas* Westh. 178
satelles Blackb. 194
satrapa Stal 8
saucia Stal 24
Saundersi Baly (Deut.) 50
Saundersi Baly (Isclad.) 215
scabra Chap. (Trachym.) 169
scabra Ol. (Tim.) 211
scabricula Stal 135
scabripennis Fairm. 211
scalaris Chap. (Trachym.) 169
scalaris Ol. (Dor.) 24
scalaris Guér. (Polysp.) 43
scalaris Lec. (Polysp.) 41
 ab. *scaphoides* Blackb. 173
scaphula Chap. 175
scenica Stal (Dor.) 24
scenica Baly (Deut.) 51
schach F. 127
schach Panz. 128
Schaufussi Vog. 215
Schaumi Stal 46
 var. *Schenklingi* Meier 205
Schewyrewi Jacobs. 90
Schlegeli Duviv. 171
Schneideri Ws. 90
Schneideri Seidl. 77
Schoenherri Guér. 24
Schotti Sffr. 85
 ab. *Schummeli* Ws. 108
scintillans Baly 192
scorodon Mars 90
scortea Germ. 214
 ab. *Scovitzii* Mén. 61
scripta Jac. (Dor.) 24
scripta F. (Melas.) 142
scrupulosa Stal 24
sculptilis Kirsch 54
sculptipennis Fald. 89
sculpturata Hell. 111
 ab. *sculpturata* Jacobs. 90
scurra Stal 24
scurrilis Stal 24
scutaria Stal 50

scutellare Broun 152
scutellaris Baly (Phyt.) 181
scutellaris Linell (Chrys.) 90
scutellaris Sahlb. (Phyt.) 181
scutellaris Stal (Dor.) 24
scutellaris Ws. (Barym.) 4
scutellaris Stal (Dor.) 26
scutellaris Walzl (Tim.) 205
scutellata Chap. (Pyrgo) 175
scutellata Jac. (Deut.) 50
scutellatum Jac. 197
scutellatus Fairm. 127
scutifera White 174
sedecimmaculata Stal 47
sedecimpustulata Stal 199
 ab. *sedula* Stal 50
segnis Stal (Deut.) 50
segnis Ws. (Sternopl.) 124
 var. *Seidlitzii* Kraatz 209
sejuncta Baly 215
seladonia Stal 24
selecta Er. 24
Selene Blackb. 154
sellata Ws. 90
Semenowi Jacobs. 219
semiambita Stal 24
semitra Stal 50
semicincta Stal 16
semifulva Bowd. (Desmogr.) 46
semifulva Jac. (Chrys.) 90
semifulva Jac. (Dor.) 24
semifumata Blackb. 163
semiglobosa Chap. 169
semilaevis Stal (Microth.) 220
 ab. *semilaevis* Fairm. (Tim.) 213
semilutea Stal 52
semimarginatus Latr. 122
seminigra Jac. (Dor.) 24
 ab. *seminigra* Ws. (Phytod.) 177
 ab. *semiopaca* Fairm. 66
 ab. *semipolita* Chevr. 212
semipunctata Chap. 153
semirufa Fairm. 90
semistriata F. 50
semiviolacea Jac. (Stethom.) 192
semiviolacea Jac. (Chrys.) 83
semiviridis Jac. 24
semivittata Blackb. (Paropsist.) 162
semivittata Stal (Plagiod.) 135
 var. *senecionis* Schumm. 107
senegalensis F. 148
senilis Kirsch (Desmogr.) 46
 ab. *senilis* Dan. (Chrysochl.) 107
separata Baly 90
septempunctata Stal 135
septemvittata Stal 136
septentrionalis Mén. 90
septentrionis Demais. 132
 ab. *serena* Ws. 109

- seria Stal 24
 seriata Germ. 169
 seriatopora Fairm. 90
 seriatoporus Fairm. 216
 ab. *sericata* Jacobs. 73
 sericea Fairm. 211
 sericella Stal 46
 seriepunctata Ws. 91
 serpens Bowd. 43
 serpentina Rog. 43
 serpiginosa Er. 169
 servula Stal (Dor.) 24
 servula Stal (Limenta) 196
 ab. *sesquialtera* Jacobs. 186
 sesquicincta Stal 24
 seticornis Jac. 122
 Severini Ws. 136
 sexlineata Thunb. 91
 sexguttata Chevr. (Leuc.) 52
 sexguttata Jac. (Dor.) 24
 sexmaculata Jac. (Calom.) 194
 sexmaculata Jac. (Dor.) 24
 sexmaculata Jac. (Plagiod.) 136
 sexmaculata Stal (Deut.) 51
 sexnotata Stal 136
 ab. *searnotatus* F. 183
 sexplagiata Jac. 24
 ab. *sexpunctatus* F. 179
 sexpunctatus Panz. 182
 sexpustulata Marsh. (Paropsist.) 162
 sexpustulata Stal (Deut.) 51
 sexpilota Jac. 24
 sextaeniata Stal 8
 sexvittata Stal 8
 ab. *Sharpi* Fowl. 92
 Sheppardi Baly 24
 siamensis Jac. 91
 sibirica Gebl. (Apteroc.) 130
 sibirica Ws. (Chrys.) 91
 sibiricus Ws. 179
 sicelidis Reche. 211
 sicula Lefeb. 95
 sigillifera Stal 51
 sigmoidea J. Lec. 43
 signata Boisd. 171
 signaticollis Stal 36
 signatipenne Guér. 115
 signatipennis Stal (Zyg.) 8
signatipennis Baly (Leptinot.) 34
signatus Scop. 180
 signiceps Stal 24
 signifera Stal 29
 signifrons Stal 24
 ab. *sii* Ws. 132
 var. *silesiaca* Ws. 109
 silvicola Ws. 24
 similis Bowd. (Leptinot.) 37
 similis Rog. (Polysp.) 43
similis Hbst. (Plagiod.) 137
 simillima Baly (Chalcid.) 200
 simillima Baly (Lamprol.) 219
 simillima Stal (Polysp.) 43
 Simoni Jac. 24
Simonsi Baly 66
 simplex Blackb. (Trachym.) 169
 ab. *simplex* Jacobs. (Cercyon.) 186
 ab. *simplex* Jacobs. (Phytod.) 178
simplex Sffr. (Phytod.) 185
 simplicipennis Jac. 30
 simpliciuscula Vog. 150
 Simsoni Blackb. 165
 simulans Baly (Dor.) 24
 simulans Blackb. (Trachym.) 169
 sinuata Ol. (Phylloch.) 202
 sinuata Ws. (Paropsid.) 170
sinuata Er. (Dor.) 22
 sinuaticollis Fairm. 211
 Sjoestedti Ws. 147
 sirentensis Meier 91
 Sladenae Gah. 51
 Sloanei Blackb. (Chalcom.) 151
 Sloanei Blackb. (Trachym.) 169
 ab. *smaragdina* Ws. 99
 ab. *smaragdinus* Letzn. 121
 sobrina Stal (Dor.) 24
 var. *sobrina* Fairm. (Tim.) 206
 sobrinus Ws. 179
 sogdiorum Ws. 91
 solata Fairm. 91
 solida Ws. 91
 solitaria Blackb. (Trachym.) 169
 ab. *solitaria* Ws. (Chrys.) 81
 soluta Clark 91
 songorica Gebl. 81
 sophiae Schall. 114
sorbi Motsch. 179
sorbi Grimm. 185
sorbi Ws. 185
 sordida Blackb. 169
 soror Lea 200
sororia Stal 11
 sospita Blackb. 159
 spadicea Ws. 162
 sparsa Chevr. (Megist.) 10
sparsa Er. (Dor.) 15
Sparshalli Curt. 95
sparsipennis Stal 18
 ab. *spartii* Ol. 183
 ab. *speciosa* L. (Chrys.) 70
speciosa Baly (Chrysochl.) 102
speciosa F. (Chrysochl.) 102
speciosa Germ. (Chrysochl.) 108
speciosa Sffr. (Chrysochl.) 100, 102
 speciosella Stal 136
 speciosissima Scop. 108
 spectabilis Baly (Dor.) 25
 spectabilis Baly (Prosic.) 30
 spectabilis Chap. (Pyrgo.) 174

- spectabilis* Motsch. (Chrys.) 91
spectanda Stal 25
specularis Jac. 25
speculifera Sharp (Chalcol.) 200
speculifera Redt. (Chrys.) 69
sphaerica Jac. 25
sphaeroptera Fairm. 214
spilophora Stal 51
spilota Chap. 169
spilotum Baly 197
spilotum Ws. 198
spinata Karsch 143
 ab. *spireae* Say 42
splendens Guér. (Aesern.) 111
splendens M'Leay (Augom.) 195
 ab. *splendens* Matz. (Tim.) 214
 ab. *splendens* Sffr. (Chrysochl.) 104
splendicans Stal 122
splendidq Boisd. (Aesern.) 111
splendida Ws. (Liom.) 150
 ab. *splendida* Perez (Tim.) 208
splendidula F. (Chrys.) 98
splendidula Fairm. (Chrysochl.) 109
splendidus Sffr. 122
splendorifera Motsch. 65
sponsa Stal 43
 ab. *spuria* Jacobs. 216
squalida Sffr. 88
squiresensis Blackb. 169
stabilis Jac. 25
stachydis Gené 91
Stali Chap. (Trochal.) 154
Stali Jac. (Desmog.) 46
Stali Jac. (Leptinot.) 37
Stali Jac. (Stilod.) 47
Stali Jac. (Zyg.) 8
Stali Vog. (Isnad.) 215
 ab. *Stali* Baly (Chrys.) 59
Stali Baly (Dor.) 21
Stali Steinh. (Dor.) 25
Staliana Ws. (Dor.) 25
staphylea L. 91
Staudingeri Jac. 25
staurophora Stal 48
stauroptera Wied. 51
Steinheili Jac. 47
Steini Stal 196
 ab. *stenomera* Duf.
sternalis Blackb. (Trachym.) 169
sternalis Jac. (Dor.) 25
sternicornis Fröl. 23
sternicornis Schall. 23
Stevensi Baly (Chrys.) 92
Stevensi Stal (Stilod.) 47
stictica Mars. (Paropsist.) 162
stictica Stal (Chrys.) 92
sticticeps Stal 25
sticticollis Baly 195
stigma Blackb. 169
stillata Kirsch 25
stillatipennis Chap. (Pyrgo) 175
stillatipennis Stal (Polysp.) 43
stilpnoptera Stal 50
stilpnus Stal 122
 ab. *stolata* Sffr. 5
straminea Stal 25
stramineolineata Motsch. 5
strangulata Fairm. 211
striata F. (Chrys.) 92
striata Waterh. (Johannica) 202
striata Fourcr. (Chrys.) 79
striata Voet (Chrys.) 58
striata Ws. (Paropsist.) 160
striatipennis Stal 51
strictus Fairm. 127
strigata Stal 13
strigilata Stal 25
strigipennis White 199
strigosa Chap. 169
 var. *strophium* Ws. 204
strumifera Stal 215
stulta Stal 46
 ab. *Stussineri* Ws. 101
 ab. *Sturmi* Westh. 97
stygia Chap. 162
subaenea Ws. (Philhydr.) 171
 ab. *subaenea* Dft. (Chrys.) 75
subaenea Sffr. (Chrys.) 83
subaenea Mitsch. (Chrys.) 69
subaenescens Chap. 175
subapicalis Chap. 174
subeincta Blackb. (Paropsist.) 162
subeincta Stal (Cavirga) 196
 ab. *subcoerulea* Sahlb. 57
subcyanea Motsch. 212
subcostata Chap. (Sterrom.) 153
subcostata Gebl. (Chrys.) 92
 ab. *suberuciata* Clark 85
subdepressa Guér. 27
subfasciata Chap. (Faex) 171
 ab. *subfasciata* Melich. (Chrys.) 61
subfastuosa Jac. (Dor.) 25
 ab. *subfastuosa* Motsch. (Chrys.) 65
 ab. *subferruginea* Sffr. 92
subglobosa Hope (Plagiod.) 136
subglobosa Baly (Dor.) 19
subguttata Stal 47
subinerassata Dft. 79
sublaevis Fairm. 211
sublimbata Chap. 169
sublimis Stal 30
sublineata Boh. (Trachym.) 169
sublineata Stal (Stilod.) 47
submarginata F. 136
submetallica Baly (Stethom.) 192
submetallica Jac. (Dor.) 25
subnotata Stal (Dor.) 25
 ab. *subnotata* Stal (Leptinot.) 36

- suboculata Stal 44
 subopaca Rog. 92
 subovalis Chap. 153
 subparallela Ws. 136
 subpunctata Clark 150
 ab. *subseriata* Sffr. 77
subseriata Lec. 60
subseriepunctata Dietr. 62
 substriata Chap. 174
 subsulcata Mannh. 92
 subtilis Ws. 122
 Suffriani Fairm. (Chrys.) 92
 Suffriani Jac. (Polysp.) 44
 Suffriani Küst. (Hydroth.) 130
 sugillata Stal 25
 sulcata Baly (Chalcom.) 151
 ab. *sulcata* Gebl. (Chrysochl.) 101
sulcata Fisch. (Chrys.) 81
sulcata Germ. (Chrys.) 61
sulceicollis Fairm. 92
sumatrensis Duviv. (Paropsid.) 171
sumatrensis Jac. (Chrys.) 92
sumptuosa Gestro (Aesern.) 112
 ab. *sumptuosa* Redt. (Chrysochl.) 107
 ab. *Sundmani* Jacobs. 179
superba Thunb. (Chrys.) 92
superba Ol. (Chrysochl.) 102
superba Perty (Dor.) 22
superba Sffr. (Chrysochl.) 102
suppleta Vog. 150
surinamensis Voet 30
suspiciosa Baly 154
suturalis Baly (Labidom.) 29
suturalis F. (Zyg.) 8
suturalis Germ. (Pyrgo) 174
suturalis Jac. (Calom.) 194
suturalis Ws. (Entom.) 218
suturalis F. (Dor.) 11, 12
suturalis Motsch. (Gastroid.) 116
suturata Stal 25
suturella Chap. (Pyrgo) 175
suturella Chevr. (Labidom.) 28
suturella Guér. (Dor.) 27
 ab. *suturella* Rehe. (Prasoc.) 131
suturella Fairm. (Gastroid.) 116
 Suwarowi Jacobs. 219
sycophanta Fairm. 127
 ab. *sydnensis* Fauv. 161
sylvatica Gebl. 93
Sylvia Stal 44
sylvicola Blackb. 169
syriaca Ws. 93
Szmolayi Mars. 124

taeniata Guér. (Plagiod.) 136
taeniata Ws. (Dor.) 25
 ab. *taenigera* Stal 12
taeniolata Vog. 93

tagana Sffr. 93
 ab. *Tagenii* H. Schff. 70
 ab. *tarda* Mtsch. 57
tarsalis Blackb. (Calom.) 194
tarsalis Blackb. (Pyrgo) 174
tarsalis Stal (Dor.) 25
tarsata Duviv. 4
tasmanica Baly 158
Tatei Blackb. 169
tatricus Mars. 124
Templetoni Baly (Chrys.) 93
Templetoni Baly (Sphaerol.) 110
tenebricosa F. 211
tenebricosa Hbst. 205
tenebroides Gmel. 212
tenebrosa Chap. (Paropsist.) 162
 ab. *tenebrosa* Ws. (Chrysochl.) 99
 ab. *tenebrosus* Ws. 179
tenella Chap. 165
tenuelimbata Fairm. 187
tenuicornis Blackb. (Pyrgo) 175
 var. *tenuicornis* Fairm. (Tim.) 206
tenuipes Ws. 114
terminata Jac. 25
terminatum Jac. 198
tessellata Clark (Paropsist.) 163
tessellata Ol. (Dor.) 25
tesseraria Stal 25
testacea Ol. (Chrysopht.) 165
testacea Germ. (Parops.) 159
testacea Marsh. (Paropsist.) 160
testaceipes Stal (Leuc.) 52
 var. *testaceipes* Blackb. (Paropsist.) 160
testudinaria Stal 54
testudo Demay 25
tetragramma Klug 9
tetraspilota Chap. (Pyrgo) 174
tetraspilota Vog. (Chrys.) 93
texana Schaeff. 37
thalassina Rehe. 93
Thalia Stal 51
Thammi Baly 25
Thetis Stal 51
Thomsoni Baly 25
thoracica Baly (Chalcol.) 200
thoracica Baly (Gastrol.) 147
thoracica F. (Plagiod.) 136
thoracica Jac. (Zyg.) 9
 ab. *thoracica* Ws. (Coccimela) 187
 ab. *thoracica* Ws. (Melasom.) 140
thoracica Vog. (Melasom.) 133
thoracicus Baly (Phytod.) 181
thoracicus Fairm. (Cyrtom.) 127
thymaloides Stal 136
Thyone Blackb. 158
tianshanica Jacobs. 93
tibialis Baly (Dor.) 27
tibialis Jacobs. (Chrys.) 93

- tibialis Jac. (Elytrosph.) 54
 tibialis Sffr. (Phyllod.) 189
 tibialis Ws. (Melasom.) 143
tibialis Dft. (Phytod.) 177
 ab. *Tieutaini* Fairm. 83
 tigrina Chap. 163
 timarchoides Bris. 93
 tincticollis Blackb. 169
 tingitana Fairm. 212
 tlascalana Stal 37
 Tolli Jacobs. (Chrys.) 93
 Tolli Jacobs. (Sternopl.) 124
 tonkinea Fairm. 93
 tonkinensis Ws. 110
 tortilis Stal 44
 tortipennis Fairm. 93
 tortuosa Rog. 9
 ab. *transitorius* Jacobs. 181
 ab. *transsylvanicus* Fuss (Scle-
 roph.) 124
 ab. *transsylvanica* Ws. (Chrysochl.)
 104
 transvaalense Jac. 4
 transvaalensis Jac. (Chryt.) 93
 transversa Baly (Calom.) 194
 transversa Ol. (Plagiod.) 137
 transversalis Blackb. (Trachym.) 169
 ab. *transversalis* Vog. (Centrose.) 186
 var. *transversicollis* Fairm. 206
 transversofasciata Jac. (Dor.) 25
 transversofasciata Jac. (Stilod.) 47
 transversomaculata Clark 171
 transversoplagiata Jac. 20
 ab. *trapezicollis* Fairm. 213
 tremulae F. 146
tremulae Sffr. 146
 tredecimmaculatus Jac. 180
triandrae Sffr. 177
 trichopila Csiki 93
tricincta F. 12
tricinctu Stal 12
 tricolor Lea (Chalcom.) 151
 tricolor Vog. (Chrys.) 93
tricolor Chevr. (Aesern.) 111
 trifasciata Boisd. (Procris) 159
 ab. *trifasciata* F. (Dor.) 12
trifasciata Panz. (Dor.) 12
 trifibulata Vog. 187
 trilineata Boisd. (Pyrgo) 174
trilineata F. (Entom.) 216
 triloris Vog. 150
 trimaculata Chap. (Sterrom.) 153
trimaculata F. (Labidom.) 28
 trimaculicollis Stal 51
Trimeni Baly 133
 ab. *tripunctatum* Fairm. 198
 trispila Stal 196
 ab. *tristicha* Klug 186
 ab. *tristricula* Ws. 107
 tristis F. (Chrysochl.) 99
 tristis Lea (Acacic.) 203
tristis Baly (Chrysochl.) 99
tristis Dft. (Chrysochl.) 107
tristis Hope (Chrysochl.) 106
tristis Ol. (Chrysochl.) 108
 tristria Vog. 186
 ab. *tritaeniata* Stal 173
 trivittata Baly (Dor.) 25
 ab. *trivittata* Chap. (Paropsist.) 162
trivittata Say (Prasoc.) 132
 var. *trogodytes* Kiesw. 109
 Trotzinae Jacobs. 219
 tschungarica Jacobs. 93
 T-splendens Lea 192
 var. *tuberculata* Chap. 166
 tumens Stal 136
 tumidulus Germ. 122
 ab. *tundralis* Jacobs. 90
 turanica Rtt. 94
 turbata Chap. 176
 turbida Er. 212
 turca Fairm. 94
turca Ws. 96
Turczanimoffi Har. 85
 turgaica Jacobs. 94
 var. *turgida* Ws. 80
 var. *tussilaginis* Sffr. 107
 typographica Jac. 37
 ab. *tyrolensis* Gradl 178
 ab. *Ubertini* Mars. 58
 ucajalis Kirsch 25
umbonata Stal 19
 umbrata Chap. 154
 umbratilis Ws. 94
 umbrosa Chap. (Paropsid.) 171
 ab. *umbrosa* Ws. (Chrysochl.) 100
Umhang Wenck. 128
 undata Deg. (Dor.) 26
 undata F. (Chrys.) 98
 undecimlineata Stal 37
undecimlineata Towns. 37
 undulata Baly (Dor.) 26
 undulata Gebl. (Chrys.) 94
 undulata L. (Phylloch.) 202
 undulatipennis Clark 150
 undulatifasciata Jac. 26
 uncineta Jac. 51
 unicolor Bowd. (Desmogr.) 46
 unicolor Fairm. (Entom.) 218
 unicolor Gebl. (Chrys.) 94
 unicolor Jac. (Calom.) 194
 unicolor Jac. (Lamprol.) 219
 unicolor Jac. (Plagiod.) 136
 unicolor Marsh. (Gastroid.) 117
 ab. *unicolor* Ws. (Phytod.) 185
 unicolor Hbst. (Tim.) 212
 unicolor Jac. (Melas.) 143

- unicolor* Mars. (Melas.) 141
unicolor Marsh. (Phyllod.) 188
unicolor Sffr. (Chrys.) 75
uniformis Jac. (Dor.) 26
uniformis Jac. (Plagiod.) 136
unilineata Baly 195
ab. unipunctatus Ol. 183
urbana Csiki 94
ussuriensis Jacobs. 94
ustulata Boisd. 174
ustulata Ol. 174

vafer Stal 122
vagecincta Fairm. 94
var. validicornis Fairm. 206
Varendorffi Ws. 132
ab. Varentzowi Jacobs. 217
variabilis Baly (Stethom.) 192
variabilis Chap. (Paropsid.) 163
variabilis Ol. (Phytod.) 182
variabilis Ws. (Chrysochl.) 103
ab. variabilis Gest. (Ceracl.) 113
varians Jac. (Stethom.) 192
varians Schall. (Chrys.) 94
varians Ws. (Oidos.) 198
variegata Blackb. (Parops.) 158
variegata Jac. (Chalcom.) 151
variegata Ol. (Melas.) 142
variicollis Chap. 165
varicolor Jac. 122
variolaris Stal 26
variolosa Marsh. (Parops.) 159
variolosa Petagn. (Chrys.) 95
variolosa Licht. (Dor.) 26
variolosa Motsch. (Chrys.) 85
ab. varipes Sffr. (Chrys.) 58
varipes Crotch (Prasoc.) 132
varivestis Vog. 70
ab. venefica Ws. 89
venezuelensis Jac. 26
venosula Ws. 209
ventricosa Stal (Dor.) 26
var. ventricosa Ws. (Tim.) 210
ventricosa Sffr. (Chrys.) 70
venusta Er. (Pyrgo) 175
ab. venusta Sffr. (Chrysochl.) 102
venusta Redt. (Chrysochl.) 102
venusta Sffr. (Chrysochl.) 102
venustissima Perty 51
venustula Chap. 175
veronicae Bed. 113
verecunda Stal 29
vermiculata Fairm. 212
vermiculosa Mars. 95
vernalis Brull. (Chrys.) 95
ab. vernalis Forst. (Phytod.) 183
verrucicollis Chap. 169
verrucipennis Clark 170
verrucosa Baly (Dor.) 26

verrucosa Clark (Strum.) 150
verrucosa Marsh. (Trachym.) 170
verrucosa Sffr. (Polysp.) 38
versicolor Mars. 127
versicolora Laich. 136
versuta Blackb. 170
vespertina Baly 26
Vesta Blackb. 175
ab. vesulina Dan. 98
vibex Blackb. 170
vicenaria Vog. 96
vicina Boisd. (Pyrgo) 176
vicina Luc. (Prasoc.) 132
vicina Stal (Dor.) 13
victoriae Blackb. 170
vidua Rog. 96
viennensis Sehrank (Colaph.) 114
viennensis Ws. (Phyllod.) 189
vigilans Stal 51
vigintiguttata Clark 96
vigintiguttata Ol. 85
vigintimaculata Chevr. (Polysp.) 44
vigintimaculata Clark (Chrys.) 96
vigintimaculata Bergstr. (Melas.) 144
vigintiplagiata Jac. 26
vigintipunctata Scop. 143
vigintipustulata Duviv. (Paropsid.) 171
vigintipustulata Thunb. (Chrys.) 96
vigintiquatuorsignata Thunb. 96
vigintiunopunctata Chevr. 26
Villae Cristof. 60
villica Stal 54
viminalis L. 180
viminalis Panz. 181
ab. vinariensis Ws. 100
vinclata Germ. 51
vinula Stal 26
violacea Jac. (Calom.) 194
violacea Müll. (Chrys.) 96
ab. violacea Jacobs. (Apteroc.) 130
ab. violacea Letzn. (Chrysochl.) 108
violacea F. (Prasoc.) 131
violacea Goetze (Chrys.) 71
violacea Ol. (Melas.) 139
violacea Panz. (Chrys.) 65
violacea Schall. (Chrys.) 64
ab. violaceicollis Motsch. 59
violaceipennis Baly (Phylloch.) 202
violaceipennis Jac. (Chalcol.) 200
ab. violaceipennis Jac. (Melas.) 142
violaceocerulea Fourcr. 71
violaceomaculata Jac. 44
violacconigra Deg. 205
ab. violaceus Fleisch. (Scleroph.) 125
ab. violaceus Ws. (Phaedon) 121
ab. violascens Stal 35
ab. virens Jacobs. (Chrysochl.) 101
virens Chap. (Pyrgo) 172

virescens Gebl. (Gastroid.) 118
 ab. *virescens* Hope (Plagiod.) 135
virescens Ws. (Chrysochl.) 101
virgata Stal 9
virgata Mtsch. 97
virgo Stal (Zyg.) 9
 ab. *virgo* Ws. (Chrysochl.) 102
virgulata Germ. 109
viridana Küst. 97
 ab. *viridescens* Letzn. 108
viridiaenea Baly (Phylloch.) 202
viridiaenea Letzn. (Chrysochl.) 109
viridiaenea Marsh. (Chrys.) 95
viridicuprea Stal 10
 ab. *viridieganeum* Jacobs. 54
viridifasciata Jac. 26
 ab. *viridifulgens* Dan. 98
viridimaculata Jac. 137
viridimicans Lea 151
viridiornata Jac. 26
viridipennis Lea (Calom.) 194
viridipennis Stal (Plagiod.) 137
viridipennis Ws. (Chalcom.) 151
viridis Dft. (Chrysochl.) 104
viridis Melsh. (Phaedon) 122
 ab. *viridis* Ws. (Chrys.) 67
viridis Letzn. (Chrysochl.) 108
viridissima Jac. 192
viridivittata Baly 136
viridula Chap. (Pyrgo) 175
viridula Deg. (Gastroid.) 117
 ab. *viridula* Jacobs. (Crosita) 55
viridula Laich. (Chrys.) 76
Vishnu Baly 97
vitellinae L. (Phyllod.) 189
vitellinae Gyll. (Phyllod.) 188
vitellinae Schrank (Chrys. 65)
vitellinae Scop. (Melas.) 139
viticis Fairm. 200
vittata Baly (Calom.) 194
vittata Baly (Elytrosph.) 54
vittata F. (Prosic.) 30
vittata Lea (Eulina) 202
vittata Ol. (Prasoc.) 132
vittata Baly (Leptinot.) 31
vittata F. (Chrys.) 69
vitticollis Stal 26
vittatipennis Jac. 26
vitticollis Jac. 137
vittigera Sffr. 104
vittigera Baly 101
vittipennis Bowd. (Leptinot.) 37
vittipennis Boh. (Paropsist.) 161

vittosa Stal 9
vomica Blackb. 170
 ab. *vulgaris* Chap. (Chrysoph.) 165
vulgaris Guér. (Polysp.) 42
vulgatissima Schrank 96
vulgatissimus L. 187
vulpecula Vog. 97
vulpina Blackb. (Trachym.) 170
vulpina F. (Chrys.) 97

Wagneri Steinh. 29
Wallacei Baly (Chrys.) 98
Wallacei Baly (Paropsid.) 171
Wallacei Baly (Phylloch.) 202
Walleri Baly (Oidos.) 198
Walleri Baly (Plagiod.) 137
Wallisi Steinh. 26
 var. *Walshiana* Blatchl. 43
Waterhousei Baly (Caryst.) 152
Waterhousei Baly (Dor.) 26
Waterhousei Baly (Chrysoph.) 164
Weisei Csiki (Sternopl.) 124
Weisei Friv. (Chrys.) 98
Weisei Jacobs. (Xenom.) 219
Weisei Rtt. (Crytonast.) 216
Weisei Rtt. (Phytod.) 184
Weisei Rtt. (Prasoc.) 132
 ab. *Weisei* Krauss (Chrysochl.) 104
 ab. *Wendleri* Fleisch. 214
Westermanni Stal 197
Westringi Stal 46
Wickhami Bowd. 44
Whitei Baly (Aesern.) 112
Whitei Baly (Dor.) 26
whittonensis Blackb. 170
Wilsoni Baly 159
Wollastoni Baly 20
 ab. *Wollasowiczi* Jacobs. 61

xantholoma Stal 28
xanthopyga Stal 54
xanthorrhoeae Lea 200

yessoensis Matsum. 98
yezoensis Matsum. 98
ylgarnensis Blackb. 159

zebra Stal 26
zebrata Stal 26
Zetterstedti Stal 37
Zietzi Blackb. 159
zonata Germ. 26.

- Pars 16: **P. Pape**, Brachyceridae. 1910. 36 p.
(Mark 3.40) Mk. 2.25
- 17: **Ph. Zaitzev**, Dryopidae, Cyathoceridae, Georyssidae, Heteroceridae. 1910. 68 p. (Mark 6.35) Mk. 4.25
- 18: **E. Csiki**, Platypsyllidae, Orthoperidae, Phaenoccephalidae, Discolomidae, Sphaeriidae. 1910. 35 p.
(Mark 3.30) Mk. 2.15
- 19, 29, 40, 57, 67: **M. Bernhauer** et **K. Schubert**, Staphylinidae I—V. 1910—16. 498 p.
(Mark 46.75) Mk. 31.15
- 20: **A. Schmidt**, Aphodiinae. 1910. 111 p.
(Mark 10.50) Mk. 7.—
- 21: **K. Ahlwarth**, Gyrinidae. 1910. 42 p.
(Mark 4) Mk. 2.70
- 23: **S. Schenkling**, Cleridae. 1910. 174 p.
(Mark 16.35) Mk. 10.90
- 24: **H. Bickhardt**, Histeridae. 1910. 137 p.
(Mark 12.85) Mk. 8.60
- 25: **K. W. von Dalla Torre**, Cebionidae. 1911. 18 p.
(Mark 1.70) Mk. 1.15
- 26: **M. Pic**, Scaptiidae, Pedilidae. 1911. 27 p.
(Mark 2.60) Mk. 1.75
- 27: **A. Raffray**, Pselaphidae. 1911. 222 p.
(Mark 20.80) Mk. 13.90
- 30: **K. W. von Dalla Torre**, Coidae. 1911. 32 p.
(Mark 3) Mk. 2.—
- 31: **K. W. von Dalla Torre**, Aglycyderidae, Proterrhinidae. 1911. 8 p.
(Mark 0.75) Mk. 0.50
- 32: **E. Csiki**, Hydroscaphidae, Ptiliidae. 1911. 61 p.
(Mark 5.75) Mk. 3.90
- 33: **K. W. von Dalla Torre**, Nosodendridae, Byrrhidae, Dermestidae. 1911. 96 p. (Mark 9) Mk. 6.—
- 34: **P. Kuhnt**, Erotylidae. — **C. Ritsema**, Helotidae. 1911. 106 p. (Mark 10) Mk. 6.65
- 35: **J. Weise**, Chrysomelidae: 15. Hispinae. 1911. 94 p.
(Mark 8.85) Mk. 5.90
- 36: **M. Pic**, Anthicidae. 1911. 102 p.
(Mark 9.60) Mk. 6.40
- 38: **J. J. E. Gillet**, Scarabaeidae: Coprinae I. 1911. 100 p. (Mark 9.40) Mk. 6.25
- 39: **Chr. Aurivillius**, Cerambycidae: Cerambycinae. 1912. 574 p. (Mark 53.85) Mk. 35.90
- 41: **M. Pic**, Ptinidae. 1912. 46 p. (Mark 4.35) Mk. 2.90
- 42: **A. Schmidt**, Scarabaeidae: Aegialiinae, Chironinae. 1912. 11 p. (Mark 1.10) Mk. 0.75
- 43: **G. J. Arrow**, Scarabaeidae: Pachypodinae, Pleocominae, Aclopiniae, Glaphyrinae, Ochodaeinae, Orphninae, Idiostominae, Hybosorinae, Dynamopinae, Acanthocerinae, Troginae. 1912. 66 p.
(Mark 6.20) Mk. 4.15
- 44: **H. Strohmeier**, Platypodidae. 1912. 26 p.
(Mark 2.50) Mk. 1.65

- Pars 45, 47, 49, 50: **K. W. von Dalla Torre**, Scarabaeidae: Melolonthinae. 1912—13. 451 p.
(Mark 42.50) Mk. 28.40
- 46: **A. Boucomont**, Scarabaeidae: Taurocerastinae, Geotrupinae. 1912. 47 p. (Mark 4.40) Mk. 2.95
- 48: **M. Pic**, Anobiidae. 1912. 92 p. (Mark 8.65) Mk. 5.75
- 51: **H. Clavareau**, Chrysomelidae: 1. Sagrinae, 2. Donaciinae, 3. Orsadae, 4. Criocerinae. 1913. 103 p.
(Mark 9.75) Mk. 6.50
- 52: **A. Lameere**, Cerambycidae: Prioninae. 1913. 108 p.
(Mark 10.10) Mk. 6.75
- 53: **H. Clavareau**, Chrysomelidae: 5. Megascelinae, 6. Megalopodinae, 7. Clytrinae, 8. Cryptocephalinae, 9. Chlamydinae, 10. Lamprosominae. 1913. 278 p.
(Mark 26.10) Mk. 17.40
- 54: **E. Csiki**, Rhipiphoridae. 1913. 29 p.
(Mark 2.80) Mk. 1.85
- 55: **M. Pic**, Bruchidae. 1913. 74 p.
(Mark 7) Mk. 4.70
- 56: **A. Grouvelle**, Byturidae, Nitidulidae: 1. Cateretinae, 2. Meligethinae, 3. Carpophilinae, 4. Nitidulinae, 5. Cryptarchinae, 6. Cybocephalinae. 1913. 223 p.
(Mark 21) Mk. 14.—
- 58: **M. Pic**, Dascillidae, Helodidae, Eucinetidae. 1914. 65 p.
(Mark 6.15) Mk. 4.10
- 59: **H. Clavareau**, Chrysomelidae: 11. Eumolpinae. 1914. 214 p.
(Mark 20.30) Mk. 13.50
- 60: **R. Jeannel**, Silphidae: Subfam. Bathysciinae. 1914. 62 p.
(Mark 5.90) Mk. 3.90
- 61: **A. Méquignon**, Rhizophagidae. 1914. 16 p.
(Mark 1.50) Mk. 1.—
- 62: **F. Spaeth**, Chrysomelidae: 16. Cassidinae. 1914. 182 p.
(Mark 17.10) Mk. 11.40
- 63: **E. Csiki**, Mordellidae. 1915. 84 p.
(Mark 7.90) Mk. 5.30
- 64: **S. Schenkling**, Derodontidae, Lymexylonidae, Micro-malthidae. 1915. (Mark 1.90) Mk. 1.30
- 65: **S. Schenkling**, Oedemeridae. 1915. 82 p.
(Mark 7.80) Mk. 5.20
- 66: **F. Ohaus**, Scarabaeidae: Euchirinae, Phaenomerinae, Rutelinae — im Druck.

1923 - Julien Achard: Observations au sujet du Coleopterorum
Catalogus, Chrysomelinae de J. Weise < Bull. Soc. Ent. France,
1923, pp. 35-37.

1914 - Dr. F. Spaeth: Ueber die palaearktischen Cassiden mit
besonderer Berücksichtigung jener von Asien

< Verh. K. k. Zool.-botan. Ges. Wien, vol. 64, nos 5-6, pp. 128 ff.

1926 Spaeth Mon. Copt. w. comed. claws. Amer.
suppl. Ent. no 13. pp. 1-108.

SMITHSONIAN INSTITUTION LIBRARIES



3 9088 01273 1618