

ISSN 2226-0773



МЕЖДУНАРОДНЫЙ АЛЬМАНАХОН
INTERNATIONAL ALMANAC

ГУМАНИТАРНОЕ ПРОСТРАНСТВО
HUMANITY SPACE



Том 2, No 3
Volume 2, No 3

МОСКВА
MOSCOW

2013

Том 2, No 3 Volume 2, No 3

MOSCOW



<http://www.humanityspace.com>

ISSN 2226-0773



9 772226 077900

ISSN 2226-0773

**МЕЖДУНАРОДНЫЙ АЛЬМАНАХОН
INTERNATIONAL ALMANAC**

**ГУМАНИТАРНОЕ ПРОСТРАНСТВО
HUMANITY SPACE**

**Том 2, No 3
Volume 2, No 3**

**ЭНТОМОЛОГИЯ
ENTOMOLOGY**

**МОСКВА
MOSCOW
2013**

Гуманитарное пространство
Международный альманах ТОМ 2, No 3, 2013

Humanity space
International almanac VOLUME 2, No 3, 2013

Главный редактор / Chef Editor: **М.А. Лазарев / M.A. Lazarev**
E-mail: **cerambycidae@fromru.com**

Дизайн обложки / Cover Design: **М.А. Лазарев / M.A. Lazarev**
Научный редактор / Scientific Editor:

В.П. Подвойский / V.P. Podvoysky
E-mail: **9036167488@mail.ru**

Литературный редактор / Literary Editor:

О.В. Стукалова / O.V. Stukalova
E-mail: **chif599@gmail.com**

Веб-сайт / Website: **http://www.humanityspace.com**

Издательство / Publishers: **Higher School Consulting**
Tovarishchensky side street, 19, office19, Moscow, Russia
Напечатано / Printed by: **AEG Group Design & Printing**
Gruzinsky Val, 11, Moscow, 123056 Russia

Дата выпуска / Date of issue: **01.07.2013**
Реестр / Register: **ISSN 2226-0773**

© Гуманитарное пространство. *Международный альманах* //
Humanity space. *International almanac*
составление, редактирование
compiling, editing

**Results of the Czech entomological expedition to Iran (2009 - 2010)
(Coleoptera: Cerambycidae)**

R. Ambrus¹, W. Grosser²

¹ Trnkovo nám. 1112/1, CZ-152 00 Prague 5, Czech Republic
e-mail: ambrus@centrum.cz

² U Střelnice 17, CZ-746 01 Opava, Czech Republic
e-mail: walterg@atlas.cz

Key words: Coleoptera, Cerambycidae, faunistics, biology, host plants, Iran, Palaearctic region.

Abstract: A total of 64 Cerambycidae species were recorded during entomological survey of Iran in May/June 2009 and June 2010. The authors presented distribution range of each species, new faunistic and some biological data. The host plant and some biological data for *Purpuricenus robusticollis* Pic, 1905 are given for the first time.

INTRODUCTION

The longhorn beetle fauna of Iran has been studied intensively over the past several decades, but is still poorly known.

The paper presents results of the Czech entomological expedition to Iran in May, June 2009 and June 2010. During this expedition were visited many interesting locations in Iran, mainly along Caspian Sea and in the central Zagros mountain range in provinces Lorestan southwards to Fars. An entomological survey was also conducted in province Kerman located in the south-east of Iran.

A total of 64 Cerambycidae species and subspecies were recorded by Czech entomological expedition, including three newly described species: *Molorchus grosseri* Voříšek 2012, *Chlorophorus golestanicus* Voříšek, 2012 and *Semiangusta ambrusi* Danilevsky 2012.

In this paper is presented distribution range of each species, new faunistic and some biological data, established on the basis of our observations.

MATERIAL AND METHODS

The beetles were collected individually, using generally known methods such as beating, sweeping, individual collecting on wood, flower and leaves and used UV light. Much attention has been paid to larvae collecting. Usually, the larvae were allowed to develop in the original substrate.

The adults were determined by Mikhail Leontievitch Danilevsky (Moscow, Russia), Jiří Voříšek (Jirkov, Czech Republic), Tomáš Tichý (Opava, Czech Republic) and by the authors.

Abbreviations:

FČ – František Černý, Osečná, CZ

RA - Richard Ambrus, Prague, CZ

WG - Walter Grosser, Opava, CZ

RESULTS

Family CERAMBYCIDAE

Subfamily Parandrinae

Tribe Parandrini

1) *Parandra (Archandra) caspia* Ménétríés, 1832

Material: Iran, Mazandaran prov., 20 km S Amol, 36.30N 52.36E, 361 m, 9. 6. 2009, 1 adult attracted by light (WG).

Distribution: Palaearctic Region: Asia (Azerbaijan, Iran).

Subfamily Prioninae

Tribe Remphanini

2) *Rhaesus serricollis* (Motschulsky, 1838)

Material: Iran, Golestan prov., Golestan NP, Daland near Aliábád, 36.94N 54.96E, 120 m, 13. 6. 2010, 1 adult attracted by light (WG).

Distribution: Palaearctic Region: Europe (Albania, Bulgaria, Greece, Macedonia, Montenegro, Russia: South of European Russia and Russian Caucasus, Serbia, Turkey), Asia (Armenia, Azerbaijan, Cyprus, Georgia, Iran, Israel, Lebanon, Syria, Turkey), North Africa (Egypt).

Tribe Aegosomatini

3) *Aegosoma scabricorne* (Scopoli, 1763)

Material: Iran, Gilan prov., Tutkaban near Roodbar, 36.83N 49.66E, 959 m, 5. 6. 2010, 1 adult sitting on a plane tree (*Platanus sp.*) stump (WG); Iran, Golestan prov., 5 km S Azád Shahr, 37.07N 55.27E, 300 m, 10. - 11. 6. 2010, 1 adult sitting on a plane tree (*Platanus sp.*) stump (WG); Iran, Golestan prov., Golestan NP, Daland near Aliábád, 36.94N 54.96E, 120 m, 13. 6. 2010, 1 adult sitting on an oak (*Quercus sp.*) stump (WG).

Distribution: Palaearctic Region: Europe (Albania, Austria, Belarus, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, France, Germany, Greece, Hungary, Italy, Macedonia, ?Moldova, Montenegro, Romania, Russia: South of European Russia and Russian Caucasus, Serbia, Slovakia, Slovenia, Spain, Switzerland, The Netherlands, Turkey, Ukraine), Asia (Armenia, Azerbaijan, Georgia, Iran, Lebanon, Syria, Turkey).

R. Ambrus, W. Grosser

Tribe Prionini

4) *Prionus coriarius* (Linnaeus, 1758)

Material: Iran, Gilan prov., Tutkabon near Roodbar, 36.83N 49.66E, 959 m, 5. 6. 2010, 2 adults attracted by light (WG).

Distribution: Palaearctic Region: Europe (Albania, Austria, Belarus, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Great Britain, Greece, Hungary, Italy, Latvia, Liechtenstein, Lithuania, Luxembourg, Macedonia, Moldova, Montenegro, Norway, Poland, Portugal, Romania, Russia: European Russia and Russian Caucasus, Serbia, Slovakia, Slovenia, Spain, Switzerland, Sweden, The Netherlands, Turkey, Ukraine), Asia (Armenia, Azerbaijan, Georgia, Iran, ?Kazakhstan, Russia: West Siberia, Syria, Turkey), North Africa (Algeria, Tunisia).

5) *Mesoprionus persicus* (Redtenbacher, 1850)

Material: Iran, Fars prov., Dalin, 35 km NW Shiraz, 29.98N 52.17E, 1080 m, 8. 6. 2010, 1 adult attracted by light (WG).

Distribution: Palaearctic Region: Asia (Iran, Iraq, Turkey)

Subfamily Lepturinae

Tribe Rhagiini

6) *Cortodera pseudomoplus* Reitter, 1889

Material: Iran, Kohgiluyeh and Boyer Ahmad prov., Sisakht env., 30.93N 51.46E, 2194 m, 27. 5. 2009, 1 adult on flowers of *Lepidium sp.* (FČ); Iran, Azerbaijan e Garbi prov., Serou, 37.71N 44.62E, 1650 m, 28. - 30. 5. 2010, 2 adults on flowers of *Lepidium sp.* (WG); Iran, Lorestan prov., Tootmashour, 33.41N 48.90E, 1995 m, 31. 5. 2010, 2 adults on flowers of *Anthemis sp.* (WG); Iran, Esfahan prov., 40 km SE Aligudarz, Nowghan env., 2254 m, 31. 5. 2010, 1 adult on flowers of *Anthemis sp.* (WG).

Distribution: Palaearctic Region: Asia (Armenia, Azerbaijan, Iran, Turkmenistan).

7) *Cortodera syriaca ssp. ?syriaca* Pic, 1901

Material: Iran, Lorestan, 17 km SW Dorud, Tut village env., 1995 m, 3. 6. 2009, 1 adult, by sweeping of vegetation (RA).

R. Ambrus, W. Grosser

Distribution: Palaearctic Region: Asia (Armenia, Azerbaijan, Iran, Lebanon, Syria, Turkey).

8) *Cortodera transcaspica ssp. persica* Plavilstshikov, 1936

Material: Iran, Kohgiluyeh and Boyer Ahmad prov., Kuh Gol, Sisakht env., 30.84N 51.53E, 2498 m, 27. - 28. 5. 2009, 2 adults on flowers of *Anthemis sp.* (WG); Iran, Esfahan prov., 40 km SE Aligudarz, Nowghan env., 2254 m, 31. 5 - 1. 6. 2009, 3 adults on flowers of *Anthemis sp.* (WG); Iran, Mazandaran prov., Damavand Mts. env., 1400 – 2500 m, 10. 6. 2009, 5 adults on flowers of *Tragopogon sp.* (WG).

Distribution: Palaearctic Region: Asia (Iran).

Tribe Lepturini

9) *Vadonia bicolor* (Redtenbacher, 1850)

Material: Iran, Fars prov., 28 km SE Yasuj, 2 365 m, 30.48N 51.65E, 29. 5. 2009, 2 adults on flowers of *Onopordum sp.* (RA, WG); Iran, Fars prov., Komehr env., 30.47N 51.86E, 2376 m, 30. 5. 2009, 1 adult on flowers of *Apiaceae* (FČ).

Distribution: Palaearctic Region: Asia (Azerbaijan, Iran, Turkey).

10) *Anoplodera rufipes ssp. astrabadensis* Pic, 1900

Material: Iran, Gilan prov., Tutkabon near Roodbar, 36.83N 49.66E, 959 m, 5. 6. 2009, 2 adults on flowers of *Apiaceae* (FČ, WG); Iran, Mazandaran prov., Damavand Mountain env., 1400 – 2500 m, 10. 6. 2009, 1 adult on flowers of *Apiaceae* (RA).

Distribution: Palaearctic Region: Asia (Azerbaijan, Iran)

11) *Stictoleptura rufa ssp. rubromarginata* (Plavilstshikov, 1932)

Material: Iran, Lorestan, 17 km SW Dorud, Tut village env., 1995 m, 3. 6. 2009, 1 adult on a flowering shrub (*Paliurus spina-christi*), (RA).

Distribution: Palaearctic Region: Asia (Iran, Iraq, Turkey)

12) *Stictoleptura scutellata ssp. miroshnikovi* Danilevsky, 2012

Material: Iran, Mazandaran prov., 20 km S Amol, 36.30N 52.36E, 361 m, 9. 6. 2009, 2 adults on flowers of *Apiaceae* (FČ, WG); Iran, Golestan prov.,

R. Ambrus, W. Grosser

5 km S Azád Shahr, 37.07N 55.27E, 300 m, 10. - 11. 6. 2010, 1 adult on flowers of *Apiaceae* (WG); Iran, Golestan prov., Golestan NP, 45 km E Minudasht, 37.36N 55.93E, 960 m, 11. 6. 2010, 3 adults on flowers of *Apiaceae* (WG).

Distribution: Palaearctic Region: Asia (Azerbaijan, Iran).

13) *Stictoleptura tonsa* (K. Daniel et J. Daniel, 1891)

Material: Iran, Gilan prov., Tutkabon env., 959 m, 5. 6. 2009, 12 adults on flowers of *Apiaceae* (FČ, RA, WG); Iran, Golestan prov., Golestan NP, 45 km E Minudasht, 37.36N 55.93E, 960 m, 7. 6. 2009, 2 adults on flowers of *Apiaceae* (WG); Iran, Golestan prov., Golestan NP, 60 km E Minudasht, 37.36N 55.93E, 460 m, 7. 6. 2009, 3 adults on flowers of *Rubus sp.* (RA, WG); Iran, Golestan prov., Golestan NP, 10 km SW Minudasht, 37.17N 55.33E, 246 m, 8. 6. 2009, 5 adults on flowers of *Apiaceae*, 2 adults on flowers of *Rubus sp.* (FČ, RA, WG); Iran, Golestan prov., Golestan NP, 45 km E Minudasht, 37.36N 55.93E, 960 m, 11. 6. 2010, 2 adults on flowers of *Apiaceae* (WG); Iran, Tehran prov., 10 km N Gachsar, 36.09N 51.18E, 2800 m, 15. 6. 2010, 2 adults on flowers of *Apiaceae* (WG).

Distribution: Palaearctic Region: Europe (Russia: South of European Russia and Russian Caucasus, Ukraine), Asia (Armenia, Azerbaijan, Georgia, Iran, Turkey).

14) *Rutpela inermis* (K. Daniel et J. Daniel, 1891)

Material: Iran, Gilan prov., Tutkabon near Roodbar, 36.83N 49.66E, 959 m, 5. 6. 2010, 5 adults attracted by light (WG).

Distribution: Palaearctic Region: Asia (Azerbaijan, Iran, Turkmenistan).

Subfamily Cerambycinae Tribe Cerambycini

15) *Cerambyx cerdo* ?*ssp. acuminatus* Motschulsky, 1852

Material: Iran, Gilan prov., Tutkabon env., 959 m, 5. 6. 2009, 2 adults sitting on an oak (*Quercus sp.*) trunk (RA, WG).

Distribution: Palaearctic Region: Europe (Russia: South of European Russia and Russian Caucasus, Ukraine), Asia (Armenia, Azerbaijan, Georgia, Iran, Iraq, Israel, Jordan, Lebanon, Syria, Turkey).

R. Ambrus, W. Grosser

16) *Cerambyx (Microcerambyx) elbursi* Jureček, 1924

Material: Iran, Gilan prov., Tutkabon env., 959 m, 5. 6. 2009, 10 adults on flowers of *Rubus sp.* (FČ, RA, WG).

Distribution: Palaearctic Region: Asia (Iran).

17) *Cerambyx (Microcerambyx) multiplicatus* Motschulsky, 1857

Material: Iran, Golestan prov., Golestan NP, 45 km E Minudasht, 37.36N 55.93E, 960 m, 7. 6. 2009, 1 adult on flowers of *Rubus sp.* (WG); Iran, Golestan prov., Golestan NP, 45 km E Minudasht, 37.36N 55.93E, 960 m, 11. 6. 2010, 1 adult on flowers of *Rubus sp.* (WG).

Distribution: Palaearctic Region: Asia (Azerbaijan, Iran).

18) *Aeolesthes sarta* Solsky, 1781

Material: Iran, Semnan prov., 10 km W Damghan, 36.06N 54.17E, 1200 m, 10. 6. 2010, 1 adult beaten from living branches of *Morus sp.* (WG).

Distribution: Palaearctic Region: Asia (Afghanistan, China: Tibet, Iran, Kazakhstan, Kyrgyzstan, Pakistan, Tadzhikistan, Turkmenistan, Uzbekistan).

19) *Xenopachys matthiesseni* Reitter, 1907

Material: Iran, Kerman prov., Gebal Barez Mts., Deh Bakri, 29.08N 57.91E, 2300 m, 2.- 3. 6. 2010, 2 adults attracted by light (WG).

Distribution: Palaearctic Region: Asia (Iran, Turkmenistan).

Tribe Purpuricenini

20) *Purpuricenus deyrollei* Thomson, 1867

Material: Iran, Golestan prov., 10 km NE Minudasht, Galikesh env., 309 m, 7. 6. 2009, 1 adult on flowers of *Onopordum sp.* (WG); Iran, Golestan prov., 10 km SW Minudasht, 246 m, 8. 6. 2009, 1 adult on a flowering shrub (*Paliurus spina-christi*), (RA).

Distribution: Palaearctic Region: Asia (Iran, Turkmenistan).

21) *Purpuricenus kaehleri* ssp. *menetriesi* Motschulsky, 1845

Material: Iran, Golestan prov., 10 km NE Minudasht, Galikesh env., 309 m, 7. 6. 2009, 22 adults on flowers of *Onopordum* sp. (FČ, RA, WG); Iran, Golestan prov., 10 km SW Minudasht, 246 m, 8. 6. 2009, 55 adults on a flowering shrubs (*Paliurus spina-christi*) and on flowers of *Onopordum* sp., ex larva from living branches of *Paliurus spina-christi* - 2 adults emerged from 24. 7. to 28. 7. 2009 (FČ, RA, WG).

Distribution: Palaearctic Region: Europe (Russia: Russian Caucasus), Asia (Armenia, Azerbaijan, Georgia, Iran, Turkey).

22) *Purpuricenus nanus* Semenov, 1907

Material: Iran, Esfahan prov., 40 km SE Aligudarz, Nowghan env., 2254 m, 1. 6. 2009, 1 adult in flight (RA).

Distribution: Palaearctic Region: Asia (Iran).

23) *Purpuricenus robusticollis* Pic, 1905

Material: Iran, Esfahan prov., 40 km SE Aligudarz, Nowghan env., 2254 m, 1. 6. 2009, 57 adults on *Centaurea behen*, 8 adults on *Cousinia silyboides* Jaub. & Spach, several adults in pupal cells and larvae found underground, on the roots of this plant (FČ, RA, WG); Iran, Lorestan, 17 km SW Dorud, Tut village env., 1995 m, 3. 6. 2009, 11 adults on *Centaurea behen* (FČ, RA); Iran, Esfahan prov., 40 km SE Aligudarz, Nowghan env., 2254 m, 31. 5. 2010, 2 adults on *Centaurea behen* (WG); Iran, Lorestan prov., Tootmashour, 33.41N 48.90E, 1995 m, 31. 5. 2010, 3 adults on *Centaurea behen* (WG).

Distribution: Palaearctic Region: Asia (Iran).

Purpuricenus robusticollis is species endemic to Iran. Distribution of this species in Iran is poorly known, most of the known specimens were collected in the provinces Lorestan, Esfahan and Fars.

This species is local but a typical representative of steppe and forest steppe region, in relatively high altitude. The most of our specimens of *P. robusticollis* were collected on *Centaurea behen* L. (Asteraceae) or flying around this plant. The beetles were sitting or mating especially on buds, only a few pieces were sitting on leaves of this plant.

About 8 adults from the province Esfahan, 40 km SE Aligudarz, Nowghan env., were collected on leaves and on stems of *Cousinia silyboides* Jaub. & Spach (Asteraceae, Cardueae (= Cynareae), *Cousinia*

R. Ambrus, W. Grosser

section Cynaroideae). Several adults were founded in earthen pupal cells in the soil on the roots of this plant. The pupal cells are vertical or slope toward the soil surface and are laid at a depth of 10-15 cm. The larvae live in the soil and feed principally on the roots and underground stems of this plant.

Cousinia silyboides Jaub. & Spach was determined by the Dr. Iraj Mehregan, Assist. Prof., Department of Biology, Science and Research Branch, Azad University, Tehran, Iran.

Adults emerge in spring, especially from the second half of May to early June.

24) *Purpuricenus zarudnianus* Semenov, 1903

Material: Iran, Kerman prov., 30 km S Sirjan, 29.13N 55.74E, 1730 m, 6. - 7. 6. 2010, 2 adults on flowers of unknown *Asteraceae* plant (WG).

Distribution: Palaearctic Region: Asia (Iran, Pakistan).

25) *Calchaenesthes diversicollis* Holzschuh, 1977

Material: Iran, Kohgiluyeh and Boyer Ahmad prov., Sisakht env., 30.83N 51.46E, 2050 m, 27. 5. 2009, 1 adult sitting on a leaf of an oak (*Quercus* sp.), (RA).

Distribution: Palaearctic Region: Asia (Iran, Iraq, Turkey).

Tribe Callichromatini

26) *Osphranteria coerulescens* ssp. *coerulescens* Redtenbacher, 1850

Material: Iran, Kerman prov., Jupar env., 30.05N 57.12E, 1900 m, 1. 6. 2010, 10 adults on flowers of unknown *Asteraceae* plant (WG); Iran, Kerman prov., Sirch env., 30.19N 57.57E, 1640 m, 2. 6. 2010, 2 adults on flowers of unknown *Asteraceae* plant (WG); Iran, Semnan prov., 10 km W Damghan, 36.06N 54.17E, 1200 m, 10. 6. 2010, 2 adults on flowers of unknown *Asteraceae* plant (WG).

Distribution: Palaearctic Region: Asia (Iran, Iraq, Pakistan).

27) *Osphranteria sauveolens* Redtenbacher, 1850

Material: Iran, Kerman prov., Gebal Barez Mts., Deh Bakri, 29.08N 57.91E, 2300 m, 2. - 3. 6. 2010, 12 adults on flowers of *Eryngium* sp. (WG); Iran, Kerman prov., 30 km S Sirjan, 29.13N 55.74E, 1730 m, 6. - 7. 6. 2010, 22

R. Ambrus, W. Grosser

adults on flowers of *Eryngium sp.* (WG).

Distribution: Palaearctic Region: Asia (Afghanistan, Iran).

Tribe Stenopterini

28) *Stenopterus rufus ssp. transcaspicus* Lazarev, 2008

Material: Iran, Gilan prov., Tutkabon near Roodbar, 36.83N 49.66E, 959 m, 5. 6. 2009, 15 adults on flowers of *Apiaceae* (FČ, WG); Iran, Golestan prov., Golestan NP, 60 km E Minudasht, 37.36N 55.93E, 460 m, 7. 6. 2009, 70 adults on flowers of *Apiaceae* (FČ, RA, WG); Iran, Mazandaran prov., 20 km S Amol, 36.30N 52.36E, 361 m, 9. 6. 2009, 5 adults on flowers of *Apiaceae* (FČ, RA, WG); Iran, Mazandaran prov., Damavand Mountain env., 1400 – 2500 m, 10. 6. 2009, 15 adults on flowers of *Apiaceae* (FČ, RA, WG); Iran, Golestan prov., Golestan NP, 45 km E Minudasht, 37.36N 55.93E, 960 m, 11. 6. 2010, 3 adults on flowers of *Apiaceae* (WG).

Distribution: Palaearctic Region: Asia (Iran, Turkmenistan).

29) *Callimus angulatus ssp. angulatus* (Schrank, 1789)

Material: Iran, Golestan prov., Golestan NP, 10 km SW Minudasht, 37.17N 55.33E, 246 m, 8. 6. 2009, *ex larva* from dead twigs of an oak (*Quercus sp.*) - 8 adults emerged from 15. 3. to 20. 3. 2010, 4 adults emerged from 5. 3. to 10. 3. 2011 and 5 adults emerged 10. 3. 2012 (WG).

Distribution: Palaearctic Region: Europe (Albania, Austria, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, France, Germany, Greece, Hungary, Macedonia, Moldova, Montenegro, Poland, Romania, Serbia, Slovakia, Spain, Switzerland, Turkey, Ukraine), Asia (Armenia, Azerbaijan, Georgia, Iran, Syria, Turkey), North Africa (Algeria, Morocco).

30) *Lampropterus femoratus* (Germar, 1824)

Material: Iran, Lorestan prov., Tootmashour, Goor Kash, 33.41N 48.90E, 1995 m, 2. - 3. 6. 2009, 3 adults on flowers of *Achillea sp.* (WG); Iran, Kohgiluyeh and Boyer Ahmad prov., Zagros Mts., Qarah 8 km, 31.21N 51.31E, 1994 m, 27. 5. 2009, *ex larva* from a dead twig of an oak (*Quercus sp.*) - 1 adult emerged 2. 4. 2010 (WG).

Distribution: Palaearctic Region: Europe (Albania, Bulgaria, Greece, Macedonia, Moldova, Montenegro, Romania, Russia: South of European Russia and Russian Caucasus, Serbia, Turkey, Ukraine), Asia (Armenia, Azerbaijan, Cyprus, Georgia, Iran, Israel, Lebanon, Syria, Turkey).

31) *Callimoxys gracilis* (Brullé, 1832)

Material: Iran, Gilan prov., Tutkabon env., 959 m, 5. 6. 2009, 18 adults on flowers of *Rubus sp.* (FČ, RA, WG); Iran, Golestan prov., Golestan NP, 60 km E Minudasht, 37.36N 55.93E, 460 m, 7. 6. 2009, 1 adult on flowers of *Achillea sp.* (WG); Iran, Mazandaran prov., Damavand Mountain env., 1400 – 2500 m, 10. 6. 2009, 9 adults on flowers of *Apiaceae* (FČ, RA).

Distribution: Palaearctic Region: Europe (Bosnia and Hercegovina, Bulgaria, Croatia, Greece, Hungary, Macedonia, Montenegro, Romania, Russia: South of European Russia and Russian Caucasus, Serbia, Slovakia, Slovenia, Turkey, Ukraine), Asia (Armenia, Azerbaijan, Georgia, Iran, Turkey, Turkmenistan).

Tribe Molorchini

32) *Molorchus grosseri* Voříšek, 2012

Material: Iran, Boyer Ahmad-o-kuhgiluye prov., Kuh Gol, Sisakht, 30.84N 51.53E, 2498 m, 27. - 28. 5. 2009, 1 adult on flowers of *Tordylium cappadocicum* (WG).

Distribution: Palaearctic Region: Asia (Iran).

Tribe Callidiini

33) *Phymatodes (Melasmetus) femoralis ssp. femoralis* (Ménétriés, 1832)

Material: Iran, Gilan prov., Tutkabon env., 959 m, 5. 6. 2009, 14 adults on oak (*Quercus sp.*) logs (FČ, RA, WG).

Distribution: Palaearctic Region: Europe (Russia: South of European Russia and Russian Caucasus), Asia (Armenia, Azerbaijan, Georgia, Iran).

Tribe Clytini

34) *Plagionotus arcuatus ssp. lugubris* (Ménétriés, 1832)

Material: Iran, Gilan prov., Tutkabon env., 959 m, 5. 6. 2009, 3 adults sitting on oak (*Quercus sp.*) stumps (RA, WG); Iran, Golestan prov., Golestan NP, 45 km E Minudasht, 37.36N 55.93E, 960 m, 11. 6. 2010, 3 adults sitting on oak (*Quercus sp.*) stumps (WG).

Distribution: Palaearctic Region: Asia (Armenia, Azerbaijan, Iran,

R. Ambrus, W. Grosser

Turkmenistan).

35) *Neoplacionotus bobelayei* ssp. *bobelayei* (Brullé, 1832)

Material: Iran, Fars prov., 28 km SE Yasuj, 30.48N 51.65E, 2365 m, 29. 5. 2009, 5 adults on *Malvaceae* sp. (FČ, RA); Iran, Lorestan prov., 10 km SW Dorud, 33.42N 48.99E, 1463 m, 4. 6. 2009, 5 adults on *Malvaceae* sp. (WG); Iran, Golestan prov., Golestan NP, 10 km SW Minudasht, 37.17N 55.33E, 246 m, 8. 6. 2009, 3 adults on *Malvaceae* sp. (FČ).

Distribution: Palaearctic Region: Europe (Albania, Bulgaria, Greece, Macedonia, Romania, Russia: South of European Russia and Russian Caucasus, Turkey, Ukraine) Asia (Armenia, Azerbaijan, Georgia, Iran, Lebanon, Israel, Jordan, Syria, Turkey, Turkmenistan).

36) *Echinocerus floralis* (Pallas, 1733)

Material: Iran, Esfahan prov., 40 km SE Aligudarz, Nowghan env., 2254 m, 31. 5 - 1. 6. 2009, 4 adults on flowers of *Apiaceae* (WG); Iran, Esfahan prov., 40 km SE Aligudarz, Nowghan env., 2254 m, 31. 5. 2010, 4 adults on flowers of *Apiaceae* (WG).

Distribution: Palaearctic Region: Europe (Albania, Austria, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, France, Germany, Greece, Hungary, Italy, Latvia, Lithuania, Macedonia, Moldova, Montenegro, Poland, Portugal, Romania, Russia: European Russia and Russian Caucasus, Serbia, Slovakia, Slovenia, Spain, Turkey, Ukraine), Asia (Armenia, Azerbaijan, Georgia, China: Xinjiang, Iran, Israel, Jordan, Kazakhstan, Kyrgyzstan, Russia: West Siberia and East Siberia, Tajikistan, Turkey, Turkmenistan, Uzbekistan)

37) *Chlorophorus golestanicus* Voříšek, 2012

Material: Iran, Golestan prov., Golestan NP, 60 km E Minudasht, 37.36N 55.93E, 460 m, 7. 6. 2009, 15 adults on flowers of different plants: *Achillea* sp., *Allium* sp., *Knautia* sp. and *Apiaceae* (RA, WG); Iran, Golestan prov., Golestan NP, 10 km SW Minudasht, 37.17N 55.33E, 246 m, 8. 6. 2009, 19 adults on flowers of different plants: *Achillea* sp., *Allium* sp., *Knautia* sp. and *Apiaceae* (FČ, WG); Iran, Golestan prov., Golestan NP, 45 km E Minudasht, 37.36N 55.93E, 960 m, 11. 6. 2010, 38 adults on flowers of different plants: *Achillea* sp., *Allium* sp., *Knautia* sp. and *Apiaceae* (WG); Iran, Golestan prov., Golestan NP, 70 km SW Minudasht, 37.26N 55.99E, 1050 m, 12. 6. 2010, 39 adults on flowers of different plants *Achillea* sp.,

R. Ambrus, W. Grosser

Allium sp., *Knautia sp.* and *Apiaceae* (WG).

Distribution: Palaearctic Region: Asia (Iran).

38) *Chlorophorus hircanus* Pic, 1905

Material: Iran, Golestan prov., Golestan NP, 10 km SW Minudasht, 37.17N 55.33E, 246 m, 8. 6. 2009, 1 adult on a flowering shrub (*Paliurus spina-christi*), (WG); Iran, Mazandaran prov., Damavand Mountain env., 1400 – 2500 m, 10. 6. 2009, 2 adults on a flowering shrub (*Paliurus spina-christi*), (RA); Iran, Mazandaran prov., 20 km S Amol, 36.30N 52.36E, 361 m, 10. 6. 2009, 1 adult on a flowering shrub (*Paliurus spina-christi*), (WG).

Distribution: Palaearctic Region: Asia (Iran).

39) *Chlorophorus varius ssp. varius* (Müller, 1766)

Material: Iran, Gilan prov., Fuman, 37.20N 49.18E, 201 m, 6. 6. 2009, 1 adult on flowers of *Apiaceae* (WG).

Distribution: Palaearctic Region: Europe (Albania, Austria, Belarus, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, France, Germany, Great Britain, Greece, Hungary, Italy, Liechtenstein, Lithuania, Macedonia, Malta, Moldova, Montenegro, Poland, Romania, Russia: Centre and South of European Russia and Russian Caucasus, Serbia, Slovakia, Slovenia, Spain, The Netherlands, Turkey, Ukraine), Asia (Armenia, Azerbaijan, Georgia, Iran, Kazakhstan, Russia: West Siberia, Turkey).

40) *Turanoclytus ilamensis ssp. ilamensis* Holzschuh, 1979

Material: Iran, Azerbaijan e Sharqi prov., Sis, 10 km E Shabestar, 38.26N 45.86E, 1540 m, 19. 6. 2010, 1 adult on a dry twig of a living *Astragalus sp.* (WG).

Distribution: Palaearctic Region: Asia (Iran).

41) *Clytus arietis ssp. lederi* Ganglbauer, 1882

Material: Iran, Gilan prov., Tutkaban env., 959 m, 5. 6. 2009, 1 adult on flowers of *Apiaceae* (RA).

Distribution: Palaearctic Region: Asia (Azerbaijan, Iran, Turkmenistan).

R. Ambrus, W. Grosser

**Subfamily Lamiinae
Tribe Lamiini**

42) *Morimus verecundus* (Faldermann, 1836)

Material: Iran, Gilan prov., Tutkabon env., 959 m, 5. 6. 2009, 17 adults on oak (*Quercus sp.*) stumps (RA, WG).

Distribution: Palaearctic Region: Europe (Russia: South of European Russia and Russian Caucasus, Ukraine), Asia (Armenia, Azerbaijan, Georgia, Iran, Turkey, Turkmenistan).

Tribe Dorcadionini

43) *Dorcadion laeve hyrcanum* Jakovlev, 1900

Material: Iran, Mazandaran prov., Damavand Mountain env., 1400 – 2500 m, 10. 6. 2009, 1 adult on the ground in low vegetation (RA).

Distribution: Palaearctic Region: Asia (Iran).

Tribe Acanthocinini

44) *Leiopus femoratus* Fairmaire, 1859

Material: Iran, Mazandaran prov., Damavand Mountain env., 1400 – 2500 m, 10. 6. 2009, 1 adult attracted by light (RA).

Distribution: Palaearctic Region: Europe (Belgium, Bulgaria, France, Italy, Lithuania, Luxembourg, Russia: South of European Russia and Russian Caucasus, The Netherlands, Turkey, Ukraine), Asia (Armenia, Azerbaijan, Georgia, Iran, Turkey).

Tribe Phytoceciini

45) *Oberea (Amaurostoma) erythrocephala ssp. erythrocephala* (Schrank, 1776)

Material: Iran, Fars prov., 28 km SE Yasuy, 30.48N 51.65E, 2365 m, 29. 5. 2009, 2 adults on *Euphorbia sp.* (FČ, WG).

Distribution: Palaearctic Region: Europe (Andorra, Austria, Belarus, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, France, Germany, Greece, Hungary, Italy, Liechtenstein, Lithuania, Macedonia, Moldova, Montenegro, Poland, Portugal, Romania, Russia: Centre and

R. Ambrus, W. Grosser

South of European Russia and Russian Caucasus, Serbia, Slovakia, Slovenia, Spain, Switzerland, Turkey, Ukraine), Asia (Armenia, Azerbaijan, Georgia, Iran, Kazakhstan, Lebanon, Russia: West Siberia).

46) *Oxyilia argentata ssp. argentata* (Ménétriés, 1832)

Material: Iran, Mazandaran prov., Damavand Mountain env., 1400 – 2500 m, 10. 6. 2009, 10 adults on *Anchusa italica* (FČ, RA, WG).

Distribution: Palaearctic Region: Europe (Ukraine), Asia (Armenia, Azerbaijan, Georgia, Iran, Turkey).

47) *Phytoecia (Pilemia) hirsutula ssp. hirsutula* (Frölich, 1793)

Material: Iran, Lorestan, 17 km SW Dorud, Tut village env., 1995 m, 3. 6. 2009, 16 adults on *Phlomis sp.* (RA).

Distribution: Palaearctic Region: Europe (Albania, Bosnia and Herzegovina, Bulgaria, Croatia, Greece, Hungary, Macedonia, Moldova, Montenegro, Romania, Russia: South of European Russia and Russian Caucasus, Serbia, Slovakia, Slovenia, Ukraine), Asia (Armenia, Azerbaijan, Georgia, Iran, Israel, Jordan, Kazakhstan, Lebanon, Russia: West Siberia, Syria, Turkey).

48) *Phytoecia (Coptosia) compacta* (Ménétriés, 1832)

Material: Iran, Gilan prov., Tutkaban near Roodbar, 36.83N 49.66E, 959 m, 5. 6. 2009, 4 adults sitting on the ground under leaves of *Solenanthus stamineus* (WG); Iran, Mazandaran prov., Damavand Mountain env., 1400 – 2500 m, 10. 6. 2009, 7 adults sitting on the ground under leaves of *Solenanthus stamineus* (FČ, WG).

Distribution: Palaearctic Region: Asia (Armenia, Azerbaijan, Georgia, Iran, Turkey)

49) *Phytoecia (Mimocoptosia) luteovittigera* Pic, 1906

Material: Iran, Kohgiluyeh and Boyer Ahmad prov., Kuh Gol, Sisakht env., 30.84N 51.53E, 2498 m, 27. - 28. 5. 2009, 62 adults on stems of flowering *Apiaceae* (FČ, WG); Iran, Fars prov., 28 km SE Yasuj, 2365 m, 30.48N 51.65E, 29. 5. 2009, 9 adults on stems of flowering *Apiaceae* (RA); Iran, Esfahan prov., 40 km SE Aligudarz, Nowghan env., 2254 m, 31. 5 - 1. 6. 2009, 1 adult on a stem of a flowering *Apiaceae* (WG); Iran, Lorestan, 17 km SW Dorud, Tut village env., 1995 m, 3. 6. 2009, 8 adults on stems of

R. Ambrus, W. Grosser

flowering *Apiaceae* (RA, WG).

Distribution: Palaearctic Region: Asia (Iran, Turkey)

50) *Phytoecia (Helladia) imperialis ssp. dorud* Sama, Rapuzzi et Rejzek, 2007

Material: Iran, Lorestan, 17 km SW Dorud, Tut village env., 1995 m, 3. 6. 2009, 1 adult sitting on the ground under leaf of a *Centaurea imperialis* (RA).

Helladia imperialis ssp. dorud Sama, Rapuzzi et Rejzek, 2007 is recorded to be associated with *Centaurea imperialis* Hausskn ex Bornm. (Asteracea) for the first time. So far, all specimens of *Helladia imperialis dorud* were found only on *Onopordum sp.* (Asteraceae).

Distribution: Palaearctic Region: Asia (Iran).

51) *Phytoecia (Musaria) kurdistana* (Ganglbauer, 1884)

Material: Iran, Fars prov., 28 km SE Yasuj, 30.48N 51.65E, 2365 m, 29. 5. 2009, 1 adult on *Eryngium sp.* (RA); Iran, Fars prov., Komehr env., 30.47N 51.86E, 2380 m, 29. 5. 2009, 68 adults on *Eryngium sp.* (FČ, RA, WG); Iran, Esfahan prov., 40 km SE Aligudarz, Nowghan env., 2254 m, 1. 6. 2009, 9 adults on *Eryngium sp.* (FČ, RA, WG).

Distribution: Palaearctic Region: Asia (Armenia, Azerbaijan, Georgia, Iran, Iraq, Turkey).

52) *Phytoecia (Musaria) puncticollis ssp. puncticollis* (Faldermann, 1837)

Material: Iran, Esfahan prov., 40 km SE Aligudarz, Nowghan env., 2254 m, 1. 6. 2009, 4 adults on *Eryngium billardieri* (RA, WG).

Distribution: Palaearctic Region: Europe (Russia: South of European Russia and Russian Caucasus), Asia (Armenia, Azerbaijan, Georgia, Iran, Turkey).

53) *Phytoecia (Kalashania) pici* Reitter, 1892

Material: Iran, Esfahan prov., 40 km SE Aligudarz, Nowghan env., 2254 m, 1. 6. 2009, 18 adults on stems of yellow flowering *Achillea sp.* (RA, WG).

Distribution: Palaearctic Region: Asia (Armenia, Azerbaijan, Georgia, Iran).

R. Ambrus, W. Grosser

54) *Phytoecia (Phytoecia) centaureae* Sama, Rapuzzi et Rejzek, 2007

Material: Iran, Lorestan, 17 km SW Dorud, Tut village env., 1995 m, 3. 6. 2009, 20 adults sitting or mating on leaves of *Centaurea behen* (FČ, RA, WG).

Distribution: Palaearctic Region: Asia (Iran).

55) *Phytoecia (Phytoecia) pustulata ssp. murina* Marsham, 1869

Material: Iran, Mazandaran prov., Damavand Mts. env., 1400 – 2500 m, 10. 6. 2009, 2 adults on *Achillea sp.* (WG).

Distribution: Palaearctic Region: Asia (Armenia, Azerbaijan, Iran).

56) *Phytoecia (Opsilia) coerulescens spp. coerulescens* (Scopoli, 1763)

Material: Iran, Mazandaran prov., Damavand Mountain env., 1400 – 2500 m, 10. 6. 2009, 2 adults on stalks of *Echium sp.* (RA).

Distribution: Palaearctic Region: Europe (Albania, Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, France, Germany, Greece, Hungary, Italy, Liechtenstein, Luxembourg, Macedonia, Moldova, Montenegro, Poland, Portugal, Romania, Russia: Central and South of European Russia and Russian Caucasus, Serbia, Slovakia, Slovenia, Spain, Switzerland, The Netherlands, Turkey, Ukraine), Asia (Armenia, Azerbaijan, Georgia, China: Northeast Territory and Jiangsu, Iran, Iraq, Israel, Jordan, Kazakhstan, Kyrgyzstan, Lebanon, Russia: West Siberia, Syria, Tadjhikistan, Turkey, Uzbekistan), North Africa (Algeria, Morocco, Tunisia).

57) *Phytoecia (Blepisanis) magnanii* Sama, Rapuzzi et Rejzek, 2007

Material: Iran, Kohgiluyeh and Boyer Ahmad prov., Kuh Gol, Sisakht env., 30.84N 51.53E, 2498 m, 27. - 28. 5. 2009, 1 adult, by sweeping of vegetation (WG).

Distribution: Palaearctic Region: Asia (Iran).

58) *Semiangusta ambrusi* Danilevsky, 2012

Material: Iran, Esfahan prov., 40 km SE Aligudarz, Nowghan env., 2254 m, 1. 6. 2009, 36 adults sitting or mating on leaves of *Centaurea behen* or flying around this plant (FČ, RA, WG); Iran, Lorestan prov., Tootmashour, Goor Kash, 33.41N 48.90E, 1995 m, 2. - 3. 6. 2009, 15 adults sitting or

R. Ambrus, W. Grosser

mating on leaves of *Centaurea behen* or flying around this plant (FČ, WG).

Distribution: Palaearctic Region: Asia (Iran).

59) *Pygoptosia eugeniae* (Ganglbauer, 1884)

Material: Iran, Lorestan, 17 km SW Dorud, Tut village env., 1995 m, 3. 6. 2009, 92 adults sitting under the basal leaves of *Centaurea behen*, several adults mating on leaves or flying around this plant (FČ, RA, WG); Iran, Lorestan prov., 10 km SW Dorud, 33.42N 48.99E, 1463 m, 4. 6. 2009, 10 adults sitting under the basal leaves of *Centaurea behen* or flying around this plant (FČ, WG).

Distribution: Palaearctic Region: Asia (Iran).

Tribe Agapanthiini

60) *Calamobius filum* (Rossi, 1790)

Material: Iran, Kohgiluyeh and Boyer Ahmad prov., 8 km from Qarah, 31.21N 51.31E, 1994 m, 27. 5. 2009, 7 adults, by sweeping of vegetation (FČ, WG); Iran, Fars prov., 28 km SE Yasuy, 30.48N 51.65E, 2365 m, 29. 5. 2009, 10 adults, by sweeping of vegetation (FČ, RA, WG).

Distribution: Palaearctic Region: Europe (Albania, Austria, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, France, Germany, Greece, Hungary, Italy, Macedonia, Moldova, Montenegro, Portugal, Romania, Russia: South of European Russia and Russian Caucasus, Serbia, Slovakia, Slovenia, Spain, Switzerland, Turkey, Ukraine) Asia (Armenia, Azerbaijan, Cyprus, Georgia, Iran, Israel, Jordan, Lebanon, Syria, Turkey), North Africa (Algeria, Morocco, Tunisia).

61) *Agapanthia (Synthapsia) kirbyi* (Gyllenhal, 1817)

Material: Iran, Esfahan prov., 40 km SE Aligudarz, Nowghan env., 2254 m, 1. 6. 2009, 3 adults on *Verbascum sp.* (RA, WG).

Distribution: Palaearctic Region: Europe (Albania, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, France, Greece, Hungary, Italy, Macedonia, Moldova, Montenegro, Romania, Russia: South of European Russia and Russian Caucasus, Serbia, Slovakia, Spain, Turkey, Ukraine) Asia (Armenia, Azerbaijan, Georgia, Iran, Israel, Syria, Turkey, Turkmenistan).

R. Ambrus, W. Grosser

62) *Agapanthia (Epoptes) angelicae* Reitter, 1898

Material: Iran, Golestan prov., 10 km NE Minudasht, Galikesh env., 309 m, 7. 6. 2009, 3 adults on *Ferula sp.* (FČ, RA); Iran, Golestan prov., 10 km SW Minudasht, 246 m, 8. 6. 2009, 3 adults on *Ferula sp.* (RA); Iran, Mazandaran prov., Damavand Mountain env., 1400 – 2500 m, 10. 6. 2009, 12 adults on *Ferula sp.* (FČ, RA, WG).

Distribution: Palaearctic Region: Asia (Iran, Turkmenistan).

63) *Agapanthia (Epoptes) coeruleipennis* (Frivaldszky, 1878)

Material: Iran, Fars prov., 28 km SE Yasuj, 30.48N 51.65E, 2365 m, 29. 5. 2009, 3 adults on leaves of *Gundelia tournefortii* (RA); Iran, Mazandaran prov., Damavand Mountain env., 1400 – 2500 m, 10. 6. 2009, 3 adults on leaves of *Gundelia tournefortii* (RA).

Distribution: Palaearctic Region: Asia (Iran, Syria, Turkey).

64) *Agapanthia (Epoptes) persica* Semenov, 1893

Material: Iran, Golestan prov., Golestan NP, 60 km E Minudasht, 37.36N 55.93E, 460 m, 7. 6. 2009, 12 adults sitting on different plants: *Ferula sp.*, *Cirsium sp.* and unknown *Asteraceae* plant, several adults by sweeping of vegetation or in flight (FČ, WG); Iran, Golestan prov., 10 km SW Minudasht, 246 m, 8. 6. 2009, 16 adults sitting on different plants: *Ferula sp.*, *Cirsium sp.* and unknown *Asteraceae* plant, several adults by sweeping of vegetation or in flight (FČ, RA, WG); Iran, Golestan prov., Golestan NP, 45 km E Minudasht, 37.36N 55.93E, 960 m, 11. 6. 2010, 4 adults by sweeping of vegetation or in flight (FČ, WG); Iran, Golestan prov., Golestan NP, Gorgan env., 36.82N 54.28E, 62 m, 7. 6. 2010, 1 adult in flight (WG).

Distribution: Palaearctic Region: Asia (Iran, ?Turkmenistan).

Acknowledgement. We are very grateful to Mikhail Leontievitch Danilevsky (Moscow, Russia), Jiří Voříšek (Jirkov, Czech Republic) and Tomáš Tichý (Opava, Czech Republic) for their help with determination and comments on the collected species.

REFERENCES

- Bodemeyer B. von 1927. Über meine entomologischen Reisen nach Kleinasien (1911), Ost-Sibirien, Schilka und Amur (1912), Tunis, Oasis, Gafsa, Khroumerie (1913) und Iran, das Elbursgebirge (1914). A. Kerner Verlag, Stuttgart, 96 p.
- Breuning S. 1951. Revision du genre *Phytoecia*. Entomologische Arbeiten aus dem Museum G. Frey 2: 1-103, 353-460.
- Breuning S. 1962. Revision der *Dorcadionini*. Entomologische Abhandlungen und Berichte aus dem Staatlichen Museum für Tierkunde in Dresden, 27: 1-665.
- Danilevsky M.L. 1997. New species of the Cerambycid beetles (Coleoptera, Cerambycidae) from Southern Transcaucasia. *Revue d'Entomol.*, LXVI, 3, 1987: 614-620.
- Danilevsky M.L. 1998. Two new species of the genus *Dorcadion* Dalman, 1817 from Iran (Coleoptera: Cerambycidae). *Elytron*, 1998. Vol. 12: 49-54.
- Danilevsky M.L. 2004. *Cortodera neali* sp. n. from Iran and *Dorcadion shirvanicum azerbaijdzhanicum* Plavilstshikov, 1937 stat. n. from Azerbaijan (Coleoptera, Cerambycidae). *Les cahiers Magellanes*, 32: 1-7. *Les cahiers Magellanes*, 32: 1-7.
- Danilevsky M.L. 2006. A revue of genus *Apatophysis* Chevrolat, 1860 of Iran (Coleoptera, Cerambycidae). *Les cahiers Magellanes*, 59: 1-11.
- Danilevsky M.L. 2007. *Purpuricenus kaehleri* (Linnaeus, 1758) and *P. caucasicus* Pic, 1902 (Coleoptera, Cerambycidae) in Caucasus. *Studies and reports of District Museum Prague-East. Taxonomical Series (1-2)*: 31-42.
- Danilevsky M.L. 2008. *Apatophysis* Chevrolat, 1860 (Coleoptera, Cerambycidae) of Russia and adjacent regions. *Studies and reports of District Museum Prague-East. Taxonomical Series*, 2008, 4 (1-2): 7-56.
- Danilevsky M.L., Murzin S.V. 2009. A revue of *Dorcadion* Dalman, 1817 species of "laeve-group". Part 1 (Coleoptera, Cerambycidae, Lamiinae). *Les cahiers Magellanes*, 92: 1-20.
- Danilevsky M.L., Murzin S.V. 2009. A revue of *Dorcadion* Dalman, 1817 species of "laeve-group". Part 2 (Coleoptera, Cerambycidae, Lamiinae). *Les cahiers Magellanes*, 93: 1-22.
- Danilevsky M. L., 2010. Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. *Russian Entomological Journal*, 19, 3: 215-239.
- Danilevsky M.L. 2010. New taxa of longicorn-beetles (Coleoptera, Cerambycidae) from Transcaucasia and North Iran. *Eversmannia. Entomological research in the Russia and adjacent regions*, No. 23-24: 3-9 + 2 plates.
- Danilevsky M.L. 2011. Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. II. *Russian Entomological Journal*, 19 [2010], 4: 313-324.
- Danilevsky M.L. 2012. Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. III. *Munis Entomology & Zoology*, Vol. 7, No. 1: 109-173.
- Danilevsky M.L. 2012. Additions and corrections to the new Catalogue of

R. Ambrus, W. Grosser

- Palaeartic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. IV. Humanity Space. International Almanac, Vol. 1, No. 1: 86-136.
- Danilevsky M.L. 2012. Additions and corrections to the new Catalogue of Palaeartic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. V. Humanity Space. International Almanac, Vol. 1, No. 3: 695-741.
- Danilevsky M.L. 2012. Additions and corrections to the new Catalogue of Palaeartic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. VI. Humanity Space. International Almanac, Vol. 1, No. 4: 900-943.
- Drumont A., Rejzek M. 2008. Description d'une nouvelle espece de *Prinobius Mulsant, P. samai* n. sp., originaire d'Iran. Les cahiers Magallanes, 82: 1-12.
- Heyrovský L. 1959. Beitrag zur Kenntnis der Cerambycidenfauna Südost-Irans. Stuttgarter Beiträge zur Naturkunde 25: 1-6.
- Heyrovský L. 1967. Beitrag zur Kenntnis der Cerambyciden und Oedemeriden Irans. Coleoptera: Cerambycidae, Oedemeridae. Ent. et Phytopath. Appl., No. 26: 37-40.
- Lazarev M.A. 2008. Notes on taxonomical and distributional problems of the Longicorn beetles of Russia and adjacent countries. Pp. 129-136. In: Actual problems of the priority directions of development of natural sciences.] Collection of articles. Moscow, "Prometey" publishing house MPGU: 220 pp.
- Lazarev M.A. 2010. New subspecies of *Plagionotus arcuatus* (Linnaeus, 1758) from Transcaucasia and Kyrgyzstan (Coleoptera: Cerambycidae). Studies and reports of District Museum Prague-East. Taxonomical Series 6 (1-2): 149-164.
- Löbl I., Smetana A., (eds.) 2010. Catalogue of Palaeartic Coleoptera. Vol. 6: Chrysomeloidea. Apollo Books, Stenstrup: 924 pp.
- Özdikmen H., Ghahari H., Turgut S. 2009. New records for Palaeartic Cerambycidae from Iran with zoogeographical remarks (Col.: Cerambycoidea: Cerambycidae). Munis Entomology & Zoology, Vol. 4, No. 1: 1-18.
- Plavilstshikov N.N. 1936. Fauna SSSR. Nasekomye zhestokrylye. T. XXI. Zhuki-drovoseki. (ch. 1). Moskva – Leningrad, Izdatel'stvo Akademii Nauk SSSR: 662 + (1) pp.
- Plavilstshikov N.N. 1940. Fauna SSSR. Nasekomye zhestokrylye. T. XXII. Zhuki-drovoseki. (ch. 2). Moskva – Leningrad, Izdatel'stvo Akademii Nauk SSSR: 784 + (3) pp.
- Plavilstshikov N.N. 1958. Fauna SSSR. Nasekomye zhestokrylye. T. XXIII, vyp. 1. Zhuki-drovoseki. Ch. 3. Podsemeistvo Lamiinae, ch. 1. Moskva – Leningrad, Izdatel'stvo Akademii Nauk SSSR: 591 + (1) pp.
- Redtenbacher L. 1850. Über den Charakter der Insekten-Fauna von Südpersien. Denks. kais. Akad. Wiss. Wien, 1: 42-53.
- Rejzek M., Sama G., Alziar G., Sádlo J. 2003. Host Plants of Longhorn Beetles

R. Ambrus, W. Grosser

- (Coleoptera: Cerambycidae) from the Balkan Peninsula, Asia Minor and Iran. *Biocosme Mésogéen*, 19 (3): 161-189.
- Sama G., Rejzek M. 2001. *Helladia imperialis*, espèce nouvelle de l'Iran (Coleoptera: Cerambycidae: Phytoeciini). *Biocosme Mésogéen*, 17 (3): 239-246.
- Sama G., Rejzek M. 2002. Two new Cerambycidae from Turkey and Iran. *Quad. Studi. Nat. Romagna*, 16 (suppl.): 105-110.
- Sama G., Fallahzadeh M. Rapuzzi P., 2005. Notes on some Cerambycidae (Coleoptera) from Iran with description of two new species. *Quad. Studi Nat. Romagna*, 20: 123-132.
- Sama G., Rapuzzi P., Rejzek M. 2007. New or interesting Phytoeciini from Middle East, especially from Iran (Coleoptera: Cerambycidae). *Folia Heyrovskyana, Series A*, 14(4): 163-179.
- Sama G. 2007. Description of a new *Coptosia* Fairmaire, 1864 from Iran (Coleoptera, Cerambycidae, Lamiinae, Phytoeciini). *Atti Soc. it. Sci. nat. Museo civ. Stor. nat. Milano*, Gennaio 2007, 148 (1): 97-100.
- Sama G., Seddighi N., Talebi A.A. 2008. Preliminary note for a checklist of the Cerambycidae of Iran (Coleoptera – Cerambycidae). *Biocosme Mésogéen*, Nice, 25 (3): 101-126.
- Sama G., Székely K. 2010. Description of a new species of *Mallosia* (*Eumallosia*) from Iran (Coleoptera: Cerambycidae). *Munis Entomology & Zoology*, 5, suppl.: 896-899.
- Sama G. 2011. Remarks on the type material of some Cerambycidae from Iran described by M. Pic (Coleoptera: Cerambycidae). *Munis Entomology & Zoology*, 6 (2): 663-672.
- Villiers A. 1967. Contribution à la faune de l'Iran. 1. Coléoptères Cérambycides. *Ann. Soc. ent. France*, 3 (2): 327-379.
- Villiers A. 1970. Cérambycides récoltés en Iran par MM. R. Naviaux et M. Rapilly. *L'Entomologiste*, XXVI, 5-6: 133-177.
- Villiers A. 1979. Coléoptères Cérambycides d'Iran. *L'Entomologiste*, 35 (3): 114-116.
- Voříšek J. 2012. Two new species of longhorn beetles (Coleoptera, Cerambycidae) from Iran. *ANNIMA.X*, no. 45: 1-6.

Received: 10.05.2013

Accepted: 16.05.2013