

A Catalog and Bibliography of Longhorned Beetles from Borneo (Coleoptera: Cerambycidae, Disteniidae and Vesperidae)

Electronic Version, 2013.1

by

Daniel J. Heffern

Abstract

A catalog and bibliography are presented for the longhorned beetles of Borneo. All genus-group names (including subgenera and synonyms) and species-group names (including synonyms) of taxa known from Borneo are summarized. The type species for each genus-group name is specified with the method by which its type species was designated. Species-group names include the name of the genus used in the original description. The full distribution of each species or subspecies which occurs in Borneo is included. Citations of original descriptions and bibliographies are provided for all taxa. Species which have been incorrectly recorded from Borneo are listed.

Introduction

In recent years, taxonomists have separated longhorned beetles into three families: the Cerambycidae, Disteniidae and Vesperidae. These beetles are popular with collectors, entomologists, and naturalists, for many reasons including their striking appearance, diversity, relationship with host plants and interaction with other species, including mimetic behavior. Borneo, which has not been heavily collected, still contains many species that are undescribed or difficult to identify. In the past 20 years, Mr. Steven Bosuang has provided many specimens of all Coleoptera to the scientific community which has resulted in dozens of publications concerning the fauna of Northern Borneo. The purpose of this catalog is to present a consolidated list of all known longhorned beetles from Borneo. Some unpublished records are included, mostly from the collection of the author, which have been identified by the author or other specialists. An effort has been made to provide proper spellings, combinations, and literature references for the purposes of nomenclatural stability and basic information to assist anyone who wishes to do further research.

For convenience in this catalog:

- Families, subfamilies and tribes are in boldface type and listed in an assumed phylogenetic sequence similar to some older catalogues, rather than just alphabetically
- Valid genus-group names are in boldface type and listed alphabetically under tribes
- Valid species-group names are in boldface type and listed alphabetically under genera
- Synonyms and mis-spellings are italicized and listed from oldest to newest
- Type species are listed in italics for genus-group names and the method of how the type species was designated is noted

The general format used in this catalog is as follows:

[Genus] [Author], [year]:[page # of description] (type species: *Genus species* Author, year, designation method)

[Synonym] [Author], [year]:[page # of description] (type species: *Genus species* Author, year, designation method)

[species] [subspecies] [Author], [year]:[page # of description] [*original genus*] [distribution]
[synonym] [Author], [year]:[page # of description] [*original genus*]

Numerous authors have published more than one article in a single year which may create confusion when bibliographic citations are given. This author has attempted to indicate the publications in a sequential system such as Pic, 1926a; Pic, 1926b; etc. Due to difficulty in establishing actual publication dates, there are cases when the assignments of an "a", "b", "c", etc. after the publication year have been arbitrary. In a perfect cataloging system, a complete worldwide

LONGHORNED BEETLES OF BORNEO

bibliography for longhorned beetles would exist with all works listed under each author chronologically.

Yearly, the number of species known from Borneo increases. A formal publication of this catalog is not anticipated in the near future since it would be quickly out-of-date. Posting this work on the Internet is more practical until more of the major groups of Bornean longhorned beetles can be studied and revised.

Acknowledgements

My sincere appreciation is extended to Mr. Steven Bosuang (formerly Steven Chew) for the opportunity to examine many interesting and unique specimens from Sabah, that have led to the description of almost 200 new species in the last 15 years. I thank Mr. Carolus Holzschuh for providing or verifying identifications for hundreds of Bornean species. The following people in Sabah are acknowledged for providing permits, property access and other assistance to Steven Bosuang: Mr. Petin Kilou, District Forestry Officer of Nabawan, Sabah Forestry Department; Mr. Hiroshi Nomura, President, Jusco Travel in Sabah; Dr. Lee Ying Fah, Deputy Director of Sabah Forestry Department and Head of the Forest Research and Diversity Centre, Sepilok; and Dr. Laurentius Nayan Ambu, Director, Sabah Wildlife Department, Kota Kinabalu.

This catalog required assistance from many professional and non-professional colleagues. I wish to acknowledge the help from all of the following:

Karl Adlbauer (Austria), Alain Audureau (France), Max Barclay (United Kingdom), Josef Beierl (†), Charles Bellamy (California), Joan Bentanachs (Spain), Larry Bezark (California), John Chemsak (†), James Cope (California), Mikhail Danilevsky (Russia), Diethard Dauber (Austria), Gontran Drouin (Quebec), Alain Drumont (Belgium), Don Hildebrandt (Illinois), Carolus Holzschuh (Austria), Karl-Ernst Hüdepohl (†), Michæl Huet (France), Eric Jiroux (France), Ziro Komiya (Japan), Boris Kondratieff (Colorado), Steve Lingafelter (Washington, DC), Ole Mehl (Denmark), Jeannine Morati (†), Hajime Nara (Japan), Gino Nearns (New Mexico), Tatsuya Niisato (Japan), Nobuo Ohbayashi (Japan), Ulf Nylander (Sweden), Mike Quinn (Texas), Edward Riley (Texas), Gianfranco Sama (Italy), G. A. Samuelson (Hawaii), Antonio Santos-Silva (Brazil), Sharon Shute (United Kingdom), Gérard Tavakilian (France), Robert Vigneault (Quebec), Eduard Vives (Spain), and James Wappes (Texas).

LONGHORNED BEETLES OF BORNEO

Family **Cerambycidae** Latreille, 1802:211

Subfamily **Parandrinae** Blanchard, 1845:134

Tribe **Parandrini** Blanchard, 1845:134

Komiyandra Santos-Silva, Heffern & Matsuda, 2010:7 (type species: *Parandra janus* Bates, by original designation)

johkii Santos-Silva, Heffern & Matsuda, 2010:18 [*Komiyandra*] Borneo
koni Santos-Silva, Heffern & Matsuda, 2010:29 [*Komiyandra*] Borneo
nayani Santos-Silva, Heffern & Matsuda, 2010:30 [*Komiyandra*] Borneo

Subfamily **Prioninae** Latreille, 1802:212

Tribe **Macrotomini** J. Thomson, 1861a:312 {Note 74}

Anomophysis Quentin & Villiers, 1981:374 (type species: *Prionus spinosus* Fabricius, 1787, by original designation)

malasiaca Quentin & Villiers, 1981:379 [*Anomophysis*] Borneo; Sumatra; W. Malaysia

Bandar Lameere, 1912c:144 (type species: *Prinobius pascoei* Lansberge, 1884b, by original designation)

kurosawai Komiya, 2001d:299 [*Bandar*] Borneo
pascoei pascoei (Lansberge, 1884b:144) [*Prinobius*] Borneo; Java; Sumatra; Philippines; SE Asia
fisheri C. Waterhouse, 1884b:382 [*Macrotoma*]

Microphysis Komiya & Drumont, 2008:30 (type species: *Macrotoma lansbergei* Lameere, 1903d, by original designation)

lansbergei (Lameere, 1903d:130) [*Macrotoma*] Borneo

Paroplites Lameere, 1903d:54 (type species: *Macrotoma australis* Erichson, 1842, by subsequent designation of McKeown, 1947)

inermis (Aurivillius, 1911a:1) [*Rhaphipodus*] Borneo

Pingblax Komiya & Drumont, 2001b:537 (type species: *Pingblax rufescens* Komiya & Drumont, 2001, by original designation)

rufescens Komiya & Drumont, 2001b:538 [*Pingblax*] Borneo

Remphan G. Waterhouse, 1835:67 (type species: *Remphan hopei* G. Waterhouse, 1835, by monotypy)

hopei G. Waterhouse, 1835:67 [*Remphan*] Borneo; Sumatra; Philippines; SE Asia
alteni Nonfried, 1892:376 [*Remphan*]

guineensis Lameere, 1893a:39 [*Remphan*]

Rhaphipodus Audinet-Serville, 1832:168 (type species: *Rhaphipodus suturalis* Audinet-Serville, 1832, by monotypy)

Rhaphipodus (unjustified emendation) Borneo; Java; Sumatra

suturalis Audinet-Serville, 1832:169 [*Rhaphipodus*]

blumei Lansberge, 1884b:150 [*Rhaphipodus*]

wallacei Pascoe, 1869b:669 [*Rhaphipodus*] Borneo; W. Malaysia

wallacii Pascoe, 1869b:669 [*Rhaphipodus*] (original spelling)

wallacei; Lansberge, 1884b:150 (unjustified emendation in prevailing usage)

Tagalog Hüdepohl, 1987b:119 (type species: *Tagalog lumawigi* Hüdepohl, 1987b, by original designation)

minor Hüdepohl, 1994b:253 [*Tagalog*] Borneo

ritsemae (Lameere, 1903d:173) [*Macrotoma*] Borneo; Sumatra; Palawan

Xixuthrus J. Thomson, 1864:296 (type species: *Macrotoma microcerus* White, 1853a, by original designation)

Daemonarthra Lameere, 1903e:316 (type species: *Daemonarthra helleri* Lameere, 1903e, by monotypy)

Xixuthrus (Xixuthrus) J. Thomson, 1864

microcerus (White, 1853a:40) [*Macrotoma*] Borneo; Palawan; Sumatra; W. Malaysia

Tribe **Euryopodini** Gahan, 1906a:27

Euryopoda Saunders, 1853:109 (type species: *Euryopoda antennata* Saunders, 1853, by monotypy)

LONGHORNED BEETLES OF BORNEO

Zarax Pascoe, 1867c:410 (type species: *Zarax eurypodoides* Pascoe, 1867c [= *Eurypoda nigrita* J. Thomson, 1865b], by monotypy)
Neopriion Lacordaire, 1868:131 (type species: *Neopriion parandraeformis* Lacordaire, 1868, by original designation)

Eurypoda (Eurypoda) Saunders, 1853

Zarax Pascoe, 1867c
nigrita J. Thomson, 1865b:577 [*Eurypoda*]
eurypodoides Pascoe, 1867c:410 [*Zarax*] Borneo; Sumatra; W. Malaysia

Hystatus J. Thomson, 1861a:321 (type species: *Hystatus javanus* J. Thomson, 1861a, by monotypy)
javanus J. Thomson, 1861a:322 [*Hystatus*]
werneri Komiya & Drumont, 2012:110 [*Hystatus*] Borneo, Sumatra, Java, W. Malaysia
Borneo

Tribe **Aegosomatini** J. Thomson, 1861a:308

Aegolipton Gressitt, 1940c:22 (type species: *Cerambyx marginalis* Fabricius, 1775, by original designation)
bawangum Komiya, 2005:160 [*Aegolipton*] Borneo
fimbriatum (Lansberge, 1884b:157) [*Aegosoma*] Borneo; Sumatra; Java
gracile Komiya, 2005:175 [*Aegolipton*] Borneo
kinabaluum Komiya, 2005:158 [*Aegolipton*] Borneo
kolleris nisikawai Komiya, 2005:162 [*Aegolipton*] {Note 27} Borneo
marginale (Fabricius, 1775:169) [*Cerambyx*] Borneo; Sumatra; Java; China; SE Asia;
?Sulawesi
javanicum Redtenbacher, 1868:202 [*Aegosoma*] Borneo
pustuliferum pustuliferum Komiya, 2005:169 [*Aegolipton*] Borneo
pustuliferum lineatigranulatum Komiya, 2005:173 [*Aegolipton*] Borneo

Aegosoma Audinet-Serville, 1832:162 (type species: *Cerambyx scabricornis* Scopoli, 1763, by monotypy)
annulicornis (Komiya, 2001b:343) [*Megopis*] Borneo
gigantea Lansberge, 1884b:156 [*Aegosoma*] Borneo; Sumatra; W. Malaysia
incertum Gahan, 1907:68 [*Aegosoma*] Borneo
ossea Aurivillius, 1897:242 [*Aegosoma*] Borneo
pallida Komiya & Drumont, 2012:89 [*Aegosoma*] Borneo; Sumatra; Java; W. Malaysia;
sinicum legrandi Komiya & Drumont, 2012:92 [*Aegosoma*] Myanmar

Aerogrammus Bates, 1875b:50 (type species: *Aerogrammus rufus* Bates, 1875b [= *Megopis procerus* Pascoe, 1866c], by monotypy)
procerus (Pascoe, 1866c:536) [*Megopis*] Borneo
rufus Bates, 1875b:51 [*Aerogrammus*] Borneo

Baralipiton J. Thomson, 1857r:341 (type species: *Baralipiton maculosum* J. Thomson, 1857w, by monotypy)
cheworum Komiya, 2003a:48 [*Baralipiton*] Borneo

Cyanolipton Komiya, 2004:421 (type species: *Aegosoma metallicum* Aurivillius, 1911a, by original designation)
metallicum (Aurivillius, 1911a:2) [*Aegosoma*] Borneo

Megobaralipiton Lepesme & Breuning, 1952:140 (type species: *Aegosoma bicoloripes* Ritsema, 1881e, by subsequent designation of Komiya, 2002a)
bicoloripes (Ritsema, 1881e:151) [*Aegosoma*] Borneo; Sumatra; Java; W. Malaysia;
Myanmar
itohi Komiya, 2002a:224 [*Megobaralipiton*] Borneo
kalimantanum (Komiya & Makihara, 2001:37) [*Megopis*] Borneo; W. Malaysia; Thailand
lansbergei (Lameere, 1909a:154) [*Megopis*] Borneo
suturale (Fisher, 1935c:581) [*Megopis*] Borneo

Nepiodes Pascoe, 1867c:410 type species: *Nepiodes cognatus* Pascoe, 1867c, by monotypy)
cognata Pascoe, 1867c:410 [*Nepiodes*] Borneo

Rhineimegopis Komiya & Drumont, 2001a:392 (type species: *Eurypoda cordieri* Lameere, 1916, by original designation)
sabahensis (Hüdepohl, 1997:45) [*Megopis*] Borneo

Ziglipton Komiya, 2003e:308 (type species: *Megopis sanchezi* Schultze, 1920, by original designation)
jirouxi Komiya, 2003e:312 [*Ziglipton*] Borneo

LONGHORNED BEETLES OF BORNEO

Tribe **Prionini** Latreille, 1802:212

Dorysthenes Vigors, 1826:514 (type species: *Prionus rostratus* Fabricius, 1792, by monotypy)
Dissosternus Hope, 1833:64 (type species: *Dissosternus pertii* Hope, 1833, by monotypy)
Cyrtognathus Faldermann, 1835:431 (type species: *Prionus paradoxus* Faldermann, 1833, by monotypy)
Baladeva G. Waterhouse, 1840:225 (type species: *Dorysthenes walkeri* G. Waterhouse, 1840, by monotypy)
Lophosternus Guérin-Méneville, 1844d:209 (type species: *Lophosternus buquetii* Guerin-Meneville, 1844d, by monotypy)
Cyrthognathus J. Thomson, 1861a :328 (unjustified emendation)
Cyrtognathus Faldermann, 1835:431 (type species: *Prionus paradoxus* Faldermann, 1833, by monotypy)
Paraphrus J. Thomson, 1861a:330 (type species: *Cyrthognathus granulosus* J. Thomson, 1861a, by original designation)
Prionomimus Lameere, 1912c:176 (type species: *Prionus fossatus* Pascoe, 1857, by original designation)

Dorysthenes (Paraphrus) J. Thomson, 1861a
planicollis (Bates, 1878a:272) [Cytognathus]
weversi Lameere, 1911b:337 [Dorysthenes] Borneo; Sumatra; W. Malaysia

Neosarmydus Fisher, 1935c:583 (type species: *Neosarmydus costipennis* Fisher, 1935c, by original designation)
costipennis Fisher, 1935c:583 [*Neosarmydus*] Borneo

Priotyrranus J. Thomson, 1857i:120 (type species: *Prionus mordax* White, 1853a, by monotypy)
Chollides J. Thomson, 1877c:264 (type species: *Chollides closteroides* J. Thomson, 1877c, by monotypy)
Cnethocerus Bates, 1878a:273 (type species: *Cnethocerus messi* Bates, 1878a [= *Chollides closteroides* J. Thomson, 1877c], by monotypy)
Kinibalua Bates, 1889:391 (type species: *Kinibalua megalops* Bates, 1889, by monotypy)
Prionacus Fairmaire, 1896a:127 (type species: *Prionacus strigicornis* Fairmaire, 1896a [= *Chollides closteroides* J. Thomson, 1877c], by monotypy)
Derechinus Fairmaire, 1902e:317 (type species: *Derechinus delatouchii* Fairmaire, 1902e [= *Chollides closteroides* J. Thomson, 1877c], by monotypy)

Priotyrannus (Chollides) J. Thomson, 1877c
Cnethocerus Bates, 1878a
Kinibalua Bates, 1889
Prionacus Fairmaire, 1896a
Derechinus Fairmaire, 1902e
megalops (Bates, 1889:391) [*Kinibalua*]
 philippinense Lameere, 1920:142 [*Prionomma*]
 mindanaona Schultze, 1922:36 [*Prionomma*] Borneo; Sumatra; Philippines

Tribe **Anacolini** J. Thomson, 1857a:10

Erythraenus Bates, 1875b:52 (type species: *Erythraenus borneensis* Bates, 1875b, by monotypy)
borneensis Bates, 1875b:53 [*Erythraenus*] Borneo

Psephactus Harold, 1879b:367 (type species: *Psephactus remiger* Harold, 1879b, by monotypy)
pariditarsus Komiya & Heffern, 2005:29 [*Psephactus*] Borneo

Sarmydus Pascoe, 1867c:410 (type species: *Sarmydus antennatus* Pascoe, 1867c, by monotypy)
antennatus Pascoe, 1867c:410 [*Sarmydus*] Borneo; SE Asia

Subfamily **Apatophyseinae** Lacordaire, 1869:234

Apatobatus Vives & Heffern, 2012:2 (type species: *Apatobatus malayanus* Vives & Heffern, 2012, by original designation)
malayanus Vives & Heffern, 2012:3 [Apatobatus] Borneo

Borneophysis Vives & Heffern, 2006:2 (type species: *Borneophysis chewi* Vives & Heffern, 2006, by original designation)
chewi Vives & Heffern, 2006:3 [*Borneophysis*] Borneo

Formosotoxotus Hayashi, 1960b:1 (type species: *Artelida asiatica* Matsushita, 1933a [= *Toxotinus auripilosus* Kano, 1933], by original designation)
uenoi N. Ohbayashi, 1995:437 [*Formosotoxotus*] Borneo

LONGHORNED BEETLES OF BORNEO

Subfamily **Necydalinae** Latreille, 1825:401

- Necydalis** Linnaeus, 1758:421 (type species: *Necydalis major* Linnaeus, 1758, by subsequent designation of Latreille, 1829)
Gymnopterion Schrank, 1798:373 (type species: *Gymnopterion majus* Schrank, 1798 [= *Necydalis major* Linnaeus, 1758], by monotypy)
Necydalisca Plavilstshikov, 1936:462 (type species: *Necydalis ebenina* Bates, 1884a [= *Necydalis pennata* Lewis, 1879], by subsequent designation of Kusama & Takakuwa, 1984) {Note 36}
Eonecydalidis K. Ohbayashi, 1961:17 (type species: *Necydalis formosana* Kano, 1933, by original designation)
Calonecydalidis Takakuwa, 1992:10 (type species: *Necydalis malayana* Hayashi, 1979b, by original designation)

Necydalis (Calonecydalidis) Takakuwa, 1992
itoi Takakuwa, 1992:11 [*Necydalis*] Borneo

Subfamily **Lepturinae** Latreille, 1802:218

Tribe **Xylosteini** Reitter, 1913:5

- Capnolymma** Pascoe, 1858a:265 (type species: *Capnolymma stygia* Pascoe, 1858a, by monotypy)
Capnocalymma Gemminger & Harold, 1872:2856 (unjustified emendation)
borneana N. Ohbayashi, 1994:276 [*Capnolymma*] Borneo
capreola Pascoe, 1866c:504 [*Capnolymma*] Borneo; Sumatra; W. Malaysia
ohbayashii Holzschuh, 2006b:205 [*Capnolymma*] Borneo
stygia Pascoe, 1858a:266 [*Capnolymma*] Borneo

Trypogeus Lacordaire, 1869:236 (type species: *Trypogeus albicornis* Lacordaire, 1869, by original designation) {Note 56}
Paranthophylax Gressitt, 1951a:50 (type species: *Paranthophylax sericeus* Gressitt, 1951a, by original designation)
barclayi Vives, 2007b:54 [*Trypogeus*] Borneo

Tribe **Rhagiini** Kirby, 1837:178

Heffernia Vives, 2001a:121 (type species: *Heffernia borneana* Vives, 2001a, by original designation)
borneana Vives, 2001a:122 [*Heffernia*] Borneo

Tribe **Lepturini** Latreille, 1802:218

- Asilaris** Pascoe, 1866c:505 (type species: *Asilaris zonatus* Pascoe, 1866c, by monotypy)
bicolor Vives, 2005a:306 [*Asilaris*] Borneo
hayashii Vives, 2001a:123 [*Asilaris*] Borneo
mixtus Holzschuh, 2008:165 [*Asilaris*] Borneo
semiconicollis Hayashi & Villiers, 1989:13 [*Asilaris*] Borneo
zonatus Pascoe, 1866c:505 [*Asilaris*] Borneo; W. Malaysia; Belitung I.

Elacomia Heller, 1916a:298 (type species: *Elacomia collaris* Heller, 1916a, by original designation)
Acantholeptura Gressitt, 1935i:274 (type species: *Acantholeptura glabropleura* Gressitt, 1935i, by original designation)
borneensis (Pic, 1933b:25) [*Strangalia*] Borneo; Sumatra
femorata (Pascoe, 1869b:558) [*Leptura*] Borneo; Sumatra; W. Malaysia
glabropleura Gressitt, 1935i:275 [*Acantholeptura*] Sulawesi {Note 4}, Borneo; W. Malaysia
histrionica (Pascoe, 1869b:557) [*Leptura*] Borneo
joanivivesi (Vives & Heffern, 2001:621) [*Parastrangalis*] Borneo
trusmadiana Vives, 2003:10 [*Elacomia*] Borneo

Ephies Pascoe, 1866c:506 (type species: *Ephies cruentus* Pascoe, 1866c, by monotypy)
abangae Vives, 2003:11 [*Ephies*] Borneo
dilaticornis Pascoe, 1869b:560 [*Ephies*] Borneo; Sumatra
gressitti Vives, 2003:12 [*Ephies*] Borneo
nagaii N. Ohbayashi & Satô, 1982:123 [*Ephies*] Borneo

Gnathostrangalia Hayashi & Villiers, 1985:63 (type species: *Strangalia aurivillei* Pic, 1903g, by original designation)

LONGHORNED BEETLES OF BORNEO

longiceps (Aurivillius, 1913d:1) [<i>Strangalia</i>]	Borneo
Hayashiella Vives & N. Ohbayashi, 2001:29 (type species: <i>Hayashiella malayana</i> Vives & N. Ohbayashi, 2001, by original designation)	
malayana Vives & N. Ohbayashi, 2001:30 [<i>Hayashiella</i>]	Borneo; W. Malaysia
Leptostrangalia Nakane & K. Ohbayashi, 1959:64 (type species: <i>Strangalia hosohana</i> K. Ohbayashi, 1952, by original designation)	
marginipennis Hayashi, 1979b:7 [<i>Leptostrangalia</i>]	Borneo; W. Malaysia
Metalloleptura Gressitt & Rondon, 1970:36 (type species: <i>Strangalia virescens</i> Aurivillius, 1911b, by original designation)	
gemina Holzschuh, 2008:156 [<i>Metalloleptura</i>]	Borneo
ohbayashii Vives, 2003:6 [<i>Metalloleptura</i>]	Borneo
virescens (Aurivillius, 1911b:1) [<i>Strangalia</i>]	Borneo
Ocalemia Pascoe, 1858a:264 (type species: <i>Ocalemia vigilans</i> Pascoe, 1858a, by monotypy)	
borneensis (Hayashi & Villiers, 1989:16) [<i>Asilaris</i>]	Borneo
hayashii N. Ohbayashi, 1999:115 [<i>Ocalemia</i>]	Borneo
Pseudalosterna Plavilstshikov, 1934:131 (type species: <i>Pseudalosterna orientalis</i> Plavilstshikov, 1934, by original designation)	
<i>Pseudoalosterna</i> (unjustified emendation)	
crinitosulcata N. Ohbayashi & Shimomura, 1986a:45 [<i>Pseudalosterna</i>]	Borneo; W. Malaysia
Pseudoparanaspia Hayashi, 1977:98 (type species: <i>Pseudoparanaspia parallelipennis</i> Hayashi, 1977, by original designation)	
chewi Vives & Heffern, 2001:623 [<i>Pseudoparanaspia</i>]	Borneo
hefferni Vives, 2003:14 [<i>Pseudoparanaspia</i>]	Borneo
laticornis Hayashi, 1977:101 [<i>Pseudoparanaspia</i>]	Borneo; W. Malaysia
lepturoides (Pascoe, 1869b:560) [<i>Ephies</i>]	Borneo; W. Malaysia
Stenoleptura Gressitt, 1935i:269 (type species: <i>Stenoleptura sandakanus</i> Gressitt, 1935i, by original designation)	
<i>Philippinostrangalia</i> N. Ohbayashi & Satô, 1974:57 (type species: <i>Strangalia apoensis</i> N. Ohbayashi & Satô, 1974, by monotypy)	
Stenoleptura (Stenoleptura) Gressitt, 1935i	
flavovittata (Aurivillius, 1911a:7) [<i>Leptura</i>]	Borneo
hefferni Vives, 2001b:6 [<i>Stenoleptura</i>]	Borneo
laudata Holzschuh, 2011:269 [<i>Stenoleptura</i>]	Borneo
levicula Holzschuh, 2011:266 [<i>Stenoleptura</i>]	Borneo
lineella Holzschuh, 2011:268 [<i>Stenoleptura</i>]	Borneo
longitarsus Gressitt, 1935i:273 [<i>Stenoleptura</i>]	Borneo
producticollis Gressitt, 1935i:272 [<i>Stenoleptura</i>]	Borneo; W. Malaysia
rufoanticus Gressitt, 1935i:271 [<i>Stenoleptura</i>]	Borneo
sandakanus Gressitt, 1935i:270 [<i>Stenoleptura</i>]	Borneo
Strangalia Audinet-Serville, 1835b:220 (type species: <i>Leptura luteicornis</i> Fabricius, 1775, by subsequent designation of J. Thomson, 1860)	
<i>Ophistomis</i> J. Thomson, 1857o:319 (type species: <i>Ophistomis flavocinctus</i> J. Thomson, 1860, by subsequent designation of J. Thomson, 1864)	
<i>Strangalina</i> Aurivillius, 1912:245 (unnecessary new name for <i>Strangalia</i>)	
<i>Sulcatostrangalia</i> K. Ohbayashi, 1961:17 (type species: <i>Strangalia gracilis</i> Gressitt, 1935, by original designation)	
baluensis Fisher, 1935c:587 [<i>Strangalia</i>]	Borneo
conicollis (Aurivillius, 1911a:7) [<i>Leptura</i>]	Borneo
ohbayashii Vives, 2009b:127 [<i>Strangalia</i>]	Borneo
takakuwai Vives, 2009b:129 [<i>Strangalia</i>]	Borneo

Lepturinae without definite tribal assignment {Note 47}

Caraphia Gahan, 1906a:75 (type species: <i>Caraphia cribrata</i> Gahan, 1906a, by original designation)	
<i>Neosalpinia</i> Matsushita, 1933a:303 (type species: <i>Neosalpinia lepturooides</i> Matsushita, 1933a, by original designation)	
borneana Vives, 2005a:305 [<i>Caraphia</i>]	Borneo

LONGHORNED BEETLES OF BORNEO

Subfamily Cerambycinae Latreille, 1802:211

Tribe **Oemini** Lacordaire, 1868:216

Hyphus Lacordaire, 1868:226 (type species: *Hyphus aurantiacus* Lacordaire, 1868, by original designation)
apicalis Pascoe, 1869a:505 [*Hyphus*] Borneo; Thailand; Laos; Vietnam
subvittatus Holzschuh, 2006b:220 [*Hyphus*] Borneo

Noserius Pascoe, 1857:95 (type species: *Noserius tibialis* Pascoe, 1857, by monotypy)
borneensis (Aurivillius, 1913d:1) [*Hypoescrus*] Borneo
femoralis Aurivillius, 1911a:3 [*Noserius*] Borneo
ovatipennis Pascoe, 1869a:500 [*Noserius*] Borneo
tibialis Pascoe, 1857:95 [*Noserius*] Borneo; Sumatra; Jawa

Oemospila Gahan, 1906a:104 Error! Bookmark not defined.(type species: *Oemospila maculipennis* Gahan, 1906a, by original designation)
Falsostromatium Pic, 1927a:455 (type species: *Falsostromatium elongatum* Pic, 1927a [= *Oemospila*

callidioides Gressitt & Rondon, 1970:46 [*Oemospila*] Borneo, Laos, Vietnam

Oplatocera White, 1853a:121 (type species: *Oplatocera callidioides* White, 1853a, by monotypy)
Hoplitocera Gemminger & Harold, 1872:2795 (unjustified emendation)
Epiplatocera Gressitt, 1951a:131 (type species: *Oplatocera oberthuri* Gahan, 1906a, by original designation)

Oplatocera (Epiplatocera) Gressitt, 1951a
chujo Hayashi, 1982b:135 [*Oplatocera*] Borneo {Note 7}; Mindanao

Senorius Hüdepohl, 1992b:410 (type species: *Senorius smetanai* Hüdepohl, 1992b, by monotypy)
smetanai Hüdepohl, 1992b:410 [*Senorius*] Borneo

Tetraommatus Perroud, 1855b:390 (type species: <i>Tetraommatus filiformis</i> Perroud, 1855b, by monotypy)	
<i>Deuteromma</i> Pascoe, 1857:98 (type species: <i>Deuteromma callidiooides</i> Pascoe, 1857, by monotypy)	
basifemoralis Heller, 1926:22 [<i>Tetraommatus</i>]	Borneo
brunneus Hayashi, 1977:105 [<i>Tetraommatus</i>]	Borneo {Note 6}, W. Malaysia
callidiooides (Pascoe, 1857:98) [<i>Deuteromma</i>]	Borneo
niger Gahan, 1907:69 [<i>Tetraommatus</i>]	Borneo {Note 6}; Sumatra
nigriceps Pascoe, 1869a:502 [<i>Tetraommatus</i>]	Borneo {Note 5}; W. Malaysia; Myanmar
testaceus (Pascoe, 1857:111) [<i>Deuteromma</i>]	Borneo

Tribe Xystrocerini Blanchard, 1845:147

Xystrocera Audinet-Serville, 1834b:69 (type species: *Cerambyx globosus* Olivier, 1795, by subsequent designation of J. Thomson, 1864)

alcyonea Pascoe. 1866c:534 [Xystroceral] Borneo; W. Malaysia

promecoides Pascoe, 1888:492 [Xystrocera]

brunnea Aurivillius, 1924c:25 [Xystrocera] Borneo; Sumatra; W. Malaysia

festiva J. Thomson, 1861a:228 [*Xystrocera*] Borneo; Sumatra; Java; SE Asia; India

globosa (Olivier, 1795:27) [Cerambyx] Borneo; Java; Sumatra; New Guinea; SE Asia; Australia

marginalis Goldfuss, 1805:44 [*Callidium*]
viridipicta Fairmaire, 1896b:367 [*Xystrocera*]
invittata Breuning, 1957i:1241 [*Xystrocera*]
mediovitticollis Breuning, 1957i:1241 [*Xystrocera*]
onomichiensis K. Ohbayashi, 1963:10 [*Xystrocera*]
diehli Heyrovský, 1967:39 [*Xystrocera*]

Tribe Achrysonini Lacordaire, 1868:231

Nortia J. Thomson, 1864:252 (type species: *Nortia cavicollis* J. Thomson, 1864, by original designation)
fusipes Holzschuh, 2005:1 [*Nortia*] Borneo

Tribe Cerambycini Latreille, 1802:211

LONGHORNED BEETLES OF BORNEO

Aeolesthes Gahan, 1890c:250 (type species: <i>Hammaticherus aurifaber</i> White, 1853a, by subsequent designation of Gressitt, 1951a)	
<i>Pseudaеoesthes</i> Plavilstshikov, 1931a:73 (type species: <i>Neocerambyx chrysotrix</i> Bates, 1873c, by original designation)	
<i>Niphocerambyx</i> Matsushita, 1933a:244 (type species: <i>Neocerambyx chrysotrix</i> Bates, 1873c, by original designation)	
Aeolesthes (Aeolesthes) Gahan, 1890c	
achilles (J. Thomson, 1865b:576) [<i>Pachydissus</i>]	Borneo
aurifaber (White, 1853a:128) [<i>Hammaticherus</i>]	Borneo
aeneas J. Thomson, 1861a:195 [<i>Pachydissus</i>]	
lambii Pascoe, 1866c:527 [<i>Neocerambyx</i>]	
alexis Pascoe, 1869a:512 [<i>Neocerambyx</i>]	
curticornis Hüdepohl, 1988b:406 [<i>Aeolesthes</i>]	Borneo
holosericea (Fabricius, 1787:135) [<i>Cerambyx</i>]	Borneo; India; Buru {Note 55}
velutina J. Thomson, 1865b:576 [<i>Pachydissus</i>]	
similis Gahan, 1890a:52 [<i>Pachydissus</i>]	
induta (Newman, 1842a:245) [<i>Hammaticherus</i>]	Borneo; Sumatra; Java; Philippines; SE Asia; Maluku; New Guinea; Australia: Qld
frenchi Blackburn, 1895b:222 [<i>Pachydissus</i>]	
mariae (J. Thomson, 1878a:2) [<i>Pachydissus</i>]	Borneo
sticheri Hüdepohl, 1989a:46 [<i>Aeolesthes</i>]	Borneo
Calpazia Pascoe, 1857:93 (type species: <i>Calpazia vermicularis</i> Pascoe, 1857, by monotypy)	
vermicularis Pascoe, 1857:93 [<i>Calpazia</i>]	Borneo; Laos
Cyriopalus Pascoe, 1866c:530 (type species: <i>Cyriopalus wallacei</i> Pascoe, 1866c, by monotypy)	
hefferni Holzschuh, 2007:199 [<i>Cyriopalus</i>]	Borneo; Sumatra
pascoei J. Thomson, 1878a:2 [<i>Cyriopalus</i>]	Borneo; W. Malaysia
wallacei Pascoe, 1866c:530 [<i>Cyriopalus</i>]	Borneo; Sumatra; W. Malaysia; Laos
Derolus Gahan, 1891:26 (type species: <i>Hammaticherus mauritanicus</i> Buquet, 1840, by subsequent designation of Gahan, 1906a)	
Capnocerambyx Reitter, 1894:356 (type species: <i>Hammaticherus mauritanicus</i> Buquet, 1840, by original designation)	
fulgens Holzschuh, 2005:5 [<i>Derolus</i>]	Borneo
exus Hüdepohl, 1998a:210 [<i>Derolus</i>]	Borneo; Sumatra
trifulvofasciatus Hayashi, 1975:178 [<i>Derolus</i>]	Borneo
Derolydnus Hüdepohl, 1989a:51 (type species: <i>Elydnus bisulcatus</i> Aurivillius, 1914, by monotypy)	
bisulcatus (Aurivillius, 1914:5) [<i>Elydnus</i>]	Borneo
Dialeges Pascoe, 1856:46 (type species: <i>Dialeges pauper</i> Pascoe, 1856, by monotypy)	
pauper Pascoe, 1856:47 [<i>Dialeges</i>]	Borneo; W. Malaysia; SE Asia; India
tenuicornis Pascoe, 1869a:522 [<i>Dialeges</i>]	
pauperoides Holzschuh, 1984c:346 [<i>Dialeges</i>]	Borneo; W. Malaysia
scabricornis Schwarzer, 1929:355 [<i>Dialeges</i>]	Borneo
Dymasius J. Thomson, 1864:234 (type species: <i>Dymasius strigosus</i> J. Thomson, 1864 [=Cerambyx macilentus Pascoe, 1859b], by original designation)	
Microdymasius Pic, 1946a:110 (type species: <i>Dymasius angustatus</i> Pic, 1925b, by original designation)	
Dymasius (Dymasius) J. Thomson, 1864	
asperulus Holzschuh, 2006b:225 [<i>Dymasius</i>]	Borneo
bicuspidis Holzschuh, 2006b:223 [<i>Dymasius</i>]	Borneo
cuneatulus Holzschuh, 2005:9 [<i>Dymasius</i>]	Borneo
festivus Holzschuh, 2006b:226 [<i>Dymasius</i>]	Borneo
flavimembris Hüdepohl, 1989c:474 [<i>Dymasius</i>]	Borneo
gracilicornis Hüdepohl, 1998a:211 [<i>Dymasius</i>]	Borneo; W. Malaysia
hefferni Holzschuh, 2005:10 [<i>Dymasius</i>]	Borneo
indigus Holzschuh, 2008:177 [<i>Dymasius</i>]	Borneo
mandibularis (Gahan, 1891:21) [<i>Imbrius</i>]	Borneo; W. Malaysia
obscurus Hüdepohl, 1998a:212 [<i>Dymasius</i>]	
moestulus Holzschuh, 2005:13 [<i>Dymasius</i>]	Borneo
nimbatulus Holzschuh, 1991a:37 [<i>Dymasius</i>]	Borneo {Note 5}; Thailand
nodifer Holzschuh, 2005:11 [<i>Dymasius</i>]	Borneo
pascoei Gahan, 1891:23 [<i>Dymasius</i>] (replacement name for <i>Imbrius strigosus</i> Pascoe, 1866c)	Borneo; W. Malaysia
strigosus Pascoe, 1866c:529 [<i>Imbrius</i>] (pre-occupied by <i>Dymasius strigosus</i> J. Thomson, 1864)	

LONGHORNED BEETLES OF BORNEO

vitreus Pascoe, 1885:53 [<i>Dymasius</i>]	Borneo; Sumatra
Dymasius (Microdymasius) Pic, 1946a lundbergi Hüdepohl, 1998a:213 [<i>Dymasius</i>]	Borneo
Elydnus Pascoe, 1869a:516 (type species: <i>Elydnus amictus</i> Pascoe, 1869a, by subsequent designation of Gressitt & Rondon, 1970)	
<i>amictus</i> Pascoe, 1869a:517 [<i>Elydnus</i>]	Borneo; Philippines; W. Malaysia
<i>crinicornis</i> Hüdepohl, 1989c:476 [<i>Elydnus</i>]	Borneo
<i>dembickyi</i> Holzschuh, 2003b:172 [<i>Elydnus</i>]	Borneo, W. Malaysia
<i>grossescapus</i> Hüdepohl, 1989a:52 [<i>Elydnus</i>]	Borneo
<i>huedepohli</i> Vives, 2005c:246 [<i>Elydnus</i>]	Borneo
<i>ochraceovittatus</i> Hüdepohl, 1989a:56 [<i>Elydnus</i>]	Borneo
Hoplocerambyx J. Thomson, 1864:229 (type species: <i>Hammaticherus spinicornis</i> Newman, 1842a, by original designation)	
<i>aramis</i> J. Thomson, 1865b:575 [<i>Hoplocerambyx</i>] {Note 30}	?Borneo; ?Sumatra; ?Java
<i>spinicornis</i> (Newman, 1842a:245) [<i>Hammaticherus</i>]	Borneo; Sumatra; Philippines; W. Malaysia; SE Asia; New Guinea
<i>morosus</i> Pascoe, 1857:92 [<i>Cerambyx</i>]	
<i>relictus</i> Pascoe, 1866c:528 [<i>Hoplocerambyx</i>]	
Imbrius Pascoe, 1866c:528 (type species: <i>Imbrius lineatus</i> Pascoe, 1866c, by subsequent designation of Pascoe, 1869a)	
<i>acutipennis</i> (Fisher, 1935c:586) [<i>Dymasius</i>]	Borneo
<i>allardi</i> Hüdepohl, 1992b:411 [<i>Imbrius</i>]	Borneo
<i>diehli</i> Hüdepohl, 1989a:48 [<i>Imbrius</i>]	Borneo; Sumatra
<i>ephebus</i> Pascoe, 1866c:529 [<i>Imbrius</i>] <i>imitator</i> Holzschuh, 2006b:222 [<i>Imbrius</i>]	Borneo; Java; W. Malaysia
<i>geminatus</i> Holzschuh, 2005:6 [<i>Imbrius</i>]	Borneo
<i>lineatus</i> Pascoe, 1866c:529 [<i>Imbrius</i>]	Borneo; Sumatra; W. Malaysia
<i>micaceus</i> (Pascoe, 1858a:237) [<i>Cerambyx</i>]	Borneo
<i>simulator</i> Holzschuh, 2005:7 [<i>Imbrius</i>]	Borneo
<i>uniformis</i> Holzschuh, 2010:149 [<i>Imbrius</i>]	Borneo; W. Malaysia
Margites Gahan, 1891:26 (type species: <i>Cerambyx egenus</i> Pascoe, 1858a, by subsequent designation of Gahan, 1906a)	
<i>Laomargites</i> Pic, 1923d:8 (type species: <i>Laomargites singularis</i> Pic, 1923d, by monotypy)	
Margites (Margites) Gahan, 1891	
<i>alutaceus</i> Holzschuh, 2006b:221 [<i>Margites</i>]	Borneo
<i>pumilus</i> Holzschuh, 1999:20 [<i>Margites</i>]	Borneo, Sumatra
Massicus Pascoe, 1867b:319 (replacement name for <i>Conothorax</i> J. Thomson, 1864) (type species: <i>Cerambyx pascoei</i> J. Thomson, 1857k, automatic designation)	
<i>Conothorax</i> J. Thomson, 1864:230 (type species: <i>Cerambyx pascoei</i> J. Thomson, 1857k, by original designation) (pre-occupied by <i>Conothorax</i> Jekel, 1854, Coleoptera)	
<i>Falsomassicus</i> Pic, 1946c:7 (type species: <i>Falsomassicus theresae</i> Pic, 1946c, by monotypy)	
<i>fryi</i> Gahan, 1890c:260 [<i>Massicus</i>]	Borneo; ?Thailand, ?Myanmar
<i>pascoei</i> (J. Thomson, 1857k:122) [<i>Cerambyx</i>]	Borneo; W. Malaysia; SE Asia; E. India
<i>scapulatus</i> Hüdepohl, 1994a:188 [<i>Massicus</i>]	Borneo
<i>subregularis</i> Schwarzer, 1931a:60 [<i>Massicus</i>]	Borneo; Sumatra
<i>trilineatus</i> (<i>trilineatus</i>) (Pic, 1933b:12) [<i>Dymasius</i>]	Borneo; Vietnam; Laos
Nadezhdiella Plavilstshikov, 1931a:71 (type species: <i>Cerambyx cantori</i> Hope, 1845a, by original designation)	
<i>spadix</i> Holzschuh, 2005:4 [<i>Nadezhdiella</i>]	Borneo
Neocerambyx J. Thomson, 1861a:194 (type species: <i>Cerambyx paris</i> Wiedemann, 1821, by subsequent designation of J. Thomson 1864)	
<i>Mallambyx</i> Bates, 1873c:152 (type species: <i>Pachydissus japonicus</i> Bates, 1873c [= <i>Neocerambyx raddei</i> Blessig, 1872], by monotypy)	
<i>Mesocerambyx</i> Breuning & Itzinger, 1943:37 (type species: <i>Mesocerambyx pellitus</i> Breuning & Itzinger, 1943, by original designation)	
<i>gigas</i> (J. Thomson, 1878a:3) [<i>Pachydissus</i>]	Borneo; Java; W. Malaysia; Thailand
<i>luzonicus pseudoparisi</i> Hüdepohl, 1990b:243 [<i>Neocerambyx</i>]	Borneo; Sumatra; W. Malaysia
<i>vitalisi</i> Pic, 1923d:12 [<i>Neocerambyx</i>]	Borneo {Note 5}; Vietnam; Laos

LONGHORNED BEETLES OF BORNEO

Neoplocaederus Sama, 1991:123 (type species: <i>Plocaederus cyanipennis</i> J. Thomson, 1861a, by original designation)	
ruficornis (Newman, 1842a:245) [<i>Cerambyx</i>]	Borneo; Sumatra; Philippines; SE Asia
<i>fulvicornis</i> Guérin-Méneville, 1843b:227 [<i>Cerambyx</i>]	
<i>pruinosa</i> Pascoe, 1866c:526 [<i>Plocaederus</i>]	
Pachydissus Newman, 1838b:494 (type species: <i>Pachydissus sericus</i> Newman, 1838b, by monotypy)	
foveiscapus Holzschuh, 2011:279 [<i>Pachydissus</i>]	Borneo
Pneumida J. Thomson, 1864:191 (type species: <i>Pneumida argenteofasciata</i> J. Thomson, 1864, by original designation)	
argentella Holzschuh, 1995:17 [<i>Pneumida</i>]	Borneo; Thailand
sagittifera Holzschuh, 2010:148 [<i>Pneumida</i>]	Borneo
Rhytidodera White, 1853a:132 (type species: <i>Rhytidodera bowringii</i> White, 1853a, by monotypy)	
clypealis Holzschuh, 2007:201 [<i>Rhytidodera</i>]	Borneo
cristata Pascoe, 1866c:531 [<i>Rhytidodera</i>]	Borneo; W. Malaysia
grandis J. Thomson, 1865b:576 [<i>Rhytidodera</i>]	Borneo; Laos
integra Kolbe, 1886:237 [<i>Rhytidodera</i>]	Borneo
simulans (White, 1853a:132) [<i>Hammaticherus</i>]	Borneo; W. Malaysia; Thailand; Myanmar
Sebasmia Pascoe, 1859b:18 (type species: <i>Sebasmia templetoni</i> Pascoe, 1859b, by monotypy)	
curticornis Holzschuh, 2005:22 [<i>Sebasmia</i>]	Borneo; Sumatra
longissima Holzschuh, 2005:17 [<i>Sebasmia</i>]	Borneo
pexula Holzschuh, 2005:19 [<i>Sebasmia</i>]	Borneo
speculifera Holzschuh, 2005:18 [<i>Sebasmia</i>]	Borneo
vetusta Holzschuh, 2006b:228 [<i>Sebasmia</i>]	Borneo
Trachylophus Gahan, 1888c:59 (type species: <i>Trachylophus sinensis</i> Gahan, 1888c, by subsequent designation of Gahan, 1906a)	
approximator Gahan, 1888c:60 [<i>Trachylophus</i>]	Borneo; Java; Sumatra; W. Malaysia
<i>nishikawai</i> Hayashi, 1975:176 [<i>Aeolesthes</i>]	
Trirachys Hope, 1845a:11 (type species: <i>Trirachys orientalis</i> Hope, 1845a, by monotypy)	
<i>Trirachis</i> Agassiz, 1846:378 (unjustified emendation)	
<i>Trirrachis</i> Gemminger & Harold, 1873:2801 (unjustified emendation)	
bilobulartus Gressitt & Rondon, 1970:68 [<i>Trirachys</i>]	Borneo {Note 5}; Laos
Utopia J. Thomson, 1864:233 (type species: <i>Utopia castelnaudi</i> J. Thomson, 1864, by original designation)	
castelnaudi J. Thomson, 1864:233 [<i>Utopia</i>]	Borneo; Sumatra
<i>castelnaudi</i> J. Thomson, 1864:223 [<i>Utopia</i>] (original spelling)	
<i>castelnaudi</i> ; Aurivillius, 1912:48 (unjustified emendation in prevailing usage)	
Xoanodera Pascoe, 1857:92 (type species: <i>Xoanodera trigona</i> Pascoe, 1857, by subsequent designation of J. Thomson, 1864)	
<i>Lajoyeia</i> Pic, 1933b:10 (type species: <i>Lajoyeia interrupta</i> Pic, 1933b, by monotypy)	
Xoanodera (Xoanodera) Pascoe, 1857 {Note 37}	
angustula Holzschuh, 2006b:230 [<i>Xoanodera</i>]	Borneo
asphyxa Franz, 1972:233 [<i>Xoanodera</i>]	Borneo; "SE Asia"
caudata Holzschuh, 2010:152 [<i>Xoanodera</i>]	Borneo
laticornis Gahan, 1891:32 [<i>Xoanodera</i>]	Borneo
marmorata Gressitt & Rondon, 1970:89 [<i>Xoanodera</i>]	Borneo; Laos
serraticornis Holzschuh, 2005:26 [<i>Xoanodera</i>]	Borneo
similis Hüdepohl, 1998a:214 [<i>Xoanodera</i>]	Borneo; Sumatra; W. Malaysia
singularis Holzschuh, 2007:202 [<i>Xoanodera</i>]	Borneo
subdita Holzschuh, 2005:23 [<i>Xoanodera</i>]	Borneo
sutarella Holzschuh, 2005:24 [<i>Xoanodera</i>]	Borneo
trigona trigona Pascoe, 1857:92 [<i>Xoanodera</i>]	Borneo; W. Malaysia
vermiculata Hüdepohl, 1989c:482 [<i>Xoanodera</i>]	Borneo; Sumatra
wongi Hüdepohl, 1989a:62 [<i>Xoanodera</i>]	Borneo; W. Malaysia
Xoanodera (Lajoyeia) Pic, 1933b	
interrupta (Pic, 1933b:10) [<i>Lajoyeia</i>]	Borneo; Sumatra; W. Sumatra; Vietnam, Thailand
vitticollis Gahan, 1891:32 [<i>Xoanodera</i>]	Borneo
Xoanotrepheus Hüdepohl, 1989c:479 (type species: <i>Xoanotrepheus v-signatus</i> Hüdepohl, 1989c, by monotypy)	
v-signatus Hüdepohl, 1989c:480 [<i>Xoanotrepheus</i>]	Borneo

LONGHORNED BEETLES OF BORNEO

Zatrephus Pascoe, 1857:94 (type species: *Zatrephus pannosus* Pascoe, 1857, by subsequent designation of J. Thomson, 1864)

crassinus Holzschuh, 1992:13 [<i>Zatrephus</i>]	Borneo, Thailand
inscitus inscitus Pascoe, 1857:94 [<i>Zatrephus</i>]	Borneo
pannosus Pascoe, 1857:94 [<i>Zatrephus</i>]	Borneo
spinosus Brongniart, 1890:183 [<i>Zatrephus</i>]	Borneo

Zegriades Pascoe, 1869a:525 (type species: *Xoanodera magister* Pascoe, 1857, by monotypy)
magister (Pascoe, 1857:93) [*Xoanodera*]

Borneo

Tribe **Hesperophanini** Mulsant, 1839:61

Subtribe **Hesperophanina** Mulsant, 1839:61

Cristaphanes Vives, 2009c:3 (replacement name for *Lasiophanes* Aurivillius, 1916b) (type species:

Lasiophanes cristulatus Aurivillius, 1916b, automatic designation)

<i>Lasiophanes</i> Aurivillius, 1916b:1 (type species: <i>Lasiophanes cristulatus</i> Aurivillius, 1916b, by monotypy)	(pre-occupied by <i>Lasiophanes</i> Emery, 1895, Hymenoptera)
bifidus Holzschuh, 2010:146 [<i>Cristaphanes</i>]	Borneo
cristulatus (Aurivillius, 1916b:2) [<i>Lasiophanes</i>]	Borneo; Laos
pulvereus (Holzschuh, 1995:14) [<i>Lasiophanes</i>]	Borneo, W. Malaysia, Thailand
striolatulus (Holzschuh, 2007:209) [<i>Lasiophanes</i>]	Borneo

Eburiomorpha Fisher, 1935c:584 (type species: *Eburiomorpha guttata* Fisher, 1935c, by original designation)

guttata Fisher, 1935c:585 [<i>Eburiomorpha</i>]	Borneo; Sumatra
diehli Hüdepohl, 1992b:412 [<i>Gnatholea</i>]	

Gnatholea J. Thomson, 1861a:375 (type species: <i>Gnatholea eburifera</i> J. Thomson, 1861a, by monotypy)	
eburifera J. Thomson, 1861a:375 [<i>Gnatholea</i>]	Bornea, W. Malaysia; SE Asia
subnuda Lacordaire, 1868:284 [<i>Gnatholea</i>]	Borneo; W. Malaysia; Laos

Stromatiodes J. Thomson, 1878a:1 (type species: *Stromatiodes brunneus* J. Thomson, 1878a, by monotypy)
brunneus J. Thomson, 1878a:1 [*Stromatiodes*]

Borneo

Stromatioides Audinet-Serville, 1834b:80 (type species: *Callidium barbatum* Fabricius, 1775, by monotypy)
Solenophorus Mulsant, 1839:65 (type species: *Callidium strepens* Fabricius, 1798, by monotypy)
longicorne (Newman, 1842a:246) [*Arhopalus*]

Borneo; Sumatra; Philippines; SE Asia;
China; Ryukyus; Bonin Is; New Guinea; N. Africa

abeillei Pic, 1891b:44 [<i>Hesperophanes</i>]
asperulum White, 1855a:300 [<i>Stromatioides</i>]

Zoodes Pascoe, 1867b:319 (type species: *Stromatium maculatum* White, 1855a, by original designation)
cornutus Lacordaire, 1868:282 [*Zoodes*]

Borneo; W. Malaysia

Tribe **Phoracanthini** Newman, 1840c:2

Allotraeus Bates, 1877a:37 (type species: *Allotraeus sphaerioninus* Bates, 1877a, by monotypy)

Nysina Gahan, 1906a:153 (type species: *Sphaerion orientale* White, 1853a, by original designation)

Pseudallotraeus Pic, 1923a:13 (type species: *Pseudallotraeus rufescens* Pic, 1923a, by subsequent designation of Gressitt, 1951a)

Neosphaerion Schwarzer, 1925a:21 (type species: *Neosphaerion asiaticum* Schwarzer, 1925a, by monotypy)

Allotraeus (Allotraeus) Bates, 1877a

griseolus Holzschuh, 2007:207 [*Allotraeus*]

Borneo, Laos

Allotraeus (Nysina) Gahan, 1906a

Pseudallotraeus Pic, 1923a

Neosphaerion Schwarzer, 1925a

fenestrellus Holzschuh, 2007:206 [*Allotraeus*]

Borneo

Tribe **Dejanirini** Lacordaire, 1868:460

LONGHORNED BEETLES OF BORNEO

Dejanira J. Thomson, 1864:134 (type species: *Dejanira quadripunctata* J. Thomson, 1864, by original designation)
quadripunctata J. Thomson, 1864:134 [*Dejanira*] Borneo; Sumatra; Java; W. Malaysia; Thailand

Janidera Heffern, 2005:84 (type species: *Dejanira biapiculata* Pascoe, 1866c, by original designation)
Janidera Hüdepohl, 1988b:409 (not valid, type species not specified)
biapiculata (Pascoe, 1866c:507) [*Dejanira*] Borneo; W. Malaysia
fossulata Villiers, 1966:358 [*Dejanira*]
plagiata (Villiers, 1966:359) [*Dejanira*] Borneo; Thailand
hayekae Villiers, 1966:357 [*Dejanira*]

Tribe **Callidiopini** Lacordaire, 1868:340

Bornesalpinia Vives, 2010b:149 (type species: *Bornesalpinia titoi* Vives, 2010b, by original designation)
titoi Vives, 2010b:150 [*Bornesalpinia*] Borneo

Ceresium Newman, 1842e:322 (type species: *Ceresium rariplum* Newman, 1842e, by subsequent of J. Thomson, 1864)
Diatomocephala Blanchard, 1853:266 (type species: *Diatomocephala maculaticolle* Blanchard, 1853, by subsequent designation of J. Thomson, 1864)
Raphidera Perroud, 1855b:333 (type species: *Raphidera gracilis* Perroud, 1855b, by monotypy)
Rhaphidodera Gemminger & Harold, 1872:2831 (unjustified emendation)
Paraceresium Matsushita, 1932a:71 (type species: *Paraceresium saipanicum* Matsushita, 1932a, by original designation)
Ceresiellum Gressitt, 1956a:80 (type species: *Hesperophanes olidus* Fairmaire, 1850, by original designation)

Ceresium (Ceresium) Newman
brevipes Pic, 1943g:2 [*Ceresium*] Borneo
cribrum Holzschuh, 1991a:40 [*Ceresium*] Borneo; W. Malaysia
flavicornis Aurivillius, 1927:529 [*Ceresium*] Borneo
flavipes (Fabricius, 1793:397) [*Callidium*] Borneo; Sumatra; Philippines; SE Asia; New Guinea
furtivum Pascoe, 1869a:538 [*Ceresium*] Borneo
humerale Schwarzer, 1931b:197 [*Ceresium*] Borneo
indigum Holzschuh, 2011:283 [*Ceresium*] Borneo
mediocre Holzschuh, 2011:285 [*Ceresium*] Borneo
quadrimaculatum Gahan, 1900:121 [*Ceresium*] Borneo {Note 5}; Laos; Christmas Is.
rariplum Newman, 1842e:322 [*Ceresium*] Borneo {Note 5}; W. Malaysia; Java; Philippines
rouyeri Pic, 1943g:3 [*Ceresium*] Borneo, Java
saphenum Holzschuh, 2011:286 [*Ceresium*] Borneo
sobrinatum Holzschuh, 2011:281 [*Ceresium*] Borneo
striatocolle Holzschuh, 2011:282 [*Ceresium*] Borneo
vestigiale Pascoe, 1866c:532 [*Ceresium*] Borneo; W. Malaysia

Examnes Pascoe, 1869a:539 (type species: *Examnes longicornis* Pascoe, 1869a, by subsequent designation of Gressitt, 1956a)
elongatithorax Hayashi, 1979b:17b [*Examnes*] Borneo; W. Malaysia
versutus (Pascoe, 1866c:532) [*Ceresium*] Borneo; W. Malaysia; Thailand
frontalis Pascoe, 1869a:540 [*Examnes*]
rufoapicale Pic, 1943g:2 [*Ceresium*]

Pseudodemonax Vives & Heffern, 2012:6 (type species: *Pseudodemonax confusus* Vives & Heffern, 2012, by original designation)
confusus Vives & Heffern, 2012:6 [*Pseudodemonax*] Borneo

Salpinia Pascoe, 1869a:546 (type species: *Salpinia diluta* Pascoe, 1869a, by monotypy)
diluta Pascoe, 1869a:546 [*Salpinia*] Borneo; Java; Philippines
kinabaluensis Hayashi, 1975:179 [*Salpinia*] Borneo

Stenodryas Bates, 1873c:153 (type species: *Stenodryas clavigera* Bates, 1873c, by monotypy)
leaucophora Holzschuh, 2010:155 [*Stenodryas*] Borneo

Tethionea Pascoe, 1869a:543 (type species: *Tethionea unicolor* Pascoe, 1869a, by subsequent designation of Gressitt, 1955)

LONGHORNED BEETLES OF BORNEO

strumosa Pascoe, 1869a:544 [*Tethionea*]

Borneo {Note 8}; New Guinea; Moluccas;
Waigiou; New Britain

Tribe **Obriini** Mulsant, 1839:95

Comusia Thomson, 1864:249 (type species: <i>Comusia obriumoides</i> Thomson, 1864, by original designation)	Borneo
abbreviatella Holzschuh, 2006b:231 [<i>Comusia</i>]	
decolorata (Pascoe, 1866c:511) [<i>Ciopera</i>]	Borneo, W. Malaysia
fumifera Holzschuh, 2005:28 [<i>Comusia</i>]	Borneo
metallica Holzschuh, 2005:31 [<i>Comusia</i>]	Borneo
mimica Vives & Heffern, 2012:8 [<i>Comusia</i>]	Borneo
simillima Holzschuh, 2005:27 [<i>Comusia</i>]	Borneo

Longipalpus Montrouzier, 1861:275 (type species: <i>Longipalpus palazyanus</i> Montrouzier, 1861, by monotypy)	Borneo
quadriguttata (Heller, 1924b:196) [<i>Iphra</i>]	Philippines; Vietnam; Laos
apicalis (Pic, 1926k:155) [<i>Ibidionidum</i>]	

Tribe **Stenhomalini** Miroshnikov, 1989:742

Stenhomalus White, 1855a:243 (type species: <i>Stenhomalus fenestratus</i> White, 1855a, by monotypy)	
<i>Stenomalus</i> Gemminger & Harold, 1872:2841 (unjustified emendation)	
<i>Obriopsis</i> G. Müller, 1948:65 (type species: <i>Obrium bicolor</i> Kraatz, 1862, by monotypy)	

Stenhomalus (Stenhomalus) White, 1855a	
annulicornis Pascoe, 1869a:551 [<i>Obrium</i>]	Borneo
cephalotes Pic, 1928b:25 [<i>Stenhomalus</i>]	Borneo {Note 5}, Vietnam, Laos
sericeus Aurivillius, 1922b:3 [<i>Stenhomalus</i>]	Borneo
wakejimaorum Niisato, 1989a:125 [<i>Stenhomalus</i>]	Borneo

Tribe **Prothemiini** Lacordaire, 1868:524

Euryarthrum Blanchard, 1845:149 (type species: <i>Euryarthrum albocinctum</i> Blanchard, 1845, by monotypy)	
<i>Blemmya</i> Pascoe, 1856:42 (type species: <i>Blemmya whitei</i> Pascoe, 1856, by monotypy)	
albocinctum Blanchard, 1845:170 [<i>Euryarthrum</i>] <i>whitei</i> Pascoe, 1856:42 [<i>Blemmya</i>]	Borneo; W. Malaysia
assimile Yoshitake & Niisato, 2010a:4 [<i>Euryarthrum</i>]	Borneo
aurantiacum Holzschuh, 2008:233 [<i>Euryarthrum</i>]	Borneo
bifasciatum (Pascoe, 1856:43) [<i>Blemmya</i>] <i>lambii</i> Pascoe, 1866c:524 [<i>Euryarthrum</i>]	Borneo, Sumatra, West Malaysia, Thailand
dilatipenne Holzschuh, 2008:236 [<i>Euryarthrum</i>]	Borneo
egenum atricorne Holzschuh, 2010:171 [<i>Euryarthrum</i>]	Borneo
elegans Hayashi, 1977:120 [<i>Euryarthrum</i>]	Borneo; W. Malaysia
gibbulum Holzschuh, 2008:234 [<i>Euryarthrum</i>]	Borneo
hastigerum Holzschuh, 2008:237 [<i>Euryarthrum</i>]	Borneo
inopinans insulare Holzschuh, 2010:175 [<i>Euryarthrum</i>]	Borneo
interruptum nigricorne Holzschuh, 2010:172 [<i>Euryarthrum</i>]	Borneo
kalimantanense Yoshitake & Niisato, 2009b:160 [<i>Euryarthrum</i>]	Borneo
nodicolle Pascoe, 1866c:525 [<i>Euryarthrum</i>]	Borneo; W. Malaysia
ohbayashii Yoshitake & Niisato, 2009a:193 [<i>Euryarthrum</i>]	Borneo
pubiventre Holzschuh, 2008:232 [<i>Euryarthrum</i>]	Borneo
takakuwai Yoshitake & Niisato, 2009a:198 [<i>Euryarthrum</i>]	Borneo

Prothema Pascoe, 1856:43 (type species: *Prothema signata* Pascoe, 1856, by subsequent designation of J. Thomson, 1864)

Sigillum Pascoe, 1866c:523 (type species: <i>Blemmya humeralis</i> Pascoe, 1857, by monotypy)	
angulifera Aurivillius, 1916a:216 [<i>Prothema</i>]	Borneo; Philippines: Luzon
fasciolata Aurivillius, 1925a:484 [<i>Prothema</i>] {Note 38}	Borneo
liciata Holzschuh, 2007:240 [<i>Prothema</i>]	Borneo
plagifera Aurivillius, 1925a:484 [<i>Prothema</i>] {Note 38}	Borneo
tibiella Holzschuh, 2007:241 [<i>Prothema</i>]	Borneo
variicornis Pascoe, 1886:240 [<i>Prothema</i>]	Borneo

Tribe **Molorchini** Gistel, 1848b:[2]

LONGHORNED BEETLES OF BORNEO

Epania Pascoe, 1858a:237 (type species: *Odontocera sarawackensis* J. Thomson, 1857k, by subsequent designation of J. Thomson, 1864)

Epania (Epania) Pascoe, 1858a

bipartita Holzschuh, 2006b:244 [<i>Epania</i>]	Borneo
brevipennis Pascoe, 1869b:567 [<i>Epania</i>]	Borneo; W. Malaysia
funeta Holzschuh, 2011:298 [<i>Epania</i>]	Borneo
pudica Holzschuh, 2011:296 [<i>Epania</i>]	Borneo
paulla Pascoe, 1869b:568 [<i>Epania</i>]	Borneo
petra Heller, 1924a:29 [<i>Epania</i>]	Borneo
posticalis Holzschuh, 2006b:245 [<i>Epania</i>]	Borneo
pusio Pascoe, 1869b:567 [<i>Epania</i>]	Borneo {Note 5}; W. Malaysia
quadra Holzschuh, 2011:297 [<i>Epania</i>]	Borneo
sarawackensis (J. Thomson, 1857k:124) [<i>Odontocera</i>]	Borneo
singaporensis (J. Thomson, 1857k:124) [<i>Odontocera</i>]	Borneo; W. Malaysia

Glaphyra Newman, 1840c:19 (type species: *Glaphyra semiusta* Newman, 1840c, by monotypy)

Laphyra Newman, 1842l:418 (type species: *Glaphyra semiusta* Newman, 1840c, automatic designation)
(unnecessary replacement name for *Glaphyra* Newman, 1840c)

Linomius Mulsant, 1862:226 (type species: *Necydalis umbellatorum* Schreber, 1759, by monotypy)

Sinolus Mulsant, 1862:228 (type species: *Molorchus kiesenwetteri* Mulsant & Rey, 1861, by monotypy)

Conchopterus Fairmaire, 1864c:153 (type species: *Necydalis umbellatarum* Schreber, 1759, by monotypy)

Epanioglaphyra Niisato, 1986b:304 (type species: *Glaphyra kurosawai* Niisato, 1986b, by original designation)

Yamatoglaphyra Niisato, 2006b:223 (type species: *Molorchus hattori* K. Ohbayashi, 1954, by original designation)

Glaphyra (Glaphyra) Newman, 1840c

angularis Holzschuh, 2006b:241 [*Glaphyra*] Borneo

Malayanomolorchus Hayashi, 1979b:19 (type species: *Malayanomolorchus serraticornis* Hayashi, 1979b, by original designation)

fabulosus Holzschuh, 2006b:242 [*Malayanomolorchus*] Borneo
xanthopus Holzschuh, 2011:300 [*Malayanomolorchus*] Borneo

Molochrus Heller, 1924a:27 (type species: *Molochrus viridicollis* Heller, 1924a, by original designation)
viridicollis Heller, 1924a:27 [*Molochrus*] Borneo

Tribe Stenopterini Gistel, 1848b:[2]

Merionoeda Pascoe, 1858a:237 (type species: *Merionoeda puella* Pascoe, 1858a, by subsequent designation of J. Thomson, 1864) {Note 57}

Ocytasia Pascoe, 1869b:575 (type species: *Ocytasia fulvipennis* Pascoe, 1869b, by monotypy)

Holangus Pic, 1902g:33 (type species: *Holangus flavonotatus* Pic, 1902q, by monotypy)

Macromolorchus Pic, 1922a:28 (type species: *Macromolorchus curtipennis* Pic, 1922a, by monotypy)

Hakata Mitono & Nishimura, 1936:33 (type species: *Hakata hirsuta* Mitono & Nishimura, 1936, by original designation)

Merionoeda (Merionoeda) Pascoe, 1858a {Note 57}

acuta Pascoe, 1866c:509 [<i>Merionoeda</i>]	Borneo {Note 5}; W. Malaysia
adnata Holzschuh, 2009b:295 [<i>Merionoeda</i>]	Borneo
aggregata Holzschuh, 2008:198 [<i>Merionoeda</i>]	Borneo
atricollis Heller, 1924a:31 [<i>Merionoeda</i>]	Borneo
basalis Aurivillius, 1924a:6 [<i>Merionoeda</i>]	Borneo; Sumatra
brachyptera Pascoe, 1869b:574 [<i>Merionoeda</i>]	Borneo; W. Malaysia
caelata Holzschuh, 2008:192 [<i>Merionoeda</i>]	Borneo
calcarata Pascoe, 1869b:573 [<i>Merionoeda</i>]	Borneo; W. Malaysia
cariniger Holzschuh, 2008:202 [<i>Merionoeda</i>]	Borneo
clara Yokoi & Niisato, 2009a:180 [<i>Merionoeda</i>]	Borneo
clunis Holzschuh, 2008:200 [<i>Merionoeda</i>]	Borneo
coerulea Aurivillius, 1924a:7 [<i>Merionoeda</i>]	Borneo; Sumatra; W. Malaysia
consonaria Holzschuh, 2008:199 [<i>Merionoeda</i>]	Borneo
dulcis Holzschuh, 2008:196 [<i>Merionoeda</i>]	Borneo
dumosa Holzschuh, 2008:193 [<i>Merionoeda</i>]	Borneo
falsa Holzschuh, 2009b:291 [<i>Merionoeda</i>]	Borneo
fulvicollis Yokoi & Niisato, 2009a:177 [<i>Merionoeda</i>]	Borneo
hebes Holzschuh, 2008:190 [<i>Merionoeda</i>]	Borneo

LONGHORNED BEETLES OF BORNEO

laticornis kalimantana Yokoi & Niisato, 2009a:183 [<i>Merionoeda</i>]	Borneo
latitarsis Holzschuh, 2009b:294 [<i>Merionoeda</i>]	Borneo
longicollis Holzschuh, 1989b:372 [<i>Merionoeda</i>]	Borneo; Thailand
melampus Holzschuh, 2009b:292 [<i>Merionoeda</i>]	Borneo
mutata Yokoi & Niisato, 2009a:189 [<i>Merionoeda</i>]	Borneo
nigricollis Aurivillius, 1924a:7 [<i>Merionoeda</i>]	Borneo
ohbayashii Yokoi & Niisato, 2009a:170 [<i>Merionoeda</i>]	Borneo
planicollis Yokoi & Niisato, 2009a:186 [<i>Merionoeda</i>]	Borneo
pubicollis Holzschuh, 1991:35 [<i>Merionoeda</i>]	Borneo, W. Malaysia , Thailand {Note 66}
punctifrons Heller, 1924a:31 [<i>Merionoeda</i>]	Borneo
scitella Pascoe, 1858a:238 [<i>Merionoeda</i>]	Borneo; Sumatra; W.Malaysia
subulata Pascoe, 1869b:574 [<i>Merionoeda</i>]	Borneo
takakuwai Yokoi & Niisato, 2009a:174 [<i>Merionoeda</i>]	Borneo

Microdebilissa Pic, 1925b:16 (type species: *Microdebilissa bipartita* Pic, 1925b, by monotypy)
Euchlanis Pascoe, 1869b:569 (type species: *Euchlanis collaris* Pascoe, 1869b, by monotypy) (pre-occupied
by *Euchlanis* Ehrenberg, 1832, Rotifera)
Microdebilis Liu, 1934:120 (unjustified emendation)
Neodeuteromma Mitono, 1936:32 (type species: *Neodeuteromma serratipenne* Mitono, 1936, by monotypy)
collaris (Pascoe, 1869b:570) [*Euchlanis*] Borneo

Pectinocallimus Niisato, 1989b:566 (type species: *Pectinocallimus sericeus* Niisato, 1989, by original
designation)
sericeus Niisato, 1989b:569 [*Pectinocallimus*] Borneo

Tribe **Callichromatini** Swainson, 1840:293

Amblyontium Bates, 1879b:409 (type species: *Amblyontium inerme* Bates, 1879b, by monotypy)
Amblyontinum Podaný, 1978:364 (unjustified emendation)
inerme Bates, 1879b:410 [*Amblyontium*] Borneo
sabahensis Bentanachs, Vives & Bosuang, 2012:21 [*Amblyontium*] Borneo

Asmedia Pascoe, 1866c:525 (type species: *Asmedia mimetes* Pascoe, 1866c, by monotypy)
flavofasciata Abang & Vives, 2004:236 [*Asmedia*] Borneo
mimetes Pascoe, 1866c:526 [*Asmedia*] Borneo; W. Malaysia

Borneochroma Vives, Bentanachs & Chew, 2008:2 (type species: *Borneochroma shuteae* Vives, Bentanachs
& Chew, 2008, by original designation)
shuteae Vives, Bentanachs & Chew, 2008:4 [*Borneochroma*] Borneo

Bradygnemis C. Waterhouse, 1877a:12 (type species: *Bradygnemis velutina* C. Waterhouse, 1877a, by
subsequent designation of Podany, 1971)
velutina C. Waterhouse, 1877a:12 [*Bradygnemis*] Borneo; W. Malaysia
anomala C. Waterhouse, 1877a:12 [*Bradygnemis*]

Brevechelidonium Vives, Bentanachs & Chew, 2009b:3 (type species: *Chelidonium circumsplendens*
Hüdepohl, 1998a, by original designation)
circumsplendens (Hüdepohl, 1998a:217) [*Chelidonium*] Borneo; Sumatra; West Malaysia
juheli Vives, Bentanachs & Chew, 2009b:10 [*Brevechelidonium*] Borneo
minettii Bentanachs, Vives & Bosuang, 2012:26 [*Brevechelidonium*] Borneo
sabahensis Vives, Bentanachs & Chew, 2009b:5 [*Brevechelidonium*] Borneo

Chewchroma Bentanachs & Vives, 2009b:13 (type species: *Chewchroma nayani* Vives, Bentanachs & Chew,
2009c, by original designation)
nayani Vives, Bentanachs & Chew, 2009c:15 [*Chewchroma*] Borneo

Chloridolum J. Thomson, 1864:174 (type species: *Callichroma bivittatum* White, 1853a, by original
designation)
Leontium J. Thomson, 1864:175 (type species: *Leontium viride* J. Thomson, 1864, by original designation)
Parachloridolum Plavilstshikov, 1934:67 (type species: *Callichroma japonicum* Harold, 1879, by original
designation)

Chloridolum (**Chloridolum**) J. Thomson, 1864
borneense Aurivillius, 1911a:13 [*Chloridolum*] Borneo
ceycinum Pascoe, 1869b:587 [*Chloridolum*] Borneo; W. Malaysia
cinnyrus Pascoe, 1866c:518 [*Chloridolum*] Borneo; Sumatra; Java; W. Malaysia;
Myanmar
collinum Pascoe, 1869b:585 [*Chloridolum*] Borneo; Sumatra, W.Malaysia

LONGHORNED BEETLES OF BORNEO

factiosum Pascoe, 1869b:584 [<i>Chloridolum</i>]	Borneo; Ambon
frederickikugani Bentanachs, Vives & Bosuang, 2012:31 [<i>Chloridolum</i>]	Borneo
gontrani Bentanachs, Vives & Bosuang, 2012:32 [<i>Chloridolum</i>]	Borneo; W. Malaysia
leei Bentanachs, Vives & Bosuang, 2012:33 [<i>Chloridolum</i>]	Borneo; W. Malaysia
radiatum Pascoe, 1869b:586 [<i>Chloridolum</i>]	Borneo
sabahensis Bentanachs, Vives & Bosuang, 2012:34 [<i>Chloridolum</i>]	Borneo
scytalicum Pascoe, 1869b:584 [<i>Chloridolum</i>]	Borneo
bivittaticollis Hayashi, 1977:123 [<i>Chloridolum</i>]	
thomsoni (Pascoe, 1859b:24) [<i>Callichroma</i>]	Borneo; W. Malaysia
viridipenne Pascoe, 1869b:588 [<i>Chloridolum</i>]	Borneo
vittigerum Bates, 1879b:407 [<i>Chloridolum</i>]	Borneo ?; Cambodia
Chloridolum (Leontium) J. Thomson, 1864	
plicatulum (Aurivillius, 1911a:13) [<i>Chelidonium</i>]	Borneo
Crassichroma Vives, Bentanachs & Chew, 2009a:4 (type species: <i>Gauresthes aureopurpleus</i> Hayashi, 1987, by original designation)	
aureopurplea (Hayashi, 1987:161) [<i>Gauresthes</i>]	Borneo
viridis Vives, Bentanachs & Chew, 2009a:6 [<i>Crassichroma</i>]	Borneo
Dubianella Morati & Huet, 2004a:90 (type species: <i>Callichroma chrysogaster</i> Ritsema, 1888b, by original designation)	
podanyi Vives & Bentanachs, 2005:151 [<i>Dubianella</i>]	Borneo
Gauresthes Bates, 1889:392 (type species: <i>Gauresthes rufipes</i> Bates, 1889, by monotypy)	
<i>Falsoipothalia</i> Podaný, 1978:367 (type species: <i>Ipothalia elegans</i> Fisher, 1936, by original designation)	
rufipes Bates, 1889:392 [<i>Gauresthes</i>]	Borneo
Gracilichroma Vives, Bentanachs & Chew, 2008:5 (type species: <i>Chelidonium bryanti</i> Podany, 1974, by original designation)	
bryanti (Podany, 1974:15) [<i>Chelidonium</i>]	Borneo
Gressittichroma Vives, Bentanachs & Chew, 2009c:6 (type species: <i>Gressittichroma tengkuadlini</i> Vives, Bentanachs & Chew, 2009c, by original designation)	
sammannani Vives, Bentanachs & Chew, 2009c:11 [<i>Gressittichroma</i>]	Borneo
tengkuadlini Vives, Bentanachs & Chew, 2009c:12 [<i>Gressittichroma</i>]	Borneo
Hayashichroma Vives, Bentanachs & Chew, 2008:9 (type species: <i>Anubis aureosuturalis</i> Hayashi, 1982, by original designation)	
chemsaki Vives, Bentanachs & Chew, 2008:16 [<i>Hayashichroma</i>]	Borneo
huedepohli Vives, Bentanachs & Chew, 2008:11 [<i>Hayashichroma</i>]	Borneo
lambi Vives, Bentanachs & Chew, 2008:14 [<i>Hayashichroma</i>]	Borneo
legrandi Vives, Bentanachs & Chew, 2009c:4 [<i>Hayashichroma</i>]	Borneo
Huedepohliana Heffern, 2002b:256 (replacement name for <i>Euchitonnia</i> Kolbe, 1894) (type species: <i>Zonopterus suspectus</i> Ritsema, 1885, automatic designation)	
<i>Euchitonnia</i> Kolbe, 1894:7 (type species: <i>Zonopterus suspectus</i> Ritsema, 1885b, by original designation) (pre-occupied by <i>Euchitonnia</i> Ehrenberg, 1861, Protozoa)	
masidimanjuni Vives, Bentanachs & Chew, 2009c:3 [<i>Huedepohliana</i>]	Borneo
superba (Aurivillius, 1911a:10) [<i>Euchitonnia</i>]	Borneo
Ipothalia Pascoe, 1867a:314 (type species: <i>Ipothalia femorata</i> Pascoe, 1867a, by subsequent designation of Gressitt, 1951c)	
bicolor Podany, 1978:377 [<i>Ipothalia</i>]	Borneo
esmeralda Bates, 1879b:418 [<i>Ipothalia</i>]	Borneo; Sumatra
metallica Podany, 1978:381 [<i>Ipothalia</i>]	Borneo
Moratichroma Bentanachs & Vives, 2010:33 (type species : <i>Zonopterus magnificus</i> Bates, 1889, by original designation)	
magnifica (Bates, 1889:391) [<i>Zonopterus</i>]	Borneo
bosschae Ritsema, 1894:107 [<i>Zonopterus</i>]	
Niraeus Newman, 1840d:194 (type species: <i>Niraeus tricolor</i> Newman, 1840d, by monotypy)	
<i>Euchroa</i> Guérin-Méneville, 1843b: (type species: <i>Euchroa dimidiata</i> Guérin-Méneville, 1843b, by monotypy)	
<i>Nireus</i> ; Agassiz, 1846:250 (unjustified emendation)	
<i>Euchroma</i> ; White, 1853a:144 (subsequent incorrect spelling)	
samarahensis (Abang & Vives, 2004:234) [<i>Pachyteria</i>]	Borneo
Pachyteria Audinet-Serville, 1834a:553 (type species: <i>Cerambyx fasciatus</i> Fabricius, 1775, by monotypy)	

LONGHORNED BEETLES OF BORNEO

basalis C. Waterhouse, 1878a:137 [<i>Pachyteria</i>] <i>polychroma</i> Harold, 1879a:228 [<i>Pachyteria</i>] <i>batesi</i> Ritsema, 1893:14 [<i>Pachyteria</i>]	Borneo
chewi Morati & Huet, 2004a:32 [<i>Pachyteria</i>]	Borneo
dimidiata Westwood, 1848:60 [<i>Pachyteria</i>] <i>scheepmakeri</i> Ritsema, 1881e:38 [<i>Pachyteria</i>] <i>sheepmakeri</i> ; Aurivillius, 1912:300 (subsequent incorrect spelling) <i>oberthueri</i> Ritsema, 1888a:190 [<i>Pachyteria</i>] <i>luteofasciata</i> Pic, 1946c:7 [<i>Pachyteria</i>] <i>timorensis</i> Hayashi, 1994:65 [<i>Pachyteria</i>]	Borneo; Sumatra; W. Malaysia; India; Assam
pryeri Ritsema, 1888a:183 [<i>Pachyteria</i>]	Borneo
ruficollis C. Waterhouse, 1878a:137 [<i>Pachyteria</i>] <i>collaris</i> Harold, 1879a:228 [<i>Pachyteria</i>]	Borneo
Parachelidonium Vives, Bentanachs & Chew, 2008:17 (type species: <i>Chelidonium trapezemaculatum</i> Hüdepohl, 1998a, by original designation)	
trapezemaculatum (Hüdepohl, 1998a:218) [<i>Chelidonium</i>]	Borneo, W. Malaysia
werneri Vives, Bentanachs & Chew, 2008:20 [<i>Parachelidonium</i>]	Borneo
Parandrocephalus Heller, 1916b:101 (type species: <i>Parandrocephalus evensor</i> Heller, 1916b, by original designation)	
evensor Heller, 1916b:102 [<i>Parandrocephalus</i>]	Borneo; Sumatra; W. Malaysia
Podanychroma Vives, Bentanachs & Chew, 2007:7 (type species: <i>Chelidonium brevicorne</i> Franz, 1954, by original designation)	
moratiae Vives, Bentanachs & Chew, 2007:9 [<i>Podanychroma</i>]	Borneo
Polyzonus Dejean, 1835:324 (type species: <i>Saperda fasciata</i> Fabricius, 1781, by subsequent designation of J. Thomson, 1864) {Note 15} <i>Callibleparus</i> Gistel, 1848a:x (unnecessary replacement name for <i>Polyzonus</i> Dejean, 1835) (type species: <i>Saperda fasciata</i> Fabricius, 1781, automatic designation)	
<i>Polyzonides</i> Podaný, 1980:230 (type species: <i>Polyzonus obtusus</i> Bates, 1879b, by original designation)	
<i>Parapolyzonus</i> Bentanachs, 2012:11 (type species: <i>Promeces prasinus</i> White, 1853, by original designation)	
<i>Striatopolyzonus</i> Bentanachs, 2012:58 (type species: <i>Cerambyx tetraspilotus</i> Hope, 1835, by original designation)	
Polyzonus (Parapolyzonus) Bentanachs, 2012 copei (Vives, Bentanachs & Chew, 2009a:15) [<i>Stenochroma</i>]	Borneo; W. Malaysia
Polyzonus (Striatopolyzonus) Bentanachs, 2012 hefferni Vives, Bentanachs & Chew, 2008:21 [<i>Polyzonus</i>]	Borneo; Sumatra; W. Malaysia
Psephania Morati & Huet, 2004a:87 (type species: <i>Pachyteria malayana</i> Podaný, 1968, by original designation)	
moultoni (Aurivillius, 1911a:11) [<i>Pachyteria</i>]	Borneo
Pseudochelidonium Vives, Bentanachs & Chew, 2007:12 (type species: <i>Chelidonium unonotaticolle</i> Hüdepohl, 1998a, by original designation)	
unonotaticolle (Hüdepohl, 1998a:224) [<i>Chelidonium</i>]	Borneo; W. Malaysia
Pseudoeuchitonnia Bentanachs, Morati & Vives, 2010:29 (type species: <i>Zonopterus grandis</i> Thomson, 1878, by original designation)	
barbara Bentanachs, Morati & Vives, 2010:30 [<i>Pseudoeuchitonnia</i>]	Borneo
Scalenus Gistel, 1848a:130 (replacement name for <i>Colobus</i> Audinet-Serville, 1834a) (type species: <i>Cerambyx hemipterus</i> Olivier, 1795, automatic designation)	
<i>Colobus</i> Audinet-Serville, 1834a:554 (type species: <i>Cerambyx hemipterus</i> Olivier, 1795, by monotypy) (pre-occupied by <i>Colobus</i> Illiger, 1811, Mammalia)	
<i>Nothopeus</i> Pascoe, 1864d:287 (replacement name for <i>Colobus</i> Audinet-Serville, 1834a) (type species: <i>Cerambyx hemipterus</i> Olivier, 1795, automatic designation)	
<i>Coloborhombus</i> J. Thomson, 1865a:486 (replacement name for <i>Colobus</i> Audinet-Serville, 1834a) (type species: <i>Cerambyx hemipterus</i> Olivier, 1795, automatic designation)	
<i>Coloborhomboides</i> Hüdepohl, 1983b:117 (type species: <i>Coloborhomboides schererii</i> Hüdepohl, 1983b, by original designation)	
fasciatipennis (C. Waterhouse, 1885:369) [<i>Coloborhombus</i>]	Borneo; Sumatra
hemipterus (Olivier, 1795:127) [<i>Cerambyx</i>]	Borneo; Java; Sumatra
intermedius (Gahan, 1902:277) [<i>Nothopeus</i>]	Borneo

LONGHORNED BEETLES OF BORNEO

wallacei Bentanachs, Vives & Bosuang, 2012:54 [<i>Scalenus</i>]	Borneo
Schmidtiana Podaný, 1971:306 (replacement name for <i>Luzonia</i> Podaný, 1968) (type species: <i>Pachyteria ilocana</i> Schultze, 1920, automatic designation)	
<i>Luzonia</i> Podaný, 1968:53 (type species: <i>Pachyteria ilocana</i> Schultze, 1920, by original designation) (pre-occupied by <i>Luzonia</i> Dall & Smith, 1889, Mollusca)	
apicalis apicalis (Neervoort van de Poll, 1889a:219) [<i>Pachyteria</i>] Borneo	
bicolor (Parry, 1849:182) [<i>Pachyteria</i>]	Borneo; Java
borneensis (Podaný, 1968:57) [<i>Luzonia</i>]	Borneo
borneoensis (Ritsema, 1892b:218) [<i>Pachyteria</i>]	Borneo
ochracea (C. Waterhouse, 1878a:136) [<i>Pachyteria</i>]	Borneo
spinicollis (Pascoe, 1866c:519) [<i>Pachyteria</i>]	Borneo; W. Malaysia
Stenochroma Vives, Bentanachs & Chew, 2009a:7 (type species: <i>Chelidonium gahani</i> Achard, 1911, by original designation)	
aurivilliana Vives, Bentanachs & Chew, 2009a:13 [<i>Stenochroma</i>]	Borneo
borneense Vives, Bentanachs & Chew, 2009a:14 [<i>Stenochroma</i>]	Borneo
cheyi Vives, Bentanachs & Chew, 2009c:5 [<i>Stenochroma</i>]	Borneo
gahani (Achard, 1911:280) [<i>Chelidonium</i>]	Borneo; Sumatra
hefferni Vives, Bentanachs & Chew, 2009b:1 [<i>Stenochroma</i>]	Borneo
holzschuhii Bentanachs, Vives & Bosuang, 2012:61 [<i>Stenochroma</i>]	Borneo
jirouxi Vives, Bentanachs & Chew, 2009b:2 [<i>Stenochroma</i>]	Borneo
punctigera (Pascoe, 1869b:595) [<i>Leontium</i>]	Borneo; Singapore
similis Bentanachs, Vives & Bosuang, 2012:62 [<i>Stenochroma</i>]	Borneo
Sumatrochroma Vives, Bentanachs & Chew, 2007:2 (type species: <i>Callichroma testaceipennis</i> Ritsema, 1881, by original designation)	
testaceipennis (Ritsema, 1881:153) [<i>Callichroma</i>]	Borneo; Sumatra
Thompsoniana Podaný, 1971:306 (replacement name for <i>Aurivillia</i> Podaný, 1968) (type species: <i>Zonopterus imitans</i> Aurivillius, 1911, automatic designation)	
<i>Aurivillia</i> Podaný, 1968:98 (type species: <i>Zonopterus imitans</i> Aurivillius, 1911a, by original designation) (pre-occupied by <i>Aurivillia</i> Tutt, 1902, Lepidoptera)	
imitans (Aurivillius, 1911a:10) [<i>Zonopterus</i>]	Borneo
bogenbergeri Hüdepohl, 1983b:124 [<i>Thompsoniana</i>]	
mireiae Vives, Bentanachs & Chew, 2009a:2 [<i>Thompsoniana</i>]	Borneo
nieuwenhuisii (Ritsema, 1909:248) [<i>Pachyteria</i>]	Borneo
vodozi Morati & Huet, 2004a:95 [<i>Thompsoniana</i>]	Borneo
Tribe Thraniini Gahan, 1906a:236	
Thranius Pascoe, 1859b:22 (type species: <i>Thranius bimaculatus</i> Pascoe, 1859b, by subsequent designation of J. Thomson, 1864)	
<i>Singalia</i> Lacordaire, 1872:834 (type species: <i>Singalia spinipennis</i> Lacordaire, 1872 [= <i>Thranius gibbosus</i> Pascoe, 1859b], by original designation)	
bimaculatus Pascoe, 1859b:23 [<i>Thranius</i>]	Borneo; W. Malaysia
fryanus sabahensis Holzschuh, 2011:314 [<i>Thranius</i>]	Borneo
sumatrensis Gahan, 1907:71 [<i>Thranius</i>]	Borneo; Sumatra
Tribe Compsocerini J. Thomson, 1864:260	
Callichromopsis Chevrolat, 1863:255 (type species: <i>Cerambyx telephoroides</i> Westwood, 1848, by monotypy)	
furcifera (Aurivillius, 1922b:10) [<i>Demonax</i>]	Borneo
Rosalia Audinet-Serville, 1834a:561 (type species: <i>Cerambyx alpinus</i> Linnaeus, 1758, by monotypy)	
<i>Chamides</i> Gistel, 1848:2 (unnecessary replacement name for <i>Rosalia</i> Audinet-Serville, 1834a) (type species: <i>Cerambyx alpinus</i> Linnaeus, 1758, automatic designation)	
<i>Eurybatus</i> J. Thomson, 1861a:250 (type species: <i>Eurybatus hariolus</i> J. Thomson, 1861a, by monotypy)	
<i>Eurybatodes</i> Semenov-Tian-Shanskij, 1911:121 (type species: <i>Rosalia bouvieri</i> Boppe, 1910, by monotypy)	
<i>Eurybatorosalia</i> Plavilstshikov, 1934:142 (type species: <i>Eurybatus lesnei</i> Boppe, 1911, by original designation)	
Rosalia (Eurybatus) J. Thomson, 1861a	
<i>Eurybatorosalia</i> Plavilstshikov, 1934	
borneensis (Rothschild & Jordan, 1893:455) [<i>Eurybatus</i>]	Borneo
oberthueri Vuillet, 1911:248 [<i>Rosalia</i>]	Borneo

LONGHORNED BEETLES OF BORNEO

Tribe **Glaucytini** Lacordaire, 1868:405

Paracleonice Breuning, 1970a:22 (type species: *Cleonice bivittata* Gahan, 1893b, by original designation)
bivittata (Gahan, 1893b:379) [*Cleonice*] Borneo

Polyphida Pascoe, 1869b:652, (type: <i>Polyphida clytoides</i> Pascoe, 1869b, by monotypy)	
argenteofasciata Aurivillius, 1911a:21 [<i>Polyphida</i>]	Borneo
clytoides Pascoe, 1869b:652 [<i>Polyphida</i>]	Borneo
fulvitarsis Holzschuh, 2005:37 [<i>Polyphida</i>]	Borneo
modesta Gahan, 1906b:113 [<i>Polyphida</i>]	Borneo; Sumatra; Java; W. Malaysia
tenebrosa Holzschuh, 2005:39 [<i>Polyphida</i>]	Borneo

Tribe **Clytini** Mulsant, 1839:70

Acrocyrta Pascoe, 1856:44 (type species: *Acrocyrta clytoides* Pascoe, 1856, by monotypy)
clytoides Pascoe, 1856:44 [*Acrocyrta*] Borneo
rufofemorata Aurivillius, 1911a:20 [*Acrocyrta*] Borneo

Borneoclytus Dauber, 2006:443 (type species: *Borneoclytus borneanus* Dauber, 2006, by original designation)
borneanus Dauber, 2006:444 [*Borneoclytus*] Borneo

Chlorophorus Chevrolat, 1863:290 (type species: <i>Callidium annulare</i> Fabricius, 1787, by original designation)	
<i>Immaculatus</i> Özdkmen, 2011:536 (type species: <i>Chlorophorus kanoi</i> Hayashi, 1963:134, by original designation)	
<i>Perderomaculatus</i> Özdkmen, 2011:537 (type species: <i>Cerambyx sartor</i> Müller, 1766:188, by original designation)	
<i>Humeromaculatus</i> Özdkmen, 2011:537 (type species: <i>Cerambyx figuratus</i> Scopoli, 1763:55, by original designation)	
<i>Crassofasciatus</i> Özdkmen, 2011:538 (type species: <i>Callidium trifasciatum</i> Fabricius, 1781:244, by original designation)	

Chlorophorus (Chlorophorus) Chevrolat, 1863
annularis (Fabricius, 1787:156) [*Callidium*] Borneo; Sumatra; Philippines, Java; Maluku; New Guinea; SE Asia; India; China; Japan; Australia

<i>bidens</i> Weber, 1801:90 [<i>Callidium</i>]	
borneensis Fisher, 1935c:589 [<i>Chlorophorus</i>]	Borneo
<i>brevivittatus</i> Aurivillius, 1922b:7 [<i>Chlorophorus</i>]	Borneo, W. Malaysia
<i>curvatofasciatus</i> Aurivillius, 1922b:6 [<i>Chlorophorus</i>]	Borneo
<i>dimidiatus</i> Aurivillius, 1922b:5 [<i>Chlorophorus</i>]	Borneo
<i>semiruber</i> Pic, 1925b:22 [<i>Chlorophorus</i>]	
<i>eximius</i> Aurivillius, 1911b:5 [<i>Chlorophorus</i>]	Borneo
<i>externenotatus</i> Pic, 1925b:23 [<i>Chlorophorus</i>]	Borneo
<i>hefferni</i> Dauber, 2002:803 [<i>Chlorophorus</i>]	Borneo
<i>latus</i> Dauber, 2010a:567 [<i>Chlorophorus</i>]	Borneo
<i>lineatus mediocunctus</i> Dauber, 2004:208 [<i>Chlorophorus</i>]	Borneo; W. Malaysia
<i>lituratus</i> (Laporte & Gory, 1836:77) [<i>Clytus</i>]	Borneo
<i>minutus</i> Aurivillius, 1922b:6 [<i>Chlorophorus</i>]	Borneo
<i>moultoni</i> Aurivillius, 1911b:6 [<i>Chlorophorus</i>]	Borneo
<i>puncticollis</i> Dauber, 2003b:131 [<i>Chlorophorus</i>]	Borneo; W. Malaysia
<i>rectefasciatus</i> Dauber, 2012:171 [<i>Chlorophorus</i>]	Borneo
<i>seclusus</i> (Pascoe, 1869b:603) [<i>Clytanthus</i>]	Borneo
<i>sumatrensis</i> (Laporte & Gory, 1836:96) [<i>Clytus</i>]	Borneo; Sumatra; Java
<i>interneconnexus</i> Pic, 1925b:22 [<i>Chlorophorus</i>]	
<i>torquilla</i> Pascoe, 1869b:603 [<i>Clytanthus</i>]	Borneo; W. Malaysia
<i>trusmadensis</i> Dauber, 2006:425 [<i>Chlorophorus</i>]	Borneo
<i>vicinus</i> Dauber, 2002:801 [<i>Chlorophorus</i>]	Borneo

Demonax J. Thomson, 1861a:226 (type species: *Demonax nigrofasciatus* J. Thomson, 1861a, by subsequent designation of Gahan, 1906a)

<i>Elezira</i> Pascoe, 1869b:637 (type species: <i>Clytus balyi</i> Pascoe, 1859b, by original designation)	
acutipennis Dauber, 2006:440 [<i>Demonax</i>]	Borneo
alcellus Pascoe, 1869b:631 [<i>Demonax</i>]	Borneo; Java; W. Malaysia
algebraicus Pascoe, 1869b:629 [<i>Demonax</i>]	Borneo; W. Malaysia
ambiguus Dauber, 2008:1202 [<i>Demonax</i>]	Borneo

LONGHORNED BEETLES OF BORNEO

amiculus Dauber, 2010a:575 [<i>Demonax</i>]	Borneo
apicalis Pascoe, 1869b:627 [<i>Demonax</i>]	Borneo; Aru
bakeri Aurivillius, 1922b:17 [<i>Demonax</i>]	Borneo
bakeroides Dauber, 2006:432 [<i>Demonax</i>]	Borneo, W. Malaysia
basiviridis Dauber, 2003b:142 [<i>Demonax</i>]	Borneo
borneensis Fisher, 1935c:591 [<i>Demonax</i>]	Borneo
brevelineatus Pic, 1925b:21 [<i>Demonax</i>]	Borneo; Sumatra
<i>obliteratus</i> Pic, 1925b:21 [<i>Demonax</i>]	
cinereus Dauber, 2004:209 [<i>Demonax</i>]	Borneo
collaris Pascoe, 1869b:636 [<i>Demonax</i>]	Borneo; Sumatra; Java; Sulawesi, Philippines: Luzon ?
crinifer Dauber, 2012:174 [<i>Demonax</i>]	Borneo
cruciatus Dauber, 2010a:576 [<i>Demonax</i>]	Borneo
damalis Pascoe, 1869b:632 [<i>Demonax</i>]	Borneo
detortus Pascoe, 1869b:624 [<i>Demonax</i>]	Borneo; Sumatra; Philippines
erythrops Chevrolat, 1863:261 [<i>Acrocyrta</i>]	Borneo
exilis Pascoe, 1869b:636 [<i>Demonax</i>]	Borneo {Note 5}, Java
flavofasciatus Dauber, 2002:808 [<i>Demonax</i>]	Borneo
hefferni Dauber, 2006:445 [<i>Demonax</i>]	Borneo
humerus Dauber, 2003b:141 [<i>Demonax</i>]	Borneo
humerovittatus Dauber, 2003b:137 [<i>Demonax</i>]	Borneo
inscriptus Gressitt, 1951c:208 [<i>Demonax</i>]	Borneo
jirouxi Dauber, 2008:1195 [<i>Demonax</i>]	Borneo
latefasciatus Dauber, 2006:435 [<i>Demonax</i>]	Borneo; W. Malaysia
latevittatus Dauber, 2003b:143 [<i>Demonax</i>]	Borneo
longespinus Dauber, 2006:431 [<i>Demonax</i>]	Borneo
longevittatus Dauber, 2006:439 [<i>Demonax</i>]	Borneo
longipedis Dauber, 2012:172 [<i>Demonax</i>]	Borneo
macilentoides Dauber, 2003b:140 [<i>Demonax</i>]	Borneo
macilentus (Chevrolat, 1858:82) [<i>Clytus</i>]	Borneo; W. Malaysia; Myanmar
martes Pascoe, 1869b:622 [<i>Demonax</i>]	Borneo
mulio Pascoe, 1869b:635 [<i>Demonax</i>]	Borneo; W. Malaysia; Laos, India: Assam
<i>testaceoannulatus</i> Pic, 1935a:15 [<i>Demonax</i>]	
musivus Pascoe, 1869b:630 [<i>Demonax</i>]	Borneo {Note 9}; Sumatra; SE Asia
mustela (Pascoe, 1858a:239) [<i>Clytus</i>]	Borneo
nawatai Hayashi, 1975:182 [<i>Demonax</i>]	Borneo
nigronotatus Dauber, 2006:429 [<i>Demonax</i>]	Borneo
nigropiceus Dauber, 2003b:138 [<i>Demonax</i>]	Borneo; W. Malaysia
octavus Aurivillius, 1922b:16 [<i>Demonax</i>]	Borneo
olei Dauber, 2008:1201 [<i>Demonax</i>]	Borneo
pendleburyi Fisher, 1935c:593 [<i>Demonax</i>]	Borneo
planatoides Dauber, 2006:430 [<i>Demonax</i>]	Borneo
planatus Pascoe, 1869b:626 [<i>Demonax</i>]	Borneo; New Guinea
polyzonus Pascoe, 1869b:637 [<i>Demonax</i>]	Borneo; Sumatra; W. Malaysia
<i>carinatus</i> Aurivillius, 1922b:15 [<i>Demonax</i>]	
quadraticollis Dauber, 2003b:136 [<i>Demonax</i>]	Borneo; W. Malaysia
quinquecinctus Aurivillius, 1922b:14 [<i>Demonax</i>]	Borneo
quintus Dauber, 2012:174 [<i>Demonax</i>]	Borneo
reticulatus (Jordan, 1894c:498) [<i>Acrocyrta</i>]	Borneo
rollei Pic, 1943f:2 [<i>Demonax</i>]	Borneo
rouyeri Pic, 1925b:21 [<i>Demonax</i>]	Borneo; Sumatra
<i>diversepubens</i> Pic, 1925b:21 [<i>Demonax</i>]	
saltarius Pascoe, 1869b:625 [<i>Demonax</i>]	Borneo {Note 5}; W. Malaysia; Seram
shuti Dauber, 2006:433 [<i>Demonax</i>]	Borneo
similiodes Dauber, 2006:428 [<i>Demonax</i>]	Borneo
simulatus Dauber, 2003b:139 [<i>Demonax</i>]	Borneo
tipularius Pascoe, 1869b:632 [<i>Demonax</i>]	Borneo
transversalis Aurivillius, 1911a:19 [<i>Demonax</i>]	Borneo
triaculeatus Aurivillius, 1922b:13 [<i>Demonax</i>]	Borneo; Philippines: Mindanao, Basilan
unicolor Aurivillius, 1924a:13 [<i>Demonax</i>]	Borneo
identatus Dauber, 2008:1200 [<i>Demonax</i>]	Borneo
vafer Dauber, 2012:173 [<i>Demonax</i>]	Borneo
variabilis Dauber, 2012:176 [<i>Demonax</i>]	Borneo
ventralis Gahan, 1906b:113 [<i>Demonax</i>]	Borneo; W. Malaysia
viridinotatus Dauber, 2006:434 [<i>Demonax</i>]	Borneo
viridis Dauber, 2006:444 [<i>Demonax</i>]	Borneo
viverra Pascoe, 1858a:240 [<i>Clytus</i>]	Borneo; W. Malaysia; Maluku; Waigeu
x-signatus Pic, 1943f:2 [<i>Demonax</i>]	Borneo

LONGHORNED BEETLES OF BORNEO

Perissus Chevrolat, 1863:262 (type species: <i>Perissus x-littera</i> Chevrolat, 1863, by subsequent designation of J. Thomson, 1864)	Borneo
aemulus Pascoe, 1869b:618 [<i>Perissus</i>]	Borneo
confertus Dauber, 2010a:565 [<i>Perissus</i>]	Borneo
glaucus (Boisduval, 1835:483) [<i>Clytus</i>]	?Borneo; New Guinea; Maluku; Duke of York; Yapan; ?Australia
trizonatus Blanchard, 1853:270 [<i>Clytus</i>]	Borneo
femoralis Chevrolat, 1863:264 [<i>Perissus</i>]	
pulcherrimus Dauber, 2010a:566 [<i>Perissus</i>]	Borneo
Psilomerus Chevrolat, 1863:257 (type species: <i>Psilomerus angustus</i> Chevrolat, 1863, by subsequent designation of J. Thomson, 1864)	
<i>Mesophaea</i> Pascoe, 1969b:581 (type species: <i>Mesophaea lachrymosa</i> Pascoe, 1869b, by monotypy)	
albifrons Aurivillius, 1924a:8 [<i>Psilomerus</i>]	Borneo
danieli Dauber, 2010a:573 [<i>Psilomerus</i>]	Borneo
gracilis Gahan, 1906b:112 [<i>Psilomerus</i>]	Borneo; W. Malaysia
kishimotoi Hayashi, 1975:184 [<i>Psilomerus</i>]	Borneo
lachrymosus (Pascoe, 1869b:581) [<i>Mesophaea</i>] <i>lacrimosus</i> ; Vives, 2011b:85 (subsequent incorrect spelling)	Borneo
rubricollis Dauber, 2006:447 [<i>Psilomerus</i>]	Borneo, W. Malaysia
rufescens Dauber, 2006:446 [<i>Psilomerus</i>]	Borneo
sarawakensis Dauber, 2010a:572 [<i>Psilomerus</i>]	Borneo
simplex Aurivillius, 1924a:9 [<i>Psilomerus</i>]	Borneo
Rhaphuma Pascoe, 1858a:240 (replacement name for <i>Rhaphium</i> White, 1855a) (type species: <i>Clytus quadricolor</i> Laporte & Gory, 1836, automatic designation)	
<i>Rhaphium</i> White, 1855a:289 (type species: <i>Clytus quadricolor</i> Laporte & Gory, 1836, by monotypy) (pre-occupied by <i>Rhaphium</i> Meigen, 1803, Diptera)	
<i>Raphuma</i> ; J. Thomson, 1861a:221 (subsequent incorrect spelling)	
Arcyphorus Chevrolat, 1863:287 (type species: <i>Arcyphorus histrio</i> Chevrolat, 1863, by subsequent designation of J. Thomson, 1864)	
<i>Arcyphorus</i> Gemminger & Harold, 1873:2938 (subsequent incorrect spelling)	
argentrisea Dauber, 2003a:16 [<i>Rhaphuma</i>]	Borneo
atrata Fisher, 1935c:590 [<i>Rhaphuma</i>]	Borneo
bivittata Aurivillius, 1916b:9 [<i>Rhaphuma</i>]	Borneo
chewi Dauber, 2003b:133 [<i>Rhaphuma</i>]	Borneo
conformis (Gahan, 1906b:112) [<i>Arcyphorus</i>]	Borneo; W. Malaysia
connexa Aurivillius, 1922b:8 [<i>Raphuma</i>]	Borneo {Note 5}; Java
histrio (Chevrolat, 1863:288) [<i>Arcyphorus</i>]	Borneo; Sumatra; Java
phiale Gahan, 1906a:273 [<i>Rhaphuma</i>]	Borneo; Myanmar
rassae Dauber, 2002:805 [<i>Rhaphuma</i>]	Borneo; W. Malaysia
reticulata (Jordan, 1894c:499) [<i>Arcyphorus</i>]	Borneo
retrofasciata Dauber, 2004:208 [<i>Rhaphuma</i>]	Borneo; W. Malaysia; Thailand
rubromaculata Dauber, 2006:427 [<i>Rhaphuma</i>]	Borneo; W. Malaysia
sabahensis Dauber, 2006:426 [<i>Rhaphuma</i>]	Borneo
shelfordi Dauber, 2008:1193 [<i>Rhaphuma</i>]	Borneo; W. Malaysia
signata (Gahan, 1907:75) [<i>Arcyphorus</i>]	Borneo; Sumatra
subvarimaculata Gressitt & Rondon, 1970:245 [<i>Rhaphuma</i>]	Borneo; Laos
superba Dauber, 2002:806 [<i>Raphuma</i>]	Borneo
tenuigrisea Dauber, 2003b:132 [<i>Rhaphuma</i>]	Borneo
Sclerurus Newman, 1842a:247 (type species: <i>Sclerurus newmani</i> Chevrolat, 1863, by subsequent designation of Han & Niisato, 2009)	
<i>Neocollyrodes</i> Schultze, 1920:196 (type species: <i>Neocollyrodes macgregori</i> Schultze, 1920, by original designation)	
borneensis Han & Niisato, 2009:254 [<i>Sclerurus</i>]	Borneo
Xylotrechus Chevrolat, 1860:456 (type species: <i>Clytus sartorii</i> Chevrolat, 1860, by original designation)	
<i>Xyloclytus</i> Reitter, 1913:46 (type species: <i>Clytus chinensis</i> Chevrolat, 1852, by subsequent designation of Gressitt, 1951a)	
<i>Turanoclytus</i> Sama, 1994c:325 (type species: <i>Clytus namanganensis</i> Heyden, 1885, by original designation)	
<i>Ootora</i> Niisato & Wakejima, 2008:442 (type species: <i>Clytus villoeni</i> Villard, 1892, by original designation)	
<i>Kostiniclytus</i> Danilevsky, 2009c:211 (type species: <i>Xylotrechus zaisanicus</i> Plavilstshikov, 1940, by original designation)	
Xylotrechus (Xylotrechus) Chevrolat, 1860	
affinis Gahan, 1906b:111 [<i>Xylotrechus</i>]	Borneo; W. Malaysia
australis (Laporte & Gory, 1836:99) [<i>Clytus</i>]	Borneo {Note 5}; Australia to W. Malaysia
bicoloricornis Pic, 1925b:20 [<i>Xylotrechus</i>]	Borneo

LONGHORNED BEETLES OF BORNEO

bucueti (Laporte & Gory, 1836:86) [Clytus]	Borneo, Java, Sumatra, Malaysia, SE Asia, India, Andaman Islands
brevicornis Pascoe, 1869b:608 [<i>Xylotrechus</i>]	
conscious Gahan, 1906b:111 [<i>Xylotrechus</i>]	
decoratus Pascoe, 1869b:611 [<i>Xylotrechus</i>] {Note 19}	
discors Gahan, 1906b:112 [<i>Xylotrechus</i>]	
fluctuosus (Pascoe, 1869b:617) [<i>Perissus</i>]	
gestroi gestroi Gahan, 1894h:19 [<i>Xylotrechus</i>]	
idoneus Gahan, 1907:72 [<i>Xylotrechus</i>]	
imperfectus Chevrolat, 1863:313 [<i>Xylotrechus</i>]	
pedestris Pascoe, 1869b:608 [<i>Xylotrechus</i>]	
famelicus Pascoe, 1869b:612 [<i>Xylotrechus</i>]	
javanicus (Laporte & Gory, 1836:87) [Clytus]	Borneo; Java; W. Malaysia
sappho Pascoe, 1858a:239 [Clytus]	
quadripes Chevrolet, 1863:615 [<i>Xylotrechus</i>]	
lyratus Pascoe, 1869b:610 [<i>Xylotrechus</i>]	
mehli Dauber, 2004:205 [<i>Xylotrechus</i>]	Borneo
perakensis Dauber, 2006:424 [<i>Xylotrechus</i>]	Borneo; W. Malaysia
pilosus Aurivillius, 1928a:550 [<i>Xylotrechus</i>]	Borneo
pulcher Aurivillius, 1911b:3 [<i>Xylotrechus</i>]	Borneo; Java
ranaensis Dauber, 2003a:14 [<i>Xylotrechus</i>]	Borneo
sandakanus Aurivillius, 1928a:550 [<i>Xylotrechus</i>]	Borneo
scenicus Pascoe, 1869b:611 [<i>Xylotrechus</i>] {Note 19}	Borneo
trinotatus Pic, 1925b:19 [<i>Xylotrechus</i>]	Borneo; W. Malaysia
rufofasciatus Pic, 1925b:19 [<i>Xylotrechus</i>]	
vagefasciatus Dauber, 2004:207 [<i>Xylotrechus</i>]	Borneo

Tribe Anaglyptini Lacordaire, 1868:404

Oligoenoplus Chevrolat, 1863:337 (type species: <i>Oligoenoplus ventralis</i> Chevrolat, 1863, by monotypy)	
albofasciatus Dauber, 2006:441 [<i>Oligoenoplus</i>]	Borneo
candidus Holzschuh, 2011:319 [<i>Oligoenoplus</i>]	Borneo
chewi Dauber, 2006:442 [<i>Oligoenoplus</i>]	Borneo
fulgidipennis Holzschuh, 2011:322 [<i>Oligoenoplus</i>]	Borneo
variicornis Aurivillius, 1924a:12 [<i>Oligoenoplus</i>]	Borneo

Tribe Tillomorphini Lacordaire, 1868:405

Bicon Pascoe, 1866c:522 (type species: <i>Bicon sanguineus</i> Pascoe, 1866c, by monotypy)	
luctuosus Holzschuh, 2006b:273 [<i>Bicon</i>]	Borneo
sanguineus Pascoe, 1866c:522 [<i>Bicon</i>]	Borneo; W. Malaysia

Centrotoclytus Motschulsky, 1863:496 (type species: <i>Centrotoclytus quadridens</i> Motschulsky, 1863, by monotypy)	
---	--

<i>Plangone</i> J. Thomson, 1864:154 (type species: <i>Plangone biseburata</i> J. Thomson, 1864, by original designation)	
asperatus Aurivillius, 1925a:486 [<i>Centrotoclytus</i>]	Borneo
bellulus Holzschuh, 2009:353 [<i>Centrotoclytus</i>]	Borneo
carinulatus Holzschuh, 2011:326 [<i>Centrotoclytus</i>]	Borneo
dubius Aurivillius, 1925a:485 [<i>Centrotoclytus</i>]	Borneo
granifer Holzschuh, 2011:325 [<i>Centrotoclytus</i>]	Borneo
interruptus Aurivillius, 1925a:486 [<i>Centrotoclytus</i>]	Borneo
nigriceps Aurivillius, 1925a:485 [<i>Centrotoclytus</i>]	Borneo
occultus Holzschuh, 2006b:272 [<i>Centrotoclytus</i>]	Borneo
ruficeps Aurivillius, 1925a:484 [<i>Centrotoclytus</i>]	Borneo
rutilans Holzschuh, 2006b:269 [<i>Centrotoclytus</i>]	Borneo
speciosus Holzschuh, 2006b:270 [<i>Centrotoclytus</i>]	Borneo

Epipedocera Chevrolat, 1863:339 (type species: <i>Epipedocera zona</i> Chevrolat, 1863, by subsequent designation of J. Thomson, 1864)	
---	--

abdominalis Pascoe, 1869b:640 [<i>Epipedocera</i>]	Borneo; Sumatra; W. Malaysia
cruentata (Pascoe, 1858a:239) [Clytus]	Borneo, W. Malaysia
leucaspis Pascoe, 1886:241 [<i>Epipedocera</i>]	Borneo
subatra Gressitt & Rondon, 1970:282 [<i>Epipedocera</i>]	Borneo {Note 5}; Laos

Halme Pascoe, 1869b:641 (type species: <i>Halme cleriformis</i> Pascoe, 1869b, by monotypy)	
acantha Holzschuh, 2003b:230 [<i>Halme</i>]	Borneo; W. Malaysia
cleriformis Pascoe, 1869b:642 [<i>Halme</i>]	Borneo; Sulawesi; Misool

LONGHORNED BEETLES OF BORNEO

Serratobicon Holzschuh, 2009b:351 (type species: *Epipedocera scutata* Holzschuh, 1992, by original designation)

scutatus sabahensis Holzschuh, 2009b:352 [Serratobicon]	Borneo
spinicornis (Holzschuh, 1992:46) [<i>Epipedocera</i>]	Borneo, W. Malaysia
spinifer (Aurivillius, 1925a:485) [<i>Centrotoclytus</i>]	Borneo

Tribe **Pseudolepturini** J. Thomson, 1861a:146

Cymaterus Pascoe, 1885:55 (type species: *Cymaterus torridus* Pascoe, 1885, by monotypy)

recens Holzschuh, 2005:35 [Cymaterus]	Borneo
torridus Pascoe, 1885:55 [Cymaterus]	Borneo

Erythresthes J. Thomson, 1864:158 (type species: *Erythrus bowringii* Pascoe, 1863, by original designation)

<i>Etyrrhus</i> Holzschuh, 1989b:378 (type species: <i>Erythresthes shimomurai</i> Holzschuh, 1989b, by original designation)

Erythresthes (Etyrrhus) Holzschuh, 1989b

sericellus Holzschuh, 2005:36 [Erythresthes]	Borneo
---	--------

Erythrus White, 1853a:142 (type species: *Erythrus championi* White, 1853a, by subsequent designation of J. Thomson, 1864)

<i>Pseudoleptura</i> J. Thompson, 1861:142 (unnecessary replacement name for <i>Erythrus</i> White, 1853a) (type species: <i>Erythrus championi</i> White, 1853a, automatic designation) {Note 26}
--

Disidea J. Thomson, 1861a:147 (type species: *Erythrus fortunei* White, 1853a, by monotypy)

apiculatus Pascoe, 1866c:515 [Erythrus]	?Borneo; W. Malaysia
--	----------------------

ardens Holzschuh, 2011:313 [Erythrus]	Borneo
--	--------

argutus Holzschuh, 2010:182 [Erythrus]	Borneo
---	--------

assimilis Aurivillius, 1911a:9 [Erythrus]	Borneo
--	--------

axillaris Aurivillius, 1911a:8 [Erythrus]	Borneo
--	--------

biapicatus Gahan, 1902:276 [Erythrus]	Borneo
--	--------

bimaculatus Aurivillius, 1911a:8 [Erythrus]	Borneo
--	--------

concisis Holzschuh, 2011:312 [Erythrus]	Borneo
--	--------

crinitoguttatus Holzschuh, 2006b:267 [Erythrus]	Borneo
--	--------

deceptor Holzschuh, 2010:185 [Erythrus]	Borneo
--	--------

dentipes Holzschuh, 2009b:319 [Erythrus]	Borneo
---	--------

fuscescens Holzschuh, 2009b:317 [Erythrus]	Borneo
---	--------

gilvellus <i>gilvellus</i> Holzschuh, 2006b:268 [Erythrus]	Borneo
---	--------

ignitus Pascoe, 1866c:514 [Erythrus]	Borneo {Note 5}; W. Malaysia
---	------------------------------

magnus Holzschuh, 2010:187 [Erythrus]	Borneo
--	--------

nayani Holzschuh, 2010:180 [Erythrus]	Borneo
--	--------

ochreatus Holzschuh, 2010:177 [Erythrus]	Borneo
---	--------

rhombeus rhombeus Holzschuh, 2011:310 [Erythrus]	Borneo
---	--------

rotundicollis Gahan, 1902:275 [Erythrus]	Borneo
---	--------

sabahanus Vives, 2010b:151 [Erythrus]	Borneo
--	--------

serratus Holzschuh, 2009b:315 [Erythrus]	Borneo
---	--------

stenideus Holzschuh, 2009b:320 [Erythrus]	Borneo
--	--------

sternalis Gahan, 1902:275 [Erythrus]	Borneo
---	--------

varicolor Holzschuh, 2010:183 [Erythrus]	Borneo
---	--------

<i>gomezizuritai</i> Vives, 2011b:86 [Erythrus]	
---	--

wuggenigi Holzschuh, 2010:178 [Erythrus]	Borneo
---	--------

Pachylocerus Hope, 1834:19 (type species: *Pachylocerus corallinus* Hope, 1834, by monotypy)

nayani Vives, 2010b:148 [Pachylocerus]	Borneo
---	--------

sabahanus Vives & Heffern, 2012:5 [Pachylocerus]	Borneo
---	--------

Pyrestes Pascoe, 1857:96 (type species: *Pyrestes haematicus* Pascoe, 1857, by subsequent designation of J. Thomson, 1864)

Pyresthes J. Thomson, 1865a:415 (subsequent incorrect spelling)

eximus Pascoe, 1857:96 [Pyrestes]	Borneo
nigricollis Pascoe, 1866c:517 [Pyrestes]	Borneo; W. Malaysia
politus Pascoe, 1866c:516 [Pyrestes]	Borneo; W. Malaysia
praeceps Holzschuh, 2005:32 [Pyrestes]	Borneo
virgatus Pascoe, 1866c:517 [Pyrestes]	Borneo; W. Malaysia

Tribe **Cleomenini** Lacordaire, 1868:405

LONGHORNED BEETLES OF BORNEO

Artimpaza J. Thomson, 1864:160 (type species: <i>Artimpaza odontoceroides</i> J. Thomson, 1864, by original designation)	
<i>Mimistena</i> Pascoe, 1866c:513 (type species: <i>Mimistena femorata</i> Pascoe, 1866c, by monotypy)	
<i>Falsodebilia</i> Pic, 1918c:9 (type species: <i>Falsodebilia metallica</i> Pic, 1918c, by monotypy)	
<i>Cleomenida</i> Schwarzer, 1925a:29 (type species: <i>Cleomenida setigera</i> Schwarzer, 1925a, by monotypy)	
<i>biplagiata</i> (Gahan, 1906:113) [<i>Artimpaza</i>]	Borneo, W. Malaysia {Note 70}
<i>chalcea</i> Holzschuh, 2009b:310 [<i>Artimpaza</i>]	Borneo
<i>chewi</i> Holzschuh, 2006b:256 [<i>Artimpaza</i>]	Borneo
<i>formosa</i> Pascoe, 1885:55 [<i>Artimpaza</i>]	Borneo
<i>hefferni</i> Holzschuh, 2006b:258 [<i>Artimpaza</i>]	Borneo
<i>nayani</i> Holzschuh, 2006b:255 [<i>Artimpaza</i>]	Borneo
<i>odontoceroides</i> J. Thomson, 1864:161 [<i>Artimpaza</i>]	Borneo; Sumatra; W. Malaysia; Philippines: Luzon
<i>opacicollis</i> Holzschuh, 2006b:261 [<i>Artimpaza</i>]	Borneo
<i>perfida</i> Holzschuh, 2007:237 [<i>Artimpaza</i>]	Borneo
<i>quadrimaculata</i> (Hayashi, 1975:186) [<i>Mimistena</i>]	Borneo
<i>sobrina</i> Holzschuh, 2006b:259 [<i>Artimpaza</i>]	Borneo
<i>vicinia</i> Holzschuh, 2009b:308 [<i>Artimpaza</i>]	Borneo
Camelocerambyx Pic, 1922b:32 (type species: <i>Camelocerambyx singularis</i> Pic, 1922b, by monotypy)	
<i>Sphinctodere</i> Aurivillius, 1924a:13 (type species: <i>Sphinctodere coerulescens</i> Aurivillius, 1924a, by subsequent designation of Gressit & Rondon, 1970)	
<i>bosuangi</i> Vives, 2012c :4 [<i>Camelocerambyx</i>]	Borneo
<i>coerulescens</i> (Aurivillius, 1924a:14) [<i>Sphinctodere</i>]	Borneo
<i>innotatus</i> Holzschuh, 2009b:313 [<i>Camelocerambyx</i>]	Borneo
<i>vittatus</i> (Aurivillius, 1924a:14) [<i>Sphinctodere</i>]	Borneo
Cleomenes J. Thomson, 1864:161 (type species: <i>Cleomenes dihammaphoroides</i> J. Thomson, 1864, by original designation)	
<i>dihammaphoroides</i> J. Thomson, 1864:161 [<i>Cleomenes</i>]	Borneo; W. Malaysia; Philippines
<i>hilaris</i> Holzschuh, 2009b:304 [<i>Cleomenes</i>]	Borneo
<i>robustior</i> Holzschuh, 1995:32 [<i>Cleomenes</i>]	Borneo; W. Malaysia; Thailand
<i>vittatoides</i> Holzschuh, 2006b:265 [<i>Cleomenes</i>]	Borneo
Dere White, 1855a:248 (type species: <i>Dere thoracica</i> White, 1855a, by monotypy)	
<i>bivittata</i> Hayashi, 1976a:28 [<i>Dere</i>]	Borneo
<i>coeruleipennis</i> Aurivillius, 1925a:488 [<i>Dere</i>]	Borneo; Sumatra; W. Malaysia
Eodalis Pascoe, 1869b:648 (type species: <i>Eodalis lepidus</i> Pascoe, 1869b, by monotypy)	
<i>dentellus</i> Holzschuh, 2006b:250 [<i>Eodalis</i>]	Borneo
<i>lepidus</i> Pascoe, 1869b:648 [<i>Eodalis</i>]	Borneo
Epianthe Pascoe, 1866c:511 (type species: <i>Epianthe viridis</i> Pascoe, 1866c, by monotypy)	
<i>funesta</i> Pascoe, 1869b:649 [<i>Epianthe</i>]	Borneo; W. Malaysia
<i>viridis</i> Pascoe, 1866c:511 [<i>Epianthe</i>]	Borneo; W. Malaysia
Kurarua Gressitt, 1936:92 (type species: <i>Kurarua constrictipennis</i> Gressitt, 1936, by original designation)	
<i>Cleomenella</i> Fisher, 1940:203 (type species: <i>Cleomenella singhi</i> Fisher, 1940, by original designation)	
<i>Sikimpaza</i> Heyrovský, 1961b:140 (type species : <i>Sikimpaza pedongensis</i> Heyrovský, 1961b, by original designation)	
<i>unica</i> Holzschuh, 2009b:305 [<i>Kurarua</i>]	Borneo
Mydasta Pascoe, 1866c:512 (type species: <i>Mydasta discoidea</i> Pascoe, 1866c, by monotypy)	
<i>principata</i> Holzschuh, 2006b:251 [<i>Mydasta</i>]	Borneo
Nidella Gressitt & Rondon, 1970:299 (type species: <i>Nidella coomani</i> Gressitt & Rondon, 1970, by original designation)	
<i>argutula</i> Holzschuh, 2006b:263 [<i>Nidella</i>]	Borneo
<i>fenestrella</i> Holzschuh, 2009b:311 [<i>Nidella</i>]	Borneo
Paramimistena Fisher, 1940:204 (type species: <i>Paramimistena polyalthiae</i> Fisher, 1940, by original designation)	
<i>brevis</i> Niisato & Makihara, 1999:331 [<i>Paramimistena</i>]	Borneo
<i>immaculicollis</i> Niisato & Makihara, 1999:328 [<i>Paramimistena</i>]	Borneo
<i>watanabei</i> Niisato, 2002e:393 [<i>Paramimistena</i>]	Borneo

LONGHORNED BEETLES OF BORNEO

Plutonesthes J. Thomson, 1864:160 (type species: *Plutonesthes rufipennis* J. Thomson, 1864, by original designation)

<i>amoena</i> Pascoe, 1869b:577 [<i>Plutonesthes</i>]	Borneo; W. Malaysia
<i>cuprea cuneata</i> Holzschuh, 2010:165 [<i>Plutonesthes</i>]	Borneo
<i>rubiginea</i> Holzschuh, 2010:166 [<i>Plutonesthes</i>]	Borneo
<i>suturata</i> Holzschuh, 2010:16 [<i>Plutonesthes</i>]	Borneo

Procleomenes Gressitt & Rondon, 1970:309 (type species: *Procleomenes elongatithorax* Gressitt & Rondon, 1970, by original designation)

<i>borneensis</i> Niisato, 1986a:100 [<i>Procleomenes</i>]	Borneo
<i>longicollis</i> Niisato, 1986a:103 [<i>Procleomenes</i>]	Borneo
<i>tenuiformis</i> Niisato, 1986a:106 [<i>Procleomenes</i>]	Borneo

Sestyra Pascoe, 1866c:513 (type species: *Sestyra cephalotes* Pascoe, 1866c, by monotypy)
cephalotes apicalis Aurivillius, 1925a:488 [*Sestyra*]

Borneo

Tribe **Mythodini** Lacordaire, 1868:418

Diosyris Pascoe, 1866c:508 (type species: *Diosyris miranda* Pascoe, 1866c, by monotypy)
miranda Pascoe, 1866c:508 [*Diosyris*]

Borneo, Malaysia

Tribe **Trachyderini** Dupont, 1836:1

Erythroclea Aurivillius, 1914:11 (type species: *Erythroclea bimaculata* Aurivillius, 1914, by monotypy)
bimaculata Aurivillius, 1914:12 [*Erythroclea*]

Borneo

Euryclelia Aurivillius, 1912:461 (replacement name for *Euryclea* J. Thomson, 1864) (type species:
Eurycephalus cardinalis J. Thomson, 1861a, automatic designation)

<i>Euryclea</i> J. Thomson, 1864:196 (type species: <i>Eurycephalus cardinalis</i> J. Thomson, 1861a, by original designation) (pre-occupied by <i>Euryclea</i> Robineau-Desvoidy, 1863, Diptera)	
cardinalis (J. Thomson, 1861a:211) [<i>Eurycephalus</i>]	Borneo; Sumatra; W. Malaysia

Euryphagus J. Thomson, 1864:196 (replacement name for *Eurycephalus* Dejean, 1835) (type species:
Cerambyx maxillosus Olivier, 1795, by designation of J. Thomson, 1864)

<i>Eurycephalus</i> Dejean, 1835:323 (type species: <i>Cerambyx maxillosus</i> Olivier, 1795) (pre-occupied by <i>Eurycephalus</i> Gray in Griffith, 1831, Coleoptera: Cerambycidae: Lamiinae: Tapeini)	
lundii (Fabricius, 1793:258) [<i>Cerambyx</i>]	Borneo; Sumatra; Java; SE Asia
<i>nigripes</i> Olivier, 1795:52 [<i>Cerambyx</i>]	
maxillosus (Olivier, 1795:52) [<i>Cerambyx</i>]	Java, Moluccas, Philippines, Borneo {Note 71}
ustulatus Achard, 1912:220 [<i>Euryphagus</i>]	Borneo

Falsoanoplistes Pic, 1915e:27 (type species: *Falsoanoplistes guerryi* Pic, 1915e, by monotypy)
Bunothorax Gressitt, 1936:101 (type species: *Sternoplistes takasagoensis* Kano, 1933, by original designation)

<i>Falsoanoplistes</i> ; Hayashi, 1969b:32 (subsequent incorrect spelling)	
borneensis Hayashi, 1969b:32 [<i>Falsoanoplistes</i>]	Borneo

Cerambycinae without definite tribal assignment

Clytellus Westwood, 1853:240 (type species: *Clytellus methocoides* Westwood, 1853, by original designation)
{Note 71}

kiyoyamai Hayashi, 1977:124 [<i>Clytellus</i>]	Borneo {Note 5}; W. Malaysia
monilis Holzschuh, 2011:326 [<i>Clytellus</i>]	Borneo
westwoodii Pascoe, 1857:97 [<i>Clytellus</i>]	Borneo
<i>metallescens</i> Hayashi, 1975:185 [<i>Clytellus</i>]	

Elongatomerionoeda Hayashi, 1977:115 (type species: *Elongatomerionoeda elegans* Hayashi, 1977, by original designation) {Note 72}
venusta Holzschuh, 2006b:248 [*Elongatomerionoeda*]

Borneo

Psebena Gahan, 1902:277 (type species: *Psebena brevipennis* Gahan, 1902, by monotypy) {Note 54}
brevipennis Gahan, 1902:278 [*Psebena*]
pascoei Vives, 2006b:231 [*Psebena*]

Borneo

LONGHORNED BEETLES OF BORNEO

Prosopoeme Aurivillius, 1928a:1 (type species: *Prosopoeme nigripes* Aurivillius, 1928a, by monotypy)
nigripes Aurivillius, 1928a:2 [*Prosopoeme*] {Note 73} Borneo, Sulawesi

LONGHORNED BEETLES OF BORNEO

Subfamily **Lamiinae** Latreille, 1825:401

Tribe **Xylorhizini** Lacordaire, 1872:443

Grammoxyla Aurivillius, 1911b:21 (type species: *Xylorhiza hieroglyphica* Redtenbacher, 1868, by original designation)

Grammoxylon Breuning, 1950o:380, 405 (unjustified emendation)

Mimomacrochla Breuning, 1972d:29 (type species: *Mimomacrochla pfanneri* Breuning, 1972d, by monotypy)
hieroglyphica (Redtenbacher, 1868:178) [*Xylorhiza*] Borneo; W. Malaysia; Java
pfanneri Breuning, 1972d:29 [*Mimomacrochla*]

Thylactus Pascoe, 1866a:242 (type species: *Thylactus angularis* Pascoe, 1866a, by monotypy)

angularis Pascoe, 1866a:242 [*Thylactus*] Borneo; W. Malaysia; Laos; Thailand

itzingeri Breuning, 1935c:171 [*Thylactus*] Borneo; Sumatra; W. Malaysia

lateralis Jordan, 1894a:120 [*Thylactus*] Borneo; Sumatra

mjobergi Aurivillius, 1925b:3 [*Thylactus*] Borneo; Sumatra

sumatrensis Hüdepohl, 1987d:176 [*Thylactus*] Borneo; Sumatra

Xylorhiza Dejean, 1835:344 (type species: *Lamia adusta* Wiedeman, 1819, by monotypy)

adusta (Wiedemann, 1819:182) [*Lamia*] Borneo; Sumatra; Mindanao; SE Asia

venosa Laporte, 1840:476 [*Xylorhiza*]

Tribe **Homonoeini** J. Thomson, 1864:35

Bumetopia Pascoe, 1858a:252 (type species: *Bumetopia oscitans* Pascoe, 1858a, by monotypy)

Yochostyla J. Thomson, 1868e:151 (type species: *Yochostyla japonica* J. Thomson, 1868e, by monotypy)

Homonaemomorpha Aurivillius, 1911b:23 (type species: *Homonaemomorpha flavovariegata* Aurivillius, 1911b, by monotypy)

Brachyhomonea Aurivillius, 1924a:466 (type species: *Brachyhomonea conspersa* Aurivillius, 1924a, by monotypy)

Microabryna Pic, 1925b:28 (type species: *Microabryna mediodentata* Pic, 1925b, by monotypy)

Bumetopia (Bumetopia) Pascoe, 1858a

borneensis Breuning, 1969i:655 [*Bumetopia*] Borneo

flavovariegata **flavovariegata** (Aurivillius, 1911b:23) [*Homonaemomorpha*] Borneo, Sulawesi, Vietnam

medioidentata Pic, 1925b:28 [*Abryna*]

Homoneoa Newman, 1842e:319 (type species: *Homoneoa patrona* Newman, 1842e, designated by J. Thomson, 1864)

Urocalymma Westwood, 1841:58 (type species: *Urocalymma longimana* Westwood, 1841, by monotypy)

Homoneoa (Homoneoa) Newman, 1842a

praecisa Newman, 1842e:320 [*Homoneoa*] Borneo; Philippines

uniformis Jordan, 1894a:117 [*Homoneoa*] Borneo; Sangihe

Notomulciber Blackburn, 1894c:166 (type species: *Notomulciber carpentariae* Blackburn, 1894c, by monotypy)

Micromulciber Aurivillius, 1913d:25 (type species: *Mulciber biguttatus* Pascoe, 1867b, by original designation)

Kamikiria Matsushita, 1933a: 348 (type species: *Kamikiria plagiata* Matsushita, 1933a [= *Micromulciber quadrisignatus* Schwarzer, 1925b], by original designation)

Notomulciber (Micromulciber) Aurivillius, 1913d

Kamikiria Matsushita, 1933a

albosetosus (Heller, 1923b:40) [*Micromulciber*] Borneo

biguttatus (Pascoe, 1867b:453) [*Mulciber*] Borneo; W. Malaysia

flavolineatus Breuning, 1947d:53 [*Notomulciber*] Borneo

fuscomarginatus (Aurivillius, 1914:28) [*Micromulciber*] Borneo

quadrimaculatus Breuning & de Jong, 1941:70 [*Notomulciber*] Borneo

variegatus (Aurivillius, 1914:28) [*Micromulciber*] Borneo

Paramulciber Breuning, 1939b:164 (type species: *Paramulciber flavosignatus* Breuning, 1939b, by original designation)

flavosignatus **flavosignatus** Breuning, 1939b:164 [*Paramulciber*] Borneo

Trachelophora Perroud, 1855b:357 (type species: *Trachelophora curvicollis* Perroud, 1855b, by monotypy)

LONGHORNED BEETLES OF BORNEO

affinis Breuning, 1982e:143 [<i>Trachelophora</i>]	Borneo
lineata Aurivillius, 1924a:29 [<i>Trachelophora</i>]	Borneo
maculosa Aurivillius, 1924a:29 [<i>Trachelophora</i>]	Borneo
Tribe Gyaritini Breuning, 1950g:27	
Apateiarthron J. Thomson, 1864:89 (type species: <i>Apateiarthron heteroclitum</i> J. Thomson, 1864, by original designation)	Borneo; Sumatra; W. Malaysia; Thailand
heteroclitum J. Thomson, 1864:89 [<i>Apateiarthron</i>]	
Gyaritodes Breuning, 1947d:37 (type species: <i>Gyaritodes inspinosus</i> Breuning, 1947d, by original designation)	Borneo
bispinosus Breuning, 1960e:13 [<i>Gyaritoides</i>]	Borneo
Gyaritus Pascoe, 1858a:244 (type species: <i>Gyaritus hamatus</i> Pascoe, 1858a, by monotypy)	
<i>Axinyllium</i> Pascoe, 1864c:46 (type species: <i>Axinyllium varium</i> Pascoe, 1864c, by monotypy)	
Gyaritus (Gyaritus) Pascoe, 1858a	
aurescens Breuning, 1940e:425 [<i>Gyaritus</i>]	Borneo
bangueyensis Breuning, 1958j:20 [<i>Gyaritus</i>]	Borneo: Banguey I.
cinnamomeus Pascoe, 1864c:46 [<i>Gyaritus</i>]	Borneo
fulvopictus Pascoe, 1864c:46 [<i>Gyaritus</i>]	Borneo
giganteus Breuning, 1938c:392 [<i>Gyaritus</i>]	Borneo
hamatus Pascoe, 1858a:244 [<i>Gyaritus</i>]	Borneo
spinosus Breuning, 1939b:201 [<i>Gyaritus</i>]	Borneo
viduus (Pascoe, 1886:246) [<i>Zeargyra</i>]	Borneo
<i>transversevittatus</i> Breuning, 1939b:201 [<i>Gyaritus</i>]	
Gyaritus (Axinyllium) Pascoe, 1864c	
varius (Pascoe, 1864c:47) [<i>Axinyllium</i>]	Borneo
Tribe Morimopsini Lacordaire, 1869:289	
Anexodus Pascoe, 1886:242 (type species: <i>Anexodus aquilus</i> Pascoe, 1886, by monotypy)	
aquilus Pascoe, 1886:242 [<i>Anexodus</i>]	Borneo
<i>kuntzeni</i> Kriesche, 1924b:291 [<i>Anexodus</i>]	
sarawakensis Sudre, 1997:253 [<i>Anexodus</i>]	Borneo
Dolichostyrax Aurivillius, 1911b:8 (type species: <i>Dolichostyrax moultoni</i> Aurivillius, 1911b, by monotypy)	
longipes Aurivillius, 1913d:11 [<i>Dolichostyrax</i>]	Borneo
moultoni Aurivillius, 1911b:9 [<i>Dolichostyrax</i>]	Borneo
Pantilema Aurivillius, 1911b:10 (type species: <i>Pantilema angustum</i> Aurivillius, 1911b, by monotypy)	
<i>angustum</i> Aurivillius, 1911b:10 [<i>Pantilema</i>]	Borneo
Tribe Monochamini Gistel, 1848:[2]	
Acalolepta Pascoe, 1858a:247 (type species: <i>Acalolepta pusio</i> Pascoe, 1858a, by monotypy)	
Cyriola J. Thomson, 1864:16 (type species: <i>Cyriola acanthocinoides</i> J. Thomson, 1864, by original designation)	
Dihammus J. Thomson, 1864:80 (type species: <i>Monochamus longicornis</i> J. Thomson, 1858e [= <i>Monochamus australis</i> Boisduval, 1835], by original designation)	
Neanthes Pascoe, 1878:372 (type species: <i>Monohammus curialis</i> Pascoe, 1858a [= <i>Monochamus subluscus</i> J. Thomson, 1857u], by original designation)	
Haplohammus Bates, 1884a:239 (type species: <i>Monohammus luxuriosus</i> Bates, 1873e, by subsequent designation of Gressitt, 1951a)	
Niphohammus Matsushita, 1932b:170 (type species: <i>Niphohammus korolensis</i> Matsushita, 1932b, by original designation)	
atra (Fisher, 1935c:603) [<i>Dihammus</i>]	Borneo
bicolor (Breuning, 1935d:250) [<i>Dihammus</i>]	Borneo {Note 5}; W. Malaysia
borneensis (Breuning, 1935f:54) [<i>Dihammus</i>]	Borneo
bryanti (Breuning, 1938:187) [<i>Dihammus</i>]	Borneo

LONGHORNED BEETLES OF BORNEO

cariosa (Pascoe, 1866b:309) [<i>Orsidis</i>]	Borneo; W. Malaysia
dentiferoides (Breuning, 1936c:109) [<i>Dihammus</i>]	Borneo
dispar (Pascoe, 1866b:308) [<i>Orsidis</i>]	Borneo; Sumatra; Java
flavithorax (Breuning, 1936b:289) [<i>Dihammus</i>]	Borneo
fulvoscutellata (Breuning, 1935d:251) [<i>Dihammus</i>]	Borneo
fuscomarmorata (Breuning, 1940e:412) [<i>Dihammus</i>]	Borneo
laevifrons (Aurivillius, 1924a:19) [<i>Dihammus</i>]	Borneo; Sumatra
marmorata (Fisher, 1935c:602) [<i>Dihammus</i>]	Borneo
misella (Breuning, 1936b:289) [<i>Dihammus</i>]	Borneo
opposita (Pascoe, 1866b:307) [<i>Orsidis</i>]	Borneo
pontianakensis (Breuning, 1958d:266) [<i>Cypriola</i>]	Borneo
puncticollis (Fisher, 1935c:596) [<i>Trachystola</i>]	Borneo
<p><i>pustulatus</i> Breuning, 1940e:412 [<i>Dihammus</i>]</p>	Borneo
pusio Pascoe, 1858a:247 [<i>Acalolepta</i>]	Borneo; Sumatra; Java; Sulawesi; Philippines; Taiwan; SE Asia; India
rusticatrix rusticatrix (Fabricius, 1801:294) [<i>Lamia</i>]	
<p><i>fistulator</i> Germar, 1824:478 [<i>Lamia</i>]</p>	
<p><i>bianor</i> Newman, 1842b:277 [<i>Monohammus</i>]</p>	
<p><i>musivus</i> Pascoe, 1866a:251 [<i>Monochamus</i>]</p>	
sobria (Pascoe, 1858a:246) [<i>Monohammus</i>]	Borneo
subaurata (Schwarzer, 1931a:68) [<i>Dihammus</i>]	Borneo
sumatrana (Breuning, 1940e:412) [<i>Dihammus</i>]	Borneo; Sumatra
tarsalis (Pascoe, 1866b:294) [<i>Monochamus</i>]	Borneo {Note 5}; Sumatra; W. Malaysia
unicolor (Fisher, 1935c:605) [<i>Orsidis</i>]	Borneo
 Achthophora Newman, 1842c:292 (type species: <i>Achthophora alma</i> Newman, 1842c, by subsequent designation of J. Thomson, 1864)	
<i>Dissomatus</i> Heller, 1916a:305 (type species: <i>Dissomatus humeralis</i> Heller, 1916a, by original designation)	
sandakana Heller, 1924c:428 [<i>Achthophora</i>]	Borneo
 Agniohammus Breuning, 1936b:302 (type species: <i>Agniohammus olivaceus</i> Breuning, 1936b, by original designation)	
<i>Elongatorsidis</i> Breuning, 1967j:183 (type species: <i>Elongatorsidis brunnea</i> Breuning, 1967j, by original designation)	
brunneus (Breuning, 1967j:183) [<i>Elongatorsidis</i>]	Borneo
 Agniopsis Breuning, 1936b:303 (type species: <i>Agniopsis flavovittatus</i> Breuning, 1936b, by original designation)	
<i>Mimolaelida</i> Breuning, 1947d:12 (type species: <i>Mimolaelida flavolineata</i> Breuning, 1947d, by original designation)	
flavovittatus Breuning, 1936b:303 [<i>Agniopsis</i>]	Borneo
<p><i>flavolineata</i> Breuning, 1947d:13 [<i>Mimolaelida</i>]</p>	Borneo
 Amechana J. Thomson, 1864:85 (type species: <i>Amechana nobilis</i> J. Thomson, 1864, by original designation)	
<i>Amesisa</i> Pascoe, 1866b:235 (type species: <i>Amesisa consularis</i> Pascoe, 1866b, by monotypy)	
nobilis J. Thomson, 1864:85 [<i>Amechana</i>]	Borneo; Sumatra; W. Malaysia
<p><i>consularis</i> Pascoe, 1866b:236 [<i>Amesisa</i>]</p>	
 Anameromorpha Pic, 1923c:19 (type species: <i>Anameromorpha metallica</i> Pic, 1923c, by subsequent designation of Breuning, 1944b)	
pollinosa Holzschuh, 2009b:356 [<i>Anameromorpha</i>]	Borneo
 Anhammus J. Thomson, 1860:97 (type species: <i>Monohamus dalenii</i> Guérin-Méneville, 1844d, by monotypy)	
aberrans Ritsema, 1881h:146 [<i>Anhammus</i>]	Borneo, Sumatra
dalenii borneensis de Jong, 1942:27 [<i>Anhammus</i>]	Borneo
 Annamanum Pic, 1925a:23 (type species: <i>Annamanum vitalisi</i> Pic, 1925a, by monotypy)	
<i>Uraechopsis</i> Breuning, 1935e:67 (type species: <i>Uraecha chebana</i> Gahan, 1894h, by original designation)	
plagiatum (Aurivillius, 1913d:12) [<i>Orsidis</i>]	Borneo
 Anoplophora Hope, 1839a:43 (type species: <i>Anoplophora stanleyana</i> Hope, 1839a, by monotypy)	
<i>Melanauster</i> J. Thomson, 1868e:181 (type species: <i>Cerambyx chinensis</i> Forster, 1771, by subsequent designation of Breuning, 1944b)	
Cyriocrates J. Thomson, 1868e:181 (type species: <i>Oplophora horsfieldi</i> Hope, 1842, by monotypy)	

LONGHORNED BEETLES OF BORNEO

Micromelanauster Pic, 1931f:49 (type species: *Monohammus bowringii* White, 1858b, by original designation)

Falsocyriocrates Pic, 1953a:2 (type species: *Cyriocrates elegans* Gahan, 1888f, by original designation)

amoena (Jordan, 1895:269) [<i>Cyriocrates</i>]	Borneo; Sumatra; W. Malaysia
irregularis (Aurivillius, 1924a:19) [<i>Melanauster</i>]	?Borneo
medenbachii (Ritsema, 1881g:39) [<i>Melanauster</i>] <i>medembachi</i> , Breuning, 1944b:292 (subsequent incorrect spelling)	Borneo; Sumatra; W. Malaysia
zonator (J. Thomson, 1878b:50) [<i>Cyriocrates</i>]	Borneo; W. Malaysia; Thailand; Laos; Myanmar
<i>fasciatus</i> Pic, 1925a:20 [<i>Melanauster</i>]	
<i>zonatrix</i> , Breuning, 1944b:292 (unjustified emendation)	
<i>major</i> Breuning, 1968h:23 [<i>Anoplophora</i>]	

Archidice J. Thomson, 1864:79 (type species: *Archidice castelnauddii* J. Thomson, 1864, by original designation)

castelnauddii borneotica (Kriesche, 1924a:287) [*Leprodera*] Borneo

Aristobia J. Thomson, 1868e:178 (type species: *Cerosterna hispida* Saunders, 1853, by subsequent designation of Gressitt, 1951a)

Eunithera Pascoe, 1875a:65 (type species: *Thysia viduata* Pascoe, 1868b, by original designation)

pallida Aurivillius, 1924c:28 [*Aristobia*] Borneo; Sumatra

pendleburyi Fisher, 1935c:606 [*Aristobia*] Borneo

Blepephaeus Pascoe, 1866d:291 (type species: *Monohammus succinctor* Chevrolat, 1852, by monotypy)

Perihammus Aurivillius, 1924a:21 (type species: *Perihammus bifasciatus* Aurivillius, 1924a [= *Monohammus infelix* Pascoe, 1856], by monotypy)

Parablepephaeus Breuning, 1980i:171 (type species: *Parablepephaeus lumawigi* Breuning, 1980i, by original designation)

banksi Breuning, 1936b:297 [*Blepephaeus*] Borneo

borneensis Breuning, 1944b:362 [*Blepephaeus*] Borneo

malaccensis Breuning, 1935f:70 [*Blepephaeus*] Borneo; W. Malaysia

sumatrensis Breuning, 1938e:33 [*Blepephaeus*] Borneo; Sumatra

Callophophora J. Thomson, 1864:76 (type species: *Oplophora sollii* Hope, 1839a, automatic designation)

(unnecessary replacement name for *Oplophora* Hope, 1839a, in prevailing usage) {Note 13}, {Note 20}

Oplophora Hope, 1839a:42 (type species: *Oplophora sollii* Hope, 1839a, by subsequent designation of Gressitt, 1951a)

graafi Ritsema, 1880:246 [*Callophophora*] Borneo; Sumatra; W. Malaysia

Celosterna Dejean, 1835:341 (type species: *Lamia gladiator* Fabricius, 1801, by subsequent designation of J. Thomson, 1864)

Cerosterna Dejean, 1835:341 (original spelling)

Celosterna; Blanchard, 1845:158 (subsequent incorrect spelling of original name in prevailing use, Sama & Sudre, 2009)

Coelosterna; Gemminger & Harold, 1873:3022 (unjustified emendation)

Psaromaia Pascoe, 1866b:289 (type species: *Psaromaia tigrina* Pascoe, 1866b, by monotypy)

Toxosterna J. Thomson, 1868e:178 (type species: *Lamia spinator* Fabricius, 1798, by original designation)

Falsopriona Pic, 1925c:3 (type species: *Falsopriona luteopubens* Pic, 1925c, by monotypy)

Loxotropoides Fisher, 1935c:600 (type species: *Loxotropoides brunnea* Fisher, 1935, by original designation)

Falsapriona; Breuning, 1943b:196 (subsequent incorrect spelling)

Trichocelosterna Breuning, 1965k:45 (type species: *Celosterna rouyeri* Ritsema, 1906, by original designation)

Celosterna (Celosterna) Dejean, 1835

perakensis Breuning, 1976a:739 [*Celosterna*] Borneo; W. Malaysia

pollinosa sulphurea Heller, 1907:54 [*Coelosterna*] Borneo; Sumatra; Java; Laos

stolzi Ritsema, 1911:4 [*Celosterna*] Borneo; Sumatra; W. Malaysia

brunnea Fisher, 1935c:601 [*Loxotropoides*]

variegata Aurivillius, 1911b:11 [*Coelosterna*] Borneo

LONGHORNED BEETLES OF BORNEO

Cereopsius Pascoe, 1857:105 (type species: *Cereopsius exoletus* Pascoe, 1857, by subsequent designation of J. Thomson, 1864)

Ceropsius Aurivillius, 1913d:11 (subsequent incorrect spelling)

Etymestia Pascoe, 1866b:236 (type species: *Cereopsius helena* White, 1858b, by monotypy)

Vitticereopsius Breuning, 1961c:143 (type species: *Epepeotes vittipennis* Fisher, 1935c, by original designation)

alboguttatus (C. Waterhouse, 1878a:138) [*Etymestia*]

amabilis Aurivillius, 1913d:11 [*Ceropsius*]

arbiter Pascoe, 1885:50 [*Cereopsius*]

cinereus Breuning, 1936b:299 [*Cereopsius*]

elongatus Breuning & de Jong, 1941:53 [*Cereopsius*] *reductemaculatus* Breuning, 1959d:174 [*Creeopsis*]

exoletus Pascoe, 1857:105 [*Cereopsius*]

guttulatus Aurivillius, 1924a:22 [*Cereopsius*]

ornata Fisher, 1935c:607 [*Combe*]

helena White, 1858b:412 [*Cereopsius*]

javanicus Breuning, 1936b:299 [*Cereopsius*]

kulzeri Breuning, 1936b:299 [*Cereopsius*]

nigrofasciatus Aurivillius, 1913d:11 [*Cereopsius*]

obliquemaculatus Hüdepohl, 1989c:500 [*Cereopsius*]

satelles Pascoe, 1885:51 [*Cereopsius*]

immaculipennis Breuning, 1960d:31 [*Cereopsius*] {Note 1}

sexmaculatus Aurivillius, 1907b:16 [*Cereopsius*]

immaculithorax Breuning, 1974m:238 [*Cereopsius*]

sexnotatus J. Thomson, 1865b:556 [*Cereopsius*]

octonotatus Breuning, 1944b:351 [*Cereopsius*] {Note 1}

quadriplagiatus Breuning, 1944b:351 [*Cereopsius*] {Note 1}

niasicus Breuning, 1952e:1 [*Cereopsius*] {Note 1}

spilotus Pascoe, 1885:51 [*Cereopsius*]

octomaculatus Aurivillius, 1924a:22 [*Cereopsius*]

vittipennis (Fisher, 1935c:599) [*Epepeotes*]

Borneo

Borneo; Thailand

Borneo

Borneo

Borneo {Note 33}; Sumatra; Java

Borneo

Borneo

Borneo

Borneo; Java

Borneo

Borneo

Borneo

Borneo

Borneo

Borneo

Borneo; Sumatra; W. Malaysia

Borneo; Java; W. Malaysia

Borneo

Borneo

Cyriotasiastes Heller, 1924c:425 (type species: *Cyriotasiastes hepaticus* Heller, 1924c (=*Monochamus rhetenor* Newman, 1842), by original designation)

Cyriotasastes; Breuning, 1943b:204 (subsequent incorrect spelling)

Cyriotasastes; Vives, 2009a:15 (subsequent incorrect spelling)

rhetenor (Newman, 1842b:276) [*Monochamus*]

Borneo; Philippines

hepaticus Heller, 1924c:426 [*Cyriotasiastes*]

unicoloripennis Breuning, 1950r:515 [*Cyriotasastes*]

Epepeotes Pascoe, 1866a:249 (type species: *Lamia lusca* Fabricius, 1792, by original designation)

Diocares Pascoe, 1866b:303 (type species: *Cerambyx fimbriatus* Olivier, 1792, by original designation) {Note 46}

Mengelotes Dillon & Dillon, 1941:43 (type species: *Mengelotes ambiguus* Dillon & Dillon, 1941, by original designation)

Falsomonohammus Pic, 1943f:3 (type species: *Falsomonohammus diverseglabratus* Pic, 1943f, by monotypy)

Falsomonochammus [subsequent incorrect spelling]

lateralis **lateralis** (Guérin-Méneville, 1831c:68) [*Monochamus*]

Borneo; Sumatra; Java; Sulawesi; Timor; W. Malaysia; SE Asia

spinosa J. Thomson, 1857s:179 [*Leprodera*]

meridianus Pascoe, 1866b:302 [*Epepeotes*]

bimaculatus Breuning, 1943b:225 [*Epepeotes*] {Note 1}

luscus **luscus** (Fabricius, 1787:139) [*Lamia*]

Borneo; S and SE Asia

fumosus Pascoe, 1866b:301 [*Epepeotes*]

enganensis Gahan, 1907:80 [*Epepeotes*]

flavomaculatus Aurivillius, 1924c:27 [*Epepeotes*]

soembanicus Schwarzer, 1931a:66 [*Epepeotes*]

ochreosticticus Breuning, 1943b:223 [*Epepeotes*] {Note 1}

interruptus Breuning, 1943b:223 [*Epepeotes*] {Note 1}

alorensis Breuning, 1960d:29 [*Epepeotes*] {Note 1}

plorator **uniformis** Breuning, 1943:225 [*Epepeotes*]

Borneo: Banguey I.

LONGHORNED BEETLES OF BORNEO

vestigialis vestigialis Pascoe, 1866b:301 [<i>Epepeotes</i>]	Borneo; Sumatra; W. Malaysia
Epicedia J. Thomson, 1864:78 (type species: <i>Lamia carcelii</i> Guérin-Méneville, 1834 [= <i>Lamia maculatrix</i> Perty, 1831], by original designation)	
maculatrix (Perty, 1831:42) [<i>Lamia</i>]	Borneo; Sumatra; Java
<i>carcelii</i> Guérin-Méneville, 1834:491 [<i>Lamia</i>]	
<i>pleuricosta</i> J. Thomson, 1857s:179 [<i>Leprodera</i>]	
trimaculata (Chevrolat, 1856b:87) [<i>Leprodera</i>]	Borneo; Java; W. Malaysia
<i>plagiata</i> J. Thomson, 1857s:178 [<i>Leprodera</i>]	
Eryalus Pascoe, 1888:501 (type species: <i>Eryalus polypilus</i> Pascoe, 1888, by monotypy)	
<i>Pseudagnia</i> Aurivillius, 1916a:216 (type species: <i>Pseudagnia tigrina</i> Aurivillius, 1916a, by monotypy)	
<i>tigrinus</i> (J. Thomson, 1878e:19) [<i>Cereopsius</i>]	Borneo; Sumatra
<i>polypilus</i> Pascoe, 1888:501 [<i>Eryalus</i>]	
<i>tigrinus</i> Aurivillius, 1916a:21) [<i>Pseudagnia</i>] (pre-occupied by <i>Cereopsius tigrinus</i> J. Thomson, 1878)	
Eudihammus Breuning, 1944b:496 (type species: <i>Haplohammus granulatus</i> Gahan, 1906b, by original designation)	
<i>granulatus</i> (Gahan, 1906b:115) [<i>Haplohammus</i>]	Borneo; Sumatra; Java; W. Malaysia
Eusyntheta Bates, 1889:392 (type species: <i>Eusyntheta brevicornis</i> Bates, 1889, by monotypy)	
<i>brevicornis</i> Bates 1889:393 [<i>Eusyntheta</i>]	Borneo
Eutaenia J. Thomson, 1857s:184 (type species: <i>Ceroplesia javetii</i> Thomson, 1857k [= <i>Lamia trifasciella</i> White, 1850], by original designation)	
<i>Eutaeniopsis</i> Gahan, 1888b:277 (type species: <i>Lamia trifasciella</i> White, 1850, by original designation)	
<i>borneensis</i> Aurivillius, 1911b:12 [<i>Eutaenia</i>]	Borneo
Euthyastus Pascoe, 1866b:252 (type species: <i>Euthyastus binotatus</i> Pascoe, 1866b, by monotypy)	
<i>binotatus</i> Pascoe, 1866b:253 [<i>Euthyastus</i>]	Borneo; Java; Sumatra; W. Malaysia
Haplothrix Gahan, 1888b:278 (type species: <i>Haplothrix simplex</i> Gahan, 1888b, by monotypy)	
<i>Haplothrix</i> ; Aurivillius, 1922a:116 (subsequent incorrect spelling)	
<i>pulchra</i> Hüdepohl, 1998a:227 [<i>Haplothrix</i>]	Borneo
Hotarionomus J. Thomson, 1857i:78 (type species: <i>Monohammus blattooides</i> Pascoe, 1856, by original designation)	
<i>Otarionomus</i> Pascoe, 1866b:234 (subsequent incorrect spelling)	
<i>blattooides blattooides</i> (Pascoe, 1856:48) [<i>Monohammus</i>]	Borneo
Jeanvoinea Pic, 1934c:10 (type species: <i>Jeanvoinea annulipes</i> Pic, 1934c, by monotypy)	
<i>borneensis</i> Breuning, 1961r:311 [<i>Jeanvoinea</i>]	Borneo
Laelida Pascoe, 1866b:257 (type species: <i>Laelida antennata</i> Pascoe, 1866b, by monotypy)	
<i>alboochracea</i> Hüdepohl, 1998a:228 [<i>Laelida</i>]	?Borneo; W. Malaysia
<i>antennata</i> Pascoe, 1866b:257 [<i>Laelida</i>]	Borneo {Note 5}; W. Malaysia
Leprodera J. Thomson, 1857m:177 (type species: <i>Leprodera elongata</i> J. Thomson, 1857s, by subsequent designation of J. Thomson, 1864)	
<i>Leprodera</i> Dejean, 1835:342 {nomen nudum}	
<i>elongata</i> J. Thomson, 1857s:177 [<i>Leprodera</i>]	Borneo; Sumatra; Java; W. Malaysia
<i>equestris</i> Pascoe, 1866b:285 [<i>Leprodera</i>]	
<i>verrucosa</i> Pascoe, 1866b:286 [<i>Leprodera</i>]	Borneo; Sumatra
<i>arista</i> J. Thomson, 1878b:46 [<i>Leprodera</i>]	
Macrochenus Guérin-Méneville, 1843b:59 (type species: <i>Cerambyx tigrinus</i> Olivier, 1792, by monotypy)	
<i>Mecotagus</i> Pascoe, 1866a:252 (type species: <i>Cerambyx tigrinus</i> Olivier, 1792, by original designation)	
<i>melanospilus</i> Gahan, 1906b:114 [<i>Macrochenus</i>]	Borneo; W. Malaysia
Marmoroglypha Redtenbacher, 1868:182 (type species: <i>Marmoroglypha nicobarica</i> Redtenbacher, 1868, by monotypy)	
<i>densepunctata</i> Breuning, 1948b:13 [<i>Marmoroglypha</i>]	Borneo

LONGHORNED BEETLES OF BORNEO

fasciata (Pascoe, 1869c:204) [<i>Achthophora</i>]	Borneo
sumatrana Ritsema, 1888d:204 [<i>Marmoroglypha</i>]	Borneo; Sumatra
vermiculata Breuning, 1948b:13 [<i>Marmoroglypha</i>]	Borneo
Metopides Pascoe, 1866a:248 (type species: <i>Metopides occipitalis</i> Pascoe, 1866a, by monotypy)	
occipitalis Pascoe 1866a:249 [<i>Metopides</i>]	Borneo; Sumatra; W. Malaysia
cordata Aurivillius, 1922d:162 [<i>Metopides</i>]	
paradoxus Hüdepohl, 1992b:415 [<i>Metopides</i>]	Borneo; Sulawesi
Mimohammus Aurivillius, 1911b:12 (type species: <i>Mimohammus flavesiensis</i> Aurivillius, 1911b, by monotypy)	
flavesiensis Aurivillius, 1911b:13 [<i>Mimohammus</i>]	Borneo
Mimorsidis Breuning, 1938e:33 (type species: <i>Mimorsidis lemoulti</i> Breuning, 1838e, by original designation)	
sarawakensis Hayashi, 1976a:34 [<i>Mimorsidis</i>]	Borneo
Monochamus Dejean, 1821:106 (type species: <i>Cerambyx sutor</i> Linnaeus, 1758, by subsequent designation of Curtis, 1828)	
<i>Ceratades</i> Gistel, 1834:29 (unnecessary substitute name)	
<i>Monohammus</i> Dejean, 1835:340 (unjustified emendation)	
<i>Monohamus</i> (unjustified emendation)	
<i>Monochammus</i> (unjustified emendation)	
<i>Lophoptera</i> Perroud, 1855b:352 (type species: <i>Lophoptera spectabilis</i> Perroud, 1855b, by monotypy) (pre-occupied by <i>Lophoptera</i> Guenée, 1852, Lepidoptera)	
<i>Meges</i> Pascoe, 1866d:272 (type species: <i>Monohammus gravidus</i> Pascoe, 1858a, by monotypy)	
<i>Anthores</i> Pascoe, 1868b:xiii (type species: <i>Monohammus leuconotus</i> Pascoe, 1868b, by original designation)	
<i>Opepharus</i> Pascoe, 1868b:xiii (type species: <i>Opepharus signator</i> Pascoe, 1868, by monotypy)	
<i>Phygas</i> Fähraeus., 1872a:31 (type species: <i>Phygas fasciatus</i> Fähraeus, 1872a, by monotypy) (pre-occupied by <i>Phygas</i> Treitschke, 1833, Lepidoptera)	
<i>Herpetophygas</i> Fähraeus, 1872b:194 (type species: <i>Phygas fasciatus</i> Fähraeus, 1872b, automatic designation) (replacement name for <i>Phygas</i> Fähraeus, 1872a)	
<i>Noserocera</i> Bates, 1884b:17 (type species: <i>Noserocera tuberosa</i> Bates, 1884b, by monotypy)	
<i>Tibetobia</i> Frivaldszky, 1892:118 (type species: <i>Tibetobia szekelyana</i> Frivaldszky, 1892 [= <i>Monohammus millegranus</i> Bates, 1891d], by monotypy)	
<i>Penhammus</i> Kolbe, 1893:259 (type species: <i>Penhammus pauper</i> Kolbe, 1893, by monotypy)	
<i>Zephyropepharus</i> Hayashi, 1962c:6 (type species: <i>Opepharus asiaticus</i> Hayashi, 1962c, by original designation)	
Monochamus (Monochamus) Dejean, 1821	
<i>Ceratades</i> Gistel, 1834	
<i>Anthores</i> Pascoe, 1868b	
<i>Herpetophygas</i> Fähraeus, 1872b	
<i>Tibetobia</i> Frivaldszky, 1892	
<i>Penhammus</i> Kolbe, 1893	
fisheri Breuning, 1944b:438 [<i>Monochamus</i>]	Borneo
variegatus Fisher, 1935c:596 [<i>Anhammus</i>] (pre-occupied by <i>Monochamus variegatus</i> Aurivillius, 1924a)	
kinabaluensis Hüdepohl, 1996:5 [<i>Monochamus</i>]	Borneo
regularis (Aurivillius, 1924c:26) [<i>Anhammus</i>]	Borneo; Sumatra
Myagrus Pascoe, 1878:371 (type species: <i>Myagrus hynesi</i> Pascoe, 1878, by monotypy)	
<i>Neopharsalia</i> Neervoort van de Poll, 1886a:27 (type species: <i>Neopharsalia costeri</i> Neervoort van de Poll, 1886a, by monotypy)	
alboplagiatus (Gahan, 1888b:279) [<i>Pharsalia</i>]	Borneo
hynesi Pascoe, 1878:372 [<i>Myagrus</i>]	Borneo; Sumatra; W. Malaysia; India
costeri Neervoort van de Poll, 1886a:27 [<i>Neopharsalia</i>]	
vinosus (Pascoe, 1866b:251) [<i>Pharsalia</i>]	Borneo; Sumatra; Sulawesi, W. Malaysia; Philippines
vagans Kannegger, 1891:189 [<i>Neopharsalia</i>]	
Nanohammus Bates, 1884a:243 (type species: <i>Nanohammus rufescens</i> Bates, 1884a, by monotypy)	
<i>Microcyclos</i> Pic, 1934c:9 (type species: <i>Microcyclos annulicornis</i> Pic, 1934c, by subsequent designation of Gressitt, 1951a)	

LONGHORNED BEETLES OF BORNEO

- Pararhodopis** Breuning, 1935c:174 (type species: *Rhodopis aberrans* Gahan, 1894h, by subsequent designation of Gressitt, 1951a)
Rarasanus Matsushita, 1941:156 (type species: *Rarasanus subfasciatus* Matsushita, 1941, by original designation)
alboplagiatus Breuning, 1944b:372 [*Nanohammus*] Borneo; Malaysia
- Nephelotus** Pascoe, 1866b:306 (type species: *Nephelotus licheneus* Pascoe, 1866b, by monotypy)
conspersus (J. Thomson, 1865b:555) [*Anhammus*] Borneo; Sumatra; W. Malaysia
licheneus Pascoe, 1866b:307 [*Nephelotus*]
- Omocyrus** Pascoe, 1866a:245 (type species: *Omocyrus fulvisparsus* Pascoe, 1866a, by monotypy)
jansoni Ritsema, 1888d:201 [*Omocyrus*] Borneo
invirgatus Heller, 1923b:34 [*Otarionomus*]
- Orsidis** Pascoe, 1866b:307 (type species: *Monohammus proletarius* Pascoe, 1858a, by subsequent designation of Breuning, 1944b)
acutipennis Breuning, 1938c:187 [*Paradihammus*] Borneo
flavosticticus Breuning, 1938c:195 [*Orsidis*] Borneo
proletarius (Pascoe, 1858a:246) [*Monohammus*] Borneo; Sulawesi
incomptus Pascoe, 1866b:309 [*Orsidis*]
- Paracyriothasastes** Breuning, 1978a:5 (type species: *Cereopsius marmoreus* Pascoe, 1857, by original designation)
marmoreus (Pascoe, 1857:105) [*Cereopsius*] Borneo; W. Malaysia
mysticus J. Thomson, 1865b:556 [*Cereopsius*]
- Paraepopeotes** Pic, 1935b:16 (type species: *Paraepopeotes breuningi* Pic, 1935b, by monotypy)
Parepeopeotes Breuning, 1938c:182 (unjustified emendation)
gigas (Aurivillius, 1897:246) [*Epepeotes*] Borneo
- Paraleprodera** Breuning, 1935g:253 (type species: *Lamia crucifera* Fabricius, 1792, by original designation)
epicedioides (Pascoe, 1866b:287) [*Leprodera*] Borneo; W. Malaysia
vaticina Pascoe, 1866b:287 [*Leprodera*]
- Paranamera** Breuning, 1935f:66 (type species: *Paranamera malaccensis* Breuning, 1935f, by original designation)
malaccensis Breuning, 1935f:66 [*Paranamera*] Borneo {Note 5}; W. Malaysia
oculata Hüdepohl, 1994a:191 [*Paranamera*] Borneo, Myanmar, Thailand
- Parathyastus** Aurivillius, 1913d:12 (type species: *Parathyastus alboconspersus* Aurivillius, 1913d, by monotypy)
alboconspersus Aurivillius, 1913d:13 [*Parathyastus*] Borneo
- Parepicedia** Breuning, 1943b:212 (type species: *Leprodera fimbriata* Chevrolat, 1856b, by original designation)
fimbriata fimbriata (Chevrolat, 1856b:87) [*Leprodera*] Borneo; W. Malaysia
pascoei J. Thomson, 1868e:183 [*Archidice*]
- Pelargoderus** Audinet-Serville, 1835a:72 (type species: *Pelargoderus vittatus* Audinet-Serville, 1835a, by monotypy)
Paragnoma Blanchard, 1853:298 (type species: *Paragnoma acuminipennis* Blanchard, 1853, by monotypy)
Rhamses J. Thomson, 1857m:177 (type species: *Lamia bipunctata* Dalman, 1815, by original designation)
Nanyohammus Matsushita, 1935:117 (type species: *Nanyohammus luteosparsus* Matsushita, 1935, by original designation)
cincticornis Ritsema, 1895:33 [*Pelargoderus*] Borneo
- Peribasis** J. Thomson, 1864:86 (type species: *Monohammus adspersa* Pascoe, 1856 [=*Monohammus helenor* Newman, 1851e], by original designation)
pubicollis Pascoe, 1866b:231 [*Peribasis*] Borneo; W. Malaysia; Bhutan
albisparsa Ritsema, 1888d:203 [*Peribasis*]
- Pericycos** Breuning, 1944b:339 (type species: *Peribasis princeps* Pascoe, 1878, by original designation)

LONGHORNED BEETLES OF BORNEO

princeps princeps (Pascoe, 1878:373) [<i>Peribasis</i>]	Borneo
princeps flavoapicalis Breuning, 1979d:100 [<i>Pericycos</i>]	Borneo
teragramus Gilmour, 1950a:221 [<i>Pericycos</i>]	Borneo
Pharsalia J. Thomson, 1864:85 (type species: <i>Pharsalia malasiaca</i> J. Thomson, 1864, by original designation)	
<i>Cycos</i> Pascoe, 1866a:244 (type species: <i>Monochamus subgeminatus</i> J. Thomson, 1857u, by monotypy)	
<i>Antennopharsalia</i> Breuning, 1944b:330 (type species: <i>Pharsalia antennata</i> Gahan, 1894h, by original designation)	
<i>Eopharsalia</i> Breuning, 1944b:336 (type species: <i>Pharsalia granulipennis</i> Breuning & de Jong, 1941, by original designation)	
Pharsalia (Pharsalia) J. Thomson, 1864	
andoi Hayashi, 1975:197 [<i>Pharsalia</i>]	Borneo
borneensis Breuning, 1936b:301 [<i>Pharsalia</i>]	Borneo
cincticornis Pascoe, 1866b:249 [<i>Pharsalia</i>]	Borneo {Note 5}; Sumatra
duplicata Pascoe, 1866b:250 [<i>Pharsalia</i>]	Borneo {Note 5}; Java; W. Malaysia
lentiginosa Pascoe, 1866b:249 [<i>Pharsalia</i>]	Borneo; India
malasiaca Thomson, 1864:86 [<i>Pharsalia</i>]	Borneo; Sumatra
matangensis Breuning, 1958j:22 [<i>Pharsalia</i>]	Borneo
pulchra pulchra Gahan, 1888b:280 [<i>Pharsalia</i>]	Borneo; Sumatra; S.E.Asia
ferruginea Gahan, 1906b:116 [<i>Pharsalia</i>]	
nigrofasciata Aurivillius, 1911b:14 [<i>Pharsalia</i>]	
albofasciata Pic, 1932a:34 [<i>Pharsalia</i>]	
saperdoides Pascoe, 1866b:251 [<i>Pharsalia</i>]	Borneo; Sumatra; Java; W. Malaysia
supposita Pascoe, 1866b:250 [<i>Pharsalia</i>]	Borneo; Java
Pharsalia (Eopharsalia) Breuning, 1944b	
biplagiata Breuning, 1950r:516 [<i>Pharsalia</i>]	Borneo
claroides Breuning, 1958d:263 [<i>Pharsalia</i>]	Borneo
Pseudodihammus Breuning, 1936b:293 (type species: <i>Pseudodihammus albicans</i> Breuning, 1936b, by original designation)	
albicans Breuning, 1936b:293 [<i>Pseudodihammus</i>]	Borneo
Pseudomyagrus Breuning, 1944b:319 (type species: <i>Cyriocrates waterhousei</i> Gahan, 1888b, by original designation)	
waterhousei (Gahan, 1888b:276) [<i>Cyriocrates</i>]	Borneo; Sumatra; W. Malaysia
eupholoides Nonfried, 1894b:47 [<i>Nemophas</i>]	
borneensis Breuning, 1950r:514 [<i>Pseudomyagrus</i>] {Note 1}	
Pseudonemophas Breuning, 1944b:281 (type species: <i>Monochamus baluanus</i> Aurivillius, 1924a, by original designation)	
baluanus (Aurivillius, 1924a:17) [<i>Monochamus</i>]	Borneo
Pseudothestus Breuning, 1943b:207 (type species: <i>Thestus niveovittatus</i> Aurivillius, 1911a, by original designation)	
niveovittatus (Aurivillius, 1911a:32) [<i>Thestus</i>]	Borneo; Sumatra
Rufohammus Breuning, 1939e:147 (type species: <i>Rufohammus rufescens</i> Breuning, 1939e, by original designation)	
rufifrons (Aurivillius, 1927:534) [<i>Mimohammus</i>]	Borneo
Sarothrocera White, 1846a:47 (type species: <i>Sarothrocera lowii</i> White, 1846a, by monotypy)	
lowii White, 1846a:47 [<i>Sarothrocera</i>]	Borneo; Sumatra; W. Malaysia; Myanmar
lowei ; J. Thomson, 1864:75 (unjustified emendation)	
lowii ; Aurivillius, 1922:78 (unjustified emendation)	
Stegenagapanthia Pic, 1924b:18 (type species: <i>Stegenagapanthia albovittata</i> Pic, 1924b, by monotypy)	
nivalis Holzschuh, 2007:262 [<i>Stegenagapanthia</i>]	Borneo
Stegenus Pascoe, 1857:104 (type species: <i>Stegenus dactylon</i> Pascoe, 1857, by monotypy)	
dactylon Pascoe, 1857:104 [<i>Stegenus</i>]	Borneo; W. Malaysia

LONGHORNED BEETLES OF BORNEO

- Sternohammus** Breuning, 1935d:253 (type species: *Dihammus femoralis* Aurivillius, 1928a, by original designation)
femoralis (Aurivillius, 1928a:553) [*Dihammus*] Borneo; Philippines
- Sternosidis** Breuning, 1959e:126 (type species: *Sternosidis brunnea* Breuning, 1959e, by original designation)
brunnea Breuning 1959e:126 [*Sternosidis*] Borneo
- Striatorsidis** Breuning, 1960d:33 (type species: *Striatorsidis striatipennis* Breuning, 1960d, by original designation)
striatipennis Breuning, 1960d:33 [*Striatorsidis*] Borneo
- Superagnia** Breuning, 1968f:53 (type species: *Superagnia fuchsii* Breuning, 1968f, by original designation)
fuchsii Breuning, 1968f:53 [*Superagnia*] Borneo; Sumatra
- Thermonotus** Gahan, 1888e:399 (type species: *Thermonotus nigripes* Gahan, 1888e, by monotypy)
Gibbanamera Pic, 1923c:19 (type species: *Gibbanamera rubra* Pic, 1923c, by monotypy)
cylindricus Aurivillius, 1911b:14 [*Thermonotus*] Borneo
nigripennis Ritsema, 1896:205 [*Thermonotus*] Borneo; Palawan
coeruleipennis Aurivillius, 1911b:13 [*Thermonotus*] Borneo
- Thestus** Pascoe, 1866a:247 (type species: *Thestus oncideroides* Pascoe, 1866a, by monotypy)
Anammophas Heller, 1916b:107 (type species: *Archidice alexandri* J. Thomson, 1878b, by original designation)
alexandri (J. Thomson, 1878b:47) [*Archidice*] Borneo; Sumatra
alexandra J. Thomson, 1878b:47 (original spelling)
alexandri; Heller, 1916a (unjustified emendation in prevailing use)
armatus Gahan, 1893b:381 [*Thestus*] Borneo; Sumatra; West Malaysia
oncideroides Pascoe, 1866a:248 [*Thestus*] Borneo; Sumatra
- Thylactomimus** Breuning, 1959h:150 (type species: *Thylactomimus albilateralis* Breuning, 1959h, by original designation)
albilateralis Breuning, 1959h:150 [*Thylactomimus*] Borneo; Sumatra
- Trachystola** Pascoe, 1862a:350 (type species: *Trachystola granulosa* Pascoe, 1862a [mis-spelling of *T. granulata* Pascoe, 1862a]), by subsequent designation of J. Thomson, 1864:132)
Trachystola Dejean, 1835:343 {nomen nudum}
granulata Pascoe, 1862a:351 [*Trachystola*] Borneo; Sumatra; SE Asia
granulosa J. Thomson, 1864:132 [*Trachystola*] (mis-spelling)
scabripennis Pascoe, 1862a:351 [*Trachystola*] Borneo {Note 5}; Java; Vietnam
- Triammatus** Chevrolat, 1856a:48 (type species: *Triammatus saundersii* Chevrolat, 1856a, by monotypy)
Trihammatus; J. Thomson, 1859b:50 (unjustified emendation)
chevrolati Pascoe, 1856:47 [*Triammatus*] Borneo; Sumatra
saundersii Chevrolat, 1856a:48 [*Triammatus*] Borneo
saundersii; Aurivillius, 1922a:119 (unjustified emendation)
subinermis Breuning, 1955e:60 [*Triammatus*] Borneo
tristis Pascoe, 1860a:121 [*Trihammatus*] Borneo ?; Bacan; Sulawesi
- Tympanopalpus** Redtenbacher, 1868:180 (type species: *Tympanopalpus dorsalis* Redtenbacher, 1868, by monotypy)
dorsalis Redtenbacher, 1868:180 [*Tympanopalpus*] Borneo; Sumatra
obscurus Aurivillius, 1924a:20 [*Thestus*] Borneo
- Xoes** Pascoe, 1866b:245 (type species: *Xoes egeria* Pascoe, 1866b, by monotypy)
egeria Pascoe, 1866b:246 [*Xoes*] Borneo

Tribe **Batocerini** J. Thomson, 1864:71

- Apriona** Chevrolat, 1852:414 (type species: *Lamia germarii*, Hope, 1831, by subsequent designation of J. Thomson, 1864)

LONGHORNED BEETLES OF BORNEO

<i>Parapriona</i> Breuning, 1948b:17 (type species: <i>Parapriona brunneomarginata</i> Breuning, 1948b, by original designation)	
<i>Cylindrapriona</i> Breuning, 1949d:8 (type species: <i>Apriona cylindrica</i> J. Thomson, 1857s, by original designation)	
<i>Mesapriona</i> Breuning, 1949d:8 (type species: <i>Apriona punctatissima</i> Kaup, 1866, by original designation)	
<i>Humeroapriona</i> Breuning, 1949d:8 (type species: <i>Lamia swainsoni</i> Hope, 1840, by original designation)	
<i>Cristapriona</i> Hua, 1986c:209 (type species: <i>Apriona chemsaki</i> Hua, 1986c, by original designation)	
aphetor francottei Jiroux, 2011:65 [<i>Apriona</i>]	Borneo
brunneomarginata (Breuning, 1948b:18) [<i>Parapriona</i>]	Borneo
elsa Kriesche, 1920:193 [<i>Apriona</i>]	Borneo; Sumatra; Thailand; W. Malaysia; Java; Philippines
<i>krieschei</i> Gilmour, 1958a:84 [<i>Apriona</i>]	
<i>vivesi</i> Breuning, 1981a:73 [<i>Apriona</i>]	
flavescens Kaup, 1866:7 [<i>Apriona</i>]	Borneo; Sumatra; Java; W. Malaysia; Philippines; Sulawesi
<i>rheinwartii</i> J. Thomson, 1878b:57 [<i>Apriona</i>]	
<i>malaccana</i> J. Thomson, 1878b:58 [<i>Apriona</i>]	
<i>fasciata</i> Ritsema, 1898b:87 [<i>Apriona</i>]	
<i>niasensis</i> Gilmour, 1958a:71 [<i>Apriona</i>]	
<i>lomblonensis</i> Breuning, 1982c:9 [<i>Apriona</i>]	
juheli Jiroux, 2011:49 [<i>Apriona</i>]	Borneo
marcusiana Kriesche, 1920:194 [<i>Apriona</i>]	Borneo; Sumatra; W. Malaysia
neglectissima de Jong, 1936:75 [<i>Apriona</i>]	Borneo
rixator (Newman, 1842b:275) [<i>Batocera</i>]	Borneo; Philippines
<i>borneensis</i> Aurivillius, 1920:15 [<i>Apriona</i>]	
Batocera Dejean, 1835:341 (type species: <i>Cerambyx rubus</i> Linnaeus, 1758, by subsequent designation of Blanchard, 1845)	
<i>Megaciodes</i> Pascoe, 1866b:271 (type species: <i>Megaciodes saundersii</i> Pascoe, 1866b, by monotypy)	
<i>Semibatocera</i> Kriesche, 1915:115 (type species: <i>Lamia calanus</i> Parry, 1845 [= <i>Lamia parryi</i> Hope, 1845b], by original designation)	
<i>Tyrannolamia</i> Kriesche, 1915:115 (type species: <i>Batocera wallacei</i> J. Thomson, 1858e, by original designation)	
herbuloti (Devecis, 1993:27) [<i>Megaciodes</i>]	Borneo
maculata (Schönherr, 1817:369) [<i>Lamia</i>]	Borneo; Sumatra; Java; Thailand
<i>tigris</i> (Voet, 1778:16) [<i>Lamia</i>] (unavailable, ICZN, Art. 11.4)	
<i>helena</i> J. Thomson, 1865b:552 [<i>Batocera</i>]	
<i>attila</i> Pascoe, 1866b:270 [<i>Batocera</i>]	
<i>borneensis</i> Schwarzer, 1929:366 [<i>Batocera</i>]	
<i>baluana</i> Kriesche, 1940:116 [<i>Batocera</i>]	
<i>menelaus</i> Breuning, 1948b:14 [<i>Batocera</i>] {Note 1}	
<i>odysseus</i> Gilmour & Dibb, 1948:35 [<i>Batocera</i>] {Note 1}	
numitor Newman, 1842b:275 [<i>Batocera</i>]	Borneo; Sumatra; SE Asia
<i>ajax</i> J. Thomson, 1858e:455 [<i>Batocera</i>]	
<i>ferruginea</i> J. Thomson, 1858e:456 [<i>Batocera</i>]	
<i>titana</i> J. Thomson, 1859c:82 [<i>Batocera</i>]	
<i>javanica</i> J. Thomson, 1859c:83 [<i>Batocera</i>]	
<i>loki</i> Kriesche, 1915:143 [<i>Batocera</i>]	
<i>sumatrensis</i> Aurivillius, 1922a:126 [<i>Batocera</i>]	
<i>palawanicola</i> Kriesche, 1928:47 [<i>Batocera</i>]	
<i>rufopunctata</i> Breuning, 1956e:1 [<i>Batocera</i>] {Note 1}	
parryi (Hope, 1845b:77) [<i>Lamia</i>]	Borneo; Sumatra; Java; SE Asia
<i>calanus</i> Parry, 1845:86 [<i>Lamia</i>]	
<i>guttata</i> Snellen van Vollenhoven, 1871a:110 [<i>Megaciodes</i>]	
<i>fabricii</i> Thomson, 1878b:54) [<i>Batocera</i>]	
<i>bimaculata</i> Schwarzer, 1914:280 [<i>Batocera</i>]	
<i>immaculata</i> Schwarzer, 1914:280 [<i>Batocera</i>]	
<i>narada</i> Kriesche, 1928:45 [<i>Batocera</i>]	
rubus (Linnaeus, 1758:390) [<i>Cerambyx</i>]	Borneo; Sumatra; Java; Philippines, SE Asia
<i>albofasciata</i> Degeer, 1775:106 [<i>Cerambyx</i>]	
<i>albomaculatus</i> Retzius, 1783:138 [unknown]	
<i>octomaculata</i> Fabricius, 1793:290 [<i>Lamia</i>]	
<i>downesii</i> Hope, 1845b:76 [<i>Lamia</i>]	
<i>sarawakensis</i> J. Thomson, 1858e:452 [<i>Batocera</i>]	
<i>mniszechi</i> J. Thomson, 1859c:79 [<i>Batocera</i>]	
<i>sabina</i> J. Thomson, 1878b:52 [<i>Batocera</i>]	
<i>coreana</i> Kolbe, 1886:238 [<i>Batocera</i>]	
<i>bipunctata</i> Kriesche, 1915:134 [<i>Batocera</i>]	

LONGHORNED BEETLES OF BORNEO

<i>punctatella</i> Kriesche, 1915:135 [<i>Batocera</i>] <i>formosana</i> Kriesche, 1915:136 [<i>Batocera</i>] <i>palawanica</i> Schwarzer, 1926c:12 [<i>Batocera</i>] <i>siporensis</i> Schwarzer, 1930b:122 [<i>Batocera</i>] <i>immaculipennis</i> Breuning, 1947d:16 [<i>Batocera</i>] <i>lombokensis</i> Breuning, 1947d:16 [<i>Batocera</i>] <i>dividopunctata</i> Gilmour & Dibb, 1948:61 [<i>Batocera</i>] {Note 1}	
saundersii (Pascoe, 1866b:272) [<i>Megacriodes</i>]	Borneo; Sumatra
thomsonii Javet, 1858:412 [<i>Batocera</i>] <i>bipunctulata</i> Breuning, 1948h:65 [<i>Batocera</i>] {Note 1} <i>impunctata</i> Breuning, 1948h:65 [<i>Batocera</i>] {Note 1}	Borneo; Sumatra; W. Malaysia
victoriana J. Thomson, 1856b:529 [<i>Batocera</i>] <i>velleda</i> Kriesche, 1915:138 [<i>Batocera</i>]	Borneo; Sumatra; Philippines, SE Asia

Tribe **Mesosini** Mulsant, 1839:165

Aemocia J. Thomson, 1864:61 (type species: <i>Aemocia ichthyosomoides</i> Thomson, 1864, by original designation) borneana Breuning, 1974f:78 [<i>Aemocia</i>]	Borneo
Aesopida J. Thomson, 1864:62 (type species: <i>Aesopida malasiaca</i> J. Thomson, 1864, by original designation) malasiaca J. Thomson, 1864:62 [<i>Aesopida</i>]	Borneo; Sumatra; Java; W. Malaysia; SE Asia

Agelasta (<i>Dissosira</i>) Pascoe, 1865b <i>Anthriboscyla</i> J. Thomson, 1868e catenata Pascoe, 1862a:336 [<i>Agelasta</i>] <i>infasciata</i> Pic, 1932a:34 [<i>Anagelasta</i>] <i>postmaculata</i> Pic, 1936b:15 [<i>Choeromorpha</i>] <i>dubiosa</i> Breuning, 1938c:211 [<i>Dissosira</i>] illicideosa (Breuning, 1967j:185) [<i>Mesosa</i>] lecidiosa (Pascoe, 1865b:120) [<i>Coptops</i>] <i>mima</i> J. Thomson, 1868e:165 [<i>Anthriboscyla</i>]	Borneo; Cambodia; Laos; Vietnam Borneo Borneo; Sumatra; W. Malaysia
---	---

Agelasta (<i>Epagelasta</i>) Breuning, 1939a newmani White, 1856b:410 [<i>Agelasta</i>] <i>newmanni</i> White, 1856b:410 (original spelling) <i>newmani</i> ; Aurivillius, 1922a:144 (unjustified emendation in prevailing use)	Borneo
--	--------

Anancylus J. Thomson, 1864:61 (type species: <i>Anancylus calceatus</i> J. Thomson, 1864, by original designation) <i>Pseudanancylus</i> Breuning, 1935g:268 (type species: <i>Ereis albofasciatus</i> Pic, 1925b, by original designation) {Note 22} <i>Paranancylus</i> Breuning, 1939a:472 (type species: <i>Anancylus socius</i> Pascoe, 1865b, by original designation)	
---	--

Anancylus (<i>Anancylus</i>) J. Thomson, 1864 <i>calceatus</i> J. Thomson, 1864:61 [<i>Anancylus</i>]	Borneo; Sumatra; Java
---	-----------------------

LONGHORNED BEETLES OF BORNEO

Anancylus (Paranancylus) Breuning, 1939a		
griseatus (Pascoe, 1858a:243) [<i>Mesosa</i>]	Borneo; Sumatra; W. Malaysia	
granulosus Schwarzer, 1924a:237 [<i>Anancylus</i>]		
malasiacus Breuning, 1982e:139 [<i>Anancylus</i>]	Borneo	
socius socius Pascoe, 1865b:99 [<i>Anancylus</i>]	Borneo; Philippines, W. Malaysia	
simulans Pascoe, 1865b:99 [<i>Anancylus</i>]		
strix Heller, 1915b:241 [<i>Anancylus</i>]		
vicarius Heller, 1922:538 [<i>Anancylus</i>]		
dissolutus Kriesche, 1936:69 [<i>Anancylus</i>]		
Cacia Newman, 1842c:290 (type species: <i>Cacia spinigera</i> Newman, 1842c, by subsequent designation of J. Thomson, 1864)		
Corethrophora Blanchard, 1853:301 (type species: <i>Corethrophora semiluctuosa</i> Blanchard, 1853, by monotypy)		
<i>Coreothrophora</i> ; Breuning, 1959g:58 (unjustified emendation)		
<i>Ipocregyes</i> Pascoe, 1865b:113 (type species: <i>Cacia newmanni</i> Pascoe, 1857, by monotypy)		
<i>Acanthocacia</i> Aurivillius, 1911b:16 (type species: <i>Cacia bispinosa</i> Aurivillius, 1911b, by subsequent designation of Breuning, 1939a)		
<i>Falsoereis</i> Pic, 1925b:25 (type species: <i>Falsoereis cephalotes</i> Pic, 1925b, by monotypy)		
<i>Pseudocacia</i> Breuning, 1939a:436 (type species: <i>Cacia tonkinensis</i> Pic, 1926b, by original designation)		
<i>Spinocacia</i> Breuning, 1939a:439 (type species: <i>Cacia olivacea</i> Breuning, 1935g, by original designation)		
<i>Pericacia</i> Breuning, 1939a:459 (type species: <i>Lamia cretifera</i> Hope, 1831, by original designation)		
Cacia (Cacia) Newman, 1842c		
anancyloides Breuning, 1958j:6 [<i>Cacia</i>]	Borneo	
confusa Pascoe, 1857:101 [<i>Cacia</i>]	Borneo; W. Malaysia	
inculta inculta Pascoe, 1857:102 [<i>Cacia</i>]	Borneo	
kinabaluensis Breuning, 1982e:139 [<i>Cacia</i>]	Borneo	
sarawakensis Breuning, 1938c:207 [<i>Cacia</i>]	Borneo	
Cacia (Acanthocacia) Aurivillius, 1911b		
bispinosa Aurivillius, 1911b:16 [<i>Cacia</i>]	Borneo	
collarti Breuning, 1960e:3 [<i>Cacia</i>]	Borneo	
compta Pascoe, 1865b:112 [<i>Cacia</i>]	Borneo	
melanopsis Pascoe, 1866a:232 [<i>Cacia</i>]	Borneo; W. Malaysia	
pistor Pascoe, 1866a:232 [<i>Cacia</i>]		
picticornis Pascoe, 1858a:249 [<i>Cacia</i>]	Borneo	
undulata Heller, 1923a:419 [<i>Cacia</i>]		
Cacia (Corethrophora) Blanchard, 1853		
parelegans Breuning, 1982e:140 [<i>Cacia</i>]	Borneo	
Cacia (Ipocregyes) Pascoe, 1865b		
<i>Falsoereis</i> Pic, 1925b		
newmanni Pascoe, 1857:102 [<i>Cacia</i>]	Borneo	
unda Heller, 1923b:36 [<i>Cacia</i>]	Borneo	
Choeromorpha Chevrolat, 1843:613 (type species: <i>Choeromorpha pigra</i> Chevrolat, 1843, by monotypy)		
<i>Achoeromorpha</i> Breuning, 1935g:271 (type species: <i>Achoeromorpha brunneomaculata</i> Breuning, 1935g, by original designation)		
Choeromorpha (Choeromorpha) Chevrolat, 1843		
amica (White, 1856b:410) [<i>Agelessata</i>]	Borneo	
callizona (White, 1856b:409) [<i>Agelessata</i>]	Borneo	
lambii lambii (Pascoe, 1866:235) [<i>Agelessata</i>]	Borneo, W. Malaysia	
mediofasciata Breuning, 1939a:521 [<i>Choeromorpha</i>]	Borneo	
multivittata Breuning, 1974f:77 [<i>Choeromorpha</i>]	Borneo	
polynesa (White, 1856b:410) [<i>Agelessata</i>]	Borneo; W. Malaysia	
wallacei (White, 1856b:409) [<i>Agelessata</i>]	Borneo	
Clyzomedus Pascoe, 1865b:115 (type species: <i>Coptops nanus</i> Pascoe, 1859b, by monotypy)		
annularis Pascoe, 1866a:234 [<i>Clyzomedus</i>]	Borneo; Sumatra; Philippines; SE Asia	
borneensis Breuning, 1936b:312 [<i>Clyzomedus</i>]	Borneo	
Coptops Audinet-Serville, 1835a:64 (type species: <i>Coptops parallela</i> Audinet-Serville, 1835a [= <i>Lamia aedificator</i> Fabricius, 1792], by monotypy)		
undulata undulata Pascoe, 1865b:121 [<i>Coptops</i>]	Borneo	

LONGHORNED BEETLES OF BORNEO

Demodes Newman, 1842e:322 (type species: *Demodes immunda* Newman, 1842e, by monotypy)
Phemone Pascoe, 1859b:48 (type species: *Apomecyna frenata* Pascoe, 1857, by original designation)
conspersa (Aurivillius, 1914:14) [Phemone] Borneo
subconspersa Breuning, 1950c:265 [Demodes] Borneo

Ereis Pascoe, 1865b:105 (replacement name for *Eris* Pascoe, 1857) (type species: *Eris anthriboides* Pascoe, 1857. automatic designation)
Eris Pascoe, 1857:110 (type species: *Eris anthriboides* Pascoe, 1857, by monotypy) (pre-occupied by *Eris* Koch, 1846, Arachnida)
anthriboides *anthriboides* (Pascoe, 1857:110) [*Eris*] Borneo; Sumatra

Golsinda Pascoe, 1856:49 (type species: *Golsinda corallina* Pascoe, 1856, by subsequent designation of Pascoe, 1862) {Note 33}
corallina Pascoe, 1856:50 (*Golsinda*) Borneo; Sumatra; ?Laos

Mesosa Latreille, 1829:124 (type species: *Cerambyx curculionoides* Linnaeus, 1761, by subsequent designation of J. Thomson, 1864)
Aplocnemia Stephens, 1831:236 (type species: *Lamia nubila* Gmelin, 1790 [=*Lamia nebulosa* Fabricius, 1781, by monotypy])
Aphelocnemia Stephens, 1831:414 (unjustified emendation)
Dendrobius Gistel, 1834: 30 (unnecessary replacement name for *Mesosa*) (unavailable, pre-occupied by *Dendrobius* Meyen, 1833, Mammalia)
Haplocnemia Agassiz, 1846:172 (unjustified emendation)
Samia Pascoe, 1865b:121 (pre-occupied by *Samia* Hübner, 1819, Lepidoptera)
Helioxea Pascoe, 1865b:124 (type species: *Agelasta rupta* Pascoe, 1862a, by original designation)
Saimia Pascoe, 1866a:234 (replacement name for *Samia* Pascoe, 1865b) (type species: *Samia albidorsalis* Pascoe, 1865b, by subsequent designation of Breuning, 1939a)
Pseudoaemocia Breuning, 1935g:269 (type species : *Pseudoaemocia rufa* Breuning, 1935g, by original designation)
Perimesosa Breuning, 1939a:409 (type species: *Mesosa hirsuta* Bates, 1884a, by original designation)
Metamesosa Breuning, 1939a:411 (type species: *Mesosa basinodosa* Pic, 1925b, by original designation)
Lissomesosa Yamasako & N. Ohbayashi, 2007:340 (type species: *Mesosa cibraata* Bates, 1884a, by original designation)

Mesosa (Saimia) Pascoe, 1866a

Samia Pascoe, 1865b
albidorsalis (Pascoe, 1865b:122) [*Samia*]
incongrua Pascoe, 1885:52 [*Mesosa*]
lineata Breuning, 1939a:517 [*Mesosa*]
plurinigrosignata Breuning, 1982e:139 [*Mesosa*]
pontianakensis Breuning, 1967:184 [*Mesosa*]
postfasciata Breuning, 1974f:74 [*Mesosa*]
revoluta (Pascoe, 1865b:122) [*Samia*]
Borneo; Philippines, W. Malaysia
Borneo
Borneo; Sumatra
Borneo
Borneo
Borneo
Borneo
Borneo
Borneo

Metacoptops Breuning, 1939a:502 (type species: *Aesopida fasciculata* Aurivillius, 1911b, by original designation)
fasciculata (Aurivillius, 1911b:17) [Aesopida] Borneo

Microcacia Breuning, 1939a:434 (type species: *Microcacia longiscapa* Breuning, 1939a, by original designation)
longiscapa Breuning, 1939a:434 [*Microcacia*] Borneo

Mimanancylus Breuning, 1968k:695 (type species: *Mimanancylus borneensis* Breuning, 1968k, by original designation)
borneensis Breuning, 1968k:695 [*Mimanancylus*] Borneo

Mimocacia Breuning, 1937b:57 (type species: *Mimocacia ferruginea* Breuning, 1937b, by original designation)
ferruginea Breuning, 1937b:57 [*Mimocacia*] Borneo

LONGHORNED BEETLES OF BORNEO

Mnemea Pascoe, 1865b:114 (type species: *Mnemea phalerata* Pascoe, 1865b, by monotypy)
phalerata Pascoe, 1865b:115 [*Mnemea*] Borneo

Mutatocoptops Pic, 1925b:29 (type species: *Mutatocoptops alboapicalis* Pic, 1925b, by subsequent designation of Breuning, 1939a)

Paracoptops Heller, 1926:36 (type species: *Saimia tuberosa* Heller, 1926, by monotypy)

Pseudaemocia Breuning, 1935g:269 (type species: *Pseudaemocia rufa* Breuning, 1935g, by original designation)

Mutatocoptops (Mutatocoptops) Pic, 1925b
bituberosa (Pascoe, 1866a:235) [*Saimia*] Borneo; W. Malaysia

tuberosa Heller, 1926:36 [*Saimia*]

borneensis Breuning, 1968k:698 [*Mutatocoptops*] Borneo

diversa (Pascoe, 1865b:123) [*Saimia*] Borneo

Planodes Newman, 1842e:323 (type species: *Planodes quaternarius* Newman, 1842e, by monotypy)

Calymmophis J. Thomson, 1864:59 (type species: *Calymmophis flavovariegata* J. Thomson, 1864, by original designation)

deterrens Pascoe, 1865b:102 [*Planodes*] Borneo; W. Malaysia

bifasciatus Aurivillius, 1911b:15 [*Planodes*]

leporinus Pascoe, 1865b:102 [*Planodes*] Borneo

turbatus Pascoe, 1865b:104 [*Planodes*]

variegatus Aurivillius, 1911b:14 [*Planodes*] Borneo

Pseudochoeromorpha Breuning, 1936b:310 (type species: *Agelasta lar* Pascoe, 1865b, by original designation)

lar (Pascoe, 1865b:124) [*Agelasta*] Borneo

sobrina Pascoe, 1865b:127 [*Agelasta*]

Pseudozelota Breuning, 1936b:307 (type species: *Pseudozelota annamensis* Breuning, 1936b, by original designation),

Parazelota Breuning, 1938c:206 (type species: *Acanthocacia punctipennis* Schwarzer, 1930b, by original designation) (pre-occupied by *Parazelota* Meyrick, 1913, Lepidoptera)

Hefferniella Özdikmen, 2008:679 (type species: *Acanthocacia punctipennis* Schwarzer, 1930b, automatic designation) (replacement name for *Parazelota* Breuning, 1938c)

Pseudozelota (Pseudozelota) Breuning, 1936b

capito (Pascoe, 1865b:112) [*Cacia*] Borneo; W. Malaysia; SE Asia

annamensis Breuning, 1936b:307 [*Pseudozelota*]

Pseudozelota (Hefferniella) Özdikmen, 2008

mima (Breuning, 1938c:306) [*Parazelota*] Borneo

Sorbia Pascoe, 1865b:130 (type species: *Sorbia tarsalis* Pascoe, 1865b, by monotypy)

Paraemocia Breuning, 1935g:269 (type species: *Paraemocia malaccensis* Breuning, 1935g, by original designation)

affinis Breuning, 1964g:92 [*Sorbia*] Borneo

tarsalis Pascoe, 1865b:131 [*Sorbia*] Borneo; W. Malaysia

substrigosa Pascoe, 1866a:236 [*Agelasta*]

malaccensis Breuning, 1935g:270 [*Paraemocia*]

Syrrhopoeus Pascoe, 1865b:129 (type species: *Syrrhopoeus agelastoides* Pascoe, 1865b, by monotypy)

agelastoides Pascoe, 1865b:130 [*Syrrhopoeus*] Borneo

Zelota Gahan, 1902:273 (type species: *Zelota spathomelina* Gahan, 1902, by monotypy)

bryanti Breuning, 1938c:205 [*Zelota*] Borneo

spathomelina Gahan, 1902:274 [*Zelota*] Borneo

Tribe **Gnomini** J. Thomson, 1860:104

Gnoma Fabricius, 1801:315 (type species: *Cerambyx longicollis* Fabricius, 1787, designated by J. Thomson, 1864:82)

longicollis (Fabricius, 1787:135) [*Cerambyx*] Borneo; Sumatra; W. Malaysia

sumatrensis Dillon & Dillon, 1951:40 [*Gnoma*]

casnonioides J. Thomson, 1860:106 [*Gnoma*]

confusa J. Thomson, 1865b:555 [*Gnoma*]

longitarsis Pascoe, 1866b:314 [*Gnoma*]

vittaticollis Aurivillius, 1924a:23 [*Gnoma*] Borneo; Philippines

LONGHORNED BEETLES OF BORNEO

Imantocera Dejean, 1835:345 (type species: *Lamia plumosa* Olivier, 1792, by monotypy)

Himantocera Agassiv, 1846:524 (unjustified emendation)

plumosa (Olivier, 1792:463) [*Lamia*]

Borneo; Sumatra; Java; W. Malaysia

acmocerooides J. Thomson, 1865b:555 [*Imantocera*]

borneotica Breuning, 1940e:414 [*Imantocera*]

Psectrocera Pascoe, 1862a:345 (type species: *Gnoma plumigera* Westwood, 1848, by original designation)

plumigera (Westwood, 1848:11) [*Gnoma*]

Borneo; Sumatra; Java; New Guinea

plumosa Pascoe, 1866b:311 [*Psectrocera*]

Tribe **Ancylonotini** Lacordaire, 1869:391

Palimna Pascoe, 1862a:346 (type species: *Golsinda tessellata* Pascoe, 1857, by original designation)

Cylanca J. Thomson, 1864:58, (type species: *Golsinda tessellata* Pascoe, 1857, by original designation)

Goniages Pascoe, 1865b:135 (type species: *Golsinda infausta* Pascoe, 1859b, by monotypy)

Apalimna Bates, 1884a:241 (type species: *Apalimna liturata* Bates, 1884a, by monotypy)

annulata (Olivier, 1792:465) [*Cerambyx*] Borneo; Sumatra; Java; SE Asia

nodulosa Schönherr, 1817:395 [*Lamia*]

tessellata Pascoe, 1857:49 [*Golsinda*]

mouhoti Pascoe, 1866a:237 [*Palimna*]

infausta (Pascoe, 1859b:41) [*Golsinda*]

Borneo

palimnoides (Schwarzer, 1925b:62) [*Apalimna*]

Borneo, SE Asia, China

similis Gressitt, 1940c:131 [*Palimna*]

Tribe **Dorcaschematini** J. Thomson, 1860:107

BrachyoleneCampus Breuning, 1948b:27 (type species: *BrachyoleneCampus banksi* Breuning, 1948b, by original designation)

banksi Breuning, 1948b:28 [*BrachyoleneCampus*]

Borneo

fuscosticticus Breuning, 1948b:29 [*BrachyoleneCampus*]

Borneo

Cylindrepomus Blanchard, 1853:268 (type species: *Cylindrepomus nigrofasciatus* Blanchard, 1853, by monotypy)

Cylindropomus, J. Thomson, 1860:104 (subsequent incorrect spelling)

Hipparium Pic, 1925a:21 (type species: *Hipparium vittatum* Pic, 1925a, by monotypy)

albicornis Nonfried, 1894a:212 [*Cylindrepomus*] Sumatra, "Sunda Islands"

albovittatus Breuning, 1960e:8 [*Cylindrepomus*] Borneo

aureolineatus Dillon & Dillon, 1948:276 [*Cylindrepomus*] Borneo

comis Pascoe, 1858a:241 [*Cylindrepomus*] Borneo

flavosignatus Breuning, 1947d:28 [*Cylindrepomus*] Borneo

laetus shelfordi Aurivillius, 1922a:213 [*Cylindrepomus*] {Note 12} Borneo

mantiformis Hüdepohl, 1989c:502 [*Cylindrepomus*] Borneo

peregrinus peregrinus Pascoe, 1858a:241 [*Cylindrepomus*] Borneo; Sumatra; Java; Philippines

connexa Gilmour, 1950a:222 [*Cylindrepomus*]

samarensis Dillon & Dillon, 1948:264 [*Cylindrepomus*]

rubriceps Aurivillius, 1907b:31 [*Cylindrepomus*]

Borneo; Sumatra; Java

vittatum Pic, 1925a:22 [*Hipparium*]

Olenecampus Chevrolat, 1835:134 (type species: *Olenecampus serratus* Chevrolat, 1835, [= *Saperda biloba* Fabricius, 1801] by subsequent designation of J. Thomson, 1864)

Authades J. Thomson, 1857s:191 (type species: *Authades indianus* J. Thomson, 1857s, by monotypy)

Ibidimorphum Motschulsky, 1860:152 (type species: *Ibidimorphum octopustulatum* Motschulsky, 1860, by monotypy)

affinis Breuning, 1936b:319 [*Olenecampus*]

Borneo

albovittatus Breuning, 1936b:319 [*Olenecampus*]

Borneo

bilobus borneensis Pic, 1916h:6 [*Olenecampus*] {Note 39}

Borneo

rouyeri Pic, 1916h:6 [*Olenecampus*]

optatus optatooides Dillon & Dillon, 1948:202 [*Olenecampus*]

Borneo

sandacanus Heller, 1923b:38 [*Olenecampus*]

Borneo

sarawakensis Breuning, 1936b:319 [*Olenecampus*]

Borneo

Tribe **Apomecynini** J. Thomson, 1860:66

Ancornallis Fisher, 1935c:612 (type species: *Ancornallis cristatus* Fisher, 1935c, by original designation)

cristatus Fisher, 1935c:613 [*Ancornallis*]

Borneo

LONGHORNED BEETLES OF BORNEO

Anxylotoles Fisher, 1935c:594 (type species: *Anxylotoles caudatus* Fisher, 1935c, by original designation)
caudatus Fisher, 1935c:595 [*Anxylotoles*] Borneo

Apomecyna Dejean, 1821:108 (type species: *Saperda alboguttata* Megerle, 1802, by monotypy)
Mecynapus J. Thomson, 1858f:187 (type species: *Apomecyna parumpunctata* Chevrolat, 1856h, by monotypy)
Vocula Lacordaire, 1872:587 (type species: *Vocula irrorata* Lacordaire 1872 [=*Apomecyna parumpunctata* Chevrolat, 1856h], by subsequent designation of Löbl & Smetana, 2010) {Note 17}
Pseudalbana Pic, 1895c:77 (type species: *Pseudalbana lameerei* Pic, 1895c, by original designation)
Anapomecyna Pic, 1925a:29 (type species: *Anapomecyna luteomaculata* Pic, 1925a, by monotypy)
Crassapomecyna Breuning, 1958m:492 (type species: *Apomecyna crassiuscula* Fairmaire, 1896b, by original designation)

Apomecyna (Apomecyna) Dejean, 1821

Mecynapus J. Thomson, 1858f

Vocula Lacordaire, 1872

Pseudalbana Pic, 1895c

Anapomecyna Pic, 1925a

borneotica Breuning, 1982e:142 [*Apomecyna*]

histrio (Fabricius, 1793:288) [*Lamia*]

Borneo

Borneo; Sumatra; Maluku; SE Asia;

Australia

alboguttata Megerle, 1802:473 [*Saperda*]

quadriasciata J. Thomson, 1868d:59 [*Apomecyna*]

perrotei J. Thomson, 1868e:159 [*Apomecyna*]

maculaticollis Pic, 1918d:6 [*Apomecyna*]

tigrina tigrina J. Thomson, 1857w:343 [*Apomecyna*]

Borneo; Sumatra; Java

Athylia Pascoe, 1864c:42 (type species: *Athylia avara* Pascoe, 1864c, by monotypy)

Enispia Pascoe, 1864c:50 (type species: *Enispia venosa* Pascoe, 1864c, by monotypy)

Sodomorphon Pic, 1926c:14 (type species: *Sodomorphon bellum* Pic, 1926c, by monotypy)

Pulchrathylia Breuning, 1964i:425 (types species: *Enispia pulchra* Fisher, 1925a, by original designation)

Athylia (Athylia) Pascoe, 1864c

similis (Fisher, 1925a:207) [*Enispia*]

Borneo

venosa (Pascoe, 1864c:51) [*Enispia*]

Borneo {Note 5}; Sumatra; Java

viduata (Pascoe, 1864c:52) [*Ebaeides*]

Borneo; Vietnam

Athylia (Pulchrathylia) Breuning, 1964i

pulchra (Fisher, 1925a:206) [*Enispia*]

Borneo

Atimura Pascoe, 1863a:548 (type species: *Atimura terminata* Pascoe, 1863a, by monotypy)

bacillina Pascoe, 1865b:158 [*Atimura*]

Borneo; Sumatra

punctissima Pascoe, 1865b:158 [*Atimura*]

Borneo; Sumatra; W. Malaysia

tarsata Holzschuh, 2010:192 [*Atimura*]

Borneo

Atrichocera Aurivillius, 1911b:34 (type species: *Atrichocera moultoni* Aurivillius, 1911b, by monotypy)

moultoni Aurivillius, 1911b:34 [*Atrichocera*]

Borneo

Baudona Breuning, 1963h:6 (type species: *Baudona ochreovittata* Breuning, 1963h, by original designation)

borneotica Breuning, 1969i:659 [*Baudona*]

Borneo

Bybe Pascoe, 1866b:225 (type species: *Bybe parmenoides* Pascoe, 1866b, by monotypy)

parmenoides Pascoe, 1866b:225 [*Bybe*]

Borneo

Diaxenes C. Waterhouse, 1884a:128 (type species: *Diaxenes taylori* C. Waterhouse, 1884a, by monotypy)

dendrobii Gahan, 1894c:520 [*Diaxenes*]

Borneo; India; Myanmar

Dyemus Pascoe, 1864c:54 (type species: *Dyemus puncticollis* Pascoe, 1864c, by subsequent designation of J. Thomson, 1865a)

puncticollis Pascoe, 1864c:54 [*Dyemus*]

Borneo

Dymascus Pascoe, 1865b:155 (type species: *Dymascus porosus* Pascoe, 1865b, by monotypy)

porosus Pascoe, 1865b:156 [*Dymascus*]

Borneo, W. Malaysia

Ebaeides Pascoe, 1864c:51 (type species: *Ebaeides exigua* Pascoe, 1864c, by subsequent designation of J. Thomson, 1865a)

Argodia Belon, 1891:liv (type species: *Argodia grouvellei* Belon, 1891, by monotypy)

borneensis Fisher, 1925a:225 [*Ebaeides*]

Borneo

LONGHORNED BEETLES OF BORNEO

fulva Fisher, 1925a:226 [<i>Ebaeides</i>]	Borneo
monstrosa Pascoe, 1864c:52 [<i>Ebaeides</i>]	Borneo
palliatata Pascoe, 1864c:53 [<i>Ebaeides</i>]	Borneo
rufula Pascoe, 1864c:52 [<i>Ebaeides</i>]	Borneo
Ectatosia Pascoe, 1857:109 (type species: <i>Ectatosia moorei</i> Pascoe, 1857, by monotypy)	
maculosa Fisher, 1935c:614 [<i>Ectatosia</i>]	Borneo
moorei Pascoe, 1857:109 [<i>Ectatosia</i>]	Borneo; Sumatra; Java
Epilysta Pascoe, 1865b:148 (type species: <i>Epilysta mucida</i> Pascoe, 1865b, by monotypy)	
mucida Pascoe, 1865b:149 [<i>Epilysta</i>]	Borneo
Epilstoides Breuning, 1939b:244 (type species: <i>Epilstoides bispinosus</i> Breuning, 1939b, by original designation)	
bispinosus Breuning, 1939b:244 [<i>Epilstoides</i>]	Borneo, Philippines
Eremosybra Breuning, 1942c:153 (type species: <i>Eremosybra flavolineata</i> Breuning, 1942c, by original designation)	
albosignata Breuning, 1960j:479 [<i>Eremosybra</i>]	Borneo
flavolineata Breuning, 1942c:153 [<i>Eremosybra</i>]	Borneo
Euryzeargyreia Breuning, 1957c:115 (type species: <i>Euryzeargyreia fuscostictica</i> Breuning, 1957c, by original designation)	
fuscostictica Breuning, 1957c:115 [<i>Euryzeargyreia</i>]	Borneo
Microplozia Heller, 1924b:208 (type species: <i>Microplozia puncticollis</i> Heller, 1924b, by monotypy)	
borneensis Breuning, 1956a:247 [<i>Microplozia</i>]	Borneo
Mimoropica Breuning & de Jong, 1941:101 (type species: <i>Mimoropica biplagiata</i> Breuning & de Jong, 1941, by original designation)	
biplagiata Breuning & de Jong, 1941:102 [<i>Mimoropica</i>]	Borneo; W. Malaysia
fascicollis (Breuning, 1940b:149) [<i>Mimoropica</i>]	Borneo
spinipennis Breuning, 1942c:137 [<i>Mimoropica</i>]	Borneo
Mimosybra Breuning, 1939b:278 type species: <i>Atelais surigaonis</i> Heller, 1924b, by original designation)	
mediomaculata Breuning, 1939b:279 [<i>Mimosybra</i>]	Borneo; W. Malaysia
Neosybra Breuning, 1939b:276 (type species: <i>Neosybra ropicoides</i> Breuning, 1939b, by original designation)	
fuscosignata Breuning, 1940b:164 [<i>Neosybra</i>]	Borneo
strandi Breuning, 1939b:278 [<i>Neosybra</i>]	Borneo
Niphoropica Breuning, 1947d:50 (type species: <i>Niphoropica albipennis</i> Breuning, 1947d, by original designation)	
albipennis Breuning, 1947d:50 [<i>Niphoropica</i>]	Borneo
Parathyilia Breuning, 1958e:32 (type species: <i>Parathyilia diversicornis</i> Breuning, 1958e, by original designation)	
diversicornis Breuning, 1958e:33 [<i>Parathyilia</i>]	Borneo
Parepilysta Breuning, 1939b:243 (type species: <i>Parepilysta strandi</i> Breuning, 1939b, by subsequent designation of Breuning, 1964i) {Note 67}	
Spinepilysta Breuning, 1947d:46 (type species: <i>Parepilysta mindoroensis</i> Breuning, 1947d, by monotypy)	
Fasciatepilysta Breuning, 1964i:91 (type species: <i>Plocia subfasciata</i> Schwarzer, 1931a, by original designation)	
Granosepilysta Breuning, 1964i:92 (type species: <i>Atelais basigranosus</i> Schwarzer, 1931a, by original designation)	
Striatepilysta Breuning, 1949b:10 (type species: <i>Parepilysta striatipennis</i> Breuning, 1949b, by original designation)	
Parepilysta (Spinepilysta) Breuning, 1947d	
borneana Breuning, 1961c:152 [<i>Parepilysta</i>]	Borneo
Pariproca Breuning, 1968k:702 (type species: <i>Pariproca spinipennis</i> Breuning, 1968k, by original designation)	
spinipennis Breuning, 1968k:702 [<i>Pariproca</i>]	Borneo
Poromecyna Aurivillius, 1911b:27 (type species: <i>Poromecyna foveolata</i> Aurivillius, 1911b, by monotypy)	
foveolata Aurivillius, 1911b:27 [<i>Poromecyna</i>]	Borneo, W. Malaysia

LONGHORNED BEETLES OF BORNEO

Pseudepilysta Hüdepohl, 1996:2 (type species: *Pseudepilysta loebli* Hüdepohl, 1996, by original designation)
loebli Hüdepohl, 1996:2 [*Pseudepilysta*]
 Borneo

Ropica Pascoe, 1858a: (type species: *Ropica piperata* Pascoe, 1858a, by subsequent designation of Gressitt, 1951a)

<i>albotecta</i> Breuning, 1961k:332 [<i>Ropica</i>]	Borneo
<i>angusticollis</i> Pascoe, 1865b:189 [<i>Ropica</i>]	Borneo
<i>boreotica</i> Breuning, 1939b:222 [<i>Ropica</i>]	Borneo
<i>honesta</i> Pascoe, 1865b:190 [<i>Ropica</i>]	Borneo; Sumatra; Java; New Guinea; Philippines; SE Asia; Taiwan; China
<i>burketi</i> Gressitt, 1937d:609 [<i>Ropica</i>]	
<i>langana</i> Pic, 1945c:3 [<i>Ropica</i>]	
<i>dorsalis</i> Schwarzer, 1925c:145 [<i>Ropica</i>]	
<i>rufescens</i> Pic, 1926b:5 [<i>Ropica</i>]	
<i>illiterata</i> Pascoe, 1865b:195 [<i>Ropica</i>]	Borneo; Sumatra
marmorata sarawakiana Hayashi, 1976a:32 [<i>Ropica</i>]	Borneo
<i>nigrovittata</i> Breuning, 1940e:426 [<i>Ropica</i>]	Borneo
<i>ochreomaculata</i> Breuning, 1969i:656 [<i>Ropica</i>]	Borneo
<i>paruniformis</i> Breuning, 1969l:104 [<i>Ropica</i>] (replacement name for <i>Ropica uniformis</i> Breuning, 1968) Borneo <i>uniformis</i> Breuning, 1968k:701 [<i>Ropica</i>] (pre-occupied by <i>Ropica uniformis</i> Breuning, 1948)	Borneo
<i>piperata</i> Pascoe, 1858a:248 [<i>Ropica</i>]	Borneo; W. Malaysia
<i>posticalis</i> Pascoe, 1858a:248 [<i>Ropica</i>]	
<i>sparsepunctata</i> Breuning, 1940e:426 [<i>Ropica</i>]	Borneo
<i>vinacea</i> Pascoe, 1865b:194 [<i>Ropica</i>]	Borneo; Sumatra; W. Malaysia

Rucentra Schwarzer, 1931b:198 (type species: *Rucentra dammermani* Schwarzer, 1931b, by original designation)
smetanai Hüdepohl, 1992c:179 [*Rucentra*]
 Borneo

Sybra Pascoe, 1865b:198 (type species: *Ropica stigmatica* Pascoe, 1859b, by subsequent designation of Breuning, 1964i)
Sybrinura Gahan, 1907:88 (type species: *Sybrinura biapicata* Gahan, 1907, by monotypy)
Cylindroplocia Heller, 1924b:205 (type species: *Cylindroplocia pseudonotyle* Heller, 1924b)
Lamprosybra Aurivillius, 1928c:144 (type species: *Lamprosybra sulcata* Aurivillius, 1928c, by monotypy)
Pilosybra Breuning, 1942c:151 (type species: *Sybra pallens* Breuning, 1942c, by original designation)
Fasciculosybra Breuning, 1942c:151 (type species: *Sybra fasciculata* Breuning, 1942c, by original designation)
Ropicomorpha Pic, 1944b:8 (type species: *Ropica minutula* Pic, 1927d, by original designation)
Cristosybra Breuning, 1950d:268 (type species: *Sybra cristipennis* Breuning, 1950d, by original designation)
Paroopsis Dillon & Dillon, 1952:67 (type species: *Paroopsis eumilis* Dillon & Dillon, 1952, by original designation)
Microopsis Dillon & Dillon, 1952:81 (type species: *Microopsis dimidiatus* Dillon & Dillon, 1952, by original designation)
Gracisybra Dillon & Dillon, 1952:97 (type species: *Gracisybra flava* Dillon & Dillon, 1952, by original designation)
Sybrodiboma Breuning, 1953a:16 (type species: *Sybra subfasciata* Bates, 1884a, by original designation)
Microzotale Hayashi, 1956:17 (type species: *Microzotale uenoi* Hayashi, 1956, by original designation)
Kirishimoopsis Hayashi, 1958:48 (type species: *Kirishimoopsis sakamotoi* Hayashi, 1958, by original designation)
Paratelaist Breuning, 1964i:306 (type species: *Sybra putrida* Pascoe, 1865b, by original designation)
Pseudatelaist Breuning, 1968h:11 (type species: *Sybra longicollis* Breuning, 1968h, by original designation)

Sybra (Sybra) Pascoe

<i>Sybrinura</i> Gahan, 1907	
<i>Cylindroplocia</i> Heller, 1924b	
<i>Lamprosybra</i> Aurivillius, 1928c	
<i>Ropicomorpha</i> Pic, 1944b	
<i>Microopsis</i> Dillon & Dillon, 1952	
<i>Paroopsis</i> Dillon & Dillon, 1952	
<i>Gracisybra</i> Dillon & Dillon, 1952	
<i>bifuscoplagiata</i> Breuning, 1940e:428 [<i>Sybra</i>]	Borneo {Note 5}; Java
<i>binotata</i> Gahan, 1907:88 [<i>Sybra</i>]	Borneo; Sumatra; Philippines
<i>philippinum</i> Aurivillius, 1928a:26 [<i>Oopsis</i>]	
<i>nigrofasciata</i> Aurivillius, 1928a:18 [<i>Sybra</i>]	
<i>palawanica</i> Aurivillius, 1928a:26 [<i>Oopsis</i>]	
<i>truncatipennis</i> Breuning, 1950d:268 [<i>Sybra</i>] {Note 1}	
<i>boreotica</i> Breuning, 1939b:256 [<i>Sybra</i>]	Borneo
<i>cretifera</i> Pascoe, 1865b:205 [<i>Sybra</i>]	Borneo
<i>elongatissima</i> Breuning, 1939:277 [<i>Sybra</i>]	Borneo {Note 5}; W. Malaysia

LONGHORNED BEETLES OF BORNEO

fervida Pascoe, 1865b:202 [<i>Sybra</i>]	Borneo
geminatoides Breuning, 1940e:429 [<i>Sybra</i>]	Borneo
incana (Pascoe, 1859b:50) [<i>Ropica</i>]	Borneo {Note 65}, Moluccas, New Guinea, "Sunda Islands"
javana Breuning, 1939b:267 [<i>Sybra</i>]	Borneo {Note 5}; Java
laetula Breuning, 1939b:256 [<i>Sybra</i>]	Borneo
laterivitta Breuning, 1940e:428 [<i>Sybra</i>]	Borneo
lineolata Breuning, 1942c:148 [<i>Sybra</i>]	Borneo
minutior Breuning, 1939b:264 [<i>Sybra</i>]	Borneo {Note 5}; W. Malaysia
multicoloripennis Breuning, 1971e:46 [<i>Sybra</i>] (replacement name for <i>Sybra tricoloripennis</i> Breuning, 1969)	Borneo
<i>tricoloripennis</i> Breuning, 1969i:657 [<i>Sybra</i>] (pre-occupied by <i>Sybra tricoloripennis</i> Breuning, 1961)	
nigrovittata Breuning, 1939b:256 [<i>Sybra</i>]	Borneo
nigromarmorata Breuning, 1939b:255 [<i>Sybra</i>]	Borneo
odiosa Pascoe, 1865b:218 [<i>Sybra</i>]	Borneo
pallata Pascoe, 1865b:212 [<i>Sybra</i>]	Borneo
pluriguttata Breuning, 1942c:150 [<i>Sybra</i>]	Borneo
propinqua Breuning, 1939b:265 [<i>Sybra</i>]	Borneo {Note 5}; W. Malaysia
proximata Breuning, 1942c:149 [<i>Sybra</i>]	Borneo
pseudalternans Breuning, 1939b:256 [<i>Sybra</i>] <i>binigromaculipennis</i> Breuning, 1968k:703 [<i>Sybra</i>] {Note 1}	Borneo; Sulawesi
pulla Breuning, 1939b:255 [<i>Sybra</i>]	Borneo; Philippines
quinquevittata Breuning, 1942c:149 [<i>Sybra</i>]	Borneo; W. Malaysia
rouyeri Pic, 1938:12 [<i>Sybra</i>]	Borneo; Java
sarawakensis Breuning, 1939b:257 [<i>Sybra</i>]	Borneo
umbratica umbratica Pascoe, 1865b:203 [<i>Sybra</i>]	Borneo; Maluku
uniformipennis Breuning, 1966n:242 [<i>Sybra</i>]	Borneo
variefasciata Breuning, 1973d:41 [<i>Sybra</i>]	Borneo
Xylosybra Breuning, 1939b:280 (type species: <i>Xylosybra fasciculosa</i> Breuning, 1939b, by original designation)	
fasciculosa Breuning, 1939b:281 [<i>Xylosybra</i>]	Borneo
Zeargyrodes Fisher, 1925a:223 (type species: <i>Zeargyrodes fasciatus</i> Fisher, 1925a, by original designation)	
fasciatus Fisher, 1925a:224 [<i>Zeargyrodes</i>]	Borneo
Zorilispe Pascoe, 1865b:156 (type species: <i>Zorilispe fulvisparsa</i> Pascoe, 1865b, by subsequent designation of Breuning, 1964i)	
fulvisparsa Pascoe, 1865b:157 [<i>Zorilispe</i>]	Borneo
seriepunctata Breuning, 1939b:237 [<i>Zorilispe</i>]	Borneo; W. Malaysia; Laos

Tribe Eunidiini Teocchi, Sudre, & Jiroux, 2010:13

Eunidia Erichson, 1843:261 (type species: <i>Eunidia nebulosa</i> Erichson, 1843, by monotypy)	
<i>Frixus</i> J. Thompson, 1857u:313 (type species: <i>Frixus variegata</i> J. Thomson, 1857u, by monotypy)	
<i>Friscus</i> (subsequent incorrect spelling)	
<i>Anomoesia</i> Pascoe, 1858a:255 (type species: <i>Anomoesia fulvida</i> Pascoe, 1858a, by monotypy)	
<i>Syessita</i> Pascoe, 1864d:284 (type species: <i>Syessita vestigialis</i> Pascoe, 1864d, by subsequent designation of Gressitt, 1951a)	
<i>Tritomicrus</i> Fairmaire, 1892b:125 (type species: <i>Tritomicrus marmoreus</i> Fairmaire, 1892b, by monotypy)	
<i>Paphraecia</i> Fairmaire, 1894b:332 (type species: <i>Paphraecia obliquepicta</i> Fairmaire, 1894b, by monotypy)	
<i>Semiclinia</i> Fairmaire, 1898b:254 (type species: <i>Semiclinia denseguttata</i> Fairmaire, 1898b, by monotypy)	
<i>Mycerinella</i> Heller, 1924b:203 (type species: <i>Mycerinella subbifasciata</i> Heller, 1924b, by monotypy)	
<i>Boucardia</i> Pic, 1925b:31 (type species: <i>Boucardia nigroapicalis</i> Pic, 1925b, by monotypy)	
<i>Aserixia</i> Pic, 1925b:31 (type species: <i>Aserixia savioi</i> Pic, 1925b, by monotypy)	
lateraloides Breuning, 1963a:82 [<i>Eunidia</i>]	Borneo {Note 5}; W. Malaysia
nigroapicalis (Pic, 1925b:31) [<i>Boucardia</i>]	Borneo {Note 5}; Sumatra

Tribe Agapanthiini Mulsant, 1839:172

Aegoprepes Pascoe, 1871:277 (type species: <i>Aegoprepes antennator</i> Pascoe, 1871, by monotypy)	
antennator Pascoe, 1871:278 [<i>Aegoprepes</i>]	Borneo; W. Malaysia
Aliboron J. Thomson, 1864:98 (type species: <i>Aliboron antennatum</i> J. Thomson, 1864, by original designation)	
antennatum J. Thomson, 1864:98 [<i>Aliboron</i>]	Borneo; W. Malaysia
granulatum Breuning, 1966o:49 [<i>Aliboron</i>]	Borneo
Anandra J. Thomson, 1864:96 (type species: <i>Anandra capriciosa</i> J. Thomson, 1864, by original designation)	

LONGHORNED BEETLES OF BORNEO

capriciosa J. Thomson, 1864:96 [<i>Anandra</i>] <i>niveoplagiata</i> Aurivillius, 1916b:21 [<i>Anandra</i>]	Borneo; W. Malaysia
strandi Breuning, 1940b:203 [<i>Anandra</i>]	Borneo
Cleptometopus J. Thomson, 1864:95 (type species: <i>Cleptometopus terrestris</i> J. Thomson, 1864, by original designation)	
<i>Apophrena</i> Pascoe, 1866b:324 (type species: <i>Apophrena filifera</i> Pascoe, 1866b, by subsequent designation of Nakamura, Makihara & Saito, 1992)	
<i>Smermus</i> Lacordaire, 1872:696 (type species: <i>Smermus mniszechi</i> Lacordaire, 1872, by monotypy)	
<i>Acroama</i> Jordan, 1894c:501 (type species: <i>Acroama armata</i> Jordan, 1894c, by monotypy)	
<i>Anopophrena</i> Pic, 1925a:28 (type species: <i>Anopophrena luteonotata</i> Pic, 1925a, by monotypy)	
<i>Mimocleptometopus</i> Pic, 1934a:36 (type species: <i>Mimocleptometopus undulatus</i> Pic, 1934a, by monotypy)	
<i>Metopoplectus</i> Gressitt, 1936:104 (type species: <i>Metopoplectus taiwanensis</i> Gressitt, 1936, by original designation)	
<i>Itohigea</i> Matsushita, 1938:102 (type species: <i>Itohigea bimaculata</i> Matsushita, 1938, by original designation)	
angustrifrons Breuning, 1940b:205 [<i>Cleptometopus</i>]	Borneo
armatus (Jordan, 1894c:501) [<i>Acroama</i>]	Borneo
basifossulatus Breuning, 1940e:437 [<i>Cleptometopus</i>]	Borneo
filiferus (Pascoe, 1866b:324) [<i>Apophrena</i>]	Borneo
grossepunctatus Breuning, 1940e:436 [<i>Cleptometopus</i>]	Borneo
terrestris J. Thomson, 1864:96 [<i>Cleptometopus</i>]	Borneo; Sumatra; Java; W. Malaysia
truncatus Aurivillius, 1925b:3 [<i>Cleptometopus</i>]	
Ectinogramma J. Thomson, 1864:96 (type species: <i>Ectinogramma isosceloides</i> J. Thomson, 1864, by original designation)	
isosceloides J. Thomson, 1864:96 [<i>Ectinogramma</i>]	Borneo; W. Malaysia
<i>collare</i> Pascoe, 1866a:266 [<i>Ectinogramma</i>]	
Hyllisia Pascoe, 1864d:285 (type species: <i>Hyllisia stenideoides</i> Pascoe, 1864d, by monotypy)	
<i>Falsonandra</i> Pic, 1924b:17 (type species: <i>Falsonandra albocincta</i> Pic, 1924b, by monotypy)	
sumatrana Breuning, 1940b:199 [<i>Hyllisia</i>]	Borneo {Note 5}; Sumatra
Paranandra Breuning, 1940b:190 (type species: <i>Paranandra andamanensis</i> Breuning, 1940b, by original designation)	
vittula (Schwarzer, 1931b:209) [<i>Phelipara</i>]	Borneo; Sumatra
Phelipara Pascoe, 1866b:322 (type species: <i>Phelipara marmorata</i> Pascoe, 1866b, by monotypy)	
<i>Oncideropsis</i> Aurivillius, 1922d:165 (type species: <i>Oncideropsis nebulosa</i> Aurivillius, 1922d, by monotypy)	
<i>Falsophyne</i> Pic, 1932b:24 (type species: <i>Falsophyne pilosa</i> Pic, 1932b, by monotypy)	
<i>Diaxenopsis</i> Breuning, 1939b:202 (type species: <i>Diaxenopsis apomecynoides</i> Breuning, 1939b, by original designation)	
<i>Paraphelipara</i> Breuning, 1940b:204 (type species: <i>Paraphelipara indica</i> Breuning, 1940b, by original designation)	
<i>Balteophelipara</i> Breuning, 1966o:69 (type species: <i>Phelipara balteata</i> Aurivillius, 1913d, by original designation)	
Phelipara (Phelipara) Pascoe, 1866b	
<i>Oncideropsis</i> Aurivillius, 1922d	
<i>Falsophyne</i> Pic, 1932b	
<i>Diaxenopsis</i> Breuning, 1939b	
<i>Paraphelipara</i> Breuning, 1940b	
confusa Schwarzer, 1931b:209 [<i>Phelipara</i>]	Borneo
lineata (Schwarzer, 1930a:106) [<i>Anandra</i>]	Borneo
marmorata Pascoe, 1866b:322 [<i>Phelipara</i>]	Borneo; Nias I.
sabahensis Hüdepohl, 1995:286 [<i>Phelipara</i>]	Borneo
Phelipara (Balteophelipara) Breuning, 1966o	
balteata Aurivillius, 1913d:28 [<i>Phelipara</i>]	Borneo
Pothyne J. Thomson, 1864:97 (type species: <i>Pothyne variegata</i> J. Thomson, 1864, by original designation)	
<i>Neopothyne</i> Matsushita, 1931a:46 (type species: <i>Neopothyne variegata</i> Matsushita, 1931a, by monotypy)	
borneotica Breuning, 1940e:433 [<i>Pothyne</i>]	Borneo
kualabokensis Hayashi, 1976a:30 [<i>Pothyne</i>]	Borneo
mamutensis Hayashi, 1975:191 [<i>Pothyne</i>]	Borneo
sabahensis Hayashi, 1975:192 [<i>Pothyne</i>]	Borneo
variegata J. Thomson, 1864:97 [<i>Pothyne</i>]	Borneo {Note 5}; Sumatra; Taiwan; SE Asia
<i>niveosparsa</i> Pic, 1908d:16 [<i>Pothyne</i>]	
<i>variegata</i> Matsushita, 1931a:46 [<i>Neopothyne</i>] (pre-occupied by <i>Pothyne variegata</i> J. Thomson, 1864)	

LONGHORNED BEETLES OF BORNEO

Tetraglenes Newman, 1842d:300 (type species: *Tetraglenes insignis* Newman, 1842d, by monotypy)
fusiformis Pascoe, 1866b:326 [*Tetraglenes*] Borneo

Trichopothyne Breuning, 1942c:168 (type species: *Trichopothyne strandiella* Breuning, 1942c, by original designation)
strandiella Breuning, 1942c:168 [*Trichopothyne*] Borneo

Tribe **Xenoleini** Lacordaire, 1872:460

Hirtaeschopalaea Pic, 1925a:22 (type species: *Hirtaeschopalaea albolineata* Pic, 1925a, by monotypy)
Hirteschopalaea [subsequent incorrect spelling]
Jezohammus Matsushita, 1933a:347 (type species: *Jezohammus nubilus* Matsushita, 1933a, by original designation)
Yezohammus [subsequent incorrect spelling]
albolineata Pic, 1925a:22 [*Hirtaeschopalaea*] Borneo; Laos; Vietnam; India
borneensis Breuning, 1963a:78 [*Hirteschopalaea*] Borneo

Xenolea J. Thomson, 1864:91 (type species: *Xenolea collaris* J. Thomson, 1864, by original designation)
Aeschopalaea Pascoe, 1864c:24 (type species: *Aeschopalaea agraria* Pascoe, 1864c [= *Xenolea collaris* J. Thomson, 1864], by subsequent designation of J. Thomson, 1865a)
collaris collaris J. Thomson, 1864:91 [*Xenolea*] Borneo; Sulawesi; Maluku; New Guinea; Taiwan; Philippines
agraria Pascoe, 1864c:24 [*Aeschopalaea*]
agrisella Pascoe, 1864c:25 [*Aeschopalaea*]
laticollis Pascoe, 1864c:25 [*Aeschopalaea*]
tomentosa (Pascoe, 1864c:25) [*Aeschopalaea*] Borneo; Sumatra; W. Malaysia; Andaman Is.

Tribe **Ceroplesini** J. Thomson, 1860:71

Subtribe **Ceroplesina** J. Thomson, 1860:71

Moechotypa J. Thomson, 1864:55 (type species: *Moechotypa arida* J. Thomson, 1864, by original designation)
Scotinauges Pascoe, 1871:277 (type species: *Scotinauges diphysis* Pascoe, 1871, by monotypy)
Tylophorus Blessig, 1873:213 (type species: *Tylophorus wulffius* Blessig, 1873, by monotypy)
Thylophorus Blessig, 1873:215 (*lapsus calami*)
marmorea Pascoe, 1864c:85 [*Moechotypa*] Borneo
thoracica (White, 1858a:266) [*Nyphona*] Borneo; Sumatra; Java; SE Asia

Thysia J. Thomson, 1860:96 (type species: *Lamia wallichii* Hope, 1831, by original designation)
Thysiotes J. Thomson, 1868f:201 (unnecessary replacement name for *Thysia* J. Thomson, 1860) (type species: *Lamia wallichii* Hope, 1831, automatic designation)
wallichii tricincta (Duncan, 1835:254) [*Lamia*] Borneo; Sumatra; Java; W. Malaysia
trivittata Gistel, 1850:624 [*Lamia*]
insularis Fisher, 1935c:596 [*Diastocera*]

Tribe **Nyctimeniini** Gressitt, 1951a:629

Nyctimenius Gressitt, 1951a:629 (type species: *Nyctimene agriloides* J. Thomson, 1857u [= *Saperda varicornis* Fabricius, 1801], automatic designation) (replacement name for *Nyctimene* J. Thomson, 1857u)
Nyctimene J. Thomson, 1857u:314 (type species: *Nyctimene agriloides* J. Thomson, 1857u, [= *Saperda varicornis* Fabricius, 1801] by monotypy) (pre-occupied by *Nyctimene* Borkenhausen, 1797, Pteropodidae)
ochraceovittata *ochraceovittata* (Aurivillius, 1922b:19) [*Nyctimene*] Borneo; Mindanao
intermedia Aurivillius, 1924a:32 [*Nyctimene*]
extrema Aurivillius, 1924a:32 [*Nyctimene*]
griseolineata Breuning, 1970c:80 [*Nyctimenius*] {Note 1}
subsericea (Pascoe, 1866b:331) [*Nyctimene*] Borneo; Sulawesi
varicornis (Fabricius, 1801:325) [*Saperda*] Borneo; Sumatra; W. Malaysia
agriloides J. Thomson, 1857u:314 [*Nyctimene*]

Tribe **Hyborhabdini** Aurivillius, 1911b:22

LONGHORNED BEETLES OF BORNEO

Hyborhabdus Aurivillius, 1911b:22 (type species: *Hyborhabdus singularis* Aurivillius, 1911b, by monotypy)
singularis Aurivillius, 1911b:22 [*Hyborhabdus*] Borneo

Tribe **Pteropliini** J. Thomson, 1860:73

Abryna Newman, 1842c:289 (type species: *Abryna coenosa* Newman, 1842c, by subsequent designation of J. Thomson, 1864)

regispetri Paiva, 1860:5 [*Abryna*] Borneo; W. Malaysia; Laos; Myanmar
rubeta Pascoe, 1864c:84 [*Abryna*] Borneo

Acanthetaxalus Breuning, 1961e:133 (type species: *Acanthetaxalus bostrychoides* Breuning, 1961e, by original designation)

bostrychoides Breuning, 1961e:133 [*Acanthetaxalus*] Borneo

Callimetopus Blanchard, 1853:303 (type species: *Callimetopus pantherinus* Blanchard, 1853, by monotypy)
paracasta Breuning, 1965e:84 [*Callimetopus*] Borneo

Cenodocus J. Thomson, 1864:47 (type species: *Cenodocus antennatus* J. Thomson, 1864, by original designation)

antennatus J. Thomson, 1864:48 [*Cenodocus*] Borneo; Sumatra; Java; W. Malaysia
adustus Pascoe, 1865b:142 [*Cenodocus*] Borneo

borneensis Gilmour & Breuning, 1963:124 [*Cenodocus*] Borneo

granulosus Pascoe, 1866a:238 [*Cenodocus*] Borneo; W. Malaysia

Cyardium Pascoe, 1866a:239 (type species: *Cyardium cribrosum* Pascoe, 1866a, by monotypy)

Nicomia J. Thomson, 1864:49 (type species: *Nicomia castelnauii* J. Thomson, 1864, by original designation) (pre-occupied by *Nicomia* Stål, 1858, Hemiptera)

Ixais Pascoe, 1866a:239 (type species: *Ixais episomoides* Pascoe, 1866a, by monotypy)

cribrosum Pascoe, 1866a:240 [*Cyardium*] Borneo; Sumatra; W. Malaysia

obscurum Aurivillius, 1925a:495 [*Cyardium*] Borneo; Sumatra

variegatum Aurivillius, 1913d:26 [*Cyardium*] Borneo

Daxata Pascoe, 1864c:88 (type species: *Daxata camelus* Pascoe, 1864c, by monotypy)

Laodaxata Breuning, 1950r:532 (type species: *Daxata laosensis* Breuning, 1950r, by original designation)
Taxada Breuning, 1961a:544 (type species: *Daxata confusa* Pascoe, 1869c, by original designation)

Daxata (Daxata) Pascoe, 1864c

camelus Pascoe, 1864c:88 [*Daxata*] Borneo

Daxata (Taxada) Breuning, 1961a

confusa Pascoe, 1869c:206 [*Daxata*] Borneo {Note 5}; Java; W. Malaysia
ustulata Pascoe, 1866a:230 [*Daxata*] Borneo; Sumatra; W. Malaysia; Thailand

Demodiooides Breuning, 1947d:17 (type species: *Demodiooides transversevittata* Breuning, 1947d, by original designation)

transversevittata Breuning, 1947d:18 [*Demodiooides*] Borneo

Desisa Pascoe, 1865b:163 (type species: *Praonetha subfasciata* Pascoe, 1862a, by original designation)

Cylindrostyrax Aurivillius, 1911b:26 (type species: *Cylindrostyrax apomecynoides* Aurivillius, 1911b, by monotypy)

Mesopenthea Schwarzer, 1925b:67 (type species: *Mesopenthea variabilis* Schwarzer, 1925b, by monotypy)
Mesodesisa Breuning, 1974g:164 (type species: *Mesosa reseolata* Breuning, 1974g, by original designation)

Desisa (Desisa) Pascoe, 1865b

Mesopenthea Schwarzer, 1925b
luzonica Breuning, 1938c:372 [*Desisa*] Borneo; Philippines; Thailand
malaccensis Breuning, 1938c:373 [*Desisa*] Borneo {Note 5}; W. Malaysia

Desisa (Cylindrostyrax) Aurivillius, 1911b

lunulata (Pascoe, 1885:52) [*Sthenias*] Borneo
apomecynoides (Aurivillius, 1911b:26) [*Cylindrostyrax*] {Note 14}

Desisa (Mesodesisa) Breuning, 1974g

reseolata Breuning, 1974g:164 [*Desisa*] {Note 28} Borneo

LONGHORNED BEETLES OF BORNEO

Dystasia Pascoe, 1864c:89 (type species: <i>Dystasia semicana</i> Pascoe, 1864c, by subsequent designation of J. Thomson, 1865a)	
<i>Spiniscapus</i> Aurivillius, 1928a:14 (type species: <i>Spiniscapus semigriseus</i> Aurivillius, 1928a, by monotypy)	
<i>Mimospiniscapus</i> Pic, 1930a:17 (type species: <i>Mimospiniscapus tonkineus</i> Pic, 1930a, by monotypy)	
<i>circulata</i> Pascoe, 1864c:89 [<i>Dystasia</i>]	Borneo; W. Malaysia
<i>nubila</i> Pascoe, 1886:245 [<i>Dystasia</i>]	Borneo; Sumatra
<i>proxima</i> Breuning, 1938c:377 [<i>Dystasia</i>]	Borneo
<i>sibuyana</i> Aurivillius, 1928a:15 [<i>Spiniscapus</i>]	Borneo; W. Malaysia; Philippines: Sibuyan
<i>curvipes</i> Breuning, 1938c:377 [<i>Dystasia</i>]	
<i>subuniformis</i> Breuning, 1938c:376 [<i>Dystasia</i>]	Borneo
<i>valida</i> Breuning, 1937b:57 [<i>Dystasia</i>]	Borneo
Egesina Pascoe, 1864c:49 (type species: <i>Egesina rigida</i> Pascoe, 1864c, by monotypy)	
<i>Cuphisia</i> Pascoe, 1866a:229 (type species: <i>Cuphisia callosa</i> Pascoe, 1866a, by monotypy)	
<i>Callienispia</i> Fisher, 1925a:210 (type species: <i>Callienispia elegans</i> Fisher, 1925a, by original designation)	
<i>Platyzeargyra</i> Fisher, 1925a:213 (type species: <i>Platyzeargyra bakeri</i> Fisher, 1925a, by original designation)	
<i>Neoegesina</i> Fisher, 1925a:215 (type species: <i>Neoegesina ornata</i> Fisher, 1925a, by original designation)	
<i>Nijimai</i> Matsushita, 1933a:386 (type species: <i>Nijimai bifasciana</i> Matsushita, 1933a, by original designation)	
<i>Baeckmanella</i> Shabliovsky, 1936:186 (type species: <i>Baeckmanella iljinskyi</i> Shabliovsky, 1936, [= <i>Nijimai bifasciana</i> Matsushita, 1933a], by monotypy)	
<i>Pseudenispia</i> Breuning, 1938c:388 (unavailable) {Note 63}	
<i>Callegesina</i> Breuning, 1943c:34 (type species: <i>Egesina vitticollis</i> Breuning, 1943c, by original designation)	
Egesina (Egesina) Pascoe, 1864c	
<i>Platyzeargyra</i> Fisher, 1925a	
<i>Neoegesina</i> Fisher, 1925a	
<i>albolineata</i> Breuning, 1942g:132 [<i>Egesina</i>]	Borneo {Note 5}; W. Malaysia
<i>albomaculata</i> (Fisher, 1925a:220) [<i>Neoegesina</i>]	Borneo; Sumatra; Java
<i>bakeri</i> (Fisher, 1925a:214) [<i>Platyzeargyrea</i>]	Borneo
<i>fusca</i> (Fisher, 1925a:219) [<i>Neoegesina</i>]	Borneo; Sumatra; Java
<i>ornata</i> (Fisher, 1925a:216) [<i>Neoegesina</i>]	Borneo; W. Malaysia
<i>postvittata</i> Breuning, 1940b:146 [<i>Egesina</i>]	Borneo
<i>varia</i> (Fisher, 1925a:217) [<i>Neoegesina</i>]	Borneo
Egesina (Callegesina) Breuning, 1943c	
<i>sarawakensis</i> Breuning, 1943c:34 [<i>Egesina</i>]	Borneo
Egesina (Callienispia) Fisher, 1925a	
<i>mystica</i> Breuning, 1938c:389 [<i>Egesina</i>]	Borneo
<i>pascoei</i> Breuning, 1961b:284 [<i>Egesina</i>] (replacement name for <i>Egesina cleroides</i> Breuning, 1938c) Borneo	
<i>cleroides</i> Breuning, 1938c:388 [<i>Egesina</i>] (pre-occupied by <i>Enispia cleroides</i> Gahan, 1890a)	
Egesina (Cuphisia) Pascoe, 1866a	
<i>mjobergi</i> Breuning, 1950d:266 [<i>Egesina</i>]	Borneo
Egesina (Nijimai) Matsushita, 1933a	
<i>Baeckmanella</i> Shabliovsky, 1936	
<i>picta</i> Breuning, 1940e:425 [<i>Egesina</i>]	Borneo
Etaxalus Pascoe, 1865b:153 (type species: <i>Etaxalus iliacus</i> Pascoe, 1865a, by monotypy)	
<i>iliacus</i> Pascoe, 1865b:153 [<i>Etaxalus</i>]	Borneo; Java
Exarrhenodes Breuning, 1938c:234 (type species: <i>Exarrhenodes flavosticticus</i> Breuning, 1938c, by original designation)	
<i>flavosticticus</i> Breuning, 1938c:235 [<i>Exarrhenodes</i>]	Borneo
Grammoechus J. Thomson, 1864:59 (type species: <i>Grammoechus polygrammus</i> J. Thomson, 1864, by original designation)	
<i>Atossa</i> J. Thomson, 1864:100 (type species: <i>Atossa strenua</i> J. Thomson, 1864, by original designation)	
<i>Paratossa</i> Breuning, 1935g:272 (type species: <i>Grammoechus ligatus</i> Pascoe, 1888, by original designation)	
Grammoechus (Grammoechus) J. Thomson, 1864	
<i>Atossa</i> J. Thomson, 1864	
<i>bipartitus</i> Ritsema, 1890b:250 [<i>Atossa</i>]	Borneo; Java
<i>vittatus</i> Fisher, 1936a:185 [<i>Atossa</i>]	
<i>javanicus</i> Breuning, 1938c:238 [<i>Grammoechus</i>]	Borneo {Note 5}; Java
<i>leucosticticus</i> (Breuning, 1936b:312) [<i>Atossa</i>]	Borneo
<i>polygrammus polygrammus</i> J. Thomson, 1864:60 [<i>Grammoechus</i>]	Borneo; Sumatra; Java; W. Malaysia

LONGHORNED BEETLES OF BORNEO

univittatus Breuning, 1961a:538 [*Grammoechus*] {Note 1}
fulvus Breuning, 1962g:419 [*Grammoechus*] {Note 1}

Grammoechus (Paratossa) Breuning, 1935g	
albosparsus Breuning, 1947d:32 [<i>Grammoechus</i>]	Borneo
ligatus Pascoe, 1888:503 [<i>Grammoechus</i>]	Borneo; Sumatra
<i>cordiger</i> Ritsema, 1890a:137 [<i>Phemone</i>]	
<i>subspecularis</i> Heller, 1923b:41 [<i>Atossa</i>]	
triangulifer (Ritsema, 1908:261) [<i>Phemone</i>]	Borneo
Metagnoma Aurivillius, 1925a:493 (type species: <i>Metagnoma singularis</i> Aurivillius, 1925a, by monotypy)	
<i>singularis</i> Aurivillius, 1925a:493 [<i>Metagnoma</i>]	Borneo
<i>strandi</i> Breuning, 1943c:19 [<i>Metagnoma</i>]	Borneo
Micropraonetha Breuning, 1939b:197 (type species: <i>Micropraonetha carinipennis</i> Breuning, 1939b, by original designation)	
<i>multituberculata</i> Breuning, 1982e:143 [<i>Micropraonetha</i>]	Borneo
Mimabryna Breuning, 1938c:237 (type species: <i>Mimabryna nicobarica</i> Breuning, 1938c, by original designation)	
<i>boreotica</i> Breuning, 1966l:9 [<i>Mimabryna</i>]	Borneo
Mimatossa Breuning, 1943c:15 (type species: <i>Mimatossa flavolineata</i> Breuning, 1943c, by original designation)	
<i>flavolineata</i> Breuning, 1943c:15 [<i>Mimatossa</i>]	Borneo
Mispila Pascoe, 1864c:90 (type species: <i>Mispila venosa</i> Pascoe, 1864c, by monotypy)	
<i>Dryusa</i> Pascoe, 1864c:91 (type species: <i>Dryusa flexuosa</i> Pascoe, 1864c, by subsequent designation of J. Thomson, 1865a)	
<i>Diatylus</i> Lacordaire, 1872:565 (type species: <i>Diatylus zonarius</i> Lacordaire, 1872, by monotypy)	
<i>Trichomispila</i> Breuning, 1939c:71 (type species: <i>Mispila picta</i> Breuning, 1939c, by original designation)	
Mispila (Mispila) Pascoe, 1864c	
<i>Diatylus</i> Lacordaire, 1872	
<i>apicalis</i> Heller, 1923a:424 [<i>Mispila</i>]	Borneo
<i>transversefasciata</i> Breuning, 1950r:532 [<i>Mispila</i>] {Note 1}	
<i>parallela</i> Breuning, 1937b:57 [<i>Mispila</i>]	Borneo
<i>venosa</i> Pascoe, 1864c:90 [<i>Mispila</i>]	Borneo; Java; Sulawesi; Vietnam, Andamans
<i>augaralis</i> Pascoe, 1878:376 [<i>Mispila</i>]	
<i>tenuevittata</i> Pic, 1930a:19 [<i>Sodus</i>]	
Mispilodes Breuning, 1938c:382 (type species: <i>Mispilodes borneensis</i> Breuning, 1938c, by original designation)	
<i>borneensis</i> Breuning, 1938c:382 [<i>Mispilodes</i>]	Borneo
Moron Pascoe, 1858a:249 (type species: <i>Moron distigma</i> Pascoe, 1858a, by monotypy)	
<i>distigma</i> Pascoe, 1858a:249 [<i>Moron</i>]	Borneo
Niphona Mulsant, 1839:169 (type species: <i>Niphona picticornis</i> Mulsant, 1839, by monotypy)	
<i>Nyphona</i> (subsequent incorrect spelling)	
<i>Campocnema</i> J. Thomson, 1864:54 (type species: <i>Niphona lateralis</i> White, 1858a, by original designation)	
<i>Ocheutes</i> J. Thomson, 1864:54 (type species: <i>Ocheutes scopulifera</i> J. Thomson, 1864, by original designation)	
<i>Aelara</i> J. Thomson, 1864:55 (type species: <i>Niphona regis-fernandi</i> Paiva, 1860, by original designation)	
<i>Falsoniphona</i> Pic, 1925b:26 (type species: <i>Falsoniphona lutea</i> Pic, 1925b, by monotypy)	
<i>Hamatoniphona</i> Pic, 1936e:31 (type species: <i>Campocnema longicornis</i> Pic, 1926b, by original designation)	
<i>Hammatoniphona</i> ; Breuning, 1961b:231 (subsequent incorrect spelling)	
Niphona (Niphona) Mulsant, 1839	
<i>Campocnema</i> J. Thomson, 1864	
<i>Ocheutes</i> J. Thomson, 1864	
<i>Aelara</i> J. Thomson, 1864	
<i>albosignatipennis</i> Breuning, 1968k:704 [<i>Niphona</i>]	Borneo
<i>arrogans</i> Pascoe, 1862a:338 [<i>Niphona</i>]	Borneo; W. Malaysia
<i>borneana</i> Breuning, 1973e:653 [<i>Niphona</i>]	Borneo
<i>borneensis</i> Breuning, 1938c:240 [<i>Niphona</i>]	Borneo; Philippines; Luzon
<i>hepaticolor</i> (Heller, 1923a:422) [<i>Mylothris</i>]	Borneo; Java; Maluku; Philippines; Mindanao

LONGHORNED BEETLES OF BORNEO

<i>lateralis</i> White, 1858a:267 [<i>Nyphona</i>]	Borneo {Note 5}; SE Asia
<i>malaccensis</i> Breuning, 1938c:240 [<i>Niphona</i>]	Borneo {Note 5}; SE Asia
<i>plagifera</i> Aurivillius, 1925a:495 [<i>Niphona</i>]	Borneo; Sumatra; Philippines
<i>Paradesisa</i> Breuning, 1938c:375 (type species: <i>Paradesisa borneensis</i> Breuning, 1938c, by original designation)	Borneo {Note 5}; SE Asia
<i>borneensis</i> Breuning, 1938c:375 [<i>Paradesisa</i>]	Borneo
<i>Paramesosella</i> Breuning, 1940b:143 (type species: <i>Paramesosella fasciculata</i> Breuning, 1940b, by original designation)	Borneo {Note 5}; SE Asia
<i>gigantea</i> Breuning, 1948c:3 [<i>Paramesosella</i>]	Borneo
<i>Parazosmotes</i> Breuning, 1959d:172 (type species: <i>Parazosmotes borneensis</i> Breuning, 1959d, by original designation)	Borneo {Note 5}; SE Asia
<i>borneensis</i> Breuning, 1959h:172 [<i>Parazosmotes</i>]	Borneo
<i>deceptor</i> Holzschuh, 2009b:355 [<i>Parazosmotes</i>]	Borneo
<i>scincus</i> (Pascoe, 1865b:145) [<i>Synelasma</i>]	Borneo
<i>Paretaxalus</i> Breuning, 1938c:246 (type species: <i>Paretaxalus sandacanus</i> Breuning, 1938c, by original designation)	Borneo {Note 5}; SE Asia
<i>mucronatus</i> (Schwarzer, 1931b:207) [<i>Niphona</i>]	Borneo
<i>sandacanus</i> Breuning, 1938c:246 [<i>Paretaxalus</i>]	Borneo
<i>Phesates</i> Pascoe, 1865b:155 (type species: <i>Phesates ferrugatus</i> Pascoe, 1865b, by monotypy)	Borneo {Note 5}; SE Asia
<i>ferrugatus</i> Pascoe, 1865b:155 [<i>Phesates</i>]	Borneo
<i>Prosoplus</i> Blanchard, 1853:290 (type species: <i>Prosoplus sinuatafasciatus</i> Blanchard, 1853, by monotypy)	Borneo {Note 5}; SE Asia
<i>Micracantha</i> Montrouzier, 1861:271 (type species: <i>Micracantha australis</i> Montrouzier, 1861, by subsequent designation of J. Thomson, 1864)	Borneo {Note 5}; SE Asia
<i>Prosacanthus</i> Fauvel, 1862:163 (type species: <i>Prosacanthus chevrolati</i> Fauvel, 1862, by monotypy)	Borneo {Note 5}; SE Asia
<i>Aegomomus</i> Pascoe, 1864c:59 (type species: <i>Aegomomus encaustus</i> Pascoe, 1864c, by subsequent designation of J. Thomson, 1865a)	Borneo {Note 5}; SE Asia
<i>Atyporis</i> Pascoe, 1864c:67 (type species: <i>Atyporis jubata</i> Pascoe, 1864c, by subsequent designation of J. Thomson, 1865a)	Borneo {Note 5}; SE Asia
<i>Escharodes</i> Pascoe, 1864c:70 (type species: <i>Escharodes interruptus</i> Pascoe, 1864c, by subsequent designation of J. Thomson, 1865a)	Borneo {Note 5}; SE Asia
<i>Axiothea</i> Pascoe, 1864c:72 (type species: <i>Axiothea strenua</i> Pascoe, 1864c by subsequent designation of J. Thomson, 1865a)	Borneo {Note 5}; SE Asia
<i>Zaeeralia</i> Pic, 1925a:28 (type species: <i>Zaerra vaulogeri</i> Pic, 1925a, by monotypy)	Borneo {Note 5}; SE Asia
<i>Ochreoprosoplus</i> Breuning, 1940e:424 (type species: <i>Prosoplus ochreopictus</i> Breuning, 1940e, by original designation)	Borneo {Note 5}; SE Asia
<i>Prosoplus (Prosoplus)</i> Blanchard, 1853	Borneo {Note 5}; SE Asia
<i>Micracantha</i> Montrouzier, 1861	Borneo {Note 5}; SE Asia
<i>Prosacanthus</i> Fauvel, 1862	Borneo {Note 5}; SE Asia
<i>Aegomomus</i> Pascoe, 1864c	Borneo {Note 5}; SE Asia
<i>Atyporis</i> Pascoe, 1864c	Borneo {Note 5}; SE Asia
<i>Zaeeralia</i> Pic, 1925a	Borneo {Note 5}; SE Asia
<i>bankii</i> (Fabricius, 1775:176) [<i>Lamia</i>]	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>banckii</i> Fabricius, 1781:223 (subsequent incorrect spelling)	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>banki</i> Fabricius, 1793:287 (unjustified emendation)	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>hollandicus</i> Boisduval, 1835:491 [<i>Acanthocinus</i>]	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>abdominalis</i> White, 1858a:273 [<i>Coptops</i>]	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>insularis</i> Pascoe, 1859b:39 [<i>Nyphona</i>]	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>iratus</i> Pascoe, 1862b:464 [<i>Niphona</i>]	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>miscellus</i> Pascoe, 1863a:529 [<i>Niphona</i>]	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>torosus</i> Pascoe, 1864a:223 [<i>Niphona</i>]	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>musivus</i> Pascoe, 1864c:65 [<i>Aegomomus</i>]	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>nutans</i> Sharp, 1878:209 [<i>Micracantha</i>]	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>vaulogeri</i> Pic, 1934c:28 [<i>Zaerra</i>]	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>uchiyamai</i> Matsushita, 1935:120 [<i>Prosoplus</i>]	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>costatus</i> Hüdepohl, 1996:3 [<i>Prosoplus</i>]	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>kinabaluensis</i> Breuning 1966n:247 [<i>Prosoplus</i>]	Borneo; Sumatra; Java; New Guinea; Australia; Marianas; Philippines; Vietnam
<i>Pseudelasma</i> Breuning, 1968l:230 (type species: <i>Pseudelasma curticornis</i> Breuning, 1968l, by original designation)	Borneo {Note 5}; SE Asia
<i>curticornis</i> Breuning, 1968l:231 [<i>Pseudelasma</i>]	Borneo {Note 5}; SE Asia

LONGHORNED BEETLES OF BORNEO

- Pseudeuclea** Schwarzer, 1931b:205 (type species: *Pseudeuclea cibrosa* Schwarzer, 1931b, by original designation)
cibrosa Schwarzer, 1931b:206 [*Pseudeuclea*] Borneo
- Pseudolophia** Breuning, 1938c:368 (type species: *Pseudolophia uniformis* Breuning, 1938c, by original designation)
nigrosignata Breuning, 1969h:189 [*Pseudolophia*] Borneo
- Pterolophia** Newman, 1842h:370 (type species: *Mesosa bigibbera* Newman, 1842h, by original designation (*nomen protectum*))
Praonetha Dejean, 1835:344 (type species: *Lamia crassipes* Wiedemann, 1823, by subsequent designation of Sama, 2002) (*nomen oblitum*)
Prioneta Blanchard, 1853:292 (type species: *Prioneta albosignata* Blanchard, 1853, by subsequent designation of J. Thomson, 1864)
Theticus J. Thomson, 1858f:190 (type species: *Theticus biarcuatus* J. Thomson, 1858g, by subsequent designation of J. Thomson, 1864)
Praonetha Pascoe, 1862a:348 (type species: *Prioneta albosignata* Blanchard, 1853, automatic designation) (unnecessary replacement name for *Prioneta* Blanchard, 1853) (homonym of *Praonetha* Dejean, 1835)
Cormia Pascoe, 1864b:281 (type species: *Cormia ingrata* Pascoe, 1864b, by monotypy)
Alyattes J. Thomson, 1864:48 (type species: *Alyattes gueniensis* J. Thomson, 1864, by original designation)
Prionetopsis J. Thomson, 1864:49 (type species: *Prionetopsis balteata* J. Thomson, 1864, by monotypy)
Ale Pascoe, 1865b:131 (type species: *Ale agraria* Pascoe, 1865b, by monotypy)
Anaches Pascoe, 1865b:160 (type species: *Sthenias dorsalis* Pascoe, 1858a, by monotypy)
Lychrosis Pascoe, 1866e:89 (type species: *Mycerinus luctuosus* Pascoe, 1863a, by original designation)
Hylobrotus Lacordaire, 1872:538 (type species: *Hylobrotus ploemi* Lacordaire, 1872, by monotypy)
Eurycotyle Blessig, 1873:210 (type species: *Eurycotyle maacki* Blessig, 1873, by monotypy)
Chaetostigme Pascoe, 1875a:69 (type species: *Chaetostigme casta* Pascoe, 1875a, by monotypy)
Achriotypa Pascoe, 1875a:71 (type species: *Achriotypa basalis* Pascoe, 1875a, by monotypy)
Acroptycha Quedenfeldt, 1888:209 (type species: *Acroptycha spinifera* Quedenfeldt, 1888, by monotypy)
Pseudale Schwarzer, 1925b:67 (type species: *Pseudale fasciata* Schwarzer, 1925b, by monotypy)
Incamelomorpha Pic, 1926b:4 (type species: *Pterolophia dapensis* Pic, 1926b)
Mimoron Pic, 1925a:27 (type species: *Mimoron phungi* Pic, 1925a, by subsequent designation of Breuning, 1965c)
Australopraonetha Breuning, 1957m:683 (type species: *Pterolophia australis* Breuning, 1957m, by original designation)
Paramimoron Breuning, 1961a:539 (type species: *Pterolophia albolateralis* Breuning, 1938c, by original designation)
Armatopraonetha Breuning, 1961a:549 (type species: *Pterolophia armata* Gahan, 1894h, by original designation)
Pilosipraonetha Breuning, 1961a:540 (type species: *Pterolophia pilosipes* Pic, 1926a, by original designation)
Sordidopraonetha Breuning, 1961a:540 (type species: *Praonetha sordidata* Pascoe, 1865b, by original designation)
Villosopraonetha Breuning, 1961a:540 (type species: *Pterolophia villosa* Pascoe, 1866a, by original designation)
Trichopraonetha Breuning, 1961a:540 (type species: *Pterolophia albofasciata* Breuning, 1938c, by original designation)
Annobonopraonetha Breuning, 1961a:540 (type species: *Pterolophia annobonae* Aurivillius, 1911a, by original designation)
Insularepraonetha Breuning, 1961a:541 (type species: *Pterolophia insularis* Breuning, 1938c, by original designation)
Principipraonetha Breuning, 1961a:541 (type species: *Pterolophia principis* Aurivillius, 1911a, by original designation)
Gibbopraonetha Breuning, 1961a:541 (type species: *Pterolophia quadrigibbosa* Pic, 1926a, by original designation)
Canopraonetha Breuning, 1961a:541 (type species: *Pterolophia cana* Breuning, 1938e, by original designation)
Scapopraonetha Breuning, 1961a:541 (type species: *Pterolophia spiniscapus* Breuning, 1942c, by original designation)
Ovalopraonetha Breuning, 1961a:541 (type species: *Pterolophia ovalis* Breuning, 1938c, by original designation)
Undulatopraonetha Breuning, 1961a:542 (type species: *Praonetha undulata* Pascoe, 1862a, by original designation)
Sociopraonetha Breuning, 1961a:542 (type species: *Sociopraonetha nigrocincta* Gahan, 1894h, by original designation)
Prosopopraonetha Breuning, 1961j:13 (type species: *Pterolophia prosoploides* Breuning, 1961j, by original designation)

LONGHORNED BEETLES OF BORNEO

- Trichomimorion* Breuning, 1963d:55 (type species: *Pterolophia trichotibialis* Breuning, 1963d, by original designation)
Guineopraonetha Breuning & Heyrovsky, 1964:28 (type species: *Pterolophia aeneipennis* Breuning & Heyrovsky, 1964, by original designation)
Fernandopraonetha Breuning, 1966n:233 (type species: *Pterolophia tuberculicollis* Breuning, 1966n, by original designation)
Tricholychrosis Breuning, 1973e:659 (type species: *Pterolophia albosignata* Breuning, 1973e, by original designation)
Curtolophia Breuning, 1974g:165 (type species: *Pterolophia curticornis* Breuning, 1974g, by original designation)
Arabopraonetha Téocchi, 1991:302 (type species: *Pterolophia arabica* Téocchi, 1991, by original designation)

Pterolophia (Pterolophia) Newman, 1842h	
<i>Prioneta</i> Blanchard, 1853	Borneo; Myanmar
<i>Theticus</i> J. Thomson, 1858f	Borneo {Note 5}; Sumatra
<i>Praonetha</i> Pascoe, 1862a	Borneo; Sumatra
<i>Alyattes</i> J. Thomson, 1864	Borneo
<i>Prionetopsis</i> J. Thomson, 1864	Borneo
<i>Cormia</i> Pascoe, 1864b	Borneo
<i>Anaches</i> Pascoe, 1865b	Borneo
<i>Eurycotyle</i> Blessig, 1873	Borneo; Sumatra; W. Malaysia
<i>Acroptycha</i> Quedenfeldt, 1888	Borneo
<i>Incamelomorpha</i> Pic, 1926b	Borneo {Note 5}; Sumatra; Java; W. Malaysia
alboantennata Breuning, 1938e:45 [<i>Pterolophia</i>]	Borneo
albovitticollis Breuning, 1961j:8 [<i>Pterolophia</i>]	Borneo
annulitarsis (Pascoe, 1865b:185) [<i>Praonetha</i>]	Borneo
apiceplagiata Breuning, 1938c:262 [<i>Pterolophia</i>]	Borneo
banksi Breuning, 1938c:290 [<i>Pterolophia</i>]	Borneo
bigibbulosoides Breuning, 1968k:706 [<i>Pterolophia</i>]	Borneo
bilunata Breuning, 1938c:335 [<i>Pterolophia</i>]	Borneo
bituberculithorax Breuning, 1968a:851 [<i>Pterolophia</i>]	Borneo
bryanti Breuning, 1938c:315 [<i>Pterolophia</i>]	Borneo
circulata Schwarzer, 1931b:207 [<i>Pterolophia</i>]	Borneo {Note 5}; Sumatra; Java; W. Malaysia
angustelineata Pic, 1934c:13 [<i>Pterolophia</i>]	
crassipes (Wiedemann, 1823:111) [<i>Lamia</i>]	Borneo; Sumatra; Java; W. Malaysia; Philippines
<i>imbuta</i> Newman, 1842i:381 [<i>Pterolophia</i>]	Borneo; Sumatra
<i>iliaca</i> Pascoe, 1865b:178 [<i>Praonetha</i>]	Borneo
ferrugata (Pascoe, 1865b:179) [<i>Praonetha</i>]	Borneo
ferruginea Breuning, 1938c:256 [<i>Pterolophia</i>]	Borneo
flavolineata Breuning, 1938c:334 [<i>Pterolophia</i>]	Borneo
holorufa Breuning, 1969i:660 [<i>Pterolophia</i>]	Borneo
horridula Breuning, 1968l:227 [<i>Pterolophia</i>]	Borneo
illicta (Pascoe, 1865b:169) [<i>Praonetha</i>]	Borneo; Sulawesi; Maluku; Timor
<i>monticola</i> Fisher, 1935c:610 [<i>Pterolophia</i>]	
kinabaluensis Breuning, 1982e:144 [<i>Pterolophia</i>]	Borneo
medioalbicollis Breuning, 1965g:181 [<i>Pterolophia</i>]	Borneo; Thailand; W. Malaysia
mediovittata Breuning & de Jong, 1941:91 [<i>Pterolophia</i>]	Borneo
melanura (Pascoe, 1857:106) [<i>Praonetha</i>]	Borneo; W. Malaysia; Vietnam
<i>montana</i> Pascoe, 1865b:165 [<i>Praonetha</i>]	
<i>quadraticollis</i> Pascoe, 1865b:168 [<i>Praonetha</i>]	
<i>moensi</i> Ritsema, 1881e:15 [<i>Praonetha</i>]	
nigroornatipennis Breuning, 1965e:84 [<i>Pterolophia</i>]	Borneo
nigrosignata Breuning, 1969h:189 [<i>Pterolophia</i>]	Borneo
obliquefasciculata Breuning & de Jong, 1941:76 [<i>Pterolophia</i>]	Borneo {Note 5}; Java
pontianakensis Breuning, 1974g:165 [<i>Pterolophia</i>]	Borneo
postmedioalba Breuning, 1961k:329 [<i>Pterolophia</i>]	Borneo
praeapicemaculata Breuning, 1966l:6 [<i>Pterolophia</i>]	Borneo
propinqua (Pascoe, 1865b:177) [<i>Praonetha</i>]	Borneo
punctigera (Pascoe, 1865b:171) [<i>Praonetha</i>]	Borneo
quadricristata Breuning, 1938c:334 [<i>Pterolophia</i>]	Borneo
riouensis Breuning, 1938c:277 [<i>Pterolophia</i>]	Borneo; Riau Archipelago
rubra Breuning, 1938c:249 [<i>Pterolophia</i>]	Borneo
scopulifera (Pascoe, 1865b:175) [<i>Praonetha</i>]	Borneo
secuta (Pascoe, 1865b:167) [<i>Praonetha</i>]	Borneo; Sulawesi; Philippines
simulans Breuning & de Jong, 1941:80 [<i>Pterolophia</i>]	Borneo {Note 5}; Java
subaequalis Breuning & de Jong, 1941:84 [<i>Pterolophia</i>]	Borneo {Note 5}; Java

LONGHORNED BEETLES OF BORNEO

subtincta (Pascoe, 1865b:170) [<i>Praonetha</i>]	Borneo; Java; Vietnam
Pterolophia (Ale) Pascoe, 1865b	
<i>Achriotypa</i> Pascoe, 1875a	Borneo
<i>anoplagiata</i> Aurivillius, 1911b:23 [<i>Pterolophia</i>]	Borneo
<i>fractilinea</i> (Pascoe, 1865b:178) [<i>Praonetha</i>]	Borneo
<i>fuscostictica</i> Breuning, 1938c:332 [<i>Pterolophia</i>]	Borneo
<i>rufoloides</i> Breuning, 1940e:421 [<i>Pterolophia</i>]	Borneo
<i>uniformipennis</i> Breuning, 1966n:233 [<i>Pterolophia</i>]	Borneo
<i>viridegrisea</i> Breuning, 1938c:263 [<i>Pterolophia</i>]	Borneo {Note 5}; Sumatra; Java
Pterolophia (Armatopraonetha) Breuning, 1961a	
<i>borneensis</i> Fisher, 1935c:611 [<i>Pterolophia</i>]	Borneo
Pterolophia (Hylobrotus) Lacordaire, 1872	
<i>albivenosa</i> (Pascoe, 1865b:171) [<i>Praonetha</i>]	Borneo; Sumatra; Java; W. Malaysia; Vietnam
<i>anticemaculata</i> Breuning, 1938c:316 [<i>Pterolophia</i>]	Borneo
<i>apicespinosa</i> Breuning, 1938c:290 [<i>Pterolophia</i>]	Borneo
<i>indistinctemaculata</i> Breuning, 1968a:856 [<i>Pterolophia</i>]	Borneo
<i>lateralis</i> Gahan, 1894h:65 [<i>Pterolophia</i>]	Borneo; SE Asia
<i>lunigera</i> Aurivillius, 1913d:25 [<i>Pterolophia</i>]	
<i>formosana</i> Schwarzer, 1925b:66 [<i>Pterolophia</i>]	
<i>mediocarinata</i> Breuning, 1939c:63 [<i>Pterolophia</i>]	Borneo {Note 5}; Sumatra; Java
<i>excavatipennis</i> Breuning, 1939c:65 [<i>Pterolophia</i>] {Note 1}	
<i>rubida</i> Breuning & de Jong, 1941:77 [<i>Pterolophia</i>] {Note 1}	
<i>medioalba</i> Breuning & de Jong, 1941:78 [<i>Pterolophia</i>] {Note 1}	
<i>immaculata</i> Breuning & de Jong, 1941:78 [<i>Pterolophia</i>] {Note 1}	
<i>partealboantenata</i> Breuning, 1966n:232 [<i>Pterolophia</i>]	Borneo
<i>ploemi</i> (Lacordaire, 1872:539) [<i>Hylobrotus</i>]	Borneo; Java; W. Malaysia
<i>koehleri</i> Ritsema, 1876:4) [<i>Praonetha</i>]	
<i>cristata</i> Jordan, 1894b:241 [<i>Praonetha</i>]	
<i>fasciculosa</i> Aurivillius, 1913d:26 [<i>Pterolophia</i>]	
Pterolophia (Trichopraonetha) Breuning, 1961a	
<i>subalbofasciata</i> Gilmour & Breuning, 1963:124 [<i>Pterolophia</i>]	Borneo
Pterolophia (subgenus not specified)	
<i>detersa</i> (Pascoe, 1865b:166) [<i>Praonetha</i>]	Borneo
Sesiosa Pascoe, 1865b:154 (type species: <i>Sesiosa subfasciata</i> Pascoe, 1865b, by monotypy)	
<i>subfasciata</i> Pascoe, 1865b:154 [<i>Sesiosa</i>]	Borneo; W. Malaysia
Similosodus McKeown, 1945:292 (type species: <i>Sodus verticalis</i> Pascoe, 1865b, automatic designation) (replacement name for <i>Sodus</i> Pascoe, 1865)	
<i>Sodus</i> Pascoe, 1865b:137 (type species: <i>Sodus verticalis</i> Pascoe, 1865b, by monotypy) (pre-occupied by <i>Sodus</i> Amyot, 1846, Hemiptera)	
<i>Venosodus</i> Breuning, 1961a:545 (type species: <i>Sodus venosus</i> Pascoe, 1867d, by original designation)	
<i>Transversesodus</i> Breuning, 1961a:545 (type species: <i>Sodus transversefasciatus</i> Breuning, 1938c, by original designation)	
Similosodus (Similosodus) McKeown, 1945	
<i>castaneus</i> (Aurivillius, 1911b:25) [<i>Sodus</i>]	Borneo
<i>chujoji</i> Breuning, 1982e:141 [<i>Similosodus</i>]	Borneo
<i>flavicornis</i> Breuning, 1961j:19 [<i>Similosodus</i>]	Borneo {Note 5}; Sumatra; W. Malaysia
<i>fuscosignatus</i> (Breuning, 1939b:200) [<i>Sodus</i>]	Borneo; Java; W. Malaysia
Similosodus (Transverseosodus) Breuning, 1961b	
<i>burckhardti</i> Hüdepohl, 1996:4 [<i>Similosodus</i>]	Borneo
Spinegesina Breuning, 1974g:163 (type species: <i>Spinegesina hiekei</i> Breuning, 1974g, by original designation)	
<i>hiekei</i> Breuning, 1974g:163 [<i>Spinegesina</i>]	Borneo: Banggi I.
Spinosodus Breuning & de Jong, 1941:96 (type species: <i>Spinosodus spinicollis</i> Breuning & de Jong, 1941, by original designation)	
<i>spinicollis</i> Breuning & de Jong, 1941:96 [<i>Spinosodus</i>]	Borneo {Note 5}; Java
Stesilea Pascoe, 1865b:185 (type species: <i>Stesilea prolata</i> Pascoe, 1865b, by subsequent designation of Breuning, 1963b)	

LONGHORNED BEETLES OF BORNEO

borneotica Breuning & de Jong, 1941:92 [<i>Stesilea</i>]	Borneo
Sthenias Laporte, 1840:466 (type species: <i>Lamia grisator</i> Fabricius, 1787, by monotypy) <i>Thysanodes</i> Newman, 1842c:292 (type species: <i>Thysanodes jucunda</i> Newman, 1842c, by monotypy) <i>Chalarus</i> Fähraeus, 1872a:45 (type species: <i>Chalarus leucaspis</i> Fähraeus, 1872a [= <i>Lamia cylindrator</i> Fabricius, 1801], by monotypy) (pre-occupied by <i>Chalarus</i> Walker, 1834, Diptera) <i>Anomamomus</i> Fähraeus, 1872b:194 (type species: <i>Chalarus leucaspis</i> Fähraeus, 1872a [= <i>Lamia cylindrator</i> Fabricius, 1801], automatic designation) (replacement name for <i>Chalarus</i> Fähraeus, 1872a) <i>Amonamomus</i> ; Breuning, 1961b:233 (subsequent incorrect spelling) <i>Amonamus</i> ; Breuning, 1967c:834 (subsequent incorrect spelling) <i>Albosthenias</i> Breuning, 1961a:538 (type species: <i>Sthenias albicollis</i> Gahan, 1890a, by original designation)	
Sthenias (Sthenias) Laporte, 1840	
<i>Thysanodes</i> Newman, 1842c	Borneo
borneanus Breuning, 1982e:141 [<i>Sthenias</i>]	Borneo
franciscanus J. Thomson, 1865b:550 [<i>Sthenias</i>]	Borneo; Sumatra; Java; W. Malaysia
Sybropis Pascoe, 1885:52 (type species: <i>Sybropis frontalis</i> Pascoe, 1885, by monotypy) <i>frontalis</i> Pascoe, 1885:52 [<i>Sybropis</i>]	Borneo
Synelasma Pascoe, 1858a:248 (type species: <i>Synelasma bufo</i> Pascoe, 1858a, by monotypy)	
anolius Pascoe, 1865b:144 [<i>Synelasma</i>]	Borneo
baramensis Heyden, 1897:578 [<i>Synelasma</i>]	Borneo; Sumatra
bufo bufo Pascoe, 1858a:248 [<i>Synelasma</i>]	Borneo
stellio Pascoe, 1865b:144 [<i>Synelasma</i>]	Borneo
Synixais Aurivillius, 1911b:24 (type species: <i>Synixais fuscomaculata</i> Aurivillius, 1911b, by monotypy)	
banksi Breuning, 1938c:246 [<i>Synixais</i>]	Borneo
fuscomaculata Aurivillius, 1911b:25 [<i>Synixais</i>]	Borneo
Thita Aurivillius, 1914:34 (type species: <i>Thita glauca</i> Aurivillius, 1914, by monotypy)	
glauca Aurivillius, 1914:34 [<i>Thita</i>]	Borneo
Tricheczemotes Breuning, 1938c:232 (type species: <i>Tricheczemotes dystasioides</i> Breuning, 1938c, by original designation)	
dystasioides Breuning, 1938c:233 [<i>Tricheczemotes</i>]	Borneo
Zosmotes Pascoe, 1865b:145 (type species: <i>Zosmotes plumula</i> Pascoe, 1865b, by monotypy)	
plumula Pascoe, 1865b:145 [<i>Zosmotes</i>]	Borneo
Tribe Rhodopinini Gressitt, 1951:439 {Note 18}	
Amymoma Pascoe, 1866b:332 (type species: <i>Amymoma pulchella</i> Pascoe, 1866b, by monotypy)	
pulchella Pascoe, 1866b:332 [<i>Amymoma</i>]	Borneo
Anacasta Aurivillius, 1916a:221 (type species: <i>Anacasta conspersa</i> Aurivillius, 1916a, by monotypy)	
conspersa Aurivillius, 1916a:221 [<i>Anacasta</i>]	Borneo
Epicasta J. Thomson, 1864:90 (type species: <i>Epicasta ocellata</i> J. Thomson, 1864, by original designation)	
<i>Psaumis</i> Pascoe, 1866b:246 (type species: <i>Psaumis turbida</i> Pascoe, 1866b, by monotypy)	
turbida (Pascoe, 1866b:246) [<i>Psaumis</i>]	Borneo
Iphiothe Pascoe, 1866b:254 (type species: <i>Iphiothe criopsoides</i> Pascoe, 1866b, by monotypy)	
<i>Iphiothe</i> Breuning (incorrect subsequent spelling)	
criopsoides Pascoe, 1866b:255 [<i>Iphiothe</i>]	Borneo; Sumatra; W. Malaysia
Languriomorpha Fisher, 1925a:273 (type species: <i>Languriomorpha bicolor</i> Fisher, 1925a, by original designation)	
bicolor Fisher, 1925a:274 [<i>Languriomorpha</i>]	Borneo; W. Malaysia
Mimepaphra Breuning, 1976j:101 (type species: <i>Mimepaphra borneana</i> Breuning, 1976j, by original designation)	
borneana Breuning, 1976j:101 [<i>Mimepaphra</i>]	Borneo

LONGHORNED BEETLES OF BORNEO

Mimodystasia Breuning, 1956d:356 (type species: *Mimodystasia mjoeberti* Breuning, 1956d, by original designation)

mjoeberti Breuning, 1956d:356 [*Mimodystasia*] Borneo

Mimogyaritus Fisher, 1925a:221 (type species: *Mimogyaritus fasciatus* Fisher, 1925a, by original designation)
fasciatus Fisher, 1925a:222 [*Mimogyaritus*] Borneo

Nedine J. Thomson, 1864:27 (type species: *Nedine longipes* J. Thomson, 1864, by original designation)

Opsioleus Pascoe, 1864c:17 (type species: *Opsioleus aduersus* Pascoe, 1864c, by monotypy)

Parazygocera Heller, 1924b:200 (type species: *Parazygocera spaethi* Heller, 1924b, by monotypy)

aduersus (Pascoe, 1864c:17) [*Opsioleus*] Borneo; Sumatra; Java

flavolineata Breuning, 1943c:18 [*Parazygocera*]

Neoepaphra Fisher, 1935c:615 (type species: *Neoepaphra pulchella* Fisher, 1935c, by original designation)
pulchella Fisher, 1935c:616 [*Neoepaphra*] Borneo

Parectatosia Breuning, 1940b:207 (type species: *Parectatosia valida* Breuning, 1940b, by original designation)

borneensis Breuning, 1940b:208 [*Parectatosia*] Borneo

robusta (Aurivillius, 1911b:35) [*Ectatina*] Borneo

Phlyarus Pascoe, 1858a:244 (type species: *Phlyarus basalis* Pascoe, 1858a, by monotypy)

Bulbophlyarus Breuning, 1961d:249 (type species: *Phlyarus bulbicollis* Breuning, 1951b, by original designation)

Tuberophlyarus Breuning, 1966b:128 (type species: *Phlyarus tubericollis* Breuning, 1966b, by original designation)

Phlyarus (Phlyarus) Pascoe, 1858a

basalis Pascoe, 1858a:245 [*Phlyarus*] Borneo

tubericollis Breuning, 1967j:187 [*Phlyarus*] Borneo

Phlyarus (Bulbophlyarus) Breuning, 1961d

basirufipennis Breuning, 1961d:249 [*Phlyarus*] Borneo {Note 40}

Phlyarus (Tuberophlyarus) Breuning, 1966b

tubericollis Breuning, 1966b:128 [*Phlyarus*] Borneo

Proparasophronica Sama & Sudre, 2009:385 (replacement name for *Parasophronica* Breuning, 1982e) (type species: *Parasophronica phlyaroides* Breuning, 1982e, automatic designation)

Parasophronica Breuning, 1982e:145 (type species: *Parasophronica phlyaroides* Breuning, 1982e, by original designation) (pre-occupied by *Parasophronica* Breuning, 1940e, Coleoptera, Cerambycidae)
phlyaroides (Breuning, 1982e:145) [*Parasophronica*] Borneo

Pseudopharsalia Breuning, 1969h:194 (type species: *Pseudopharsalia flavostictica* Breuning, 1969h, by original designation)

flavostictica Breuning, 1969h:194 [*Pseudopharsalia*] Borneo

Rhodopina Gressitt, 1951a:349 (type species: *Rhodopis pubera* J. Thomson, 1857s, automatic designation) (replacement name for *Rhodopis* J. Thomson)

Rhodopis J. Thomson, 1857s:174 (type species: *Rhodopis pubera* J. Thomson, 1857s, by monotypy) (pre-occupied by *Rhodopis* Reichenbach, 1854, Aves)

seriata (Aurivillius, 1913d:24) [*Rhodopis*] Borneo; Sumatra; Java

tubericollis (Breuning, 1943c:16) [*Rhodopis*] Borneo

Sophronica Chevrolat, 1855c:287 (type species: *Sophronica calceata* Chevrolat, 1855c, by monotypy)

Dasyo Pascoe, 1858a:253 (type species: *Dasyo lineata* Pascoe, 1858a, by subsequent designation of J. Thomson, 1864)

Elithiotes Pascoe, 1864d:279 (type species: *Elithiotes hirsuta* Pascoe, 1864d, by monotypy)

Dasystola Kolbe, 1894:63 (type species: *Dasystola hirta* Kolbe, 1894, by original designation)

Lasiapheles Bates, 1873f:382 (type species: *Lasiapheles obrioides* Bates, 1873f, by monotypy)

Phunginus Pic, 1922e:15 (type species: *Phunginus apicalis* Pic, 1922e, by monotypy)

Mimanaesthetis Pic, 1926c:16 (type species: *Mimanaesthetis atripennis* Pic, 1926c, by subsequent designation of Gressitt, 1951a)

LONGHORNED BEETLES OF BORNEO

- Eupogonioides* Fisher, 1930a:275 (type species: *Eupogonioides gardneri* Fisher, 1930a, by original designation)
Dimbrokoia Pic, 1944f:16 (type species: *Dimbrokoia apicalis* Pic, 1944f, by monotypy)
nigrovittata nigrovittata Breuning, 1982e:144 [Sophronica] Borneo
nigrovittata malasiaca Breuning, 1982e:145 [Sophronica] Borneo
- Striatanaesthetis** Breuning, 1957c:117 (type species: *Striatanaesthetis lineatipennis* Breuning, 1957c, by original designation)
lineatipennis Breuning, 1957c:118 [*Striatanaesthetis*] Borneo
- Zotalemimon** Pic, 1925a:29 (type species: *Zotalemimon apicale* Pic, 1925a [=*Sybra posticata* Gahan, 1894h], by monotypy)
Diboma J. Thomson, 1864:46 (type species: *Diboma tranquilla* J. Thomson, 1864 [=*Hathlia procera* Pascoe, 1859b], by original designation) (pre-occupied by *Diboma* Walker, 1863, Lepidoptera)
Donyia Gressitt, 1940c:179 (type species: *Sydonia costata* Matsushita, 1933a, by original designation)
Sybrocentrura Breuning, 1947d:57 (type species: *Sybrocentrura obscura* Breuning, 1947d [=*Sydonia ropicooides* Gressitt, 1939b])
Parasybrodiboma Breuning, 1969:666 (type species: *Parasybrodiboma sikkimensis* Breuning, 1969 [=*Hyagnis sybroides* Breuning, 1939], by original designation)
borneotica (Breuning, 1969h:192) [*Diboma*] Borneo
- Tribe **Acanthocinini** Blanchard, 1845:154
- Chydaeopsis** Pascoe, 1864c:13 (type species: *Chydaeopsis fragilis* Pascoe, 1864c, by monotypy)
fragilis Pascoe, 1864c:13 [*Chydaeopsis*] Borneo; W. Malaysia
multilineatus Pic, 1936a:20 [*Chydaeopsis*] Borneo
ruficollis Aurivillius, 1922b:24 [*Chydaeopsis*] Borneo
- Clavemeopodus** Breuning, 1969h:197 (type species: *Clavemeopodus aureosignatus* Breuning, 1969h, by original designation)
aureosignatus Breuning, 1969h:198 [*Clavemeopodus*] Borneo
- Driopea** Pascoe, 1858a:243 (type species: *Driopea clytina* Pascoe, 1858a, by monotypy)
Inermodriopea Breuning, 1957h:11 (type species: *Driopea inermis* Pascoe, 1864c, by original designation)
Fasciatodriopea Breuning, 1963h:14 (type species: *Driopea nigrofasciata* Pic, 1926a, by original designation)
Fasciatodriopea Breuning, 1970l:505 [unjustified emendation]
Trichodriopea Breuning, 1965h:38 (type species: *Driopea excavatipennis* Breuning, 1965h, by original designation)
Trichodriopea Breuning, 1977g:215 [unjustified emendation]
Luteodriopea Breuning, 1970l:505 (type species: *Driopea luteolineata* Pic, 1926c, by original designation)
- Driopea (Driopea)** Pascoe, 1858a
setosa Aurivillius, 1922b:23 [*Driopea*] Borneo
- Driopea (Inermodriopea)** Breuning, 1957h
cyrtomera Aurivillius, 1922b:24 [*Driopea*] Borneo; W. Malaysia
- Emeopedus** Pascoe, 1864c:47 (type species: *Emeopedus solitus* Pascoe, 1864c, by subsequent designation of J. Thomson, 1865a)
Papuemeopodus Breuning, 1959h:166 (type species: *Emeopedus papuanus* Breuning, 1959h, by original designation)
Longicornemeopodus Breuning, 1977g:233 (type species: *Emeopedus longicornis* Fisher, 1925a, by original designation)
Variegatemeopodus Breuning, 1977g:234 (type species: *Emeopedus variegatus* Fisher, 1927c, by original designation)
- Emeopedus (Longicornemeopodus)** Breuning, 1977g
alboguttatus Fisher, 1935c:619 [*Emeopedus*] Borneo
longicornis Fisher, 1925a:275 [*Emeopedus*] Borneo
- Eoporis** Pascoe, 1864c:15 (type species: *Eoporis elegans* Pascoe, 1864c, by monotypy)
Eoporimimus Schwarzer, 1925c:147 (type species: *Eoporis bifasciana* Schwarzer, 1925c, by monotypy)
- Eoporis (Eoporis)** Pascoe, 1864c
elegans elegans Pascoe, 1864c:16 [*Eoporis*] Borneo; W. Malaysia; Sulawesi; Philippines; New Guinea

LONGHORNED BEETLES OF BORNEO

- Maculileiopus** Breuning, 1958j:31 (type species: *Maculileiopus maculipennis* Breuning, 1958j, by original designation)
maculipennis Breuning, 1958j:31 [*Maculileiopus*] Borneo {Note 5}; Sumatra
- Myromeus** Pascoe, 1864c:36 (type species: *Myromeus subpictus* Pascoe, 1864c, by monotypy)
fulvonotatus (Fisher, 1925a:251) [*Myromeus*] Borneo
- Ostedes** Pascoe, 1859b:43 (type species: *Ostedes pauperata* Pascoe, 1859b, by monotypy)
Dentatostedes Breuning, 1961d:250 (type species: *Ostedes subdentata* Breuning, 1961d, by original designation)
Trichostedes Breuning, 1961e:135 (type species: *Ostedes assamana* Breuning, 1961e, by original designation)
- Ostedes (Ostedes)** Pascoe, 1859b
borneana Breuning, 1964g:95 [*Ostedes*] Borneo
brunneovariegata Breuning, 1961k:337 [*Ostedes*] Borneo
griseoapicaloides Breuning, 1977d:122 [*Ostedes*] (replacement name for *Ostedes griseoapicalis* Breuning, 1969) Borneo
griseoapicalis Breuning, 1969i:667 [*Ostedes*] (pre-occupied by *Ostedes griseoapicalis* Pic, 1944b) Borneo
laterifusca Breuning, 1969h:195 [*Ostedes*] Borneo
pauperata Pascoe, 1859b:44 [*Ostedes*] Borneo; Sulawesi; New Guinea; Philippines
variegata Aurivillius, 1913d:29 [*Ostedes*] Borneo
- Rondibilis** J. Thomson, 1857u:306 (type species: *Rondibilis bispinosa* J. Thomson, 1857u, by monotypy)
Polimeta Pascoe, 1864c:13 (type species: *Ostedes spinosula* Pascoe, 1860c, by original designation)
- Rondibilis (Rondibilis)** J. Thomson, 1857u
Polimeta Pascoe, 1864c
lineaticollis (Pic, 1922d:26) [*Eryssamena*] Borneo; Laos; Vietnam; Hainan
seatoni Gressitt, 1940c:189 [*Rondibilis*] Borneo; Sulawesi; Maluku; New Guinea
spinosula spinosula (Pascoe, 1860c:62) [*Ostedes*] Borneo; Sulawesi; Maluku; New Guinea
simplex Pascoe, 1864c:14 [*Polimeta*] Borneo
- Sciades** Pascoe, 1864c:30 (type species: *Leiopus suffusus* Pascoe, 1859b, by subsequent designation of J. Thomson, 1865a)
Miaenia Pascoe, 1864c:38 (type species: *Miaenia marmorea* Pascoe, 1864c, by subsequent designation of J. Thomson, 1865a)
Aegocidnus Pascoe, 1864c:40 (type species: *Aegocidnus grammicus* Pascoe, 1864c, by subsequent designation of J. Thomson, 1865a)
Nonymoides Blair, 1940:154 (type species: *Nonymoides carolinensis* Blair, 1940, by original designation)
Estoliops Matsushita, 1943:574 (type species: *Estoliops fasciatus* Matsushita, 1943, by original designation)
Acanthosciades Gressitt, 1956a:159 (type species: *Nonymoides latior* Blair, 1940, by original designation)
Micronesiella Gressitt, 1956a:166 (type species: *Sciadella esakii* Gressitt, 1956a, by original designation)
Indoaeocidnus Breuning, 1956d:361 (type species: *Aegocidnus indicus* Breuning, 1956)
Pseudocidnus Breuning, 1957c:122 (type species: *Exocentrus tonsus* Bates, 1873f, by original designation)
Pomeranaeocidnus Breuning, 1957f:14 (type species: *Aegocidnus neopomerianus* Breuning, 1957)
Tonkinomiaenia Breuning, 1970l:507 (type species: *Miaenia tonkinensis* Pic, 1944d [=*Aegocidnus tonkinensis* Pic, 1944d], by original designation)
Sibuyomiaenia Breuning, 1977g:259 (type species: *Sciades sibuyensis* Fisher, 1925a, by original designation)
Granulimiaenia Breuning, 1977g:259 (type species: *Miaenia granulicollis* Gressitt, 1938b, by original designation)
Truncatomiaenia Breuning, 1977g:253 (type species: *Nonymoides botelensis* Gressitt, 1951a, by original designation)
- Sciades (Miaenia)** Pascoe, 1864c
Pseudocidnus Breuning, 1957c
quadriplagiata (Breuning, 1964g:96) [*Miaenia*] Borneo
retrospinosis Breuning, 1963a:86 [*Miaenia*] Borneo {Note 5}; Java
rufulus (Fisher, 1925a:267) [*Miaenia*] Borneo
- Spinexocentrus** Breuning, 1958j:41 (type species: *Spinexocentrus spinipennis* Breuning, 1958j, by original designation)
spinipennis Breuning, 1958j:42 [*Spinexocentrus*] Borneo
- Striatacanthocinus** Breuning, 1970h:485 (type species: *Striatacanthocinus borneensis* Breuning, 1970h, by original designation)

LONGHORNED BEETLES OF BORNEO

borneensis Breuning, 1970h:485 [<i>Striatacanthocinus</i>]	Borneo
Xaenapta Pascoe, 1864c:38 (type species: <i>Xaenapta latimana</i> Pascoe, 1864c, by monotypy)	
bakeri Fisher, 1925a:265 [<i>Xaenapta</i>] <i>nigrosignata</i> Pic, 1936a:20 [<i>Xaenapta</i>]	Borneo; Java
denticollis Fisher, 1925a:264 [<i>Xaenapta</i>] <i>latimana</i> Pascoe, 1864c:38 [<i>Xaenapta</i>]	Borneo Borneo
Tribe Pogonocherini Mulsant, 1839:151	
Exocentrus Dejean, 1835:339 (type species: <i>Lamia balteata</i> (Fabricius) sensu Schönherr, 1817 [= <i>Cerambyx lusitanus</i> Linnaeus, 1767], by monotypy)	
<i>Camptomyne</i> Pascoe, 1864c:43 (type species: <i>Camptomyne callioides</i> Pascoe, 1864c, by subsequent designation of J. Thomson, 1865a)	
<i>Oligopsis</i> J. Thomson, 1864:111 (type species: <i>Oligopsis exocentroides</i> J. Thomson, 1864, by original designation)	
<i>Ispaterus</i> Fairmaire, 1892b:122 (type species: <i>Ispaterus longipilis</i> Fairmaire, 1892b, by monotypy)	
<i>Pseudocentrus</i> Fairmaire, 1901b:230 (type species: <i>Pseudocentrus lineelus</i> Fairmaire, 1901b [= <i>Exocentrus reticulatus</i> Fairmaire, 1896], by subsequent designation of Breuning, 1957)	
<i>Striatocentrus</i> Breuning, 1955a:42 (type species: <i>Exocentrus nonymoides</i> Jordan, 1894)	
<i>Dentexocentrus</i> Breuning, 1956h:135 (type species: <i>Exocentrus dentipes</i> Breuning, 1956h, by original designation)	
<i>Woodlarkocentrus</i> Breuning, 1957f:16 (type species: <i>Exocentrus woodlarkianus</i> Breuning, 1957f, by monotypy)	
<i>Centenocentrus</i> Breuning, 1957f:17 (type species: <i>Exocentrus centenes</i> Pascoe, 1864c, by original designation)	
<i>Barbierocentrus</i> Breuning, 1958l:288 (type species: <i>Exocentrus barbieri</i> Pic, 1951e, by original designation)	
<i>Formosexocentrus</i> Breuning, 1958l:322 (type species: <i>Camptomyne variepennis</i> Schwarzer, 1925c, by original designation)	
<i>Tuberculexocentrus</i> Breuning, 1958l:323 (type species: <i>Exocentrus basituberculatus</i> Pic, 1933b, by original designation)	
<i>Pseudocentroides</i> Breuning, 1971a:678 (type species: <i>Exocentrus flavesens</i> Breuning, 1971a, by original designation)	
<i>Bicolorihirtus</i> Kusama & Tahira, 1978:9 (type species: <i>Exocentrus venatoides</i> Kusama & Tahira, 1978, by original designation)	
Exocentrus (Exocentrus) Dejean, 1835	
<i>lachrymosus</i> Pascoe, 1864c:29 [<i>Exocentrus</i>] <i>moerens</i> Pascoe, 1864c:30 [<i>Exocentrus</i>]	Borneo Borneo {Note 5}; W. Malaysia
Exocentrus (Camptomyne) Pascoe, 1864c	
<i>hirtus</i> Fisher, 1925a:245 [<i>Exocentrus</i>] <i>subglaber</i> Fisher, 1925a:238 [<i>Exocentrus</i>]	Borneo Borneo
Exocentrus (Pseudocentrus) Fairmaire, 1901b	
<i>rufohumeralis</i> Breuning, 1957h:13 [<i>Exocentrus</i>] <i>toekanensis borneensis</i> Breuning, 1968l:231 [<i>Exocentrus</i>]	Borneo {Note 5}; Sumatra Borneo
Tribe Astathini Thomson, 1864:117	
Bacchisa Pascoe, 1867b:342 (type species: <i>Bacchisa coronata</i> Pascoe, 1867b, by monotypy)	
<i>Cyanastus</i> Pascoe, 1867b:355 (type species: <i>Cyanastus aulicus</i> Pascoe, 1867b, by subsequent designation of Breuning, 1956a)	
<i>Chreonomia</i> Pascoe, 1867b:358 (type species: <i>Chreonomia venusta</i> Pascoe, 1867b, by subsequent designation of Gahan, 1901)	
<i>Fasciatobacchisa</i> Breuning, 1956o:457 (type species: <i>Chreonomia fasciata</i> Schwarzer, 1931b, by original designation)	
<i>Atrobacchisa</i> Breuning, 1956o:457 (type species: <i>Chreonomia atrocoerulea</i> Gressitt, 1951a, by original designation)	
<i>Bulbabacchisa</i> Breuning, 1956o:460 (type species: <i>Chreonomia cavernifera</i> Aurivillius, 1922d, by original designation)	
Bacchisa (Bacchisa) Pascoe, 1867b	
<i>curticornis</i> Breuning, 1956o:439 [<i>Bacchisa</i>] <i>cyanicollis</i> Breuning, 1956o:446 [<i>Bacchisa</i>] <i>nigriventris</i> (J. Thomson, 1865b:559) [<i>Astathes</i>]	Borneo {Note 5}; Sumatra Borneo Borneo; W. Malaysia

LONGHORNED BEETLES OF BORNEO

<i>tabida</i> Pascoe, 1867b:361 [<i>Chreonomia</i>] <i>parteflavosternalis</i> Breuning, 1956o:451 [<i>Bacchisa</i>] {Note 1}	
<i>testacea</i> J. Thomson, 1857f:55 [<i>Tetraophthalmus</i>] <i>seminuda</i> Fisher, 1935c:628 [<i>Chreonomia</i>]	Borneo; Java
<i>violacea</i> (Aurivillius, 1923:580) [<i>Chreonomia</i>] {Note 12}	Borneo
Bacchisa (Cyanastus) Pascoe, 1867b borneotica Breuning, 1956o:459 [<i>Bacchisa</i>]	Borneo
Bornestathes Vives & Heffern, 2012:14 (type species: <i>Bornestathes trusmadiensis</i> Vives & Heffern, 2012, by original designation) trusmadiensis Vives & Heffern, 2012:14 [<i>Bornestathes</i>]	Borneo
Chreomysis Breuning, 1956o:464 (type species: <i>Chreomysis flava</i> Breuning, 1956o, by original designation) <i>flava</i> Breuning, 1956o:465 [<i>Chreomysis</i>]	Borneo
Hispastathes Breuning, 1956o:474 (type species: <i>Plaxomicrus hispoides</i> Aurivillius, 1911b, by original designation) hispoides (Aurivillius, 1911b:41) [<i>Plaxomicrus</i>]	Borneo
Momisis Pascoe, 1867b:361 (type species: <i>Momisis aegrota</i> Pascoe, 1867b, by monotypy) borneana Vives & Heffern, 2012:13 [<i>Momisis</i>] longicornis (Pic, 1912p:10) [<i>Lasiphrys</i>]	Borneo Borneo; Laos
Ochrocesis Pascoe, 1867b:357 (type species: <i>Ochrocesis evanida</i> Pascoe, 1867b, by monotypy) <i>evanida</i> Pascoe, 1867b:357 [<i>Ochrocesis</i>] <i>nigroabdominalis</i> Breuning, 1950t:388 [<i>Ochrocesis</i>] {Note 1} <i>sandakana</i> Breuning, 1956o:473 [<i>Ochrocesis</i>] {Note 1}	Borneo
Parastathes Breuning, 1956o:479 (type species: <i>Eustathes basalis</i> Gahan, 1907, by original designation) <i>Antennastathes</i> Breuning, 1956o:481 (type species: <i>Eustathes apicalis</i> Aurivillius, 1925a, by original designation)	
Parastathes (Parastathes) Breuning, 1956o moultoni (Aurivillius, 1914:53) [<i>Eustathes</i>] trusmadianus Vives, 2010b:148 [<i>Parastathes</i>]	Borneo Borneo
Parastathes (Antennastathes) Breuning, 1956o apicalis (Aurivillius, 1925a:484) [<i>Eustathes</i>] <i>fuscoamplata</i> Breuning, 1956o:482 [<i>Parastathes</i>]	Borneo
Tetraophthalmus Dejean, 1835:347 (type species: <i>Cerambyx splendida</i> Fabricius, 1792, by subsequent designation of Sama, 2010) {Note 48} <i>Astathes</i> Newman, 1842d:299 (type species: <i>Astathes perplexa</i> Newman, 1842d, by subsequent designation of J. Thomson, 1864:118) <i>Africastathes</i> Breuning, 1956o:512 (type species : <i>Hecphora distincta</i> Hintz, 1919, by original designation)	
Tetraophthalmus (Tetraophthalmus) Dejean, 1835 <i>Astathes</i> Newman, 1842d bipartita bipartita (J. Thomson, 1865b:558) [<i>Astathes</i>] <i>pulchella</i> Pascoe, 1867b:354 [<i>Astathes</i>] <i>perversa</i> Gahan, 1901:45 [<i>Astathes</i>] caloptera (Pascoe, 1860c:63) [<i>Astathes</i>] <i>cyanipennis</i> J. Thomson, 1865b:557 [<i>Astathes</i>] <i>nigrobasantennalis</i> Breuning, 1956o:498 [<i>Astathes</i>] {Note 1} <i>rufosternalis</i> Breuning, 1956o:498 [<i>Astathes</i>] {Note 1} costipennis (Fisher, 1935c:629) [<i>Astathes</i>] dimidiata (Guérin-Méneville, 1844d:244) [<i>Tetraopes</i>]	Borneo, Sumatra, W. Malaysia Borneo
flaviventris (Pascoe, 1867b:352) [<i>Astathes</i>] <i>borneensis</i> Aurivillius, 1911b:41 [<i>Astathes</i>] <i>medioviolacea</i> Breuning, 1950t:388 [<i>Astathes</i>] {Note 1} <i>apicerufa</i> Breuning, 1956o:494 [<i>Astathes</i>] {Note 1} <i>violaceoreducta</i> Breuning, 1956o:494 [<i>Astathes</i>] {Note 1} fulgida (Fabricius, 1801:280) [<i>Cerambyx</i>] ignorantina J. Thomson, 1857f:51 [<i>Tetraophthalmus</i>] <i>posticalis</i> J. Thomson, 1865b:558 [<i>Astathes</i>] <i>kuekenthali</i> Heyden, 1897:578 [<i>Astathes</i>] <i>rufinipes</i> Breuning, 1956o:497 [<i>Astathes</i>] {Note 1}	Borneo; Sumatra Borneo; Java Thailand Borneo

LONGHORNED BEETLES OF BORNEO

<i>reductemaculata</i> Breuning, 1956o:497 [Astathes] {Note 1}	
japonica J. Thomson, 1857f:51 [<i>Tetraophthalmus</i>]	Borneo; Philippines
<i>unicolor</i> Pascoe, 1867b:349 [Astathes]	
<i>coccinea</i> Pascoe, 1867b:350 [Astathes]	
<i>instabilis</i> Gahan, 1901:51 [Astathes]	
<i>montana</i> Gahan, 1901:52 [Astathes]	
<i>dohertyi</i> Aurivillius, 1923:582 [Astathes]	
<i>bakeri</i> Aurivillius, 1928a:589 [Astathes]	
<i>opalescens</i> Fisher, 1935c:630 [Astathes]	
<i>nigrosetosa</i> Breuning, 1956o:503 [Astathes] {Note 1}	
nigrinus Vives & Heffern, 2012:12 [<i>Tetraophthalmus</i>]	Borneo
nitens (Fabricius, 1801:279) [<i>Cerambyx</i>]	Borneo; Sumatra; W. Malaysia; Thailand
<i>ignitus</i> Illiger, 1805:109 [Cerambyx]	
<i>fabricii</i> J. Thomson, 1865b:558 [Astathes]	
<i>apicalis</i> J. Thomson, 1865b:558 [Astathes]	
<i>flavipennis</i> Breuning, 1956o:492 [Astathes] {Note 1}	
<i>flavipes</i> Breuning, 1956o:492 [Astathes] {Note 1}	
<i>thomsoni</i> Breuning, 1956o:492 [Astathes] {Note 1}	
<i>nigroapicalis</i> Breuning, 1956o:492 [Astathes] {Note 1}	
<i>vagamaculata</i> Breuning, 1960h:149 [Astathes] {Note 1}	
splendida (Fabricius, 1793:263) [<i>Cerambyx</i>]	Borneo; Sumatra; Java
<i>decipiens</i> Pascoe, 1859b:46 [Astathes]	
<i>splendidula</i> Aurivillius, 1923:583 [Astathes]	
<i>flavicornis</i> Pic, 1939f:31 [Astathes]	
terminata (Pascoe, 1857:109) [Astathes]	Borneo; Sumatra; Java; W. Malaysia
<i>sumptuosa</i> Gahan, 1901:48 [Astathes]	
<i>westermanni</i> Gahan, 1901:48 [Astathes]	
<i>javanica</i> Aurivillius, 1923:583 [Astathes]	
<i>flavoscapus</i> Breuning, 1956o:496 [Astathes] {Note 1}	
<i>rufoabdominalis</i> Breuning, 1956o:496 [Astathes] {Note 1}	
Tropimetopa J. Thomson, 1864:118 (type species: <i>Astathes simulator</i> Pascoe, 1856, by original designation)	
simulator (Pascoe, 1856:44) [Astathes]	Borneo
Tribe Saperdini Mulsant, 1839:181;	
Tribe Obereini Pascoe, 1864:117	
&	
Tribe Phytoeciini Mulsant, 1839:191	
{Note 75}	
Chlorisanis Pascoe, 1867b:413 (type species: <i>Chlorisanis viridis</i> Pascoe, 1867b, by monotypy)	
viridis Pascoe, 1867b:413 [<i>Chlorisanis</i>]	Borneo; Java; W. Malaysia
<i>violaceosuturalis</i> Breuning, 1954i:454 [<i>Chlorisanis</i>] {Note 1}	
Clavoserixia Breuning, 1954i:440 (type species: <i>Serixia bifasciata</i> Aurivillius, 1913d, by original designation)	
bifasciata (Aurivillius, 1913d:29) [<i>Serixia</i>]	Borneo
Cyaneophytoecia Breuning, 1950t:379 (type species: <i>Glenea sospita</i> Pascoe, 1867b, by original designation)	
sospita (Pascoe, 1867b:409) [<i>Glenea</i>]	Borneo; W. Malaysia
Entelopes Guérin-Méneville, 1844d:245 (type species: <i>Entelopes glauca</i> Guérin-Méneville, 1844d, by monotypy)	
<i>Wallaceentelopes</i> Breuning, 1954i:478 (type species: <i>Entelopes wallacei</i> Pascoe, 1856, by original designation)	
<i>Shelfordia</i> Breuning, 1954i:479 (type species: <i>Entelopes shelfordi</i> Aurivillius, 1923, by original designation)	
(pre-occupied by <i>Shelfordia</i> Macquart, 1851, Hymenoptera)	
<i>Mustafaia</i> Özdkmen, 2008:680 (type species: <i>Entelopes shelfordi</i> Aurivillius, 1923, automatic designation)	
(replacement name for <i>Shelfordia</i> Breuning, 1954i)	
<i>Aspineoentelops</i> Hua, 1990:343 (type species: <i>Entelopes longzhouensis</i> Hua, 1990, by original designation)	
Entelopes (Entelopes) Guérin-Méneville, 1844d	
<i>glauca</i> Guérin-Méneville, 1844d:245 [<i>Entelopes</i>]	Borneo; Sumatra; Java; W. Malaysia
<i>nigroducta</i> Breuning, 1954i:477 [<i>Entelopes</i>] {Note 1}	
<i>ionoptera ionoptera</i> Pascoe, 1857:108 [<i>Entelopes</i>]	Borneo
<i>jonoptera</i> (subsequent incorrect spelling)	
<i>amoena</i> Pascoe, 1866b:335 [<i>Entelopes</i>]	
Entelopes (Mustafaia) Özdkmen, 2008	

LONGHORNED BEETLES OF BORNEO

fuscotarsalis Breuning, 1954i:480 [<i>Entelopes</i>] shelfordi Aurivillius, 1923:492 [<i>Entelopes</i>]	Borneo Borneo
Entelopes (Wallaceentelopes) Breuning, 1954i griseipennis Breuning, 1954i:479 [<i>Entelopes</i>] wallacei Pascoe, 1856:46 [<i>Entelopes</i>]	Borneo Borneo
Glenea Newman, 1842d:301 (replacement name for <i>Sphenura</i> Dejean, 1835) (currently, this genus does not have a valid type species designation) {Note 23} <i>Sphenura</i> Dejean, 1835:350 (no type species designated) (pre-occupied by <i>Sphenura</i> Lichtenstein, 1820, Aves) <i>Hapochoron</i> Gistel, 1848:x (unnecessary replacement name) <i>Volumnia</i> J. Thomson, 1860:58 (type species: <i>Volumnia westermannii</i> J. Thomson, 1860, by subsequent designation of J. Thomson, 1864) <i>Tanylecta</i> Pascoe, 1866a:263 (type species: <i>Tanylecta lambii</i> Pascoe, 1866a, by monotypy) <i>Cryllis</i> Pascoe, 1867b:417 (type species: <i>Cryllis clytoides</i> Pascoe, 1867b, by monotypy) <i>Moraegamus</i> J. Thomson, 1868e:188 (type species: <i>Sphenura flavicapilla</i> Chevrolat, 1858k, by monotypy) <i>Accola</i> Jordan, 1894c:503 (type species: <i>Accola citrina</i> Jordan, 1894c, by monotypy) (pre-occupied by <i>Accola</i> Simon, 1889, Araneae) <i>Euglenea</i> Heller, 1896:24 (type species: <i>Glenea sarasinorum</i> Heller, 1896, by monotypy) <i>Macroglenea</i> Aurivillius, 1920:30 (type species: <i>Saperda elegans</i> Olivier, 1795, by original designation) <i>Poeciloglenea</i> Aurivillius, 1920:31 (type species: <i>Glenea celia</i> Pascoe, 1888, by original designation) <i>Stiroglenea</i> Aurivillius, 1920:30 (type species: <i>Lamia cantor</i> Fabricius, 1787, by original designation) <i>Parazosne</i> Aurivillius, 1926b:114 (type species: <i>Colobothea leucospilota</i> Westwood, 1841, by monotypy) <i>Accolona</i> Strand, 1942:392 (replacement name for <i>Accola</i> Jordan, 1894c) (type species: <i>Accola citrina</i> Jordan, 1894c, automatic designation) <i>Lineatoglenea</i> Breuning, 1950t:384 (type species: <i>Glenea lineatopunctata</i> Breuning, 1950t, by original designation) <i>Luteoglenea</i> Breuning, 1950t:385 (type species: <i>Glenea maculicollis</i> Breuning, 1950t, by original designation) <i>Sassaglenea</i> Breuning, 1952b:316 (type species: <i>Glenea sassensis</i> Breuning, 1952b, by original designation) <i>Jordanoglenea</i> Breuning, 1952b:317 (type species: <i>Glenea jordani</i> Lepesme & Breuning, 1952b, by original designation) <i>Bajoglenea</i> Breuning, 1952b:318 (type species: <i>Glenea baia</i> Jordan, 1903a, by original designation) {Note 68} <i>Elongatoglenea</i> Breuning, 1952b:319 (type species: <i>Glenea elongatipennis</i> Breuning, 1952b, by original designation) <i>Fasciculoglenea</i> Breuning, 1952b:322 (type species: <i>Glenea fasciculosa</i> Breuning, 1952b, by original designation) <i>Rufoglenea</i> Breuning, 1956f:93 (type species: <i>Glenea rufopunctata</i> Gahan, 1907, by original designation) <i>Grossoglenea</i> Breuning, 1956f:95 (type species: <i>Glenea grandis</i> Schwarzer, 1929, by original designation) <i>Subgrossoglenea</i> Breuning, 1956f:96 (type species: <i>Glenea subgrandis</i> Breuning, 1956f, by original designation) <i>Metaglenea</i> Breuning, 1956f:97 (type species: <i>Glenea pseudograndis</i> Breuning, 1956f, by original designation) <i>Mesoglenea</i> Breuning, 1956f:98 (type species: <i>Glenea invitticollis</i> Breuning, 1956f, by original designation) <i>Pseudotanylecta</i> Breuning, 1956f:101 (type species: <i>Glenea keili</i> Ritsema, 1897b, by original designation) <i>Porphyrioglenea</i> Breuning, 1956f:107 (type species: <i>Glenea porphyrio</i> Pascoe, 1866a, by original designation) <i>Punctoglenea</i> Breuning, 1956f:108 (type species: <i>Glenea sexpunctata</i> Aurivillius, 1926b, by original designation) <i>Rubroglenea</i> Breuning, 1956f:109 (type species: <i>Colobothea rubricollis</i> Hope, 1842b, by original designation) <i>Vittiglenea</i> Breuning, 1956f:120 (type species: <i>Glenea kraatzi</i> J. Thomson, 1865b, by original designation) <i>Vanikoroglenea</i> Breuning, 1956f:124 (type species: <i>Glenea vanikorensis</i> Breuning, 1956f, by original designation) <i>Reginoglenea</i> Breuning, 1956f:125 (type species: <i>Glenea regina</i> J. Thomson, 1865b, by original designation) <i>Acutoglenea</i> Breuning, 1958n:838 (type species: <i>Saperda acuta</i> Fabricius, 1801, by original designation) <i>Spiniglenea</i> Breuning, 1958n:850 (type species: <i>Glenea spinosipennis</i> Breuning, 1958n, by original designation) <i>Brunneoglenea</i> Breuning, 1958n:852 (type species: <i>Glenea brunnipennis</i> Breuning, 1858n, a replacement name for <i>Daphisia brunnea</i> Aurivillius, 1926b, by original designation) <i>Cylindroglenea</i> Breuning, 1958n:866 (type species: <i>Glenea cylindrica</i> Aurivillius, 1926a, by original designation) <i>Aridoglenea</i> Breuning, 1958n:869 (type species: <i>Glenea arida</i> J. Thomson, 1865b, by original designation) <i>Citrinoglenea</i> Breuning, 1958n:885 (type species: <i>Glenea citrina</i> J. Thomson, 1865b, by original designation) <i>Annuliglenea</i> Breuning, 1958n:892 (type species: <i>Paraglenea annuliventris</i> Pic, 1926a, by original designation)	Borneo Borneo

LONGHORNED BEETLES OF BORNEO

Laoglenea Breuning, 1968h:36 (type species: *Glenea anterufipennis* Breuning, 1968h, by original designation)
Formosoglenea Breuning, 1969b:36 (type species: *Glenea ochreomaculata* Breuning, 1969b, by original designation)
Menesioglenea Breuning, 1969h:191 (type species: *Glenea menesioides* Breuning, 1969h, by original designation)

Glenea (Glenea) Newman, 1842d	
<i>Chryllis</i> Pascoe, 1867b	
albocingulata Aurivillius, 1926a:516 [<i>Glenea</i>] <i>signaticornis</i> Breuning, 1956l:838 [<i>Glenea</i>] {Note 1}	Borneo; Java
alboplagiata Breuning, 1958c:272 [<i>Glenea</i>]	Borneo
albotarsalis Breuning, 1956f:152 [<i>Glenea</i>]	Borneo
algebraica (J. Thomson, 1857o:144) [<i>Stibara</i>] <i>analytica</i> Pascoe, 1867b:399 [<i>Glenea</i>] <i>griseosuturalis</i> Pic, 1943c:8 [<i>Glenea</i>] <i>mediovittata</i> Pic, 1943d:12 [<i>Glenea</i>] <i>tenuefasciata</i> Breuning, 1956f:863 [<i>Glenea</i>] {Note 1} <i>griseofrontalis</i> Breuning, 1956f:863 [<i>Glenea</i>] {Note 1}	Borneo; Sumatra; Java; W. Malaysia
anticepunctata anticepunctata (J. Thomson, 1857o:142) [<i>Stibara</i>]	Borneo
<i>janthoides</i> Breuning, 1958c:343 [<i>Glenea</i>] {Note 1}	
aspasia Pascoe, 1867b:384 [<i>Glenea</i>]	Borneo
atriceps Aurivillius, 1911b:36 [<i>Glenea</i>] <i>anticeimpunctata</i> Breuning, 1956f:130 [<i>Glenea</i>] {Note 1}	Borneo
aurivillii Fisher, 1935c:620 [<i>Glenea</i>]	Borneo
bakeriana Breuning, 1958c:330 [<i>Glenea</i>] <i>discoprolongata</i> Breuning, 1958c:330 [<i>Glenea</i>] {Note 1}	Borneo
bangueyensis Aurivillius, 1920:35 [<i>Glenea</i>]	Borneo; Banggi I.
baramensis Breuning, 1950t:382 [<i>Glenea</i>]	Borneo
bellona albomaculata (Gahan, 1889c:214) [<i>Macroglenea</i>] <i>borneana</i> Breuning, 1956f:141 [<i>Glenea</i>] {Note 1}	Borneo
bimaculipennis Breuning, 1961k:339 [<i>Glenea</i>]	Borneo
blandina Pascoe, 1858a:259 [<i>Glenea</i>] <i>pseudoblandina</i> Breuning, 1950c:177 [<i>Glenea</i>] <i>subblandina</i> Breuning, 1956l:809 [<i>Glenea</i>] {Note 1}	Borneo
borneensis Fisher, 1935c:62 [<i>Glenea</i>]	Borneo
bryanti Breuning, 1958c:286 [<i>Glenea</i>] <i>ochreoscutellaris</i> Breuning, 1964g:97 [<i>Glenea</i>] {Note 1}	Borneo
calypso Pascoe, 1867b:382 [<i>Glenea</i>] <i>gloriosa</i> Heller, 1916b:112 [<i>Glenea</i>]	Borneo
camelina Pascoe, 1867b:392 [<i>Glenea</i>]	Borneo
clavifera Aurivillius, 1925a:517 [<i>Glenea</i>]	Borneo
clytooides clytooides (Pascoe, 1867b:417) [<i>Cryllis</i>]	Borneo; Sumatra; W. Malaysia
collaris Pascoe, 1858a:258 [<i>Glenea</i>] <i>biparticollis</i> Pic, 1943d:11 [<i>Glenea</i>] <i>discolineatipennis</i> Breuning, 1958c:327 [<i>Glenea</i>] {Note 1}	Borneo; W. Malaysia
consanguis Aurivillius, 1925a:518 [<i>Glenea</i>] <i>medionigra</i> Breuning, 1958c:329 [<i>Glenea</i>] {Note 1} <i>discolatevittata</i> Breuning, 1958c:330 [<i>Glenea</i>] {Note 1}	Borneo
despecta Pascoe, 1858a:259 [<i>Glenea</i>] <i>guttigera</i> J. Thomson, 1865b:563 [<i>Glenea</i>] <i>sophia</i> J. Thomson, 1879a:15 [<i>Glenea</i>] <i>lumulumensis</i> Fisher, 1935c:623 [<i>Glenea</i>] <i>albitarsis</i> Pic, 1943d:11 [<i>Glenea</i>]	Borneo; Sumatra; Vietnam
dimidiata dimidiata (Fabricius, 1801:327) [<i>Saperda</i>] <i>oudetera</i> (J. Thomson, 1857o:143) [<i>Stibara</i>] <i>egeria</i> Pascoe, 1867b:383 [<i>Glenea</i>] <i>semipartita</i> Pic, 1943d:12 [<i>Glenea</i>] <i>niasica</i> Breuning, 1950c:180 [<i>Glenea</i>] {Note 1}	Borneo; Sumatra; W. Malaysia
dimidiata semigrisea Aurivillius, 1913d:30 [<i>Glenea</i>]	Borneo
disa Aurivillius, 1911b:36 [<i>Glenea</i>]	Borneo
discoidalis Pascoe, 1867b:399 [<i>Glenea</i>] <i>simplex</i> J. Thomson, 1879a:20 [<i>Glenea</i>]	Borneo; W. Malaysia
doria Breuning, 1950c:178 [<i>Glenea</i>] <i>discomediopunctata</i> Breuning, 1956l:781 [<i>Glenea</i>] {Note 1} <i>infraflavovittata</i> Breuning, 1956l:781 [<i>Glenea</i>] {Note 1}	Borneo; W. Malaysia
fatalis Pascoe, 1867b:382 [<i>Glenea</i>] <i>biapicalis</i> J. Thomson, 1879a:11 [<i>Glenea</i>] <i>fuscofemorata</i> Breuning, 1958c:281 [<i>Glenea</i>] {Note 1}	Borneo; Sumatra; W. Malaysia

LONGHORNED BEETLES OF BORNEO

<i>infrapartealba</i> Breuning, 1958c:281 [<i>Glenea</i>] {Note 1}	
flavovittata Aurivillius, 1920:34 [<i>Glenea</i>]	Borneo
funerula funerula (J. Thomson, 1857a:141) [<i>Stibara accessoria</i> Breuning, 1958c:282 [<i>Glenea</i>] {Note 1}]	Borneo; Sumatra; W. Malaysia
humeroinvittata Breuning, 1956l:869 [<i>Glenea</i>]	Borneo
infraflava Breuning, 1969h:190 [<i>Glenea</i>]	Borneo
infragrisea Breuning, 1958c:280 [<i>Glenea</i>]	Borneo
iresine Pascoe, 1867b:406 [<i>Glenea</i>]	Borneo
iridescens Pascoe, 1867b:371 [<i>Glenea</i>] <a>areata Aurivillius, 1922b:25 [<i>Glenea</i>]	Borneo; W. Malaysia
<i>rufofemorata</i> Breuning, 1956f:145 [<i>Glenea</i>] {Note 1}	
kinabaluensis Fisher, 1935c:622 [<i>Glenea</i>]	Borneo
labuanensis Breuning, 1956l:782 [<i>Glenea</i>]	Borneo
latevittata Aurivillius, 1920:35 [<i>Glenea</i>]	Borneo
laudata Pascoe, 1867b:370 [<i>Glenea</i>]	Borneo
manto Pascoe, 1866a:262 [<i>Glenea</i>] <i>collaroides</i> Breuning, 1958c:285 [<i>Glenea</i>] {Note 1}	Borneo; Sumatra; Java; W. Malaysia
matangensis Aurivillius, 1911b:37 [<i>Glenea</i>] <i>rufimembris</i> Breuning, 1953a:25 [<i>Glenea</i>]	Borneo
mathematica anona Pascoe, 1867b:393 [<i>Glenea</i>] <i>obscura</i> Aurivillius, 1923b:498 [<i>Glenea</i>]	Borneo; W. Malaysia
medea Pascoe, 1867b:410 [<i>Glenea</i>]	Borneo
melia Pascoe, 1867b:385 [<i>Glenea</i>]	Borneo
mimoscalaris Breuning, 1969i:669 [<i>Glenea</i>]	Borneo
moultoni Aurivillius, 1913d:32 [<i>Glenea</i>]	Borneo
mounieri latefascicollis Breuning, 1982c:26 [<i>Glenea</i>]	Borneo
myrrhis Pascoe, 1867b:404 [<i>Glenea</i>]	Borneo, W. Malaysia
myrsine Pascoe, 1867b:367 [<i>Glenea</i>] <i>areca</i> Pascoe, 1867b:369 [<i>Glenea</i>] <i>cryllis</i> J. Thomson, 1879a:17 [<i>Glenea</i>] <i>malaccensis</i> Breuning, 1956l:752 [<i>Glenea</i>] {Note 1}	Borneo; W. Malaysia
nigrifrons Aurivillius, 1920:35 [<i>Glenea</i>]	Borneo
niobe J. Thomson, 1879a:9 [<i>Glenea</i>] <i>biocellata</i> Breuning, 1956f:161 [<i>Glenea</i>] {Note 1}	Borneo; Myanmar
nobilis Schwarzer, 1931a:78 [<i>Glenea</i>]	Borneo; Java
ochraceolineata Schwarzer, 1931a:77 [<i>Glenea</i>]	Borneo; W. Malaysia
ochraceovittata <i>ochraceovittata</i> J. Thomson, 1865b:565 [<i>Glenea</i>]	Borneo
<i>bakeri</i> Aurivillius, 1925a:517 [<i>Glenea</i>] <i>borneotica</i> Breuning, 1950c:179 [<i>Glenea</i>] <i>discotriangularis</i> Breuning, 1956l:757 [<i>Glenea</i>]	
ochreicollis Breuning, 1950t:383 [<i>Glenea</i>]	Borneo
ochreosuturalis Breuning, 1958c:330 [<i>Glenea</i>]	Borneo
ochreovittata Breuning, 1950t:384 [<i>Glenea</i>]	Borneo
oriformis Breuning, 1958c:279 [<i>Glenea</i>]	Borneo
pascoei Aurivillius, 1923b:504 [<i>Glenea</i>] (replacement name for <i>Glenea pulchella</i> Pascoe, 1867b)	
<i>pulchella</i> Pascoe, 1867b:370 [<i>Glenea</i>] (pre-occupied by <i>Glenea pulchella</i> Pascoe, 1858a)	Borneo
pendleburyi Fisher, 1935c:626 [<i>Glenea</i>]	Borneo
plagicollis Aurivillius, 1925a:519 [<i>Glenea</i>] <i>laterinigricollis</i> Breuning, 1958c:329 [<i>Glenea</i>] {Note 1}	Borneo
<i>plagioreducta</i> Breuning, 1958c:329 [<i>Glenea</i>] {Note 1}	
<i>vitticeps</i> Breuning, 1958c:329 [<i>Glenea</i>] {Note 1}	
plagifera Aurivillius, 1913d:30 [<i>Glenea</i>] <i>unimaculata</i> Breuning, 1958c:278 [<i>Glenea</i>] {Note 1}	Borneo
propinquia Gahan, 1897:480 [<i>Glenea</i>]	Borneo; W. Malaysia; Vietnam
proserpina J. Thomson, 1865b:561 [<i>Glenea</i>] <i>honora</i> Pascoe, 1867b:373 [<i>Glenea</i>] <i>sutureindicata</i> Breuning, 1956f:133 [<i>Glenea</i>] {Note 1}	Borneo; Sumatra; W. Malaysia; Laos
pseudadelia Breuning, 1956l:750 [<i>Glenea</i>]	Borneo
pseudolaudata Breuning, 1956l:806 [<i>Glenea</i>] <i>flavovitroides</i> Breuning, 1956l:806 [<i>Glenea</i>] {Note 1}	Borneo
pseudomyrsine Breuning, 1956l:752 [<i>Glenea</i>]	Borneo
pulchella Pascoe, 1858a:260 [<i>Glenea</i>] <i>vesta</i> Pascoe, 1866a:260 [<i>Glenea</i>] {Note 51}	Borneo; Sumatra; Java; Philippines, W. Malaysia; Maluku
<i>vestalis</i> Heller, 1934a:284 [<i>Glenea</i>] <i>postmediopunctata</i> Breuning, 1956f:196 [<i>Glenea</i>] {Note 1}	
<i>preapiceconjuncta</i> Breuning, 1956f:197 [<i>Glenea</i>] {Note 1}	
<i>transversevittata</i> Breuning, 1956f:197 [<i>Glenea</i>] {Note 1}	

LONGHORNED BEETLES OF BORNEO

pustulata pustulata J. Thomson, 1865b:564 [<i>Glenea</i>] <i>adelia</i> Pascoe, 1867b:367 [<i>Glenea</i>] <i>cleanthe</i> J. Thomson, 1879a:15 [<i>Glenea</i>]	Borneo; Sumatra; Java
quinquevittata fuscotibialis Breuning, 1964g:97 [<i>Glenea</i>]	Borneo
rubrobasicornis Breuning, 1962m:16 [<i>Glenea</i>] (replacement name for <i>Glenea rufobasicornis</i> Breuning, 1961r)	Borneo
<i>rufobasicornis</i> Breuning, 1961r:325 [<i>Glenea</i>] (pre-occupied by <i>Glenea luctuosa</i> Pascoe, 1867b, morph <i>rufobasicornis</i> Breuning, 1956l)	Borneo
<i>rufulibasicornis</i> Breuning, 1963o:5 [<i>Glenea</i>]	Borneo
rufa Breuning, 1956l:717 [<i>Glenea</i>]	Borneo
rufifrons Aurivillius, 1920:36 [<i>Glenea</i>]	Borneo
saperdoides saperdoides J. Thomson, 1860:50 [<i>Glenea</i>] <i>humerovittata</i> Breuning, 1950t:383 [<i>Glenea</i>] {Note 1}	Borneo; W. Malaysia
scalaris sandakensis Breuning, 1956l:872 [<i>Glenea</i>] <i>regularefasciata</i> Breuning, 1956l:872 [<i>Glenea</i>] {Note 1}	Borneo
schwarzeri Fisher, 1935c:624 [<i>Glenea</i>]	Borneo
sedecimmaculata Breuning, 1950t:381 [<i>Glenea</i>]	Borneo
sexplagiata Aurivillius, 1913d:31 [<i>Glenea</i>]	Borneo
sejuncta Pascoe, 1867b:387 [<i>Glenea</i>]	Borneo
sexguttata Aurivillius, 1925a:520 [<i>Glenea</i>]	Borneo
subadelia Breuning, 1969h:189 [<i>Glenea</i>]	Borneo
subsimilis thetis J. Thomson, 1879a:7 [<i>Glenea</i>] {Note 49} <i>rufipes</i> Ritsema, 1892a:12 [<i>Glenea</i>] {Note 1}	Borneo
substellata Breuning, 1956l:869 [<i>Glenea</i>]	Borneo, Cambodia, Vietnam, China, India, Thailand
sulphurea J. Thomson, 1865b:566 [<i>Glenea</i>]	Borneo
suturefasciata Breuning, 1956l:807 [<i>Glenea</i>] <i>fuscofemoralis</i> Breuning, 1956l:808 [<i>Glenea</i>] {Note 1}	Borneo
suturevittata Breuning, 1958c:269 [<i>Glenea</i>]	Borneo
taeniata J. Thomson, 1860:54 [<i>Glenea</i>] <i>stellata</i> J. Thomson, 1865b:563 [<i>Glenea</i>] <i>sandakana</i> Aurivillius, 1925a:520 [<i>Glenea</i>] <i>sulla</i> Aurivillius, 1925a:520 [<i>Glenea</i>] <i>latelineata</i> Pic, 1943d:12 [<i>Glenea</i>] <i>rouyeri</i> Pic, 1943d:12 [<i>Glenea</i>] <i>externedivisa</i> Pic, 1943d:12 [<i>Glenea</i>] <i>humeroalbolineata</i> Breuning, 1956l:868 [<i>Glenea</i>] {Note 1}	Borneo; Sumatra; Java; W. Malaysia
tenuilineata laterigriseicollis Breuning, 1956l:856 [<i>Glenea</i>]	Borneo
theodosia J. Thomson, 1879a:13 [<i>Glenea</i>] <i>palavensis</i> Aurivillius, 1903a:325 [<i>Glenea</i>]	Borneo; Palawan
trivittata Aurivillius, 1911b:36 [<i>Glenea</i>]	Borneo
vittulata Aurivillius, 1920:36 [<i>Glenea</i>]	Borneo
wallacei Gahan, 1897:482 [<i>Glenea</i>]	Borneo
wegneri Gilmour & Breuning, 1963:127 [<i>Glenea</i>]	Borneo
Glenea (Acutoglenea) Breuning, 1958n acuta montana Jordan, 1894c:503 [<i>Glenea</i>] extensa Pascoe, 1858a:258 [<i>Glenea</i>] <i>mima</i> J. Thomson, 1865b:561 [<i>Glenea</i>] <i>jubaea</i> Pascoe, 1866a:260 [<i>Glenea</i>] <i>bipunctulipennis</i> Breuning, 1958n:844 [<i>Glenea</i>]	Borneo Borneo; W. Malaysia
numerifera J. Thomson, 1865b:561 [<i>Glenea</i>]	Borneo {Note 5}; Sumatra; W. Malaysia
Glenea (Citrinoglenea) Breuning, 1958n citrina J. Thomson, 1865b:566 [<i>Glenea</i>]	Borneo {Note 5}; Sumatra; Java; W. Malaysia
Glenea (Lineatoglenea) Breuning, 1950t <i>lineatopunctata</i> Breuning, 1950t:384 [<i>Glenea</i>]	Borneo
Glenea (Luteoglenea) Breuning, 1950t <i>maculicollis</i> Breuning, 1950t:385 [<i>Glenea</i>]	Borneo
Glenea (Macroglenea) Aurivillius, 1920 <i>elegans</i> (Olivier, 1795:15) [<i>Saperda</i>] <i>chalybaea</i> Illiger, 1800:138 [<i>Saperda</i>] <i>pictus</i> Fabricius, 1801:306 [<i>Stenocorus</i>] <i>delia</i> J. Thomson, 1860:48 [<i>Glenea</i>]	Borneo; Sumatra; Java; W. Malaysia

LONGHORNED BEETLES OF BORNEO

<i>clytia</i> J. Thomson, 1879a:3 [<i>Glenea</i>]	
<i>juno</i> J. Thomson, 1865b:560 [<i>Glenea</i>]	Borneo; W. Malaysia
<i>nymphæ</i> J. Thomson, 1865b:560 [<i>Glenea</i>]	Borneo
Glenea (Menesioglenea) Breuning, 1969h	
<i>menesioides</i> Breuning, 1969h:191 [<i>Glenea</i>]	Borneo
Glenea (Poeciloglenea) Aurivillius, 1920	
<i>celia</i> Pascoe, 1888:509 [<i>Glenea</i>]	Borneo; Sumatra; Java
<i>cyanescens</i> Pic, 1947c:13 [<i>Glenea</i>]	
<i>bipuncticollis</i> Breuning, 1958n:890 [<i>Glenea</i>] {Note 1}	
Glenea (Porphyrioglenea) Breuning, 1956f	
<i>porphyrio</i> Pascoe, 1866a:259 [<i>Glenea</i>]	Borneo; ?W. Malaysia
Glenea (Pseudotanylecta) Breuning, 1956f	
<i>atterima</i> Breuning, 1956f:106 [<i>Glenea</i>]	Borneo
<i>itzingeri</i> Breuning, 1956f:105 [<i>Glenea</i>]	Borneo
<i>ochreoplagiata</i> Breuning, 1956f:104 [<i>Glenea</i>]	Borneo
Glenea (Reginoglenea) Breuning, 1956f	
<i>perakensis</i> Breuning, 1956f:126 [<i>Glenea</i>]	Borneo; W. Malaysia
<i>regina</i> J. Thomson, 1865b:566 [<i>Glenea</i>]	Borneo
<i>neanthes</i> Pascoe, 1866a:259 [<i>Glenea</i>]	
Glenea (Rufoglenea) Breuning, 1956f	
<i>bankoi</i> Garreau, 2011:91 [<i>Glenea</i>]	Borneo
Glenea (Spiniglenea) Breuning, 1958n	
<i>spinosipennis</i> Breuning, 1958n:850 [<i>Glenea</i>]	Borneo
Glenea (Stiroglenea) Aurivillius, 1920	
<i>angerona</i> <i>angerona</i> J. Thomson, 1865b:565 [<i>Glenea</i>] {Note 50}	Borneo {Note 5}; Java; Nias
<i>intermedipes</i> Breuning 1971e:45 [<i>Glenea</i>] {Note 1} (replacement name for <i>Glenea (Stiroglenea) angerona</i> Thomson m. <i>intermedia</i> Breuning, 1969)	
<i>intermedia</i> Breuning, 1969i:669 [<i>Glenea</i>] (pre-occupied by <i>Glenea diverselineata intermedia</i> Breuning, 1968) {Note 1}	
Glenea (Subgrossoglenea) Breuning, 1956f	
<i>wongi</i> Hüdepohl, 1987d:183 [<i>Glenea</i>]	Borneo; W. Malaysia
Glenea (Tanylecta) Pascoe, 1866a	
<i>aegoprepiformis</i> Breuning, 1950c:177 [<i>Glenea</i>]	Borneo
Loboberea Breuning, 1950c:199 (type species: <i>Oberea pygidialis</i> Gahan, 1907, by original designation)	
<i>pygidialis</i> (Gahan, 1907:108) [<i>Oberea</i>]	Borneo, Sumatra, Java, W. Malaysia
<i>trimaculata</i> Breuning, 1950c:200 [<i>Loboberea</i>] {Note 1}	
<i>nigroreducta</i> Breuning, 1954i:533 [<i>Loboberea</i>] {Note 1}	
<i>javaensis</i> Breuning, 1954?:185 [<i>Loboberea</i>] ? {Note 1}	
Menesia Mulsant, 1856:157 (type species: <i>Menesia perrisi</i> Mulsant, 1856, by monotypy)	
<i>Daphisia</i> Pascoe, 1867b:418 (type species: <i>Daphisia pulchella</i> Pascoe, 1867b, by monotypy)	
<i>Tephrocoma</i> Pascoe, 1867b:419 (type species: <i>Tephrocoma livia</i> Pascoe, 1867b, by monotypy)	
Zephrocoma (subsequent incorrect spelling of <i>Tephrocoma</i> by Breuning)	
Menesia (Menesia) Mulsant, 1856	
<i>Daphisia</i> Pascoe, 1867b	
<i>bimaculata</i> Breuning, 1954i:423 [<i>Menesia</i>]	Borneo
<i>biguttata</i> Aurivillius, 1925a:522 [<i>Daphisia</i>]	
<i>latevitticollis</i> Breuning, 1954i:424 [<i>Menesia</i>] {Note 1}	
<i>prolongatevittata</i> Breuning, 1954i:424 [<i>Menesia</i>] {Note 1}	
<i>cana</i> (Aurivillius, 1925a:522) [<i>Daphisia</i>]	Borneo
<i>clytoides</i> (Gahan, 1912:79) [<i>Daphisia</i>]	Borneo
<i>eclectica</i> (Pascoe, 1867b:399) [<i>Glenea</i>]	Borneo
<i>fasciolata</i> (Aurivillius, 1922b:27) [<i>Daphisia</i>]	Borneo
<i>flavoantennata</i> Breuning, 1954i:420 [<i>Menesia</i>]	Borneo
<i>guttata</i> (Aurivillius, 1920:397) [<i>Daphisia</i>]	Borneo
<i>latevittata</i> Breuning, 1954i:425 [<i>Menesia</i>]	Borneo
<i>longipes</i> Breuning, 1954i:417 [<i>Menesia</i>]	Borneo

LONGHORNED BEETLES OF BORNEO

longitarsis Breuning, 1954i:417 [<i>Menesia</i>]	Borneo; Sumatra; W. Malaysia
nigra (Aurivillius, 1922b:430) [<i>Daphisia</i>]	Borneo
nigricornis (Aurivillius, 1913d:258) [<i>Glenea</i>]	Borneo
niveoguttata (Aurivillius, 1925a:522) [<i>Daphisia</i>]	Borneo
ochreicollis Breuning, 1954i:422 [<i>Menesia</i>]	Borneo
pulchella (Pascoe, 1867b:419) [<i>Daphisia</i>]	Borneo; W. Malaysia
shelfordi (Aurivillius, 1923b:512) [<i>Daphisia</i>] {Note 12}	Borneo
subguttata Breuning, 1954i:414 [<i>Menesia</i>]	Borneo
vittata (Aurivillius, 1920:37) [<i>Daphisia</i>]	Borneo
 Menesida Gahan, 1907:110 (type species: <i>Menesida nigrita</i> Gahan, 1907, by monotypy)	
carinifrons Aurivillius, 1922b:29 [<i>Menesida</i>]	Borneo
 Nedytisis Pascoe, 1866a:266 (type species: <i>Nedytisis obrioides</i> Pascoe, 1866a, by monotypy)	
fuscoapicalis Breuning, 1950t:388 [<i>Nedytisis</i>]	Borneo
obrioides Pascoe, 1866a:267 [<i>Nedytisis</i>]	Borneo; W. Malaysia
 Nupserha J. Thomson, 1860:60 (type species: <i>Stibara cosmopolita</i> J. Thomson, 1860, by monotypy)	
elongata Aurivillius, 1913d:33 [<i>Nupserha</i>]	Borneo
pallescens Aurivillius, 1913d:33 [<i>Nupserha</i>]	
fricator (Dalman, 1817:183) [<i>Saperda</i>]	Borneo; Sumatra; Java; Philippines; SE Asia; India
 <i>sexmaculata</i> Pic, 1928c:21 [<i>Nupserha</i>]	
<i>lineatipes</i> Pic, 1928c:22 [<i>Nupserha</i>]	
<i>rufopicea</i> Schwarzer, 1930:127 [<i>Nupserha</i>]	
<i>producta</i> Schwarzer, 1931b:212 [<i>Nupserha</i>]	
<i>haddeni</i> Gressitt, 1940d:419 [<i>Nupserha</i>]	
<i>bipartipennis</i> Pic, 1943f:3 [<i>Stibara</i>]	
<i>inopinata</i> Gilmour, 1965a:482 [<i>Nupserha</i>]	
<i>tibialis</i> Gilmour, 1965a:482 [<i>Nupserha</i>]	
<i>fumata</i> (Heyden, 1897:579) [<i>Oberea</i>]	Borneo
nigricornis Fisher, 1935c:627 [<i>Nupserha</i>]	Borneo
oxyura (Pascoe, 1867b:416) [<i>Scytasis</i>]	Borneo; Sumatra
<i>sexmaculata</i> Pic, 1928c:21 [<i>Nupserha</i>]	
punctigera (Pascoe, 1867b:415) [<i>Scytasis</i>]	Borneo
ustulata borneensis Breuning, 1960g:49 [<i>Nupserha</i>]	Borneo
 Oberea Dejean, 1835:351 (type species: <i>Cerambyx oculatus</i> Linnaeus, 1758, by subsequent designation of J. Thomson, 1864)	
<i>isosceles</i> Newman, 1842e:318 (type species: <i>Isosceles macilenta</i> Newman, 1842e, by monotypy)	
<i>Amaurostoma</i> J. Müller, 1906:223 (type species: <i>Cerambyx erythrocephalus</i> Schrank, 1776, by subsequent designation of Villiers, 1978)	
anguina Pascoe, 1867b:433 [<i>Oberea</i>]	Borneo
auriventris Breuning, 1961s:118 [<i>Oberea</i>]	Borneo; Sumatra
bangueyensis Breuning, 1950b:25 [<i>Oberea</i>]	Borneo; Banggi
bivittata bivittata Aurivillius, 1911b:40 [<i>Oberea</i>]	Borneo
clara Pascoe, 1866a:265 [<i>Oberea</i>]	? Borneo; Sumatra; SE ASIA
<i>armata</i> Gahan, 1894h:95 [<i>Oberea</i>]	
compta Pascoe, 1867b:429 [<i>Oberea</i>]	Borneo
<i>macrocera</i> Pascoe, 1867b:429 [<i>Oberea</i>]	
<i>macroceroides</i> Breuning, 1961s:109 [<i>Oberea</i>] {Note 1}	
consentanea Pascoe, 1867b:426 [<i>Oberea</i>]	Borneo
<i>posticata</i> Pic, 1926b:16 [<i>Oberea</i>] (pre-occupied by <i>Oberea posticata</i> Gahan, 1894h:95)	
<i>imbrevicollis</i> Pic, 1928a:16 [<i>Oberea</i>]	
<i>posticalis</i> Breuning, 1962q:162 [<i>Oberea</i>] (replacement name for <i>Oberea posticata</i> Pic, 1926)	
<i>rufopyga</i> Pic, 1926b:10 [<i>Oberea</i>]	
<i>mausoni</i> Breuning, 1950d:274 [<i>Oberea</i>] {Note 1}	
<i>unicolor</i> Breuning, 1956j:236 [<i>Oberea</i>] {Note 1}	
curialis Pascoe, 1866a:264 [<i>Oberea</i>]	Borneo
denominata Plavilstshikov, 1926:64 [<i>Oberea</i>]	Borneo
<i>limbata</i> Pascoe, 1867b:433 [<i>Oberea</i>]	
formosana Pic, 1911d:20 [<i>Oberea</i>]	Borneo; SE Asia; Myanmar; Taiwan, China
<i>ruficornis</i> Breuning, 1956j:235 [<i>Oberea</i>] {Note 1}	
<i>spinipennis</i> Breuning, 1962q:163 [<i>Oberea</i>] {Note 1}	
<i>clarior</i> Breuning, 1962q:163 [<i>Oberea</i>] {Note 1}	
insolata Pascoe, 1867b:424 [<i>Oberea</i>]	Borneo
kualabokensis Hayashi, 1976a:37 [<i>Oberea</i>]	Borneo
matangensis matangensis Breuning, 1962q:179 [<i>Oberea</i>]	Borneo
mediofusciventris Breuning, 1962q:171 [<i>Oberea</i>]	Borneo

LONGHORNED BEETLES OF BORNEO

monticola Fisher, 1935c:627 [<i>Oberea</i>]	Borneo
mutata Pascoe, 1867b:425 [<i>Oberea</i>]	Borneo; Sumatra; SE Asia
<i>acicularis</i> Pascoe, 1867b:435 [<i>Oberea</i>]	
<i>longulipennis</i> Fairmaire, 1895c:190 [<i>Oberea</i>]	
nigrescens Breuning, 1961s:110 [<i>Oberea</i>]	Borneo
nigroapiciventris Breuning, 1962q:167 [<i>Oberea</i>]	Borneo
octava kuchingensis Breuning, 1962q:197 [<i>Oberea</i>]	Borneo
ophidiana Pascoe, 1858a:262 [<i>Oberea</i>]	Borneo; Philippines
<i>flavoterminata</i> Heller, 1915a:37 [<i>Oberea</i>]	
parteflavoantennalis Breuning, 1961s:101 [<i>Oberea</i>]	Borneo
pictipes Pascoe, 1867b:434 [<i>Oberea</i>]	Borneo
<i>nigrofemorata</i> Breuning, 1956e:23 [<i>Oberea</i>] {Note 1}	
<i>rubripes</i> Breuning, 1961s:108 [<i>Oberea</i>] {Note 1}	
<i>tenasserimensis</i> Breuning, 1961s:108 [<i>Oberea</i>] {Note 1}	
pontianakensis Breuning, 1962q:176 [<i>Oberea</i>]	Borneo
praedita Pascoe, 1867b:434 [<i>Oberea</i>]	Borneo
<i>antenigripes</i> Breuning, 1961s:116 [<i>Oberea</i>] {Note 1}	
pseudolacana Breuning, 1956q:700 [<i>Oberea</i>]	Borneo
rubetra Pascoe, 1858a:261 [<i>Oberea</i>]	Borneo; Sumatra; W. Malaysia
<i>lusciosa</i> Pascoe, 1867b:422 [<i>Oberea</i>]	
<i>insularis</i> Fisher, 1936a:198 [<i>Oberea</i>]	
<i>parterufipes</i> Breuning, 1961s:113 [<i>Oberea</i>] {Note 1}	
<i>mediorufinipes</i> Breuning, 1961s:113 [<i>Oberea</i>] {Note 1}	
<i>basinigricollis</i> Breuning, 1961s:113 [<i>Oberea</i>] {Note 1}	
rufiventris Aurivillius, 1914:49 [<i>Oberea</i>]	Borneo
sericeiventris Breuning, 1950t:386 [<i>Oberea</i>]	Borneo
subteraurea Breuning, 1961s:118 [<i>Oberea</i>]	Borneo
truncatipennis Breuning, 1962q:170 [<i>Oberea</i>]	Borneo
Obereopsis Chevrolat, 1855c:289 (type species: <i>Obereopsis obscuritarsis</i> Chevrolat, 1855c, by monotypy)	
<i>Paroberea</i> Kolbe, 1893:79 (type species: <i>Paroberea fuscipes</i> Kolbe, 1893 [= <i>Obereopsis obscuritarsis</i> Chevrolat, 1855c], by subsequent designation of Löbl, 2010)	
pseudannulicornis Breuning, 1957o:113 [<i>Obereopsis</i>]	Borneo
Ossonis Pascoe, 1867b:417 (type species: <i>Ossonis clytomima</i> Pascoe, 1867b, by monotypy)	
<i>clytomima</i> Pascoe, 1867b:418 [<i>Ossonis</i>]	Borneo
<i>flavotibialis</i> Breuning, 1954i:430 [<i>Ossonis</i>] {Note 1}	
<i>hirsutipes</i> Aurivillius, 1922b:30 [<i>Ossonis</i>]	Borneo
Paradystus Aurivillius, 1923:516 (replacement name for <i>Dystus</i> Pascoe, 1867b) (type species: <i>Dystus notator</i> Pascoe, 1867b, automatic designation)	
<i>Dystus</i> Pascoe, 1867b:416 (type species: <i>Dystus notator</i> Pascoe, 1867b, by monotypy) (pre-occupied by <i>Dystus</i> Stål, 1862, Heteroptera)	
innotatus Breuning, 1954i:459 [<i>Paradystus</i>]	Borneo; Sumatra
notator (Pascoe, 1867b:416) [<i>Dystus</i>]	Borneo; Sumatra; W. Malaysia
<i>fuscoampliatus</i> Breuning, 1954i:459 [<i>Paradystus</i>] {Note 1}	
<i>sericeoprolongatus</i> Breuning, 1954i:459 [<i>Paradystus</i>] {Note 1}	
Paraschoenionta Breuning, 1950t:387 (type species: <i>Schoenionta shelfordi</i> Breuning, 1950t:387, by original designation)	
<i>shelfordi</i> Breuning, 1950t:387) [<i>Paraschoenionta</i>]	Borneo
<i>shelfordi</i> Aurivillius, 1923:522 [<i>Schoenionta</i>] {nomen nudum} {Note 12}	
Paraserixia Breuning, 1954i:442 (type species: <i>Paraserixia flava</i> Breuning, 1954i, by original designation)	
<i>borneensis</i> Breuning, 1982c:28 [<i>Paraserixia</i>]	Borneo
Pseudochlorisanis Breuning, 1954i:454 (type species: <i>Chlorisanis similis</i> Gahan, 1907, by original designation)	
<i>similis</i> (Gahan, 1907:108) [<i>Chlorisanis</i>]	Borneo; Sumatra; Luzon
<i>benguetanus</i> Schultze, 1920:199 [<i>Chlorisanis</i>]	
Pseudoglenea Gilmour & Breuning, 1963:129 (type species: <i>Pseudoglenea densepuncticollis</i> Gilmour & Breuning, 1963, by original designation)	
<i>densepuncticollis</i> Gilmour & Breuning, 1963:130 [<i>Pseudoglenea</i>]	Borneo
Saperdoglenea Breuning, 1964n:22 (type species: <i>Saperdoglenea gleneoides</i> Breuning, 1964n, by original designation)	
<i>gleneoides</i> Breuning, 1964n:23 [<i>Saperdoglenea</i>]	Borneo, Laos {Note 42}

LONGHORNED BEETLES OF BORNEO

Schoenionta J. Thomson, 1868e:185 (type species: <i>Schoenionta vespiventri</i> J. Thomson, 1868e, by subsequent designation of Breuning, 1954i)	
dehiscens (Aurivillius, 1911b:40) [<i>Oberea</i>]	Borneo
necydalioides (Pascoe, 1867b:428) [<i>Oberea</i>]	Borneo; W. Malaysia; Sulawesi
<i>famelica</i> Pascoe, 1867b:429 [<i>Oberea</i>]	
<i>testaceorufa</i> J. Thomson, 1868e:185 [<i>Schoenionta</i>]	
strigosa (Pascoe, 1867b:438) [<i>Oberea</i>]	Borneo; Sumatra; W. Malaysia
Scytasis Pascoe, 1867b:414 (type species: <i>Scytasis nitida</i> Pascoe, 1867b, by subsequent designation of Breuning, 1954i)	
<i>Scythasis</i> ; Breuning (subsequent incorrect spelling)	
nitida nitida Pascoe, 1867b:415 [<i>Scytasis</i>]	Borneo; Sumatra
<i>anticerufa</i> Breuning, 1949c:245 [<i>Scythasis</i>]	
Serixia Pascoe, 1856:45 (type species: <i>Serixia apicalis</i> Pascoe, 1856, by subsequent designation of J. Thomson, 1865a)	
<i>Iole</i> Pascoe, 1858a:254 (type species: <i>Iole prolata</i> Pascoe, 1858a, by subsequent designation of J. Thomson, 1864) (pre-occupied by <i>Iole</i> Blyth, 1844, Aves)	
<i>Iolea</i> Pascoe, 1858a:266 (replacement name for <i>Iole</i> Pascoe, 1858a)	
<i>Xyaste</i> Pascoe, 1866a:257 (type species: <i>Iole nigripes</i> Pascoe, 1858a, by original designation)	
<i>Nigroserixia</i> Breuning, 1958a:253 (type species: <i>Serixia atripes</i> Breuning, 1958a, by original designation)	
Serixia (Serixia) Pascoe, 1856	
<i>Iolea</i> Pascoe, 1858a	
<i>albofemorata</i> Aurivillius, 1928a:580 [<i>Serixia</i>]	Borneo
<i>albosternalis</i> Breuning, 1958a:208 [<i>Serixia</i>]	Borneo; Sumatra; W. Malaysia
<i>annulata</i> Breuning, 1958a:227 [<i>Serixia</i>]	Borneo
<i>apicalis</i> Pascoe, 1856:45 [<i>Serixia</i>]	Borneo; W. Malaysia
<i>lychnura</i> Pascoe, 1867b:338 [<i>Serixia</i>]	
<i>apicenigra</i> Breuning, 1958a:223 [<i>Serixia</i>]	Borneo
<i>argenteifrons</i> Breuning, 1958a:226 [<i>Serixia</i>]	Borneo
<i>argenteipennis</i> Breuning, 1950t:374 [<i>Serixia</i>]	Borneo
<i>aureovittata</i> Breuning, 1950t:373 [<i>Serixia</i>]	Borneo
<i>nigritipennis</i> Breuning, 1958a:204 [<i>Serixia</i>] {Note 1}	
<i>aurulenta</i> Pascoe, 1867b:337 [<i>Serixia</i>]	Borneo
<i>fuscifrons</i> Breuning, 1958a:204 [<i>Serixia</i>] {Note 1}	
<i>curta</i> Breuning, 1950t:374 [<i>Serixia</i>]	Borneo
<i>elongatula</i> Breuning, 1950t:377 [<i>Serixia</i>]	Borneo
<i>flavicans</i> Breuning, 1950t:377 [<i>Serixia</i>]	Borneo
<i>fulvida</i> Pascoe, 1867b:341 [<i>Serixia</i>]	Borneo; Philippines
<i>philippinica</i> Breuning, 1958a:237 [<i>Serixia</i>] {Note 1}	
<i>literata</i> (Pascoe, 1858a:255) [<i>Iole</i>]	Borneo; W. Malaysia; Sulawesi
<i>reductesignata</i> Breuning, 1958a:229 [<i>Serixia</i>] {Note 1}	
<i>matangensis</i> Breuning, 1958a:225 [<i>Serixia</i>]	Borneo
<i>laterinigra</i> Breuning, 1958a:226 [<i>Serixia</i>] {Note 1}	
<i>modesta</i> Pascoe, 1856:45 [<i>Serixia</i>]	Borneo
<i>rufodiscalis</i> Breuning, 1958a:202 [<i>Serixia</i>] {Note 1}	
<i>rufina</i> Breuning, 1958a:202 [<i>Serixia</i>] {Note 1}	
<i>multipunctata</i> Breuning, 1958a:225 [<i>Serixia</i>]	Borneo
<i>nigritarsis</i> Breuning, 1950t:376 [<i>Serixia</i>]	Borneo
<i>nigrotibialis</i> Breuning, 1950t:376 [<i>Serixia</i>]	Borneo
<i>prasinata</i> Pascoe, 1866a:257 [<i>Serixia</i>]	Borneo; W. Malaysia
<i>prolata</i> <i>prolata</i> (Pascoe, 1858a:254) [<i>Iole</i>]	Borneo; Sumatra; Philippines; W. Malaysia; Laos; Vietnam
<i>tonkinea</i> Pic, 1922:14 [<i>Serixia</i>]	
<i>abbreviata</i> Gressitt, 1940c:200 [<i>Serixia</i>]	
<i>major</i> Breuning, 1955f:73 [<i>Serixia</i>]	
<i>pseudoplagiata</i> Breuning, 1950t:375 [<i>Serixia</i>]	Borneo
<i>punctipennis</i> Breuning, 1950t:373 [<i>Serixia</i>]	Borneo
<i>ranauensis</i> Hayashi, 1975:207 [<i>Serixia</i>]	Borneo
<i>robusta</i> Breuning, 1950t:378 [<i>Serixia</i>]	Borneo
<i>rufula</i> Breuning, 1950t:375 [<i>Serixia</i>]	Borneo
<i>sandakana</i> Breuning, 1958a:225 [<i>Serixia</i>]	Borneo
<i>sarawakensis</i> Breuning, 1958a:223 [<i>Serixia</i>]	Borneo
<i>varicornis</i> Breuning, 1958a:227 [<i>Serixia</i>]	Borneo
Serixia (Xyaste) Pascoe, 1866a	
<i>fumosa</i> (Pascoe, 1867b:347) [<i>Xyaste</i>]	Borneo; Sumatra

LONGHORNED BEETLES OF BORNEO

<i>peraffinis</i> Breuning, 1958a:251 [Serixia] {Note 1}	
invida (Pascoe, 1867b:343) [Xyaste]	Borneo
nigripes (Pascoe, 1858a:255) [Iole]	Borneo; W. Malaysia; SE Asia
<i>subminiacea</i> Pascoe, 1867b:344 [Xyaste]	
paradoxa (Pascoe, 1867b:343) [Xyaste]	Borneo; W. Malaysia
<i>fuscipennis</i> Breuning, 1950t:378 [Serixia] {Note 1}	
paradoxoides Breuning, 1958a:251 [Serixia]	Borneo
torrida (Pascoe, 1867b:344) [Xyaste]	Borneo
Serxiophytoecia Breuning Error! Bookmark not defined. , 1950t:380 (type species: <i>Serxiophytoecia vitticollis</i> Breuning, 1950t, by original designation)	
vitticollis Breuning, 1950t:380 [Serxiophytoecia]	Borneo
Zosne Pascoe, 1866a:263 (type species: <i>Zosne cincticornis</i> Pascoe, 1866a, by monotypy)	
cachila Heller, 1922:535 [Zosne]	Borneo; Philippines
<i>cachita</i> (subsequent incorrect spelling)	
<i>vitticollis</i> Breuning, 1954i:486 [Zosne] {Note 1}	
matangensis Breuning, 1950t:378 [Zosne]	Borneo

Lamiinae without definite tribal assignment

Heteropalpoides Fisher, 1935c:617 (type species: <i>Heteropalpoides aberrans</i> Fisher, 1935c, by original designation) {Note 3}	
aberrans Fisher, 1935c:618 [Heteropalpoides] {Note 3}	Borneo

LONGHORNED BEETLES OF BORNEO

Family **Disteniidae** J. Thomson, 1861a:181

Tribe **Cyrtanopini** Gressitt, 1940c:27

Cyrtanops White, 1853a:32 (type species: *Cyrtanops punctipennis* White, 1853a, by monotypy)

Cladopalpus Lansberge, 1886a:35 (type species: *Cladopalpus hageni* Lansberge, 1886a [= *Cyrtanops punctipennis* White, 1853a], by monotypy)

insularis Villiers, 1958:263 [*Cyrtanops*]

Borneo; Java

metallica Hüdepohl, 1990c:306 [*Cyrtanops*]

Borneo

punctipennis White, 1853a:33 [*Cyrtanops*]

Borneo; Sumatra; SE Asia; Burma; India

hageni Lansberge, 1886a:36 [*Cladopalpus*]

Tribe **Disteniini** J. Thomson, 1861a:181

Distenia Lepeletier & Audinet-Serville, 1828:485 (type species: *Distenia columbina* Lepeletier & Audinet-Serville, 1828, by monotypy)

Thelxiope J. Thomson, 1864:226 (type species: *Thelxiope viridicyanea* J. Thomson, 1864, by original designation) (pre-occupied by *Thelxiope* Rafinesque-Schmaltz, 1814, Crustacea)

Apheles Blessig, 1872:165 (type species: *Apheles gracilis* Blessig, 1872, by monotypy)

Sakuntala Lameere, 1890c:ccxiii (type species: *Sakuntala kalidasae* Lameere, 1890c, by monotypy)

Thomsonistenia Santos-Silva & Hovore, 2007a:3 (replacement name for *Thelxiope* J. Thomson, 1864) (type species: *Thelxiope viridicyanea* J. Thomson, 1864, automatic designation)

Basisvallis Santos-Silva & Hovore, 2007a:23 (type species: *Distenia agroides* Bates, 1870b, by original designation)

Distenia (**Distenia**) Lepeletier & Audinet-Serville, 1828

Apheles Blessig, 1872

Sakuntala Lameere, 1890c

Thomsonistenia Santos-Silva & Hovore, 2007a

dayak Villiers, 1958:265 [*Distenia*]

Borneo

metallica Villiers, 1958:265 [*Distenia*]

Borneo

pryeri Pascoe, 1885:57 [*Distenia*]

Borneo; W. Malaysia

Melegena Pascoe, 1869b:659 (type species: *Melegena pubipennis* Pascoe, 1869b, by monotypy)

pubipennis Pascoe, 1869b:659 [*Melegena*]

Borneo; Sumatra

Nericonia Pascoe, 1869b:657 (type species: *Nericonia trifasciata* Pascoe, 1869b, by monotypy)

trifasciata Pascoe, 1869b:658 [*Nericonia*]

Borneo; W. Malaysia

Noemia Pascoe, 1857:111 (type species: *Noemia flavidicornis* Pascoe, 1857, by subsequent designation of J. Thomson, 1864)

apicalis Villiers, 1958:268 [*Noemia*]

Borneo

bidentula Holzschuh, 2011:258 [*Noemia*]

Borneo

brunnea Hüdepohl, 1998a:229 [*Noemia*]

Borneo

cupreoviridana Hayashi, 1977:94 [*Noemia*]

Borneo {Note 5}; W. Malaysia

flavidicornis Pascoe, 1857:111 [*Noemia*]

Borneo; Sumatra; W. Malaysia

rugulicollis Holzschuh, 2011:257 [*Noemia*]

Borneo

stevensi Pascoe, 1857:111 [*Noemia*]

Borneo

stevensi; Aurivillius, 1912:10 (unjustified emendation)

Typodryas J. Thomson, 1864:227 (type species: *Typodryas callichromoides* J. Thomson, 1864, by original designation)

Psalanta Pascoe, 1869b:659 (type species: *Noemia chalybeata* Pascoe, 1869b, by monotypy)

chalybeata (Pascoe, 1866c:509) [*Noemia*]

Borneo; Java; Sumatra; W. Malaysia

Family **Vesperidae** Mulsant, 1839:214

Subfamily **Philinae** J. Thomson, 1861a:297

Philus Saunders, 1853:110 (type species: *Philus inconspicuus* Saunders, 1853 [= *Stenochorus antennatus* Gyllenhal, 1817], by monotypy)

ophthalmicus Pascoe, 1886:239 [*Philus*]

Borneo; Sumatra

LONGHORNED BEETLES OF BORNEO

Excluded Records

Tribe Parandrini

Komiyandra Santos-Silva, Heffern & Matsuda, 2010
janus (Bates, 1875b:47) [*Parandra*] Sulawesi

Tribe Macrotomini

Rugosophysis Komiya & Drumont, 2008
grassator (Quentin & Villiers, 1981:372 [*Armiger*]) Philippines

Tribe Prionini

Emphiesmenu Lansberge, 1884b
schageni Lansberge, 1884b:138 [*Emphiesmenu*] Sumatra {Note 21}

Tribe Lepturini

Leptostrangalia Nakane & K. Ohbayashi, 1959
malasiaca Hayashi, 1979b:7 [*Leptostrangalia*] W. Malaysia {Note 69}

Metalloleptura Gressitt & Rondon, 1970
ochraceovittata Hayashi, 1979b:11 [*Metalloleptura*] W. Malaysia {Note 11}

Tribe Oemini Lacordaire, 1868:216

Oplatocera (Epioplatocera) Gressitt, 1951a
shibatai Hayashi, 1977:106 [*Oplatocera*] W. Malaysia; Sumatra {Note 7}

Tribe Cerambycini

Dialeges Pascoe, 1856
egenus Pascoe, 1869a:522 [*Dialeges*] Philippines; Buru {Note 58}

Neocerambyx J. Thomson, 1861a
paris (Wiedemann, 1821:167) [*Cerambyx*] India; Myanmar; Nepal; Thailand {Note 16}

Trirachys Hope, 1845a
orientalis Hope, 1843:64 [*Trirachys*] China; Laos; Taiwan {Note 16}

Tribe Callidiopini

Ceresium Newman, 1842e
femoratum Aurivillius, 1927:529 [*Ceresium*]
zeylanicum White, 1855a:246 [*Ceresium*] Philippines {Note 45}
Sri Lanka; India {Note 31}

Tribe Callichromatini

Embrikstrandia Plavilstshikov, 1931b:278 (type species: *Callichroma bimaculatum* White, 1853a, by original designation)
unifasciata (Ritsema, 1897a:376) [*Zonopterus*] China; India; Laos; Myanmar; Taiwan; Vietnam

Leptosiella Morati & Huet, 2004
parallela (Ritsema, 1881f:36) [*Pachyteria*] Java, Sumatra ; Ceram

Tribe Compsocerini

Rosalia (Eurybatus) J. Thomson, 1861a
decempunctata (Westwood, 1848 :59) India (Assam, Darjeeling) {Note 16}

Tribe Clytini

Sclerurus Newman, 1842a
amoenus (Gory, 1833:plate 58) [*Ibidion*] India

LONGHORNED BEETLES OF BORNEO

Tribe Pteropliini

Stesilea Pascoe, 1865b
prolata bangkeiensis Breuning, 1958j:18 [*Stesilea*] Indonesia: Banggai (=Bangkei, near Sulawesi)

Tribe Lamiini

Achthophora Newman, 1842c <i>tristis</i> Newman 1842c:292 [<i>Achthophora</i>]	Philippines
Anameromorpha Pic, 1923c <i>metallica</i> Pic, 1923c:10 [<i>Anameromorpha</i>]	Laos; Vietnam, Thailand {Note 32}

Tribe Batocerini

Aprionella Gilmour, 1959
unicolor Gilmour, 1959a:822 [*Aprionella*] Sumatra {Note 34}

Tribe Dorcaschematini J. Thomson, 1860:107

Cylindrepomus Blanchard, 1853
sexlineatus Schultz, 1934:312 [*Cylindrepomus*] Philippines

Tribe Acanthocinini

Nyssodrysternum Gilmour, 1960
boreanus Breuning, 1970h:487 [*Pseudoleiopus*] South America {Note 44}

Catalog Notes

- 1) Some varieties described by various authors, especially Breuning, may not be available names per ICZN rules. The current scope of this catalog does not attempt to clarify this matter.
 - 2) Makihara (1999) lists *Spinopterolophia feai* Breuning, but no taxa by that name has been located in the literature. *S. pterlophioides* occurs in Sumatra.
 - 3) Neither *Heteropalpoides* Fisher, 1935c:617 or *Heteropalpoides aberrans* Fisher, 1935c:618 are listed in Breuning's catalogue. Tribal placement is undetermined at present.
 - 4) *Elacomia histrionica* (Pascoe) was described from Macassar (Sulawesi). Vives & Abang (2003) reported this species from Borneo and West Malaysia. The presence of this small lepturine on both sides of Wallace's Line seems unlikely. Possibly, the type locality is erroneous.
 - 5) Recorded from Borneo by Makihara (1999).
 - 6) Recorded from Borneo by Makihara (1999) with questionable identification.
 - 7) Based on tentative identification. Specimens of *Oplatocera*, from Sabah, which were examined by Mr. Holzschuh, are not *O. shibatai*, but are possibly *O. chujoii*. Since Mindanao and Borneo have very few species in common, it is possible that the species from Sabah is a new taxa. There is also a good probability that *O. shibatai* will be found elsewhere in Borneo, but for now I prefer to exclude it from the fauna.
 - 8) Unidentified species recorded by Makihara (1999).
 - 9) This record is from Hayashi, 1975:183.
 - 10) Deleted.
 - 11) This species was reported from Sabah, Borneo by Vives & Heffern (2001). Later, Vives (2003) described *Metalloleptura ohbayashii* based on these specimens.
 - 12) Aurivillius (1922) validly introduced the name "shelfordi" for a species illustrated in Gahan (1902) in Shelford, which was identified as "*Cylindrepomus* ? form of *comis* (Pasc)"

LONGHORNED BEETLES OF BORNEO

- 13) *Callophohora* was introduced as a replacement name by J. Thomson, 1864, who incorrectly concluded that *Oplophora* Hope, 1839, was pre-occupied by *Oplophorus* Milne-Edwards, 1837, Crustacea: Decapoda.
- 14) Breuning's catalogue (Part 4, 1961) and index (Part 10, 1967) list *Cylindrothorax* in place of *Cylindrostyrax*. Breuning also used the names *Cylindrostyrax* and *Cylindrothorax* somewhat interchangeably in his Revision of Pteroplipiini, part II (1963). *Cylindrothorax* is an African genus of Sternotomini. Makihara's book lists *Desisa apomecynoides* as a valid species. However this is possibly a result of the confusing error in Breuning's catalogue.
- 15) Dejean (1835) authored the genus-group name *Polyzonus* and listed multiple species within the genus. Laporte (1840), in *Histoire Naturelle des Insectes Coléoptères*, listed only *Polyzonus fasciata* as a member of the genus. Laporte's action does not constitute a type species designation, and thus the statement by Bentanachs (2012) attributing the designation of the type species of *Polyzonus* Dejean to Laporte (1840) is not correct.
- 16) Reported from Sarawak by Abang (2003). Presumably misidentified.
- 17) Lacordaire (1872, p. 587) based the new genus, *Vocula*, on two species: *V. guttifera* and *V. irrorata*. The earliest type species designation which the author has located was in the Palaearctic Catalog of 2010.
- 18) The genera listed here for Rhodopini are from Breuning (1975b and 1976j).
- 19) This species was transferred to *Chlorophorus* (Dauber & Hawkeswood, 1993). It has subsequently been listed in *Xylotrechus* (Makihara, 1999). Dr. Dauber (pers. comm., 2011) prefers placing it in *Xylotrechus*.
- 20) *Callophohora* J. Thomson, 1864, was revalidated by N. Ohbayashi, Ogawa & Su (2009).
- 21) Offered by insect dealers, reportedly from Borneo, however, pictures indicate that the specimen is a female of *Neosarmydus costipennis* Fisher, 1935c. There are no literature records for *Emphiesmenus* in Borneo.
- 22) Subsequently Breuning (1939a:471) stated that the type species of *Pseudancylus* Breuning, 1935g, was *Anancylus birmanicus* Breuning, 1935g. This is in opposition to his original designation of type species: *Ereis albofasciatus* Pic, 1925b.
- 23) *Glenea* Newman, 1842, currently does not have a valid type species designation. *Glenea* is a replacement name for *Sphenura* Dejean, as explained in Bousquet, et. al.(2009, p. 37). Invalid designations include the following:
 - a) *Glenea delia* J. Thomson, 1860 (=*Saperda elegans* Olivier, 1795) designated by J. Thomson, 1860
 - b) *Saperda novemguttata* Guérin-Méneville, 1831, designated by Aurivillius, 1920
 - c) *Saperda novemguttata* Guérin-Méneville, 1831, designated by Breuning, 1956
 - d) *Glenea lepida* Newman, designated by ????
- 24) J. Thomson (1864) designated *Ropica incana* Pascoe as type species for *Ropica* Pascoe, however, this species was not among those species originally included with the original description of *Ropica*. The earliest valid type species designation known to this author is Gressitt, 1951b:490.
- 25) Deleted.
- 26) *Pseudoleptura* Thomson, 1861a, was proposed as a replacement for *Erythrus* White, 1853a, a junior homonym of *Erythrus* Walker (in Curtis, 1830). However, *Erythrus* Walker was proposed in a catalogue and the two species associated with it were *nomina nuda*. Therefore the name *Erythrus* Walker (in Curtis, 1830) is a *nomen nudum* (no description or available species associated with it) and so there is no need for a replacement name.
- 27) Makihara (1999) recorded and illustrated *Megopis kollerii* Lameere from Kalimantan. The correct identity of the specimen in the photograph (fig. 10) is *Megobalipon kalimantanum* (Komiya & Makihara) (Z. Komiya pers. comm.).
- 28) Breuning probably intended to name this species "*roseolata*", based on his description. The actual spelling as published is "*reseolata*".
- 29) Refer to Chou & Ohbayashi (2008) for tribal placement discussion.
- 30) Pascoe (1866a:515) states that this is possibly the same species as *H. morosus* (Pascoe).

LONGHORNED BEETLES OF BORNEO

- 31) *Ceresium zeylanicum* has been reported from many locations, including SE Asia. According to C. Holzschuh, pers. comm., its actual range is probably limited to Sri Lanka and India, with records from other areas likely being similar or undescribed species in the genus.
- 32) This species was listed in the 2005 version of this checklist. Bornean specimens of this genus were described recently (2009) as *Anameromorpha pollinosa* Holzschuh.
- 33) Per Yamasako & Makihara (2011), authorship of *Golsinda* is attributed to Pascoe, however the year of publication is 1856, not 1857, as mentioned in their article. Designation of the type species of *Golsinda* was unintentionally made by Pascoe (1862) when he excluded all other species from *Golsinda*, except *G. corallina*.
- 34) This species was described from Sumatra. In Breuning's catalogue (1962, p. 388), he cites this species from only Borneo. This is apparently an error in Breuning's catalogue. Certainly, this species could occur on Borneo.
- 35) There are numerous undescribed species in this genus.
- 36) The genus is not monotypic and the type species was not designated in the original description. The subsequent designation of type species is the first valid designation that this author is aware of, however, there may be other works in which a type species was designated. It has not been possible to make a complete survey of all literature to check for such designations.
- 37) According to C. Holzschuh (pers. comm.), in Makihara (1999), the species illustrated as *Xoanodera regularis* Gahan, 1890 is not correct; the species illustrated as *X. striata* Gressitt & Rondon, 1970, is probably incorrect; the species illustrated as *X. trigona javana* is probably *X. subdita* Holzschuh; the species illustrated as *X. vitticollis* is actually *X. interrupta* Pic.
- 38) According to Holzschuh (pers. comm.), *Prothema fasciolata* Aurivillius and *Prothema plagifera* Aurivillius are the same species. The type of *P. fasciolata* is female and the type of *P. plagifera* is male.
- 39) *Olenecamptus bilobus* is widespread across this region and is variably marked leading to the description of many subspecies. Whether any subspecies should be recognized is arguable.
- 40) In the original description, the type locality was incorrectly cited as "Burma". According to C. Holzschuh, who has examined the holotype, the label reads "Borneo"
- 41) Specimen(s) in the collection of Heffern, Holzschuh, Komiya and/or Vives.
- 42) Specimens from Borneo are tentatively identified based on description, but not compared to type from Laos.
- 43) Previous report of *Leptosiella parallela* (Ritsema) from Borneo by Morati & Huet (2004a) was based on a misidentification of a species which was undescribed at that time.
- 44) *Pseudoleiopus borneanus* Breuning was apparently described from a mislabeled specimen. This is a widely scattered neotropical species (Monné and Machado, 2009).
- 45) *Ceresium femoratum* Aurivillius was recorded from Sabah by Fisher (1935). The type locality is in the Philippines (Sibuyan). There are currently numerous undescribed species from Borneo and Fisher's record of this Philippine species is doubtful.
- 46) Pascoe (1866b:303) described the genus *Diochares* and listed three species following the generic description: *fimbriatus* Olivier, 1792; *lugubris* n. sp.; and *impluviatus* n. sp. Pascoe stated "the type was described long ago by Olivier" without specifically mentioning *fimbriatus*, however his intent was clear that he was designating a type species, since only one of the three species of the new genus, *Diochares*, was described by Olivier. Löbl (2010) stated that the type species "was apparently not fixed", and subsequently designated *Cerambyx fimbriatus* Olivier, 1792, whether this was absolutely necessary is arguable, depending on interpretation of ICZN rules.
- 47) *Caraphia* is placed outside of the named tribes of Lepturinae based on Chou & Ohbayashi, 2008:138-139.
- 48) An earlier type species designation may exist.
- 49) Breuning's revision of *Glenea* lists this subspecies under *G. voluptuosa*, not *G. subsimilis*.
- 50) In Thomson (1865, p. 565) he notes "Dej Cat 1837, p 376". This has not been researched to determine if Dejean was the author of "*angerona*".

LONGHORNED BEETLES OF BORNEO

- 51) Pascoe (1866a:260) stated that this name was to replace "*pulchella* Hope".
- 52) Subgenera of *Glenea* require a re-evaluation to determine if they should be elevated to full generic status. Recently, Vives (2005b) elevated *Acronioglenea* Breuning, 1974, to full generic status. Likewise, Lin, Montreuil, Tavakilian and Yang (2009) reinstated *Heteroglenea* Gahan, 1897 as a valid genus.
- 53) *Clytellus* is a genus of very small species which have been included in the Tillomorphini (Gressitt & Rondon, 1970).
- 54) *Psebena*, a genus of only two small-medium species, was originally placed in Necydalinae by Gahan (1902) and recently considered to be related to Thraeniini (Vives, 2006). Its affinities are very questionable.
- 55) Records for this species may eventually be shown to apply to a new or another described species.
- 56) Placement of this genus into Xylosteini is in accordance with the Palaearctic Catalog (2010).
- 57) All listed species are placed in *Merionoeda* s. str. pending ongoing studies by Dr. Niisato and his colleagues.
- 58) This species was listed in the 2005 version of this checklist. The author cannot verify that this species occurs outside of the Philippines, and there is also a record for Buru (island near New Guinea).
- 59) Niisato (1990) listed *Comusia* in Obriini. Previously, Gressitt & Rondon (1970) listed it in Oemini.
- 60) Makihara (1999) has misidentified this species.
- 61) Fabricius's *Entomologia systematica* was published in two parts with the date 1792 indicated on the title page of the first part. The section on Cerambycidae was published May 4, 1793 (Evenhuis, 1997:248)
- 62) Lacordaire's Volume 8 is dated 1869, however the volume was published in November, 1868.
- 63) ICZN Article 67.4.1.
- 64) *Chlorophorus moultoni* Aurivillius, 1911 is possibly a synonym of *C. lituratus* (Laporte & Gory, 1836).
- 65) Recorded from Borneo by Makihara & Noerdjito, 2004.
- 66) Recorded from Borneo by Yokoi & Niisato, 2009b.
- 67) Breuning did not specify a valid type species when he described *Parepilysta* (1939b:243). Later (Breuning, 1964i:88) designated *P. strandi* Breuning, 1939b as the type species.
- 68) Breuning incorrectly spelled *Glenea baia* Jordan, 1903a, as *Glenea baja* Jordan, 1903a, in his work on *Glenea* and in his catalog.
- 69) This species was reported from Borneo by Vives (2001:7). The correct name for these specimens is *Stenoleptura levicula* Holzschuh, 2011.
- 70) Recorded from Sarawak by Abang (2003).
- 71) This genus does not belong in Tillomorphini.
- 72) This has been considered to be in Thraeniini.
- 73) This has been considered to be in Oemini. A specimen in the author's collection from Sabah is very similar to the holotype and is considered to be the same species despite the fact that the type locality is Sulawesi.
- 74) This author follows the analysis and comments presented in Santos-Silva & Galileo (2010) regarding the classification of Macrotomini: "It is probable that Macrotomini is not a monophyletic group, but the divisions proposed up to now are inconsistent. Thus, we believe that the prudent action is to maintain Macrotomini as a single tribe, including and disregarding the subdivisions presented in Lameere (1919)." Various on-line catalogs and the Palaearctic Catalog of Löbl, I. & A. Smetana (eds). (2010), continue to use the classification presented nearly a century ago.
- 75) It is currently outside the scope of this catalog to allocate all of these genera to their appropriate tribe.

LONGHORNED BEETLES OF BORNEO

Bibliography

- Abang, F. 2003. A checklist of the longhorn beetles (Cerambycidae: Cerambycinae) of Sarawak. Serangga. 8(1-2):24-30.
- Abang, F. & E. Vives. 2004. Two new species of Callichromatini from Sarawak, South-Western Borneo (Coleoptera: Cerambycidae). Lambillionea, Bruxelles. 104(2):233-237.
- Achard, J. 1911. Description d'une nouvelle espèce de *Chelidonium* Thoms. [Col. Cerambycidae]. Bulletin de la Société Entomologique de France. Paris. 1911(14):280-281.
- Achard, J. 1912. Description d'une nouvelle espèce d'*Euryphagus* [Col. Cerambycidae]. Bulletin de la Société Entomologique de France. Paris. 1912(10):220-221.
- Agassiz, L. 1846. Index universalis: 1-393. in Nomenclatoris Zoologicci, Index universalis continens Nomina systematica classium, ordinum, familiarum et generum animalium omnium tam viventium quam fossilium. Jent & Gassman ed., Soloduri.
- Andrews, C. W. 1900. A Monograph of Christmas Island (Indian Ocean). Bulletin of the British Museum. Natural History. Geology Series. 13:1-337.
- Audinet-Serville, J. G. A. 1832. Nouvelle classification de la famille des longicornes. Annales de la Société Entomologique de France, Paris. 1:118-201.
- Audinet-Serville, J. G. A. 1834a. Nouvelle classification de la famille des longicornes. Annales de la Société Entomologique de France, Paris. [1833] 2:528-573.
- Audinet-Serville, J. G. A. 1834b. Nouvelle classification de la famille des longicornes. Annales de la Société Entomologique de France, Paris. 3:5-110.
- Audinet-Serville, J. G. A. 1835a. Nouvelle classification de la famille des longicornes. Annales de la Société Entomologique de France, Paris. 4:5-100.
- Audinet-Serville, J. G. A. 1835b. Nouvelle classification de la famille des longicornes. Annales de la Société Entomologique de France, Paris. 4:197-228.
- Aurivillius, C. 1897. Neue oder wenig bekannte Coleoptera Longicornia. 5. Entomologisk Tidskrift, Stockholm. 18:241-248. [=pp. 35-42] + pl. 3: fig. 1-9.
- Aurivillius, C. 1903a. Neue oder wenig bekannte Coleoptera Longicornia. 8. Arkiv För Zoologi, Uppsala. 1:313-328. figs. 27-34.
- Aurivillius, C. 1907b. Neue oder wenig bekannte Coleoptera Longicornia. 9. Arkiv för Zoologi, Uppsala. [1906]. 3(18):1-39. [=pp. 93-131]. figs. 35-41 + pl. 1: fig. 1-9.
- Aurivillius, C. 1911a. Neue oder wenig bekannte Coleoptera Longicornia. 11. Arkiv för Zoologi, Uppsala. [1910]. 7(3):1-44. [=pp. 143-187]. fig. 48.
- Aurivillius, C. 1911b. Neue oder wenig bekannte Coleoptera Longicornia. 12. Arkiv för Zoologi, Uppsala. 7(19):1-41. [=pp. 187-228]. fig. 49-57.
- Aurivillius, C. 1912. Coleoptorum Catalogus. Pars 39 [vol. 22]. Cerambycidae: Cerambycinae. W. Junk & S. Schenkling, Berlin. 574 pp.
- Aurivillius, C. 1913d. Neue oder wenig bekannte Coleoptera Longicornia. 13. Arkiv för Zoologi, Uppsala. 8(22):1-35 [=pp 229-263]. fig. 58-68.
- Aurivillius, C. 1914. Neue oder wenigen bekannte Coleoptera Longicornia. 14. Arkiv för Zoologi. Uppsala. 8(29):1-54. [=pp. 265-318]. + pl. 1: fig. 1-9.
- Aurivillius, C. 1916a. Neue Cerambyciden aus der Sammlung G. van Roon. Tijdschrift voor Entomologie, Amsterdam. 59:214-224. pl. 8: fig. 1-13.
- Aurivillius, C. 1916b. Neue oder wenig bekannte Coleoptera Longicornia. 16. Arkiv för Zoologi, Uppsala. 10(19):1-26. [=pp. 335-360], fig. 69-72. + pl. 1: fig. 1-9.
- Aurivillius, C. 1920. Neue oder wenig bekannte Coleoptera Longicornia. 17. Arkiv för Zoologi, Uppsala. 13(9):1-43. [=pp. 361-403]. fig. 73-81.
- Aurivillius, C. 1922a. Coleopterum Catalogus. Pars 73 [Vol. 23]. Cerambycidae: Lamiinae. I. W. Junk & S. Schenkling, Berlin. 322 pp.
- Aurivillius, C. 1922b. Neue oder wenig bekannte Coleoptera Longicornia. 18. Arkiv för Zoologi, Uppsala. 14(18):1-32. [=pp. 405-436]. fig. 82-111.
- Aurivillius, C. 1922d. Neue Cerambyciden aus der Sammlung G. van Roon. 3. Tijdschrift voor Entomologie, Amsterdam, 65(1-3):160-173.
- Aurivillius, C. 1923. Coleopterum Catalogus. Pars 74 [Vol. 23]. Cerambycidae: Lamiinae. II. W. Junk & S. Schenkling, Berlin. pp. 323-704.
- Aurivillius, C. 1924a. Neue oder wenig bekannte Coleoptera Longicornia. 19. Arkiv för Zoologi, Uppsala. 15(25):1-43. [=pp. 437-479]. fig. 113-133. [printed Dec. 31, 1923, mailed in Jan. 1924]
- Aurivillius, C. 1924c. Cerambyciden aus Sumatra gesammelt von Edw. Jacobson bestimmt und beschrieben. Zooloogische Mededeelingen, Leiden. 8:24-35.
- Aurivillius, C. 1925a. Neue oder wenig bekannte Coleoptera Longicornia. 20. Arkiv för Zoologi, Uppsala. 17A(12):1-21. [=pp. 481-501]. fig. 134-140.

LONGHORNED BEETLES OF BORNEO

- Aurivillius, C. 1925b. Dr. E. Mjöberg's Zoological Collections from Sumatra. 3. Cerambyciden. Arkiv för Zoologi, Uppsala. 17B(1):1-4. fig. 1.
- Aurivillius, C. 1926a. Neue oder wenig bekannte Coleoptera Longicornia. 21. Arkiv för Zoologi, Uppsala. 18A(9):503-524, fig. 141-163.
- Aurivillius, C. 1926b. Revision of the Philippine species of the Gleneini. The Philippine Journal of Science, Manila. 30(1):89-115.
- Aurivillius, C. 1927. Neue oder wenig bekannte Coleoptera Longicornia. 22. Arkiv för Zoologi, Uppsala. 19A(17): 1-23. [=pp. 525-547]. fig. 164-177. + pl. 1: fig. 1-6.
- Aurivillius, C. 1928a. Neue oder wenig bekannte Coleoptera Longicornia. 23. Arkiv för Zoologi, Uppsala. 19A(23):1-41. [=pp. 549-589]. fig. 178-202.
- Aurivillius, C. 1928c. Cerambycidae. In: Insects of Samoa and Other Samoan Terrestrial Arthropoda. British Museum (Natural History), London. 4(2):135-154. 1 pl.
- Bates, H. W. 1870b. Contributions to an Insect Fauna of the Amazon Valley (Coleoptera, Cerambycidae). The Transactions of the Entomological Society of London. 1870(part IV):391-444.
- Bates, H. W. 1873c. On the longicorn Coleoptera of Japan. The Annals and Magazine of Natural History, London. (4)12:148-156.
- Bates, H. W. 1873e. On the longicorn Coleoptera of Japan. The Annals and Magazine of Natural History, London. (4)12:308-318.
- Bates, H. W. 1873f. On the longicorn Coleoptera of Japan. The Annals and Magazine of Natural History, London. (4)12:380-390.
- Bates, H. W. 1875b. New genera and species of Prionidae (Longicorn Coleoptera). The Entomologist's Monthly Magazine. 12:47-53.
- Bates, H. W. 1877a. Three new species of longicorn Coleoptera from Japan. The Entomologist's Monthly Magazine. 14(2):37-38.
- Bates, H. W. 1878a. New genera and species of longicorn Coleoptera. The Entomologist's Monthly Magazine. 14:272-274.
- Bates, H. W. 1878b. On new species of coleopterous insects (Geodephaga and Longicornia) taken by Dr. Stoliczka during the Forsyth Expedition to Kashgar in 1873-74. Proceedings of the Zoological Society of London. 1878:713-721.
- Bates, H. W. 1879b. New genera and species of Callichrominae (Coleoptera Longicornia). Cistula Entomologica. 2:395-419.
- Bates, H. W. 1884a. Longicorn beetles of Japan. Additions, chiefly from the later collections of Mr. George Lewis; and notes on the synonymy, distribution, and habits of the previously known species. The Journal of the Linnean Society of London. 18: 205-262. 2 pl.
- Bates, H. W. 1884b. New longicorn Coleoptera of the Monohamminae group from tropical West Africa. The Entomologist's Monthly Magazine. 21:14-18.
- Bates, H. W. 1889. On new genera and species of coleopterous insects from Mount Kinibalu, North Borneo. Proceedings of the Scientific Meetings of the Zoological Society of London. [1889]:383-393.
- Bates, H. W. 1891d. Coleoptera collected by Mr. Pratt on the Upper Yang-Tsze, and on the borders of Thibet. Second notice. Journey of 1890. The Entomologist. 24(Supplement):69-80.
- Belon, P. 1891. (Description d'un genre nouveau de Longicorne Lamiide). Bulletin des Séances et Bulletin Bibliographique de la Société Entomologique de France (Seance du 25 mars 1891). Annales de la Société Entomologique de France. 60:liv-lv.
- Bentanachs, J. 2005. Une nouvelle espèce du genre *Embrik-Strandia* Plavilstshikov, 1931 (Coleoptera, Cerambycidae, Callichromatini). Les Cahiers Magellanes, Andrésy. 50:1-6. 13 fig.
- Bentanachs, J. 2012. Revisión del género *Polyzonus* Dejean, 1835 y géneros afines (Coleoptera, Cerambycidae, Callichromatini). Les Cahiers Magellanes, New Series. Andrésy. 8:1-100. 264 fig.
- Bentanachs, J., J. Morati & E. Vives. 2010. Révision du genre *Zonopterus* et des genres voisins (Coleoptera, Cerambycidae, Callichromatini). Magellanes. Collection Systématique. Andrésy. 23:1-54. 113 fig.
- Bentanachs, J. & E. Vives. 2009a. El genero *Parandrocephalus* Heller, 1916, (Coleoptera, Cerambycidae, Callichromatini). Lambillionea, Bruxelles. 109(3):289-295. 25 fig.
- Bentanachs, J. & E. Vives. 2009b. in Vives, E., J. Bentanachs & S. Chew [2009c]. Notes sur les Callichromatini asiatiques (IV). New genera and species of Callichromatini from South-east Asia. (Coleoptera, Cerambycidae). Les Cahiers Magellanes, Andrésy. 100:1-16. 28 fig.
- Bentanachs, J. & E. Vives. 2010. in Bentanachs, J., J. Morati & E. Vives. Révision du genre *Zonopterus* et des genres voisins (Coleoptera, Cerambycidae, Callichromatini). Magellanes. Collection Systématique. Andrésy. 23:1-54. 113 fig.
- Bentanachs, J., E. Vives & S. Bosuang. 2012. Les Cerambycidae de Bornéo sous-famille des Cerambycinae (I). Tribus des Callichromatini, Compsocerini, Mythodini, Thraniini, Stenopterini, Dejanirini et Trachyderini. Collection Ex Natura. 4:1-114. 109 fig.
- Blackburn, T. 1894c. Further notes on Australian Coleoptera, with descriptions of new species. XV. Transactions of the Royal Society of South Australia. 18:139-168.

LONGHORNED BEETLES OF BORNEO

- Blackburn, T. 1895b. Notes on Australian Coleoptera, with descriptions of new genera and species, XVIII. Transactions of the Royal Society of South Australia. 19:201-258.
- Blair, K. G. 1940. Coleoptera from the Caroline Islands. Occasional Papers of Bernice P. Bishop Museum, Honolulu. 16(6):131-157.
- Blanchard, É. 1845. Histoire naturelle des insectes, leurs moeurs, leurs métamorphoses et leur classification ou traité élémentaire d'entomologie. Tome second. F. Savy, Paris. 524 pp. + pls 11-20.
- Blanchard, É. 1853. Description des insectes. In: M. J. Dumont-d'Urville. Voyage au pôle sud et dans l'océanie sur les corvettes l'Astrolabe et la Zélée; exécuté par ordre du roi pendant les années 1837-1838-1839-1840, sous le commandement de M. J. Dumont-d'Urville, Capitaine de vaisseau; publié par ordre du gouvernement, sous la direction supérieure de M. Jacquinot, Capitaine de Vaisseau, Commandant de la Zélée. Zoologie. Gide et J. Baudry, Paris. Volume 4. 422 pp. [Cerambycidae: pp. 259-306].
- Blessig, C. 1872. Zur Kenntnis der käferfauna Süd-Ost-Sibiriens insbesondere des Amur-Landes. Longicornia. Horae Societatis Entomologicae Rossicae. 9:161-192.
- Blessig, C. 1873. Zur Kenntnis der käferfauna Süd-Ost-Sibiriens insbesondere des Amur-Landes. Longicornia. Horae Societatis Entomologicae Rossicae. [1872]. 9:193-260. pl. VII-VIII.
- Boisduval, J. B. A. 1835. Voyage de découvertes de l'Astrolabe. Exécuté par ordre du Roi, pendant les années 1826-1827-1828-1829, sous le commandement de M. J. Dumont D'Urville. Faune entomologique de l'Océan Pacifique, avec l'illustration des insectes nouveaux recueillis pendant le voyage, deuxième partie, coléoptères et autres ordres. 716 pp. Paris.
- Bouchard, P., Y. Bousquet, A. Davies, M. Alonso-Zarazaga, J. Lawrence, C. Lyal, A. Newton, C. Reid, M. Schmitt, S. Slipinski & A. Smith. 2011. Family-group names in Coleoptera (Insecta). ZooKeys. 88:1-972.
- Bousquet, Y., D. Heffern, P. Bouchard & E. Nearns. 2009. Catalogue of family-group names in Cerambycidae (Coleoptera). Zootaxa. 2321:1-80.
- Breuning, S. 1935c. Novae species Cerambycidarum. Folia Zoologica et Hydrobiologica. Riga. 7(2):153-174.
- Breuning, S. 1935d. Novae species Cerambycidarum. II. Folia Zoologica et Hydrobiologica. Riga. 7(2):241-254.
- Breuning, S. 1935e. Description d'un nouveau Longicorne. Bollettino della Società Entomologica Italiana. Firenze, Genova. 67:76-77.
- Breuning, S. 1935f. Novae species Cerambycidarum. III. Folia Zoologica et Hydrobiologica. Riga. 8(1):51-71.
- Breuning, S. 1935g. Novae species Cerambycidarum. IV. Folia Zoologica et Hydrobiologica. Riga. 8(2):251-276.
- Breuning, S. 1936b. Novae species Cerambycidarum. V. Festschrift zum 60. Geburtstage von Professor Dr. Embrik Strand. Riga. 1:274-326.
- Breuning, S. 1936c. Results of the Oxford Expedition to Sarawak (Borneo), 1932; A new species of Lamiidae. The Entomologist's Monthly Magazine. London. 72:109.
- Breuning, S. 1937b. Results of the Oxford Expedition to Sarawak (Borneo), 1932; Three new species of Lamiidae. The Entomologist's Monthly Magazine. London. 73:57-58.
- Breuning, S. 1938c. Novae species Cerambycidarum. VI. Festschrift zum 60. Geburtstage von Professor Dr. Embrik Strand. Riga. 4:180-392.
- Breuning, S. 1938e. Nouveaux Cerambycidae (Col.) Novitates Entomologicae. Revue Mondiale d'Entomologique Systématique - Biologie. Paris. 8(4-8):30-64.
- Breuning, S. 1938i. Études sur les Lamiaires (Coleoptera: Cerambycidae). Huitième Tribu: Mesosini Thomson. Novitates Entomologicae. Revue Mondiale d'Entomologique Systématique - Biologie. Troisième Supplément. Paris. 8(46-49):365-392.
- Breuning, S. 1939a. Études sur les Lamiaires (Coleoptera: Cerambycidae). Huitième Tribu: Mesosini Thomson. Novitates Entomologicae. Revue Mondiale d'Entomologique Systématique - Biologie. Troisième Supplément. Paris. 9(50-66):393-526.
- Breuning, S. 1939b. Novae species Cerambycidarum VII. Festschrift zum 60. Geburtstage von Professor Dr. Embrik Strand. Riga. 5:144-290.
- Breuning, S. 1939c. Neue Lamiinae aus dem Museo civico di Storia naturale in Genoa. Memoire della Società Entomologica Italiana. Genova. 18:53-79.
- Breuning, S. 1939e. Deux nouvelles espèces de Longicornes. Notes d'entomologie chinoise. Musée Heude, Chang-Hai. 6(8):147-148.
- Breuning, S. 1940b. Novae species Cerambycidarum. IX. Folia Zoologica et Hydrobiologica. Riga. 10(1):115-214.
- Breuning, S. 1940e. Novae species Cerambycidarum. X. Folia Zoologica et Hydrobiologica. Riga. 10(2):407-437.
- Breuning, S. 1942c. Novae species Cerambycidarum. XI. Folia Zoologica et Hydrobiologica. Riga. 11(2):113-175.
- Breuning, S. 1942g. Nonnullae species novae Cerambycidarum. Ac nova natio generis *Carabus*. Sborník Entomologického Oddelení Národního Muzea v Praze. 20(239):132-134.

LONGHORNED BEETLES OF BORNEO

- Breuning, S. 1943b. Études sur les Lamiaires (Coleoptera: Cerambycidae). Douzième tribu: Agniini Thomson. Novitates Entomologicae. Revue Mondiale d'Entomologique Systématique - Biologie. Troisième Supplément. Paris. 13(89-106):137-280. fig. 1-157.
- Breuning, S. 1943c. Novae species Cerambycidarum. XII. Folia Zoologica et Hydrobiologica. Riga. 12(1):12-66.
- Breuning, S. 1944b. Études sur les Lamiaires (Coleoptera: Cerambycidae). Douzième tribu : Agniini Thomson. Novitates Entomologicae. Revue Mondiale d'Entomologique Systématique - Biologie. Troisième Supplément. Paris. 14(107-135):281-512. fig. 158-305.
- Breuning, S. 1947d. Nouvelles formes de Longicornes du Musée de Stockholm. Arkiv för Zoologi. Stockholm. 39A(6):1-68.
- Breuning, S. 1948b. Nouvelles formes de Lamiaires (première partie). Bulletin du Musée Royal d'Histoire Naturelle de Belgique. Bruxelles. 24(38):1-44.
- Breuning, S. 1948c. Nouvelles formes de Lamiaires (deuxième partie). Bulletin du Musée Royal d'Histoire Naturelle de Belgique. Bruxelles. 24(47):1-47.
- Breuning, S. 1948h. *in* Gilmour, E. F. & J. R. Dibb. 1948. Revision of the Batocerini (Coleoptera, Cerambycidae, Lamiinae). Spolia Zeylanica. Colombo Museum, Colombo. 25(1):1-121. 10 pl.
- Breuning, S. 1949b. Entomological Results from the Swedish Expedition 1934 to Burma and British India. Coleoptera: Cerambycidae, Lamiinae recueillis par René Malaise. Arkiv för Zoologi, Stockholm 42A(15):1-21.
- Breuning, S. 1949c. Nouveaux Lamiaires du Musée de Milan. Atti della Società Italiana di Scienze Naturali. 88:243-245.
- Breuning, S. 1949d. Notes systématiques sur les Lamiaires. Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 25(38):1-32.
- Breuning, S. 1950b. Nouvelles formes de Lamiaires (3^e partie). Bulletin Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 26(12):1-32.
- Breuning, S. 1950c. Nouveaux Lamiaires du Musée de Gènes. Annali del Museo Civico di Storia Naturale di Genova. 64:170-201.
- Breuning, S. 1950d. Quelques nouveaux Lamiaires du Riksmuseum. Arkiv för Zoologi. Stockholm. (Ser. 2). 1(19):265-274.
- Breuning, S. 1950g. Considérations préliminaires sur la classification des Lamiaires. Longicornia. 1:25-28.
- Breuning, S. 1950i. Révision des Morimopsini. Longicornia. Paris. 1:161-262. 19 fig.
- Breuning, S. 1950o. Révision des Xylorhizini. Longicornia. Paris. 1:379-410. 8 fig.
- Breuning, S. 1950r. Lamiaires nouveaux de la collection Lepesme. Longicornia. Paris. 1:511-535. 8 fig.
- Breuning, S. 1950t. Nouvelles formes de Lamiaires. Sarawak Museum Journal. 5:373-388.
- Breuning, S. 1951b. Nouveaux Lamiaires du Musée d'Amsterdam. Tijdschrift voor Entomologie. 93:134-140.
- Breuning, S. 1952b. Lamiaires nouv. du Congo Belge appartenant au genre *Glenea*. Revue de Zoologie et de Botanique Africaines. 45:313-323.
- Breuning, S. 1952e. Lamiaires nouveaux de la collection du Museo civico di Storia Naturale, Genova. Doriania. 1(31):1-3.
- Breuning, S. 1953a. Nouvelles formes de Lamiaires (4^e partie). Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 29(8):1-38.
- Breuning, S. 1953d. Note sur les Lamiaires de Nouvelle Guinée et de quelques îles limitrophes du Musée d'Histoire Naturelle de Budapest. Annales Historico-Naturales Musei Nationalis Hungarici. (series nova) 4:95-111.
- Breuning, S. 1954i. Revision von 35 Gattungen aus der Gruppe der Saperdini Muls. (Col. Cerambycidae). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 5:401-567.
- Breuning, S. 1955a. Lamiaires nouveaux de la collection du Museo Civico di Storia Naturale di Genova. Annali del Museo Civico di Storia Naturale di Genova. 68:40-44.
- Breuning, S. 1955e. Nouveaux Lamiaires du Muséum national d'Histoire naturelle (2^e note) (Col. Cerambycidae). Bulletin de la Société Entomologique de France. Paris. 60:59-64. fig. 1-4.
- Breuning, S. 1955f. Nouveaux Lamiaires du Muséum national d'Histoire naturelle (2^e note) (Col. Cerambycidae) (suite). Bulletin de la Société Entomologique de France. Paris. 60:70-77. fig. 5-8.
- Breuning, S. 1956a. Longicornes nouveaux de la collection du Museo civico di Storia Naturale - Genova (Coleoptera, Cerambycidae). Annali del Museo Civico di Storia Naturale di Genova. 68:244-258.
- Breuning, S. 1956d. Nouveaux Lamiaires du Riksmuseum. Arkiv för Zoologi. Stockholm. (Ser. 2) 9(12):355-361.
- Breuning, S. 1956e. Nouvelles formes de Lamiaires (8^e partie). Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 32(25):1-23.
- Breuning, S. 1956f. Revision der Gattung *Glenea* Newm. Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 7(1):1-199.
- Breuning, S. 1956h. Lamiaires nouveaux du Musée Royal du Congo belge. Bulletin et Annales de la Société Entomologique de Belgique. Bruxelles. 92:120-136.

LONGHORNED BEETLES OF BORNEO

- Breuning, S. 1956j. Die Ostasien-Cerambyciden im Museum A. Koenig, Bonn. Bonner Zoologische Beiträge, Bonn. 1-3:229-236.
- Breuning, S. 1956l. Revision der Gattung *Glenea* Newm. (1. fortsetzung). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 7(2):671-893. 1 fig.
- Breuning, S. 1956o. Révision des Astathini. Longicornia, Paris. 3:417-519. 18 fig.
- Breuning, S. 1956q. Lamiaires nouveaux de la Collection Lepesme (2^e note). Longicornia. Paris. 3:665-702. 12 fig.
- Breuning, S. 1957c. Nouveaux Lamiaires du Riksmuseum van Natuurlijke Historie. Zoologische Mededeelingen, Leiden. 35:113-123.
- Breuning, S. 1957f. Nouvelles formes de Lamiaires (9^{eme} partie). Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 33(8):1-24.
- Breuning, S. 1957h. Neue Lamiinae aus der Sammlung F. Tippmann. Entomologisches Nachrichtenblatt für österreichische und schweizerische Entomologie. 8(3):10-16.
- Breuning, S. 1957i. Révision du genre *Xystrocera* Serv. Bulletin de l'Institut Fondamental d'Afrique Noire. 19A:1223-1271.
- Breuning, S. 1957m. Sechs neue Lamiiden aus dem Museum G. Frey (Ceramb., Col.). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 8(2):683-686.
- Breuning, S. 1957o. Révision du genre *Obereopsis* Chvrl. (Coleoptera, Cerambycidae). Indian Forest Records. (new series) Entomology. [1955]. 9(3):17-122.
- Breuning, S. 1958a. Revision der Gattung *Sericia* Pasc. Arkiv för Zoologi. Stockholm. 11(14):193-254.
- Breuning, S. 1958c. Revision der Gattung *Glenea* Newm. (Col. Ceramb.) (2. fortsetzung). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 9(1):229-351.
- Breuning, S. 1958d. Nouveaux Lamiaires du Muséum national d'Histoire naturelle (3^e note) (Col. Cerambycidae). Bulletin de la Société Entomologique de France. Paris. 62:261-270.
- Breuning, S. 1958e. Nouveaux Lamiaires du Muséum national d'Histoire naturelle (3^e note) [Col. Cerambycidae] (suite et fin). Bulletin de la Société Entomologique de France. Paris. 63:31-37.
- Breuning, S. 1958j. Nouvelles formes de Lamiaires (dixième partie). Bulletin de Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 34(22):1-47.
- Breuning, S. 1958l. Révision du genre *Exocentrus* Mulsant (Col., Cerambycidae). Bulletin of the British Museum (Natural History). Entomology. 7(5):211-320. 5 fig.
- Breuning, S. 1958m. Bemerkungen zu einigen Lamiiden des Deutschen Entomologischen Instituts (Coleoptera: Cerambycidae). Beiträge zur Entomologie. 8(3/4):491-494.
- Breuning, S. 1958n. Revision der Gattung *Glenea* Newm. (Col. Ceramb) (3. Fortsetzung und Schluß). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 9(3):804-907.
- Breuning, S. 1959e. Neue und bemerkenswerte Käfer-Formen aus der Sammlung des zoologischen Forschungsinstituts und Museums Alexander Koenig. 5. Lamiiden. Bonner Zoologische Beiträge, Bonn. 10(1-2):126-131.
- Breuning, S. 1959h. Neue Cerambyciden aus den Sammlungen des zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, Cerambycidae). Mitteilungen aus dem Zoologischen Museum in Berlin. 35:149-175.
- Breuning, S. 1960d. Nouveaux Longicornes du Muséum national d'Histoire naturelle (4^e note) (Col. cerambycidae) (suite et fin). Bulletin de la Société Entomologique de France. Paris. 65:29-36.
- Breuning, S. 1960e. Nouvelles formes de Lamiaires (douzième partie). Bulletin de l'Institut royal des Sciences naturelles de Belgique, Bruxelles. 36(7):1-30.
- Breuning, S. 1960g. Révision des espèces asiatiques du genre *Nupserha* Thomson (Coleoptera, Cerambycidae). Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 36(10):1-62.
- Breuning, S. 1960h. Nouveaux Longicornes du Muséum national d'Histoire naturelle (4^{eme} note) [Col. Cerambycidae] (suite et fin). Bulletin de la Société Entomologique de France. Paris. 65:143-149.
- Breuning, S. 1960j. Neue Cerambyciden aus den Sammlungen des zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, Cerambycidae) zweiter teil. Mitteilungen aus dem Zoologischen Museum in Berlin. 36(2):463-486.
- Breuning, S. 1961a. Nouveaux Cerambycidae des collections du Muséum de Paris. Bulletin du Muséum National d'Histoire Naturelle. (2^e série). 32(6):536-548.
- Breuning, S. 1961b. Catalogue des Lamiaires du monde (Col. Céramb.). 4 Lieferung. Im Verlag des Museums G. Frey. Tutzing bei München. p. 183-284.
- Breuning, S. 1961c. Neue oder schlecht bekannte Cerambyciden (Col.). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 12:140-160.
- Breuning, S. 1961d. Neue Lamiiden aus dem Museum G. Frey (Col. Cerabm.). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 12(1):245-250.
- Breuning, S. 1961e. Einige interessante neue Lamiinen der Sammlung Obering. F. P. Tippmann - Wien. Zeitschrift der Arbeitsgemeinschaft österreichischer Entomologen. 12(3):133-135.

LONGHORNED BEETLES OF BORNEO

- Breuning, S. 1961j. Nouvelles formes de Lamiaires (treizième partie). Bulletin de Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 37(20):1-44.
- Breuning, S. 1961k. Neue Lamiinae aus dem Museum G. Frey (Col. Cerambycidae). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 12(2):326-342.
- Breuning, S. 1961r. Neue Cerambyciden aus den Sammlungen des zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, Cerambycidae) dritter teil. Mitteilungen aus dem Zoologischen Museum in Berlin. 37(2):297-328.
- Breuning, S. 1961s. Révision systématique des espèces du genre *Oberea* Mulsant du globe (Coleoptera Cerambycidae) deuxième partie. Frustula Entomologica. 4(3):61-140.
- Breuning, S. 1962g. Bestimmungstabelle der Lamiiden-Triben nebst Revision der Pteropliini der asiatischen Region. (Col. Ceramb.) I. Teil. Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 13(2):371-493. 8 fig.
- Breuning, S. 1962m. Nouvelles formes de Lamiaires (quatorzième partie). Bulletin Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 38(40):1-16. 5 fig.
- Breuning, S. 1962q. Révision systématique des espèces du genre *Oberea* Mulsant du globe (Coleoptera Cerambycidae) troisième partie. Frustula Entomologica. 5(4):141-232.
- Breuning, S. 1963a. Neue Lamiinae aus dem Museum G. Frey (Col. Ceramb.). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 14(1):76-90.
- Breuning, S. 1963b. Bestimmungstabelle der Lamiiden-Triben nebst Revision der Pteropliini der asiatischen Region (Col. Ceramb.) II. teil. Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 14(1):168-251.
- Breuning, S. 1963d. Contribution à la connaissance des Lamiens du Laos (Coll. Céramb.) quatrième partie. Bulletin de la Société Royale des Sciences Naturelles du Laos. 5:45-62. 19 fig.
- Breuning, S. 1963h. Contribution à la connaissance des Lamiens du Laos (Coll. Céramb.), sixième partie. Bulletin de la Société Royale des Sciences Naturelles du Laos. 7:3-22. 19 fig.
- Breuning, S. 1963o. Nouvelles formes de Lamiaires (quinzième partie). Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. Bruxelles. 39(34):1-11.
- Breuning, S. 1964g. Neue Lamiiden aus dem Museum G. Frey (Col. Ceramb.). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 15(1):91-97.
- Breuning, S. 1964i. Tribus Apomecynini, Revision der Apomecynini der asiatisch-australischen Region. Entomologische Abhandlungen und Berichte aus dem Staatlichen Museum für Tierkunde in Dresden. 30:1-528. 11 pl.
- Breuning, S. 1964n. Contribution à la connaissance des Lamiens du Laos (Coll. Céramb.) neuvième partie. Bulletin de la Société Royale des Sciences Naturelles du Laos. 10:13-24. 12 fig.
- Breuning, S. 1965c. Revision der 35. Gattung der Pteropliini der asiatischen Region (Col. Cerambycidae). Entomologischen Arbeiten aus dem Museum G. Frey, Tutzing. 16:161-472.
- Breuning, S. 1965e. Neue Cerambyciden aus den Sammlungen des Zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, Cerambycidae) vierter teil. Mitteilungen aus dem Zoologischen Museum in Berlin. 41(1):81-93.
- Breuning, S. 1965g. Neue Cerambyciden aus den Sammlungen des Zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, Cerambycidae) fünfster teil. Mitteilungen aus dem Zoologischen Museum in Berlin. 41(2):177-182.
- Breuning, S. 1965h. Contribution à la connaissance des Lamiens du Laos (Coll. Céramb.) dixième partie. Bulletin de la Société Royale des Sciences Naturelles du Laos. 11:29-41. 16 fig.
- Breuning, S. 1965k. Contribution à la connaissance des Lamiens du Laos (Coll. Céramb.) 13^{ème} partie. Bulletin de la Société Royale des Sciences Naturelles du Laos. 14:31-62.
- Breuning, S. 1966b. Neue Lamiinae aus den Beständen des Museums für Tierkunde in Dresden (Coleoptera, Cerambycidae). Reichenbachia. 6(14):119-128.
- Breuning, S. 1966l. Nouvelles formes de Lamiaires (dix-septième partie). Bulletin de l'Institut royal des Sciences naturelles de Belgique, Bruxelles. 42(21):1-22.
- Breuning, S. 1966n. Neue Cerambyciden aus den Sammlungen des zoologischen Museums der Humboldt-Universität zu Berlin (Coleoptera, cerambycidae). Mitteilungen aus dem Zoologischen Museum in Berlin. 42(2):229-258.
- Breuning, S. 1966o. Revision der Agapanthiini der eurasiatisch-australischen Region (Coleoptera, Cerambycidae). Entomologische Abhandlungen und Berichte aus dem Staatlichen Museum für Tierkunde in Dresden. 34:1-144. 23 fig.
- Breuning, S. 1967c. Catalogue des Lamiaires du Monde (Col. Céramb.). Im Verlag des Museums G. Frey. Tutzing bei München. p. 771-864.
- Breuning, S. 1967j. Nouveaux Cerambycidae Lamiinae des collections du Muséum national d'Histoire naturelle de Paris (Col.). Bulletin de la Société Entomologique de France. Paris. 72:183-189.
- Breuning, S. 1968a. Nouveaux Pteropliini des collections du Muséum de Paris (Col. Cerambycidae Lamiinae). Bulletin du Muséum National d'Histoire Naturelle. 2e série. 39(5):851-860.

LONGHORNED BEETLES OF BORNEO

- Breuning, S. 1968f. Nouveaux Lamiaires de la collection Fuchs (Col. Cerambycidae). Bulletin de la Société Entomologique de Mulhouse. 1968(Juillet – Aout):53-57.
- Breuning, S. 1968h. Contribution à la connaissance des Lamiens du Laos (15ème partie et fin). Bulletin de la Société Royale des Sciences Naturelles du Laos. 16:4-44, 63-64.
- Breuning, S. 1968k. Nouveaux coléoptères Cerambycidae Lamiinae des collections du Muséum de Paris. Bulletin du Muséum National d'Histoire Naturelle. 2e Série. 40(4):692-709.
- Breuning, S. 1968l. Nouveaux Cerambycides Lamiinae des collections du Muséum de Paris. Bulletin de la Société Entomologique de France. Paris. 73:225-232.
- Breuning, S. 1969b. Description de trois nouvelles espèces de Lamiinae de la coll. Chassot (Cerambycidae, Coleoptera). Bulletin de la Société Entomologique de Mulhouse. 1969(mars-avril):35-36.
- Breuning, S. 1969h. Nouveaux coléoptères Cerambycidae Lamiinae des collections du Muséum de Paris. Bulletin du Muséum National d'Histoire Naturelle. 2^e Série. 41(1):187-199.
- Breuning, S. 1969i. Nouveaux coléoptères Cerambycidae des collections du Muséum de Paris. Bulletin du Muséum National d'Histoire Naturelle. 2^e Série. 41(3):655-670.
- Breuning, S. 1970a. Révision des Glaucytnini de la région asiato-australienne (Col. Cerambycidae). Bulletin de la Société Entomologique de Mulhouse. 1970(Mars-Avril):17-30.
- Breuning, S. 1970c. Révision des Nyctimenini, Hyborhabdini et Zygocerini (Coleoptera, Cerambycidae, Lamiinae). Bulletin et Annales Société Entomologique de Belgique. Bruxelles. 106:77-117.
- Breuning, S. 1970h. Nouveaux coléoptères Cerambycides Lamiinae des collections du Museum de Paris (suite). Bulletin du Muséum National d'Histoire Naturelle. 2^e Série. 42(3):460-488.
- Breuning, S. 1970l. in Rondon, J. A. and S. Breuning. 1970. Lamiines du Laos. Pacific Insects Monograph. 24:315-571.
- Breuning, S. 1971a. Nouveaux coléoptères Cerambycidae malgaches des collections du Muséum de Paris. Bulletin du Muséum National d'Histoire Naturelle. 2e Série. 42(4):662-684.
- Breuning, S. 1971e. Quelques rectifications systématiques sur les Lamiaires (Coleoptera, Cerambycidae). Bulletin de la Société Entomologique de Mulhouse. 1971(Mai-Juin):45-46.
- Breuning, S. 1972d. Descriptions de cinq nouvelles espèces de Lamiinae de la coll. Chassot (Col. Cerambycidae). Bulletin de la Société Entomologique de Mulhouse. 1972 (Avril -Juin):29-31.
- Breuning, S. 1973d. Neue formen von Lamiinae (Coleoptera). Mitteilungen aus dem Zoologischen Museum in Berlin. 49(1):41-45.
- Breuning, S. 1973e. Lamiaires nouveaux ou peu connus du Muséum de Paris [Col. Cerambycidae]. Annales de la Société Entomologique de France. Paris. 9(3):647-665.
- Breuning, S. 1974f. Nouveaux Mesosini des collections du Muséum national d'Histoire naturelle [Col. Cerambycidae Lamiinae]. Bulletin de la Société Entomologique de France. Paris. 79:72-79.
- Breuning, S. 1974g. Neue arten und gattungen von lamiiden (Coleoptera, Cerambycidae). Mitteilungen aus dem Zoologischen Museum in Berlin. 50(1):149-165.
- Breuning, S. 1974m. Neue Lamiinae (Coleoptera, Cerambycidae). Mitteilungen aus dem Zoologischen Museum in Berlin. 50(2):237-241.
- Breuning, S. 1975b. Révision de la tribu des Rhodopinini Gress. de la région asiato-australienne (Coleoptera, Cerambycidae) première partie. Editions Sciences Nat. pp. 1-70. 7 fig.
- Breuning, S. 1976a(f). Quelques nouvelles espèces de Lamiinae du Muséum d'Histoire naturelle de Genève. III (Coleoptera, Cerambycidae). Revue Suisse d'entomologie. 83(3):737-741.
- Breuning, S. 1976j. Révision de la tribu des Rhodopinini Gress. de la région asiato-australienne (Coleoptera, Cerambycidae), deuxième partie. Editions Sciences Nat. pp. 71-151. 5 fig.
- Breuning, S. 1977d. Révision de la tribu des Acanthocinini de la région asiato-australienne (Coleoptera: Cerambycidae). Première partie. Mitteilungen aus dem Zoologischen Museum in Berlin. 53(1):111-155. 7 fig.
- Breuning, S. 1977g. Révision de la tribu des Acanthocinini de la région asiato-australienne (Coleoptera: Cerambycidae). Deuxième partie. Mitteilungen aus dem Zoologischen Museum in Berlin. 53(2):199-276. 16 fig.
- Breuning, S. 1978a. Descriptions de nouveaux genres et espèces de Lamiinae (Col. Cerambycidae). Bulletin de la Société Entomologique de Mulhouse. 1978(Jan-Mars):5-7.
- Breuning, S. 1978d. Révision de la tribu des Acanthocinini de la région asiato-australienne (Coleoptera: Cerambycidae) Troisième partie. Mitteilungen aus dem Zoologischen Museum in Berlin. 54(1):3-78. 22 fig.
- Breuning, S. 1979c. Révision de la tribu des Gyaritini Breun. (Coleoptera Cerambycidae). Editions Sciences Nat. pp. 1-20. 1 pl.
- Breuning, S. 1979d. Nouveaux Coléoptères Cerambycidae Lamiinae des collections du Muséum de Paris (1^{re} note). Revue Francaise d'Entomologie. 1(2):99-100.
- Breuning, S. 1980i. Description de nouvelles espèces de Lamiaires des Philippines (Coleoptera, Cerambycidae). Mitteilungen aus dem Zoologischen Museum in Berlin. 56(2):157-182.
- Breuning, S. 1981a. Nouvelles espèces de Lamiinae (Col. Cerambycidae) de la coll. Vives. Nouvelle Revue d'Entomologie. 11(1):73-75.

LONGHORNED BEETLES OF BORNEO

- Breuning, S. 1982c. Diagnoses préliminaires de nouveaux Lamiinae du Muséum National d'Histoire Naturelle de Paris. (Coleoptera, Cerambycidae). Annales de la Société Entomologique de France. 18(1):9-29.
- Breuning, S. 1982e. Descriptions de nouvelles formes de Lamiinae de l'Asie orientale. Special Issue in Memory of the Retirement of Emeritus Professor Michio Chūjō. 1982:139-149. 23 fig.
- Breuning, S. & L. Hevovsky. 1964. Cérambycides nouveaux de la collection Heyrovsky (deuxième partie). Bulletin de la Société Entomologique Mulhouse. 1964:27-30.
- Breuning S. & K. Itzinger. 1943. Cerambycidi birmani del Museo di Milano. Atti della Società Italiana di Scienze Naturali. 82:36-54.
- Breuning, S. & C. de Jong. 1941. Neue und seltene Lamiinae (Coleoptera, Cerambycidae). Zoologische Mededeelingen, Leiden. 23:47-106.
- Brongniart, C. 1890. (Description de quelques longicornes nouveaux de l'Indo-Chine). Annales de la Société Entomologique de France. (6) 10:183-185.
- Chevrolat, L. A. A. 1835. Description de l'*Olenecamptus serratus*. In F. E. Guérin-Méneville, d'Anatomie comparée et de Palaeontologie. Magasin de Zoologie. Paris. (1)5:pl. 134
- Chevrolat L. A. A. 1843. [Choeromorpha, p. 613 ; Coleoptera entries, various pages] In: D'Orbigny C. V. D. (ed.) Dictionnaire universel d'histoire naturelle. Tome troisième. [1844] Paris: Bureau Principal des Editeurs, 744 pp.
- Chevrolat, L. A. A. 1852. Description de Coléoptères nouveaux. Revue et Magasin de Zoologie, Paris. (2) 4:414-422.
- Chevrolat, L. A. A. 1855c. Description de seize espèces de Longicornes du vieux Calabar, à la côte occidentale d'Afrique. Revue et Magasin de Zoologie, Paris. (2)7:282-290.
- Chevrolat, L. A. A. 1856a. Diagnoses d'espèces nouvelles qui seront décrites et figurées prochainement. Revue et Magasin de Zoologie, Paris. (2) 8:47-48.
- Chevrolat, L. A. A. 1856b. Coléoptères nouveaux. Revue et Magasin de Zoologie, Paris. (2) 8:84-89.
- Chevrolat, L. A. A. 1856h. Description de longicornes nouveaux du vieux Calabar, côte occidentale d'Afrique. Revue et Magasin de Zoologie, Paris. (2)8:531-535.
- Chevrolat, L. A. A. 1858k. Supplément aux Coléoptères Cerambycidæ. Description de seize espèces provenant de l'Afrique occidentale. Archives Entomologiques, Paris. 2:240-256. pl. 14.
- Chevrolat, L. A. A. 1860. Description d'espèces de *Clytus* propres au Mexique. Annales de la Société Entomologique de France, Paris. (3) 8:451-504
- Chevrolat, L. A. A. 1863. Clytides d'Asie e d'Océanie. Mémoires de la Société Royale des Sciences de Liège. 18(4):253-350.
- Chou, W.-I. & N. Ohbayashi. 2008, A new species of the genus *Caraphia* from Taiwan, with consideration of the status of the genus (Coleoptera : Cerambycidae). Studies on the Taiwanese Lepturinae, II. Entomological Review of Japan. 63(2):135-144. 5 fig.
- Dallas, W. S. 1869. Insecta. Zoological Record. 5(1868):189-418.
- Dalman, J. W. 1817. In C. J. Schoenherr, *Synonymia insectorum*, oder: Versuch einer Synonymie aller bisher bekannten Insecten; nach Fabricii Systema Eleutheratorum & c. geordnet, Eleutherata oder Käfer. Skara, Lewerentzchen Buch., Stockholm, 1(3): xi + 506 pp.
- Danilevsky, M. L. 2009c. *Xylotrechus* (*Kostiniclytus* subgen. n.) *medvedevi* sp. n. (Coleoptera, Cerambycidae) from Mongolia. Special Bulletin of the Japanese Society of Coleopterology, Tokyo. 7:211-219. 9 fig.
- Dauber, D. 2002. Acht neue Clytini aus Malaysia und Sumatra (Coleoptera, Cerambycidae, Cerambycinae). Linzer Biologische Beiträge. 34(1): 801-813.
- Dauber, D. 2003a. Drei neue Clytini aus Borneo und Sumatra (Coleoptera, Cerambycidae, Cerambycinae). Linzer Biologische Beiträge. 35(1):13-18.
- Dauber, D. 2003b. Vierzehn neue Clytini aus Malaysia und Sumatra (Coleoptera, Cerambycidae, Cerambycinae). Linzer Biologische Beiträge. 35(1):131-149.
- Dauber, D. 2004. Sechs neue Clytini aus Malaysia, Celebes, Ceram und Thailand (Coleoptera, Cerambycidae, Cerambycinae). Linzer Biologische Beiträge. 36(1):205-214.
- Dauber, D. 2006. Sechsundzwanzig neue Clytini aus Malaysia vornehmlich Borneo und Sumatra (Coleoptera, Cerambycidae, Cerambycinae). Linzer Biologische Beiträge. 38(1):423-453.
- Dauber, D. 2008. Elf neue Clytini und Anaglyptini aus Malaysien und Indonesian (Coleoptera Cerambycidae, Cerambycinae). Linzer Biologische Beiträge. 40(2):1193-1209. 11 fig.
- Dauber, D. 2010a. Zehn neue Clytini aus Malaysia und Neuguinea (Coleoptera, Cerambycidae, Cerambycinae). Linzer Biologische Beiträge. 42(1):565-580. 10 fig.
- Dauber, D. 2012. Sechs neue Clytini aus Borneo (Coleoptera, Cerambycidae, Cerambycinae). Linzer Biologische Beiträge. 44(1):171-179. 6 fig.
- Dauber, D. & T. J. Hawkeswood. 1993. Description of a new species of *Xylotrechus* Chevrolat, and notes on the synonymy of some other *Xylotrechus* species (Coleoptera: Cerambycidae: Cerambycinae). Giornale Italiano di Entomologia, Cremona. [1992] 6:195-198. 2 fig.
- de Jong, C. 1936. Some new Cerambycidae. Zoologische Mededeelingen, Leiden. 19:75-78, 3 figs.

LONGHORNED BEETLES OF BORNEO

- de Jong, C. 1942. Notes on Cerambycidae, I-XIV. Zoologische Mededeelingen, Leiden. 24(1-2):18-48, 5 figs, pls I-V.
- Degeer, C. 1775. Mémoires pour servir à l'histoire des insectes. Stockholm, Imp. Pierre Hesselberg, 5: vii + 448 pp., 16 pls.
- Dejean, P. F. M. A. 1821. Catalogue de la collection de Coléoptères de M. le baron Dejean. pp. viii + 136 + [ii], Crevot, Libraire, Paris.
- Dejean, P. F.M. A. 1833-1835. Catalogue des Coléoptères de la collection de M. le Comte Dejean. Deuxième édition. Méquignon-Marvis, Père et Fils, Paris. pp. 1-443. [1-176 = 1833; 177-256 = 1834; 257-443 = 1835].
- Desmarest, E. 1860. Encyclopédie d'histoire naturelle ou traité complet de cette science d'après les travaux des naturalistes les plus éminents de tous les pays et de toutes les époques; Buffon, Daubenton, Lacépède, G. Cuvier, F. Cuvier, Geoffroy Saint-Hilaire, Latreille, de Jussieu, Brongniart, etc., etc. Ouvrage résumant les observations des auteurs anciens et comprenant toutes les découvertes modernes jusqu'à nos jours. Coléoptères buprestiens, scarabéiens, pimeliens, curculioniens, scolytiens, chrysoméliens, etc. Troisième partie. Marescq et Compagnie, Paris, [3] + 360 pp. + 48 pls.
- Devecis, J. 1993. Un Batocerini nouveau du Sabah (Borneo septentrional) et observation sur *Megacriodes saundersi* Pascoe. Bulletin de la Société Sciences Nat. 79:27-28. 1 fig.
- Dillon, L. S. & E. S. Dillon. 1941. The tribe Monochamini in the Western Hemisphere (Coleoptera: Cerambycidae). Scientific Publications Reading Public Museum and Art Gallery, Pennsylvania. 1:1-135, 5 pls.
- Dillon, L. S. & E. S. Dillon. 1948. The tribe Dorcaschematini (Coleoptera: Cerambycidae). Transactions of the American Entomological Society. 73:173-298. 14 pl.
- Dillon, L. S. & E. S. Dillon. 1950. The lamiine tribe Gnomini (Coleoptera: Cerambycidae). Philippine Journal of Science. 79(1):11-57. 3 pl.
- Dillon, L. S. & E. S. Dillon. 1952. Cerambycidae of the Fiji islands. Bernice P. Bishop Museum Bulletin 206. 114 pp. 17 fig.
- Drumont, A. 2006. Une nouvelle espèce de *Sarmydus* Pascoe, 1867, originaire du Vietnam et de Chine (Coleoptera, Cerambycidae, Prioninae). Coléoptères. 12(16):219-226. 2 fig.
- Duncan, J. 1835. The Naturalist's Library (W. Jardine), Entomology. II. Beetles, 269 pp., 30 plates, Edinburgh, W .H. Lizars.
- Dupont, H. 1836. Monographie des trachydérides. Magasin de Zoologie 6: 1-51 + pls. 141-164.
- Erichson, W. F. 1842. Bericht über die Leitungen in der Naturgeschichte der Insecten, Arachniden, Crustaceen und Entomostraceen während des Jahres 1841. Archiv für Naturgeschichte, Berlin. 8(2): 189-330.
- Erichson, W. F. 1843. Beitrag zur Insecten-Fauna von Angola, in besonderer Beziehung zur geographischen Verbreitung der Insecten in Africa. Archiv für Naturgeschichte, Berlin. 9:199-267.
- Evenhuis, N. L. 1997. Litteratura Taxonomica Dipterorum (1758-1930). 2 vols. Backhuys Publishers, Leiden. x + 871 p.
- Fabricius, J. C. 1775. Systema Entomologiae, sistens insectorum classes, ordines, genera, species, adiectis synonymis, locis, descriptionibus, observationibus. Officina Libraria Kortii, Flensburgi et Lipsiae. 832 pp.
- Fabricius, J. C. 1781. Species insectorum exhibentes eorum differentiae specificas, synomina auctorum, loca natalia, metamorphosis adiectis observationibus, descriptionibus. Bohn. Hamburgi et Kilonii. 1: viii + 552 pp.
- Fabricius, J. C. 1787. Mantissa insectorum sistens eorum species nuper detectas adiectis characteribus genericis, differentiis specificis, emendationibus, observationibus. Hafniae, Proft 1: xx + 348 pp.
- Fabricius, J. C. 1792 - 1793. Entomologia systematica emendata et aucta. Secundum classes ordines, genera, species adiectis synonymis, locis, observationibus, descriptionibus. Hafniae, Proft 1(2): xx + 538 pp. {Note 61}
- Fabricius, J. C. 1801. Systema eleutheratorum secundum ordines, genera, species: adiectis synonymis, locis, observationibus, descriptionibus. Bibliopoli Academici Novi, Kiliae. 2: 1-687.
- Fåhraeus, O. I. 1872a. Coleoptera Caffrariae, annis 1838-1854 a J. A. Wahlberg collecta. Longicornia. Nr. 2. Öfversigt af Kongliga Vetenskaps-Akademiens Förhandlingar. Stockholm. 29(2):29-61.
- Fåhraeus, O. I. 1872b. Memorandum betreffend die im Druck neulich erschiene Abhandlung: Coleoptera Caffrariae, Longicornia. Col. Hefte. 9-10:194-196.
- Fairmaire, L. 1864c. In P. N. Jacquelain du Val, Genera des Coléoptères d'Europe comprenant leur classification en famille naturelle, la description de tous les genres, des tableaux dichotomiques destinés à faciliter l'étude, le catalogue de toutes les espèces, de nombreux dessins au trait de caractères. Tome quatrième. Deyrolle fils, Paris. [Livraisons 121-127]. 4:1-295, 376 figs., 78 pls.
- Fairmaire, L. 1889a. Diagnoses de Coléoptères madécasses. Bulletin de la Société Entomologique de Belgique, Bruxelles. 3(113):vi-ix, xc-xcv.
- Fairmaire, L. 1889e. Coléoptères de l'intérieur de la Chine 5e partie. Annales de la Société Entomologique de France, Paris. 9(6):5-84.

LONGHORNED BEETLES OF BORNEO

- Fairmaire, L. 1892b. Coléoptères d'Obock. Troisième partie. [Note sur les Coléoptères recueillis par M. Laligant à Obock.] Revue d'Entomologie, Caen. 11:77-127.
- Fairmaire, L. 1894b. Coléoptères de l'Afrique intertropicale et australe, (deuxième note). Annales de la Société Entomologique de Belgique. 38:314-335.
- Fairmaire, L. 1895c. Deuxième note sur quelques Coléoptères des environs de Lang-Song. Annales de la Société Entomologique de Belgique. 39:173-190.
- Fairmaire, L. 1896a. Coléoptères de l'Inde boréale, Chine et Malaisie. Notes from the Leyden Museum. 18:81-129.
- Fairmaire, L. 1896b. Matériaux pour la faune coléoptérique de la Région Malgache. Annales de la Société Entomologique de Belgique. Bruxelles. 40:336-398.
- Fairmaire, L. 1896c. Matériaux pour la faune coléoptérique de la Région Malgache. Annales de la Société Entomologique de Belgique. Bruxelles. 40:452-480.
- Fairmaire, L. 1897e. Description de six coléoptères de l'île Ishigaki-Sima. Bulletin de la Société Entomologique de France. 1897:68-72.
- Fairmaire, L. 1898b. Matériaux pour la faune coléoptérique de la Région Malgache, 5e note. Annales de la Société Entomologique de Belgique, Bruxelles. 42:222-260.
- Fairmaire, L. 1901b. Matériaux pour la faune coléoptérique de la Région Malgache (11e note). Revue d'Entomologie, Caen. 20:101-248.
- Fairmaire L. 1902e. Description de coléoptères recueillis en Chine par M. de Latouche. Bulletin de la Société Entomologique de France, Paris. [1902]: 316-318.
- Faldermann, F. 1835. Coleopterorum ab ill. Bungio in China boreali, Mongolia et montibus Altaicis collectorum, nec non ab ill. Turczaninoffio et Stschukino e provincia Irkutzk missorum illustrationes. Mémoires de l'Académie Impériale des Sciences de St.-Pétersbourg (6) 2:337-464.
- Fauvel, A. 1862. Coléoptères de la Nouvelle-Calédonie recueillis par M. E. Deplanche, chirurgien de la marine impériale 1858-59-60. Bulletin de la Société Linnéenne de Normandie. 7:120-185. pl. 9-10.
- Fisher, W. S. 1925a. New Malaysian Cerambycidae: Subfamily Lamiinae. The Philippine Journal of Science. 28(2): 205-275.
- Fisher, W. S. 1927c. Fauna Sumatrensis. (Beitrag nr. 37). Cerambycidae (Col.). Supplementa Entomologica. 15: 80-86.
- Fisher, W. S. 1930a. On some Indian Coleoptera. A new genus and two new species of longhorn beetles from India (Coleoptera: Cerambycidae: subfamily Lamiinae). Indian Forest Records. Dehra Dun. 14:275-278.
- Fisher, W. S. 1935c. Cerambycidae from Mount Kinabalu. Journal of the Malayan States Museums. 17:581-631.
- Fisher, W. S. 1936a. Fauna Javanica. New Cerambycidae from Java. Tijdschrift voor Entomologie. 79:169-198.
- Fisher, W. S. 1940. New Cerambycidae from India, II (Coleoptera). Indian Forest Records (New Series) Entomology. 6(5):197-202.
- Franz, E. 1972. *Xoanodera asphyxa* n. sp. aus dem indo-australischen Raum. Senckenbergiana Biologica. Frankfurt. 53(3-4): 233-235.
- Frivaldszky, J. 1892. Coleoptera in expeditione D. Comitis Belae Széchenyi in China, praecipue boreali, a Dominis Gustavo Kreitner et Ludovico Lóczy anno 1879 collecte. Paris secunda. Természettudományi Füzetek. Budapest. 15:114-125.
- Gahan, C. J. 1888b. On longicorn Coleoptera of the Family Lamiidae. The Annals and Magazine of Natural History, London. (6) 1(4):270-281. pl. 16. 5 fig.
- Gahan, C. J. 1888c. On new longicorn Coleoptera from China. The Annals and Magazine of Natural History, London. (6) 2(7):59-67.
- Gahan, C. J. 1888e. On new Iamiide Coleoptera belonging to the *Monohammus* group. The Annals and Magazine of Natural History, London. (6) 2(11):389-401.
- Gahan, C. J. 1888f. Description of a new species of the longicorn genus *Cyriocrates*. The Annals and Magazine of Natural History, London. (6) 2(12):450-451.
- Gahan, C. J. 1889c. Descriptions of new or little-known species of *Glenea* in the collection of the British Museum. The Transactions of the Entomological Society of London. 1889:213-225.
- Gahan, C. J. 1890a. Descriptions of new species of Longicornia from India and Ceylon. The Annals and Magazine of Natural History, London. (6) 5(25):48-66. 1 pl. 8 fig.
- Gahan, C. J. 1890c. Notes on longicorn Coleoptera of the group Cerambycinae with description of new genera and species. The Annals and Magazine of Natural History, London. (6) 6:247-261.
- Gahan, C. J. 1891. Notes on longicorn Coleoptera of the group Cerambycinae with description of new genera and species. The Annals and Magazine of Natural History, London. (6) 7:19-34.
- Gahan, C. J. 1893b. Descriptions of some new Longicorn Coleoptera from the Indian Region. The Annals and Magazine of Natural History, London (6) 11:377-390. pl. 19.
- Gahan, C. J. 1894c. Description of a new longicorn beetle of the genus *Dixenes*, which has been found injuring some imported orchids. The Annals and Magazine of Natural History, London (6) 13:520-521. 1 fig.

LONGHORNED BEETLES OF BORNEO

- Gahan, C. J. 1894h. A list of the longicorn Coleoptera collected by Signor Fea in Burma and the adjoining regions with descriptions of the new genera and species. Viaggio di Leonardo Fea in Birmania e regioni vicine. Annali del Museo Civico di Storia Naturale di Genova. (2a) 14(44):5-104. pl. 1.
- Gahan, C. J. 1897. Notes on the longicorn genus *Glenea*, Newm., with descriptions of new species. The Annals and Magazine of Natural History, London. (6) 19:473-493.
- Gahan, C. J. 1900d. in Andrews, C. W. A Monograph of Christmas Island (Indian Ocean). Bulletin of the British Museum. Natural History. Geology Series. 13:1-337.
- Gahan, C. J. 1901. A Revision of *Astathes*, Newm., and allied genera of longicorn Coleoptera. Transactions of the Entomological Society of London. 1901:37-74. 1 pl.
- Gahan, C. J. 1902. Coleoptera Longicornia. pp. 275-278. in Shelford, R; Observations on some mimetic insects and spiders from Borneo and Singapore. Proceedings of the Entomological Society of London. 1902(2):230-284. Pl. XIX-XXIII.
- Gahan, C. J. 1906a. Coleoptera. Vol. I. (Cerambycidae). The Fauna of British India including Ceylon and Burma. C. T. Bingham, ed. London. xviii+329 pp. 107 fig.
- Gahan, C. J. 1906b. On a collection of Longicorn Coleoptera from Selangor and Perak. Journal of the Federated Malay States Museums. Kuala Lumpur. 1:109-121. 1 pl.
- Gahan, C. J. 1907. Descriptions of new genera and species of Longicorn Coleoptera from Sumatra. Annali del Museo Civico di Storia Naturale, Genova. (ser. 3) 3:66-112.
- Gahan, C. J. 1912. in Moulton, J. C. Instances of mimicry exhibited by certain Sarawak insects. Communication read by Professor Edward B. Poulton. The Proceedings of the Entomological Society of London for the Year 1911:78-79. [Appendix by C. J. Gahan, pp. 79-80].
- Garreau, P. 2011. Description d'une nouvelle espèce du genre *Glenea* Newman (Coleoptera, Cerambycidae, Lamiinae, Saperdini). Les Cahiers Magellanes, New Series. Andrésy. 4:91-93. 3 fig.
- Gemminger, M. and E. von Harold. 1872. Catalogus coleopterorum hucusque descriptorum synonymicus et systematicus. Sumptu E. H. Gummi (G. Beck). Monachii. 9:2669-2988.
- Gemminger, M. and E. von Harold. 1873. Catalogus coleopterorum hucusque descriptorum synonymicus et systematicus. Munich. 10: 2989-3232 & index
- Germar, E. F. 1824. Insectorum species novae aut minus cognitae, descriptionibus illustratae. Coleopterorum Species. Hendelii et filii, Halae Volumen primum. Coleoptera: xxiv + 1-624, 2 pls.
- Gilmour, E. F. 1948a. On East Indian Lamiinae (Col., Cerambycidae). The Entomologist's Monthly Magazine. 84:17-21
- Gilmour, E. F. 1950a. New Dutch East Indian Lamiinae (Col., Cerambycidae). Tijdschrift voor Entomologie, Amsterdam. 92:219-247.
- Gilmour, E. F. 1958a. Revision of the genus *Apriona* Chevrolat (Coleoptera, Cerambycidae, Lamiinae, Batocerini). IDEA, Journal of the Entomological Society of Indonesia. 11(2/3):35-91. 5 pl.
- Gilmour, E. F. 1958b. Revision of the genus *Apriona* Chevrolat (Coleoptera, Cerambycidae, Lamiinae, Batocerini). IDEA, Journal of the Entomological Society of Indonesia. 11(4):93-131.
- Gilmour, E. F. 1959a. The Batocerini of Borneo with the description of a new genus and species from Sumatra (Coleoptera, Cerambycidae, Lamiinae). Sarawak Museum Journal. 7(12):775-831.
- Gilmour, E. F. 1963a. Revision of the Batocerini. Genera *Doesburgia*, *Aprionella*, *Microcriodes*, *Pseudapriona*, *Parapriona* and *Anapriona* (Coleoptera, Cerambycidae, Lamiinae). Entomologische Abhandlungen. 29(7):475-485.
- Gilmour, E. F. 1965a. New Indian forms of *Nupserha* Thomson (Coleoptera, Cerambycidae, Lamiinae). Entomologische Abhandlungen und Berichte aus dem Staatlichen Museum für Tierkunde in Dresden. 31:459-482. 4 pl.
- Gilmour, E. F. 1965b. Catalogue des Lamiaires du Monde (Col., Cerambycidae). 8 Lief. Verlag des Museums G. Frey, Tutzing bei München. pp. 559-655.
- Gilmour, E. F. & S. Breuning. 1963. New Indonesian Lamiinae (Coleoptera, Cerambycidae). Treubia. 26:123-130.
- Gilmour, E. F. & J. R. Dibb. 1948. Revision of the Batocerini (Coleoptera, Cerambycidae, Lamiinae). Spolia Zeylanica. Colombo Museum, Colombo. 25(1):1-121. 10 pl.
- Gistel, J. N. F. X. 1834. Die Insecten-Doubletten aus der Sammlung des Grafen Rudolph von Jenison Walworth. München, 35 pp.
- Gistel, J. N. F. X. 1848a. Naturgeschichte des Thierreichs für höhere Schulen. Stuttgart, Hoffmann. xvi + 216 pp., 32 pls.
- Gistel, J. N. F. X. 1848b. Faunula monacensis cantharologica. (Fortsetzung). Isis von Oken 1848 (9): [1-4].
- Gistel, J. N. F. X. 1850. in Gistel, J. N. F. & T. Bromme. 1850. Handbuch der Naturgeschichte aller drei Reiche. Stuttgart. 1037 pp.
- Goldfuss, G. A. 1805. Enumeratio insectorum eleuteratorum capitis bonae spei totiusque Africæ, descriptione iconibusque nonnullarum specierum novarum illustrata. Erlangæ, Walther. 8. pg. 44. tab. 1 col. {from Hagen}
- Gory, H. L. 1833. {Descriptions] Magasin de Zoologie. Paris. Volume 3. Pls. 56-100.

LONGHORNED BEETLES OF BORNEO

- Gressitt, J. L. 1935b. The Obriini of the Japanese Empire (Coleopt., Cerambycidae). Insecta Matsumurana. Sapporo. 9(4):144-153.
- Gressitt, J. L. 1935i. New longicorn beetles from the Philippines, Borneo and Siam (Coleoptera: Cerambycidae). Philippine Journal of Science. Manila. 58(2):267-280
- Gressitt, J. L. 1936. New longicorn beetles from Formosa, III (Coleoptera: Cerambycidae), Philippine Journal of Science. Manila. 61(1):89-112. 1 pl.
- Gressitt, J. L. 1937b. New Japanese longicorn beetles, II (Coleoptera, Cerambycidae). Kontyû. Entomological Society of Japan. Tokyo. 11:317-326. 1 pl.
- Gressitt, J. L. 1937d. New longicorn beetles from China. IV. Lingnan Science Journal. Canton. 16(4):595-621. pls. 19-20.
- Gressitt, J. L. 1938b. New longicorn beetles from Formosa, IV (Coleoptera: Cerambycidae). Philippine Journal of Science. Manila. 65(3):147-173, 1 fig., 1 pl.
- Gressitt, J. L. 1939b. New longicorn beetles from China, VII (Coleoptera: Cerambycidae). Lingnan Science Journal. Canton. 18(2):209-216, pl. 8.
- Gressitt, J. L. 1940c. The longicorn beetles of Hainan Island. Philippine Journal of Science. Manila. 72(1/2):1-239. 8 pl.
- Gressitt, J. L. 1940d. New longicorn beetles from islands in the southwestern Pacific (Coleoptera, Cerambycidae). Proceedings of the Hawaiian Entomological Society. Honolulu. 10(3):415-419
- Gressitt, J. L. 1951a. Longicorn beetles of China. Longicornia, Paris. 2:1-667. 22 pl.
- Gressitt, J. L. 1951c. Longicorn beetles from New Guinea and the South Pacific (Coleoptera: Cerambycidae) Part II. Annals of the Entomological Society of America. 44(2):201-212, 1 pl.
- Gressitt, J. L. 1954. The longicorn genus *Thranius* (Coleoptera: Cerambycidae). Proceedings of the Hawaiian Entomological Society. Honolulu. 15(2):317-326, 5 fig.
- Gressitt, J. L. 1955. The longicorn genus *Tethionea* (Coleoptera: Cerambycidae). Proceedings of the Hawaiian Entomological Society. Honolulu. 15(3):411-417, 21 fig.
- Gressitt, J. L. 1956a. Insects of Micronesia. Coleoptera: Cerambycidae. Bernice P. Bishop Museum. 17(2):61-183. 33 figs.
- Gressitt, J. L. 1959. Longicorn beetles from New Guinea, I. (Cerambycidae). Pacific Insects. 1(1):59-171, 50 fig.
- Gressitt, J. L. & J. A. Rondon. 1970. Cerambycidae of Laos (Disteniidae, Prioninae, Philinae, Aseminae, Lepturinae, Cerambycinae). Pacific Insects Monograph. Bishop Museum, Honolulu. 24:1-314.
- Guérin-Méneville, F. E. 1831. *in* Bory de Saint-Vincent, J. P. G. M. (ed.). Dictionnaire classique d'histoire naturelle. Ray et Gravier [&] Baudoin Frères, Paris. 17:vii+161.
- Guérin-Méneville, F.E. 1834. Insectes [livraison 7]. Pp. 441-512, 5 pls. *in* C. Bélanger. (ed.). Voyage aux Indes-Orientales, par le nord de l'Europe, les provinces du Caucase, la Géorgie, l'Arménie et la Perse, suivi de détails topographiques, statistiques et autres sur le Pégou, les îles de Java; de Maurice et de Bourbon, sur le Cap-de-bonne-Espérance et Sainte-Hélène pendant les années 1825, 1826, 1827, 1828 et 1829. Arthus Bertrand, Paris. 1834. xxxix + 535 pp., 40 pls.
- Guérin-Méneville, F. E. 1843b. Animaux articulés II : 33-67. *in* Delessert A., Souvenirs d'un voyage dans l'Inde exécuté de 1834 à 1839. Fortin, Mason & Cie-Langlois & Leclercq ed. Paris. 107 pp.
- Guérin-Méneville, F. E. 1844d. Iconographie du Règne Animal de Georges Cuvier ou représentation d'après nature de l'une des espèces le plus remarquables et souvent non figurées de chaque genre d'animaux. Insectes. Paris. J. B. Baillière. 7: i-iv + 5-576, 110 pls.
- Gyllenhal, L. 1817. *In:* C. J. Schönherr. *Synonymia Insectorum*, oder Versuch einer Synonymie aller bisher bekannten Insecten nach Fabricii Systema Eleutheratorum geordnet, mit Berichtigungen und Anmerkungen wie auch Beschreibungen neuer Arten und illuminirten Kupfern. Volume 1 (3), *Hispa - Molorchus*, xi + 506 pp., Skara, Lewerentz. (Appendix ad *Synonymia Insectorum*, Volume 1 (3), Sistens descriptiones novarum specierum, pp. 1-266, illus.)
- Haldeman, S. S. 1847. Material towards a history of the Coleoptera Longicornia of the United States. Transactions of the American Philosophical Society. (2)10: 27-66.
- Han, C. & T. Niisato. 2009. Clytine beetles of the genus *Sclethrus* Newman (Coleoptera, Cerambycidae). Special Bulletin of the Japanese Society of Coleopterology, Tokyo. 7:237-279. 146 fig.
- Harold, E. von. 1879a. II. Diagnosen neuer Arten. Coleopterologische. 16:225-232.
- Harold, E. von. 1879b. Nachtrag zu Stuck IV. der Beiträge zur Kaferfauna von Japan. Deutsche Entomologische Zeitschrift. Berlin. 23:366-368.
- Hayashi, M. 1956. Entomological results from the scientific survey of the Tokara Islands, V (Col., Ceramb.). Bulletin of the Osaka Municipal Museum of Natural History. 9:11-22. 2 pl.
- Hayashi, M. 1958. Studies on Cerambycidae from Japan and its adjacent regions, IX. Entomological Review of Japan. 9:46-50. 2 fig.
- Hayashi, M. 1960b. Study of the Lepturinae (Col.: Cerambycidae). Nipponius, Takamatsu. 1(6):1-26.
- Hayashi, M. 1962c. The Cerambycidae of Ryukyu-Islands. I. Additions to the cerambycid-fauna of Ryukyu Archipelago. 3 (Col.). The Entomological Review of Japan. 15:1-8, 1 pl.

LONGHORNED BEETLES OF BORNEO

- Hayashi, M. 1968. Some longicorn beetles from Indonesian SW Borneo (Coleoptera: Cerambycidae). Research Report No. 4. Osaka Private Junior College Association. pp. 37-38.
- Hayashi, M. 1969b. A new *Falsoanoplites* species found from an imported Bornean log (Col., Ceramb.). Entomological Review of Japan. 22(1):32
- Hayashi, M. 1975. On some longicorn beetles from Borneo and Malaya, chiefly from the entomological result of Dr. M. Hayashi's S. E. Asian Expedition in 1970 (Col.: Cerambycidae). Bulletin of the Osaka Jonan Women's Junior College. 10(May):167-209. 6 pls.
- Hayashi, M. 1976a. On some longicorn beetles from Malaysia with descriptions of six new species (Col.: Ceramb.). Bulletin of the Japan Entomological Academy. 9(2):24-41. 37 figs.
- Hayashi, M. 1976b. Studies on Asian Cerambycidae (Coleoptera) I. Bulletin of the Osaka Jonan Women's Junior College. 11(November):1-24.
- Hayashi, M. 1977. Study on Cerambycidae from West Malaysia (Col.) Part I. Bulletin of the Osaka Jonan Women's Junior College. 12:93-128.
- Hayashi, M. 1979b. Study on Cerambycidae from West Malaysia (Col.) Part II. Bulletin of the Osaka Jonan Women's Junior College. 13:1-37.
- Hayashi, M. 1987. Study of Asian Cerambycidae (Col.) IX. Entomological Review of Japan. 42(2):153-169. 2 pls.
- Hayashi, M. 1982b. Two new species of Cerambycidae from the Philippines (Coleoptera). Special Issue in Memory of the Retirement of Emeritus Professor Michio Chūjō: 135-138. 3 figs.
- Hayashi, M. 1992. Study of Asian Cerambycidae, X. (Coleoptera). Entomological Review of Japan. 47(2):137-152. 2 pls.
- Hayashi, M. & A. Villiers. 1985. Revision of the Asian Lepturinae (Coleoptera: Cerambycidae) with special reference to the type specimens' inspection. Part I. Bulletin of the Osaka Jonan Women's Junior College. 19-20:1-75. 15 pls.
- Hayashi, M. and A. Villiers. 1987. Revision of the Asian Lepturinae (Coleoptera: Cerambycidae) with special reference to the type specimens' inspection. Part II. Bulletin of the Osaka Jonan Women's Junior College. 22:1-20. 3 pls.
- Hayashi, M. & A. Villiers. 1989. Revision of the Asian Lepturinae (Coleoptera: Cerambycidae) with special reference to the type specimens' inspection. Part III. Bulletin of the Osaka Jonan Women's Junior College. 24:1-43. 4 pls.
- Heaney, L. R. 1986. Biogeography of mammals in SE Asia: estimates of rates of colonization, extinction and speciation. Biological Journal of the Linnean Society. 28:127-165. 8 fig.
- Heffern, D. J. 2002b. Replacement name for *Euchitonita* Kolbe, 1894 (Coleoptera, Cerambycidae, Cerambycinæ, Callichromatini). Insecta Mundi, Gainesville. [2001] 15(4):256.
- Heffern, D. J. 2005. Validation and type-species designation for the genus *Janidera* sensu Hüdepohl, 1988. (Coleoptera: Cerambycidae: Cerambycinæ: Dejanirini). Insecta Mundi, Gainesville. 19(1-2):84.
- Heller, K. M. 1896. Neue Käfer von Celébes gesammelt von den Herren Dr. P. und Dr. F. Sarasin. Abhandlungen und Berichte des Königlichen Zoologischen und Anthropologisch-Ethnographischen Museums zur Dresden. 6(3):1-24. 1 plate.
- Heller, K. M. 1907. Zwei neue Arten der Gattung *Caelosterna* (Coleoptera) aus Sumatra. Notes from the Leyden Museum. 29:54-56.
- Heller, K. M. 1915a. Neue Käfer von den Philippinen. II. Philippine Journal of Science. 10(1):19-45.
- Heller, K. M. 1915b. Neue Käfer von den Philippinen, III. Philippine Journal of Science. 10(4):236-248.
- Heller, K. M. 1916a. Philippinische Käfer, gesammelt von Prof. C. Fuller-Baker, Los Baños. Deutsche Entomologische Zeitschrift. 1916:269-311, pl. 3.
- Heller, K. M. 1916b. Neue bockkäfer aus Niederländisch Indien. Tijdschrift voor Entomologie. 58(supl):101-114, 1 pl.
- Heller, K. M. 1922. New Philippine Coleoptera. Philippine Journal of Science. (1921). 19:523-627. 3 pl.
- Heller, K. M. 1923a. Neue Bockkäfer von den Philippinen und aus Borneo. Deutsche Entomologische Zeitschrift. 1923:414-425. 6 fig.
- Heller, K. M. 1923b. Neue malayische, meist philippinische Bockkäfer und ein neuer Rüsselkäfer. Tijdschrift voor Entomologie. 66:33-48, pl. 1.
- Heller, K. M. 1924a. Bestimmungsschlüssel außereuropäischer Käfer. Cerambicidae, Molorchini: genera *Epania* und *Merionoeda*. Entomologische Blätter. 20(1):26-34.
- Heller, K. M. 1924b. Neue, vorwiegend philippinische Bockkäfer. Entomologische Mitteilungen. 13(4-5):195-214. 16 fig.
- Heller, K. M. 1924c. Philippinische Bockkäfer. Deutsche Entomologische Zeitschrift. 1924:424-436.
- Heller, K. M. 1926. Neue, altweltliche Bockkäfer. Tijdschrift voor Entomologie. 69:19-50, pl. 5.
- Heller, K. M. 1934a. New and little-known Philippine Coleoptera. Philippine Journal of Science. 54:279-307.
- Heyden, L. von. 1897. Ergebnisse einer zoologischen Forschungsreise in den Molukken und Borneo... Ausgeführt von Dr. Willy Küenthal. Zweiter-Teil: Wissenschaftliche Reiseergebnisse. Insecta, I,

LONGHORNED BEETLES OF BORNEO

- Coleoptera; II, Hymenopter; III, Diptera. Abhandlungen hrsg. von der Senckenbergischen naturforschenden Gesellschaft. Frankfurt. 23:537-590.
- Heyne, A. & O. Taschenberg. 1908. Die exotischen Käfer in Wort und Bild. Begonnen von Alexander Heyne. Fortegeföhrt und vollendet von Dr. Otto Taschenberg. 4to Leipzig. 2 vols. Vol. 1: viii+262pp; Vol 2: 39 pl.
- Heyrovský, L. 1961b. Beschreibung einer neuen Bockkäfergattung aus dem Himalaya (Col., Cerambycidae). Časopis Československé Společnosti Entomologické. 58:139-141. 2 fig.
- Heyrovský, L. 1967. Cerambycides capturés par le docteur Diehl dans le nord de Sumatra en 1961-1963. (Col. Cerambycidae). Bulletin de la Société Entomologique de Mulhouse. 1967(avril-mai):39.
- Hintz, E. 1919. Cerambyciden. in Ergebnisse der Zweiten Deutschen Zentral Afrika Expedition 1910-1911 unter Führung Adolf Friedrichs, herzogs zu Mecklenburg. Zoologie. 1(1)13:599-638.
- Holzschuh, C. 1984c. Beschreibung von 24 neuen Bockkäfern aus Europa und Asien, vorwiegend aus dm Himalaya (Coleoptera, Cerambycidae). Entomologica Basiliensis. 9:340-372. 27 fig.
- Holzschuh, C. 1989b. Beschreibung von 20 neuen Bockkäfern aus Thailand, Vietnam und Taiwan (Coleoptera, Cerambycidae). Entomologica Basiliensis. 13:361-390. 29 fig.
- Holzschuh, C. 1991a. Neue Bockkäfer aus Europa und Asien. 33 neue Bockkäfer aus der palaearktischen und orientalischen Region (Coleoptera, Cerambycidae). 45 neue Bockkäfer aus Asien, vorwiegend aus Thailand (Coleoptera: Disteniidae und Cerambycidae). FBVA Berichte, Schriftenreihe der Forstlichen Bundesversuchsanstalt. Vol. 51. Wien, Austria. 75 pp., 92 ill.
- Holzschuh, C. 1992. Neue Bockkäfer aus Asien III. 57 neue Bockkäfer aus Asien, vorwiegend aus China, Thailand und Vietnam (Coleoptera: Cerambycidae). FBVA Berichte, Schriftenreihe der Forstlichen Bundesversuchsanstalt. Vol. 69. Wien, Austria. 63 pp., 81 ill.
- Holzschuh, C. 1995. Beschreibung von 65 neuen Bockkäfern aus Europa und Asien, vorwiegend aus Thailand und China (Coleoptera: Disteniidae und Cerambycidae). FBVA Berichte, Schriftenreihe der Forstlichen Bundesversuchsanstalt. Vol. 84. Wien, Austria. 63 pp., 72 ill.
- Holzschuh, C. 1999. Beschreibung von 71 neuen Bockkäfern aus Asien, vorwiegend aus China, Laos, Thailand und Indien (Coleoptera, Cerambycidae). FBVA Berichte, Schriftenreihe der Forstlichen Bundesversuchsanstalt. Vol. 110. Wien, Austria. 64pp., 71 ill.
- Holzschuh, C. 2003b. Beschreibung von 72 neuen Bockkäfern aus Asien, vorwiegend aus China, Indien, Laos und Thailand (Coleoptera, Cerambycidae). Entomologica Basiliensis. 25:147-241. 72 fig.
- Holzschuh, C. 2005. Beschreibung von neuen Bockkäfern aus SE Asien, vorwiegend aus Borneo (Coleoptera, Cerambycidae). Les Cahiers Magellanes, Andrésy. 46:1-40. 2 pl.
- Holzschuh, C. 2006b. Beschreibung von 51 neuen Bockkäfern aus der palaearktischen und orientalischen Region, vorwiegend aus Borneo und China (Coleoptera, Cerambycidae). Entomologica Basiliensis. 28:205-276.
- Holzschuh, C. 2007. Beschreibung von 80 neuen Bockkäfern aus der orientalischen und palaearktischen, vorwiegend aus China, Laos und Borneo (Coleoptera, Cerambycidae). Entomologica Basiliensis. 29:177-286.
- Holzschuh, C. 2008. Beschreibung von 60 neuen Bockkäfern und einer neuen gattung aus der orientalischen region, vorwiegend aus Laos und Borneo (Coleoptera, Cerambycidae). Entomologica Basiliensis. 30:149-241.
- Holzschuh, C. 2009b. Beschreibung von 59 neuen Bockkäfern und vier neuen gattungen aus der orientalischen und palaearktischen region, vorwiegend aus Laos, Borneo und China (Coleoptera, Cerambycidae). Entomologica Basiliensis. 31:267-358.
- Holzschuh, C. 2010. Beschreibung von 66 neuen Bockkäfern und zwei neuen gattungen aus der orientalischen region, vorwiegend aus Borneo, China, Laos und Thailand (Coleoptera, Cerambycidae). Entomologica Basiliensis. 32:137-225.
- Holzschuh, C. 2011. Beschreibung von 69 neuen Bockkäfern und 6 neuen gattungen aus Asien, vorwiegend aus Borneo, China, Laos und Thailand (Coleoptera, Cerambycidae). Entomologica Basiliensis. 33:249-328.
- Hope F. W. 1831. Synopsis of new species of Nepaul insects in the collection of Major General Hardwicke. Pp. 21-32. In: Gray J. E. (ed.): Zoological Miscellany. Vol. 1. London: Treuttehouttuyan 1766 Natuurkundigel, Wurtz & Co., 40 pp., 4 pls.
- Hope, F. W. 1833. On the characters of several new genera and species of coleopterous insects. Proceedings of the Zoological Society of London. 1:61-64.
- Hope, F. W. 1834. Descriptions of some hitherto uncharacterized exotic Coleoptera, chiefly from New Holland. The Transactions of the Entomological Society of London 1:11-20. pl. 13-16.
- Hope, F. W. 1839a. Descriptions of some new insects collected in Assam, by William Griffith, Esw., Assistant Surgeon on the Madras Medical Establishment. Proceedings of the Linnean Society of London. 1:42-44.
- Hope, F. W. 1842b. Descriptions of the Coleopterus insects sent to England by Dr. Cantor from Chusan and Canton, with observations on the Entmology of China Journal and Proceedings of the Entomological Society of London. 1:60-62.

LONGHORNED BEETLES OF BORNEO

- Hope, F. W. 1843. On some rare and beautiful insects from Silhet, chiefly in the collection of Frederick John Parry. (Coleopt., Lepidopt., Hemipt.). Transactions of the Linnean Society of London. 19:103-112; 131-136. tab. 3.
- Hope, F. W. 1845a. On the Entomology of China, with descriptions of the new species sent to England by Dr. Cantor from Chusan and Canton. Descriptions of the new Coleoptera sent from Chusan by Dr. Cantor. The Transactions of the Entomological Society of London. 4:4-13.
- Hope, F. W. 1845b. Descriptions of new species of Coleoptera, from the Kasyah Hills, near the boundary of Assam, in the East Indies, lately received from Dr. Cantor. The Transactions of the Entomological Society of London. 4:73-77.
- Hua, L. - Z. 1986c. New records of longicorn beetles from China with the descriptions of a new subgenus and two new species (Coleoptera: Cerambycidae). The Pan-Pacific Entomologist. 62:209-213.
- Hüdepohl, K.-E. 1983b. Vier neue Callichromatinen aus Südostasien sowie Anmerkungen zu einigen Arten. Entomologische Arbeiten aus dem Museum G. Frey. 31/32:117-130.
- Hüdepohl, K.-E. 1985b. Revision der Untergattung *Agelasta* Newman s. str. (Coleoptera, Cerambycidae, Lamiinae, Mesosini). Entomologische Arbeiten aus dem Museum G. Frey, Tutzing bei München. 33/34:349-379, 9 fig.
- Hüdepohl, K.-E. 1987a. Die philippinischen Arten der Gattung *Cylindrepomus* Blanchard (Cerambycidae, Lamiinae, Dorcaschematini). Entomologische Arbeiten aus dem Museum G. Frey, Tutzing bei München. 35/36:73-79, 3 fig.
- Hüdepohl, K.-E. 1987b. The Longhorn Beetles of the Philippines (Cerambycidae, Prioninae) Part I: Prioninae. Entomologische Arbeiten aus dem Museum G. Frey. 35/36:117-135, 25 fig.
- Hüdepohl, K.-E. 1987d. Neue Cerambyciden aus Südost-Asien I. (Coleoptera, Cerambycidae). Entomofauna: Zeitschrift für Entomologie. 8(8):169-197
- Hüdepohl, K.-E. 1987e. Nachtrag zur Revision der Untergattung *Agelasta* Newman s. str. (Coleoptera, Cerambycidae). Entomofauna: Zeitschrift für Entomologie. 8(15):249-255
- Hüdepohl, K.-E. 1988a. Über südostasiatische Cerambyciden II. Die philippinischen Arten der Gattung *Acalolepta* Pascoe, 1858. (Coleoptera, Cerambycidae, Lamiinae, Lamiini). Entomofauna: Zeitschrift für Entomologie. 9(11):241-254.
- Hüdepohl, K.-E. 1988b. Über südostasiatische Cerambycidae III. (Coleoptera, Cerambycidae, Cerambycinae). Entomofauna: Zeitschrift für Entomologie. 9(21):405-417, 3 fig.
- Hüdepohl, K.-E. 1989a. Über südostasiatische Cerambycidae IV. Entomofauna: Zeitschrift für Entomologie. 10(5):45-72
- Hüdepohl, K.-E. 1989c. Über südostasiatische Cerambycidae VI. (Coleoptera, Cerambycidae). Entomofauna: Zeitschrift für Entomologie. 10(31):473-505, 14 fig.
- Hüdepohl, K.-E. 1990a. The Longhorn Beetles of the Philippines, Part II. Entomofauna: Zeitschrift für Entomologie. 11(3/1-2):45-102, 42 fig.
- Hüdepohl, K.-E. 1990b. Über südostasiatische Cerambycidae VII. Über die Gattung *Neocerambyx* Thomson, 1860 (Coleoptera, Cerambycidae, Cerambycini). Entomofauna: Zeitschrift für Entomologie. 11(14):241-257, 6 fig.
- Hüdepohl, K.-E. 1990c. Über südostasiatische Cerambycidae VIII. (Coleoptera, Cerambycidae and Disteniidae). Entomofauna: Zeitschrift für Entomologie. 11(18):285-309, 9 fig.
- Hüdepohl, K.-E. 1992a. The Longhorn Beetles of the Philippines, Part III. Entomofauna: Zeitschrift für Entomologie. 13(21):297-340, 49 fig.
- Hüdepohl, K.-E. 1992b. Über südostasiatische Cerambycidae X. (Coleoptera, Cerambycidae). Entomofauna: Zeitschrift für Entomologie. 13(25):409-424, 11 fig.
- Hüdepohl, K.-E. 1992c. in Hüdepohl, K.-E. & A. Smetana. 1992. A new apterous Lamiinae from the Mt. Kinabalu National Park, Sabah, Borneo (Coleoptera: Cerambycidae). Koleopterologische Rundschau. 62:179-182. 7 fig.
- Hüdepohl, K.-E. 1994a. Über südostasiatische Cerambycidae XII. (Coleoptera, Cerambycidae). Entomofauna: Zeitschrift für Entomologie. 15(15):185-196, 6 fig.
- Hüdepohl, K.-E. 1994b. Eine neue Art der Gattung *Tagalog* Hüdepohl, 1987 aus Ost-Malaysia, Sabah. (Coleoptera, Cerambycidae). Entomofauna: Zeitschrift für Entomologie. 15(21):253-256, 1 fig.
- Hüdepohl, K.-E. 1995. Über südostasiatische Cerambycidae XIII. (Coleoptera, Cerambycidae). Entomofauna: Zeitschrift für Entomologie. 16(14):281-316, 18 fig.
- Hüdepohl, K.-E. 1996. Über südostasiatische Cerambycidae XIV. (Coleoptera, Cerambycidae). Entomofauna: Zeitschrift für Entomologie. 17(1):1-24, 16 fig.
- Hüdepohl, K.-E. 1997. Eine neue Art der Gattung *Megopis* Serville, 1832 aus Ost-Malaysia, Sabah. (Coleoptera, Cerambycidae, Prioninae). Entomofauna: Zeitschrift für Entomologie. 18(4):45-47, 2 fig.
- Hüdepohl, K.-E. 1998a. Über südostasiatische Cerambyciden XV und Disteniiden. (Coleoptera; Cerambycidae, Disteniidae). Entomofauna: Zeitschrift für Entomologie. 19(12):209-232, 20 fig.
- Hüdepohl, K.-E. & D. Heffern. 2004. Notes on Oriental Lamiini (Coleoptera: Cerambycidae: Lamiinae). Insecta Mundi, Gainesville. (2002). 16(4):247-249.

LONGHORNED BEETLES OF BORNEO

- Hüdepohl, K.-E. and A. Smetana. 1992. A new apterous Lamiinae from the Mt. Kinabalu National Park, Sabah, Borneo (Coleoptera: Cerambycidae). *Koleopterologische Rundschau*. 62:179-182. 7 fig.
- Illiger, J. C. W. 1800. Vierzig neue Insecten aus der Hellwigschen Sammlung. *Wiegmann, Archiv für Zoologie* 1:103-150, 2 color plates; 1801, 2:229-230.
- Illiger, J. C. W. 1805. Zusätze, Berichtigungen und Bemerkungen zu Fabricii Systema Eleutheratorum. *Magazin für Insektenkunde* 4:69-174.
- ICZN [International Commission on Zoological Nomenclature]. 1999. International code of zoological nomenclature. London, 4th edition. xxix+306 pp.
- Javet, C. 1858. Description d'une nouvelle espèce de *Batocera*. *Archives Entomologiques*, Paris. 1:412-413.
- Jiroux, E. 2011. Révision du genre *Apriona* Chevrolat, 1852 (Coleoptera, Cerambycidae, Lamiinae, Batocerini). *Les Cahiers Magellanes*, New Series. Andrésy. 5:1-103. 221 fig.
- Jordan, K. 1894a. New species of Coleoptera from the Indo- and Austro-Malayan Region, collected by William Doherty. *Novitates Zoologicae*, London. 1:104-122.
- Jordan, K. 1894b. On African Longicornia. *Novitates Zoologicae*, London. 1:139-266. pls. IX-X.
- Jordan, K. 1894c. On some new genera and species of Coleoptera in the Tring Museum. *Novitates Zoologicae*, London. 1:484-503.
- Jordan, K. 1895. Einige neue Käfer der Indo-Australischen Region in der sammlung des Tring-Museums. *Stettiner Entomologische Zeitung*. 5:266-271.
- Jordan, K. 1903a. African Cerambycidae. *Novitates Zoologicae*, London. 10:131-191.
- Kannegieter, J. 1891. A new species of the longicorn genus *Neopharsalia* v. d. Poll. *Notes from the Leyden Museum*. 13:189-190.
- Kaup, J. J. 1866. Einige Cerambyciden der grossherzoglichen Sammlung zu Darmstadt. 4°, 8 S., 3 Farbtaf., Darmstadt & Leipzig. {citation from Derksen, W. & U. Scheiding. 1963 }
- Kirby, W. 1837. Part the fourth and last. The Insects. In J. Richardson. *Fauna Boreali-Americanus*; or the zoology of the northern parts of British America: containing descriptions of the objects of natural history collected on the late Northern Land Expeditions, under command of captain Sir John Franklin, R. N. Josiah Fletcher, Norwich. xxxix + 325 pp
- Kolbe, H. J. 1886. Beiträge zur Kenntniss der Coleopteren-Fauna Koreas, bearbeitet auf Grund der von Herr Dr. C. Gottsche während der Jahre 1883 und 1884 in Korea veranstalteten Sammlung; nebst Bemerkungen über die zoogeographischen Verhältnisse dieses Faunengebiets und Untersuchungen über einen Sinnesapparat im Gaumen von *Misolampidius morio*. *Archiv für Naturgeschichte*, Berlin. 52(1):139-240.
- Kolbe, H. J. 1893. Beiträge zur Kenntniss der Longicornier (Coleoptera). *Entomologische Zeitung*, entomologischen Vereine zu Stettin. 54:59-80, 241-290.
- Kolbe, H. J. 1894. Ueber einige neue, von Herrn J. Fruhstorfer auf Java entdeckte Coleopteren. *Entomologische Zeitung*, entomologischen Vereine zu Stettin. 1-3(55):3-11.
- Komiya, Z. 2000a. Notes on *Xixuthrus heros* and its allied species with description of a new species (Coleoptera, Cerambycidae, Prioninae). *Gekkan-Mushi*. 354:2-7. 7 fig.
- Komiya, Z. 2001b. A new species of the genus *Megopis* (Coleoptera: Cerambycidae) from Borneo with notes on *Megopis ossea* Aurivillius, 1897. *Special Publication of the Japan Coleopterological Society*. 1:343-345. 2 fig.
- Komiya, Z. 2001d. A new species of the genus *Bandar* (Coleoptera, Cerambycidae, Prioninae) from Malaysia with notes on *Bandar khooi* Hayashi. 29(2):298-303. 3 fig.
- Komiya, Z. 2002a. A synopsis of the prionine cerambycid of the genus *Megobaralippton*, new status (Coleoptera, Cerambycidae, Prioninae) (Revisional studies of the genus *Megopis* sensu Lameere, 1909-1). *Elytra*, Tokyo. 30(1):219-234. 23 fig.
- Komiya, Z. 2003a. Notes on the genus *Baralippton* (Coleoptera, Cerambycidae) with description of a new species (Revisional studies of the genus *Megopis* sensu Lameere, 1909-2). *Elytra*, Tokyo. 31(1):43-54. 11 fig.
- Komiya, Z. 2003e. Description of a new genus close to *Baralippton* (Coleoptera, Cerambycidae) (Revisional studies of the genus *Megopis* sensu Lameere, 1909-3). *Elytra*, Tokyo. 31(2):307-320. 14 fig.
- Komiya, Z. 2004b. Notes on the genus *Aerogrammus* Gahan, with description of a new species (Coleoptera, Cerambycidae, Prioninae) (Revisional studies of the genus *Megopis* sensu Lameere, 1909-4). *Elytra*, Tokyo. 32(1):187-193. 4 fig.
- Komiya, Z. 2004c. A new prionine genus erected for *Aegosoma metallicum* Aurivillius (Coleoptera, Cerambycidae, Prioninae) (Revisional studies of the genus *Megopis* sensu Lameere, 1909-6). *Elytra*, Tokyo. 32(2):421-424. 2 fig.
- Komiya, Z. 2005. A synopsis of the prionine genus *Aegolipton*, new status (Coleoptera, Cerambycidae) (Revisional studies of the genus *Megopis* sensu Lameere, 1909-7). *Elytra*, Tokyo. 33(1):149-181. 40 fig.
- Komiya, Z. & A. Drumont. 2001a. Description of a new prionine genus intermediate between *Megopis* and *Euryopoda* (Coleoptera, Cerambycidae, Prioninae) from Indochina and Borneo. *Elytra*. 29(2):391-400. 9 fig.
- Komiya, Z. & A. Drumont. 2001b. Description of a new genus and species of Macrotomini from Borneo (Coleoptera, Cerambycidae, Prioninae). *Lambillionea*, Bruxelles. 101(4):537-540. 2 fig.

LONGHORNED BEETLES OF BORNEO

- Komiya, Z. & A. Drumont. 2004a. Supplement to the genus *Ziglipton* (Coleoptera, Cerambycidae, Prioninae), with description of a new species from the Philippines (Revisional studies of the genus *Megopis* sensu Lameere, 1909-5). *Elytra*, Tokyo. 32(1):195-199. 2 fig.
- Komiya, Z. & A. Drumont. 2008. Revision of the genus *Armiger* sensu Quentin & Villiers, 1981 (Coleoptera, Cerambycidae, Prioninae). *Magellanes. Collection Systématique*. Andrésy. 19:1-47. 23 fig.
- Komiya, Z. & A. Drumont. 2010. A revision of the genus *Nepiodes* (Coleoptera, Cerambycidae, Prioninae) (Revisional studies of the genus *Megopis* sensu Lameere, 1909-10). *Elytra*, Tokyo. 38(2):169-192. 27 fig.
- Komiya, Z. & A. Drumont. 2012. Note préliminaire sur le genre *Hystatus* Thomson avec la description d'une nouvelle espèce de l'île de Bornéo (Coleoptera, Cerambycidae, Prioninae). *Les Cahiers Magellanes, New Series*. Andrésy. [2011] 6:109-113. 2 fig.
- Komiya, Z. & A. Drumont. 2012. description of two new taxa of the genus *Aegosoma* Audinet-serville, 1832 from Borneo (Coleoptera, Cerambycidae). *Les Cahiers Magellanes, New Series*. Andrésy. 9:88-97. 9 fig.
- Komiya, Z. & D. Heffern. 2005. Notes on the genus *Psephactus* (Coleoptera, Cerambycidae), and a new species of that genus from East Malaysia. *Gekkan-Mushi*. 408:26-30. 14 fig.
- Komiya, Z. & H. Makihara. 2001. Two new species of the genus *Megopis* (Coleoptera, Cerambycidae) from Indonesia and Malaysia. *Elytra*, Tokyo. 29(1):33-40.
- Kriesche, R. 1915. Die Gattung *Batocera* Cast. systematisch u. phylogenetisch-tiergeographisch betrachtet (Coleopt. Cerambyc.). *Archiv für Naturgeschichte*, Berlin. 80A(11):111-150. 24 fig.
- Kriesche, R. 1920. Neue Batoceriden (Col. Ceramb.) *Archiv für Naturgeschichte*, Berlin. (1919) 85A(5):192-198.
- Kriesche, R. 1924a. Zur kenntnis der lamiinen (Col. Ceramb.) *Deutsche Entomologische Zeitschrift*, Berlin. 1924:285-290.
- Kriesche, R. 1924b. Ein neuer dorcadionine von Borneo (Col. Ceramb.). *Deutsche Entomologische Zeitschrift*, Berlin. 1924:291
- Kriesche, R. 1928. Neue Lamiinen-Rassen (Col. Ceramb.). *Deutsche Entomologische Zeitschrift*, Berlin. 1928:45-48.
- Kriesche, R. 1936. Neue indoaustralischen Lamiinen. *Entomologische Blätter*. 32:66-69.
- Kriesche, R. 1940. Neue malaio-papuanische Lamiinen (Col. Longic.). *Entomologische Blätter*. 36(4):115-117.
- Kusama, K. & Y. Tahira. 1978. The genus *Exocentrus* Mulsant of Japan and its adjacent regions: 2. The revision of Taiwanese. *Elytra*. 6:9-32.
- Kusama, K. & M. Takakuwa. 1984. The longicorn-beetles of Japan in color. Tokyo, Kodansha. Japanese Society of Coleopterology, 565 pp., 96 pls.
- Lacordaire, J. T. 1868. *Histoire naturelle des insectes. Genera des coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Les familles des Tricténotomides et des Longicornes*. Paris. Librairie Encyclopédique de Roret. [1869] 8: 1-552. {Note 62}
- Lacordaire, M. T. 1869. *Histoire naturelle des insectes. Genera des coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Première partie. Famille des Longicornes (suite)*. Paris. Librairie Encyclopédique de Roret. 9: 1-409.
- Lacordaire, M. T. 1872. *Histoire naturelle des insectes. Genera des coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Deuxième partie. Famille des Longicornes*. Paris. Librairie Encyclopédique de Roret. 9: 441-931.
- Lameere, A. 1890c. Note sur les Tricténotomides, les Prionides, et les Cérambycides du Chota-Nagpore. *Comptes-Rendus de la Séance de la Société Entomologique de Belgique*. Bruxelles. 1890:210-214.
- Lameere, A. 1893a. Voyage de M. Ch. Alluaud dans le territoire d'Assinie (Afrique Occidentale). *Annales de la Société Entomologique de France*. Paris. 42:39-50.
- Lameere, A. 1903d. Révision des prionides. Séptième mémoire - Macrotomines. *Mémoires de la Société Entomologique de Belgique*. Bruxelles. 11:1-216.
- Lameere, A. 1903e. Révision des Prionides. Huitième mémoire. - Mécosarthrines. *Annales de la Société Entomologique de Belgique*, Bruxelles. 47(9):307-320.
- Lameere, A. 1909a. Révision des prionides. Douzième mémoire - *Megopis*. *Annales de la Société Entomologique de Belgique*. Bruxelles. 53:135-170.
- Lameere, A. 1911b. Révision des prionides. Dix-neuvième mémoire - Prionines VI. *Annales de la Société Entomologique de Belgique*. Bruxelles. 55:325-356.
- Lameere, A. 1912c. Révision des prionides. Bruxelles. Vingt-deuxième mémoire - Addenda et Corrigenda. *Mémoires de la Société Entomologique de Belgique*. 21:113-188.
- Lameere, A. 1920. Prioninae nouveaux ou peu connus. *Annales de la Société Entomologique de Belgique*, Bruxelles. 60:137-145.
- Lansberge, J. W. 1884b. Catalogue des prionides de l'Archipel Indo-Néerlandais, avec descriptions des espèces nouvelles. *Notes from the Leyden Museum*. 6:135-160.
- Lansberge, J. W. 1886a. Description d'un Cérambycide de Sumatra; appartenant à un genre nouveau de la tribu des Disténides. *Notes from the Leyden Museum*. 8:35-36.

LONGHORNED BEETLES OF BORNEO

- Laporte [= de Castelnau], F. L. N. C. 1840. Histoire Naturelle des Insectes Coléoptères. Paris, 2:1-563, 36 pls.
- Laporte [= de Castelnau], F. L. N. C. & H. L. Gory. 1836. Monographie du genre *Clytus*. Histoire naturelle et iconographie des insectes coléoptères, publié par monographies séparées. Paris. 3:1-124. 20 pls.
- Latreille, P. A. 1802. Histoire naturelle, générale et particulière, des crustacés et des insectes. Ouvrage faisant suite à l'histoire naturelle générale et particulière, composée par Leclerc de Buffon, et rédigée par C.S. Sonnini, membre de plusieurs sociétés savantes. Tome troisième. Familles naturelles des genres. Dufart, Paris. xii + pp. 13-467 (+ 1 p. errata, unnumbered).
- Latreille, P. A. 1804. Histoire Naturelle, Générale et Particulière des Crustacés et des Insectes. Paris. Imprimerie de F. Dufart. 11: 1-422, 3 pls.
- Latreille, P.A. 1825. Familles naturelles du règne animal, exposées succinctement et dans un ordre analytique, avec l'indication de leurs genres. J.-B. Ballière, Paris. 570 pp.
- Latreille, P. A. 1829. Crustacés, Arachnides et Insectes. In Cuvier, G. L. C. D. Le Règne Animal distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux, et d'introduction à l'Anatomie comparée, deuxième édition. 4:28 + 584 pp., 4 pls.
- Lawrence, J. F. and A. F. Newton, Jr. 1995. Families and Subfamilies of Coleoptera (with selected genera, notes, references and data on family-group names). In Pakaluk, J. and S. A. Slipinski. Biology, Phylogeny, and Classification of Coleoptera. Papers Celebrating the 80th Birthday of Roy A. Crowson. Volume Two. Muzeum i Instytut Zoologii PAN, Warszawa. pp. 779-1006.
- Lepeletier, A. L. M. & J. G. Audinet-Serville. 1828. In P. A. Latreille, Encyclopédie méthodique: Entomologie, ou Histoire Naturelle des Crustacés, des Arachnides et des Insectes. Paris. Mme veuve Agasse. 10(2):345-832.
- Lepesme, P. & S. Breuning. 1952. Note préliminaire sur la classification des coléoptères cérambycides. Transactions of the IXth International Congress of Entomology. Amsterdam. 1:139-142.
- Lin, M., O. Montreuil, G. Tavakilian and X. Yang. 2009. Reinstatement of the genus *Heteroglenea* Gahan, with four new combinations, four new synonyms and three new species (Coleoptera: Cerambycidae: Lamiinae: Saperdini). Zootaxa. 2137:1-22.
- Lingafelter, S. W. and E. R. Hoebeke. 2002. Revision of *Anoplophora* (Coleoptera: Cerambycidae). Entomological Society of Washington, Washington, DC. 236 pp. 34 pl.
- Linnaeus, C. 1758. Systema naturae per regna tria naturae secundum classes, ordines, genera, species cum characteribus, differentiis, synonymis, locis. Tomus I. Editio Decima, reformata. Laurentii Salvii, Holmiae. 1(10): 824 pp.
- Liu, Gaines (K. C.) 1934. Catalogue of the phytophagous beetles of China. Lingnan Science Journal. Canton. 13:109-133, 239-250, 633-660.
- Löbl, I. 2010. New acts and comments. Cerambycidae. pp. 60-61. in Löbl, I. & A. Smetana (eds). 2010. Catalogue of Palearctic Coleoptera. Vol. 6: Chrysomeloidea. Apollo Books, Stenstrup, Denmark. 924 pp.
- Löbl, I. & A. Smetana (eds). 2010. Catalogue of Palearctic Coleoptera. Vol. 6: Chrysomeloidea. Apollo Books, Stenstrup, Denmark. 924 pp.
- Madge, R. B. 1988. The publication dates of Dejean's catalogues. Archives of Natural History. 15(3):317-321.
- Makihara, H. 1999. Atlas of Longicorn Beetles, in Bukit Soeharto Education Forest, Mulawarman University, East Kalimantan, Indonesia. PUSREHUT Special Publication No. 7. 140 pp.
- Makihara, H. & W. A. Noerdjito. 2004. Longicorn beetles of Museum Zoologicum Bogoriense, identified by Dr. E. F. Gilmour, 1963 (Coleoptera: Disteniidae and Cerambycidae). Bulletin of FFPRI. 3(1):49-98. 36 pl.
- Martins, U. R. 1978. Relationships between *Xystrocera* and *Callichromatini*, with remarks on Australian and Oriental species (Coleoptera, Cerambycidae). Papéis Avulsos de Zoologia, São Paulo. 31(15):221-236. 17 fig.
- Martins, U. R. 1980. Notes sur la tribu des Methiini et transfert de certains genres de l'ancien monde (Coleoptera, Cerambycidae). Revue Française d'Entomologie, Paris (N. S.). 2(2):113-118.
- Matsushita, M. 1931a. Zehn neue cerambyciden-arten und einr neue gattung aus Japan. Transactions of the Sapporo Natural History Society. 12:42-48.
- Matsushita, M. 1932a. Die Callidiopinem vom Japanischen Reich (Col. Ceramb.). Insecta Matsumurana. 7(1):66-73.
- Matsushita, M. 1932b. Einige neue cerambyciden-arten von der Insel Palau. Insecta Matsumurana, Sapporo. 6(4):169-172.
- Matsushita, M. 1933a. Beitrag zur kenntnis der Cerambyciden des japanischen Reichs. Journal of the Faculty of Agriculture, Hokkaido Imperial University, Sapporo. 34(2):157-445.
- Matsushita, M. 1935. Beitrag zur cerambyciden-fauna von Mikronesien. Transactions of the Sapporo Natural History Society. 14(2):115-122.
- Matsushita, M. 1937. Zur kenntnis der Japanischen Cerambyciden (II). Kontyu. 11:102-106.
- Matsushita, M. 1938. Neue und wenig bekannte bockkäfer aus Shikoku. (I. Okubo's und M. Okamoto's Ausbeute). Insecta Matsumurana, Sapporo. 12:99-106

LONGHORNED BEETLES OF BORNEO

- Matsushita, M. 1941. Zur kenntnis der Japanischen Cerambyciden (VI). Insecta Matsumurana, Sapporo. 15(4):151-158.
- Matsushita, M. 1943. Zur kenntnis der Japanischen Cerambyciden (VII). Transactions of the Natural History Society of Taiwan. 33:573-577
- McKeown, K. C. 1940. Notes on Australian Cerambycidae. V. Records of the Australian Museum. 20(5):293-312. pl. 21-22.
- McKeown, K. C. 1945. Notes on Australian Cerambycidae. VII. Records of the Australian Museum. 21(6):286-92. fig. 1-6.
- McKeown, K. C. 1947. Catalogue of the Cerambycidae (Coleoptera) of Australia. Memoirs of the Australian Museum. Sydney. 10:1-190.
- Megerle von Mühlfeld, J. C. 1802. Catalogus insectorum, quao Viennae Austriae auctionis lege distrahuntur Wien. 11 Nos.
- Miroshnikov, A. I. 1989. Novye i maloizvestnye zhuki-drovoseki (Coleoptera, Cerambycidae) s Dal'nego Vostoka i sistematicheskoe polozhenie roda *Stenhomalus* White, 1855. Entomologicheskoe Obozrenie. 68:739-747.
- Mitono, T. 1936. Descriptions of new species of longicorn beetles from Formosa (III). Taiwan Hakubutsugakkai Kaiho. Taihoku. (Trans. Nat. Hist. Soc. Formosa. 26:31-33. 4 fig.
- Mitono T. & G. Nishimura, 1936. Description of a new genus and species of longicorn Coleoptera from Kyushu, Japan. Mushi. 9:33-37. 1 pl.
- Monné, M. A. & V. S. Machado. 2009. Nomenclatural notes in Neotropical Acanthocinini (Coleoptera, Cerambycidae). Zootaxa. 2204:67-67.
- Montrouzier, P. 1861. Essai sur la faune entomologique de la Nouvelle Calédonie (Balade) et des îles des Pins, Art, Lifu, etc. Annales de la Société Entomologique de France. ser. 4. 1:265-306.
- Morati, J. & J. Bentanachs. 2009. Note sur le genre *Niraeus* Newman, 1840 (Coleoptera, Cerambycidae, Callichromatini). Les Cahiers Magellanes, Andrésy. 95:1-10. fig. 1-26.
- Morati, J. & M. Huet, 2004a. Révision du genre *Pachyteria*. Magellanes. Collection Systématique. Andrésy. 9:1-145. 63 fig.
- Morati, J. & M. Huet, 2004b. Une espèce nouvelle du genre *Thompsonia* Podaný, 1971 (Coleoptera, Cerambycidae). Lambillionea, Bruxelles. 104(4):745-750.
- Motschulsky, V. 1860. Coléoptères de la Sibérie orientale et en particulier des rives de l'Amour, in Schrenk, Reisen und Forschungen im Amurlande. St. Petersbourg, 2:77-257.
- Motschulsky, V. 1863. Essai d'un catalogue des insectes de l'Île Ceylan. Bulletin de la Société Impériale des Naturalistes de Moscou. 36(1):421-532.
- Müller, J. 1906. Beiträge zur kenntnis einiger cerambyciden. Wiener Entomologische Zeitung. Wien. 25:221-224.
- Müller, G. 1948. Contributo alla conoscenza dei Coleotteri fitofagi (Cerambycidae e Chrysomelidae). Atti del Museo Civico di Storia Naturale di Trieste. 17:61-98.
- Mulsant, E. 1839. Histoire naturelle des coléoptères de France. Longicornes. 304 pp. 3 pls. Paris.
- Mulsant, E. 1846. Histoire naturelle des Coléoptères de France. Sulcicolles, sécuripalpes. Paris. 280 pp. Supplément.
- Mulsant, E. 1856. Description d'une nouvelle espèce de Longicorne, constituant un genre nouveau. Annales de la Société Linnéenne de Lyon (2)3:157-159.
- Mulsant, E. 1862-1863. Histoire Naturelle des Coléoptères de France. Longicornes. Paris, Magnin, Blanchard & Cie (2e édition) 590 pp.
- Nakamura, S., H. Makihara & A. Saito. 1992. Checklist of longicorn-beetles of Taiwan. Miscellaneous Reports of the Hiwa Museum for Natural History, Hiwa-chō, Japan. 30:1-111.
- Nakane, T. & K. Ohbayashi, 1959. Notes on the genera and species of Lepturinae with special reference to their male genitalia. II. Scientific Reports of the Saikyo University, Kyoto (Natural Sciences). 3(1):63-66.
- Neervoort van de Poll, J. R. H. 1886a. On a new longicorn genus and species belonging to the Agniidae. Notes from the Leyden Museum. 8:27-28.
- Neervoort van de Poll, J. R. H. 1889a. Description of a new species of the longicorn genus *Pachyteria*, Serv. Notes from the Leyden Museum. 11:219-221. 1 pl, 4 fig.
- Newman, E. 1838b. Entomological notes. Entomological Magazine. 5:483-500.
- Newman, E. 1840a. Nonnullorum Cerambycitum novorum, Novam Hollandiam et Insulam Van Diemen habitantium characteres. The Annals and Magazine of Natural History, London. (1)5:14-21.
- Newman, E. 1840c. Entomological notes (continued from the Ent. Mag.). The Entomologist. Van Voorst, London. 1:1-37.
- Newman, E. 1840d. Description of a few longicorns, MS names of which are published in the Sale Catalogue of Mr. Children's Insects. The Magazine of Natural History, London (n.s.). 4:194-196.
- Newman, E. 1842a. Cerambycitum insularum manillarum Dom. Cuming captorum enumeratio digesta. The Entomologist. London. 1(15):243-248.

LONGHORNED BEETLES OF BORNEO

- Newman, E. 1842b. *Cerambycicum insularum manillarum* Dom. Cuming captorum enumeratio digesta. The Entomologist. London. 1:275-277.
- Newman, E. 1842c. *Cerambycicum insularum manillarum* Dom. Cuming captorum enumeratio digesta. The Entomologist. London. 1:288-293.
- Newman, E. 1842d. *Cerambycicum insularum manillarum* Dom. Cuming captorum enumeratio digesta. The Entomologist. London. 1(19):298-305.
- Newman, E. 1842e. *Cerambycicum insularum manillarum* Dom. Cuming captorum enumeratio digesta. The Entomologist. London. 1(20):318-324.
- Newman, E. 1842h. Supplementary note to the descriptive catalogue of the longicorn beetles collected in the Philippine Islands by Hugh Durning, Esq. The Entomologist. London. 1(23):369-371.
- Newman, E. 1842i. *Cerambycicum insularum manillarum* Dom. Cuming captorum enumeratio digesta. The Entomologist. London. 1:381-383.
- Newman, E. 1842l. Addenda and Corrigenda. Entomologist. London. 1(26):418
- Newman, E. 1851e. Characters of two apparently undescribed species of longicorn Coleoptera. The Zoologist, a popular Miscellany of Natural History. Van Voorst, London. 9(appendix):179-180.
- Niisato, T. 1986a. Occurrence of cerambycine beetles of the genus *Procleomenes* in Borneo, with a brief note on *P. shimomurai* (Coleoptera, Cerambycidae). Kontyû. 54(1):100-111. 25 fig.
- Niisato T. 1986b: A new cerambycid beetle of the genus *Glaphyra* (Coleoptera, Cerambycinae) from the central mountains of Taiwan, with description of a new subgenus. pp. 303-308. in: Uéno, S.-I. (ed.): Entomological Papers Presented to Yoshihiko Kurosawa on the Occasion of His Retirement. Tokyo. Coleopterists' Association of Japan. 342 pp.
- Niisato, T. 1989a. Two new *Stenhomalus* (Coleoptera, Cerambycinae) from Mindanao and Borneo. Japanese Journal of Entomology. 57(1):122-126. 1 fig.
- Niisato, T. 1989b. New brachelytrous cerambycine beetle (Coleoptera, Cerambycidae) from northern Borneo. Japanese Journal of Entomology. 57(3):565-572. 1 fig.
- Niisato, T. 1990. Contribution towards the knowledge of the cerambycid fauna (Coleoptera: Cerambycidae) of Thailand. I. Collection of the subfamily Cerambycinae made by the Lepidopterological Expeditions of the University of Osaka Prefecture to Thailand 1981, 1983 and 1985. Elytra, Tokyo. 18(1):109-128. 35 fig.
- Niisato, T. 2002e. A new *Paramimistena* (Coleoptera, Cerambycidae) from Northern Borneo. Special Bulletin of the Japanese Society of Coleopterology, Tokyo. 5:393-396. 1 fig.
- Niisato, T. 2006b. A review of *Glaphyra hattori* (Coleoptera, Cerambycidae), with description of a new subgenus. Elytra, Tokyo. 34(1):223-232. 7 fig.
- Niisato, T. and H. Makihara. 1999. Two new *Paramimistena* (Coleoptera, Cerambycidae) from Western Kalimantan. Elytra. 27(2):327-334. 2 fig.
- Niisato, T. and T. Wakejima. 2008. *Xylotrechus villioni* (Coleoptera: Cerambycidae) and its relatives. Taichius. Special Publication of the Japan Coleopterological Society, Osaka. 2:439-465. 74 fig.
- Nonfried, A. F. 1892. Weitere Beiträge zur Käferfauna von Südasien und Neuguinea. Berliner Entomologische Zeitschrift. 36:359-380.
- Nonfried, A. F. 1894a. Beiträge zur Coleopteren-Fauna von Tebing-Tinggi (Süd-Sumatra): Lucanidae, Melolonthidae, Rutelidae, Cetoniini, Buprestidae und Cerambycidae. Deutsche Entomologische Zeitschrift. 1894:193-215.
- Nonfried, A. F. 1894b. Beiträge zur Coleopterenfauna von Ostasien und Polynesien. Entomologisches Nachrichten, Berlin. 20:9-14, 28-32, 45-48, 81-83.
- Ohbayashi, K. 1960. Studies of Longicornia. (6). Entomological Review of Japan. 12(1):7-10.
- Ohbayashi, K. 1961. New Cerambycidae from Japan. (6). Entomological Review of Japan. 13(1):16-21.
- Ohbayashi, K. 1963. Systematic notes and descriptions of new forms in Cerambycidae from Japan. Fragmenta Coleopterologica. 2(2-3):7-12.
- Ohbayashi, K. 1964. New Cerambycidae from Japan (7). Bulletin of the Japan Entomological Academy. 1(5):19-26. pl. 4-5.
- Ohbayashi, N. 1994. A taxonomic study on the genus *Capnolymma* with descriptions of two new species (Coleoptera: Cerambycidae). Transactions of the Shikoku Entomological Society. 20(3/4):271-284. 37 fig.
- Ohbayashi, N. 1995. A new species of the genus *Formosotoxotus* (Coleoptera, Cerambycidae) from Kalimantan. Special Bulletin of the Japanese Society of Coleopterology, Tokyo. 4:437-440
- Ohbayashi, N. 1999. in Ohbayashi, N. & M. Satô. Taxonomic notes on the genus *Ocalemia* (Coleoptera: Cerambycidae, Lepturinae). Entomological Review of Japan. 54(2):113-120. 20 fig.
- Ohbayashi, N. 2007. A revision of the genus *Formosotoxotus* (Coleoptera, Cerambycidae, Apatophyseinae), with description of a new species from Sikkim. Elytra, Tokyo. 35(1):194-204. 26 fig.
- Ohbayashi, N., J. Ogawa & Z.-H.- Su. 2009. Phylogenetic analysis of the lamiine genus *Anoplophora* and its relatives (Coleoptera, Cerambycidae) based on the mitochondrial COI gene. Special Bulletin of the Japanese Society of Coleopterology, Tokyo. 7:309-324.
- Ohbayashi, N. & M. Satô. 1974. A new lepturine beetle from Mindanao Island, Philippines. The Philippine Scientist. 11:57-59.

LONGHORNED BEETLES OF BORNEO

- Ohbayashi, N. & M. Satô. 1982. A new lepturine beetle from Borneo (Coleoptera, Cerambycidae). Special Issue in Memory of the Retirement of Emeritus Professor M. Chûjô. pp. 123-126. 4 fig.
- Ohbayashi, N. & T. Shimomura. 1986a. Two new lepturine beetles of the genus *Pseudalosterna* from the Malay Peninsula and Taiwan (Coleoptera, Cerambycidae). Annales de la Société Entomologique de France. (N. S.) 22(1):45-48. 6 fig.
- Olivier, A. G. 1792. Encyclopédie Méthodique. Histoire Naturelle. Insectes Paris. Panckoucke Imprimeur-Libraire. 7: 1-827.
- Olivier, A. G. 1795. Entomologie ou Histoire Naturelle des Insectes, avec leurs caractères génériques et spécifiques, leur description, leur synonymie et leur figure enluminée. Coléoptères. Imprimerie de Lanneau, Paris. 4: 519 pp, 75 pls.
- Özdikmen, H. 2006. Nomenclatural changes in Cerambycidae (Coleoptera). Munis Entomology & Zoology, Ankara. 1(2):267-269.
- Özdikmen, H. 2008. Substitute names for some preoccupied longhorned beetles genus group names described by S. Breuning (Coleoptera : Cerambycidae). Munis Entomology & Zoology, Ankara. 3(2):677-681.
- Özdikmen, H. 2011. The first attempt on subgeneric composition of *Chlorophorus* Chevrolat, 1863 with four new subgenera (Col.: Cerambycidae: Cerambycinae). Munis Entomology & Zoology, Ankara. 6(2):535-539.
- Paiva, Barao do Castello de. 1860. Descripção de dois Insectos Coleopteros de Camboja nas costas orientais do Oceano Indico. (Longicorn). Lisboa. 8. 11 pp.
- Parry, F. J. S. 1845. XVIII. A decade, or description of ten new species of Coleoptera, from the Kasya Hills, near the boundary of the Assam District. The Transactions of the Entomological Society of London. 4:84-87.
- Parry, F. J. S. 1849. Descriptions of some new species of Coleoptera. The Transactions of the Royal Entomological Society of London. 5:179-185.
- Pascoe, F. P. 1856. Descriptions of new genera and species of Asiatic longicorn Coleoptera. The Transactions of the Entomological Society of London. (2) 4: 42-50. 1 pl. (XVI).
- Pascoe, F. P. 1857. On new genera and species of longicorn Coleoptera. Part II. The Transactions of the Entomological Society of London. (2) 4: 89-112. 2 pls. (XXII-XXIII).
- Pascoe, F. P. 1858a. On new genera and species of longicorn Coleoptera. Part III. The Transactions of the Entomological Society of London. (2) 4: 236-266. 2 pls. (XXV-XXVI).
- Pascoe, F. P. 1859b. On new genera and species of Longicorn Coleoptera. Part IV. The Transactions of the Entomological Society of London. (2) 5: 12-61. 1 pl. (II).
- Pascoe, F. P. 1860c. Notices of new or little-known genera and species of Coleoptera. Part I. The Journal of Entomology, London. 1: 36-64. 2 pls. (II-III).
- Pascoe, F. P. 1860d. Notices of new or little-known genera and species of Coleoptera. Part II. The Journal of Entomology, London. 1: 98-132. 4 pls. (V-VIII).
- Pascoe, F. P. 1862a. Notices of new or little-known genera and species of Coleoptera. Part III. The Journal of Entomology, London. 1: 319-370. 2 pls. (XVI-XVII).
- Pascoe, F. P. 1862b. On some new Coleoptera from Lizard Island, North-eastern Australia. The Annals and Magazine of Natural History, London. (3) 9: 461-467.
- Pascoe, F. P. 1863a. Notes on the Australian Longicornia, with descriptions of sixty new species. The Transactions of the Entomological Society of London. (3) 1: 526-570. 2 pls. (XXII-XXIII).
- Pascoe, F. P. 1864a. Descriptions of some new Australian Longicornia. The Journal of Entomology, London. 2(10): 223-245. 1 pl. (XI).
- Pascoe, F. P. 1864c. Longicornia Malayana; or, a descriptive catalogue of the species of the three longicorn families Lamiidæ, Cerambycidæ and Prionidæ collected by Mr. A. R. Wallace in the Malay Archipelago. (Part I). The Transactions of the Entomological Society of London. (3) 3: 1-96. 5 pls. (I-V).
- Pascoe, F. P. 1864d. Additions to the Longicornia of South Africa, including a few species from Old Calabar and Madagascar. The Journal of Entomology, London. 2(11): 270-291. 1 pl. (XIII).
- Pascoe, F. P. 1865b. Longicornia Malayana; or, a descriptive catalogue of the species of the three longicorn families Lamiidæ, Cerambycidæ and Prionidæ collected by Mr. A. R. Wallace in the Malay Archipelago. (Part II). The Transactions of the Entomological Society of London. (3) 3: 97-224. 5 pls. (VI-X).
- Pascoe, F. P. 1866a. Catalogue of longicorn Coleoptera collected in the island of Penang by James Lamb, Esq. (Part I). Proceedings of the Scientific Meetings of the Zoological Society of London. 1866: 222-267. 3 pls. (XXVI-XXVIII).
- Pascoe, F. P. 1866b. Longicornia Malayana; or, a descriptive catalogue of the species of the three longicorn families Lamiidæ, Cerambycidæ and Prionidæ collected by Mr. A. R. Wallace in the Malay Archipelago. (Part III). The Transactions of the Entomological Society of London. (3) 3: 225-336. 5 pls. (XI-XV).
- Pascoe, F. P. 1866c. Catalogue of longicorn Coleoptera collected in the island of Penang by James Lamb, Esq. (Part II). Proceedings of the Scientific Meetings of the Zoological Society of London. 1866: 504-536. 3 pls. (XL-XLIII).
- Pascoe, F. P. 1866f. On the longicornia of Australia, with a list of all the described species. Journal of the Linnean Society of London. Zoology. 9: 80-142. 2 pl. (III-IV)

LONGHORNED BEETLES OF BORNEO

- Pascoe, F. P. 1867a. Characters of some new genera of the coleopterous family Cerambycidae. The Annals and Magazine of Natural History, London. (3) 19(113): 307-319.
- Pascoe, F. P. 1867b. Longicornia Malayana; or, a descriptive catalogue of the species of the three longicorn families Lamiidæ, Cerambycidæ and Prionidæ collected by Mr. A. R. Wallace in the Malay Archipelago. (Part IV). The Transactions of the Entomological Society of London. (3) 3: 337-464. 4 pls. (XVI-XIX)
- Pascoe, F. P. 1867c. Diagnostic characters of some new genera and species of Prionidæ. The Annals and Magazine of Natural History, London. (3) 19(114): 410-413.
- Pascoe, F. P. 1867d. Supplement to the list of Australia Longicornia. Journal of the Linnean Society of London. Zoology. 9: 300-308.
- Pascoe, F. P. 1868a. Longicornia Malayana; or, a descriptive catalogue of the species of the three longicorn families Lamiidæ, Cerambycidæ and Prionidæ collected by Mr. A. R. Wallace in the Malay Archipelago. (Part V). The Transactions of the Entomological Society of London. (3) 3: 465-498.
- Pascoe, F. P. 1868b. Contributions to a knowledge of the Coleoptera. Part I. The Proceedings of the Entomological Society of London. 1868: xi-xiii.
- Pascoe, F. P. 1869a. Longicornia Malayana; or, a descriptive catalogue of the species of the three longicorn families Lamiidæ, Cerambycidæ and Prionidæ collected by Mr. A. R. Wallace in the Malay Archipelago. (Part VI). The Transactions of the Entomological Society of London. (3) 3: 499-552. 1 pl. (XX)
- Pascoe, F. P. 1869b. Longicornia Malayana; or, a descriptive catalogue of the species of the three longicorn families Lamiidæ, Cerambycidæ and Prionidæ collected by Mr. A. R. Wallace in the Malay Archipelago. (Part VII). The Transactions of the Entomological Society of London. (3) 3: 553-712. 4 pls. (XXI-XXIV)
- Pascoe, F. P. 1869c. Descriptions of some new species of Lamiidæ. The Annals and Magazine of Natural History, London. (4) 4: 203-211.
- Pascoe, F. P. 1871. Descriptions of the new genera and species of longicorns, including three new subfamilies. The Annals and Magazine of Natural History, London. (4) 8: 268-281. 1 pl. (XIII).
- Pascoe, F. P. 1875a. Notes on Coleoptera, with descriptions of new genera and species. Part III. The Annals and Magazine of Natural History, London. (4) 15: 59-73. 1 pl. (VIII).
- Pascoe, F. P. 1878. Descriptions of longicorn Coleoptera. The Annals and Magazine of Natural History, London. (5) 2: 370-377.
- Pascoe, F. P. 1885. Descriptions of some new Asiatic Longicornia. The Annals and Magazine of Natural History, London. (5) 15: 49-57.
- Pascoe, F. P. 1886. Descriptions of some new Longicornia, chiefly Asiatic and African. The Annals and Magazine of Natural History, London. (5) 17: 239-246.
- Pascoe, F. P. 1888. On some new longicorn Coleoptera. The Transactions of the Entomological Society of London. 1888: 491-513. 1 pl. (XIV).
- Perroud, B. P. 1855b. Description de quelques espèces nouvelles ou peu connues et création de quelques nouveaux genres dans la famille des longicornes. Annales de la Société Linnéenne de Lyon. (2)2:327-401.
- Perty, J. A. M. 1831. Observations nonnullae in Coleoptera Indiae orientalis. Dissert. Monachii, Lindauer. 44pp.
- Peyerimhoff, P. M. de 1935. Coléoptères (avec la description d'un nouveau genre et de deux espèces nouvelles). In: Dalloni, M. M.: Mission au Tibesti (1930-31). Mémoires de l'Academie des Sciences de l'Institut de France. 62 [1936]: 74-81, 1 pl. [reprint distributed in 1935].
- Pic, M. 1891b. Faune Franco-algérienne (variétés). Matériaux pour servir à l'étude des Longicornes. 1(1):1-50.
- Pic, M. 1895c. Longicornes de la collection H. Tournier. L'Échange, Revue Linnéenne. 11(127):75-78.
- Pic, M. 1902g. Petite contribution à la faune du Tonkin septentrional. Matériaux pour servir à l'étude des Longicornes. 4(1):33-35.
- Pic, M. 1903g. Contribution à la Faune du Tonkin. Matériaux pour servir à l'étude des Longicornes. 4(2):28-31.
- Pic, M. 1904c. Descriptions de divers Longicornes d'Europe et d'Asie. Matériaux pour servir à l'étude des Longicornes. 5(1):7-9.
- Pic, M. 1908d. Nouveaux Longicornes de la Chine méridionale. Matériaux pour servir à l'étude des Longicornes. 7(1):14-18.
- Pic, M. 1911d. Longicornes de Chine en partie nouveaux. Matériaux pour servir à l'étude des Longicornes. 8(1):19-21.
- Pic, M. 1912p. Descriptions d'espèces et variétés appartenant à diverses familles. Mélanges Exotico-Entomologiques. Moulins. 2:2-11.
- Pic, M. 1915e. Coléoptères exotiques en partie nouveaux (Suite). L' Échange, Revue Linnéenne. 31:20,24,27-28.
- Pic, M. 1916h. Notes et descriptions abrégées diverses. Mélanges Exotico-Entomologiques. Moulins. 17:2-8.
- Pic, M. 1918c. Courtes descriptions diverses. Mélanges Exotico-Entomologiques. Moulins. 27:1-24.
- Pic, M. 1918d. Courtes descriptions diverses. Mélanges Exotico-Entomologiques. Moulins. 28:1-24.
- Pic, M. 1922a. Coléoptères exotiques en partie nouveaux (Suite). L'Échange, Revue Linnéenne. 38(409):28.
- Pic, M. 1922b. Coléoptères exotiques en partie nouveaux (Suite). L'Échange, Revue Linnéenne. 38(410):31-32.

LONGHORNED BEETLES OF BORNEO

- Pic, M. 1922d. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 36:1-32.
- Pic, M. 1922e. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 37:1-32.
- Pic, M. 1923a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 38:1-32.
- Pic, M. 1923c. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 40:1-32.
- Pic, M. 1923d. Coléoptères exotiques en partie nouveaux (Suite). *L'Échange, Revue Linnéenne*. 39(412): 7-8, 11-12, 15-16.
- Pic, M. 1924b. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 41:1-32.
- Pic, M. 1925a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 43:1-32.
- Pic, M. 1925b. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 44:1-32.
- Pic, M. 1925c. Coléoptères exotiques en partie nouveaux (Suite). *L'Échange, Revue Linnéenne*. 41(419):3-4.
- Pic, M. 1926a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 45:1-32.
- Pic, M. 1926b. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 46:1-32.
- Pic, M. 1926c. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 47:1-32.
- Pic, M. 1926k. Sept coléoptères exotiques nouveaux. *Bulletin de la Société Entomologique de France*. 1926(13-14):153-155.
- Pic, M. 1927a. Remarques critiques, synonymies et diagnoses (Col.). *Bulletin de la Société Zoologique de France*. 51:451-455.
- Pic, M. 1927c. Coléoptères de l'Indochine. *Mélanges Exotico-Entomologiques*. Moulins. 49:1-36.
- Pic, M. 1927d. Coléoptères du Globe. *Mélanges Exotico-Entomologiques*. Moulins. 50:1-36.
- Pic, M. 1928a. Coléoptères exotiques en partie nouveaux (Suite.). *L'Échange, Revue Linnéenne*. 44(434):16.
- Pic, M. 1928b. Notes et Descriptions. *Mélanges Exotico-Entomologiques*. Moulins. 51:1-34.
- Pic, M. 1928c. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 52:1-32.
- Pic, M. 1930a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 55:1-36.
- Pic, M. 1931a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 57:1-36.
- Pic, M. 1931f. sur le genre *Tibetobia* Friv, et quelques autres lamiens. *Entomologisches Nachrichtenblatt* 5:48-49.
- Pic, M. 1932a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 59:10-36.
- Pic, M. 1932b. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 60:1-36.
- Pic, M. 1933b. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 62:1-36.
- Pic, M. 1934a. Nouveautés asiatiques. Matériaux pour servir à l'étude des Longicornes. 11:33-40.
- Pic, M. 1934c. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 63:1-36.
- Pic, M. 1935a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 65:1-36.
- Pic, M. 1935b. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 66:1-36.
- Pic, M. 1936a. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 67:1-36.
- Pic, M. 1936b. Nouveautés diverses. *Mélanges Exotico-Entomologiques*. Moulins. 68:10-36.
- Pic, M. 1936e. Coléoptères exotiques en partie nouveaux (Suite). *L'Échange, Revue Linnéenne*. 52(466):31-32.
- Pic, M. 1938a. Coléoptères exotiques en partie nouveaux (Suite). *L'Échange, Revue Linnéenne*. 54(473):12.
- Pic, M. 1939f. Diagnoses de Coléoptères exotiques. *L'Échange, Revue Linnéenne*. 55(478):31-32.
- Pic, M. 1943c. Coléoptères du globe (suite). *L'Échange, Revue Linnéenne*. 59(492):5-8.
- Pic, M. 1943d. Coléoptères du globe (suite). *L'Échange, Revue Linnéenne*. 59(493): 9-12.
- Pic, M. 1943f. Opuscula martialis IX. *L'Échange, Revue Linnéenne*, Numéro spécial. pp. 1-16.
- Pic, M. 1943g. Opuscula martialis X. *L'Échange, Revue Linnéenne*, Numéro spécial. pp. 1-16.
- Pic, M. 1944b. Coléoptères du globe (suite). *L'Échange, Revue Linnéenne*. 60(496):5-8.
- Pic, M. 1944d. Coléoptères du globe (suite). *L'Échange, Revue Linnéenne*. 60(498):13-16.
- Pic, M. 1944f. Opuscula martialis XIII. *L'Échange, Revue Linnéenne*, Numéro spécial. 13:1-16.
- Pic, M. 1945c. Coléoptères du globe (suite). *L'Échange, Revue Linnéenne*. 61(499):1-4.
- Pic, M. 1946a. Réfutations d'anciennes critiques et fausses synonymies. *Miscellanea Entomologica*, Narbonne, Paris. [1945] 42(9):105-111.
- Pic, M. 1946c. Coléoptères du globe (suite). *L'Échange, Revue Linnéenne*. 62(504):5-8.
- Pic, M. 1947c. Diversités Entomologiques. 1:1-16.
- Pic, M. 1951e. Notes et descriptions. Diversités Entomologiques. 9:4-16
- Pic, M. 1953a. Coléoptères du globe (suite). *L'Échange, Revue Linnéenne*. 69(531):2
- Plavilstshikov, N. N. 1926. Addenda et corrigenda concernant le Coleopterorum Catalogus, parties 73 et 74 (Lamiinae) Encyclopédie Entomologique, série B. Coleoptera 2: 49-68.
- Plavilstshikov, N. N. 1931a. Cerambycidae I. Bestimmungs-Tabellen der europäischen Coleopteren. Troppau. 100:1-102.
- Plavilstshikov, N. N. 1931b. *Embrik-Strandia*, eine neue Callichrominen-Gattung (Col., Cerambycidae). *Folia Zoologica et Hydrobiologica*. Riga. 3:278-279.
- Plavilstshikov, N. N. 1934. Cerambycidae III. Cerambycinae: Cerambycini III (Callichromina, Rosaliina, Callidiina). Bestimmungs-Tabellen der europäischen Coleopteren, Troppau. 112:1-230.
- Plavilstshikov, N. N. 1936. Faune de l'URSS. Insectes Coléoptères. Cerambycidae I. Fauna SSSR 21 (1): ix + 1-611, 247 figs.

LONGHORNED BEETLES OF BORNEO

- Podaný, C. 1968. Studien über Callichromini der palaearktischen und orientalischen region I. Entomologische Abhandlungen Staatliches Museum für Tierkunde in Dresden. 36(3):41-121.
- Podaný, C. 1971. Studien über Callichromini der palaearktischen und orientalischen region (II). Entomologische Abhandlungen Staatliches Museum für Tierkunde in Dresden. 38(8):253-313.
- Podaný, C. 1974. Studien über Callichromini der paläarktischen und orientalischen region (III). *Annotationes Zoologicae et Botanicae*. 91:1-43.
- Podaný, C. 1978. Studien über Callichromini der palaearktischen und orientalischen region (IV) (Coleoptera, Cerambycidae). Entomologische Abhandlungen Staatliches Museum für Tierkunde in Dresden. 42(11):363-381.
- Podaný, C. 1980. Studien über Callichromini der palaearktischen und orientalischen region (V) (Coleoptera, Cerambycidae). Entomologische Abhandlungen Staatliches Museum für Tierkunde in Dresden. 43(10):219-256.
- Quedenfeldt, G. 1888. Beiträge zur Kenntniss der Koleopteren-Fauna von Central-Afrika nach den Ergebnissen der Lieutenant Wissman'schen Kassai-Expedition 1883 bis 1886. *Berliner Entomologische Zeitschrift*. 32:155-219.
- Quentin, R. M. and A. Villiers. 1981. Les Macrotomini de l'Ancien Monde (Région Éthiopienne exclue) genera et catalogue raisonné. *Annales de la Société entomologique France* (n.s.). 17(1):359-393.
- Redtenbacher, L. 1868. Reise der österreichischen Fregatte Novara um die Erde in den Jahren 1857, 1858, 1859 unter den befehlens des Commodore B. von Wüllerstorf-Urbair. *Zoologischer Theil. Zweiter Band: Coleopteren*. Wien. 2: i-iv + 1-249, 5 pls. [Cerambycidae: pp. 176-203, pl. 5]
- Reitter, E. 1894. Uebersicht der arten der Coleopteren-Gattung *Cerambyx* L. und einer Darstellung der mit dieser zunächst verwandten Genera der palaearctischen Fauna. *Entomologisches Nachrichten*, Berlin. 20:353-356.
- Reitter, E. 1913 [1912]. *Fauna Germanica. Die Käfer des Deutschen Reiches*. Nach der analytischen Methode bearbeitet. Band IV. Lutz Verlag, Stuttgart. 236 pp. + pls 129-152.
- Retzius, A. J.. 1783. Caroli De Geer genera et species Insectorum et generalissimi auctoris scriptis extraxit, digessit, latine quand. partem reddidit, et terminologiam Insectorum Linneanam addidit. Lipsiae. 220pp.
- Rigout, J. 1981. Les coléoptères du monde. Volume 1: Batocerini première partie. *Sciences Nat. Compiègne*. 121 pp. 50 pl.
- Rigout, J. 1982. Les coléoptères du monde. Volume 2: Batocerini deuxième partie. *Sciences Nat. Compiègne*. 128 pp. 53 pl.
- Ritsema, C. 1876. Bijdrage tot de kennis der Insecten-Fauna van het noordelijkste gedeelte van Sumatra. *Tijdschrift voor Entomologie*, Amsterdam. 19:43-50.
- Ritsema, C. 1880. Description of a Sumatran species of the longicorn genus *Callophora*, Thoms. Notes from the Leyden Museum. 2:246-248.
- Ritsema, C. 1881e. Description of a new species of the longicorn genus *Praonetha*, Pasc.. Notes from the Leyden Museum. 3:15-16.
- Ritsema, C. 1881f. New species of *Pachyteria*, a genus of longicorn Coleoptera. Notes from the Leyden Museum. 3:31-38.
- Ritsema, C. 1881g. Description of a new species of the longicorn genus *Melanauster*, Thoms. Notes from the Leyden Museum. 3:39-40
- Ritsema, C. 1881h. Four new species and a new genus of longicorn Coleoptera. Notes from the Leyden Museum. 3:145-150.
- Ritsema, C. 1881i. Three new species of Sumatran longicorn Coleoptera from the collections of the Sumatra-Expedition. Notes from the Leyden Museum. 3:151-157.
- Ritsema, C. 1885b. Three new species of exotic Coleoptera. Notes from the Leyden Museum. 7: 123-127. 1 pl. (IV).
- Ritsema, C. 1888a. On five new and two unsufficiently known species of the longicorn genus *Pachyteria*. Notes from the Leyden Museum. 10: 177-192.
- Ritsema, C. 1888b. Description of two new species of the longicorn group Callichromini. Notes from the Leyden Museum. 10: 193-197 (illustrations on pl. X of Vol. 11 (1889), fig. 3-4)
- Ritsema, C. 1888d. Description of three new species of the longicorn group Agniini. Notes from the Leyden Museum. 10: 201-206.
- Ritsema, C. 1890a. Description of three new species of Malayan Longicornia. Notes from the Leyden Museum. 12:135-139.
- Ritsema, C. 1890b. Three new Malayan longicorn Coleoptera. Notes from the Leyden Museum. 12:247-252.
- Ritsema, C. 1892a. Descriptions of new species of the longicorn genus *Glenea*. Notes from the Leyden Museum. 15:1-12. 1 pl.
- Ritsema, C. 1892b. Three new species of the longicorn genus *Pachyteria*. Notes from the Leyden Museum. 14:213-220.
- Ritsema, C. 1893. A new species of the longicorn genus *Pachyteria*. Notes from the Leyden Museum. 15:13-16.

LONGHORNED BEETLES OF BORNEO

- Ritsema, C. 1894. A new species of the longicorn genus *Zonopterus*. Notes from the Leyden Museum. 16:107-109.
- Ritsema, C. 1895. Two new species of the longicorn genus *Pelargoderus*. Notes from the Leyden Museum. 17:33-35.
- Ritsema, C. 1896. Two new species of the longicorn genus *Thermonotus*, Gahan. Notes from the Leyden Museum. 18:205-207.
- Ritsema, C. 1897a. Supplément à la liste des espèces des genres *Zonopterus* et *Pachyteria* (Coléoptères Longicornes) de la collection du Muséum d'histoire naturelle de Paris. Bulletin du Muséum d'histoire Naturelle. Paris. 1897:376-377.
- Ritsema, C. 1897b. Description of a new species of the longicorn genus *Glenea*. Notes from the Leyden Museum. 19:133-134.
- Ritsema, C. 1898b. Two new species of the longicorn genus *Apriona*. Notes from the Leyden Museum. 20:87-88.
- Ritsema, C. 1908. A new longicorn beetle from Borneo. Notes from the Leyden Museum. 29:261-262.
- Ritsema, C. 1909. *Pachyteria nieuwenhuisii* n. sp. Notes from the Leyden Museum. 30:248.
- Ritsema, C. 1911. Two new Sumatran species of longicorn Coleoptera. Notes from the Leyden Museum. 34:4-8.
- Rondon, J. A. and S. Breuning. 1970. Lamiines du Laos. Pacific Insects Monograph. 24:315-571.
- Rothschild, L. W. & K. Jordan, 1893. On some new or little-known species of coleoptera from the East. The Annals and Magazine of Natural History, London. (6) 12:452-455.
- Sama, G. 1991. Note sulla nomenclatura dei Cerambycidae della Regione Mediterranea (Coleoptera). Bollettino della Società Entomologica Italiana, Genova. 123(2):121-128.
- Sama G. 1994c: Note sulla nomenclatura dei Cerambycidae della regione mediterranea. 2. Revisione di alcuni tipi di Kraatz, v. Heyden e Stierlin (Coleoptera, Cerambycidae). Lambillionea 94:321-334.
- Sama, G. 2002. Atlas of the Cerambycidae of Europe and the Mediterranean Area. Volume 1: Northern, Western, Central and Eastern Europe. British Isles and Continental Europe from France (excl. Corsica) to Scandinavia and Urals. Nakladatelství Kabourek, Zlín. 173 pp. 36 pls.
- Sama, G. & J. Sudre. 2009. New nomenclatural acts in Cerambycidae. II. (Coleoptera). Bulletin de la Société entomologique de France. 114(3):383-388.
- Sama, G. 2010. New acts and comments. Cerambycidae. pp. 49-58. in Löbl, I. & A. Smetana (eds). 2010. Catalogue of Palearctic Coleoptera. Vol. 6: Chrysomeloidea. Apollo Books, Stenstrup, Denmark. 924 pp.
- Santos-Silva, A. & M. H. M. Galileo. 2010. A new genus of Macrotomini (Coleoptera, Cerambycidae, Prioninae). ZooKeys. 35:65-76. 31 figs.
- Santos-Silva, A; D.Heffern & K. Matsuda. 2010. Revision of Hawaiian, Australasian, Oriental, and Japanese Parandrinae (Coleoptera, Cerambycidae). Insecta Mundi. 130:1-120. 480 fig.
- Santos-Silva, A. & F. T. Hovore. 2007a. Divisão do gênero *Distenia* Lepeletier & Audinet-Serville, notas sobre a venação alar em Disteniini, homônimias, sinonímia e redescrições (Coleoptera, Cerambycidae, Disteniinae). Papéis Avulsos de Zoologia. São Paulo. 47(1):1-29. 93 fig.
- Saunders, W. 1853. Descriptions of some longicorn beetles discovered in Northern China by Rob. Fortune. The Transactions of the Entomological Society of London. 2:109-113.
- Schönherr, C. J. 1817. Synonymia Insectorum, oder: Versuch einer Synonymia aller bisher bekannten Insecten; nach Fabricii Systema Eleutheratorum &c. geordnet. Skara. Lewerentzischen Buchdruckerey, 1(3): xi + 506 pp.
- Schrank, F. von Paula. 1798. Fauna Boica. Durchgedachte Geschichte der in Baiern einheimischen und zahmen Thiere. Erster Band. Nürnberg: Stein'schen Buchhadlung, xii + 720pp.
- Schreber, I. C. D. 1759. Novae species Insectorum. Halae Magdeburgicae: Schneider, 16 pp. 1 pl.
- Schultze, W. 1920. Eighth contribution to the Coleoptera fauna of the Philippines. Philippine Journal of Science. Manila. 16(2):191-203, 2 pl.
- Schultze, W. 1922. Neunter Beitrag zur Coleopteren-fauna der Philippinen. Deutsche Entomologische Zeitschrift. Berlin. 36-45, 1 pl.
- Schultze, W. 1934. Thirteenth contribution to the Coleoptera fauna of the Philippines. Philippine Journal of Science. Manila. 53:311-337, 2 pl.
- Schwarzer, B. 1914. Beschreibung neuer Arten und Varietäten der Gattung *Batocera* (Col.) Entomologische Mitteilungen. Berlin-Dahlem. 3:280-282.
- Schwarzer, B. 1924a. Neue Indo-malayische cerambyciden. Treubia. Recueil de Travaux Zoologiques, Hydrobiologiques, et Océanographiques. Buitenzorg. 5:236-238.
- Schwarzer, B. 1925a. Sauters Formosa-Ausbeute (Cerambycidae. Col.). (Subfamilie Cerambycinae). Entomologische Blätter. Zeitschrift für Biologie und Systematik der Käfer. Berlin & Krefeld. 21:20-30.
- Schwarzer, B. 1925b. Sauters Formosa-Ausbeute (Cerambycidae. Col.). (Subfamilie Lamiinae). Entomologische Blätter. Zeitschrift für Biologie und Systematik der Käfer. Berlin & Krefeld. 21:58-68.
- Schwarzer, B. 1925c. Sauters Formosa-Ausbeute (Cerambycidae. Col.). (Subfamilie Lamiinae). Entomologische Blätter. Zeitschrift für Biologie und Systematik der Käfer. Berlin & Krefeld. 21:145-154.

LONGHORNED BEETLES OF BORNEO

- Schwarzer, B. 1926c. Beiträge zur Kenntnis der Cerambyciden. Entomologische Mitteilungen. 15(1):6-14.
- Schwarzer, B. 1929. Neue Cerambyciden des Senckenberg-Museum (Ins., Col.). Senckenbergiana. Frankfurt. 11(5-6):353-379. 35 fig.
- Schwarzer, B. 1930a. Beitrag zur Kenntnis der Cerambyciden (Ins., Col.). Senckenbergiana, Frankfurt. 12:103-111, 14 figs.
- Schwarzer, B. 1930b. Spolia Mentawiensis. Longicornia. Treubia. 12:121-128.
- Schwarzer, B. 1931a. Beitrag zur Kenntnis der Cerambyciden (Ins. Col.) Senckenbergiana. Frankfurt. 13(1):59-78. 35 fig.
- Schwarzer, B. 1931b. Beitrag zur Kenntnis der Cerambyciden (Ins. Col.) III. Senckenbergiana. Frankfurt. 13(5-6):197-214. 27 fig.
- Scopoli, J. A. 1763. Entomologia Carniolica exhibens insecta Carnioliae indigena et distributa in ordines, genera, species, varietates. Methodo linnaeana. Vindobonae: Ioannis Thomae Trattner, 36 + 420 pp., 3 pls.
- Semenov-Tian-Shanskij, A. 1911. Un représentant nouveau du genre *Rosalia* Serv. (Coleoptera, Cerambycidae) provenant du district d'Ussuri (Sibérie or.). Revue Russe d'Entomologie, St. Petersburg. 11:118-123.
- Shabliovsky V. 1936. K izucheniyu fauny zhukov-drovosekov Ussuriyskoy oblasti. Vestnik Dal'nevostochnogo Filiala Akademii Nauk 19:184-187.
- Sharp, D. 1878. On some longicorn Coleoptera from the Hawaiian Islands. The Transactions of the Entomological Society of London. 1878:201-210.
- Shelford, R. 1902. Observations on some mimetic insects and spiders from Borneo and Singapore. Proceedings of the Entomological Society of London. 1902(2):230-284. Pl. XIX-XXIII..
- Snellen van Vollenhoven, S. C. 1871a. Quelque espèces nouvelles de curculionites et de longicornes. Tijdschrift voor Entomologie. 14:101-112. pl. 4-5.
- Stephens, J. F. 1831. Illustrations of British entomology; or a synopsis of indigenous insects: containing their generic and specific distinctions; with an account of their metamorphoses, times of appearance, localities, food, and economy, as far as practicable. Mandibulata. 4:1-414.
- Strand, E. 1942 Miscellanea nomenclatorica zoologica et palaeontologica. X. Folia Zoologica et Hydrobiologica. Riga. 11(2):386-402.
- Swainson, W. & W. E. Shuckard. 1840. The cabinet cyclopaedia. Conducted by the Rev. Dionysius Lardner assisted by eminent literary and scientific men. Natural History. On the history and natural arrangement of insects. Longman, Orme, Brown, Green, & Longmans, and John Taylor. London. [3] + 406 pp.
- Sudre, J. 1997. *Anexodus sarawakensis* n. sp., une nouvelle espèce de Bornéo (Col., Cerambycidae, Lamiinae) Bulletin de la Société Entomologique de France, Paris. 102(3):253-254. 5 figs.
- Takakuwa, M. 1992. A new subgenus and new species of the longicorn genus *Necydalis* from Malaysia. Gekkan-Mushi. 255:8-11. 16 fig.
- Takakuwa, M. 1998. The *Rosalia* world. Mushi-sha. Tokyo. pp. 1-231. illus.
- Téocchi , P. 1991. in Holzschuh, C. & P. Téocchi. 1991. Cerambycidae (Coleoptera) of Saudia Arabia: Part I, Lamiinae. Fauna of Saudia Arabia. 12:295-311.
- Téocchi , P., J. Sudre and E. Jiroux. 2010. Synonymies, diagnoses et bionomi de quelques Lamiaires africains (15e note) (Coleoptera, Cerambycidae, Lamiinae). Les Cahiers Magellanes, New Series. Andrésy. 1:1-27. 26 fig.
- Thomson, C. G. 1859. Skandinaviens Coleoptera. 1:1-290.
- Thomson, J. 1856b. Descriptions d'une *Cicindela* et de deux Longicornes. Revue et Magasin de Zoologie, Paris. (2) 8:528-530.
- Thomson, J. 1857a. Monographie de la tribu des Anacolites, de la famille des longicornes. In: Thomson, J. (Ed.), Archives entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Paris. 1:7-20, pl. 1-3.
- Thomson, J. 1857f. Essai monographique sur le groupe des Tetraophthalmites, de la famille des Cérambycides (Longicornes). In: Thomson, J. (Ed.), Archives entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Paris. 1:45-67. pl. 8.
- Thomson, J. 1857i. Description d'un genre nouveau Cérambycides. In: Thomson, J. (Ed.), Archives entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Paris. 1:78-79.
- Thomson, J. 1857k. Description de trente-trois espèces de coléoptères. In: Thomson, J. (Ed.), Archives entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Paris. 1:109-127. pl. 10.
- Thomson, J. 1857o. Synopsis des *Stibara* de ma collection. In: Thomson, J. (Ed.), Archives entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Paris. 1:139-147.
- Thomson, J. 1857s. Diagnoses de cérambycides nouveaux ou peu connus de ma collection qui seront décrits prochainement. In: Thomson, J. (Ed.), Archives entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Paris. 1:169-194, pl. 10.

LONGHORNED BEETLES OF BORNEO

- Thomson, J. 1857u. Description de cérambycides nouveaux ou peu connus de ma collection. In: Thomson, J. (Ed.), Archives entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Paris. 1:291-320.
- Thomson, J. 1857w. Description de trois espèces de coléoptères. In: Thomson, J. (Ed.), Archives entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Paris. 1:341-344.
- Thomson, J. 1858e. Wallace; voyage dans l'Asie orientale; fragments entomologique renfermant la description coléoptères nouveaux ou rares. In: Thomson, J. (Ed.), Archives entomologiques ou recueil contenant des illustrations d'insectes nouveaux ou rares. Paris. 1:425-460.
- Thomson, J. 1858g. Voyage au Gabon. Histoire naturelle des insectes et des arachnides recueillis pendant un voyage fait au Gabon en 1856 et en 1857 par M. Henry C. Deyrolle sous les auspices de MM. le comte de Mniszech et James Thomson précédé de l'histoire du voyage. Archives Entomologiques. Paris. 2:7-376. 12 pl.
- Thomson, J. 1859b. [Untitled footnote] Arcana Naturae ou Recueil d'Histoire Naturelle. Paris. 1:50.
- Thomson, J. 1859c. Monographie du genre *Batocera*. Arcana Naturae ou Recueil d'Histoire Naturelle. Paris. 1:65-84.
- Thomson, J. 1860. Essai d'une classification de la famille des cérambycides et matériaux pour servir à une monographie de cette famille. Paris. 396 pp; 3 pls. (pp. xvi + 1-128 = 1860; pp. 129-396 = 1861)
- Thomson, J. 1861a. Essai d'une classification de la famille des cérambycides et matériaux pour servir à une monographie de cette famille. Paris. 396 pp; 3 pls. (pp. xvi + 128 = 1860; pp. 129-396 = 1861)
- Thomson, J. 1864. Systema cerambycidarum ou exposé de tous les genres compris dans la famille des cérambycides et familles limitrophes. H. Dessain, Liège. 578 pp. [1864: pp. 1-352 ; 1865a: pp. 353-540 ; 1865b : pp. 341-578] [Also published in Mémoires de la Société Royale des Sciences de Liège. 19[1866]:1-578.]
- Thomson, J. 1865a. Systema cerambycidarum ou exposé de tous les genres compris dans la famille des cérambycides et familles limitrophes. H. Dessain, Liège. 578 pp. [1864: pp. 1-352 ; 1865a: pp. 353-540 ; 1865b : pp. 341-578] [Also published in Mémoires de la Société Royale des Sciences de Liège. 19[1866]:1-578.]
- Thomson, J. 1865b. Diagnoses d'espèces nouvelles qui seront décrites dans l'appendix du systema cerambycidarum. Systema cerambycidarum ou exposé de tous les genres compris dans la famille des cérambycides et familles limitrophes. H. Dessain, Liège. 578 pp. [1864: pp. 1-352 ; 1865a: pp. 353-540 ; 1865b : pp. 341-578] [Also published in Mémoires de la Société Royale des Sciences de Liège. 19[1866]:1-578.]
- Thomson, J. 1868d. Matériaux pour servir à une révision des desmiphorites (lamites, cérambycides, coléoptères). Physis Recueil d'Histoire Naturelle, Paris. 2(6):101-146.
- Thomson, J. 1868e. Matériaux pour servir à une révision des lamites (cérambycides, Col.). Physis Recueil d'Histoire Naturelle, Paris. 2(6):146-200.
- Thomson, J. 1868f. Note rectificative. Physis Recueil d'Histoire Naturelle, Paris. 2(6):201.
- Thomson, J. 1877c. Typi cerambycidarum musei Thomsoniani. Revue et Magasin de Zoologie, Paris. (3) 5:249-279.
- Thomson, J. 1878a. Typi cerambycidarum (2^e. mémoire). Cerambycidae. Revue et Magasin de Zoologie, Paris. (3)6:1-33.
- Thomson, J. 1878b. Typi cerambycidarum (3^e. mémoire). Revue et Magasin de Zoologie, Paris. (3)6:45-68.
- Thomson, J. 1878e. Deux coléoptères de la famille des Cérambycides: *Rhamses*, *Cereopsius*. Annales de la Société Entomologique de France. 5(8):18-19.
- Thomson, J. 1879a. Typi cerambycidaru. Appendix I^a. Revue et Magasin de Zoologie, Paris. (3) 7:1-23.
- Vigors, N. 1826. Descriptions of some rare, interesting, or hitherto uncharacterised subjects of zoology. The Zoological Journal, London. 2:234-242; 510-516. 1 pl.
- Villiers, A. 1958. Notes sur les Disteniinae de la région indo-pacifique (Col. Cerambycidae). Bulletin du Muséum d'Histoire Naturelle, ser. 2. 30(3):262-270.
- Villiers, A. 1966. Sur le genre *Dejanira* Thomson [Col. Cerambycidae Cerambycinae]. Annales de la Société Entomologique de France. (n.s.). 11(2):355-359.
- Villiers, A. 1978. Encyclopédie Entomologique. XLII: Faune des Coléoptères de France. I: Cerambycidae. Ed. Lechevalier. Paris, 611 pp.
- Vitali, F. 2007. About the taxonomic status of some species of the genus *Aeolesthes* Gahan, 1890 (Coleoptera, Cerambycidae). Entomapeiron. 1(3) :65-80. 21 fig.
- Vitali, F. 2008. Taxonomic and faunistic notes about the genus *Olethrius* Thomson, 1860 (Coleoptera, Cerambycidae). Entomapeiron. 2(1) :1-32. 31 fig.
- Vives, E. 1977. Notes sur les longicornes ibériques. L'Entomologiste. Paris. 33(3):129-133.
- Vives, E. 2001a. Notes on Lepturinae(I). Two new species of Asian Lepturinae (Coleoptera: Cerambycidae). Lambillionea, Bruxelles. 101:121-124. 4 fig.

LONGHORNED BEETLES OF BORNEO

- Vives, E. 2001b. Notes on Lepturinae(VI). A propósito de algunos Lepturinae y Vesperinae nuevos o poco conocidos del sudeste asiático (Coleoptera: Cerambycidae). *Les Cahiers Magellanes*, Andrésy. 9:1-20. 8 fig.
- Vives, E. 2003b. Notes on Lepturinae(IX). New and interesting Lepturinae from South East Asia (Coleoptera: Cerambycidae). *Les Cahiers Magellanes*, Andrésy. 31:1-16. 9 fig.
- Vives, E. 2005a. Notes on Lepturinae(XI). Four new species of Lepturinae from South East Asia (Col. Cerambycidae). *Lambillionea*, Bruxelles. 105:302-307. 4 fig.
- Vives, E. 2005b. New or interesting Cerambycidae from Philippines, part I. (Coleoptera: Cerambycidae). *Les Cahiers Magellanes*, Andrésy. 49:1-13. 13 fig.
- Vives, E. 2005c. Dos nuevas especies de Cerambycidae asiáticos (Coleoptera). *Nouvelle Revue d'Entomologie*. 22(3):243-248.
- Vives, E. 2006b. Description of a new species of *Psebena* Gahan from North Borneo and notes on the systematic placement of the genus. (Coleoptera, Cerambycidae). *Lambillionea*, Bruxelles. 106(2):1231-234. 6 fig.
- Vives, E. 2007b. Notes on Lepturinae (XV). El género *Trypogeus* Lacordaire, 1869 (Coleoptera, Cerambycidae) y su posición sistemática. *Nouvelle Revue d'Entomologie*, Paris. 24(1):53-59.
- Vives, E. 2009a. Cerambícidos nuevos o interesantes de Filipinas (Part II) (Coleoptera: Cerambycidae). *Les Cahiers Magellanes*, Andrésy. 88:1-25. 18 fig.
- Vives, E. 2009b. Descriptions of two new species of *Strangalia* Audinet-Serville (Coleoptera, Cerambycidae) from Borneo, Sabah. Notes of Lepturinae (XVI). Special Bulletin of the Japanese Society of Coleopterology, Tokyo. 7:127-130. 7 fig.
- Vives, E. 2009c. New or interesting Cerambycidae from de Philippines (Part III) (Coleoptera: Cerambycidae). *Les Cahiers Magellanes*, Andrésy. 105:1-20. 18 fig.
- Vives, E. 2010b. Descripción de nuevas especies de Cerambycidae del norte de Borneo (Coleoptera : Cerambycidae). *Elytron*, Tokyo. [2008-2009]22-23 :147-154. 4 fig.
- Vives, E. 2011b. Especies nuevas o interesantes Cerambycidae de Malaysia (Coleoptera, Cerambycidae). *Lambillionea*, Bruxelles. 111(1):85-88. 4 fig.
- Vives, E. 2012c. Dos nuevas especies del género *Camelocerambyx* Pic, 1922 (Coleoptera, Cerambycidae). *Lambillionea*, Bruxelles. 112(1):4-6. 2 fig.
- Vives, E. & F. Abang. 2003. Notes on the Lepturinae (Coleoptera: Cerambycidae) of the Sarawak Museum Insect collection. *The Sarawak Museum Journal*. 58(79):245-249.
- Vives, E. & J. Bentanachs. 2005. Une nouvelle espèce du genre *Dubianella* Morati & Huet, de Borneo (Coleoptera, Cerambycidae). *Lambillionea*, Bruxelles. 105(1):151-154. 19 fig.
- Vives, E., J. Bentanachs & S. Chew. 2007. Notes sur les Callichromatini asiatiques – I Nouveaux genres et espèces de Callichromatini du sud-est asiatique. (Coleoptera, Cerambycidae, Callichromatini). *Les Cahiers Magellanes*, Andrésy. 63:1-17. 20 fig.
- Vives, E., J. Bentanachs & S. Chew. 2008. Notes sur les Callichromatini asiatiques – II Nouveaux genres et espèces de Callichromatini du sud-est asiatique. (Coleoptera, Cerambycidae, Callichromatini). *Les Cahiers Magellanes*, Andrésy. 76:1-23. 36 fig.
- Vives, E., J. Bentanachs & S. Chew. 2009a. Notes sur les Callichromatini asiatiques (III) Nouveaux genres et espèces de Callichromatini du sud-est asiatique, 1^{ère} partie. (Coleoptera, Cerambycidae, Callichromatini). *Les Cahiers Magellanes*, Andrésy. 89:1-16. 26 fig.
- Vives, E., J. Bentanachs & S. Chew. 2009b. Notes sur les Callichromatini asiatiques (III) Nouveaux genres et espèces de Callichromatini du sud-est asiatique, 2^e partie. (Coleoptera, Cerambycidae, Callichromatini). *Les Cahiers Magellanes*, Andrésy. 90:1-11. fig. 27-55.
- Vives, E., J. Bentanachs & S. Chew. 2009c. Notes sur les Callichromatini asiatiques (IV). New genera and species of Callichromatini from South-east Asia. (Coleoptera, Cerambycidae). *Les Cahiers Magellanes*, Andrésy. 100:1-16. 28 fig.
- Vives, E. & D. Heffern. 2001. Notes on Lepturinae (V). New and interesting South East Asian Lepturinae. (Coleoptera, Cerambycidae). *Lambillionea*, Bruxelles. 101(4):621-625.
- Vives, E. & D. Heffern. 2006. Description of a new genus from Borneo and new status of Southeast Asian Apatophysinae (Coleoptera: Cerambycidae). *Les Cahiers Magellanes*, Andrésy. 60:1-7. 6 fig.
- Vives, E. & D. Heffern. 2012. Description and notes on Oriental longhorned beetles, mostly from Borneo (Coleoptera: Cerambycidae). *Les Cahiers Magellanes*, New Series. Andrésy. 10:1-17. 15 fig.
- Vives, E. & N. Ohbayashi. 2001. A new lepturine, *Hayashiella malayana* gen. et sp. nov. from Sabah, Malaysia. (Coleoptera, Cerambycidae). *Japanese Journal of Systematic Entomology*. 7(1):29-33. 12 fig.
- Vuillet, A. 1911. Deux nouvelles *Rosalia*. *Insecta, Revue illustrée d'Entomologie*. Rennes. 1:247-252
- Waterhouse, C. O. 1877a. Description of twenty new species of Coleoptera from various localities. *The Transactions of the Entomological Society of London*. 1877(1):1-13
- Waterhouse, C. O. 1878a. Characters of four new longicorn Coleoptera. *The Annals and Magazine of Natural History*, London. (5) 2:136-138.

LONGHORNED BEETLES OF BORNEO

- Waterhouse, C. O. 1884a. Description of a new genus and species of longicorn Coleoptera from the Philippine Islands. The Annals and Magazine of Natural History, London. (5) 13:128-129.
- Waterhouse, C. O. 1884b. On the coleopterous genus *Macrotoma*. The Annals and Magazine of Natural History, London. (5) 14(84):376-387.
- Waterhouse, C. O. 1885. In Poyer, H. J. S. On two remarkable cases of mimicry from Elopura, British North Borneo. Transactions of the Entomological Society of London. 1885:369-373. pl. 10.
- Waterhouse, G. R. 1835. Description of a new species of longicorn beetle from the East Indies. The Transactions of the Entomological Society of London. (1834) 1:67-68, 1 fig.
- Waterhouse, G. R. 1840. Descriptions of two new coleopterous insects, from the Collection of Sir Patrick Walker. The Transactions of the Entomological Society of London 2: 225-229.
- Weber, F. 1801. Observations entomologicae, continentis novorum quae conditit generum characteres et nuper detectarum specierum descriptiones. Kiliae. 116 pp.
- Westwood, J. O. 1841. Arcana Entomologica, or illustrations of new, rare, and interesting exotic insects. London. Vol. 1. 188 pp. [pp. 57-58 and plate 15: Descriptions of some new longicorn beetles from the Indian Archipelago.]
- Westwood, J. O. 1848. The cabinet of oriental entomology, being a selection of some of the rarer and more beautiful species of insects, natives of India and the adjacent islands, the greater portion of which are now for the first time described and figured. Wm Smith, London. 88 pp. 42 pl.
- Westwood, J. O. 1853. Descriptions of some new species of Coleoptera from China and Ceylon. The Transactions of the Entomological Society of London. (2) 2:232-241. 1 pl.
- White, A. 1846a. Descriptions of four apparently new species of longicorn beetles in the collection of the British Museum. Annals and Magazine of Natural History, London. 18:47-49, 1 pl (I).
- White, A. 1853a. Catalogue of coleopterous insects in the collection of the British Museum, pt. VII. Longicornia I. pp. 1-174. pl. 1-4. London.
- White, A. 1855a. Catalogue of coleopterous insects in the collection of the British Museum, pt. VIII. Longicornia II. pp. 175-412. pl. 5-10. London.
- White, A. 1856b. Descriptions of some coleopterous insects in the collection of the British Museum, hitherto apparently unnoticed. Proceedings of the Zoological Society of London. 24:406-410. 1 fig., 1 pl.
- White, A. 1858a. Descriptions of some apparently unrecorded species of longicorn beetles, belonging to the genera *Phrissoma*, *Nyphona* &c. Annals and Magazine of Natural History, London. (3)2:264-276.
- White, A. 1858b. Descriptions of *Monohammus Bowringii*, *Batocera Una* and other longicorn Coleoptera, apparently as yet unrecorded. Proceedings of the Zoological Society of London. 26:398-413, 1 pl.
- Wiedemann, C. R. W. 1819. Neue Käfer aus Bengalen und Java. Zoologisches Magazin. Kiel. 1(3):157-183.
- Wiedemann, C. R. W. 1823. Zweihundert neue Käfer von Java; Bengalen und dem Vorgebirge der guten Hoffnung. Zoologisches Magazin. Kiel. 2(1):1-135.
- Yamasako, J. & N. Ohbayashi. 2007. A review of the Japanese species of the lamiine subgenus *Perimesosa* of the genus *Mesosa* (Coleoptera, Cerambycidae) (Studies of Asian Mesosini, I). Japanese Journal of Systematic Entomology. 13:333-348.
- Yamasako, J. & H. Makihara. 2011. A new species of the genus *Golsinda* Pascoe, 1857 (Coleoptera, Cerambycidae, Lamiinae, Mesosini) from the Malay Peninsula, with a nomenclatural note of the genus. Zootaxa. 3047:63-68.
- Yokoi, Y. & T. Niisato. 2009a. Seven new taxa of the genus *Merionoeda* Pascoe (Coleoptera, Cerambycidae) from Borneo, mainly from South Kalimantan. Special Bulletin of the Japanese Society of Coleopterology, Tokyo. 7:169-192. 56 fig.
- Yokoi, Y. & T. Niisato. 2009b. New records of *Merionoeda* species (Coleoptera, Cerambycidae) from the Malay Peninsula. Elytra, Tokyo. 37(1):81-82.
- Yoshitake, H. & T. Niisato. 2009a. Two new *Euryarthrum* Blanchard (Coleoptera, Cerambycidae) from Kalimantan, Indonesia, with a checklist of the species. Special Bulletin of the Japanese Society of Coleopterology, Tokyo. 7:193-204. 12 fig.
- Yoshitake, H. & T. Niisato. 2009b. A redescription of *Euryarthrum hastigerum* Holzschuh (Coleoptera, Cerambycidae), with description of its new relative from Kalimantan, Indonesia. Elytra, Tokyo. 37(1):155-163. 11 fig.
- Yoshitake, H. & T. Niisato. 2010a. A new *Euryarthrum* (Coleoptera, Cerambycidae) from Sabah, East Malaysia. Elytra, Tokyo. 38(1):3-8. 8 fig.

Last updated: February 1, 2013